



CERAMIC ABSTRACTS

compiled by the
American Ceramic Society

DS538617302USA 01 12/85A12
University Microfilms
Serials Processing
300 N. Zeeb Rd.
Ann Arbor MI 48106

NOVEMBER-DECEMBER 1985

CEAUAA, Vol. 64, No. 11-12, pp. 389-564

INDEX ISSUE

CERAMIC ABSTRACTS

compiled by
The American Ceramic Society

ISSN 0095-9960
Volume 64
Number 11-12
November-December
1985



ABSTRACT SECTIONS

Author Index	389
Subject Index	478

Indexer

Thomas O. Mooney

Abstracters

David Agranov
M. J. Bannister
Maynard P. Bauleke
James J. Beaudoin
Alan Bleier
John B. Blum
Fennimore N. Bradley
Bohus Brezny
Pawel Cichy
Given W. Cleek
Edna A. Dancy
J. L. Drummond
Richard A. Eppler
J. E. Gillott
Irwin Gordon
Lewis C. Hoffman
Yasuro Ikuma
Toru Kishii

Jiri Kristek
Binod Kumar
Vilem Loos
A. J. Liang
Grant Lu
Kensaku Maruyama
James Mathew
Christopher Maurer
Robert Morena
James L. Murphy
Paul S. M. Oh
Victor R. Palmeri
L. F. Pau
W. W. Perkins
V. S. Ramachandran
Venkat K. Raman
Roy W. Rice
Edmund L. Sargent

Michael J. Selsley
Riccardo Sersale
Harold Severin
R. G. Shah
William J. Smothers
Shigeyuki Somiya
Vaclav Stochl
Susan R. Strong
N. Suryanarayana
Ferenc Tamas
R. L. Thakur
O. J. Whittemore, Jr.
David T. Williams
R. K. Wood
Plamen D. Yankulov
William J. Zhong

Executive Director
and Publisher

W. Paul Holbrook

Director of Publications

Donald C. Snyder

Editor

William J. Smothers

Managing Editor

Sherron C. Bailey

Associate Editor

Craig N. Packard

Editorial Assistants

Jessica L. Edwards

Teresa A. Garrett

Technical Editor

Nancy L. Reed

Technical Services Director

Greg Fisher

Committee on Publications

Richard A. Eppler, Chair

Victor A. Greenhut

John F. MacDowell

Dale E. Niesz

Roy W. Rice

Liselotte J. Schioler, *ex officio*

William J. Smothers, *ex officio*

W. Paul Holbrook, *ex officio*

Editorial Advisory Board

Liselotte J. Schioler, Chair

Cameron G. Harman, Jr.

You Song Kim

Brian R. Lawn

Ronald H. Lester

Thomas F. Root

Robert O. Russell

David P. Stinton

Leslie J. Struble

James M. Stubbs, Jr.

Minoru Tomozawa

Vols. 1-6 (1922-1927) of *Ceramic Abstracts* were published with the *Bulletin of the American Ceramic Society*. Vols. 45-57 (1962-1974) were published with the *Journal of the American Ceramic Society*.

Editorial and Subscription Offices: 65 Ceramic Drive, Columbus, Ohio 43214. Subscription \$185.00 a year (includes *Ceramic Bulletin* and *Journal of the American Ceramic Society*). Subscriptions are available on a calendar-year basis only. Postage outside United States, \$15 additional. Single copies \$10 (November-December \$15) plus postage. Published bimonthly six times a year. Printed in the United States of America. POSTMASTER: Please send address changes to CERAMIC ABSTRACTS, American Ceramic Society, 65 Ceramic Dr., Columbus, Ohio 43214. Second-class postage paid at Columbus, Ohio. Allow six weeks for address changes.

Missing copies will be replaced only if claims are received within four months from date of mailing. Replacement copies will not be allowed if the subscriber fails to notify the Society of a change of address. Your member/subscriber number (found on your mailing label) **must** be included with all replacement requests. (Because of delivery difficulties, we are unable to send replacement copies free of charge to India.) The American Ceramic Society assumes no responsibility for the statements and opinions advanced by the contributors to its publications, or by the speakers at its programs. ©Copyright 1985 by The American Ceramic Society, Inc.,

CERAMIC ABSTRACTS

November–December, 1985

Compiled by the American Ceramic Society

AUTHOR INDEX FOR 1985

The abstract number appears at the end of each citation. The letters A, B, or P following the abstract number indicate an entry for (A) a periodical, (B) a book, or (P) a patent. Abstracts are numbered continuously through an entire volume. Author names are given in inverted style (last name first). Coauthor names are separated by semicolons. For papers with 3 or more authors, only the first 3 names are printed in the index.

- Abadir, M. F. See Shaaban, S. A.
 Abarotini, Eugene V. See Schacht, Charles A.
 Abbakumov, V. G.; and Novikov, V. L.
 Optimization of the construction of multilayer refractory linings for furnaces. 64-02161A
 Abbakumov, V. G.; and Vel'sin, S. I.
 Heat insulation of suspended arches of tunnel kilns [in refractory industry]. 64-02667A
 Abbas, A. F. See Ahmed, A. A.
 Abbas, Daniel C. See Lawrence, David J.
 Abbottista, F.; and Vallino, M.
 La₂O₃ binary system between 7500–1000°C. 64-04474A
 Abbott, Frank R.
 Electroceramic [ferroelectric] stack. 64-03941P
 Abbott, Richard N., Jr.
 Al-Si ordering in 1M trioctahedral micas. 64-06997A
 Abbott, Vaughan; Beckwith, Bruce R.; and Kingsbury, Charles M.
 Blank [glass mold] cylinder apparatus. 64-06801P
 Abbott, Vaughan; Morris, Nicholas G.; and Lambert, Scott M.
 Glassforming blank and plunger cooling. 64-06813P
 Abd Allah, E. W. See Abou Sekkina, M. M.
 Abd El-Ati, Mohamed I. See Spanulescu, I.
 Abd El-Hadi, A. See El-Badry, K. M.
 Abd El-Hadi, Z.; Moustaffa, F. A.; and El-Badry, K. M.
 Spectrophotometric studies on NiO₂/NiO, equilibrium in some lead borate glasses containing nickel. 64-03359A
 Abdelhamid, M. S.; Newsom, P. C.; and Rykken, L. E.
 In situ characterization of the high-level waste sludge at West Valley [NY]. 64-05334A
 Abderrazik, G. Ben; Millot, F.; and Moulin, G.
 Determination of transport properties of alumina oxide scale. 64-07319A; Experimental procedure for determining transport properties of oxide scales. 64-07330A
 Abdurkhanov, R. S.
 EPR study of the structural characteristics of cerium-containing phosphate and silicate glasses. 64-03225A
 Abdullayev, G. K.; Rza-zade, P. F.; and Mamedov, Kh. S.
 System Li₂O-Ga₂O-B₂O₃. 64-05835A
 Abdullayev, M. A.; Amirhanova, D. Kh.; and Matern, N.
 Phase transition dielectric-metal in single crystals V₂Ti₂O₇ (0<x<0.1). 64-01442A
 Abdurakhimov, A. A.; Vaipolin, A. A.; and Parimbekov, Z. A.
 Electrooptical properties of AgInS₃ crystals. 64-05090A
 Abdurazakov, A. A.
 Chemical composition of ancient and medieval glasses from Central Asia [USSR]. 64-03058A
 Abe, H. See Chandan, Harish C.
 Abe, Katsuo See Kawahito, Tsuneyoshi
 Abe, Koichi
 Precise positioning of optical fibers. 64-00413P; See also Fujii, Shuzo
 Abe, Masanori; and Tamura, Yutaka
 Ferrite plating in aqueous solution—new technique for preparing magnetic thin film. 64-02461A; Process for forming a ferrite film. 64-00872P
 Abe, Shozo
 Ceramic leadless packages and a process for manufacturing the same. 64-06600P
 Abe, Yoritune See Kobayashi, Nobuyuki
 Abe, Yoshihiro See Hosono, Hideo
 Abe, Yukihiko See Ichikawa, Yasushi
 Abel, Donald; and Cooperman, Gene D.
 Apparatus for cutting glass into various shapes. 64-04020P
 Abellitis, Andris See Schmidt, Martin
 Abellitis, Andris; and Brachthaeuser, Kunibert
 Method and device for the calcination of finely grained to dust-form material, particularly of comminuted raw material to be used in the manufacture of cement. 64-00068P
 Abell, R. Bruce
 Electric furnace [ceramic fiber] insulation. 64-03703P
 Abermann, R.; and Martinz, H. P.
 Internal stress and structure of evaporated chromium and MgF₂ films and their dependence on substrate temperature. 64-05931A
 Abernathy, Cammy R.; Bates, Clayton W.; and Anani, Anaba A.
 Kinetic effects in film formation of CuInSe₂ prepared by chemical spray pyrolysis. 64-05120A
 Abiko, Alex Kenya
 Influence of the shape of ceramic blocks on mechanical resistance. 64-02037A
 Abilov, Ch. I.; and Rustamov, P. G.
 Physicochemical and thermoelectric properties of alloys of the system PbTe-Ni₂Te. 64-05945A
 Abishev, Dzhanotun N. See Bauer, Ivan K.
 Abo-El-Enin, S. A.; Ata, A. A.; and Hassanien, A.
 Kinetics and mechanisms of slag-cement hydration. 64-01728A
 Abolins, Visvaldis; Betts, Joseph E.; and Holub, Fred F.
 Flame-resistant thermoplastic blends of polyethylene oxide, polyolefin, and hydrated alumina. 64-04502P
 Abou El Fetouh, Safaa H. See Ghorab, Hanna Y.
 Abou El Leil, Mahmoud M.; Camaratta, Frank A.; and DiGenova, Rocco R.
 Impact fracture of thermally tempered glass helicopter windshields. 64-03452A
 Abou Sekkina, M. M. See Gohar, I. A.; Hanna, S. B.
 Abou Sekkina, M. M.; El-Nimr, M. K.; and Abd Allah, E. W.
 Temperature dependence of electrical resistivity and dielectric characteristics of poled and BaZrO₃-modified BaTiO₃ ceramics. 64-03936A
 Abou Sekkina, M. M.; Rahim, A. M.; and El-Nimr, M. K.
 Low-temperature sintered electronic ceramic bodies for industry and engineering. 64-02317A
 Abou Sekkina, M. M.; and Tawfik, A.
 Pyroelectricity and mechano-dielectricity of lead zirconate titanate niobate ceramic transducers. 64-02435A
 Abou-Saif, E. A.; Mohamed, A. A.; and Al-Adl, E. I.
 Electron microscopy and infrared studies of Egyptian siliceous clay mineral. 64-04083A
 Abramov, G. P. See Guber, S. Yu.
 Abramovich, A. A. See Livshits, V. Ya.
 Abrams, Charles F.
 Mold [extended-life plaster]. 64-06832P
 Abrams, John C.
 Conductive paste, [glass-bead-fused] electroconductive body and fabrication of the same. 64-03860P
 Abramyan, E. A. See Perova, A. A.
 Abrikosov, N. Kh.; Avilov, E. S.; and Karpinskii, O. G.
 Physicochemical study of Ge_{1-x}(Te_x-Se_{1-x}) alloys. 64-05153A
 Abrikosov, N. Kh.; Dimitrova, S. K.; and Karpinskii, O. G.
 Phase transitions and electrophysical properties of the solid solutions based on GeTe at the cross-section of GeTe-AgSbTe. 64-05146A
 Abrikosov, N. Kh.; Karpinskii, O. G.; and Radkevich, O. V.
 Phase transitions in Ge_{1-x}(Te_x-Se_{1-x}) alloys. 64-05147A
 Abu-Moustafa, Magda See Valayil, Silvester
 Ackerman, Charles B.
 Melt level sensing system and method. 64-05454P
 Ackerman, F. J.; Grens, J. Z.; and Ryerson, Frederick J.
 Fluid-bed process for Synroc production. 64-05542A
 Ackermann, P. W. See Wartenberg, Erwin W.
 Ackley, George A.; and Reed, James S.
 Body parameters affecting extrusion. 64-00890A
 Acta, Howard L. See Ritsko, Joseph E.
 Acoella, John; Tomozawa, Minoru; and Watson, E. B.
 Nature of dissolved water in sodium silicate glasses and its effect on various properties. 64-01875A
 Acoella, S.
 Ceramic colloidal suspensions and rheology. 64-00585A
 Adachi, Hideaki See Kawaguchi, Takao
 Adachi, Norimasa See Kawabata, Kaoru
 Adachi, Yasuo; and Nabae, Kiyoyuki
 Acrylic fibers for producing carbon fibers. 64-04370P
 Adadurov, Gennady A.; Bavina, Tamara V.; and Breusov, Oleg N.
 Method of producing diamond and/or diamond-like modifications of boron nitride. 64-02883P
 Adair, Peter J.; Hobczuk, Michael P.; and Kingsburg, Paul I.
 Embedding material useful in preparing glass-ceramic products. 64-00251P
 Adam, Ken L.; and Jorgensen, Walter F.
 Copper plating process for metallizing alumina. 64-05060A
 Adam, P. See Herve, P.
 Adamczewska, J.; and Budzynski, T.
 Stress in chemical-vapor-deposited silicon films. 64-05960A
 Adams, A. C.
 Plasma deposition of inorganic films. 64-00692A
 Adams, Michael J. See Payne, David N.
 Adams, Neal J. See Schuck, Jack K.
 Adams, P. B.
 Glass corrosion. 64-01851A
 Addamiano, Arrigo; and Klein, Philipp H.
 Recovery of fragile [SiC] layers produced on substrates by chemical vapor deposition. 64-05245P
 Adel, T. A. See Raeva, I. S.
 Adewoye, O. O.
 Crystallography, flow, and fracture of beryl [Be₃Al₂(SiO₃)₆]. 64-04527A
 Adhikari, M.; Majumdar, M. K.; and Pati, A. K.
 Thermal decomposition of vermiculites—kinetics of dehydration and dehydroxylation processes. 64-02951A
 Adlerborn, Jan; Larker, Hans T.; and Mattsson, Bertil
 Method [isostatic pressing] of manufacturing an object of metallic or ceramic material [with glass coating]. 64-00970P
 Adlerborn, Jan; Larker, Hans T.; and Nilsson, Jan
 Method for manufacturing an object of silicon nitride. 64-05629P
 Adorian, J. See Coudurier, L.
 Adrian, Fritz; Grund, Theodor; and Strauss, Udo
 Method for at least the two-stage ignition of a fuel dust power burner and a burner system for carrying out this method. 64-02689P
 Adsett, R. See Webb, James B.
 Adwailpalker, Avinash S.; Kumar, Ananda H.; and Weisman, Renee L.
 Rework method for removing extraneous metal from ceramic substrates. 64-05891P
 Adylov, G. T. See Azimov, S. A.
 Adzhamatov, G. S. See Gorlov, Yu. P.
 Adzima, Leonard J. See Ritter, George W.
 Adzima, Leonard J.; Antle, Jeffrey L.; and Musick, David E.
 Chrome-free sizing composition containing titanium acetyl acetate for glass fiber gun roving. 64-00348P
 Aegerter, Michael A. See Dos Santos, Dayse I.; Ventura, Paulo C. S.
 Appelli, Kurt
 Apparatus for controlling the titer of synthetic fiber tows. 64-04019P

- Afanasyev, A. M.; Manykin, E. A.; and Lobanovich, E. F. Photoelectric phenomena during the diffraction of X rays in semiconductor crystals. 64-03811A
- Afanasyev, L. N.; Baral, S. G.; and Roman, O. V. Effect of technological factors on the characteristics of briquets from refractory materials during their hydrodynamic compaction. 64-02106A; Pressability of refractory materials in hydrodynamic machines. 64-02178A
- Afilil, M. S. See El-Badry, K. M.
- Afishar, A. B. See McCarter, W. J.
- Agave, A. B. See Aliev, O. M.
- Agafonov, V.; Michel, Daniel; and Kahn, A. Crystal growth by chemical vapor transport in the GeO₂-Ga₂O₃ system. 64-07312A
- Agel'tsov, B. M.; Zeein, M. A.; and Tarumin, A. A. System for the automatic control of pressures in a group of furnaces. 64-02674A
- Agar, Gordon E. Scheelite flotation process. 64-02738P
- Agarwal, Anil K. See Flendermeyer, B. F.; Nasrallah, M. M. Agarwal, Pankaj See Miller, Robert A.
- Aggarwal, P. S. See Banerjee, D.
- Aggarwal, P. S.; Sen, S. K.; and Banerjee, M. K. Low-temperature [1200°C, glazed] stoneware from Narsinghpur clay of Madhya Pradesh [India]. 64-00605A
- Aglyukov, Kh. I. See Merkulov, A. N.
- Agopyan, Vahan Effect of environmental humidity on glass-fiber-reinforced gypsum. 64-01708A
- Agnew, D. K.; and Stubbins, Vladimir S. Synthesis and sintering of Ca₂Zr₂P₂O₇ [CZP]—a low thermal expansion material. 64-07180A
- Agnew, John See Bergman, Bill
- Aguirre, Donald G. Measurement of permittivity and permeability of microwave materials. 64-05433P
- Aguirre, Manuel G. See Chicurel, Ricardo U.
- Ahikar, M. M. See LaCourse, William C.
- Ahmad, A.; Canaday, J. D.; and Wheat, T. A. Computer-controlled data acquisition system for electrical/electrochemical characterization of ceramic materials. 64-05405A
- Ahmad, A.; Wheat, T. A.; and Kurikose, A. K. Sodium beta' alumina by aqueous spray drying. 64-01257A
- Ahmad, A. B. See Thorp, J. S.
- Ahmed, A. A.; and Abbas, A. F. Does blast-furnace slag improve glassmaking? 64-04784A
- Ahmed, A. A.; Abbas, A. F.; and Ezz El-Din, F. M. Formation and decay of color centers induced by gamma irradiation in CaO-B₂O₃-Al₂O₃ glasses. 64-01848A
- Ahmed, A. A.; El-Shamy, T. M.; and Sharaf, N. A. Spectral absorption of telluride in alkali borate glasses. 64-06255A
- Ahmed, M. M.; Harani, Ravishankar; and Hogarth, C. A. Optical energy gap in praseodymium phosphate glasses. 64-03316A
- Ahmed, M. M.; Hogarth, C. A.; and Khan, M. N. Electrical and optical properties of the GeO₂-TeO₂ glass system. 64-03240A
- Ahmed, S.; and Khawaja, E. E. Refractive index of thin films of ZnSe in the ir. 64-05171A
- Ahmed, Syed M. See Blaauw, Cornelis
- Ahrens, T. J. See Rigidin, S. M.
- Aiba, Yoshiro See Oki, Kazuo
- Aida, Toshiyuki See Taguchi, Sadanori
- Aiello, R.; Nastro, Alfonso; and Crea, F. Use of natural products for zeolite synthesis: VI. Zeolite microcrystals from rhyolitic pumice grains. 64-05593A
- Airey, Anthony C.; and Spiller, Andrew Method of protecting pigments with transparent crystalline zircon. 64-02961P
- Alicia, Pierre-Claude; Pinsonneault, Philippe; and Roy, Della M. Physical and chemical characterization of condensed silica fumes. 64-01443A
- Akagi, Junichi See Yamanaka, Shoji
- Akai, Shinichi Method of producing GaAs single crystals doped with boron. 64-00781P
- Akamatsu, Setsuo See Oku, Susumu
- Akasaka, T.; Soda, T.; and Murakami, T. Producing inorganic [cermet] hardened compositions. 64-06134P
- Akashi, Goro See Dezawa, Shinichiro
- Akashi, Goro; Kitamoto, Tatsuji; and Okita, Tsutomu Method for preparing [ferromagnetic-coated] magnetic recording media. 64-02563P
- Akashi, T.; and Anaki, M. High-density boron nitride-containing sintered body for cutting tool and a method of producing the same. 64-04387P
- Akazawa, Noboru See Tachibana, Masakiyo
- Akberdin, A. A. See Kim, A. S.
- Akhtar, M. Masood See LaCourse, William C.
- Akh'yan, A. M. Quartz ceramics from fused Volgorsk [USSR] sands. 64-00702A
- Akiba, Shigeyuki; Sakai, Kazuo; and Utaka, Katsuyuki Distributed [InGaAsP] feedback semiconductor laser. 64-05210P
- Akhihiro, Hira See Reiji, Oguma
- Akizumi, Kiyohara See Soejima, Toshiyuki
- Akimoto, Masamichi See Hayakawa, Takashi
- Akimune, Yoshio See Touda, Masayuki
- Akine, Mufit See Rasmussen, M. D.
- Akine, Mufit; and Martin, D. M. Heat of adsorption of water on E-glass fiber surfaces. 64-00192A
- Akintunde, J. A. Laser-induced diffusion of silicon atoms from Si₃N₄ films deposited onto GaAs. 64-05122A
- Akisev, A. Kh.; and Babin, P. N. Structure and properties of dense periclase refractories obtained from layered granules. 64-05007A
- Akiyama, Junetsu See Taya, Akira
- Akiyama, M.; Yamada, J.; and Takahata, M. Method for preparing an SiC whisker-reinforced composite material. 64-04396P
- Akiyama, Tetsuo; and Tada, Isao Mixing characteristics of the positive- and negative-pressure air mixers. 64-06776A
- Akopov, F. A. See Podkletnov, E. E.
- Akramova, N. N.; Velikanova, F. I.; and Valishev, R. Sh. Hollow ceramic bricks for use in the Turkmen SSR. 64-06422A
- Aksay, Ilhan A. Microstructure control through colloidal consolidation. 64-00921A
- Aksay, Ilhan A.; and Schilling, C. H. Mechanics of colloidal filtration. 64-00916A
- Akse, James R.; and Long, Stanley A. Copper metallization for dielectric materials. 64-05208P
- Aksenov, A. V.; Zen'kovskii, A. G.; and Davydov, V. A. Spectral-radiation characteristics of perforated refractories. 64-00518A
- Aksenov, N. D.; Batrakov, Yu. F.; and Baidakov, L. A. X-ray spectroscopic study of crystals and glasses of the systems As-S and As-Se. 64-0391A
- Aksenova, L. N.; Zhilyayeva, A. L.; and Nefedova, D. I. Rapid method for determining phosphate ions in the manufacture of glass linen. 64-00221A
- Aksenova, L. N.; Zhilyayeva, A. L.; and Shelikhova, V. I. Atomic absorption determination of Ca and Mg in glass. 64-00145A
- Akshay, Mathur; and Sanjay, K. Jain Heat recovery in a typical glass tank furnace. 64-04797A
- Akune, Tadashi; Sakamoto, Nobuyoshi; and Shibuya, Yoshio Effect of quenching immediately after sputtering on superconducting NbN films. 64-00652A
- Akutsu, Hidezoh; and Ogata, Yoshio High-pressure [Al₂O₃] envelope sodium lamp. 64-01310P
- Akutsu, Satoshi See Okazaki, Masanobu
- Al Abed, A. See Sacadura, J. F.
- Al-Adi, E. I. See Abou-Saif, E. A.
- Al-Ani, S. K. J.; Hogarth, C. A.; and El-Malawany, R. A. Optical absorption in telluride and tungsten-tellurite glasses. 64-06229A
- Al-Dulaimy, J. A. M. See Parker, J. M.
- Al-Jumaily, G. A. See McNeil, John R.
- Al-Khayat, B. H. F. See Bishai, Augenie M.
- Alapin, B. G.; and Degtyareva, N. K. Localization of laser-induced craters during the microspectral analysis of refractories in the [laser microspectral] apparatus LMA-10. 64-02135A
- Alarcon Navarro, J. See Escibano Lopez, P.
- Alarcon Navarro, J.; Escibano Lopez, P.; and Gargallo, J. J. Cr-CaO-SiO₂-based ceramic pigments. 64-02921A
- Alario Franco, M. A. See Otero Diaz, C.
- Albarda, Scato; and Eder, Alfred Method and apparatus for sensing the presence of oxygen in a gas mixture. 64-01063P
- Albert, Richmond See Boyer, Kenneth W.
- Albita, Gheorghe See Dumitrescu, Constantin
- Albrecht, Horst Crucibles [quartz] for semiconductor manufacturing purposes and a process for manufacturing the crucible. 64-06480P
- Alchangan, S. V. See Azarov, V. V.
- Aldag, Arthur W. Alkali metal-promoted zinc titanate hydrogel catalyst for dehydrogenation of organic compounds. 64-07196P
- Aldebert, Pierre; and Travers, Jean-Pierre Structure and ionic mobility of zirconia at high temperature. 64-04351A
- Aldinger, Fritz See Werdecker, Waltraud
- Aldinger, Fritz; Keilberth, Richard; and Werdecker, Waltraud Low-contamination AlN crucible [BN composite] for monocrystal pulling and method. 64-06488P
- Aldrich, Billy R.; and Whitt, William D. Temperature-gradient furnace for solidification experiments. 64-04167A
- Alegret, S.; Blanco, M.; and Subirats, R. Potentiometric study of the reactivity of calcined magnesites for use in magnesium oxychloride cements. 64-01448A
- Alekhn, A. I.; and Rudyak, I. N. Methods for studying the metrological characteristics of nonstandard measurement methods [in the refractory industry] and evaluation of their precision. 64-00487A
- Alekhn, A. I.; and Zavgordnii, A. D. Metrological control in the production of refractories. 64-02148A
- Alekhn, V. P. See Kurilo, I. V.
- Aleksandrov, L. N.; Ivakhnshin, V. M.; and Kreimer, A. A. Structure and morphology of zinc oxide films prepared by the cathode spraying method. 64-05181A
- Aleksandrov, S. E.; Grekov, F. F.; and Zykov, A. M. Structure of germanium oxynitride films. 64-01260A
- Aleksandrov, V. I.; Blinov, A. L.; and Borik, M. A. Crystallization of glasses in the system Li₂O-(La₂O₃,Nd₂O₃)-P₂O₅. 64-03212A
- Aleksandrov, V. V. See Avvakumov, E. G.
- Aleksandrova, N. G. See Rykova, G. A.
- Aleksandrova, T. V. See Polyak, B. I.; Vlasov, A. S.
- Alekseev, N. E.; Izyneev, A. A.; and Kravchenko, V. B. Etching of phosphate glasses. 64-00183A
- Alekseev, S. V. See Makarov, I. A.
- Alekseeva, I. P.; Golubkov, V. V.; and Chuvayeva, T. I. Phase decomposition in glasses of the system Li₂O-Al₂O₃-SiO₂-ZrO₂; Phase decomposition processes in glasses of the system Li₂O-Al₂O₃-SiO₂-TiO₂. 64-03321A
- Alekseeva, N. N.; Demchenko, D. V.; and Maslennikova, G. N. Chalcanovsk quartz sand as a new raw material for producing porcelain glazes. 64-02697A
- Aleksiejunas, A. A. See Bondarenko, V. M.
- Alemay, C.; Jimenez, B.; and Mendolia, J. Aging of (Pb₂La)(Zr,Ti)O₂ ferroelectric ceramics and the space charge arising on hot poling. 64-02425A
- Alenchikova, I. F. See Nefedov, V. I.
- Aleshkevich, N. I.; Sytko, V. V.; and Krasikov, Yu. I. Luminescence of U(VI) octahedral centers in an NaF crystal. 64-04549A
- Alexander, J. H. Dielectric [Pb oxide-based] materials. 64-03865P
- Alexander, James H. Annual ceramic mineral resources review—lithium. 64-07010A
- Alexander, John H. Ceramic capacitor and [BaTiO₃] dielectric compositions. 64-06596P; Dielectric [thin-film oxide] materials. 64-06610P; Multilayer ceramic dielectric capacitors. 64-00786P; Multilayer doped ceramic capacitor. 64-02396P; See also Sterling, H. F.
- Alexander, John M.; and Lazet, Frank J. Directed-flow, thin-layer glass fusion process. 64-06297A
- Alexander, Kevin; and Farr, Howard J. Refractory mold body and method of casting using the mold body. 64-02254P
- Alexander, Michael N. See Onorato, Paulette I. K.
- Alexander, William Hydrogen-enriched water-swelling clay having reduced acid demand and stable at low pH. 64-07060P
- Alexandrovich, George; Edinger, J. Raymond; and Hofer, Alan Aluminum-aluminum oxide stylus arm. 64-05203P
- Alexeev, A. F. See Lavrenko, V. A.
- Alexeev, A. N.; Zlokazov, M. V.; and Osipov, I. V. Application of ferroelectric materials. 64-03918A
- Alexenco, Tamara See Lungu, Elena; Mihailescu, Mihaela
- Alfano, Robert R.; and Buchert, Janusz M. Chromium-doped beryllium aluminum silicate laser [medium] systems. 64-01288P
- Alfonso, Adriano S. Method [fiber-glass-reinforcing] of manufacturing sanitary ware. 64-03742P
- Ali Shebi, Farouk See Helmy, Fathia M.
- Ali Shebi, Farouk; and Helmy, Fathia M. Interlayer lime in hydrated β-dicalcium silicate. 64-04649A
- Ali, M. See Tanimura, K.
- Ali, M. M. See Mardiosova, I. V.; Singh, Vipin Kant
- Ali, Mir Akbar Power plant fly ash—a man-made material resource. 64-01136A
- Ali-Zaidi, Syed R. Process for forming rust resistant tin oxide coatings on glass containers. 64-00417P
- Aliaga Kiminami, Ruth H.; Da Cunha Machado, Edna C.; and Ferreira, Heber Carlos Influence of aging [on rheology] of smectic clays for oil well drilling fluids produced in the state of Paraíba, Brazil. 64-07039A
- Alibegashvili, T. G.; Kuras, Sh. M.; and Zedgenidze, E. N. Increased stability of refractory linings [of cement kilns]. 64-03637A
- Alidzhanov, M. A. See Rustamov, P. G.
- Alleri, Rodiero Apparatus for feeding and positioning clay blanks and molding bricks therefrom. 64-00941P
- Aliev, M. I.; and Khalilov, Kh. A. Distribution of components and regular variations of electrophysical parameters in the crystals Ga₂In₂As₂. 64-05066A
- Aliev, O. M. See Rustamov, P. G.
- Aliev, O. M.; Agave, A. B.; and Azadaliyev, R. A. System CdSe-La₂Se₃. 64-05824A
- Aliev, O. M.; Rustamov, P. G.; and Il'yasov, T. M. System Yb-Ga-Te. 64-05848A
- Alieva, Z. G. See Ragimova, V. M.
- Alikin, V. N. See Burmakina, E. I.
- Alishev, A. L. See Tsvinskii, S. V.
- Alizano, D. See Ozkul, C.
- Alizov, M. R. See Movsum-Zade, A. A.; Movsum-Zade, S. A.
- Alizov, M. R.; Movsum-Zade, A. A.; and Shirinov, Sh. M. System As₂Se₃(Sb₂Se₃)-CoSe. 64-05820A
- Alizov, M. R.; Shirinov, Sh. M.; and Gananov, Yu. M. System Bi₂Se₃-FeSe. 64-05823A
- Allegre, Giuseppe See Perego, Giovanni
- Allen, A. J. See Pearson, D.

- Allen, Lesley M. See Hedden, Jerry C.
- Allen, Terry L.; Rount, Kenneth R.; and Porter, Mark A. Start up of Joule-heated glassmelter with a graphite slurry. 64-04828A
- Allen, Walter L. Gravel bed filters—the pros and cons of their effective use with clinker coolers. 64-03092A
- Allender, Jeffrey S. See Pickett, John B.
- Allison, John See Dolnikowski, Gregory G.
- Allor, Richard L.; and Caverly, John C. Method of attaching a metal shaft to a ceramic shaft and product produced thereby. 64-04400P
- Alfred, David D. See Ovsinsky, Stanford R.
- Almeida, Rui. M.; and Mackenzie, John D. Vibrational spectroscopy study of the structure of binary thorium fluorohafnate glasses. 64-03380A
- Almond, Eric A.; and Gee, Mark G. Abrasive bodies [method of bonding to metal]. 64-03056P; Abrasive bodies. 64-04604P
- Almond, P.; Cheyne, Alan; and Moss, Hugh Formation and extraction of landfill gas and its use on a brick kiln. 64-05466A
- Al'mukhametov, R. F.; Belov, K. P.; and Volkova, N. V. Magnetostriktion of Y-Nd ferrite garnets. 64-03964A
- Alonso, P. J.; Halliburton, L. E.; and Kohnke, E. E. X-ray-induced luminescence in crystalline SiO₂. 64-00725A
- Alsop, John E. Making silicon carbide bodies. 64-02870P
- Alt, Ludwig Firing with natural gas. 64-03564A
- Altakar, V. A. See Singh, K. K.
- Altenhein, Friedrich K.; Lutze, Werner; and Ewing, Rodney C. Long-term radioactivity release from solidified high-level waste: III. The effect of canister lifetime. 64-05336A
- Altland, Guenter Pouring nozzle [refractory] and intermediate container of strand casting device. 64-02250P
- Altman, Heinz-Dieter; Lindel, Ursula; and Winkler, Karl-Guenther Length variation behavior of anhydrite construction materials. 64-00048A
- Altschuler, G. B.; Bakhanov, V. A.; and Dulneva, E. G. Optical characteristic of active elements made of quartz microporous glass. 64-04813A
- Altukhov, A. M.; and Yatskova, T. I. Determination of refractive index by means of diffraction grating. 64-04081A
- Altunlu, B.; Ogut, A. Z.; and Toledo, O. D. Phase equilibria and microstructure in the systems MgO-CaTiO₃-Ca silicates: I. Isothermal sections within systems MgO-CaTiO₃-(1, 2, or 3)CaO-SiO₂. 64-02939A; Phase equilibria and microstructure in the systems MgO-CaTiO₃-Ca silicates: II. Microstructural features and bonding in three-phase structures. 64-02940A
- Alvarez-Casasiego, P. Analytical methods for the quantitative determination of different oxidation states of Se in silicate glasses. 64-06163A
- Amama, M. C. See Laval, J. Y.
- Amarante, Armando, Jr. See Pires Correa, Waldomiro
- Amarante, Armando, Jr.; and Pires Correa, Waldomiro Dolomitic ceramic bodies for firing from 1000-1050°C to establish a grain-size curve suitable to control rheological and slip-casting properties. 64-02100A
- Amateau, Maurice F.; and Karasek, Keith R. Graphite-metal matrix bearings and methods of manufacturing. 64-05620P
- Ambri; Bassanelli, Andrea; and Caffagni, Mirko Operating expenses and technological development in the tile-making industry. 64-06060A
- Ambrozio Filho, Francisco See Ricci, Dolores Ribeiro
- Amemiya, Masahiro See Kishimoto, Mikio
- Amemiya, Yoshihide; Hayashi, Yuichiro; and Shigematsu, Naoki Performance of well blocks used for VOD vessel—high-Al₂O₃ cement vs other types]. 64-02167A
- Amendola, Albert; Christensen, Richard G.; and Yereance, John G., Jr. Method and apparatus for making a mask conforming to a ceramic substrate metallization pattern. 64-00976P
- Amin, Ahmed; and Shukla, Vishva Effects of mechanical processing on semiconducting properties of barium titanate. 64-06551A
- Aminov, T. G. See Kostyuk, Ya. I.
- Amirkhanova, D. Kh. See Abdullaev, M. A.
- Amoros Albaro, J. L.; Beltran Porcar, V.; and Negre Medall, F. Compaction of ceramic paving supports (biscuits): II. Effect of pressure and moisture content. 64-06509A
- Amosov, A. V. New concept of the formation mechanism of radiation-induced paramagnetic color centers in quartz glasses. 64-03308A
- Amosov, A. V.; Dorfman, G. A.; and Zhakov, V. V. Role of technical-grade hydrogen and chlorine impurities in the radiation processes in quartz glass. 64-01902A
- Amosov, A. V.; and Malysheva, S. F. Role of O₂ vacancy-type defects in the formation of radiation color centers in quartz glasses. 64-03351A
- Ampilogov, V. N. See Vikhrov, S. P.
- Amra, L. H. See Chandler, R. C.
- Amsbury, Clifford R. See Higginbotham, Gordon J. S.
- Amzica, Florin See Romanescu, Alexandru
- Ananli, Anaba A. See Abernathy, Cammy R.
- Ananichev, V. A.; Kudryavtsev, A. N.; and Baidakov, L. A. Thallium-205 NMR of chalcogenide glasses of the system As-S-Tl. 64-03372A
- Anashkina, V. I.; Kochegarova, L. S.; and Tatarskii, V. P. State of iron in clinkers with various cooling regimes. 64-00059A
- Anayama, Takeshi See Suzuki, Mitsumasa
- Ancillotti, F. See Forlani, O.
- Andermann, George; and Fujiwara, Francis Fundamental aspects of surface-film analysis with variable-angle ultrasoft X-ray fluorescence spectrometry. 64-02593A
- Andersen, S. A. Secil's new [Portuguese] production line on stream. 64-03125A
- Anderson, A. C. See Dobbs, J. N.
- Anderson, D. W. See Edwards, George H.
- Anderson, H. V. See Flandermeyer, B. F.
- Anderson, Harlan U. See Nasrallah, M. M.
- Anderson, J. S. Nonstoichiometric compounds—a critique of current views. 64-05757A
- Anderson, James Y. Powder dispensing container for dripless assembly to and disassembly from a flame spraying torch. 64-05392P
- Anderson, Jeff L. Method and apparatus for the production of electret material. 64-05225P
- Ando, Keikichi See Hosoe, Yuzuru
- Ando, Ken See Oishi, Yasumichi
- Ando, Ken; Oishi, Yasumichi; and Koizumi, H. Lattice defect and oxygen self-diffusion in MgO-stabilized ZrO₂. 64-07127A
- Ando, Kenichiro See Somiya, Shigeyuki
- Ando, Kenichiro; Okada, Kenichi; and Yokoyama, Katsuo Plans of the Fine Ceramic Association [Japan]. 64-05989A
- Ando, Masao Method of and system for inspecting performance of heat-insulating layer surrounding a pipe. 64-02646P
- Andreasen, Norman H. Kiln floor [dump linkage] system. 64-01103P; Kiln floor system. 64-01104P; 64-06980P; 64-04177P
- Andreev, Anatoly A.; Gavrilov, Alexei G.; and Galitskaya, Galina K. Cutting tool [oxide coating] hardening method. 64-01303P; Hardening cutting tools by deposition of wear-resistant material. 64-03165P
- Andreev, E. P.; Dobrovinskaya, E. P.; and Zvyagintseva, I. F. Effect of growth and annealing conditions on some physical characteristics of profiled sapphire. 64-04269A
- Andreev, I. V. See Lomovskii, V. A.
- Andreev, I. V.; Balashov, Yu. S.; and Lomovskii, V. A. High-temp. mechanical relaxation in Na borate glasses. 64-03268A; High-temperature internal friction in alkali-free borate glasses. 64-03269A
- Andreev, N. S. See Bokov, N. A.
- Andreev, N. S.; and Boiko, G. G. Low-angle X-ray scattering method for studying the growth kinetics of heterogeneity regions during spinodal decomposition of Na silicate glasses. 64-04090A
- Andreev, Vladimir See Kaluzhsky, Nikolai A.
- Andrei, A. See Luca, C.
- Andreica, Victoria See Marcu, George
- Andreica, Victoria; Tibad, Antal; and Trif, Marcela Transparent enamels for glass with protecting qualities against ultraviolet rays. 64-03377A
- Andrejko, Matthew J.; and Potkay, Eugene Method of fabricating a lightweight fiber. 64-00392P
- Andreoli, F. See Ongskik, Karl
- Andrew, Thomas W. See Frazer, Robert E.
- Andrews, John R. New technologies on the development and application of decorating with decal—[overview]. 64-06525A
- Andrews, Norwood H. Apparatus for comminuting materials to extremely fine size using a circulating stream jet mill and a discrete but interconnected and interdependent rotating anvil-jet impact mill. 64-05374P
- Andrews, Robert S. L. Apparatus for reclaiming foundry sand. 64-05016P
- Andrews, Robert W.; Himpel, Francis L.; and Horvath, Eugene B. Cracking [zeolitic] catalyst and manufacture thereof. 64-07218P
- Andrianov, N. T. See Bezlepkin, V. A.
- Andronenko, R. R. See Ioffe, V. A.
- Andronescu, Ecaterina See Solacolu, Serban; Soroiu, Vasile
- Androsenko, V. G. See Vydrina, Zh. A.
- Andrushchenko, M. I. See Popov, V. S.
- Andryukhina, T. D. See Botvinkin, O. K.
- Andryushchenko, E. A. See Papulova, G. N.
- Angelescu, Nicolae See Teoreanu, Ion
- Angeli, C. Austen See Martin, Steve W.
- Angevine, Philip J.; Oleck, Stephen M.; and Wilson, Robert C., Jr. Zeolite-containing catalyst support for denitrogenation of oil feedstocks. 64-07302P
- Angus, M. J. See McCulloch, C. E.
- Angus, M. J.; McCulloch, C. E.; and Crawford, R. W. Kinetics and mechanism of the reaction between Portland cement and clinochloite. 64-04650A
- Angus-Butterworth, L. M. Glassmaking at Warrington [UK] 1757-1933. 64-04609A
- Anjler, Joseph L.; Roberson, Morris L.; and Atchison, William E. Bayer process production of alumina hydrate. 64-05877P
- Annamalai, N. See Thiagarajan, S.
- Annamalai, N.; Baksi, S.; and Saha, Prasanna Effect of convection baffle and lithium nitrate and lithium nitrate dopants on hydrothermal growth rate of quartz single crystals. 64-02979A
- Anseen, M. R. See N'Dala, Ilunga; Pilate, P.
- Ansel, Robert E.; Cutler, Orvid R.; and Moschovis, Elias P. Low-temperature-flexible radiation-curable unsaturated polysiloxane-coated [glass] fiber optic. 64-03518P
- Ansel, Robert E.; Cutler, Orvid R.; and Pasternack, George Strippable radiation-cured coatings for optical fiber and method. 64-01000P
- Ansimova, T. A. See Pitak, N. V.
- Anthony, P. J. See Swaminathan, V.
- Antipov, E. V. See Kovba, L. M.
- Antipov, E. V.; Lykova, L. N.; and Kovba, L. M. New phases in the systems BaO-Ln₂O₃. 64-05756A
- Antle, Jeffrey L. See Adzima, Leonard J.
- Antler, Morton Gold in electronic components. 64-00666A
- Antonetti, V. W.; and Yovanovich, M. M. Thermal contact resistance in microelectronic equipment [at physical junctions]. 64-02341A
- Antoniadis, C.; and Jollet, M. C. Energy-beam-induced synthesis of thin GeSe₂ and GeSe films. 64-05093A
- Antonia, Vladimir Preparation and properties of solid electrolytes in the system La₂-Sr₂Fe₂. 64-03816A
- Antonini, B.; Brande, C. D.; and Lagomarsino, S. Surface layer contraction of the lattice in YIG:Ca films. 64-02340A
- Antonini, B.; and Paroli, P. Diffusion of fluorine ions in yttrium iron garnet. 64-03952A
- Antonov, P. I.; Bakholdin, S. I.; and Vandakurov, I. Yu. Effect of anisotropy of thermophysical and elastic properties on thermal stresses in profiled single crystals of sapphire and lithium niobate. 64-04533A
- Antonov, V. A.; Arsen'ev, P. A.; and Bagdasarov, Khachik S. Properties of V₂O₅-Sc₂O₃ and Lu₂O₃-Sc₂O₃ single crystals activated with neodymium ions. 64-04487A
- Antonov, Veniamin V.; Bat, Jury I.; and Gamalei, Edvin I. Method for flame spraying of gunite on lining of metallurgical units. 64-02560P
- Antonovsky, Ari; and Sandy, Michael J. Color SEM imaging of mineralogical samples—sulfide ores and zeolites. 64-04201A; 64-01120A
- Antrapova, N. M. See Shchegrov, L. N.
- Antropova, T. V. See Roskova, G. P.
- Anzai, Jorma O. See Lindfors, Sven G.
- Anzal, Takanori; Morishita, Noriaki; and Mihashi, Hiroshi Permanent lining of the steel teeming ladle by casting process [for safe transportation of molten steel]. 64-04984A
- Aoi, T. See Horike, S.
- Aoki, Junji See Umatsu, Hiroaki
- Aoki, K. See Saito, N.
- Aoki, Ryuji See Saito, Noboru
- Aonuma, Saburo See Sugimoto, Kenji
- Aoyama, Fumihiko; Murata, Kazushige; and Hayashi, Masahiro Method for obtaining drain-cast hollow articles for ceramic ware. 64-06537P
- Apilal, Vitaly Y.; Goriletsky, Valentin I.; and Maximov, Vladimir G. Apparatus and method of growing and discharging single crystals. 64-02534P
- Apothaker, Richard L.; Reed, James; and Croce, Carmen L. Glass-captivated heating unit for still or the like. 64-03513P
- Appa Rao, B. V.; Sengupta, M.; and Upadhyay, M. Improved soaking pit performance at Bhilai [India—structural failures and refractories]. 64-02122A
- Appels, Johannes A. See Van Ommen, Alfred H.
- Appelt, Robert Aluminum oxide and its bonding by monoaluminum phosphate. 64-02055A
- Arai, Takeo See Ban, Keisuke
- Arai, Tohru See Shimada, Hisashi
- Arai, Tsunenori; and Kikuchi, Makoto Carbon monoxide laser power delivery with an As₂S₃ infrared glass fiber. 64-06633A
- Arai, Yasuo See Yasue, Tamotsu
- Arai, Yoshihiro; and Nahara, Akira Magnetic [oxidized metal] recording medium. 64-03971P
- Arakawa, Hideo; Kuniya, Keiichi; and Chiba, Akio Ceramic substrate with metal plate. 64-03857P
- Arakawa, Hideo; Kuniya, Keiichi; and Namekawa, Takashi Copper matrix electrode having carbon fibers therein. 64-01301P
- Araki, M. See Akashi, T.
- Araki, Naohiko Report on promotion of the fine [advanced] ceramic industry. 64-03033A
- Arata, Yoshiaki; and Ohmori, Akira Solid-state reaction bonding of metal and ceramic: I. Bonding of Al-Mg alloy to ZrO₂ ceramic. 64-04343A
- Araujo, Roger J. Effect of base glass on the temperature dependence of the darkening of photochromic glasses. 64-03228A

- Aranjo, Roger J.; Borrelli, Nicholas F.; and Nolan, D. A.**
Stabilization of the Fermi level in photochromic glasses.
64-01906A
- Aranjow, Dang; McLaren, Malcolm G.; and Phelps, Girard W.**
Role of subsurface mica in ceramic clays. 64-01141A
- Arbuzov, V. I.; Vitol, I. K.; and Kangro, A. R.**
Recombination luminescence spectra of Eu^{2+} and Ce^{3+} in glass. 64-03345A
- Ardelean, Ioan** See Peteanu, Mihai
- Ardelean, Ioan; Cozar, O.; and Ilonca, G.**
EPR and magnetic susceptibility studies of $\text{xCuO}(1-x)[2\text{B}_2\text{O}_3\cdot\text{PbO}]$ glasses. 64-00164A
- Ardelean, Ioan; Simon, Viorica; and Tataru, Emil**
Crystalline phase separation of strontium titanates in a vitreous soda-silicate matrix. 64-03211A
- Arditty, Hervé J.** See Papuchon, Michel
- Arena, Blaise J.**
Immobilization of organic species on refractory inorganic oxides. 64-07234P
- Arendt, Ronald H.**
Preparation of large crystal-sized barium and/or strontium titanate powder. 64-02402P
- Areshiev, M. P.** See Averb'yanov, V. I.
- Argall, Bruce M.; Kuchirka, Peter J.; and Radford, Kenneth C.**
Burnable [intered B-compound] neutron absorbers. 64-06748P
- Arias, Beniric C.** See Larrauri, Jose M.
- Arifmetova, N. V.** See Vorob'ev, Kh. S.
- Arika, J.; Shiota, E.; and Yamamoto, K.**
Spherical microporous silica gel and a production process thereof. 64-00267P
- Arima, Hideo; Kanyasu, Masayoshi; and Ito, Mitsuko**
Gas detector [oxide semiconductor]. 64-02367P
- Arimori, Hitoshi** See Miura, Mitiko
- Arimoto, Yoshiharu** See Nakano, Kinichi
- Arimaga, Shinji** See Toide, Eiichi
- Arisin, A. A.** See Frenkel, M. Ya.
- Ariyoshi, Kazumasa** See Osaka, Akiyoshi; Takahashi, Katsuaki
- Arkhipova, Z. L.; and Mit'kin, V. M.**
Relations between the profile of glass refractive index and the profile of holding temperature distribution in the glass transition range. 64-01901A
- Artauskas, K.** See Bilnov, L. N.
- Armbrist, H.** See Schneider, W.
- Armenise, M. P.; Canali, C.; and De Sario, M.**
Characterization of TiO_2 , LiNbO_3 , and $(\text{Ti}_{0.85}\text{Nb}_{0.15})\text{O}_3$ compound growth observed during Ti:LiNbO_3 optical waveguide fabrication. 64-01382A
- Armor, John N.; and Carlson, Emery J.**
Palladium on alumina aerogel catalyst composition and process for making same. 64-01340P
- Armstrong, Brian H.; and Quinn, James P.**
Calcined [xerogel] silicas and their use in beer clarification. 64-07407P
- Arndt, D. P.; Azzam, R. M. A.; and Bennett, J. M.**
Multiple determination of the optical constants of thin-film coating materials. 64-03805A
- Arnell, R. D.** See Halling, J.
- Arnold, Anthony F.; and Schmeckenbecher, Arnold**
Process for forming a high-density metallurgy system on a [ceramic] substrate and structure thereof. 64-06156P
- Arnold, G. W.** See Bunker, B. C.
- Arnold, Robert G.** See Luffy, Joseph P.
- Arons, Richard M.** See David, Lawrence D.
- Aronson, James R.; Emslie, Alfred G.; and Misco, Ellen V.**
Optical constants of monoclinic anisotropic crystals—gypsum. 64-04558A
- Aronson, James R.; Emslie, Alfred G.; and Strong, Peter F.**
Optical constants of triclinic anisotropic crystals—blue vitriol. 64-05138A
- Arrington, John P.**
Method of transporting uv light through optical fibers. 64-04866P
- Arsev'ev, P. A.** See Antonov, V. A.
- Artamonova, G. I.** See Gladushko, O. A.
- Artamonova, M. V.** See Makarov, I. A.
- Artamonova, M. V.; Ershova, L. A.; and Mashir, Yu. I.**
Effect of heat treatment on the state of light-sensitive centers in photochromic glasses. 64-06185A
- Artamonova, M. V.; Mashir, Yu. I.; and Gorbachev, V. V.**
Correlation of the properties of Cu halide photochromic glasses with the parameter $\phi = (\text{Na}_2\text{O}-\text{Al}_2\text{O}_3)/\text{B}_2\text{O}_3$. 64-03208A
- Artamonova, M. V.; and Solinov, V. F.**
Chemistry and photochemistry of photochromic glasses. 64-06169A
- Artelt, Peter**
Testing workability of blast-furnace tap-hole mixes. 64-03685A
- Artelt, Peter; and Schierloh, U.**
Rapid determination of bulk density of granular material by the sand-pouring method. 64-01031A
- Artemova, A. A.** See Permyakov, Yu. V.
- Arvin, H.; and Aspin, D. E.**
Unambiguous determination of thickness and dielectric function of thin films by spectroscopic ellipsometry. 64-05442A
- Asada, Masao** See Taya, Akira
- Asadov, M. M.**
Monocrystals of the solid solutions $\text{Ti}_3\text{C}_4\text{S}$ and $\text{Cd}_3\text{Ti}_3\text{S}$ ($x < 0.01$). 64-05754A; Ternary reciprocal system $\text{HgSe} + \text{Ti}_2\text{Te} + \text{HgTe} + \text{Ti}_2\text{Se}$. 64-05855A
- Asadov, Yu.** See Gurshumov, A. P.
- Asaga, Kiyoshi** See Choi, Sang-Heul; Daimon, Masaki; Sakai, Etsuro
- Asahi, Naotatsu** See Sunano, Naomasa
- Asai, Osamu** See Ura, Mitsuru
- Asai, Ryueichi** See Okamoto, Takeshi
- Asai, Takashi**
Hard film coating for cutting tools. 64-02773A
- Asakura, Etsuro; Uda, Satoshi; and Kawabata, Hidekazu**
Difference of characteristics between alite in portland cement clinker and C/S solid solution. 64-06069A
- Asano, Hideki**
Hard [ceramic] coating processes for plastic optical components. 64-05545A
- Asano, Hiroshi; Shimamune, Takayuki; and Nitta, Hideo**
Electrolytic [Sn, Ti, and Ta oxide layered] electrodes having high durability. 64-02361P
- Asano, Mitsuru** See Inoguchi, Kazuhiro
- Asano, Shogo** See Takahashi, Juhei
- Asari, Akira; Fukuda, Tamotsu; and Matsuura, Shiro**
Hot isostatic pressing apparatus. 64-02545P
- Asari, Akira; Inoue, Yoichi; and Ishii, Takahiko**
Hot isostatic pressing apparatus. 64-02546P
- Asgar, Kamal**
Metallurgy of alloys for ceramic-metal applications. 64-06142A
- Ashhurst, J. G.** See McNamee, M.
- Ashimov, U. B.** See Bolotov, A. V.
- Ashimov, U. B.; and Satvaldiev, D. S.**
Slags from ferrochrome production—possible use for making refractories in the Aktyubinsk [USSR]. 64-00515A
- Ashizaki, Shigeya** See Ninagawa, Chikayoshi
- Ashizawa, Masaki** See Yamamoto, Tsutomu
- Ashkalanin, A. L.; Valov, P. M.; and Leiman, V. I.**
Optical sensitization of Cu halide photochromic glasses. 64-03317A
- Ashmarin, G. D.** See Tarasevich, B. P.
- Ashmarin, G. D.; Novinskaya, V. T.; and Klimtsov, E. Ya.**
Improving the production of ceramic bricks by semidry pressing [molding]. 64-03567A
- Ashmore, Sheila D.** See Taylor, Peter
- Askerova, N. A.** See Rustamov, P. G.
- Askins, Charles G.** See Friebele, E. Joseph
- Aslanova, M. S.** See Dudko, G. D.
- Aspnes, D. E.** See Arwin, H.
- Assadourian, L.; and Herczeg, L.**
Three-step process for depositing indium-tin oxide coatings. 64-00721A
- Assez, Pierre J. G.**
Goblet [with angular stem]. 64-04617P
- Assis, Luiz R.; Santilli, Celso V.; and Longo, Elson**
Sorption of gases on the MgO surface. 64-07386A
- Assmann, Helmut; Doerr, Wolfgang; and Peehs, Martin**
Oxide fuels with controlled microstructure. 64-00879A
- Astaf'yeva, L. V.; and Skorniyakov, G. P.**
Impurity phases in SnO_2 films prepared by hydrolysis of tin tetrachloride. 64-06070A
- Astakhova, M. A.** See Sychev, M. M.
- Astakhova, V. V.; Galant, E. I.; and Levenberg, V. A.**
Photoelastic effect and structural rearrangement in germanate and silicate glasses. 64-01883A
- Astani, V. I.** See Kozlov, A. S.
- Aston, Geoffrey W.; and Smart, Roderick M.**
Apparatus for the heat processing of [glass or glass-forming] particulate materials. 64-00340P
- Aszman, Harry W.; Buck, Charles E.; and Everhart, Cherie H.**
Acidic liquid detergent composition for cleaning ceramic tiles without eroding grout. 64-04498P
- Ata, A. A.** See Abo-El-Enin, S. A.
- Atakuziev, T. A.; and Yunusova, F. R.**
Effect of phosphorus and fluorine compounds on the process of formation of calcium sulfoaluminate. 64-05698A
- Atanasia, F.** See Lupse, O.
- Atchison, William E.** See Anjier, Joseph L.
- Atkarskaya, A. B.** See Mikhailov, V. V.
- Atkarskaya, A. B.; Demkina, L. I.; and Karaseva, V. I.**
Optical absorption of Cr^{3+} in borosilicate crowns. 64-03313A
- Atkins, Ronald T.**
Thermal conductivity measurement method. 64-06920P
- Atkinson, P. G.; Seedhom, B. B.; and Roberts, E. W.**
Shear strength between bone and porous ceramic root implants in the guinea pig incisor socket. 64-05576A
- Ato, Yasuro** See Miyagawa, Soji; Miyagawa, Yoshiko
- Atroshchenko, L. V.** See Aizarov, V. V.
- Atsumi, Kinya; and Ito, Nouvel**
Ceramic heater [of MoSi_2 and Si_3N_4]. 64-02857P
- Atsumi, Morihito** See Yamaguchi, Shunzo; Yoshida, Hitoshi
- Atwater, H. A.; Smith, Henry I.; and Thompson, C. V.**
Zone-melting recrystallization of thick silicon on insulator films. 64-00726A
- Atwood, George E.; Cochran, Douglas E.; and Sadan, Abraham**
Cyclic solution mining of borate ores. 64-01151P
- Aubourg, Patrick F.; and Fabricant, Barbara L.**
Methods of introducing fluorine into glasses. 64-06285P
- Aubry, Claude; Chaumette, Jacques; and Touchon, Pierre**
Method for the differentiated hardening of glass sheets, especially of automobile windshields, and tempered glass sheet. 64-04862P
- Audi, Josef** See Halberschmidt, Friedrich
- Auer, Hugo**
Apparatus for filling portions of loose material into packaging containers. 64-00942P
- Auerbeck, Jiri**
Hydrodynamics of the down-draw forming process of glass tubes—research on models. 64-03451A
- Augustynski, Jan** See Spichiger-Ulmann, M.
- Aulich, Hubert A.; Eisenrith, Karl-Heinz; and Urbach, Hans-Peter**
New high-purity to prepare high-purity silica. 64-01236A; Process for the manufacture of substrates from carbon-coated silicon dioxide fabric that can be used for large-surface silicon bodies. 64-04423P
- Ault, Neil N.** See Perkins, Richard C.
- Aurault, N.; Guery, J.; and Mercier, A. M.**
New fluoride glasses in the $\text{AlF}_3\text{-BF}_3\text{-MF}_3$ systems. 64-06225A
- Aust, R.** See Reuter, B.
- Autzen, Horst; Motz, Herbert; and Rudolf, Peter**
Manufacture of acicular ferrimagnetic iron oxide. 64-01155P
- Auerder, Cornelis P.; and Koel, Gerrit J.**
Method of manufacturing optical fibers. 64-03532P
- Avallini, M. A.; Chudinova, N. N.; and Tananayev, I. V.**
Condensed sodium-indium phosphates. 64-05676A
- Avanesov, A. G.; Denker, Boris I.; and Maksimova, G. V.**
Spectral-luminescent properties of lanthanum-gallium-oxysulfide glasses activated with neodymium. 64-00227A
- Avarbe, R. G.** See Kogel, S. P.
- Averbukh, E. A.** See Yurkov, L. F.
- Averous, M.** See Lombos, B. A.
- Averb'yanov, V. I.** See Galakhov, F. Ya.
- Averb'yanov, V. I.; Areshiev, M. P.; and Golubkov, V. V.**
Phase decomposition in the system $\text{Al}_2\text{O}_3\text{-SiO}_2$. 64-03320A
- Averb'yanova, L. N.** See Belyaev, I. N.
- Avetisyan, A. P.** See Primachuk, V. L.
- Avilov, E. S.** See Abrikosov, N. Kh.
- Aviram, Ari; and Shih, Kwang K.**
Metal-semiconductor [metal silicide or chalcogenide] resistive ribbon for thermal transfer printing and method for using. 64-00768P
- Avioi, R. I.** See Butyleva, E. S.
- Avramenko, E. N.; Mazo, L. D.; and Khalilov, V. D.**
Glass formation and physicochemical properties of glasses in the systems $\text{PbB}_2\text{O}_3\text{-PbSiO}_3\text{-ZnO}$, TiO_2 , and $\text{PbB}_2\text{O}_3\text{-PbSiO}_3\text{-PbTiO}_3$. 64-03259A
- Avrus, A. V.; and Glikman, M. L.**
Effect of gas substrate on the geometry of viscous-plastic sheet glass. 64-00289A
- Avtukhov, V. V.; Mechev, V. V.; and Tikhonov, V. P.**
Manufacture of periclase in furnaces with electrically conducting bottom. 64-04970A
- Avvakumov, E. G.; Kosova, N. V.; and Aleksandrov, V. V.**
Defect formation during the mechanical activation of Ti, Sn, and W oxides. 64-00824A
- Awata, Mitsuru** See Oguri, Yasuo
- Awli, F. A.** See Bishai, Augustin M.
- Ayers, William J., Jr.; Carter, Charles R.; and Griffith, Richard A.**
Sliding-gate valve for use with abrasive materials. 64-06843P
- Ayyub, P.; Multani, M. S.; and Gurjar, A.**
Synthesis and Moessbauer characterization of microcrystalline YFeO_3 . 64-01466A
- Azadali, R. A.** See Aliiev, O. M.
- Azarov, V. V.; Alchangan, S. V.; and Atroshchenko, L. V.**
Characteristics of the hexagonal-modification LiO , single crystals grown from acid, neutral, and alkaline solutions. 64-05667A
- Azarov, V. V.; Atroshchenko, L. V.; and Kolybaeva, M. I.**
Structural perfection and morphology of single crystals of potassium dihydrophosphate. 64-05963A
- Azimov, S. A.; Adylov, G. T.; and Urazbaeva, E. M.**
Production of high-refractory materials based on fused Al-Mg spinels obtained by radiant heating. 64-00502A
- Azimov, S. A.; Gulamova, D. D.; and Mel'nik, N. N.**
Aluminum titanate made in a solar furnace. 64-05512A
- Azzam, R. M. A.** See Arndt, D. P.
- Azzoni, C. B.** See Krajewski, Adriano
- Azzoni, C. B.; Del Nero, G. L.; and Krajewski, Adriano**
Thermal expansion of silicophosphate glasses with small additions of Fe_2O_3 —EPR and dilatometric studies. 64-03374A
- Baacke, Michael; and Kleinschmitt, Peter**
Crystalline aluminosilicate and process for its production. 64-02860P
- Bank, Trygve**
Reinforced and chemically resistant optical filament. 64-04878P
- Banzov, N. G.** See Tsitskishvili, K. F.
- Baba, Jumpei** See Komar, Paul D.
- Babadzharova, O. F.** See Yashchikhin, I. N.
- Babava, P. K.** See Rustamov, P. G.
- Babany, M. B.; Guseinov, F. K.; and Kuliev, A. A.**
Phase equilibria in the system Cd-Ti-Te . 64-05145A
- Babbitt, Richard W.** See Stern, Richard A.
- Babczinski, L.; and Urban, H.**
Three-phase mineral system ilite-kaolinite-quartz—ceramic properties and phase changes up to 1200°C . 64-02280A
- Babin, P. N.** See Akishev, A. Kh.
- Babini, G. N.; Belloni, Alida; and Vincenzini, Pietro**
Factors influencing structural evolution in the oxidation of hot-pressed $\text{Si}_3\text{N}_4\text{-Y}_2\text{O}_3\text{-SiO}_2$ materials. 64-04280A
- Bach, Bernhard** See Windt, David L.

- Bachaukane, M. K. See Stonis, S. N.
- Bachard, Roland See Gurtner, Bernard
- Bachmann, Peter K.
Method of manufacturing fluorine-doped optical fibers. 64-00259P
- Baczynska, Teresa See Glowinski, Jozef
- Badrinarath, K. V. S. See Radhakrishna, S.
- Badding, J. V. See Reiley, Timothy C.
- Bader, Mihai See Soroiu, Vasile
- Bader, Ernst
Influence of additives on the carbonate reactions in quartz-sodium carbonate-calcite-dolomite and dolomite-boric acid mixtures. 64-03273A
- Badesha, Santokh S.; and Smith, Thomas W.
Process for preparation of chalcogenide alloys by solution coredrawing of a mixture of oxides. 64-02966P
- Badger, William B.; and Hummel, Floyd A.
Phase equilibrium in the system $\text{Li}_2\text{O}-\text{Na}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2$. 64-04481A; Phase equilibrium in the system $\text{LiAlSiO}_3-\text{NaAlSiO}_3-\text{SiO}_2$. 64-04482A
- Badrinsky, Peter; and Bernath, Zoltan
Complex raw materials for the silicate industries. 64-05489A
- Badwal, Sukvinder Pal S.
Electrical conductivity of single crystal and polycrystalline yttria-stabilized zirconia. 64-01209A
- Badwal, Sukvinder Pal S.; and Drennan, J.
 $\text{Sc}_2\text{O}_3-\text{ZrO}_2-\text{Al}_2\text{O}_3$ system—electrical conductivity and microstructure. 64-07160A
- Badzioch, Stanislaw
Glass-ceramic ionic conductor materials and method of making. 64-05214P
- Baek, Jong-Tae See Pyun, Su-Il
- Baer, John R. See Govila, Ratan K.
- Baer, Karl; Bessler, Peter; and Duembgen, Gerd
Catalyst [ZnO carrier] for the preparation of methyl methacrylate. 64-07202P
- Beethmann, Hans-Juergen; Hoh, Bernhard; and Schulz, Siegmund
Nondestructive testing of structural material by means of ultrasonics. 64-04132P
- Baeuerle, D. See Szikora, S.
- Bagdasarov, Khachik S. See Antonov, V. A.; Petrosian, Asht G.
- Baglei, R. I.
Derivatographic investigation of binary sodium and ammonium paratungstates. 64-01391A
- Bagley, Brian G.
Information transmission using dispersive optical fibers. 64-00372P
- Bagley, Rodney D.; and Johnson, D. Lynn
Effect of magnesia on grain growth in alumina. 64-07089A
- Baglin, Elizabeth G. See Gomes, John M.
- Bahadur, D. See Prasad, A.; Roy, D.
- Bahen, Larry E. See Palmer, Brad J. F.
- Bahn, Rolf See Kertscher, Wolfgang
- Baidakov, L. A. See Aksenov, N. D.; Ananiev, V. A.; Kasparova, E. S.
- Baier, R. See Hoppe, R.
- Baik, Sunggi See Raj, Rishi
- Baik, Sunggi; Fowler, D. E.; and Blakely, J. M.
Segregation of Mg to the (0001) surface of doped sapphire. 64-07381A
- Baik, Sunggi; and Raj, Rishi
Effect of silicon activity on liquid-phase sintering of nitrogen ceramics. 64-07326A; Suppression of frothing by silicon addition during oxynitride glass synthesis. 64-06266A
- Baikunov, Zh. P. See Ivanitskii, V. V.
- Baikova, L. G.; Pukh, V. P.; and Pesina, T. I.
Effect of chemical etching on the strength of undamaged [intact] glasses. 64-01833A
- Bailey, Dana S. See Chai, Bruce H.
- Bailey, John Edward; and Stewart, H. R.
C.S hydration products viewed using a cryo stage in SEM. 64-00030A
- Bailey, John M.
Glow plug having resiliently mounted ceramic surface-ignition element. 64-00753P
- Baird, Donald H. See Freeman, Eva C.
- Baird, Phillips C.; and Greenspan, Jay S.
Microwave chip carrier [with ceramic tubes]. 64-02393P
- Boitamaev, B.; Parfenova, N. N.; and Zaitseva, N. V.
Piezoelectric properties of ceramics $(\text{Pb,Ba})(\text{Ti,Sn})\text{O}_3$. 64-00833A
- Baker, Derek See Lemon, Peter H. R. B.
- Baker, Martin L.; and Iacovazzi, Robert A.
Aluminum, aluminum oxide, chromium, gold mirror. 64-01276P
- Bakhanov, V. A. See Altschuler, G. B.
- Bakhodina, S. I. See Antonov, P. I.
- Bakhshi, Shiv K. See Stahl, Steven B.
- Bakhtiyarov, I. B. See Rustamov, P. G.
- Baksa, Gyorgy; Boros, Jozsef; and Horvath, Gyula
Process for the reduction of the sodium hydroxide losses of the Bayer-type alumina production. 64-02736P
- Bakli, S. See Annamalai, N.
- Bakuma, T. D. See Zhurakovskii, E. A.
- Bakunov, V. S. See Kuliev, V. Kh.
- Bakunov, V. S.; Belyakov, A. V.; and Dzhigailo, N. T.
Possibility of preparing dense ceramics from zirconates of alkali-earth metals. 64-07367A
- Balabanov, N. P.; and Kapitanova, N. N.
Use of y-ray method to study melt movement in glass tank furnaces. 64-01041A
- Balachandran, R. See Kutty, T. R. N.
- Balakirev, A. A.; and Groshev, I. A.
Chemical processes during the production of porous ceramics based on loess raw materials with some additives. 64-07027A
- Baland, J.
Neoceramic [nature and fabrication]. 64-03026A
- Balandina, V. V.; Migonadzhiev, A. S.; and Kurneva, G. I.
Aluminoborate glass glazed with rare-earth elements. 64-00143A
- Balashov, Yu. S. See Andreev, I. V.; Lomovskii, V. A.
- Balasolu, Horia; Popescu, Georgeta; and Muntean, Marcela
Influence of Flubet additives on the hardening process of portland cement pastes. 64-04645A
- Balasolu, Marina See Zaharescu, Maria
- Balasubramanian, M. R.; Natesan, R.; and Rajendran, P.
Correlation between catalytic activities and physicochemical properties of perovskite oxides. 64-05904A
- Balasubramanian, N. See Ramachandran, B. E.
- Balasz, Eva See Szoor, Gyula
- Balasz, G. B. See Schreiber, Henry D.
- Balbani, I. S.; Prasad, S. E.; and Yan, K. L.
Piezoelectric composite materials. 64-05274A
- Balbashov, A. M. See Chani, V. I.
- Bald, L.; and Gruen, R.
Thermal behavior of sulfates: VII. Chemical transport of ZnSO_4 and $\text{Zn}_2\text{O}(\text{SO}_4)_2$. 64-01478A
- Baldet, P. See Pernot, F.
- Baldus, Heinz-Dieter See Heinemann, Otto
- Baldvins, Jon O.; and Puleo, Joseph, Jr.
Radiation imageable compositions containing hollow ceramic microspheres. 64-05355P
- Baldwin, Brewster; and Butler, Crispin O.
Compaction curves. 64-07030A
- Balek, Vladimir
Emanation thermoanalysis. 64-04084A; Evaluation of starting materials for making ferrites using emanation thermal analysis: I. Reactivity of Fe_2O_3 and ZnO oxides. 64-05294A
- Balek, Vladimir; and Kaisersberger, E.
Preparation of BaTiO_3 by thermal decomposition of barium titanate oxalate simultaneously investigated by emanation thermal analysis, TG-DTA, and EGA. 64-07369A
- Balini, Pal; and Wagner, Zoltan
Effect of shaping parameters on the dilatometric behavior of brick clays. 64-04890A; Quality assurance of brick clays by thermal analysis. 64-01138A
- Balkevich, V. L.; Belyakov, A. V.; and Men'kova, E. R.
Mullite and mullite-like compounds in the system $\text{Al}_2\text{O}_3-\text{SiO}_2$. 64-03651A; Synthesis and sintering of pure mullite. 64-07392A
- Balkevich, V. L.; Medvedovskaya, E. I.; and Popov, O. N.
Contact reactions between Bakor [baddeleyite-corundum] and Dinas refractories. 64-04928A; Interactions between zircon-containing refractory mortars and glasses in the system $\text{Na}_2\text{O}-\text{CaO}-\text{SiO}_2$. 64-02129A
- Ball, W. J.
Problems facing the ceramic color manufacturer. 64-05990A
- Ball, William J.; Palmer, Keith W.; and Stewart, David G.
Crystalline [zeolite-like] aluminosilicates. 64-01302P
- Ball, William J.; and Stewart, David G.
Process for the production of catalysts based on crystalline aluminosilicates and the use of catalyst so produced. 64-04426P
- Ballabene, Corrado; and Doetsch, Horst
Walking beam furnace. 64-01114P
- Ballato, Arthur See Nakazawa, Mitsuo
- Ballesteros, C. See Llopis, J.
- Ballif, P. See Chopinet, M. H.
- Bal'makov, M. D. See Blinov, L. N.
- Balmer, Demetra
Porcelain enamel pigments—are they hazardous? 64-00108A
- Balogh, Gyozo See Csetenyi, Jozsef
- Bal's, A. N. See Kiliava, J.
- Balta, Petru; and Spuracu, Constantin
Glass basicity—theoretical basis and some practical aspects. 64-06198A
- Balters, Herbert; Litterer, Heinz; and Leupold, Ernst I.
Process for the production of a crystalline aluminosilicate zeolite. 64-07278P
- Balzau, Gerhard; Kompa, Guenther; and Schaberg, Frank
Continuous mixing silo and method of operation. 64-00953P
- Balzer, H. J. See Scheubel, B.
- Balzer-Jollenbeck, Ernt See Jain, Himanshu
- Bamberger, Carlos E. See Brynestad, J.; Brynestad, Jorulf
- Ban, Keisuke; Arai, Takeo; and Sakakibara, Tatsuo
Method for production of fiber-reinforced [metal matrix] composite material. 64-05631P
- Ban, Keisuke; and Daimaru, Akimasa
Method of constructing a fiber-reinforced piston for internal combustion engines. 64-04403P
- Ban, Thomas E. See Gardner, Samuel A.
- Bancroft, G. M.; Metson, J. B.; and McIntyre, N. S.
Microstructural characterization of sphenic ceramics. 64-05340A
- Bancroft, R. C.
Survey of laser trimming [in the thick-film industry]. 64-03833A
- Bando, Yoshichika
Preparation of ultrafine particles from liquid phase and their application. 64-05251A
- Bando, Yoshio See Izumi, Fujio; Moriyoshi, Yusuke; Tomozawa, Minoru
- Bandyopadhyay, A. K.; Beuneu, F.; and Zuppiroli, L.
Role of free carbon in the transport and magnetic properties of boron carbide. 64-04332A
- Bandyopadhyay, Gautam; and Galvin, Thomas M.
Method of preparing nuclear wastes for transportation and interim storage. 64-02499P
- Bandyopadhyay, T. See Saha, P.
- Banerjee, Bhupati K.
Origin and effect of pollution hazard in relation to soil and silicate industries [review]. 64-03028A
- Banerjee, D.; Biswas, N. C.; and Aggarwal, P. S.
Low-cost cold-face insulation bricks from common clay. 64-06454A
- Banerjee, G. See Roy, A. K.
- Banerjee, Indrajit; Kroemer, Herbert; and Chung, Don W.
Phase separation in $(\text{Ge}_2)_3(\text{GaAs})_7$ alloys grown by molecular beam epitaxy. 64-00687A
- Banerjee, M. K. See Aggarwal, P. S.
- Banerjee, N. L.; Dasgupta, S.; and Sen, R.
Flame photometric determination of calcium in bauxite. 64-02592A
- Banerjee, Pranab K. See Bendow, Bernard
- Banerjee, Subrata; and Venable, C. L.
Determination of quartz and its correlation with some physical properties of refractory clays (kaolinite). 64-02702A
- Banks, R. G. S. See Puxley, D. C.
- Banks, Robert L. See Kukes, Simon G.
- Bannister, M. J.; and Kanost, H. S.
Unusual applications of the SIRO, high-temperature oxygen sensor. 64-06588A
- Banno, Hisao (Editor)
New Ceramics. 64-06002B
- Bansal, Anil See Cheney, Richard F.
- Bansal, Narottam P. See Doremus, Robert H.
- Bansal, Narottam P.; Bruce, Allen J.; and Doremus, Robert H.
Influence of glass composition on the crystal growth kinetics of heavy-metal fluoride glasses. 64-06209A; Methods for the determination of the activation energy of glass crystallization from thermal analysis—comment. 64-03297A
- Bansal, Narottam P.; and Doremus, Robert H.
Surface tension of $\text{ZrF}_4-\text{BaF}_2-\text{LaF}_3$ glass. 64-00231A
- Bansal, Narottam P.; Doremus, Robert H.; and Bruce, Allen J.
Crystallization of fluorozirconate glasses. 64-00159A
- Bansal, O. P.
Thermodynamics of exchange in clays—ion exchange equilibria of transition metals and sodium ions on illite. 64-02729A
- Bansal, T. K. See Kishore, N.
- Bao, Zhuo-wu; Huang, Yuan-lin; and Dai, Yu-long
Microstructure of fused ZAS [$\text{ZrO}_2-\text{Al}_2\text{O}_3-\text{SiO}_2$] refractories. 64-06459A
- Baquet, Philippe See Rouly, Eric
- Baer-Cohen, Yoseph; Stubbs, David A.; and Hoppe, Wally C.
Multiphase backing materials for piezoelectric broadband transducers. 64-02444P
- Barai, S. G. See Afanas'ev, L. N.
- Baranov, L. I. See Rudnitskii, Yu. V.
- Baranov, S. V. See Vodop'yanov, A. G.
- Baranova, T. F.; Bevz, V. A.; and Grishina, N. E.
Production and properties of granular ceramic materials from mullite-containing suspensions. 64-02180A
- Baranova, T. F.; Grishina, N. E.; and Prokhorova, G. N.
Production and properties of dense corundum-zircon [refractory] ceramics. 64-02815A
- Barba, M. F.; and Valle, F. J.
Determination of boron in frits and glasses. 64-04713A
- Barbee, Troy W., Jr.; Keith, Douglas L.; and Nagel, Lynn
Controlled reactive sputter synthesis of refractory oxides— SiO_2 , the silicon-oxygen system. 64-00460A
- Barbee, Troy W., Jr.; Mrowka, Stanley; and Hettrick, Michael C.
Molybdenum-silicon multilayer mirrors for the extreme ultraviolet. 64-04810A
- Barbolovicu, Lucia; Ciocina, Mirela; and Iovu, Traian
Noncombustible plates for fireproof constructions [marinite type]. 64-03110A
- Barbon, F.; Gabbi, C.; and Locardi, B.
Analytical methods for evaluating the reactions arising between biocompatible glass and bone tissue. 64-06162A
- Barbour, J. C. See Chen, S. H.
- Barbulescu, Alin
Quantitative description of the thermal phase equilibria—binary systems. 64-07372A; See also Mihailescu, Andrea M.
- Barclay, Andrew C. See Potter, William D.
- Barco, L. See Beruto, D.; Deruto, D.
- Barcs, Vilmos
How can the building materials industry help in energy conservation? 64-05983A
- Bardamid, A. F. See Nahodkin, N. G.
- Bardeyan, D. See Dragoman, I.
- Barekiene, R. M. See Bondarenko, V. M.
- Bares, Frank P. See Kingsbury, Charles M.
- Baretter, E. See Carbin, M.
- Barfoot, K. M.; MacArthur, J. D.; and Palmer, G. R.
Elemental analysis of ceramics using a nuclear particle accelerator. 64-01015A
- Barinov, Yu. D. See Strel'nikov, V. I.
- Barkatt, Aaron; Barkatt, Alisa; and Borojmand, Morad A.
Application of chemical etching techniques for modeling of leached surfaces. 64-04704A
- Barkatt, Alisa See Barkatt, Aaron

- Barker, Allison P.**
Structural and mechanical characterization of calcium hydroxide in set cement and the influence of various additives. 64-03130A
- Barker, Charles E.; and Reynolds, T. James**
Preparing doubly polished sections of temperature-sensitive sedimentary rocks. 64-04218A
- Barker, Sidney A.; Stevenson, John; and DeCourcy, David R.**
Alkali metal silicate binder compositions. 64-05875P
- Barker, W. W.**
 $Y_2O_3-Nb_2O_5$ and $Ho_2O_3-Nb_2O_5$ systems—the cubic solid-solution region. 64-01488A
- Barkhatov, V. P.** See Golikov, Yu. V.
- Barkhan, Marvin L.; and Kujawa, Joseph J.**
Forehearth for molten glass and method of using same. 64-04848P
- Barkhan, Marvin L.; Perry, Philip D.; and Poundstone, Donald H.**
Electrically heated forehearth and method of controlling molten glass temperature therein. 64-06350P
- Barkhan, Ray W.** See Cassidy, Don
- Barkmeyer, Hans** See Hesse, Theodor
- Barletta, Robert E.** See Piccolo, Paul L.
- Barna, Arpad** See Wojnarovits-Hrapka, Ilona
- Barna, Gordon L.; and Lippert, James W.**
Heat exchange [checker brick] structure. 64-06484P
- Barna, Septimiu; Dollinger, Lucian; and Ionescu, Elena Hilda**
Silicate laser glasses doped with Nd_2O_3 having protective coverings against solarization. 64-06249A
- Barnes, A.; Elliott, G. K.; and MacFarlane, W.**
Refractory [MgO-faced] heat-insulating slabs. 64-03710P
- Barnes, Albert L.**
Metal borides, carbides, nitrides, silicides, oxide materials and their method of preparation. 64-07240P
- Barnes, Allan F.; and Wallace, Clarence L.**
Production of vitreous enamelled substrates. 64-00133P
- Barnes, Andrew; and Yates, Raymond W.**
Refractory, heat-insulating liner. 64-02255P
- Barnes, David I.** See Robinson, Joseph G.
- Barnes, F. L.** See Maitland, P. J.
- Barnes, M. W.; Roy, Della M.; and Wakeley, L. D.**
Leaching of composites of cement with the radioactive waste forms strontium powellite and iodine sodalite at 90°C. 64-05335A
- Barnes, P.** See Tarling, S. E.
- Barnett, Allen M.; Catalano, Anthony W.; and Dalal, Vikram L.**
Photovoltaic cells employing zinc phosphide. 64-00794P
- Barns, Robert L.; and Pearson, Arthur D.**
Optical fiber fabrication process. 64-06397P
- Baronio, Giulio** See Binda, Luigi
- Barovskii, N. V.; Kudakov, U. D.; and Sokolov, E. B.**
Growth and optical properties of epitaxial layers of AlN. 64-01218A
- Barowicz, J.** See Ozcoz, K.
- Barzal, Robert** See Gurrner, Bernard
- Barzal, Robert; and Titeux, Michel**
Industrial synthesis of ultrafine high-purity ceramic powders—the case of alumina and zirconia. 64-07118A
- Barresi, Anthony J.; Nelson, Leonard; and Fogson, Jack**
Fixture for solder tinning chip carriers. 64-02542P
- Barriaga, C.** See Criado, J. M.
- Barriager, Eric A.** See Debelly, Pierre E.
- Barriager, Eric A.; and Boven, H. Kent**
Ceramic powder processing. 64-04250A
- Barrow, Lawrence M.**
Eigen solution of the spinodal equation. 64-07458A; Vector presentation of liquid immiscibility in alkali-free $CaO-FeO-MgO-Al_2O_3-SiO_2-TiO_2$ melts. 64-07517A
- Barrow, Craig**
Spent refractories? The recycling solution. 64-07532A
- Bart, J. C. J.** See Zippelli, C.
- Bart, J. C. J.; and Petrini, G.**
Compound formation in the systems TeO_2-SeO_2 and $TeO_2-SeO_2-H_2O$. 64-01385A
- Bart, J. C. J.; Vitarelli, P.; and Cavallaro, S.**
Solid-state equilibria in the $MoO_3-TeO_2-Al_2O_3$ system. 64-01463A
- Bartel, Joachim** See Ulbricht, Joachim
- Bartenev, G. M.**
Interrelation between relaxation and failure processes in inorganic glasses. 64-03277A
- Bartel, Edward G.; Braude, Ravin; and Kay, Nicholas W.**
Conductor [thick-film ink] composition and devices using it. 64-03861P
- Bartla Balogh, Agnes; and Kotsis, Levente**
Zircon-based ceramic pigments. 64-00623A
- Bartel, Joachim**
Influence of alumina pretreatment on sintering behavior. 64-04294A
- Bartel, Leo**
Energy cost reduction in the brick and tile industry—private electricity generation with waste heat recovery (unit power plant). 64-03561A
- Bartlem, V. M. T. S.** See Neto, J. Maria
- Bartlow, C.** See Kermou, A.
- Bartkowski, M.** See Belanger, D.
- Bartlett, Robert W.; and Bolles, Thomas R.**
Process for the production of alumina. 64-07066P
- Bartlett, Robert W.; and Jorgensen, Paul J.**
Process for applying [oxidizing] thermal barrier coatings to metals. 64-01802P
- Bartuska, Miloslav** See Sasek, Ladislav
- Bartuska, Miloslav; Kroupa, Petr; and Szabo, Josef**
Material [metal oxides] for plasma spraying and method of making same. 64-01796P
- Bartuska, Miloslav; and Zajic, Jiri**
Atypical morphology of cristobalite forms crystallizing in glass. 64-06165A
- Barua, A. K.** See Chaudhuri, P.
- Baryshnikova, L. S.** See Sturman, V. K.
- Basak, G. C.**
Bibliography on photosensitive and photochromic glasses. 64-01812A
- Basavarajappa, G.** See Ramachandran, B. E.
- Basha, A. F.** See Tawansi, A.
- Basi, Jagtar S.; and Mendel, Eric**
Method for polishing amorphous aluminum oxide. 64-07248P
- Basinska, A.** See Domka, F.
- Baskaran, Suresh; Bhaduri, Sarit B.; and Haselman, D. P. H.**
Effect of crystallites on subcritical crack growth and strain-rate sensitivity of strength of cordierite glass-ceramics. 64-04785A
- Basikova, N. F.; Savel'ev, V. N.; and Rogozovets, M. V.**
Effect of chemical modification of the surface on the sintering of quartz glass. 64-01834A
- Bass, M.** See Merkle, Larry D.
- Bassanetti, Andrea** See Ambri
- Bassanetti, Andrea; Brusca, A.; and Buriani**
Preparing dusts to be pressed in the tile-making industry. 64-00609A
- Bassett, Peter J.; and Verheijen, Augustinus**
Cadmium sulfide solar cell. 64-00730P
- Bassett, William A.** See Gold, Jon S.
- Basseville, Philippe** See Gougouyan, Yves
- Bassler, Peter** See Baer, Karl
- Basson, J. A.**
Overview of energy in South Africa and the potential for conservation. 64-06952A
- Basu, M. K.** See Srinivasan, K. N.
- Basu, S.** See Paria, M. K.
- Bas'yan, I. P.; and Farafonov, G. A.**
In-service breakdown of arch [refractory] bodies under the effect of mechanical stresses. 64-00480A
- Bat, Juri I.** See Antonov, Veniamin V.
- Batalin, G. I.; Kuskov, V. D.; and Kachur, A. V.**
Vacuum condenser structure of the ZrO_2-CaO system in the region rich in zirconium dioxide. 64-05199A
- Batchelor, A. D.** See Palmour, H., III
- Bates, Clayton W.** See Abernathy, Cammy R.
- Bates, J. K.; Steindler, M. J.; and McDaniel, P. L.**
Hydration of stressed nuclear waste glass. 64-00194A
- Bates, John B.**
Ionic and molecular transport in beta- and beta'-alumina. 64-05557A
- Bateson, Paul F.** See Drake, Cyril F.
- Batra, K. K.** See Deshmukh, B. T.
- Batrakov, Yu. F.** See Aksekov, N. D.; Makarov, L. L.
- Battigelli, Jean A.; and Berthier, Guy**
Method and apparatus for forming fiber webs [from melt]. 64-01997P
- Battigelli, Jean A.; and Plantard, Dominique**
Process and apparatus for improving the distribution on a receiving device of [mineral] fibers carried by a gas current. 64-00416P
- Batyrev, N. I.; and Shumilin, V. P.**
Growth specifics of epitaxial layers $In_{x-1}Ga_xP/GaAs(111)$. 64-05107A
- Baudais, F. L.; and Bujs, H.**
Electronic Fourier transform spectroscopy. 64-06870A
- Bauer, Guenter; and Eckert, Joachim**
Method of recovering molybdenum oxide. 64-05885P
- Bauer, Hans; and Schmitz, Heinz-Wilhold**
Method and apparatus for reclaiming foundry sand. 64-02248P
- Bauer, Ivan K.; Malyshev, Vitaly P.; and Abishev, Dzhan-tore N.**
Shaft furnace for heat treatment of finely dispersed materials. 64-04193P
- Bauer, Juergen; and Wawrecko, Kurt**
Coloring of paving clinker by reduction burning in tunnel kilns. 64-03079A; Reduced firing [of heavy clay products] in tunnel kilns. 64-00449A
- Bauer, Rainer** See Kastl, Hans
- Baukele, Maynard** See Ranney, John
- Baumard, J. F.** See Cales, B.
- Baumberger, K.** See Weidner, A.
- Baumberger, Otto; and Kalbskopf, Reinhard**
Device for depositing a mineral oxide coating on a substrate. 64-05381P; Method of depositing a mineral oxide coating on a substrate. 64-00986P
- Baumert, J.-C.; Hoffnagle, J.; and Guenter, P.**
High-efficiency intracavity frequency doubling of a styryl-9 dye laser with $KNbO_3$ crystals. 64-05927A
- Baumgaertner, Armin; and Elsaesser, Kurt**
Multilayer electrophotographic recording material comprises a selenium-tellurium first layer and selenium-arsenic-containing second layer. 64-02397P
- Baumgartner, Charles E.**
Stability of metal-oxide-doped ZnO in molten alkali carbonates. 64-06579A; See also Karas, Bradley R.
- Baumgartner, Charles E.; and Zarnoch, Kenneth P.**
Fabrication and characterization of porous lithium-doped nickel oxide cathodes for use in molten carbonate fuel cells. 64-06558A
- Baumgartner, H. Robert**
Subcritical crack velocities in titanium diboride under simulated Hall-Heroult cell conditions. 64-01261A
- Bavelloni, Franco**
Holding device for glass panes, marble slabs, and like bodies. 64-00964P
- Bavina, Tamara V.** See Adadurov, Gennady A.
- Baxter, Glenn**
Marketing can move brick into a new era. 64-04900A
- Bayar, E.; and Gruen, R.**
Dimorphism of $SrTa_2O_7$ —a step from the tetragonal structure of bronzes to the structure of $CaTa_2O_7$. 64-01532A; Polymorphism of $SrTa_2O_7$. 64-01446A
- Bayly, George J.**
Continuous-casting refractories—characteristics and applicability. 64-03603A
- Bazakutsa, V. A.; Lazarev, V. B.; and Perekestov, V. I.**
Electrophysical properties of the compounds $A(II)BTe$, ($A(II)=Li, Na, K$). 64-05092A
- Bazhenov, V. M.; Raspopin, S. P.; and Chervinskii, Yu. F.**
System $KCl-NiCl_2$. 64-05833A
- Bazout, Zdenek; and Vrestalova, Marie**
Estimation of the material passage time through a cement rotary kiln. 64-06082A
- Beale, James; and Viles, Robert F.**
Cement compositions [high- Al_2O_3]. 64-01768P
- Beales, Keith J.** See Carter, S. F.
- Beales, Keith J.; Carter, S. F.; and Franes, Paul W.**
Multicomponent glass optical fibers with a lowered water content and reduced loss. 64-06224A
- Beall, George H.; Chirino, Augustin M.; and Chyung, Kenneth**
Glass-ceramic articles containing osimilite. 64-00254P
- Beall, George H.; MacDowell, John F.; and Taylor, Mark P.**
Transparent glass-ceramics containing mullite. 64-06291P
- Beall, George H.; and Megjes, John E., Jr.**
Potassium fluorrichterite glass-ceramics and method. 64-00264P
- Beals, Robert J.**
Manufacture and importation of ceramic tableware in the US. 64-03724A
- Beard, C. C.**
Anterior dental contours. 64-07068A
- Beard, Charles L.; and Camden, Thomas**
High-uranium utilization fuel rod for light-water reactors. 64-03985P
- Beard, R.**
Developments in pad printing techniques [for decorating tableware]. 64-05362A
- Beard, G. A.**
Apparatus for advancing pallets in a tile-making machine. 64-06796P
- Beart, M.**
Ceramic fiber—[a review of] the energy saver. 64-06441A
- Beatty, R. L.; and Wyman, F. M.**
Continuous silicon carbide whisker production. 64-01300P
- Beaugar, Alain** See Lagrange, Alain
- Bebhik, L. G.; Kornienko, L. S.; and Litvin, B. N.**
Radiation-induced paramagnetic centers in glassy and crystalline La ultraphosphate. 64-03334A
- Becher, Paul F.**
Strength degradation in SiC and Si₃N₄ ceramics by exposure to coal slags at high temperatures. 64-02829A; See also Ferber, Mattison K.; Wei, George C. T.
- Becher, Paul F.; and Ferber, Mattison K.**
Mechanical reliability of ceramic windows in high-frequency microwave heating devices: II. Mechanical behavior of the ceramics. 64-03798A
- Becher, Paul F.; and Wei, George C. T.**
Toughening behavior in SiC-whisker-reinforced alumina. 64-02837A
- Becherescu, Dumitru; Ivan, Elisabeta; and Gages, Lucia**
Bodies from the system $SiO_2-ZrO_2-Fe_2O_3$ usable [as pigments in glazes] in fine ceramics. 64-03715A; Electron microprobe use for pigment-flux interaction analysis. 64-03728A
- Beck, H. Wayne; Carruthers, James D.; and Cornelius, Edward B.**
High-performance [zeolite- and clay-based] catalysts for carbomentalic oil conversion and their manufacturing and use. 64-02866P; Immobilization of vanadia deposited on sorbent materials during treatment of carbomentalic oils. 64-05880P
- Beck, Jeffrey D.** See Schaake, Herbert F.
- Beck, Jeffrey D.; Schaake, Herbert F.; and Treglbas, John H.**
Impurity reduction technique for mercury cadmium telluride. 64-05218P
- Beck, Robert A.**
Clean Air Act—rain of confusion. 64-07522A
- Beck, Warren R.; and Castle, Richard B.**
Proppant for well fractures and method of making same. 64-04430P
- Becker, John E.** See Rose, Douglas N.
- Becker, Otmar** See Schneider, Lutz T.
- Beckerle, Heinz; Gerstle, Volker; and Mauz, Gerhard**
Process for reclaiming rare-earth metallic oxide and/or rare-earth metallic oxysulfide phosphors. 64-01161P
- Beckman, James R.** See Farmer, Robert W.
- Beckwith, Bruce R.** See Abbott, Vaughan; Kingsbury, Charles M.; Morris, Nicholas G.
- Beckwith, Elaine C.** See Ezis, Andre
- Beckwith, Peter J.** See Crane, Kenneth
- Bedder, S. W.** See Lewis, G.
- Bedford, K. L.; Williams, R. T.; and Hunter, W. R.**
Electronic structure of beryllium fluoride. 64-04538A
- Bedford, Raymond E.** See Quinn, D. B.

- Bednarik, Jaroslav** See Res, Miloslav A.
- Bednosheva, V. Ya.; Koval, A. A.; and Ivanov, V. A.**
Electrical resistance of enamel coatings during testing of their thermal stability. 64-00085A
- Bedros, Petir; and Fojkova, Marie**
Formation of bubbles on the zirconium silicate refractory in the Simax glassmelts. 64-04951A
- Beekman, Stewart M.**
Process for preparing basic aluminum carbonate gels substantially free from foreign anions and fibrous colloidal alumina monohydrate of a boehmite crystal lattice structure. 64-04514P
- Beelen, Mathews** See De Boer, Jurrie
- Beesh-Marchwicka, G.; Krol-Stepniowska, L.; and Misiuk, A.**
Influence of annealing on the phase composition, transmission, and resistivity of SnO₂ thin films. 64-05113A
- Beer, Guenter** See Pesch, Wolfgang
- Beers, A. M.** See Hendriks, M.
- Beerwald, Hans; Boehm, Guenter; and Glomski, Guenter**
Plasma [microwave] process for the production of a [SiO₂-GeO₂] dielectric rod. 64-04766P; Plasma method for coating the inside surface of a glass tube. 64-00410P
- Beggs, James M.; Johnston, Garland D.; and Coleman, Archie D.**
Insulation bonding [to metal] test system. 64-01795P
- Beglyarov, E. M.**
Effectiveness of the formation of staple fibers from silicate melts by blowing. 64-04787A; Surface phenomena in silicate melts. 64-03368A
- Begun, George M.** See Sales, B. C.
- Begunova, R. G.** See Panasenko, E. B.
- Behr, Werner**
Dark blue dyed furnace sight glass with high infrared absorption. 64-06347P
- Behrens, Robert G.; and Rinehart, Gary H.**
Vaporization thermodynamics and enthalpy of formation of aluminum silicon carbide. 64-01272A
- Beier, Norbert** See Kozlowski, Guenter
- Bekturov, A. B.** See Urikh, V. A.
- Belanger, D.; Bartkowski, M.; and Dodelet, J. P.**
Electrical and optical properties of chemical-vapor-deposited tin oxide films from organometallics. 64-00655A
- Belanger, D. P.; King, A. R.; and Jaccarino, V.**
Temperature dependence of the optical birefringence of MnF₂, MgF₂, and ZnF₂. 64-04571A
- Beletskii, I. P.** See Kozub, G. M.
- Belovich, N. N.** See Makovetskaya, L. A.
- Belik, Ya. G.** See Zobina, L. D.
- Belikova, V. I.** See Kudryavtseva, N. L.
- Belimenko, L. D.** See Korolev, D. F.
- Bell, D. A.; and Palin, Francis Terence**
Acoustic emission monitoring of refractories in the mid-stack of No. 1 BF Ravenscroft works. 64-02574A
- Bell, D. A.; Palin, Francis Terence; and Padgett, G. C.**
Effects of rapid heating on blast-furnace refractories. 64-02107A
- Bell, K. E.; and Quon, D. H. H.**
Nozzle refractories for secondary specialty steelmaking vessels. 64-04979A
- Bell, Michael; Kreuer, Klaus-Dieter; and Rabenau, Albrecht**
Solid proton [zeolite] conductors and their use. 64-04441P
- Bell, P. M.; Mao, H. K.; and Goettel, K.**
Ultrahigh pressure—beyond 2 megabars and the ruby fluorescence scale. 64-04016A
- Bellaiche, L.**
Energy savings in drying and firing operations. 64-04150A
- Bellardo, A.; and Lovati, G.**
Performances of thick-film resistors with reduced dimensions. 64-00684A
- Belleri, G.** See Deruto, D.
- Belloso, Alida** See Babini, G. N.
- Bel'maz, N. S.** See Nemets, I. I.
- Belogradov, A. G.** See Pirogov, Yu. A.
- Belogradov, A. G.; Permikina, N. I.; and Rutman, D. S.**
Production and applications of α-Al₂O₃. 64-02814A
- Belogurov, D. A.; Okroshevili, T. G.; and Shalidin, Yu. V.**
Aspects of the dispersion of electrooptical properties of GaSe. 64-03749A; Linear electrooptical properties of BeO crystals. 64-03791A
- Belokoneva, E. L.** See Kaminskii, A. A.
- Belokryk, G. A.** See Yalanskii, S. T.
- Belopolsky, Yakov**
Thick-film resistor. 64-03914P
- Belostotskaya, N. S.** See Bibilashvili, M. S.
- Belouet, Christian**
Device for depositing a layer of polycrystalline silicon on a carbon tape. 64-06609P
- Belousenko, A. P.** See Zubarev, P. V.
- Belov, A. N.; and Lopatin, S. I.**
Mass-spectroscopic study of evaporation of solid solutions of the system ZrO₂-Lu₂O₃. 64-01423A
- Belov, A. N.; Lopatin, S. I.; and Semenov, G. A.**
Mass-spectrometric method study of evaporation processes of U₃O₈ and solid solutions based on uranium, zirconium, and yttrium oxides. 64-05339A
- Belov, K. P.** See Al'mukhametov, R. F.
- Belova, S. A.** See Prokof'eva, N. K.
- Belozeroval, N. G.** See Knigina, G. I.
- Belozerskii, G. N.; Kalyamin, A. V.; and Kornilova, E. E.**
Effect of heat treatment on the degree of aggregation of Fe ions in K-Al borate glasses. 64-03230A
- Beltran Porcar, V.** See Amoros Albano, J. L.
- Beltrop, Herbert; and Teutenberg, Josef**
Pneumatic-tube conveying installation for samples of fine material. 64-00992P
- Bel'tyukov, Yu. V.** See Simonov, K. V.
- Belyaev, I. N.** See Dugin, V. E.; Lopatin, S. S.
- Belyaev, I. N.; Aver'yanova, L. N.; and Kats, I. B.**
Compounds with the structure of pyrochlore in the system PbO-Al₂O₃-ZrO₂-Nb₂O₅. 64-05674A
- Belyaev, I. N.; Aver'yanova, L. N.; and Lopatin, S. S.**
System CaO-SnO₂-Nb₂O₅ in the subsolidus region. 64-00713A
- Belyaev, I. N.; Nalbandyan, V. B.; and Ivanov, Yu. A.**
Subsolidus solubility of lithium niobate in sodium niobate—metastability of ferroelectric perovskite phases. 64-05810A
- Belyaev, I. N.; Sholokhov, M. L.; and Nalbandyan, V. B.**
Phase equilibria in the systems PbNb₂O₆—"PbWMO₄" [PbWO₄+MO₂ mixture; M=Ti, Zr, and Sn]. 64-05775A
- Belyaev, M. Yu.** See Rempel, A. A.
- Belyaeva, E. V.; and Kapustina, O. A.**
Interaction of periclase-spinel refractories with dust during the smelting of an ore-melt in an electric-arc furnace. 64-04965A
- Belyakov, A. V.** See Bakunov, V. S.; Balkevich, V. L.; Lukin, E. S.
- Belyakova, N. V.; and Borisova, Z. U.**
Effect of iron on the properties of glasses of the systems Sb-Ge-Se and Sb-Ga-Ge-Se. 64-03233A
- Belyi, M. U.; Zelenskii, S. E.; and Okhrimenko, B. A.**
Interaction of luminescence centers in potassium borate glass with powerful laser radiation. 64-04730A
- Ben-Bassat, M.** See Bentur, Arnon
- Ben-Dor, L.; Suss, J. T.; and Cohen, S.**
Growth of single crystals of Sr₂PtO₆. 64-04463A
- Bender, Barry A.** See Rice, Roy W.
- Bender, Barry A.; Lewis, David, III; and Coblenz, William S.**
Electron microscopy of ceramic fiber/ceramic matrix composites—comparison with processing and behavior. 64-05536A
- Benderskii, L. P.** See Semin, E. G.
- Bendovskii, E. B.; and Guzman, I. Ya.**
Permeable ceramics for refining Al and its alloys. 64-04985A
- Bendow, Bernard; Banerjee, Pranab K.; and Lucas, Jacques**
Polarized Raman scattering in rare-earth fluoride glasses. 64-04817A
- Bendson, Steven A.** See Piotrowski, Chester
- Benedict, U.** See Olsen, J. S.
- Benjamin, Mary L.; Dobbs, Robert J.; and Shaffer, Mary E.**
Process for producing [metal carbide] refractory powder. 64-00570P
- Benjamin, Terry A.** See Valajil, Silvester
- Benko, F. A.; and Kofflyberg, F. P.**
Electrooptic properties of CuAlO₂. 64-03776A
- Benko, Peter** See Foldesi, Edit
- Bennett, C. L.** See Edelson, N. M.
- Bennett, Harold E.** See Shaffer, J. J.
- Bennett, Harold E.; Guenther, Arthur H.; and Milam, David**
Laser-induced damage in optical materials—13th ASTM symposium. 64-03789A; Laser-induced damage in optical materials—14th ASTM symposium. 64-03788A
- Bennett, Harold E.; Shaffer, J. J.; and Burge, D. K.**
Simple technique for obtaining approximate thermal expansion coefficients of low-expansion materials—applications to Zerodur. 64-02618A
- Bennett, J. M.** See Arndt, D. P.
- Bennett, Simon D.** See Kino, Gordon S.
- Bennett, Terry A.; Claassen, George R.; and Zimmerman, William B.**
Method and apparatus for bending glass sheets to complicated shapes including an S-shaped transverse bend. 64-04857P
- Benninghoven, Erich**
Coal dust burner. 64-01094P
- Bennison, Stephen J.; and Harmer, Martin P.**
Grain-growth kinetics for alumina in the absence of a liquid phase. 64-04282A
- Bensted, John**
Application of the methylene blue test to cement raw materials. 64-06060A; Comments on the cement chemical nomenclature system. 64-04630A; Further aspects of the setting of portland cement. 64-01716A; Further hydration investigations involving portland cement and the substitution of limestone for gypsum. 64-03091A
- Bentley, J.** See Carter, Calvin H., Jr.
- Bentur, Arnon; Ben-Bassat, M.; and Schneider, D.**
Durability of glass-fiber-reinforced cements with different alkali-resistant glass fibers. 64-04633A
- Benyei, Karoly** See Revay, Miklos
- Benyei, Karoly; and Oberitter, Miklos**
Waste tires as fuels in cement burning. 64-05473A
- Benziger, J. B.** See Roy, B. S. H.
- Beranek, Michal** See Dolnik, Michal
- Berar, J. F.; Grebille, D.; and Gregoire, P.**
Thermal expansion of boehmite (AlOOH)—an anomaly near 560 K due to nonstoichiometric water. 64-04227A
- Berard, Michael F.** See Jordan, G. W.
- Berardi, Randal L.**
Apparatus for accurately establishing the sealing length of CRT envelopes. 64-05373P
- Berbenitskaya, T. I.** See Semin, E. G.
- Berberich, Bernd**
Plate holder for pad printing machines. 64-02565P
- Berdichevskii, I. M.; Telesman, N. I.; and Kresin, O. M.**
SiC-containing refractory with improved properties. 64-02212A
- Berdikov, V. F.; Bogomolov, N. I.; and Pushkarev, O. I.**
Brittle and strength properties of hot-pressed manganese-zinc ferrites by the microindentation method. 64-00853A
- Berecki, William A.** See Bovenkerk, Harold P.
- Berentsen, Harry** See London, Andy
- Beres, Janos; and Tavasz, Miklos**
Experience with secondary fueling in the clinker-burning rotary kiln of the Hejocsaba Cement Works [Hungary]. 64-04641A
- Beretka, Julius**
Kinetic analysis of solid-state reactions between powdered reactants. 64-01419A
- Berezin, G. I.; and Kozlov, A. A.**
Cohesive pressure in zeolite-water system. 64-05669A
- Berezovskaya, V. A.** See Shteinberg, Yu. G.
- Berg, Gunnar** See Pezold, Matthias
- Berg, H. M.** See Mahalingam, M.
- Berg, N. A.** See Galimov, G. G.
- Berger, Harvey L.**
Ultrasonic nozzles take pressure out of atomizing processes [in surface coating, spray drying, and humidification]. 64-02531A
- Berger, Iris** See Kneuper, Ullrich; Lange, Peter
- Berger, J. M.** See Coulbaly, S. P.
- Bergh, Ralph A.** See Shaw, Herbert J.
- Bergman, Bill**
Estimation of the Weibull modulus. 64-02983A
- Bergman, Bill; and Agren, John**
Thermodynamic assessment of the system MnO-NiO. 64-07511A
- Bergmann, K.**
Valve [with ceramic disk seals]. 64-07298P; Valve [with ceramic seals]. 64-07299P
- Berkey, George E.**
Devitrification-resistant flame hydrolysis [glass fiber preform] process. 64-01982P
- Bertie, J.** See Lamy, B.
- Bernagazzi, C.** See Bonvicini, U.
- Bernard, C.** See Schouler, M. C.
- Bernath, Zoltan** See Badnisky, Peter
- Berndt, Christopher; and Miller, Robert A.**
Mechanical property measurements of plasma-sprayed thermal-barrier coatings subjected to oxidation. 64-04683A
- Berndt, Dietmar** See Neidig, Arno
- Bernhard, Horst; and Esselborn, Reiner**
Nacreous [TiO₂, SiO₂, Al₂O₃] pigments, their preparation and use. 64-04508P
- Bernhart, G.; Lamicz, P.; and Mace, J.**
Feasibility of ceramic-ceramic composites. 64-07102A
- Bernier, J. C.** See Chaumont, C.
- Berry, John** See O'Driscoll, Peter F.
- Bersuker, I. B.** See Ostrovskii, V. L.
- Berth, Michel; Venger, Camille; and Martin, Gerard M.**
Method of manufacturing a semiconductor device of GaAs by two-species ion implantation. 64-00779P
- Bertier, Guy** See Battigelli, Jean A.
- Bertolotti, M.; Ferrari, A.; and Sette, D.**
Post-deposition annealing of sputtered zinc oxide thin films. 64-040693A
- Bertoni, S.**
Paving tile. 64-03744P
- Berus, T.; Goe, J.; and Nowak, M.**
Preparation and electrical properties of InSb thin films heavily doped with tellurium, selenium, and sulfur. 64-05158A
- Beruto, D.; Spinolo, G.; and Barco, L.**
Crystallographic disorder in submicrometer particles of Ca(OH)₂ produced by vapor-phase hydration. 64-04451A
- Berzhanskii, V. N.; and Chernov, V. K.**
Magnetic conductivity of n- and p-type CdCr₂Se₄ single crystal [semiconductors]. 64-03796A
- Berzhanskii, V. N.; Gavrichkov, S. A.; and Ivanov, V. I.**
EPR spectra of relaxation in chalcogenide chromium spinels. 64-04532A
- Besomi, Paul R.; Nelson, Ronald J.; and Wilson, Randall B.**
Protection of semiconductor substrates during epitaxial growth processes. 64-02569P
- Bessmering, V. S.** See Nemets, I. I.
- Bessonov, A. F.; and Bessonova, E. V.**
Kinetics and mechanism of phase formation during heating of a mixture of MgO, Al₂O₃, and SiO₂ oxides. 64-05745A
- Bessonova, E. V.** See Bessonov, A. F.
- Bett, John A. S.** See Setzer, Herbert J.
- Betterton, E. A.**
Energy trends in the [S. African] cement industry. 64-06081A
- Betts, Joseph E.** See Abolins, Visvaldis
- Betz, T.; and Hoppe, R.**
Perphenates: I, LiReO₄. 64-04135A
- Beuneu, F.** See Bandyopadhyay, A. K.
- Beuter, Karl**
Method and apparatus for controlling or measuring the thickness of material layers. 64-05455P
- Bezv, V. A.** See Baranova, T. F.
- Beyerlein, Robert A.; Jacobson, Allan J.; and Poeppelemeier, Kenneth R.**
Oxygen-deficient, barium-containing perovskites. 64-02962P
- Beyerlein, Robert A.; Poeppelemeier, Kenneth R.; and Jacobson, Allan J.**
Cation-reordered, bismuth-containing perovskites. 64-03850P
- Bezlepkin, V. A.; Morozov, B. A.; and Popil'skii, R. Ya.**
Possibility of decreasing the sintering temperature of corundum ceramics. 64-01244A

- Bezlepkin, V. A.; Popil'ski, R. Ya.; and Andrianov, N. T.**
Sintering of corundum ceramics in a hydrogen medium.
64-02826A
- Bezmerteriykh, L. N.; Sokolova, N. A.; and Temerov, V. L.**
Growth striation in single ferrogarnet crystals grown from solutions in melts of the system BaO-B₂O₃. 64-01547A
- Bezruk, E. T.** See Bondar, I. A.
- Bhaduri, Sarit B.** See Baskaran, Suresh
- Bhagat, Jayant K.**
Silicon nitride formation and use in self-aligned semiconductor device manufacturing method. 64-06668P
- Bhagavatsula, Venkata A.**
Method of forming laminated single polarization [elliptical optical] glass fiber. 64-03530P; Method of forming laminated single polarization [optical glass] fiber. 64-03531P
- Bhalla, A.** See Harmer, Martin P.
- Bhalla, A. S.**
Low-temperature pyroelectric properties of α -LiIO₃ single crystals. 64-02316A
- Bhaskar, Hira L.** See Sarkar, Satya K.
- Bhat, A. N.** See Datta, A.
- Bhatena, N.; Hoagland, Richard G.; and Meyrick, G.**
Effects of particle distribution on transformation-induced toughening in an MgO-PSZ. 64-02761A
- Bhatia, S. N.; Joshi, P. B.; and Srivastava, C. M.**
Relaxation in polycrystalline YIG. 64-02333A
- Bhatnagar, J. M.** See Hajala, R. B.
- Bhatnagar, R.** See Roy, D.
- Bhatnagary, D.** See Maiti, C. K.
- Bhatnagary, D.; and Paul, Amalendu**
Complexation behavior of biguanidine with copper(II) dissolved in a silicate glass. 64-01817A
- Bhatnagary, R. S.** See Rai, A. K.
- Bhatnagary, S. K.; and Chakrader, A. C. D.**
Densification of silicon nitride powder with various additives. 64-04261A
- Bhatnagary, A. P.; and Guha, S. K.**
Determination of chemical durability of commercial glass containers by means of sodium ion selective glass electrodes. 64-01826A
- Bhatnagary, S.; De, A. K.; and Mitra, G. B.**
Structure defects in some phyllosilicates. 64-02726A
- Bhatnagary, S.; and Loknath, S.**
Dehydration transformation in pargasite. 64-07033A
- Bhatia, Asaf S.; Dollimore, David; and Dyer, Alan**
Hydration of magnesium oxides in the presence of water vapor. 64-04465A
- Bhatia, Mohinder S.**
Method for producing glass fiber. 64-04861P; 64-06377P; Method of making and using glass-fiber-forming feeders. 64-06385P; Method of making glass fibers. 64-06386P
- Bhatia, Mohinder S.; Porzio, Thomas J.; and Nagy, Monte L.**
Apparatus for forming glass fibers. 64-06339P
- Bhaty, Muhammad S. V.**
Cement-kiln dust in blended cements. 64-03078A
- Bhavalkar, D. D.** See Uppal, J. S.
- Bheemani, V.; and Ready, D. W.**
Vaporization of magnesium oxide in hydrogen. 64-07402A
- Bialo, Dionizy**
Compacting ceramic powders by imparting precession movement to a piston. 64-03993A
- Bian, Hui-an** See Tan, Hao-ran
- Bibikashvili, M. S.; Grun-Grzhimailo, O. S.; and Belostotskaya, N. S.**
Raw materials for the production of pigments in the system ZrO₂-SiO₂-Fe₂O₃. 64-03730A
- Bice, Chester L.**
Method and apparatus for determining index of refractivity profiles of optical fibers. 64-01062P
- Bichurin, R. Ch.; Popolitov, V. I.; and Venetsev, Yu. N.**
Crystallization in the system Sb₂O₃-Sc₂O₃/K(Cs)-F-H₂O. 64-00644A
- Bickford, Dennis F.** See Jantzen, Carol M. F.
- Biegelsen, David K.; and Sirkis, Eric R.**
P-glass reflow technique. 64-03903P
- Bieler, Barrie H.; and Bunting, John A.**
Batch-free time vs crucible volume and soda type in glass-melting. 64-00274A
- Bieler, Barrie H.; and Tsang, Floris Y.**
Plugging microleaks in multicomponent, ceramic tubesheets with material leached therefrom. 64-05642P
- Bielenk, Heinz; Von Heesen, Wolfgang; and Wick, Wilhelm**
Container [ceramic-cased] for the storage of radioactive material. 64-02498P
- Bielenk, Jan** See Rosiek, Genowefa
- Bieringer, Robert J.; Kohler, Robert D.; and Ringling, James A.**
Method and apparatus for detecting checks in glass tubes. 64-01996P
- Biermann, Hans-Peter; Koehler, Peter; and Heine, Heinrich**
Thermoblast [B₂O₃-containing] iron oxide pigments. 64-02972P
- Biffi, Giovanni; and Ferniani, C.**
Influence of variations in processing parameters on the technological characteristics of single-fired red stoneware tiles. 64-04897A
- Bigg, D. M.** See Holman, R. A.
- Biggers, James V.** See Kassarian, Michael P.
- Bihuniak, Peter P.**
Effect of trace impurities on devitrification of vitreous silica—correction. 64-00174A
- Bihuniak, Peter P.; Calabrese, Andrew; and Erwin, Emmett M.**
Effect of trace impurity levels on the viscosity of vitreous silica—correction. 64-00175A
- Bilba, N.** See Naum, N.
- Bilelo, J. C.** See Hmelio, A. G.
- Bilimoria, Bomi M.; and May, Anthony A.**
Beneficiation of clays by froth flotation. 64-07059P
- Biller, Kevin M.**
Coating research benefits appliance manufacturers. 64-02263A
- Billings, William G.**
Zinc oxide-char [producing ZnO] gasification process. 64-04239P
- Billot, F.**
Technical evolution of refractories—causes and consequences of rapid replacement of traditional materials by high-technology products. 64-02219A
- Billy, Michel; Labbe, Jean-Claude; and Lee, Y. W.**
Behavior of aluminum nitride under fast neutron radiation. 64-04245A
- Binson, Mavis** See Tite, M. S.
- Binda, Luigi; and Baronio, Giulio**
Physical parameters for characterizing the durability of brick. 64-06427A
- Bindal, V. N.** See Jain, G. C.
- Binner, J. G. P.** See Evans, P. A.
- Birbara, P. J.; Veltri, Richard D.; and Galasso, Francis S.**
Method of producing high-density carbon. 64-00566P
- Bird, Peter H.** See Mao, Raymond L. V.
- Bird, R. Byron** See Graham, Alan L.
- Bird, T. J.; and Doncaster, A.**
Hydrogen sulfide [metal oxide] detector. 64-06626P
- Birkett, Tyson C.; and Tracienski, Walter E.**
Hydrogarnet—multisite hydrogen occupancy in the garnet structure. 64-07037A
- Birukawa, Masahiro** See Kudo, Yoshihiko
- Bisbee, Dan L.; and Li, Tiange**
Automatic alignment apparatus for optical fiber splicing. 64-00342P
- Bischof, Augustin M.; Al-Khairy, B. H. F.; and Awni, F. A.**
Dielectric and physicochemical properties of electrical porcelain bodies. 64-06550A
- Bishara, William**
Modular [ceramic fiber] furnace lining having mechanically interlocking attachment means. 64-06492P
- Bishop, Timothy E.; and Pasternack, George**
Optical fiber coated with an ultraviolet-cured topcoating. 64-06396P
- Bishop, Timothy E.; Pasternack, George; and Cutler, Orvid R.**
Topcoats for buffer-coated optical fiber using urethane acrylate and epoxy acrylate and vinyl monomer. 64-01002P
- Biswas, Dipak R.** See Williams, Joseph C.
- Biswas, N. C.** See Banerjee, D.
- Bitailou, Alex; Masson, Jean; and Lemoine, Jean-Marie**
Method of bonding connecting pins to the cyclers of conductors formed on a ceramic substrate. 64-00127P
- Bitrol, Ehrenfried** See Bonnet, Ludwig
- Bitter, Lowell E.**
Process for making a curved, conductively coated glass member and the product thereof. 64-02018P
- Bjorkholm, John E.**
Light-induced etching of InP by aqueous solutions of H₂PO₄. 64-06631P
- Bjorklund, W. J.; Mellinger, G. B.; and Pope, J. M.**
Vitrification of simulated West Valley [NY] waste using a liquid-fed ceramic melter. 64-04836A
- Bjorkman, C. P. M.** See Sjostrand, M. E. C.
- Blasau, Cornelis**
Preparation and characterization of plasma-deposited silicon nitride. 64-00695A; Stress in chemical-vapor-deposited SiO₂ and plasma-SiN_x films on GaAs and Si. 64-00708A
- Blasau, Cornelis; Naguib, Hussein M.; and Ahmed, Syed M.**
Method of preparing TiO₂ thick-film photoanodes for photoelectrochemical cells. 64-06650P
- Black, John R. H.; Blum, Seymour L.; and Kalos, Stephen H.**
Economic and technical assessment of advanced ceramic materials. 64-04578A
- Black, Philip W.; and Irvén, John**
Optical fiber preform manufacture. 64-06398P
- Blackmore, G. W.** See Tunnicliffe, J.
- Blackstone, Scott** See Tanielian, Minas H.
- Blaha, Jindrich** See Jedlicka, Josef
- Blaha, Jindrich; and Jedlicka, Josef**
Influence of slag on the heat of cement hydration. 64-04664A
- Blahova, Milada** See Kirsch, Roland
- Blaine, R. L.** See Gill, P. S.
- Blair, H. T.; and Mellinger, G. B.**
Process for vitrification of contaminated sodium oxide. 64-04745A
- Blair, Howard D.** See Ezis, Andre
- Blake, John Richard**
Roofing [interlocking] tiles. 64-00454P
- Blake, Rodger D.** See Gac, Frank D.
- Blake, Rodger D.; Gac, Frank D.; and Grieggs, Robert J.**
Radiation-resistant encapsulation for electromagnet field coils. 64-06143A
- Blakely, J. M.** See Baik, Sunggi
- Blanchet, Pierre; and Recasens, Joseph**
Construction of [glass tank] regenerator furnaces. 64-02240P; Design of transverse-burner recuperative [glass] furnaces. 64-03510P
- Blanchin, M. G.** See Bursill, L. A.
- Blanco Varela, Teresa** See Palomo Sanchez, Angel
- Bianco, M.** See Alegret, S.
- Blanding, Wendell S.; and VanDewoestine, Robert V.**
Television bulb. 64-02023P
- Blank, Stuart L.; and Rana, Virendra V. S.**
Garnet epitaxial films with high Curie temperatures. 64-00844P
- Blankenship, Michael G.; and Keck, Donald B.**
Polarization-retaining single-mode optical waveguide. 64-00411P
- Blasse, G.; Zhiran, Hao; and Winnubst, A. J. A.**
Luminescence of yttria-stabilized zirconia doped with Bi₂O₃. 64-02789A
- Blau, Peter J.; and Shives, T. Robert**
Microindentation hardness testing. 64-04093A
- Bleacher, John N.; and Cushman, Harry M.**
Method for ablating a coded marking into a glass workpiece and product thereof. 64-06374P
- Bleakley, Ian S.** See Goodman, Howard
- Blech, I. A.** See Pan, J. T.
- Bless, Paul W.** See Huang, Cornelius; Stein, Sidney J.
- Blewitt, Donald D.; and Gupta, Tapan K.**
High-current zinc oxide fuse. 64-06622P
- Blinov, A. L.** See Aleksandrov, V. I.
- Blinov, L. N.; Bal'makov, M. D.; and Likholt, I. L.**
Mechanism of formation of intrinsic EPR centers in chalcogenide glasses. 64-02955A
- Blinov, L. N.; Isuke, G.; and Arlauskas, K.**
Effect of a magnetic field on the properties of liquid and glassy Se. 64-01832A
- Blinovskov, Ya. N.** See Krasnenko, T. I.
- Blobel, Harald** See Schnapp, Juergen D.
- Block, A.** See Laurent, M.
- Block, L. S.; Bondarenko, B. I.; and Sadunas, A. S.**
Effect of additives on the selection of gas media during the firing of ceramic wall tiles. 64-06515A; Furnace gas atmosphere during the vitrification of porcelain. 64-02271A
- Blood, A. B.; and Copen, A. R.**
Energy-saving control unit for electrostatic precipitators. 64-03086A
- Bloom, Terry R.**
Porcelainized aluminum substrates for thick-film power resistors. 64-05157A
- Bloom, Terry R.; and Ellis, Marion E.**
Apparatus and method for producing uniform fired [thick-film] resistors. 64-00939P
- Bloss, Wolfgang**
Process with calcium sulfite hemihydrate in a powdery byproduct from dry flue gas desulfurization for the production of fly ash cement. 64-00073P
- Blum, John B.** See MacKinnon, R. J.; Whalen, P. J.
- Blum, Patricia R.; Millerberg, Ernest C.; and Nicholas, Mark L.**
Method for adding make-up fluid bed oxidation catalysts for fluid bed oxidation catalysts containing the mixed oxides of vanadium and phosphorus. 64-07244P
- Blum, Seymour L.** See Black, John R. H.
- Blume, Otto** See Knoebel, Gunter
- Blumenfeld, John F.; and Bubon, Frank**
New forehead demonstrates energy economy and temperature uniformity—a case history. 64-06951A
- Blumenthal, William R.; and Evans, Anthony G.**
High-temperature failure of polycrystalline alumina: II. Creep crack growth and blunting. 64-02778A
- Bly, Kenneth B.; Stark, Terrance L.; and Ludecke, Otto A.**
Ceramic monolith [diesel engine] particulate trap including filter support. 64-01285P
- Bly, Lloyd G.**
Heat-recovery system for glass-tank furnaces. 64-02685P
- Bluyer, Lee L., Jr.; and DiMarcello, Frank V.**
Ultraviolet absorbers in optical fiber coatings. 64-02025P
- Boardman, Simon M.** See Prabhu, Ashok N.
- Boase, C. A.** See Harvey, Keith B.
- Boatner, L. A.** See Sales, B. C.
- Bobbe, Gunther** See Fischer, Peter
- Bobbio, Stephen M.; Flanagan, Marie C.; and Thrun, Kenneth M.**
Method of selectively etching silicon dioxide with SF₆/nitriding component gas. 64-00783P
- Bobik, Carl F.** See Huseby, Irvin C.
- Bobkova, N. M.; Levitskii, I. A.; and Milevskaya, R. N.**
Effect of TiO₂ additives on the properties of opaque glazes. 64-00593A
- Bobkova, N. M.; and Sinevich, A. K.**
Adjustment of color in selenium-ruby-type glasses. 64-03187A
- Bobrik, V. M.; Sakharov, V. S.; and Sycheva, L. I.**
New decorative finishing material based on phosphogypsum. 64-03106A
- Bobrov, B. S.; Kiseleva, L. V.; and Zhigun, I. G.**
Determining the content of gypsum dihydrate [CaSO₄·2H₂O] in natural raw materials. 64-03084A; Determining the phase composition of structural and high-strength gypsum. 64-03085A
- Bocharov, L. D.** See Simonov, K. V.
- Bochko, A. V.** See Primachuk, V. L.
- Bochkov, O. E.** See Flerova, S. A.
- Bochu, P.** See Parent, C.
- Bochyński, Zenon; Stachowiak, M.; and Mocydlarz, S.**
X-ray structural analysis of activated silica. 64-01597A
- Bockman, Ole K.**
Process for the removal of impurities in reacted alumina. 64-07413P
- Bockris, John O'M.** See Itoh, K.
- Bockris, John O'M.; and Ottagawa, Takaaki**
Lanthanum nickelate perovskite-type oxide for the anodic oxygen evolution catalyst. 64-04390P
- Bodak, O. I.; and Shvets, A. F.**
System Gd-Ni-Si. 64-01474A

- Bodden, Werner; and Diegelmann, Winfried**
Method [alkali silicate-impregnated] of making surface-hardened sinter-iron part. 64-05881P
- Boddicker, Franc W.**
Method and device for cutting glass. 64-00978P
- Boden, Gottfried**
Homogeneity of vitreous SiO₂ and the degree of order in X-ray-transparent amorphous SiO₂ by luminescence measurements. 64-03270A
- Bodnar, I. T.** See Semenchenko, V. K.
- Bodnar, I. V.** See Makovetskaya, L. A.
- Bodo, Imre**
Possibilities for saving thermal energy in the [Hungarian] brick industry. 64-04906A
- Bodogh, Margit**
Numerical color index determination of overglaze porcelain colors. 64-05430A
- Boe, Ove S.** See Hansen, Borge B.
- Boecker, Wolfgang D. G.; and Hailey, Laurence N.**
Sintered silicon carbide/graphite/carbon composite ceramic body having ultrafine grain microstructure. 64-07287P
- Boehm, Guenter** See Beerwald, Hans
- Boehm, Heinz**
Graded index rod lens comprising light-wave conductors. 64-06361P
- Boelings, Johann** See Kronschabel, Hartmut
- Boerner, Paul; Duebel, Juergen; and Hofmann, Juergen**
Process for the production of U₂O₇ powder. 64-02500P
- Boess, Harald** See Von Mallinckrodt, D.
- Boettger, J. C.; and Kunz, A. B.**
Ab initio energy bands for CdO. 64-03746A
- Bogdanov, A. G.** See Cheremisin, I. I.
- Bogdanov, A. G.; Rudenko, V. S.; and Cheremisin, I. I.**
Mechanism of formation and growth of bubbles in quartz glass. 64-03294A
- Bogatko, V. V.; and Venevtsev, Yu. N.**
Solid solutions of the system BaPbO₃-BaBiO₃. 64-05800A
- Bogdanov, A. A.** See Novikov, N. P.
- Boget, Paul J.** See Phelps, Frankie E.
- Bogum, Paul; Glaser, Walter; and Schulte, Klaus**
Safety of kiln floors when using out-of-factory glass cullet. 64-00325A
- Bogodist, I. M.** See Kuznichenko, A. N.
- Bogomolov, N. I.** See Berdikov, V. F.
- Bogomolova, L. D.** See Kalygina, V. M.
- Bogomolova, L. D.; Fedorov, A. G.; and Kubrinskaya, M. E.**
Effect of Na-K ion exchange on copper states in sodium silicate glasses containing CuO. 64-06182A
- Bogomolova, L. D.; Grechko, E. G.; and Krasnikova, N. A.**
EPR of Mn²⁺ ions in heavy-metal fluoride glasses. 64-06181A
- Bogoyavlenskii, K. N.; Kuznetsov, P. A.; and Mertens, K. K.**
Production of refractory bodies by the method of electrohydroimpulse pressing preceded by vibroforming. 64-02183A
- Boguslavskii, I. A.; and Pukhlík, O. I.**
Effectiveness of the tempering of glass with variable intensity and use of numerical methods for optimizing process parameters. 64-03433A
- Bohatka, Sándor** See Szor, Gyula
- Bohl, Thomas L.; and Clammaichella, Richard C.**
Optical window purge arrangement. 64-06987P
- Boiko, G. G.** See Andreev, N. S.
- Boilot, Jacques P.** See Lejeune, M.
- Boilot, Jacques P.; Collin, C.; and Comes, R.**
Two-dimensional metallic aggregates in β -alumina-type structure. 64-07514A
- Boilot, Jacques P.; and Colomban, P.**
Sodium and lithium superionic gels and glasses. 64-06251A
- Boinet, J.; and Meriaux, E.**
Physical properties and mechanical behavior of light shale aggregates under unidirectional compression. 64-02046A
- Boivin, Germain** See Theriault, Jean-Marc
- Boivin, Germain; and Theriault, Jean-Marc**
Influence of surface effects in the determination of the optical constants of Cu-PbI₂ cermet films. 64-04297A
- Bokil, Delip R.; and Narasimhan, Tanjore R.**
Reduced internal temperature technique for hermetic sealing of [semiconductor package] enclosures. 64-02408P
- Bokov, A. A.** See Smotrakov, V. G.
- Bokov, N. A.; and Andreev, N. S.**
Light scattering by B₂O₃ melts from 300–900°C. 64-03288A
- Boldt, Reinhardt** See Schlegel, Ernst
- Boldyrev, G. I.** See Schtakelberg, D. I.
- Boller, Thomas E.; and Malani, Narayandas**
Method of obtaining coated glass articles. 64-00396P
- Bolles, Thomas R.** See Bartlett, Robert W.
- Bolotin, N. A.** See Udachin, V. V.
- Bolotin, V. N.**
Fuel economics in the glass industry [—review]. 64-06303A
- Bolotov, A. V.; Ashimov, U. B.; and Zaretskaya, N. P.**
Raman laser microanalyzer for studying refractories. 64-02192A
- Bommarito, John J.** See Rytz, Edward F., Jr.
- Boncoraro, M.; and Palacio, M.**
Hot isostatic pressing: I. 64-00907A; Hot isostatic pressing: II. 64-00908A; Situation of hot isostatic pressing [in ceramics] in the USA. 64-02524A
- Bond, A. M.; and Wallace, G. G.**
Liquid chromatography with electrochemical and/or spectrophotometric detection for automated determination of lead, cadmium, mercury, cobalt, nickel, and copper. 64-02602A
- Bondar, G. V.** See Strel'chenko, S. S.
- Bondar, I. A.; Koroleva, L. N.; and Bezruk, E. T.**
Physicochemical properties of yttrium aluminates and galates. 64-05783A
- Bondar, V. G.** See Dubovik, M. F.
- Bondarenko, B. I.** See Blokh, L. S.
- Bondarenko, E. G.; Kabanov, V. O.; and Yanush, O. V.**
Activator centers in phosphate glasses containing silver as a function of the conditions of synthesis. 64-03186A
- Bondarenko, S. V.; Zhukova, A. I.; and Tarasevich, Yu. I.**
Gas chromatographic studies in Li-montmorillonite adsorption of hydrocarbons. 64-05714A
- Bondarenko, V. M.; Bareikene, R. M.; and Aleksiunas, A. A.**
Volt-ampere characteristics of melts of oxide vanadium bronzes of silver. 64-01486A
- Bonel, G.** See Marraha, M.
- Bongers, Uwe**
Improving lifetime of furnace and runner linings with carbon and graphite products. 64-03635A
- Bonicelli, I.** See Bortolani, C.
- Bonifield, Thomas D.** See Purdes, Andrew J.
- Bonnel, F.** See Pernot, F.
- Bonnet, Ludwig; and Bitroff, Ehrenfried**
Ultrasonic piezoelectric disintegrator. 64-02452P
- Bonnet, M.; and Boudaud, R.**
Electric kiln for firing decorative porcelain at 1250–1300°C. 64-00594A
- Bonney, Rob; Zehl, Otis; and Rosenbaum, Joel**
Performance and optical characterization of efficient wide-band gallium phosphide Bragg cells. 64-00683A
- Bonny, Alan**
Process for use of novel boride catalyst. 64-05652P
- Bonvicini, U.; and Bernaguzzi, C.**
Parameters affecting life of refractory lining and use of calcined dolomite to increase the lining life of converters. 64-00495A
- Bony, Pierre**
Behavior of cruciform regenerator packing in an end-fired furnace—practical results after one campaign. 64-06440A
- Bony, Pierre; and Dreno, P.**
Maldistribution of gas flow in regenerator checkwork—effect on regenerator performance and fuel consumption. 64-01869A
- Booms, Herbert**
Method of making level vials. 64-06387P
- Boonstra, Alexander H.; Mutsaers, Cornelis A. H.; and Van der Kruijs, F. N. G.**
Resistance [Pb and Ru oxide-based] paste for a resistor body. 64-03906P
- Borchardt, G.** See Richter, Thomas; Rog, Gregor
- Bordia, R. K.; and Raj, Rishi**
Sintering behavior of ceramic films constrained by a rigid substrate. 64-07499A
- Boretos, John W.**
Ceramics in clinical care. 64-07520A
- Borghi, M.** See Palmorini, C.
- Borgogno, J. P.; Flory, F.; and Roche, P.**
Refractive index and inhomogeneity of thin films. 64-03478A
- Borgonovi, Giancarlo**
Means and method for determining residual stress on a polycrystalline sample by X-ray diffraction. 64-02640P
- Borgwardt, R. H.**
Calcination kinetics and surface area of dispersed limestone. 64-07306A
- Borik, M. A.** See Aleksandrov, V. I.
- Boring, H.** See Chollet, L.
- Borisov, V. G.** See Gushchin, V. Ya.
- Borisov, Yu.; and Borisova, A. L.**
Interface interaction and structural transformation in particles of ceramic and cermet composite powders in flame spraying. 64-04301A
- Borisova, A. L.** See Borisov, Yu.
- Borisova, S. S.** See Naboka, M. N.
- Borisova, Z. U.** See Byelakova, N. V.; Bychkov, E. A.; Popova, T. K.; Sokolov, I. A.
- Borisovskii, E. S.; Sokolov, A. N.; and Epstein, S. M.**
In-service characteristics of periclase-spinel refractories with a low SiO₂ content. 64-02123A
- Borisovskii, E. S.** See Simonov, K. V.
- Borland, William**
Ceramic multilayer electrical capacitors. 64-03856P; 64-06601P
- Borlari, Maria Luco; and Brisi, Cesare**
Equilibrium relationships in the zone of the system CaO-Al₂O₃ close to 73 mol% aluminum oxide. 64-05702A
- Borodin, V. A.; Steriopol, T. A.; and Tatarchenko, V. A.**
Improving the growth process of profiled-sapphire single crystals. 64-04466A
- Borodkin, A. Yu.** See Minachev, K. M.
- Borolin, V. A.; Doroshev, V. D.; and Levitin, R. Z.**
Spin-reoriented phase transitions in Y-Sm ferrite garnets. 64-06719A
- Borom, Marcus P.** See Brun, Milivoj K.; Lee, Minyoung
- Boroondam, Morad A.** See Barkat, Aaron
- Boros, Jozsef** See Baksa, Gyorgy
- Borovich, T. I.** See Osipov, K. A.
- Borovikov, N. F.; Golubev, A. S.; and Kurdyumov, V. G.**
Structural features of wurtzite-sphalerite transformations in boron nitride. 64-01258A
- Borovinskii, S. V.**
Calculation of boundary stresses in blade glass. 64-03413A
- Borovinskii, S. V.; and Mazurin, O. V.**
Stresses arising in glass-to-metal bead seals in the course of annealing. 64-01789A
- Borrelli, Nicholas F.** See Araujo, Roger J.
- Borrelli, Nicholas F.; Coppola, Frank; and Morse, David L.**
Infrared polarizing glasses. 64-01932P
- Borrelli, Nicholas F.; Elmer, Thomas H.; and Morse, David L.**
Integral [porous glass] optical device and method of making it. 64-01993P
- Borrelli, Nicholas F.; Keck, Donald B.; and Morse, David L.**
Integral [porous glass] optical imaging devices using GRIN [gradient refractive index] lens systems. 64-03515P
- Borrelli, Nicholas F.; Morse, David L.; and Sachenik, Paul A.**
Integral photosensitive [glass] optical device and method. 64-06366P
- Borrelli, Nicholas F.; and Trotter, Donald M.**
Optical [Li silicate glass] device and method. 64-06393P
- Borrmann, Frank** See Schulle, Wolfgang
- Bortolani, C.; Giannini, G.; and Bonicelli, I.**
Cogenation of energy in the ceramic industry. 64-01079A
- Borukhin, B. Ya.** See Rudakova, S. E.
- Borzenkova, M. P.** See Livshits, A. I.
- Borzyh, A. A.**
Ultrasonics in the hot-casting technology of corundum bodies. 64-01270A
- Bose, A. K.; and Rao, M. R. K.**
Techniques of foam insulation making. 64-02528A
- Bose, S. K.; Das, N. K.; and Sinha, A. N.**
Disintegration of carbon electrodes used in arc furnaces. 64-06541A
- Boser, Otmar H.-J.; and Sweet, Richard C.**
Termination of hermetically sealed glass-encapsulated ceramic capacitors. 64-00813P
- Bosetti, R.**
Loading and unloading ceramic articles from mobile store. 64-06818P
- Bosshart, George S.; and Matarese, Alfred P.**
Method of applying ceramic coatings on a metallic substrate. 64-01799P; Prestressed ceramic [metal] coatings. 64-03170P
- Bothe, H.-G.; Kroeck, H.-J.; and Strubeil, G.**
Change in the rheology of a kaolin from Hirschau (Bavaria, W. Germany). 64-04197A
- Bottero, J. Y.** See Rakotonarivo, E.
- Botvinkin, O. K.; Andryukhina, T. P.; and Shishkin, G. K.**
Changes in the structure and properties of glass during production. 64-01942A
- Bouchacourt, M.** See Thevenot, F.
- Boudart, Michel; Oyama, Shigeo T.; and Volpe, Leo**
High specific surface area [Mo₂V] carbides and nitrides. 64-07231P
- Boudigues, S.; Frattacci, G.; and Ponthieux, A.**
Cooling ceramic-cased metal blades of turbomachines. 64-03163P
- Boudot, Jean E.; and Mazeau, Jean P.**
Moldable fluoroborate optical glasses. 64-00261P
- Bouix, J.** See Sartre, A.
- Bouladon, Gabriel; and Grisel, Lucien**
Polishing machines incorporating rotating plate. 64-02566P
- Bouldin, Dennis P.; Hallock, Dale P.; and Roberts, Stanley**
Method for making diffusions into a substrate and electrical connections thereto using silicon-containing rare-earth hexaboride materials. 64-02384P
- Bourdil, C.** See Denis, M.
- Bourgeois, Hector S.** See Rosman, Irwin E.
- Bourgogne, Michel; Guth, Jean-Louis; and Szabo, Georges**
Process for the preparation of zeolite ZK 5. 64-04425P
- Bourgogne, Michel; Guth, Jean-Louis; and Wey, Raymond**
Process for the preparation of synthetic zeolites, and zeolites obtained by said process. 64-04424P
- Bourne, R.; Cowan, N. D.; and Budd, S. M.**
Damage to glass surfaces at elevated temperature—effects of hardness and thermal conductivity of damaging material. 64-04782A
- Bouse, Václav** See Kuzel, Radomir
- Bouse, Václav; and Kraljina, Antonin**
New enamel types for protecting steel against low-temperature corrosion [by S in exhaust gases]. 64-03155A
- Bouse, Václav; Kuzel, R.; and Moravcik, Alfonz**
Glassy coatings for surface protection in the electronic industry. 64-05098A
- Bouse, Václav; and Tenorova, Jaroslava**
Rheological properties of enamel suspensions. 64-03160A
- Bousseau, J.-P.**
Manufacture of conductive coatings by pyrolysis in the flat glass. 64-01870A
- Boutaud, R.** See Bonnet, M.
- Bovard, Bertrand** See Saxe, Steven G.
- Bovard, Bertrand; Van Milligen, Fred J.; and Messerly, Michael J.**
Optical constants derivation for an inhomogeneous thin film from *in situ* transmission measurements. 64-06883A
- Bovenker, Harold P.**
Method of dressing a plated cubic boron nitride grinding wheel. 64-00049P
- Bovenker, Harold P.; and Berecki, William A.**
Resinoid grinding wheels containing nickel-coated cubic boron nitride particles. 64-06021P
- Bovensiepen, Hans-Joachim**
Lapping or polishing machine. 64-00966P
- Bovone, Luigi**
Chamfering machines, particularly for glass sheets. 64-04026P
- Bowden, M. E.** See Brown, I. W. M.

- Bowden, M. E. See Brown, I. W. M.
- Bowen, H. Kent See Barringer, Eric A.; Debely, Pierre E.; Fegley, Bruce, Jr.; Gattuso, Todd R.; Lloyd, Isabel Knowlton; Parish, M. V.; Tormey, E. S.
- Bowman, Roger; Peach, Robert C.; and Milverton, David R. J. Acoustooptic [LiNbO₃] transducer. 64-06700P
- Bowshy, Benjamin Method of forming glass-to-metal seal. 64-00128P
- Bowyer, Stuart See Labov, Simon
- Boy, Juergen See Lange, Gerhard
- Boyarsina, I. L. See Miroshnik, L. V.; Puchkov, A. B.
- Boyer, Charles B.; and Mahon, Robert D. Emerging technology plus control technology equal hazard control and savings. 64-01610A
- Boyer, Kenneth W.; Horwitz, William; and Albert, Richmond Interlaboratory variability in trace element analysis. 64-05422A
- Boyer, L. L.; and Klein, B. M. Parameter-free equation-of-state calculations for MgO and ZnO. 64-07490A
- Bozadzhiev, Ljudmil; Dimova, Todor; and Milev, Todor Classification of ferropinel structures and textures. 64-04200A
- Bozhenov, P. I.; Giblina, I. V.; and Mavlyanov, A. S. Drying properties of a charge of structural ceramics. 64-02036A; Molding properties of synthetic charges based on structural ceramics. 64-03571A
- Bodler, Carl O. See Leonberger, Frederick J.
- Brabec, Ludvik; Kerbl, Viktor; and Vesely, Boleslav Mesoterm—equipment for measuring the temperature course in annealing lehrs. 64-05425A
- Brach, B. Ya.; Gorolova, A. V.; and Grebenshchikov, R. G. Magnetic properties of spinel solid solutions of orthogermanates Ni₂Mg₂GeO₈. 64-00859A
- Brach, B. Ya.; and Fir, I. V. Stabilization conditions of trivalent palladium in lanthanum aluminate. 64-01464A
- Brach, B. Ya.; and Zvereva, I. A. Computation of the parameters of the exchange interactions in solid solutions Sr₂Co₂Mg₂WO₈ and Sr₂Ni₂Mg₂WO₈. 64-05900A
- Brachthausen, Kunibert See Abeltis, Andris
- Bradley, John R.; Burckstrand, James M.; and Tibbetts, Gary E. Process for growing graphite fibers. 64-04414P
- Bradner, Tymon See Doremus, Robert H.
- Bradshaw, A. Printing techniques and flexibility to designs. 64-02522A
- Bradshaw, Richard L. Flexible magnetic recording media having a polyester-polyurethane binder and chromium dioxide pigment. 64-06726P
- Bradt, Richard C. Method of consolidating a metallic or ceramic body. 64-04185P; See also Iwasa, M.; Reed, Dorothy A.
- Bradtchwaite, David Parison screening in a glassware-forming machine. 64-06401P
- Bradtling, Joseph G. See Wank, Larry A.
- Bramley, A. N. See Rechal, J. S.
- Branda, F. See Grassi, A.; Marotta, Alberto
- Branda, F.; Buri, Alberto; and Marotta, Alberto Devitrification behavior of glasses near the Na₂O-2SiO₂ composition. 64-03217A; Glass transition temperature and devitrification behavior of glasses in the Na₂O-2SiO₂-BaO-2SiO₂ composition range. 64-01855A; Kinetics of crystal growth in Na₂O-2SiO₂ glass—a DTA study. 64-01863A; Nucleation and crystal growth in Na₂O-SiO₂ glass—a DTA study. 64-04742A
- Brandle, C. D. See Antonini, B.
- Brandon, D. G. See Chaim, R.
- Brandt, Lutz; Kreutzer, Karl; and Rau, Karlheinz Method and apparatus for the production of flat, transparent vitreous silica slabs of low bubble content. 64-00384P
- Brandt, R.; and Mueller-Buschbaum, H. Structural chemistry of rare-earth magnetoplumbites [(La,Nd)MgAl₁₁O₁₉]. 64-01575A
- Bradt, William F. See Thomas, Everett A.
- Brannon, P. J.; Konrad, C.; and Morris, R. W. Spectral and spatial characteristics of shock-induced luminescence from X-cut quartz. 64-00838A
- Branzan, Aristica See Dumitrescu, Constantin
- Branzoi, V. See Sternberg, S.
- Brashears, David F.; and Mollick, Joseph T. Solid-fuel burner. 64-06993P
- Bressell, Gilbert W.; and Bruegger, Ronald P. Bonded carbon or ceramic fiber composite filter vent for radioactive waste. 64-04373P
- Brates, T. I. See Shmyreva, T. P.
- Braude, Ruvim See Barth, Edward G.
- Brauer, Gerhard M.; and Kern, W. Dissociation pressures and phase boundaries of niobium nitrides. 64-01393A
- Brauer, Gerhard M.; and Stansbury, Jeffrey W. Biocompatible cementitious dental compositions. 64-02850P
- Braun, K.; and Eschmann, F. Hot-blast [refractory-lined] stove. 64-00552P
- Braun, Linda; Morris, John R., Jr.; and Cannon, W. Roger Viscosity of tape-casting slips. 64-06589A
- Bray, Donald J. Toxicity of chromium compounds formed in refractories. 64-06469A
- Bray, Philip J. See Gupta, Prabhat K.; Harris, I. A., Jr.; Silin, A. R.
- Brazdl, James F. See Burrington, James D.
- Brazzola, Floriano Industrial cost of single and double firing [in tile manufacturing]. 64-00603A
- Breck, Donald W.; and Skeels, Gary W. Silicon-substituted zeolite compositions and process for preparing same. 64-04437P
- Breckinridge, James B. See Chen, Chungte W.
- Breder, Kristin See Ritter, John E., Jr.
- Breidenhal, Robert E. Method and apparatus for fiberizing meltable materials. 64-00975P
- Brekhovskikh, S. M. See Litovchenko, A. V.
- Brekhovskikh, S. M.; Vavilov, Yu. V.; and Zubkov, V. I. Relations between the stability of pulsed γ -neutron irradiation and the chemical composition of silicate glasses. 64-03349A
- Bremer, H.; Jank, M.; and Fahlke, B. Oxide catalysts: XXXVI. Structure and thermal behavior of Al₂O₃-SiO₂. 64-01239A
- Bremer, H.; Jank, M.; and Weber, M. Oxide catalysts: XXXVII. Influence of preparation conditions on the properties of Al₂O₃-SiO₂. 64-01240A
- Brendel, R. Material nonlinear piezoelectric coefficients for quartz. 64-00829A
- Brendley, Keith W. See Frankhouser, William L.
- Brener, E. A.; and Tatarchenko, V. A. Stability of the crystallization process during the growth of tube-profiled crystals by the Stepanov method. 64-04494A
- Brennan, John F. Exhaust gas [porous, metal-impregnated refractory] oxidation catalyst. 64-01794P
- Brennan, John J.; Chyung, Kenneth; and Taylor, Mark P. Reaction-inhibited silicon carbide fiber-reinforced high-temperature glass-ceramic composites. 64-02906P
- Brennan, William P.; and DiVito, Michael P. Recent advances in thermal analysis instrumentation. 64-05434A
- Brentrop, L.; and Koschei, W. Determination of fluoride contained in materials used by the cement industry. 64-01707A
- Bressan, Giancarlo C. See Perugini, Giancarlo C.
- Bresskii, S. I. See Ivanov, V. I.
- Brett, N. H. See Copperthwaite, M.; Lubaba, N. C. H.
- Breusov, Oleg N. See Adadurov, Gennady A.
- Breval, E.; Dodds, G. C.; and Macmillan, N. H. Hardness, stiffness, and toughness of diphasic abrasive materials prepared by sol-gel techniques. 64-06006A
- Breval, Else See Komarneni, Sridhar
- Brewster, B. S.; and Seader, J. D. Measuring temperature in a flowing gas-solid suspension with a thermocouple. 64-02604A
- Brezennu, Ioan See Popescu, Constantin
- Bricheno, Terry Optical fiber directional coupler. 64-00402P
- Bridge, B. See Patel, N. D.
- Bridson, Robert C. See Wedge, Philip J.
- Briggs, Peter J.; McAlonan, Kevin; and Rideal, Graham R. Delaminated vermiculite-coated aluminum. 64-00119P
- Brill, R. H. See Schreurs, Jan W. H.
- Brines, Marjorie J.; and Rabatin, Jacob G. X-ray image converters utilizing rare-earth oxyhalide phosphors. 64-04522P
- Brinker, C. Jeffrey; Clark, David E.; and Ulrich, Donald R. (Editors) Materials Research Society Symposia Proceedings, Vol. 32: Better Ceramics Through Chemistry. 64-07534B
- Brinker, C. Jeffrey; and Reed, Scott T. Low-temperature process for obtaining thin glass films. 64-00767P
- Brinker, C. Jeffrey; and Scherer, George W. Sol-gel-glass: I. Gelation and gel structure. 64-06253A
- Brinkman, Richard J. Electrodes for glass furnaces. 64-05478P
- Brisi, Cesare See Borlora, Maria Luco
- Brisson, Harriet E. Firing with solar energy. 64-01082A
- Brittain, D. R. Roof tiles. 64-03581P
- Brittain, R. D.; Johnson, Sylvia M.; and Lamoreaux, R. H. High-temperature chemical phenomena affecting silicon nitride joints. 64-01219A
- Britun, V. F. See Pilyankevich, A. N.
- Brixner, L. H. See Garcia, P. F.
- Broberg, David E. See Gabor, Frank N.
- Brock, Andrew J.; and Mandigo, Thomas N. Protective [Sn phosphorous oxide] film on Cu-Sn alloys. 64-00134P
- Brockmueller, Bernd Storing [glass sheet] bending molds. 64-06846P
- Brodie, Regis Efficiency in kiln building and firing. 64-06937A
- Brodman, George L. Process for producing treated glass fiber strands for high-speed bulk. 64-00418P
- Brodowski, Walter See Wegerhoff, Arno
- Broer, D. J. See Wierenga, P. E.
- Bron, V. A. Caustic magnesite dust from the rotary kilns of the Magnezit Plant. 64-02071A; See also Raeva, I. S.
- Bronsgrma, Hidde H. Double crucible method of fabricating optical fibers. 64-00357P
- Brook, Richard J. See Coble, Robert L.; Gildersleeve, M. J.; Shaw, N. J.; Shen, Yang-yun; Vieira, J. M.; Wu, Su-xing
- Brook, Richard J.; and Riley, F. L. Engineering ceramics. 64-07097A
- Brook, Richard J.; and Wu, Su-xing Sinterable [MgO-containing] fluorite [Zr] oxide ceramics. 64-01364P
- Brookes, Ian R.; and Pick, Malcolm E. Process for the chemical dissolution of oxide deposits. 64-02968P
- Brookman, Donald L. See Grollmund, Everett C.
- Brooks, Robert L. See Young, Raymond H.
- Brophy, James J.; and Smith, Steven W. Electrode noise in beta aluminas. 64-06555A
- Brotherton, Alan L. See Clay, Hughie M.
- Broukal, Josef See Kuzel, Radomir
- Brousseau, M.; Rivault, J. P.; and Gabano, Jean-Paul Lithium/silver bismuth chromate—a new, highly reliable battery for long service life applications. 64-06563A
- Brown, Daniel G. See Molsinger, Donald L.
- Brown, G. E., Jr. See McKeown, D. A.
- Brown, I. W. M. See MacKenzie, K. J. D.; Meinhold, R. H.
- Brown, I. W. M.; MacKenzie, K. J. D.; and Bowden, M. E. Outstanding problems in the kaolinite-mullite reaction sequence investigated by ²⁹Si and ²⁷Al solid-state nuclear magnetic resonance: II. High-temperature transformations of metakaolinite. 64-07489A
- Brown, James R. Does it pay to compact batch? 64-00286A
- Brown, James R.; and Terman, Marten In situ X-ray photoelectron spectroscopic examination of a cobalt-molybdenum-alumina hydrotreating catalyst. 64-04293A
- Brown, Jesse J., Jr. Annual ceramic mineral resources review—kyanite. 64-07009A
- Brown, John F.; and Stanton, Robert M. Thick-film resistor circuits. 64-03913P
- Brown, Paul Wencil; Liberman, Lawrence O.; and Frohnsdorff, Geoffrey Kinetics of the early hydration of tricalcium aluminate in solutions containing calcium sulfate. 64-01729A
- Brown, Richard Method of fabricating an electronic circuit including an aperture through the [insulating] substrate thereof. 64-06642P
- Brown, Sherman D. See Knickerbocker, Sarah H.
- Brown, Walter E.; and Chow, Laurence C. Dental restorative [Ca phosphate] cement pastes. 64-07222P
- Brownell, David J.; and Roberts, Jon A. Method of forming a dielectric layer comprising a gettering material. 64-06644P
- Brownell, Dean B. See Harland, Gary D.
- Brownlow, James M.; and Plaskett, Thomas S. Process for the removal of carbon residues during sintering of ceramics. 64-00803P
- Brozek, Vlastimil; Matusek, Miroslav; and Zemlicka, Jan Effect of gamma radiation on the mechanical properties of corundum. 64-01203A
- Bruce, Allen J. See Bansal, Narottam P.
- Bruecher, Klaus See Buss, Dietrich
- Bruckner, Rolf See Lee, Jeong-Hoon
- Brueder, Alan H. Lithium batteries with [MnO₂ and Ca black] organic slurry cathodes. 64-01319P
- Bruening, Klaus; and Rehfeld, Gerhard Ceramic-[frit-abrasive] coated corundum abrasive grain. 64-00002P
- Bruening, Ulrich; Hilker, Ernst; and Mattiat, Bernhard Suitability for brickmaking of stratified formations of the lower red sandstone in southern Lower Saxony [W. Germany]. 64-04225A
- Bruff, William; De Santana, Geraldo S.; and De Oliveira, David G. Process for the manufacture "in situ" of carbon electrodes. 64-06662P
- Brugger, Ronald P. See Brassell, Gilbert W.
- Brugner, Frank S. Silver, cadmium oxide, lithium carbonate contact material and method of making the material. 64-05248P
- Brule, James E.; O'Neill, James K.; and Palmer, David N. Electrode material [Li-metal oxides]. 64-03870P
- Brun, Milivoj K.; and Borom, Marcus P. Design and construction of an HIP dilatometer. 64-06864A
- Brun, Milivoj K.; Lee, Minyoung; and Szala, Lawrence E. Microcomposite of metal boride and ceramic particles. 64-05638P; Microcomposite of metal carbide and ceramic particles. 64-07257P
- Brundage, R. T. See Hall, D. W.
- Brunelli, Timothy A. See Cheresnowsky, Michael J.
- Brunham, Robert D. See Scifres, Donald R.
- Bruni, Maurice; Delode, Georges; and Perraudin, Roland Preparation [using high surface-area SiO₂] and use of high porosity silicocalcareous mass. 64-01504P; Silicocalcareous mass with high porosity and its preparation. 64-01511P

- Brunner, D. G.; and Tomandl, G.**
Ammonium-tantalate-ungstate—a proton-conducting ceramic. 64-02286A
- Bruno, Roberto; and Memmi, Massimo**
Galvanized steel sheet protected by chromium and chromium oxide layers. 64-04693P
- Brunt, William H.**
Mixer for mixing fibers into a slurry. 64-00991P
- Brusa, A.**
Fast single firing of porous tiles for interiors. 64-00598A; See also Bassanetti, Andrea
- Bryan, Arthur**
Design for today [Wedgewood's outlook]. 64-05037A
- Bryant, S. L.** See Walsh, M. P.
- Brykov, N. N.** See Popov, V. S.
- Brylicki, Witold** See Gustaw, Krystyna
- Brynstad, J.; and Bamberger, Carlos E.**
Preparation of metal [Zr, Ti] diboride powder. 64-07426P
- Brynstad, Jorulf; and Bamberger, Carlos E.**
Preparation of titanium diboride powder. 64-04411P
- Brynstad, Jorulf; Bamberger, Carlos E.; and Heathery, Dale E.**
Removal of oxide contamination from silicon carbide powders. 64-01253A
- Bryon, J. P.** See Rolfe, A. G.
- Bryzik, W.** See Kamo, M. R.
- Bubbenzer, Achim; and Koldi, Peter**
Exact expressions for calculating thin-film absorption coefficients from laser calorimetric data. 64-02310A
- Bubel, Joachim** See Hoppe, Adolf
- Bublik, V. T.; Kevorkov, M. N.; and Osvenskii, V. B.**
Proper point defects in undoped single crystals of indium antimonide. 64-05162A
- Bubon, Frank** See Blumenfeld, John F.
- Bupp, Albert D.**
Solid separation via hydrocyclones. 64-00928A
- Bucaro, Joseph A.** See Lagakos, Nicholas
- Bucea, Liann** See Romanescu, Alexandru
- Buchanan, R. V.; and Wilson, D. M.**
Role of Al_2O_3 in sintering of submicrometer yttria-stabilized ZrO_2 powders. 64-07159A
- Buchert, Janusz M.** See Alfano, Robert R.
- Buchner, Petr**
Methods for estimating water content in calcium hydrates. 64-06106A
- Bucholtz, F.; Webb, D. C.; and Young, C. W., Jr.**
Fermimagnetic effects of magnetostatic surface wave modes in ferrite films. 64-06708A
- Buciewicz, Jan**
Evaluation of enamel corrosion by measurement of surface roughness. 64-03152A
- Buck, Charles E.** See Aszman, Harry W.
- Buck, Daniel M.** See Ellison, T. L.
- Buck, Daniel M.; and Wilkinson, E. Louis**
Vacuum swing adsorption—alternate nitrogen supply system. 64-07401A
- Buckley, Donald H.; and Miyoshi, Kazuhisa**
Friction and wear of ceramics. 64-07107A
- Buckner, Michael T.** See St. Pierre, Philippe D.
- Budd, S. M.** See Bourne, R.
- Budennaya, L. D.** See Dubrovina, I. V.
- Budennaya, L. D.; Pavelets, A. M.; and Khanat, L. N.**
Physicochemical investigation of sintered $CdSe_{1-x}Te_x$ layers. 64-05780A
- Budivskaya, B. N.** See Kirichok, P. P.
- Budov, V. M.** See Sibiryakov, V. A.
- Budzynski, T.** See Adamczewski, J.
- Buehler, Ernest** See Chai, Bruce H.
- Buehler, Eugen; Strobel, Klaus; and Schwarzeimer, Karl**
Method of and apparatus for producing molded articles from pourable [ceramic-forming] compounds. 64-02564P; Method of manufacturing dry-pressed [ceramic] molded articles. 64-00990P
- Burger, Herbert** See Kneipp, K.
- Buffat, Bernard; Demazeau, Gerard; and Penchard, Michel**
Pentavalent iron stabilized for the first time in sixfold coordination in an oxide. 64-01562A
- Bugaev, N. F.** See Gavril, D. I.
- Buijs, H.** See Baudais, F. L.
- Bukhalova, G. A.** See Mardirosova, I. V.
- Bukharava, A. A.; and Yafae, N. R.**
Effect of Zn and Cd on the radiation-optical properties of alkali borate glasses. 64-03227A
- Bukovec, P.; and Hoppe, R.**
 $BaGaF_3$ —a Jahn-Teller distorted variant of $BaGaF_3$. 64-01380A
- Bukowski, J.** See Kumar, A.
- Bukun, N. G.** See Kovalenko, V. I.
- Bulava, A. V.** See Klyuev, V. P.; Stolyar, S. V.
- Bulakh, V. L.** See Korol, E. Z.; Pitak, I. V.
- Bulandr, Jiri; and Dudek, Jaroslav**
Mechanical processing of bentonites. 64-04211A
- Butavkina, N. V.** See Prodan, E. A.
- Buler, P. I.; Kuleshov, E. A.; and Protasova, L. G.**
Molar volume of glasses in the system S-Se. 64-03804A
- Bulgak, I. A.** See Skoropanova, A. S.
- Bulis, Yu. Yu.** See Feklin, S. K.
- Buljan, Sergej-Tomislav**
 Si_3N_4 ceramic articles having lower-density outer layer and method. 64-04432P; See also Sarin, Vinod K.
- Buludov, N. T.; Mamedaliev, F. D.; and Karayev, Z. Sh.**
System $LiBO_2-Nb_2O_5$. 64-05838A
- Bulychev, S. I.** See Kurilo, I. V.
- Bunina, O. A.** See Emel'yanov, S. M.
- Bunk, Klaus; Neidig, Arno; and Wahl, Georg**
Method for directly joining metal pieces to oxide-ceramic substrates. 64-01798P
- Bunker, B. C.; Arnold, G. W.; and Wilder, J. A.**
Phosphate glass dissolution in aqueous solutions. 64-00214A
- Bunsell, A. R.** See Simon, G.
- Bunting, John A.** See Bieler, Barrie H.
- Buntova, M. A.; and Vasiliev, N. G. M.**
Active centers on the surface of mica minerals. 64-05894A
- Bunyayeva, L. V.** See Zhdanov, S. P.
- Bupp, James R.; Markovich, Voya; and Napp, Tracy E.**
Conditioning of a substrate for electroless direct bond plating in holes and on surfaces of a substrate. 64-00952P
- Burba, John L., III**
Regeneration of crystalline lithium aluminates. 64-01172P
- Bures, Jacques** See Lacroix, Suzanne
- Burge, D. K.** See Bennett, Harold E.
- Burgesman, Marc** See Vanhoeck, Eddy
- Burger, Dale R.; and Knox, John F.**
Better thermal insulation in solar-array laminators. 64-01941A
- Burgess, G.**
Method of dewatering a material and a press therefor. 64-04050P
- Burget, Paul; and Zortea, Michel**
Apparatus for producing molten glass. 64-06341P
- Burggraaf, A. J.** See Winnubst, A. J. A.
- Burghela, Virginia** See Preda, Maria
- Burham, Frank**
Application of minicomputers and microprocessors to practical production problems. 64-05052A
- Buri, Alberto** See Branda, F.; Marotta, Alberto
- Buriani** See Bassanetti, Andrea
- Burilla, Charles T.** See Clark, Thomas E.
- Burk, Emmett H., Jr.** See Siefert, Kristine S.
- Burk, Michael J.** See Lu, Grant
- Burke, J. E.**
Sintering theory and technology. 64-05957A
- Burket, Kenneth A.; and Koenig, Gerhard F.**
Lamp [glass] chimney. 64-06050P
- Burkett, Albert L.**
Multipurpose centrifugal mill. 64-04054P
- Burkhanov, A. S.**
Electrical conductivity and thermal emf in binary systems consisting of copper chalcogenides in the liquid and solid state. 64-05077A
- Burkhanov, A. S.; Glagoleva, N. N.; and Kureshov, V. A.**
Electrical conductivity and thermal emf of copper selenide, doped with Se, in solid and liquid state. 64-05078A
- Burkhanov, G. S.; Kuz'mishchev, V. A.; and Mandzyuk, B. Ya.**
Influence of high-temperature heating on some physical properties of single-crystal carbides of titanium, niobium, and zirconium. 64-07120A
- Burkstrand, James M.** See Bradley, John R.
- Burmakin, E. I.** See Shekhtman, I. G.
- Burmakin, E. I.; and Alilikin, V. N.**
Electrical conductivity of Li_2GeO_3 . 64-05079A
- Burmakin, E. I.; Alilikin, V. N.; and Stepanov, G. K.**
Solid electrolytes based on lithium orthovanadate. 64-05177A
- Burmeister, Lewis H.**
Automatic kiln control [with ceramic switch]. 64-01093P
- Burn, Peter** See Duckworth, James P.
- Burnasheva, V. V.; and Tarasov, B. P.**
Influence of the partial replacement of nickel or yttrium by other metals on the absorption of hydrogen by the compound YNi . 64-05726A
- Burnett, N. C.; and Sharp, J. H.**
Hydration of doped tricalcium aluminate: I, Hydration of $Ca(Al, Fe)_2O_3$ in the presence of gypsum. 64-00042A
- Burnett, N. T.; and Hooton, R. D.**
Evaluation of concrete casks for the management of irradiated fuel in Canada. 64-04638A
- Burnie, Glen** See DeWolf, Robert B., II
- Burns, James A.**
Automatic powder dispensing methods and apparatus. 64-00945P; Method for dispensing fine powders. 64-02559P
- Burns, Roger G.; and Burns, Virginia Mee**
Optical and Moessbauer spectra of transition-metal-doped corundum and periclase. 64-07485A
- Burns, Virginia Mee** See Burns, Roger G.
- Burris, Nicola; Crisafulli, M. Luisa; and Giordano, Nicola**
Factors affecting formation of zeolite A from aluminosilicate gels. 64-01212A; Hydrothermal synthesis of zeolites from low-cost natural silica-alumina sources. 64-07339A
- Burritt, James D.; Brazili, James F.; and Grasselli, Robert K.**
Iron-selenium tellurium oxide catalysts. 64-01317P
- Burrus, Charles A., Jr.; and Stone, Julian**
Method for optical fiber fabrication including deuterium/hydrogen exchange. 64-06375P
- Bursill, L. A.; Blanchin, M. G.; and Smith, David J.**
Precipitation and dissolution of extended defects in chromia-doped rutile. 64-04484A
- Burston, Frederick Donald**
Apparatus for cutting ceramic tiles. 64-06797P
- Burtsev, V. I.; Senichev, A. P.; and Ryzanov, V. K.**
Possible use of fibrous heat-insulating materials for lining electric-arc furnaces with an endothermic atmosphere. 64-04988A
- Burwinkel, L. G.**
Annual ceramic mineral resources review—silica. 64-07015A
- Burzacchini, P. G.**
Single firing production of interior tiles. 64-00615A
- Busbey, Robert F.** See Varshneya, Arun K.
- Bush, A. A.** See Firsov, A. V.
- Bush, E. L.** See Sterling, H. F.
- Bush, J. Finley; and The, Paul J.**
Process for the removal of sodium oxalate compounds from Bayer spent liquor. 64-04237P
- Buss, Dietrich; Bruecher, Klaus; and Wenz, Wilhelm**
Combustion device [burner with fuel lance]. 64-05476P
- Busse, Lynda E.**
Temperature dependence of the structures of As_2Se_3 and As_2S_3 glasses near the glass transition. 64-04832A
- Busse, W.** See Muhrtz, August
- Butashin, A. V.** See Mill, B. V.
- Butkevich, L. M.** See Savitskaya, L. K.
- Butler, B. C. M.** See Kohn, S. C.
- Butler, Crispin O.** See Baldwin, Brewster
- Butler, E. Paul**
Transformation-toughened zirconia ceramics. 64-07190A
- Butler, E. Paul; and Heuer, Arthur H.**
Grain-boundary phase transformations during aging of a partially stabilized ZrO_2 —a liquid-phase analogue of diffusion-induced grain-boundary migration (DIGM). 64-05715A
- Butler, Edwin G.; and Szweida, Andrew**
Methods of forming [Silicon-based] ceramic materials and ceramic products, and ceramic materials and ceramic products formed thereby. 64-05637P
- Butler, N. D.; Dupree, R.; and Lewis, Michael H.**
Magic-angle-spinning NMR in structural studies of Si-Al-O-N phases. 64-01227A
- Butsashin, A. V.** See Kaminskii, A. A.
- Butt, Sheldon H.**
Composites of glass-ceramic to metal seals and method of making the same. 64-01791P; Semiconductor [oxide-coated metal] packages. 64-06158P
- Butta, R.; and Kleinheisterkamp, L.**
Behavior of fusion-cast refractories in contact with enamel and ceramic glazes. 64-02065A
- Butter, Johannes A. M.** See Ploegert, Hendrikus T.
- Butter, Stephen A.; and Chester, Arthur W.**
Aromatics processing [Al_2O_3 -zeolite composite] catalysts. 64-07197P
- Butyleva, E. S.; Ozerova, I. V.; and Avlil, R. I.**
Majolica bodies with excellent physical-technological properties. 64-01132A
- Buyukozturk, Oral** See Chen, En-sheng
- Buzin, Yu. I.** See Ezikov, V. I.
- Buzhkov, V. M.** See Livshits, A. I.
- Bychkov, E. A.; Borisova, Z. U.; and Vlasov, Yu. G.**
Magnetic susceptibility of $Ge_2Sb_{1-x}Se_{1+x}$ chalcogenide glasses containing Fe additives. 64-03292A; Moessbauer spectra and short-range order in Fe-doped chalcogenide glasses. 64-03303A
- Bykov, V. N.; and Votynskov, S. L.**
Luminescence excitation of activated Na silicate glasses in the region of fundamental absorption. 64-03290A
- Byndin, V. M.; Dobrovolskaya, V. I.; and Kanaev, I. A.**
Equipment for the induction melting of oxides in cold crucibles. 64-00902A
- Byrne, Joe L.; and Egli, Hans**
Turbocharger [with ceramic rotor] and rotor shaft assembly. 64-02916P
- Bystryank, Wassy; Walker, Richard A.; and Gardner, Edward B.**
Individually controlled interceptors for glassware forming machines. 64-04854P
- Bystrikov, A. S.** See Gorbachev, V. V.
- Cabato, Nellie L.** See Stetson, Harold W.
- Cabibbeni, Dale K.** See Carel, A. B.
- Cable, M.; and Martlew, D.**
Dissolution of silica in melts of the sodium carbonate-sodium metasilicate system. 64-04718A; Formation of solid reaction products in the dissolution of silica in molten sodium carbonate. 64-03255A
- Cafferri, D.; Grassi, A.; and Saiello, S.**
Role of TiO_2 and ZrO_2 in $Na_2O-MO_2-SiO_2$ glasses. 64-00223A
- Caffagni, Mirko** See Ambri
- Calms, James; and Ziegler, James F.**
Coated [particulate] ceramic substrates for mounting integrated circuits. 64-06604P
- Calabrese, Andrew** See Bhunjak, Peter P.
- Calamitout, M.; Filippakis, S. E.; and Jones, R. E.**
X-ray and spectrographic analyses of terra-cotta figurines from Myrina—an attempt to characterize workshops. 64-02282A
- Caldwell, Brian E.** See Sinha, Kamal R.
- Caldwell, David L.**
Container orienting apparatus. 64-00352P
- Caldwell, William E.; Odom, Jerome D.; and Williams, Douglas F.**
Glass-sample-tube breaker. 64-01951A
- Cales, R.; and Baumard, J. F.**
Mixed conduction and defect structure of $ZrO_2-CeO_2-Y_2O_3$ solid solutions. 64-03803A; Transport properties and defect structure of nonstoichiometric yttria-doped ceria. 64-07513A
- Caley, W. F.** See Theriault, E.
- Call, Kenneth R.** See Harju, Philip H.

- Callahan, John W.**
Dry powder metering apparatus. 64-00958P
- Callaway, Bernd; and Walezyk, Manfred**
Industrial waste use for glazing tiles and structural ceramics. 64-03723A
- Calvert, Robert B.; and Rollmann, Louis D.**
Synthesis of [zeolite] ZSM-5 utilizing a mixture of quaternary ammonium ions and amines. 64-04443P
- Calvin, Donald W.** See Leathers, Joel F. M.
- Camara, Boubacar; and Oei, Herbert J.**
Behavior and effect of iron in X-ray irradiated silicate glass. 64-01810A
- Camaratta, Frank A.** See Abou El Leil, Mahmoud M.
- Cambier, F.** See Deletter, M.; N'Dala, Ilunga
- Cambier, F.; De La Lastra, C. Boudin; and Pilate, P.**
Formation of microstructural defects in mullite-zirconia and mullite-alumina-zirconia composites obtained by reaction-sintering of mixed powders. 64-07105A
- Camden, Thomas** See Beard, Charles L.
- Camino, G.; Costa, L.; and Trossarelli, L.**
Effect of the chemical composition on the fire retardant characteristics of mixtures of polymers with chlorinated additives and metal oxides. 64-07327A
- Campbell, Allan B.** See Taylor, Peter
- Campe, H. V.**
Growth and electrical properties of AgGaS₂ thin films. 64-05100A
- Campos Loris, D.; Selkregg, K. R.; and Tagami, Yoshiaki**
Mechanism of alkali attack on blast-furnace refractories: I, Alkali attack on refractory materials in the system SiO₂-Al₂O₃. 64-06456A; Mechanism of alkali attack on blast-furnace refractories: II, Alkali attack on C and SiC refractories. 64-06457A
- Campos Vilanova, M.**
Enamels for metal substrates used in printed circuit boards for microelectronics. 64-06140A
- Campos, Tereza Wagner; and De Souza Santos, Helena**
Industrial diatomites [American and French] studied by scanning and transmission electron microscopy. 64-07038A
- Canaday, J. D.** See Ahmad, A.
- Canali, C.** See Armenise, M. N.
- Cancellieri, Giovanni; and Ravaoli, Umberto (Editors)**
Measurements of Optical Fibers and Devices: Theory and Experiments. 64-03042B
- Canfield, Douglas M.**
Glass sheet treating furnace with a roller conveyor. 64-06977P
- Cann, C. D.** See Hayward, P. J.
- Cann, Gordon L.**
Magnetoplasmadynamic apparatus for the separation and deposition of materials. 64-02554P
- Cannella, Vincent D.** See Izu, Masatsugu
- Cannon, R. M.**
Mechanical properties of MgO and Al₂O₃. 64-07479A; See also Handwerker, C. A.
- Cannon, W. Roger**
High creep ductility in alumina containing compensating additives. 64-07112A; See also Braun, Linda; Forte, Susan; Mikeska, Kurt; Zhang, Shi-chang
- Cannon, Warren R.** See Wu, Jenn-ming
- Canogre, Michel** See Hardy, Patrick
- Canot, Laurence**
Devices for extracting solid materials in bulk in the finely divided state from the bottom of a silo. 64-06810P
- Cao, Jia-di** See Sun, Cheng-wen
- Capp, A. N.**
Annual ceramic mineral resources review—magnesia/magnesite. 64-07011A
- Capp, John** See Cath, Pieter G.
- Caproneau, Ivona** See Togan, Dorina
- Caputo, Anthony J.; and Lackey, Walter J.**
Fabrication of fiber-reinforced ceramic composites by chemical vapor infiltration. 64-05539A
- Carbini, M.; Baretter, E.; and Navazio, Giancarlo**
Glasses from gels as carriers for hydrogenation catalyst. 64-06201A
- Carcin, P. F.; and Brinker, L. H.**
Preparation of thin-film transparent BaFCl:Cu X-ray phosphor. 64-05788A
- Carcin, P. F.; Suna, A.; and Childers, W. D.**
Electrical conduction and strain sensitivity in RuO₂ thick-film resistors. 64-00656A
- Cardenas-Franco, Luis; Vazquez-Menendez, Enrique; and Heredia-De-La-Paz, Jorge**
Solenoid actuated valve blocks for glassware forming machine. 64-00997P
- Carol, A. B.; and Cabiness, Dale K.**
Analysis of alumina by combined TG/X-ray diffraction. 64-06853A
- Carette, Brigitte; Kone, Ali; and Souquet, Jean-Louis**
Vitreous materials with ionic conductivity, the preparation of the same and the electrochemical applications thereof. 64-04769P
- Carey, D.**
Quantitative measurement of energy consumption in the [S. African] brick industry. 64-06429A
- Carini, G.; Cutroni, M.; and Federico, M.**
Evidence of low activation energies in Se-Te glasses from acoustic measurements. 64-00291A
- Carini, G.; Cutroni, M.; and Fontana, Aldo**
Inelastic light scattering in superionic glasses (AgI)(Ag₂O-BO)₂... 64-04803A
- Carlock, D. E.**
Ceramic fibers. 64-00458A
- Carlson, Emery J.** See Armor, John N.
- Carlson, F. Paul** See Hare, Alan W.
- Carlson, William G.** See Mattox, Douglas M.
- Carlstrom, Ellis** See Johnson, A.
- Carlstrom, Ellis; and Lange, F. F.**
Mixing of flocced suspensions. 64-00922A
- Carman, Justice N.**
Homogenizing apparatus glassmaking furnace and method of homogenizing glass. 64-04853P
- Carment, P.; and Ost, R.**
CAD [computer-assisted design] saves memory module design time. 64-05058A
- Carney, James K.**
Self-aligned coupling of optical fiber to semiconductor laser or LED. 64-00423P
- Carol, Robert G.** See Wu, Hui Z.
- Carp, M.** See Ciochina, A.
- Carpenter, B. E.** See Schreiber, Henry D.
- Carpenter, J. M.** See Milner, D. F. R.
- Carpenter, John H.; McMullen, James C.; and Oimscheid, Bruce A.**
Cesium vaporization losses from the Synroc mineral barium-cesium hollandite. 64-05314A
- Carraroli, Dario; and Giavelli, Giordano**
Ceramic roller-heart kiln with controlled combustion and cooling. 64-06968P; Roller conveyors for single-layer ceramic firing kilns. 64-04190P; Roller table for single-layer ceramic kilns in general. 64-04191P
- Carroll, Daniel F.; and Tressler, Richard E.**
Time-dependent strength of siliconized carbide under stress at 1000 and 1100°C. 64-05588A
- Carruthers, James D.** See Beck, H. Wayne
- Carruthers, W. Dave; and Smith, Jay R.**
Ceramic component development for the AGT101 gas turbine engine. 64-04248A
- Carry, C.** See Fridex, J. D.
- Carter, Calvin H., Jr.; Davis, Robert F.; and Bentley, J.**
Kinetics and mechanisms of high-temperature creep in silicon carbide: II, Chemically vapor deposited. 64-02787A
- Carter, Charles R.** See Ayers, William J., Jr.
- Carter, Clive B.** See Ostyn, Katrien M. H. J.
- Carter, Clive B.; and Morrissey, Karen J.**
Grain-boundary structure in Al₂O₃. 64-07468A
- Carter, Leon J., Jr.**
Annual ceramic mineral resources review—nepheline syenite. 64-07012A
- Carter, S. F.** See Beales, Keith J.
- Carter, S. F.; and Beales, Keith J.**
Reduction of water content of sodium borosilicate glasses for optical fibers. 64-06243A
- Carter, Stephen F.** See France, Paul W.
- Caritz, L.** See Vance, E. R.
- Carvalho, W.; Dumas, P.; and Delhaye, M.**
Raman microprobe analysis of preforms and optical fibers. 64-03476A
- Carver, E. B.** See Oster, B.
- Casarin, Jose Roberto** See Leal, Mara Margaret
- Casici, John L.; Lowe, Barrie M.; and Whitlam, Thomas V.**
Zeolite and process for preparing the same. 64-07440P
- Casse, E. D.**
Effect of microcracking on Poisson's ratio for brittle materials. 64-04534A
- Casse, E. D.; and Glinka, C. J.**
Characterization of microcracks in YCrO₃ using small-angle neutron scattering and elasticity measurements. 64-02975A
- Casse, E. D.; and Negas, T.**
Characterization of elastic properties and microstructure of US and Australian Synroc-B. 64-05315A
- Casse, Eldon Darrel** See Kaese, Hans Rolf
- Casse, William E.**
New synthesis method for optical thin-film coatings. 64-03310A
- Cases, J. M.** See Rakotonarivo, E.
- Casoli, Antonella; Mangia, Alessandro; and Predieri, Giovanni**
Determination of uranium by revealed-phase high-performance liquid chromatography. 64-05409A
- Caspers, Friedhelm**
Method and apparatus for the electronic measurement of the thickness of very thin electrically conductive films on a nonconductive substrate. 64-04125P
- Cassat, Robert**
Forming of thick-layer, hybrid electronic printed circuits. 64-06618P
- Cassens, Nicholas, Jr.**
Refractory gun mix. 64-00577P
- Cassidy, Don; and Barkhau, Ray W.**
Mineral fiber production method and apparatus. 64-06391P
- Cassidy, John E.; and Jones, L. Raymond, Jr.**
Molten metal [refractory] sample cup. 64-06493P
- Cassidy, R. M.** See Knight, C. H.
- Castaing, J.** See Heuer, Arthur H.
- Castelliz, K. M.** See King, H. R.
- Castello, G.; Tealdo, G.; and Cerrato, F.**
Health aspects connected with the use of low activity zirconium minerals in the ceramics and refractory industries. 64-01612A
- Castle, Richard B.** See Beck, Warren R.
- Catalano, Anthony W.** See Barnett, Allen M.
- Catani, Paolo**
Tubular mill for grinding natural and synthetic raw materials, particularly for the cement industry. 64-06851P
- Cath, Pieter G.; Capp, John; and Loeffler, William P.**
Method and apparatus for determining oxide film thickness. 64-04122P
- Cattelain, C.; and Slindezingue, C.**
Lead oxides—solutions to problems using Slond. 64-01615A
- Cavallaro, S.** See Bart, J. C. J.
- Caverly, John C.**
Method of attaching a metal shaft to a ceramic shaft and product thereof. 64-01800P; See also Allor, Richard L.
- Cawley, William E.; and Trapp, Turner J.**
Lithium aluminate/zirconium material useful in the production of tritium. 64-01318P
- Cazan-Corbascu, Vladimir**
Routine direct physicochemical analyses of the oxide composition of the raw material mixture and glass. 64-06327A
- Cebula, Waldemar; and Keck, Erich**
Raw material supply and quality enhancement of high-grade [European] feldspars. 64-02721A
- Cella, Catherine**
Traces of a Tennessee pottery. 64-06035A
- Celli, Adello** See Palmer, Brad J. F.
- Cenni, Paolo** See Tenaglia, Alessandro
- Cerchez, Lidia; Comanescu, Ioan; and Voiculescu, Paul**
Performance and use of a refractory zircono-phosphatic mortar for glass tank vaults. 64-03653A
- Cerchez, Lidia; Mihallescu, Mihaela; and Comanescu, Ioan**
Chemical composition and thermal treatment effect on aluminosilicate ceramic fiber characteristics and structure. 64-03417A
- Cermak, Antonin; and Zimova, Maria**
Basic refractory shaped building material from molten grain. 64-02062A
- Cerrato, F.** See Castello, G.
- Cesar, Marco** See Perego, Giovanni
- Ceurvorst, Kenneth**
Replaceable protective caps for spider arms of a reversible hammer mill. 64-06840P
- Chaban, I. P.** See Rudnitskii, Yu. V.
- Chaban, N. F.** See Chernyak, G. V.
- Chaban, N. G.** See Safonov, V. V.
- Chachkiani, L. G.** See Nutsidze, P. V.
- Chadwick, Roman** See McCartney, Michael S.
- Chadwick, D. L.** See Nassau, Kurt
- Chai, Bruce H.; Bailey, Dana S.; and Vetelino, John F.**
Temperature-compensated orientations of berillite for surface acoustic wave devices. 64-06706P
- Chai, Bruce H.; Buchler, Ernest; and Flynn, John J.**
Hydrothermal [e-Al₂O₃ or Ga-orthophosphate] crystal growing process. 64-02955P
- Chaim, R.; and Bran-tan, D. G.**
Microstructure evolution and ordering in commercial Mg-PSZ. 64-02799A
- Chaim, Rachman; Ruehle, Manfred; and Heuer, Arthur H.**
Microstructural evolution in a ZrO₂-12 wt% Y₂O₃ ceramic. 64-07133A
- Chaklader, A. C. D.** See Bhattacharya, S. K.
- Chakrabarti, N. B.** See Maiti, C. K.
- Chakrabarti, S.; and Paul, Amalendu**
Oxide glasses by low-temperature polymerization. 64-01878A
- Chakrabarty, Indra N.; and Condrate, Robert A., Sr.**
Raman scattering study of the temperature dependence of boron ring clusters in B₂O₃-GeO₂ and B₂O₃-GeO₂-SiO₂ glasses. 64-06240A; Raman spectra of potassium borogermanate glasses with high concentrations of GeO₂. 64-01894A
- Chakrabarty, Indra N.; Day, Delbert E.; and Lapp, Josef C.**
Structure-property relations in lanthanide borate glasses. 64-06264A
- Chakrabarty, Indra N.; Shelby, James E.; and Condrate, Robert A., Sr.**
Properties and structure of lanthanum borate glasses. 64-01891A
- Chakravorty, D.; Chattopadhyay, D.; and Datta, S.**
Colloidal bismuth as nucleation catalyst for preparing magnetic glass-ceramics. 64-00149A
- Chakravorty, S. K.; and Chattopadhyay, D.**
Low-loss ceramics from wollastonite. 64-06564A
- Chamberlain, K.** See Hammond, L. G.
- Chambers, Robert L.** See McMillin, James A.
- Chaminade, J. P.** See Sekiya, T.
- Champagne, B.; and Dallaire, Serge**
Structure and properties of TiB₂-based materials produced by the reaction of ferrotitanium and boron powders. 64-05581A
- Champonnois, Michel**
Increased production and energy savings with precalcination. 64-03097A
- Chamuel, Jacques R.**
Electroelastic self-scanning crack detector. 64-02635P
- Chan, Joseph Y.** See Garbis, Dennis
- Chance, Dudley A.; Platt, Alan; and Ho, Chung W.**
Chip carrier with embedded engineering change lines with severable periodically spaced bridging connectors on the chip-supporting surface. 64-02352P
- Chandan, Harish C.; Hermansson, L.; and Abe, H.**
Elevated-temperature-instrumented Charpy impact of a sintered silicon carbide. 64-04276A

- Chandan, Harish C.; and Perry, S. Carolyn**
Effect of moist ammonia on the strength of polymer-coated optical fibers. 64-04786A
- Chandler, H. D.; and Jones, R. L.**
Strength loss in E-glass fibers treated in strong solutions of mineral acids. 64-03488A
- Chandler, Ian R.; Tomasselli, Vincent P.; and Moller, K. D.**
Attenuated total reflection method for obtaining the optical constants of powders. 64-04072A
- Chandler, R. C.; and Amra, L. H.**
Production of [Al phosphate-coated] corrosion- and erosion-resistant solid carbon articles. 64-01359P
- Chandler, S.**
Apatite—a common factor in mineral processing, agriculture, and teeth and bones. 64-02741A
- Chandra, Satish**
Interaction of BaCl₂ and BaSO₄ at elevated temperatures. 64-04470A; Qualitative and kinetic study of the effect of barium chloride additions on the formation of barium monoaluminate and hexaaluminate. 64-07371A
- Chang, Chin-An; Chang, Leroy L.; and Esaki, Leo**
MBE growth technique for matching superlattices grown on GaAs substrates. 64-06632P
- Chang, Clarence D.** See Miale, Joseph N.
- Chang, Clarence D.; and Miale, Joseph N.**
Catalysis over activated high-silica zeolites. 64-07201P; Hydrothermal zeolite activation. 64-07233P; 64-05625P
- Chang, Fung-ming; and Jansen, M.**
Synthesis and crystal structure of Ag₂MnO₄. 64-01581A
- Chang, Leroy L.** See Chang, Chin-An
- Chang, Michael**
Nonsintered quartz ware and method for producing the same. 64-00069P
- Chang, Seung-Hyun** See Pyun, Su-Il
- Chang, W.-J.** See O'Connor, B. H.
- Chani, V. I.; and Balibashov, A. M.**
Investigation of the phase diagram of the system PbO-B₂O₃-Bi₂O₃-Y₂O₃-Fe₂O₃-Ga₂O₃ for (Y,Bi)(Fe,Ga)₂O₃; crystal growth from flux. 64-07347A
- Chao, Yung-Kuo; and Clark, David E.**
Hydrothermal corrosion of lithium disilicate glass and glass-ceramics. 64-04727A
- Chapman, C. C.**
Design preferences for a slurry-fed ceramic melter suitable for vitrifying West Valley [NY nuclear] wastes. 64-05323A; See also Pope, J. M.; Siemens, D. H.
- Chapman, G. N.; and Walton, Alan J.**
Triboluminescence of glasses and quartz. 64-00238A
- Charlat, G.; and Martinez, A.**
Boron segregation at Si-SiO₂ interface during neutral anneals. 64-03751A
- Charles, Robert G.** See Peblar, Alfred R.
- Chatterjee, K. C.** See Garai, S. K.
- Chatterjee, Manas Kumar** See Samanta, C.
- Chatterjee, Minati; and Ganguli, Dibendu**
Intermediate-stage ion exchange in sodium zeolites—role of cation vacancy. 64-02785A
- Chatterjee, S.; and Guha, S. K.**
Alumina substrates. 64-02285A
- Chattopadhyay, D.** See Chakravorty, D.; Chakravorty, S. K.
- Chattopadhyay, D.; and Mandal, S. S.**
Setup for measuring thermal conductivity of insulating blocks by dynamic method. 64-02616A
- Chattopadhyay, G.** See Tripathi, S. N.
- Chattopadhyay, G.; Tripathi, S. N.; and Kerkar, A. S.**
Thermodynamic investigations in the system U-Mo-O. 64-01483A
- Chaudhuri, A. K.** See Thakur, R. L.
- Chaudhuri, P.; Ray, Swati; and Barua, A. K.**
Effect of mixing hydrogen with silane on the electronic and optical properties of hydrogenated amorphous silicon thin films. 64-05697A
- Chaumette, Jacques** See Aubry, Claude
- Chaumont, C.; Laville, H.; and Bernier, J. C.**
Preparation and properties of magnetic glass ceramics. 64-03330A
- Chebotarev, S. A.** See Yakhkind, A. K.
- Chechernikov, V. I.** See Nutsibidze, P. V.
- Chechektina, E. A.** See Dembovsky, S. A.
- Cheetham, A. K.** See Rae-Smith, A. R.
- Cheetham, Harry A.**
Gas burner system. 64-02684P
- Chelishvili, T. Sh.** See Petrovskii, G. T.
- Chelbea, Dragos** See Gaeaga, Lucia
- Chelbea, Dragos; and Neamtu, Mircea**
Ditrau (Romanian) hornblende used as pigment in red floor tile sandstone. 64-03718A
- Chel'tsova, V. D.; and Shakhmatova, I. P.**
Analysis of the temperature field during the cooling of a system glass layer-opaque substrate, taking into account the radiation component of heat transfer. 64-03189A
- Chen, Bo-hua; Shen, Ding-cheng; and Shi, Xiao-feng**
Protective coating against aluminizing. 64-04687A
- Chen, Chang-kang**
Analytical method for crystals grown by flux method under conditions of local water cooling. 64-07304A
- Chen, Charles T. M.** See Cottle, James G.
- Chen, Chern Ping; and Leopold, Martin H.**
Stress rate and proof testing of silicon wafers. 64-04568A
- Chen, Chungte W.; Wyant, James C.; and Breckinridge, James B.**
Holographic Twyman-Green interferometer. 64-02596A
- Chen, Da-ren** See Gu, Wen-long
- Chen, Edwin H.** See Finn, Mark B.
- Chen, En-sheng; and Buyukozturk, Orat**
Methodology for thermomechanical analysis of brittle systems. 64-06458A; Modeling of long-term corrosion behavior of refractory linings in slagging gasifiers. 64-06460A; Thermomechanical behavior and design of refractory linings for slagging gasifiers. 64-06468A
- Chen, Ga-lan; Sivertsen, J. M.; and Judy, J. H.**
Effect of oxygen partial pressure on the properties of rf-sputtered Al₂O₃ thin films. 64-01205A
- Chen, Hui-min** See Wang, Jian-guo
- Chen, Ken; and Zhong, Qi-ming**
Preparation and property measurement of CdS photoconductive film used in ac liquid crystal light valve. 64-06573A
- Chen, Kuan-ye; Pan, Hong-chih; and Ko, Yung-chao**
Hot modulus of rupture and slag attack resistance of aluminosilicate castables. 64-06449A
- Chen, Lee; Chuang, Tung J.; and Mathad, Gangadhar S.**
Laser induced dry etching of vias in glass with noncontact masking. 64-00374P
- Chen, S. H.; Zheng, L. R.; and Barbour, J. C.**
Lateral-diffusion couples studied by transmission electron microscopy. 64-05746A
- Chen, Shi-ping** See Chen, Xian-qu
- Chen, T.-J.; and Knapp, William J.**
Fracture of porous ceramic plates under biaxial tension-compression. 64-01016A
- Chen, Tian-bin** See Li, Gan-sheng
- Chen, Wen-hao; and Xu, Ji-zhi**
Dehydrated phases of gypsum and their hydration. 64-06068A
- Chen, Xian-qu; Huang, Rui-fu; and Chen, Shi-ping**
Phenomenon of liquid-phase separation in the famous Sung Tenmoku glaze. 64-05044A
- Chen, Xian-qu; Huang, Rui-fu; and Song, Xiang-yun**
Microstructural nature of ivory-white porcelain. 64-05043A
- Chen, Xue-xian** See Li, Jia-zhi; Sheng, Lian-gen; Zhu, Ya-juan
- Chen, Yao-sheng**
Light propagation in axial gradient index lens. 64-04807A
- Chen, Yok** See Gonzalez, R.; Pareja, R.
- Chen, Zhao-you**
Dissolution kinetics of solids and their application to refractories. 64-06445A
- Chen, Zhi-xue; Huang, Tian-quan; and Wan, De-rui**
Preparation and characteristics of the superionic conductor Na₂YSi₂O₇. 64-06572A
- Chen, Zhi-yuan**
Reactivity of high-magnesia nickel slag. 64-01749A
- Chen, Zhong-zhang; Yang, Jin-quan; and Wang, Chang-gui**
Sodium deposit occurring on β -Al₂O₃ electrolyte. 64-07173A
- Chen, Zu-xiong; and McMillan, Peter W.**
Crystallization behavior of a high-zinc-content Li₂O-ZnO-SiO₂ glass-ceramic and the effect of K₂O additions. 64-04781A
- Chenauksy, Peter P.; Hart, Richard A.; and Laughman, Lanny M.**
Coupled waveguide freespace laser. 64-01980P
- Cheney, Richard F.**
Plasma [Si₃N₄] spray powder. 64-05641P
- Cheney, Richard F.; and Bansal, Anil**
Method of recovering metal carbides [according to grain size]. 64-01331P; Method of recovering metal carbides. 64-01332P
- Cheng, Hsiu-Fung**
Modeling of electrical response for semiconducting ferrite. 64-06716A
- Cheng, Ji-jian; Xu, Jie-jie; and Wu, Lin-sheng**
Glass-forming region, properties, and structure of fluoroborate glasses in ternary systems R₂O-RF-B₂O₃ and MeO-MeF₂-B₂O₃ (R = Li, Na, K, and Me = Ca, Sr, Ba). 64-00190A
- Cheng, S. Y.** See Fu, S. L.
- Cheng, Wei**
Static exclusion method for determination of specific pore volume. 64-02620A
- Cheng, Y. C.** See Lu, Y. Z.
- Cheng, Zhu-hai** See Zhang, Fu-kang
- Cherba, David M.**
Programmable controllers: I, Key plant automation. 64-02609A; Programmable controllers: II, A useful tool for process control. 64-02610A
- Cheremisin, I. I.** See Bogdanov, A. G.
- Cheremisin, I. I.; Rudenko, V. S.; and Bogdanov, A. G.**
Kinetics of the dissolution of gas bubbles during the high-temperature compression of quartz glass. 64-03283A
- Cheremisinov, A. D.** See Pivovarov, A. D.
- Cherepanov, E. V.; Suvorova, D. I.; and Timoshenko, L. I.**
Enrichment of magnesite screenings from the Satkinsk deposit [by gravitation-flotation]. 64-01127A
- Cherepanov, V. B.** See Kolokolov, L. V.
- Cheresnowsky, Michael J.; Brunelli, Timothy A.; and Munn, Robin W.**
Process for purifying molybdenum trioxide. 64-07428P
- Cherkashin, A. E.** See Koshcheev, S. V.
- Chermant, Jean-Louis; and Osterstock, Frederic**
Thermomechanical ceramics: I, Some thermal properties, rupture characteristics, and creep behavior. 64-07187A; Thermomechanical ceramics: II, Reinforcing, statistical analysis, elaboration, and applications. 64-07188A
- Chernousov, M. A.** See Daminov, D. G.
- Chernov, B. G.** See Val'dman, O. A.; Veis, A. N.
- Chernov, V. K.** See Berzhanskiy, V. N.
- Chernysk, G. V.; and Chuban, N. F.**
New borides with Nd,Ni,B-type structure. 64-01234A
- Chernysk, G. V.; Chuban, N. F.; and Kus'ma, Yu. B.**
Ternary systems Dy(Er)-Co-B. 64-01264A
- Chernyskii, I. Ya.** See Zyt'kova, L. R.
- Chernykh, N. N.** See Shubin, V. I.
- Cherry, John T.**
Underglaze and overglaze decorations from application to firing. 64-06530A
- Cherikova, L. V.** See Shilova, M. V.
- Chertov, V. M.; Tsyrina, V. V.; and Zelenzov, V. I.**
Hydrothermal sintering of microporous silica gel. 64-04801A
- Chervinskii, Yu. F.** See Bazhenov, V. M.
- Cheshnitskii, S. M.; Fotiev, A. A.; and Surat, L. L.**
Phase relations in the system V₂O₅-Cr₂O₃. 64-05776A
- Chess, Catherine A.** See Chess, Daniel
- Chess, Daniel; Chess, Catherine A.; and White, William B.**
Physical properties of ternary sulfide ceramics. 64-05779A
- Chester, Arthur W.** See Butler, Stephen A.
- Chester, Arthur W.; and Chu, Yung F.**
Active zeolite catalysts of improved stability. 64-07195P
- Chesworth, Peter**
Coating glass [apparatus for]. 64-00951P
- Chevalier-Bultel, Jean P.** See Drolet, Jean-Pierre
- Chevalier-Bultel, Jean P.; and Drolet, Jean-Pierre**
Green molded product containing asbestos tailings suitable for firing. 64-01308P
- Chew, Remedios K.** See Pastor, Ricardo C.
- Cheyney, Alan** See Almond, P.
- Chia, Joan K.** See Cockrum, Charles A.
- Chiang, Robert L.** See Seese, Mark A.
- Chiang, Robert L.; and Scherzer, Julius**
Production of [aluminosilicate] fluid catalytic cracking catalysts. 64-01360P
- Chiba, Akio** See Arakawa, Hideo
- Chiba, K.; and Nakatani, K.**
Photoenhanced migration of silver atoms in transparent heat mirror coatings. 64-05944A
- Chick, Lawrence A.; and Piepel, G. F.**
Statistically designed optimization of a glass composition. 64-01907A
- Chicurel, Ricardo U.; and Aguirre, Manuel G.**
Lehr ladder apparatus. 64-02551P
- Chien, Yung-tsen; and Ko, Yung-chao**
High-temperature fracture energy and thermal stress resistance parameters of bauxite brick. 64-06448A
- Chihara, Kunisuke; Nakamoto, Takeshi; and Ohtsuki, Yuzo**
Performance results of high-alumina brick in steel ladles. 64-04983A
- Chikano, Toshiharu; Zenbutsu, Tadashi; and Nambu, Yasutoshi**
Performance results of alumina-carbon brick for EF ladle. 64-04982A
- Chikanov, N. D.**
Interaction of tantalum pentabromide with the bromides of cesium, rubidium, potassium, and sodium. 64-05734A
- Chikawa, Junichi; Sato, Fumio; and Sumada, Tadashi**
Interface structure and solute trapping in rapid crystal growth of silicon and germanium from the laser-induced melt. 64-01415A
- Childers, W. D.** See Garcia, P. F.
- Childs, Rick**
Fast-firing test kiln. 64-06029A
- Chilikanova, L. V.** See Shishelova, T. I.
- Chin, A. K.** See Mahajan, S.; Tenne, R.
- Chin, Roland L.; and Ferguson, Susan A.**
Method of ion beam synthesis of thin silicon nitride films and resulting articles. 64-07250P
- Chiou, Kuen Y.; and Manuel, Oliver K.**
Determination of tellurium and selenium in atmosphere aerosol samples by graphite furnace atomic absorption spectrometry. 64-05408A
- Chippis, Fred R.** See Vanderbilt, Byron
- Chirino, Agustin M.** See Beall, George H.
- Chirkov, A. K.** See Oblasov, A. K.
- Chizhik, T. N.** See Kogel, S. P.
- Chmel, Alexandre** See Eron'ko, S. B.
- Chmel, Alexandre; and Eron'ko, S. B.**
Laser-induced generation of structural defects in vitreous silica and in activated silicate glasses. 64-06217A
- Chmielewski, Artur B.** See Wood, Charles
- Cho, Byong K.**
Monolithic [honeycomb automotive] catalytic converter for improved thermal performance. 64-07259P
- Chodorow, Marvin** See Shaw, Herbert J.
- Choi, Jae-Shi** See Kim, Keu-Hong
- Choi, Sang-Churl** See Lee, Eung-Sang
- Choi, Sang-Hui; Sasaki, Manabu; and Asaga, Kiyoshi**
Early hydration of hydrothermal reaction of β -C₂S [and reaction products]. 64-06070A
- Choi, Sang-I; and Takeuchi, Takao**
Semiempirical analysis of the electronic processes of F-type centers in a-Al₂O₃. 64-07498A
- Choi, Sang-Wook** See Park, Keum-Churl
- Choi, Sung-Churl** See Lee, Eung-Sang
- Choi, Young-Sup** See Park, Keum-Churl
- Chokshi, Atul H.; and Porter, John R.**
Creep deformation of an alumina matrix composite reinforced with silicon carbide whiskers. 64-07081A
- Chollet, L.; Boring, H.; and Hintermann, Hans-Erich**
Residual stress measurement of refractory coatings as a non-destructive evaluation [for quality control]. 64-06893A

- Choo, Woong-Kil See Cho, Kyong-Ik
- Chop, Yu. I.; Pashchenko, A. A.; and Kovzun, I. G.
Ferroalloy slags in ceramic-tile compositions. 64-02268A
- Chopinot, M. H.; Masool, J. J.; and Ballif, P.
Evolution of the surface of $\text{SiO}_2/\text{Al}_2\text{O}_3$ -MgO glasses in basic environment. 64-06193A
- Chopra, S. K. See Naraing, K. C.
- Chou, Chang-Cheng
Constituents and characterization of refractory castables for blast-furnace troughs. 64-06442A
- Chou, Kan-see; Tien, Gee-yang; and Wu, Wen-long
Particle size distributions in calcined powders. 64-07491A
- Choudhary, P. S.; Sisodia, M. S.; and Goswami, N.
Photo- and electroluminescence of ZnS:Mn coprecipitated phosphors. 64-02326A
- Choudhury, Abu N. M. M. See Tabatabaie-Alavi, Kamal
- Choudhury, R.
Selection of indigenous [Indian] glasshouse refractories—a study. 64-03677A
- Chow, Laurence C. See Brown, Walter E.
- Chowdhury, K.
Monolithic refractories and their manufacture—[a review]. 64-02152A
- Choy, Jin-Ho; Kim, Chang-Eun; and Hyung, Kyung-Woo
Intercalation of Ca montmorillonite with decylammonium ion and *n*-alcohol. 64-07345A
- Christ, Richard See Mueller, Erhard
- Christensen, A. N. See Lovchinov, V. A.
- Christensen, Hilbert See Clark, David E.
- Christensen, Hilbert; Hermansson, Hans-Peter; and Clark, David E.
Surface reactions occurring on simulated nuclear waste glass immersed in aqueous solutions containing bentonite, granite, and stainless steel corrosion products. 64-05350A
- Christensen, N. H. See Johansen, V.
- Christensen, Richard G. See Amendola, Albert
- Christensen, Richard G.; and Moore, Robert L.
Metallization of a ceramic substrate. 64-06153P
- Christian, Robert F.
Screw conveyor and furnace. 64-05483P
- Christiansen, Uwe; Rau, Karlheinz; and Steinkohl, Anton
Lightweight [vitreous on high- SiO_2] mirror especially for astronomical purposes. 64-00377P
- Christof, Gerhard; and Mauschitz, Oskar
Glass tank regenerator—modern refractory lining materials and attack by V_2O_5 . 64-03623A
- Christophilem, Peter; Novotny, Rudolf; and Von Laufenberg, Juergen
Hydrothermal decomposition of aluminum silicates. 64-04503P
- Chromy, Stanislaw
Evaluation of the reactivity and of burning ability of industrial cement raw material powders by a kinetic method. 64-06083A
- Chu, B.-H. See Yao, Y.
- Chu, Pochen
Activity enhancement of high-silica zeolites by thermal treatment with alkaline aluminate. 64-01274P; Manufacture of low sodium zeolite [ZSM-11]. 64-02871P; See also Dwyer, Francis G.
- Chu, Pochen; Huss, Albin, Jr.; and Vartuli, James C.
Deagglomeration of porous siliceous [zeolite] crystalline materials. 64-04501P
- Chu, Pochen; and Kuehl, Guenter H.
Hydrothermal zeolite activation. 64-07413P
- Chu, Yung F. See Chester, Arthur W.
- Chuang, Tung J. See Chen, Lee
- Chubachi, Noriyoshi; and Honda, Keisuke
Ultrasonic nondestructive test apparatus. 64-04140P
- Chubaidze, V. A.; Tertyshnikov, S. A.; and Yachevskii, A. V.
Heat treatment of granulated Na silicate charge [for glass production]. 64-00302A
- Chuchmarov, S. K. See Ezikov, V. I.
- Chudinova, N. N. See Avalliani, M. A.; Grunze, J.
- Chudinova, N. M.; Usatkov, N. F.; and Orlova, I. G.
Effect of additives and mode of preparation on the granulation and properties of corundum + ZrO_2 granules. 64-00471A
- Chugunov, L. A. See Kliava, J.
- Chumsee, Mark S. See Flanagan, Paul
- Chung, Don W. See Banerjee, Indrajit
- Chung, Raymond
Method for producing homogeneous batts of air-laid fibers. 64-04046P
- Chupin, A. I.; and Poleznev, Yu. M.
Thermoactivated reaction of zirconium dioxide with silica. 64-01482A
- Chupina, M. S. See Vlasov, A. S.
- Chushko, V. M. See Pisarenko, G. G.
- Chusovitina, T. V. See Maurin, A. F.
- Chuvpova, N. I.; Tarnov, B. V.; and Shvorneva, L. I.
X-ray study of the process of chemical collapse of aluminoborosilicate glass in alkaline media. 64-04764A; XRD study of the corrosion products of industrial aluminoborosilicate E glass in varied-concentration sodium hydroxide solutions. 64-01766A
- Chuvpova, T. I. See Alekseeva, I. P.
- Chyung, Kenneth See Beall, George H.; Brennan, John J.
- Ciammichella, Richard C. See Bohl, Thomas L.
- Cibis, Johannes
Device for testing the rims of bottle apertures for flaws. 64-04115P
- Cichy, Paul See Walker, Thomas B.
- Cielo, Paolo See Dallaire, S.; Jen, Cheng-Kuei
- Cieloszyk, Gary S. See Lee, Kiu H.
- Ciminelli, Renato R.; and Messing, Gary L.
Chemical and structural transformations in the system aluminum nitrate-alumina. 64-02699A
- Cimochowski, Anthony E.
Minimodule and method of installing same to fill gaps between adjacent [refractory fiber] insulation modules. 64-02249P
- Cioabana, C. See Pavelescu, C.
- Ciochinas, A.; Carp, M.; and Vilcu, Rodica
Thermal conductivimeter for nonmetallic solids. 64-01039A
- Ciochina, Mirela See Barboloviciu, Lucia
- Cipariso, Delio
Evaporation of blooming layers onto optical substrates. 64-01986P
- Ciprich, Samuel D. See Ruyak, Robert F.
- Cisneros, E. See Villafuente-Castrejon, M.
- Claassen, George R. See Bennett, Terry A.; Frank, Robert G.
- Claassen, George R.; and Ewing, John J.
Method of and apparatus for removing sharply bent glass sheets from press-bending molds. 64-02003P
- Claassen, George R.; Karlo, Rudolph A.; and Zimmerman, William B.
Movable alignment stops for glass sheet shaping apparatus. 64-02010P
- Clare, A. W. N.
Decorating hollow ware. 64-03739P
- Clark, C. Burton See Glass, S. Jill
- Clark, D. B.
Why don't we sell more glass? 64-04839A
- Clark, D. F.; Nutt, A. C. G.; and Wong, K. K.
Characterization of proton-exchange slab optical waveguides in *z*-cut LiNbO_3 . 64-01519A
- Clark, David E. See Brinker, C. Jeffrey; Chao, Yung-Kuo; Christensen, Hilbert; La Torre, G. P.; Lannutti, John J.
- Clark, David E.; Christensen, Hilbert; and Hermansson, Hans-Peter
Effects of flow on corrosion and surface film formation on an alkali borosilicate glass. 64-04721A
- Clark, David E.; Zhu, B. F.; and Hench, Larry L.
Evaluation of six-month burial data [on nuclear waste glasses] from Stripa [Sweden]. 64-06739A
- Clark, David E.; Zhu, B. F.; and Robinson, R. S.
Preliminary report on a glass burial experiment in granite. 64-05342A
- Clark, James M. See Landon, Thomas E.; Secrist, Duane R.
- Clark, James M.; and Secrist, Duane R.
Monolithic [conductive ceramic] composite electrode for molten salt electrolysis. 64-02395P
- Clark, Kenneth M.
Method for optically finishing [polishing] connector-mounted optical fibers. 64-03525P
- Clark, Patrick J. See Millette, James R.
- Clark, Thomas E.; and Burillo, Charles T.
Line emission penetration [$\text{La}_2\text{O}_3\text{:Sb}$ -based] phosphor for multicolored displays. 64-05626P
- Clarke, David R.
Electrolysis treatment for drawing ions out of a ceramic. 64-00250P
- Clarke, L. N. See Crook, Douglas N.
- Clarke, Raymond
Thermostatic fiber optic waveguides. 64-04881P
- Clausen, Peter J. M. See Petersen, Jorgen H.
- Clausius, Richard A.
Process for purifying graphite. 64-04421P
- Clauss, Harry G.; and Wiese, John R.
Refractory [fiber-coated] protection tube for immersion molten metal devices. 64-00573P
- Claussen, Nils See Heuer, Arthur H.
- Claussen, Nils; Lindemann, G.; and Petzow, Guenter
Rapid solidification in the $\text{Al}_2\text{O}_3\text{-ZrO}_2$ system. 64-04325A
- Claussen, Nils; and Petzow, Guenter
Ceramic [ZrO_2 -reinforced] formed body with a high crack arrestability. 64-05605P
- Claussen, Nils; Ruehle, Manfred; and Petzow, Guenter
Ceramic body of zirconium dioxide (ZrO_2) [or $\text{Al}_2\text{O}_3\text{(ZrO}_2\text{)]}$ and method for its preparation. 64-07212P
- Claver, Allen H. See Nies, Dale E.
- Clawson, Arthur R. See Wieder, Herman H.
- Clay, Hughie M.; Frozzitta, Michael; and Brotherton, Alan L.
Process for the preparation of organophilic clays. 64-01164P; 64-01163P
- Cleall, A. F.
Furnace burner head. 64-06975P
- Clearfield, Abraham; and Jerus, Paul
Method of making sodium zirconium silico-phosphates. 64-05883P
- Clemens, P.; Haubold, S.; and Eibisch, R.
Measures to increase the effectiveness of cement grinding in compartment mills. 64-04652A
- Clemons, Johnny M. See Ledbetter, Frank E., III; Penn, Benjamin G.
- Cleveland, Joseph J. See Dorazio, Raymond E.; Wolfe, Robert W.
- Cliff, G. See Hannink, Richard H. J.
- Clifton, R. J. See Kim, K. S.
- Clinard, F. W., Jr.
Ceramics for fusion devices. 64-02744A
- Cline, Harvey E.
Method for producing [PbSn or PbCd] eutectics as thin films using a laser device as a heat source. 64-03890P; Method for producing [PbSn or PbCd] eutectics as thin films using a line heater. 64-03891P; Method for producing [PbSn or PbCd] eutectics as thin films using a quartz lamp as a heat source in a line heater. 64-03892P; Method for producing [PbSn or PbCd] eutectics as thin films using an arc lamp as a heat source in a line heater. 64-03893P
- Clinton, Jean M.; and Coffeen, William W.
Low-melting glasses in the system $\text{B}_2\text{O}_3\text{-ZnO-CaO-P}_2\text{O}_5$. 64-00206A
- Cloenburg, L. A., Jr. See Curlet, N. W. E.
- Coad, J. P.; and Keown, S. R.
Coatings [titanium nitride] for cutting implements. 64-01290P
- Coble, Robert L. See Handwerker, C. A.
- Coble, Robert L.; Song, Huesup; and Brook, Richard J.
Sintering and grain growth in alumina and magnesia. 64-07169A
- Coblentz, William S. See Bender, Barry A.
- Cocco, G.; Licheri, G.; and Paschina, G.
Structure of iron sodium borosilicate glasses: II, Preprecipitation and nucleation phenomena by small-angle X-ray scattering [SAXS]. 64-06263A
- Cochran, Douglas E. See Atwood, George E.
- Cockayne, B.; Griffiths, R. J. M.; and Wright, P. J.
Vapor deposition of films. 64-04068P
- Cockram, D. R.; Fyles, K. M.; and Wilson, C. J.
Radioactive tracers to investigate corrosion mechanisms of glasses in aqueous solutions. 64-06239A
- Cockrum, Charles A.; Chia, Joan K.; and Kreider, James F.
Anodizable metallic contacts to mercury cadmium telluride. 64-06591P
- Coden, Michael H. See Scholl, Frederick W.
- Cody, Charles A.; Reikert, William W.; and Kennetz, Steven J.
Process for preparing high quality titanium dioxide. 64-05243P
- Coenen, Matthias; and Sendelbeck, H.
Influence of mold lubricants on the heat transfer from glass-melt to mold. 64-04804A
- Coffeen, William W. See Clinton, Jean M.
- Coffey, Fred S. See Stotler, David V.
- Cohen, Abraham; Van der Merwe, C. P.; and Kingon, Angus I.
Effect of MgO dopant dispersing method on density and microstructure of alumina ceramics. 64-07085A
- Cohen, Enrico; and Good, Jeremy A.
Method and apparatus for separating dry magnetic material. 64-00977P
- Cohen, Martin G. See Daly, Richard T.
- Cohen, P. H. See Hawman, M. W.
- Cohen, S. See Ben-Dor, L.
- Coht, Henri See Ernsterberg, Uwe
- Colbourn, E. A.; and Mackrodt, William C.
Point defects and chemisorption at the [001] surface of MgO . 64-07366A; Segregation of isovalent impurity cations at the surfaces of MgO and CaO . 64-04491A
- Cole, H. A.
Ceramics offer higher performance engines. 64-01185A
- Cole, Robert See McNeil, Thomas J.
- Cole, Sanford S., Jr.
Oxidation and reduction of palladium in the presence of silver. 64-05142A
- Coleman, Archie D. See Beggs, James M.; Johnston, Garland D.
- Coleman, Donald J., Jr.; Haken, Roger A.; and Wang, Chung S.
Method for depositing polysilicon over TiO_2 . 64-06636P
- Coleman, James H.
Adjustable monolithic ceramic capacitor. 64-00727P; Monolithic ceramic capacitor and method for manufacturing to predetermined capacity value. 64-05235P
- Coleman, John H.
Glow discharge [dielectric-controlled] method and apparatus and photoreceptor devices made therewith. 64-02368P
- Coleman, M.
Aging mechanisms and stability in thick-film resistors. 64-00630A
- Coleman, Patricia
Modernization—an untapped brick market. 64-04903A
- Coles, Walter F. See Hnat, James G.
- Collepardi, Mario; Monosi, Saverio; and Moriconi, Giacomo
Influence of gluconate, liposulfonate, and glucose admixtures on the hydration of tetracalcium aluminoferrite in the presence of gypsum with or without calcium hydroxide. 64-07341A
- Coller, Dana L. See Hodgkins, Charles E.
- Collett, R. L. See Nash, T. R.
- Collin, C. See Boilot, Jacques P.
- Collins, Albert R.
Method and apparatus for heating particulate [perlite] material. 64-06984P
- Collins, Gerald B.
How to specify electric booster melting equipment. 64-01952A
- Collins, Jack L. See Lloyd, Milton H.
- Collins, Wayne M.
Controlling electrical costs with energy management. 64-04577A
- Collongues, R. See Perez y Jorba, Monique

- Colongues, R.; Goutier, D.; and Kahn, A.
Beta-alumina—a typical solid electrolyte—latest development in fundamental approach and in battery utilization. 64-07070A
- Colomban, P. See Boilot, Jacques P.; Perthuis, H.
- Colquhitt, Simone
Cup or similar article. 64-06045P
- Coltsmann, G. See Reuter, B.
- Comanescu, Ioan See Cerchez, Lidia; Prodan, Florina
- Comes, R. See Boilot, Jacques P.
- Condrate, Robert A., Jr. See Chakraborty, Indra N.; Kim, C. Y.; Stranford, Gerald T.
- Condriuc, L. See Pavlescu, C.
- Conley, J. G.; Kelsey, P. V.; and Miley, D. V.
Properties of iron-enriched basalt with TiO₂ and ZrO₂ additions. 64-05343A
- Conner, William C., Jr.; Soled, Stuart L.; and Signorelli, Anthony J.
Bismuth-containing mixed oxides of perovskite structure in oxidation of acyclic hydrocarbons. 64-01279P
- Connolly, John D., Jr.; Gallivan, Timothy J.; and Ringle, Richard P.
Method for the manufacture of [ceramic] nuclear fuel products. 64-06750P
- Connors, Cliff See Jacobs, Stephen F.
- Conolly, Ralph I.
Composite metallic and nonmetallic [ceramic] articles. 64-04381P
- Conolly, Ralph I.; and Ubank, R. G.
Forming [ZrO₂-based] coatings by hot isostatic compaction. 64-03164P
- Conord, J. P. See Giraud, J. P.
- Conrad, Gerhard See Schmidt, Ulrich
- Conradt, Reinhard; and Scholze, Horst
Glass corrosion in aqueous media—still an unresolved problem? 64-06197A
- Constantinescu, F.; Zberca, I.; and Craciun, F.
Structure study of lead oxides used as precursors of lead zirconate-titanate sintering process. 64-00839A
- Constantinescu, L. V.
Electron effective mass in the low-temperature phase of silver selenide thick films. 64-02307A
- Conway, J. C. See Hawman, M. W.
- Conway, J. C., Jr. See Larchuk, T. J.
- Cook, Charles S. See Warkie, Robert R.
- Cook, Gerald E. See DeMarco, Arthur P.
- Cook, H. C. See Wager, A. J.
- Cook, Lee M. See Kassner, Reinhard
- Cook, William B.; and Perkowitz, Sidney
Temperature dependence of the far-infrared ordinary-ray optical constants of sapphire. 64-07507A
- Cooke, D. Wayne
Spectral emission from glow peaks in X-irradiated Al₂O₃. 64-04344A
- Cooke, Michael J. See Heinecke, Rudolf A. H.
- Cooke, Richard C., Jr.
Silicate treatment of impure silica [foundry] sands. 64-01173P
- Coomans, Abraham See T'Jampens, Germain R.
- Coombs, P. G.; De Natale, Jeffrey F.; and Hood, P. J.
Nature of the Si—O—Si bond angle distribution in vitreous silica. 64-07483A
- Cooper, Alfred R., Jr. See Liang, Zhi-hong; Saha, Chandan Kumar
- Cooper, Emanuel I.; and Kohn, David H.
Concurrent production of anhydrous nonmetal and metalloid halides and ceramic materials with the aid of magnesium halide. 64-07410P; Molten magnesium chloride in the preparation of crystalline ceramic powder. 64-04475A
- Cooper, J. A.; Cousins, D. R.; and Lewis, R. A.
Microstructural characterization of Synroc C and E by electron microscopy. 64-04556A
- Cooperman, Gene D. See Abel, Donald
- Coppen, A. R. See Blood, A. B.
- Copperthwaite, M.; and Brett, N. H.
Effects of precipitation temperature on the powder properties of Mg(OH)₂ and calcined MgO. 64-05491A
- Coppie, Warren B. See Ezis, Andre
- Coppola, Frank See Borrelli, Nicholas F.
- Copps, Daniel P.; Lacy, Alton M.; and Curtis, Thomas
Effects of topical fluorides on five low-fusing dental porcelains. 64-02762A
- Cora, Galeazzo; and Fanfani, Angiolo
Potters of Montelupo [Italy]: III. 64-01675A; Potters of Montelupo [Italy]: IV. 64-06031A
- Corbett, Daniel W.; Cunningham, George M.; and Socha, Louis S., Jr.
Extrusion dies for thin wall [honeycomb structure] substrates. 64-00961P
- Corbett, Steven J. See London, Andy
- Corboy, John F., Jr. See McGinn, Joseph T.
- Cordaro, J. F.; and Tomozawa, Minoru
Dependence upon alkali concentration of the electrical conductivity in sodium germanate glasses. 64-01824A
- Cordero, Ricardo M. See Pucella, Ernesto C.
- Cordier, Gerhard; Schaefer, Herbert; and Stetler, Michael
Preparation and structure of Ca₂AlSi₂O₇. 64-07368A
- Cores, Robert L.
Artificial perception gives super vision. 64-02577A
- Corman, Gregory S.; and Stubican, Vladimir S.
Phase equilibria and ionic conductivity in the system ZrO₂-Yb₂O₃-Y₂O₃. 64-05144A
- Cormier, William E., Jr.; Pasquale, Gary M.; and Stover, William A.
Method [Al-silicate catalyst] of preparing a high-density cracking catalyst with reduced sulfur emissions from coke. 64-05627P
- Cornelius, Edward B. See Beck, H. Wayne
- Corsi, M. See Venturi, Viviano
- Cosar, Paul
Production of cement clinker. 64-00074P
- Cosmo, Nicola
Low-profile chip carrier contact. 64-03884P
- Cosmos, Michael G.
First preheater plant in Saudi Arabia operating for SPCC. 64-03089A
- Costa, L. See Camino, G.
- Costini, G. See Jeng, S. J.
- Cotten, H. Wayne See Hays, Laurence W.
- Cottle, James G.; Djeu, Tuck P.; and Chen, Charles T. M.
Effect of electric field intensity on thick-film resistor burst noise. 64-05071A
- Cotton, J. W.; and Swindells, R.
Silicon nitride ceramic bodies. 64-04435P
- Cottrant, Jean Francois; Dubois, Bernard; and Portier, Josik
New empirical model of glass formation in multicomponent systems. 64-07484A
- Coudamy, Jacques See Marchand, Jacques
- Coudurier, L.; Adorian, J.; and Pique, D.
Wettability by liquid aluminum of alumina and alumina covered with a layer of a metal or a refractory compound. 64-06146A
- Coufal, Hans-Jurgen See Lüscher, Edgar
- Coulbaly, S. P.; De Chelle, F.; and Berger, J. M.
Boron doping and posthydrogenation effects on optical gaps and Urbach tails on amorphous hydrogenated silicon films prepared by chemical vapor deposition. 64-05057A
- Counts, Charles
True to the seam—a visit to the Ocmulgee red clay deposit [Georgia, US]. 64-01146A
- Courtenay, J. H. See Parry, A. V.
- Cousens, D. R. See Cooper, J. A.
- Coussie, Jean-Vincent
Bottle [liquor]. 64-04613P
- Coutures, Jean-Pierre
Al₂O₃-Nd₂O₃ phase diagram. 64-05660A
- Couturier, J. L. See Niemeijer, W.
- Couty, Rene See McMillan, Paul
- Couzi, M. See Lorosch, J.
- Cowan, Jack C.
Foundry mold and core sands. 64-05019P
- Cowan, N. D. See Bourne, R.
- Cox, David L.
Aspects of modern dilatometry. 64-05402A
- Cox, Herb See Foley, Patrick
- Cox, Larry
Magnetic holding apparatus [for kiln block]. 64-04178P
- Cox, Norman V.
Printing [screen] machine doctor blades. 64-05395P
- Coxon, J. A.; and Foster, S. C.
Rotational analysis of hydroxyl vibration-rotation emission bands—molecular constants for OH X²Π, 64v<10. 64-04490A
- Cozac, Daniel; and Rogge, Hugo
Method of reducing light reflection from glass surfaces. 64-04865P
- Cozar, O. See Ardelean, Ioan
- Crabtree, Sterling J. See Ehrlich, Robert
- Craciun, F. See Constantinescu, F.
- Craig, Charles E.
Hydrophobic colloidal oxide treated [coating] core material, method of production and composition comprised thereof. 64-01499P
- Craig, E.
Oxy-fuel burners for melting of frit. 64-06953A
- Craighead, Harold G. See Wood, Overt R., II
- Crain, Norman Robert; and Hardison, Robert P.
Infrared furnace with controlled environment. 64-01102P
- Crain, Norman Robert; and Richert, Carson T.
Infrared furnace with atmosphere control capability. 64-06979P
- Crane, Kenneth; and Beckwith, Peter J.
Ir radiation pyrometer. 64-01059P
- Cramer, David C.
Tribological properties of glass-ceramics—correction 64-03002A; Tribological properties of glass-ceramics. 64-01593A
- Crawford, J. H., Jr.
Defects in MgO and Al₂O₃ [insulators]. 64-07451A; Polarization-depolarization studies of defects in oxides. 64-07493A
- Crawford, R. W. See Angus, M. J.
- Crayton, Philip H. See Leshkovich, Gary J.
- Crea, F. See Aiello, R.
- Cremer, Gottfried
Cooling zone for a kiln, specifically a roller kiln. 64-01096P; Process for producing uneven coloring effects on firing plate-like ceramic material. 64-02692P
- Crescenzi, Robert J.; Daniels, John U., Jr.; and Roberts, Gerald E.
Piezoelectric crystal electrodes and method of manufacture. 64-00796P
- Cresswell, Pearson J.; and Milne, David J.
Production of alumina. 64-02737P
- Crisci, J. M.; Barriga, C.; and Morales, J.
Thermal decomposition of double carbonates with a stoichiometry Sr₂CO₃. 64-07394A
- Crisci, J. M.; and Real, C.
Application of X-ray diffraction data to the quantitative chemical analysis of solids: I, Theoretical premises. 64-06855A; Application of X-ray diffraction data to the quantitative chemical analysis of solids: II, Experimental data. 64-06855A
- Crider, Albert; and Sauder, Donald R.
Progress with porcelain enamel powder. 64-00109A
- Crine, Michel See Dodel, Claude
- Crisafulli, M. Luisa See Burriesci, Nicola
- Crisan, Maria See Zaharescu, Maria
- Criscione, John M. See Mercuri, Robert A.
- Crispoldi, G. See Marino, E.
- Crisp, George H. See Klee, Thomas R.
- Cristea, Viorel; Goldstein, Adrian; and Meneau, Iuliu
Coloring of glasses in the P₂O₅-B₂O₃-Na₂O system using Mn. 64-03206A; Correlations between color, electron spectra, and structure of manganese-containing oxide glasses. 64-03209A; Electronic spectra for the 3d transitional ions in inverted vitreous molds. 64-03246A
- Cristofanelli, Gualdo See Perugini, Giancarlo C.
- Cristoph, Heinrich; Szoke, Bela; and Nagy, Andras
Capacity use of the Beremend Cement Works [Hungary] during the break-in period. 64-04626A
- Critchley, D.
Thermal imaging techniques as a determination of heat loss. 64-04105A
- Croce, Carmen L. See Apotheker, Richard L.
- Crook, Douglas N.; Clarke, L. N.; and Donaldson, R.
Fired kaolinite-muscovite-quartz bodies: II, Scanning electron microscopy, acoustic emission, and moisture expansion. 64-02269A
- Crosbie, Gary M.
Ion-exchange treatment of silicon-yttria dispersions. 64-05556A
- Croset, Michel See Pribat, Didier
- Croset, Michel; and Mercandalli, Louis M.
Method [ionic conducting oxide] of reduction of a compound forming a layer on a substrate and the application of said method to the fabrication of a field-effect semiconducting structure. 64-06634P
- Cross, Leslie E. See Meng, Z. Y.; Meng, Z. Y.
- Crovissier, J. L.; Ehret, G.; and Eberhart, J. P.
Leached glasses [studied] by electron microscopy—a new method using ultramicrotomic thin sections. 64-06876A
- Crow, Kevin R. See Routt, Kenneth R.
- Crowe, Gerald E. See O'Driscoll, Peter F.
- Crowley, Michael S.
Refractory anchor [for monolithic refractory]. 64-02253P
- Crump, Druce K.; and Wilson, David A.
Cement compositions containing set retarders. 64-00065P
- Csetenyi, Jozsef See Rabie, Mahud
- Csetenyi, Jozsef; and Balogh, Gyozo
Manufacture of stove tiles without fireclay. 64-05041A
- Csicsery, M. S.
Shape-selective catalysis in zeolites. 64-07162A
- Cui, Bingquan See Komar, Paul D.
- Cull, Neville L. See Pine, Lloyd A.
- Cullen, Donald E.; Grudkowski, Thomas W.; and Meltz, Gerald
Environmentally stable lithium niobate acoustic wave devices. 64-02440P
- Culver, William H. See Schmadel, Donald
- Cummings, Jimmie L. See Mason, Walter R.
- Cunningham, George M. See Corbett, Daniel W.
- Cunningham, Jack L.
Annual ceramic mineral resources review—bauxite. 64-07001A
- Cunningham, Jack B.
Measurement of bulk density of particulate materials. 64-04525P
- Curler, N. W. E.; Won, K. J.; and Clomburg, L. A., Jr.
Experimental and mathematical modeling of 3-dimensional natural convection in an enclosure. 64-01948A
- Currans, Charles See Holden, John Stanley
- Curry, Donald M. See Dotts, Robert L.
- Curtis, Thomas See Copps, Daniel P.
- Cusano, Dominik A. See DiBianca, Frank A.; Greskovich, Charles D.
- Cusano, Dominik A.; Greskovich, Charles D.; and DiBianca, Frank A.
Method for sintering high-density yttria-gadolinia ceramic scintillators. 64-06640P; 64-01322P
- Cushman, Barry M. See Bleacher, John N.; Deal, Samuel B.
- Cutter, Orvid R. See Ansel, Robert E.; Bishop, Timothy E.
- Cutroni, M. See Carini, G.
- Czermuska, J. T.; and Page, Trevor F.
Cathodoluminescence—a microstructural technique for exploring phase distributions and deformation structures in zirconia ceramics. 64-06860A
- Czerwosz, Elzbieta See Wasylak, Jan
- D'Heurle, F. M. See Oehrlin, G. S.
- Da Costa, Carlos R. C. See Xavier, Celio
- Da Cunha Machado, Edna C. See Aliaga Kiminami, Ruth H.
- Da Cunha Machado, Edna C.; and Ferreira, Heber Carlos
Characteristics of wall tiles fixed with a mortar and an organic adhesive—correlation between properties by the least square method. 64-02262A
- Da Cunha, Tarcisio P. See Fonseca, Marcus C.
- Dabizha, A. A. See Pivinskii, Yu. E.

- Dabrio, M. V.** See Diez, J. C.
- Daeungas, Rainer Michael; and Frischat, Guenther H.**
Reactions in the glass-forming system $\text{Na}_2\text{O}-\text{Rb}_2\text{O}-\text{SiO}_2$ between 500 and 700°C. 64-03344A
- Dahar, Steven** See LaCourse, William C.
- Dai, Yi-sheng** See Qi, Ya-fan
- Dai, Yu-long** See Bao, Zhuo-wu
- Daimaru, Akimasa** See Ban, Keisuke
- Daimon, Masaki** See Sakai, Etsuro; Takagi, Tatsuo
- Daimon, Masaki; and Asaga, Kiyoshi**
Hydration of cement—[a review of] portland and alumina cement. 64-03095A
- Dainton, A. D.**
Future uses of coal. 64-04582A
- Dair, Thomas M.; Stowell, David B.; and Viemeister, Tucker L.**
Drinking glass [flower-decorated] or the like. 64-06047P
Drinking glass [fruit-decorated] or the like. 64-06048P
- Dal Maschio, R.** See Della Mea, G.
- Dalal, Vikram L.** See Barnett, Allen M.; Gau, Shek-Chung
- Dalglish, B. J.** See Johnson, S. M.
- Dalglish, B. J.; and Evans, Anthony G.**
Influence of shear bands on creep rupture in ceramics. 64-04296A
- Dalglish, B. J.; Johnson, S. M.; and Evans, Anthony G.**
High-temperature failure of polycrystalline alumina: I. Crack nucleation. 64-02777A
- Dalling, P. M.** See McKee, R. W.
- Dallaire, S.; and Cielo, Paolo**
Laser spot glazing of whitewares. 64-06520A
- Dallaire, Serge** See Champagne, B.
- Dalvi, P. P.; and Moorthy, V. K.**
Influence of thermal cycling on sintering and stabilization of zirconia. 64-02783A
- Daly, Richard T.; and Cohen, Martin G.**
Segmented YAG [yttrium aluminum garnet] laser rods and method of manufacture. 64-05655P
- Daly, Richard T.; Cohen, Martin G.; and Kumar, Binod**
Segmented YAG [yttrium aluminum garnet] laser rods and methods of manufacture. 64-05247P
- Damaschke, S.** See Dixon, A. E.
- Damodhan, D. G.; Klyuev, V. F.; and Chernousov, M. A.**
Viscosity of glasses at low stress levels. 64-03383A
- Damjanov, V.; and Velikova, M.**
Interaction of surface silanol groups of amorphous silicon dioxide with vanadium trichloride oxide vapor. 64-07344A
- Damjanovic, Dragomir** See Stubican, Vladimir S.
- Damkina, L. I.** See Vlasova, N. I.
- Dampier, Ray**
Air-gas ratio control [outline of systems]. 64-06925A
- Damon, Eckart; Latsch, Reinhard; and Linder, Ernst**
Combination sparkplug [glass rod lightguide] and combustion process sensor. 64-06605P
- Damon, Eckart; Moser, Winfried; and Mueller, Klaus**
Spark plug and [glass rod] optical combustion sensor combination. 64-05251P
- Dance, J. M.; Darriet, J.; and Tressaud, A.**
Crystal structure of the high-temperature form of $\text{Ca}_2\text{Ni}_2\text{CoF}_6$ —a new 10 H hexagonal perovskite type. 64-01524A
- Danek, Vladimir**
Calculation of liquidus surfaces of CaSiO_3 in the $\text{CaO}-\text{Fe}_2\text{O}_3-\text{SiO}_2$ and $\text{CaO}-\text{Fe}_2\text{O}_3-\text{SiO}_2$ systems. 64-07445A; See also Schroeder, Werner
- Danek, Vladimir; and Licko, Tibor**
Electrical conductivity of molten silicates—application of the free volume theory. 64-00179A
- Danforth, Stephen C.** See Velazquez, M.
- Dangers, Gerard** See Genetay, Michel
- Daniel, Juergen; and Reussing, Friedrich**
Construction and operation of a gradient column for measuring glass density. 64-04077A
- Daniel, Maurice**
Light-dispersive optical lightpipes and method of making same. 64-00376P; Lightpipe network with optical devices for distributing electromagnetic radiation. 64-03517P
- Daniels, John U., Jr.** See Crescenzi, Robert J.
- Danielsson, Marcus**
Screening device. 64-06842P
- Danilov, M. P.**
System $\alpha\text{-RuCl}_3\text{-NaCl-LiCl}$. 64-05818A
- Danilova, T. A.; and Labozina, P. G.**
Heat-resistant cellular [refractory] concretes. 64-00479A
- Danis, Louis J.**
Process of making a ceramic heat-exchanger element. 64-02903P
- Danisch, Jim**
Nader Khalili—fired houses. 64-01674A; Potters of Nepal. 64-01676A
- Dan'kov, I. A.; Tokarev, E. F.; and Kudryashov, G. S.**
Elastic, piezoelectric, and dielectric properties of monocrystalline lithium niobate in the 78–800 K range. 64-00827A
- Dankwort, Rudolf C.** See Frische, Richard H.
- Dannheim, Henning** See Oel, Heribert J.
- Dannheim, Henning; and Oel, Heribert J.**
Strength of commercial porcelain for high-voltage insulators under dynamic and cyclic loads. 64-03829A
- Dantowitz, Phillip** See Hynek, Scott J.
- Dapkus, P. Daniel** See Liu, Yet-Zen
- Darbon, M.; Laffont, R.; and Moreau, Raymond**
Contribution of a cruciform checkerwork to improve efficiency of a hollow-wave furnace. 64-02084A
- Darriet, J.** See Dance, J. M.
- Darshane, V. S.** See Jain, P. S.; Mulia, B. A.
- Das Gupta, S.; and Sinha, B. C.**
Direct complexometric determination of high iron and high titanium by indirect titration with EDTA. 64-01013A
- Das, A. R.** See Ghosh, N. K.
- Das, N. K.** See Bose, S. K.
- Das, P. K.** See Roy, A. K.
- Das, S. K.** See Thakur, R. L.
- Das, S. K.; and Niyogi, S. K.**
Effect of crystallization on the strength and Young's modulus of $\text{Li}_2\text{O}-\text{K}_2\text{O}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{F}$ glass-ceramics. 64-06184A
- Das, S. R.; Sun, Y. Z.; and Williams, Digby F.**
Preparation and properties of device-quality $\alpha\text{-Si:H}$ prepared by magnetron sputtering. 64-00697A
- Das-Poddar, P. K.** See Saha, S. K.
- Dasgupta, S.** See Banerjee, N. L.
- Dash, J. G.; and Stone, Richard**
Effects of crystallinity in initial-stage sintering. 64-07457A
- Datsenko, B. M.** See Moroz, B. I.
- Datta, A.; Mukhopadhyay, J.; and Bhat, A. N.**
Structural investigations on processed bentonite clays. 64-02725A
- Datta, R. K.** See Hallum, Gary W.
- Datta, S.** See Chakravorty, D.
- Dauby, C.** See Mestdagh, M. M.
- Daudt, Stephen W.** See Wood, Charles L.
- Daudt, Stephen W.; Gleason, George W.; and Hermanson, William C.**
Glassware gauging system. 64-01056P
- Dausinger, Friedrich; Mueller, Werner; and Von Roda, Eckart**
Method of embedding hard cutting particles in a surface of a cutting edge of cutting tools, particularly saw blades, drills, and the like. 64-01649P
- Dautremont-Smith, W. C.** See Donnelly, Vincent M.; Swaminathan, V.
- David, Earl K.; Dye, James E.; and Reed, David J.**
Glass bonding means and method. 64-06281P
- David, Lawrence D.**
Production of metastable tetragonal zirconia. 64-07432P
Production of microcrystalline ferrimagnetic spinels. 64-00874P
- David, Lawrence D.; and Arons, Richard M.**
Process for producing ferrimagnetic spinel fibers. 64-02494P
- Davidovits, Joseph**
Synthetic mineral polymer compound of the silicoaluminate family and preparation process. 64-01175P
- Davies, David H.** See Davis, Douglas H.; Pincus, Alexis G.
- Davies, Graham; and Strick, R.**
New glazing techniques in the ceramic industry. 64-06524A
- Davies, Reg** See Stevens, William E.
- Davies, S. T.** See Hmel, A. G.
- Davies, T. W.; and Hooper, R. M.**
Structural changes in kaolinite caused by rapid dehydroxylation. 64-07387A
- Davis, Burton I.** See Spurling, Robert A.
- Davis, Burton H.**
Effect of pH on crystal phase of ZrO_2 precipitated from solution and calcined at 600°C. 64-01206A
- Davis, Douglas H.; and Davies, David H.**
Solving the end-point charging problem. 64-06329A
- Davis, Quince B.** See Koth, David L.
- Davis, Robert F.** See Carter, Calvin H., Jr.
- Davis, Robert F.; Horie, Y.; and Scattergood, Ronald O.**
Defects produced by shock conditioning—an overview. 64-06761A
- Davydov, V. A.** See Aksenov, A. V.
- Dawar, A. L.; Kumar, A.; and Mall, R. P.**
Growth and electrical transport properties of CuInTe ; thin films. 64-05101A
- Day, Delbert E.** See Chakravorty, Indra N.; Rajaram, Mohan; Ray, Chandra S.; Reidmeyer, Mary R.; Whitchard, G.
- Day, John P.; and Lachman, Irwin M.**
Aluminum titanate-mullite ceramic articles. 64-02235P
- Day, Michael A.; and Reid, Alastair**
Catalyst supports [sol-gel derived] and hydrocarbon conversion processes employing catalysts based on these supports. 64-07205P
- Dayton, Gordon O.** See Fox, Bradley H.
- Dayton, Gordon O.; Schulze, Walter A.; and ShROUT, Thomas H.**
Fabrication of electromechanical transducer materials by tape casting. 64-00904A
- Dazord, J.** See Sartre, A.
- De Almeida, Edmir A.** See Pradidelli, Sebastiao
- De Batist, R.** See Van Iseghem, P.
- De Benuegard, Y.** See Gouzerh, J.
- De Bisi, R. S.; and Fernandes, A. A. R.**
Measurement of small concentrations of Cr and Mn in MgO using electron spin resonance. 64-01020A
- De Bisi, R. S.; and Rodrigues, D. C. S.**
Measurement of small concentrations of Cr and Fe in $\alpha\text{-Al}_2\text{O}_3$ using electron spin resonance. 64-07130A
- De Boer, Jurrie; and Beelen, Matheus**
Characterization of magnesia-glass bricks. 64-02075A
- De Chelle, F.** See Coulibaly, S. P.
- De Freitas, Clauer T.** See Nogueira, Rejane A.
- De Gasperis, P.** See Tucciarone, A.
- De Gasperis, P.; Miccoli, G.; and Di Gregorio, C.**
Slowly dispersive, short time delay line based on very thick liquid phase epitaxially grown yttrium iron garnet. 64-02480A
- De Jonghe, Lutgard C.** See Hsueh, Chun-Hway; Hu, S. C.; Rahaman, Mohammed N.; Wu, Shun Jackson
- De Jonghe, Lutgard C.; and Rahaman, Mohammed N.**
Pore shrinkage and sintering stress. 64-01567A
- De L'Epervier, A. Grandin; and Ito, Jun**
Flux-grown orthoenstatite by a multiple slow-cooling technique. 64-04458A
- De La Laitra, C. Baudin** See Cambier, F.
- De Miguel Fernandez, E.**
Effect of technological forecasting on the demand for refractories—the special method of Fisher and Pry. 64-06446A
- De Moncult, F.**
Application of thin transparent conductive coatings in buildings and in industry. 64-01808A
- De Natale, Jeffrey F.** See Coombs, P. G.
- De Oliveira, David G.** See Bruff, William
- De Paiva Cortes, G. W. K.**
Chemical corrosion of refractory materials by metals and their oxide melts: I. Silica refractories. 64-02077A
- De Poorter, Adrian W.** See Zalm, Pieter
- De Portu, G.** See Krajewski, Adriano
- De Portu, G.; and Henney, J. W.**
Microstructure and mechanical properties of mullite-zirconia composites. 64-02796A
- De Pous, Oliver**
Sensors, thin films, electrodes. 64-03824A
- De Pous, Oliver; Richon, Dominique; and Novotny, Hans**
Titanium boride-based sintering composition and the use thereof in the manufacture of sintered articles. 64-02914P
- De Pretis, A.; Longo, Vittorio; and Ricciardello, F.**
Electrical properties of ceramics based on perovskite-type compounds. 64-05084A
- De Pretis, A.; Ricciardello, F.; and Sbaizero, O.**
Theoretical and practical sintering kinetics in the field of perovskite-type ceramics. 64-06698A
- De Queiroz, Aguiñaldo B.**
Ceramic glazes with low thermal expansion coefficients for refractory unglazed tiles. 64-02073A
- De Rooze, W. H.; and Van de Paver, C. A. P.**
Annealing effects and charge compensation mechanism in calcium-doped Y_2FeO_5 films. 64-03949A
- De Rossi, S.** See Valigi, M.
- De Santana, Geraldo S.** See Bruff, William
- De Sario, M.** See Arnesen, M. N.
- De Souza Santos, Helena** See Campos, Tereza Wagner; De Souza Santos, Persio
- De Souza Santos, Persio**
Aluminum oxides and hydroxides as natural minerals—a review: I. Corundum and emery. 64-06988A; See also Fonseca, Marcus C.; Vieira Coelho, Antonio C.
- De Souza Santos, Persio; and De Souza Santos, Helena**
Brazilian occurrences of clay containing hornblende clay minerals (palygorskite-attapulgite-sepiolite). 64-07023A
- De Souza, Godinho** See Leal, Mara Margaret
- De Wames, R. E.; Grantham, L. F.; and Guon, J.**
Economic optimization of nuclear waste management. 64-05325A
- De Wilde, Mark A.**
Apparatus for converting a laboratory air furnace to a reduction furnace. 64-01092P
- De, A. K.** See Bhattacharjee, S.
- De, Ashok; Molra, A. K.; and Gupta, Prabhak K.**
Crystallization of $\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ glasses with zirconium dioxide, titanium dioxide, and copper oxide. 64-06174A
- De, T. K.** See Mukherjee, B.
- DeAngelis, Thomas P.**
Electrolytic Al production with reaction-sintered cermet component. 64-07223P
- DeCourcy, David R.** See Barker, Sidney A.
- DeGregoria, Anthony J.** See Dean, Anthony M.
- DeGuire, Eileen J.** See Messier, Donald R.
- DeGuire, Eileen J.; and Risbud, Subhash H.**
Crystallization and properties of glasses prepared from Illinois coal ash. 64-00155A
- DeLong, R.; Goodkind, R. J.; and Douglas, W. H.**
Corrosion-fatigue of the bond between nickel-chrome casting alloy and [dental] porcelain. 64-02751A
- DeMarco, Arthur P.; and Cook, Gerald E.**
Intrusion-detecting camouflage [ortho-Zn-silicate-based] fluorescent coating. 64-02957P
- DeMunda, Gabriel P.** See Kaiser, Gregory A.
- DeNapoli, F. J.** See Kephart, W. W.
- DeReamer, Sharon M. B.; and Eifling, Dennis R.**
Vibratory screening apparatus and method. 64-04069P
- DeTorre, Robert P.**
Method and apparatus for cutting pattern-shaped holes in glass sheets. 64-02556P; Method of and apparatus for severing a glass sheet. 64-00390P
- DeWith, G.**
Fracture of translucent alumina—temperature dependency and influence of Ca dopant. 64-02771A; Note on the use of the diametrical compression test for the strength measurement of ceramics. 64-04096A
- DeWith, G.; and Van Dijk, H. J. A.**
Ceramic [Y-Al garnet] translucent material. 64-07211P; Translucent $\text{Y}_2\text{Al}_2\text{O}_7$ ceramics. 64-05589A

- DeWolf, Robert B. II; Burnie, Glen; and Glemza, Rimantas**
Method of preparing hydrous silica gels. 64-00260P
- Deal, Samuel B.; and Cushman, Barry M.**
Method of making a coded marking in a glass workpiece employing a trisilicate coating and product thereof. 64-06384P
- Dean, Anthony B.; Farrow, Robin F. C.; and Migliorato, Piero**
Infrared sensitive [CdHgTe] photo diode. 64-03878P
- Dean, Anthony M.; DeGregoria, Anthony J.; and Hardy, James E.**
Noncatalytic method for reducing the concentration of NO in combustion effluents by injection of ammonia at temperatures greater than about 1300 degree K. 64-05482P
- DehRoy, Tarasankar** See Pal, Uday B.
- Debelly, Pierre E.; Barringer, Eric A.; and Bowen, H. Kent**
Preparation and sintering behavior of fine-grained Al_2O_3 - SiO_2 composite. 64-05370A
- Debenham, Mary**
Refractive indices of zinc sulfide in the 0.405–13 μ m range. 64-02332A
- Dedyk, A. I.; Lebedeva, N. N.; and Loos, G. D.**
Effect of internal displacement fields on the dielectric characteristics of $SrTiO_3$ single crystals. 64-03768A
- Deeto, Michael L.**
Annual ceramic mineral resources review—zinc oxide. 64-07020A
- Degen, M. G.; Nikolaeva, L. V.; and Drozdova, I. A.**
Microstructural details of glasses. 64-04740A
- DeGiovanni, A. V.** See Solilhi, Z.
- Degtyarev, S. V.** See Kopylov, N. I.
- Degtyareva, E. V.** See Puchkov, A. B.; Timofeeva, L. K.
- Degtyareva, E. V.; Kravchenko, V. P.; and Alapin, B. G.**
Sintering and recrystallization of Cr_2O_3 . 64-02214A
- Degtyareva, E. V.; Martynenko, V. V.; and Gaido, A. N.**
Decreasing the linear shrinkage of glass-fiber refractory bodies during service. 64-00464A
- Deich, S. M.; and Sokolova, N. I.**
Porous ceramics based on Al oxides and ethyl silicate. 64-01243A
- Deja, Jan; and Malolepszy, Jan**
Low-energy-consuming slag binder: I. 64-06105A
- Dekany, Imre** See Opoczky, Ludmilla
- Del Carlo Conde, B. M.** See Sandoval del Rio, F.
- Del Nero, G. L.** See Azzoni, C. B.
- Delamarre, C.** See Laval, J. Y.
- Deletter, M.; Cambier, F.; and N'Dala, Ilunga**
Viscosity of liquid feldspars: II. Model for estimating the viscosities of feldspar-type melts. 64-02731A
- Delgadillo, Benigno C.; Narvaez, Oscar B.; and Sanchez, Jose G.**
Parison mold and baffle system for an automatic [I-S] molding machine. 64-00408P
- Delhaye, M.** See Carvalho, W.
- Della Mea, G.; Guglielmi, M.; and Dal Maschio, R.**
Leaching of mixed-alkali glasses analyzed by nuclear techniques. 64-06219A
- Deloche, Georges** See Bruni, Maurice
- Demazeau, Gerard** See Buffat, Bernard
- Dembovsky, S. A.; and Chechetkina, E. A.**
Defects and glass formation. 64-00282A
- Demchenko, D. V.** See Alekseeva, N. N.
- Dementil, O. I.** See Gritsyina, V. T.
- Demeurisse, G.** See Van Campfort, P.
- Demidenko, L. M.** See Kuznetsov, Yu. D.
- Demidenko, V. A.; and Volynets, F. K.**
Compaction kinetics of sodalite powders at constant rates of heating and pressure. 64-01384A
- Demina, O. D.** See Eroshkina, V. I.
- Demiryont, H.; Sites, James R.; and Geib, Kent**
Effects of oxygen content on the optical properties of tantalum oxide films deposited by ion-beam sputtering. 64-05074A
- Demkina, L. I.** See Atkarskaya, A. B.
- Demortain, G.; Tressaud, A.; and Tanguy, B.**
Preparation and properties of new amorphous materials in the PbF_2 - ZnF_2 system. 64-00217A
- Demskaya, E. L.; and Prokhorova, T. I.**
Properties of Si-rich glasses with Nd_2O_3 . 64-03331A
- Dem'yaniv, T. O.** See Kirichok, P. P.
- Dem'yanov, V. V.** See Litovchenko, A. V.
- Dem'yanova, L. P.** See Rudakova, S. E.
- Den Hartog, H. W.** See Oostra, D. J.
- Deng, He; and Li, Cheng-fu**
Laser-induced damage in some glasses at different wavelengths. 64-04806A
- Deng, Jun-an; Li, De-dong; and Li, Qi-di**
Hydration and hardening of high early-strength sulfoaluminate cement in subzero environment. 64-00041A
- Deng, Pei-chen** See Zhou, Yong-zong
- Denis, M.; Peyroche, P.; and Bourdill, C.**
Electroburner or mixed electricity-fuel burner. 64-04148A
- Denison, Arthur B.**
Muon spin rotation in magnetic oxides. 64-02473A
- Denisov, V. N.** See Varshal, B. G.
- Denisov, V. N.; Mavrin, B. N.; and Podobedov, V. B.**
Law of conservation of momentum and rule of mutual exclusion for vibrational excitations in hyper-Raman and Raman spectra of glasses. 64-00203A
- Denisov, Yu. V.; Krasilov, Yu. I.; and Perevozchikov, N. F.**
Interaction of active ions in vitreous europium polyphosphates. 64-05728A
- Denisov, Yu. V.; Zelenitsova, S. A.; and Paramonova, N. A.**
Uniform broadening of spectral lines of rare-earth elements in inorganic glasses. 64-03378A
- Denker, Boris I.** See Avanesov, A. G.; Kornienko, L. S.
- Denker, Boris I.; Karasik, Alexander Y.; and Maximova, Galina V.**
Phosphate neodymium glass for laser use. 64-00262P
- Dennis, Paul F.; and Kilner, John A.**
Effect of ratio of surface area to volume on oxygen self-diffusion coefficients determined for crushed MgO - Al_2O_3 spinels—comment. 64-02925A; Effect of surface condition on oxygen self-diffusion coefficients in single-crystal Al_2O_3 —comment. 64-02927A
- Dennis, Richard S.**
Process for recovery of uranium from wet process H_2PO_4 . 64-00883P
- Denton, Robert K., Jr.; and Kumar, Narayan G.**
Heat-treated barium or strontium glass. 64-03514P
- Derevyagina, L. S.** See Savitskaya, L. K.
- Dergaputskaya, L. A.; Kalmukovskaya, I. N.; and Gaido, A. N.**
Preparation of polycrystalline Al_2O_3 fibers. 64-02810A; Production of polycrystalline Al_2O_3 fibers [for high-temp. uses]. 64-01247A
- Derner, Paul; Eckardt, Ruedolf; and Neundorff, Hans-Christoph**
Method of and apparatus for vacuum-shaping a glass sheet. 64-06381P
- Deruto, D.; Belleri, G.; and Barco, L.**
Interactions of LiBr with calcite and calcium oxide powders. 64-04471A
- Deryabin, Yu. A.; Smirnov, L. A.; and Ostanina, L. V.**
Distribution specificities of Ca, Mg, and Al between the phases of V slag. 64-01394A
- Derzhavin, S. N.** See Glebov, L. B.
- Deschepper, Pierre** See Robyn, Pierre
- Desgardin, Gilbert; Mey, Isabelle; and Raveau, Bernard**
 $BaLiF$ —a new agent for the low-temperature sintering of barium titanate-based dielectric materials. 64-05055A; $BaLiF$ —a new sintering agent for $BaTiO_3$ -based capacitors. 64-06543A
- Deshkovskaya, A. A.; Komar, V. P.; and Skorniyakov, I. V.**
Spectroscopic study of the near-surface layers of glass modified by ion implantation. 64-03361A
- Deshmukh, B. T.; Batra, K. K.; and Moharil, S. V.**
Model for reduced stability of coloration in microcrystalline powders of alkali halides. 64-05933A
- Deshpande, K. A.** See Mulla, B. A.
- Desmarais, Armand J.**
Tile mortars. 64-03745P
- Desplanches, G.** See Racine, R.
- Desfano, J. T.**
Post-combustion NO_x control technology for glass furnaces—update. 64-06889A
- Deutschman, John E.; and Tahiani, Francoise**
Method of recovering alumina values from a starting solid mixture comprising $AlCl_3$ and NaCl. 64-01156P
- Devalette, Michel; Kluchani, Nacer; and Meunier, Georges**
Simulated behavior of bismuth oxide in the formation of some $Bi_{1-x}^{3+}Bi_x^{5+}O_{2.5}$. 64-01460A
- Deve, Vagn**
Apparatus with heat exchange means for treating solid, granular and aggregate materials. 64-05475P; Thermal [foundry] sand reclamation system. 64-02257P
- Deverill, R. J.** See Glinn, T. G. J.
- Deville, Jean-Pierre**
Method for enameling the bottom face of a culinary vessel of aluminum or aluminum alloy and a culinary vessel obtained in accordance with said method. 64-04696P; Method of enameling an article. 64-06154P
- Devine, R. A. B.**
Mechanisms of damage recovery in ion-implanted SiO_2 . 64-06567A; Oxygen vacancy annealing in H^+ -implanted SiO_2 . 64-06569A; See also Golanski, A.
- Devine, R. A. B.; and Golanski, A.**
Dynamics of defect creation by ion implantation in thermal SiO_2 . 64-04531A
- Devilkanova, R. U.** See Filip'ev, V. S.
- Dewey, Keith L.; and Varasso, Eugene C.**
Method for simultaneous reference junction compensation of a plurality of thermocouples. 64-02644P
- Dez, S.; and Valenzuela, R.**
Magnetic properties of substituted W and X hexaferites. 64-02469A
- Dey, Sandip K.; and Reed, James S.**
Magnetic properties of press-forged barium ferrite. 64-06714A
- Deymier, P.** See Vernaz, E.
- Dezawa, Shinichiro; Akashi, Goro; and Kitamoto, Tatsuji**
Magnetic recording [multiple-domain particle] medium. 64-02488P
- Dharis, Dilip** See Patel, Pinakin
- Dholakia, Anil Ramniklal**
Roof polishing of optical fibers. 64-04825A
- Di Gregorio, C.** See De Gasparis, P.
- DiBianca, Frank A.** See Cusano, Dominic A.; Greskovich, Charles D.
- DiBianca, Frank A.; Georges, Jean-Pierre J.; and Cusano, Dominic A.**
Rare-earth ceramic scintillator. 64-06663P
- DiBuo, Louis J.; Solt, Paul E.; and Souders, Marvyn L.**
Pneumatic conveying device. 64-06837P
- DiFrank, Frank J.; and Wallington, Fred L.**
Apparatus for heat-shrinking thermoplastic sleeves about glass containers. 64-01975P
- DiGenova, Rocco R.** See Abou El Leil, Mahmoud M.
- DiMarcello, Frank V.** See Blyler, Lee L., Jr.
- DiMaria, Donelli J.; Dong, D. W.; and Falcousy, C.**
Charge transport and trapping phenomena in off-stoichiometric silicon dioxide films. 64-00635A
- DiMaria, Donelli J.; Dong, D. W.; and Peavento, F. L.**
Enhanced conduction and minimized charge trapping in electrically alterable read-only memories using off-stoichiometric silicon dioxide films. 64-03777A
- DiMaria, Donelli J.; Kirtley, J. R.; and Pakulis, E. J.**
Electroluminescence studies in silicon dioxide films containing tiny silicon islands. 64-06556A
- DiMaria, Donelli J.; and Kotecha, Harish N.**
Two carrier [SiO_2 and Si_3N_4 -clad] dual injector apparatus. 64-00819P
- DiMilia, Robert A.; and Reed, James S.**
Effect of humidity on the pressing characteristics of spray-dried alumina. 64-01124A
- DiVincenzo, Costantino L.**
Electroacoustic method for nondestructively monitoring the internal temperature of [low thermal conductance] objects. 64-01053P
- DiVito, Michael P.** See Brennan, William P.
- Dianov, E. M.** See Grishin, I. A.
- Dias, Francisco J.** See Luthleich, Hartmut.
- Dibrov, M. A.** See Ganasaliev, A. M.
- Diblik, J.** See Dusza, J.
- Dibrell, Benton L.; and Gandy, Richard G.**
Cold set cement composition and method. 64-01771P
- Dichter, Hans-Joachim**
Appliance for feeding glass tubes to glass-processing machines. 64-06800P
- Dickie, Ray A.; and Mangels, John A.**
Method of forming a relatively stable slip of silicon metal particles and yttrium-containing particles. 64-01324P
- Dickinson, J. Thomas; Jensen, Leslie C.; and Williams, W. David**
Fractoemission from lead zirconate-titanate. 64-06687A
- Dickson, Douglas R.**
Status report on porcelain enamel powder developments. 64-00113A
- Dickson, Ted**
Japanese fine ceramics—a high-tech boom. 64-03023A; Japanese refractories industry—technology leading the way. 64-02130A; North American silica sand. 64-02714A
- Didikin, G. G.** See Movchan, B. A.
- Diegelmann, Winfried** See Bodden, Werner
- Diem, Wolfgang; and Elsner, Gerhard**
Solid-state bonding of ceramic and metal parts. 64-00135P
- Diepers, Heinrich; and Schewe, Herbert**
Pressure-sensitive transducer using piezoceramic material. 64-03904P
- Dierrsen, Gunther H.** See Gabor, Thomas
- Diesperova, M. I.** See Rutman, D. S.
- Dietrich, Lutz**
SPS "Probit"—a memory-programmable control—characteristics and examples of applications. 64-04099A
- Dietrichs, Joachim; and Frischat, Guenther H.**
Properties of metallic glasses in the system Pd-Ni-P and in related systems. 64-02816A
- Dietze, Wolfgang; and Schaefer, Juergen**
Method and device [graphite double pipe] for tapping a furnace containing a tappable melt. 64-00562P
- Dietzel, Adolf H.**
100-year-old thermometer problem and the "mixed alkali effect." 64-03179A; So-called mixed-alkali effect. 64-01904A
- Diez, J. C.; Nieto, M. I.; and Dabrio, M. V.**
Application of chromatographic techniques for the study of glass. 64-06857A
- Diez, Roy**
Residential construction spurs brick rebound. 64-04909A
- Diggins, Joseph P.**
Particle classifier apparatus and method with rudder control vane. 64-05389P
- Digonnet, Michel J. F.** See Shaw, Herbert J.
- Diller, Isaac M.**
Product [cryolite-alumina] for the activation of an electrolytic cell. 64-02904P
- Dima, I.** See Spanulescu, I.
- Dima, Paul** See Mihailescu, Mihaela
- Dimitrescu, Constantia** See Mandru, Anatoli
- Dimitrova, S. K.** See Abrikosov, N. Kh.
- Dinos, Dunne** See Wolfenstein, Jeff
- Dimova, Todor** See Bozadzhiev, Ljudmil
- Ding, L.; Shih, I.; and Pavlasek, T. J. F.**
Complex permittivity measurements of semiconductors at microwave frequencies. 64-01009A
- Dix, James S.**
Arylene sulfide compositions containing calcium sulfate. 64-00064P; Encapsulation of electronic components with calcium silicate-containing poly(arylene sulfide) compositions. 64-02363P
- Dixon, A. E.; Damaskinos, S.; and Oliver, B. A.**
Scanning laser microscope measurements of semiconductor and device properties. 64-05435A
- Dixon, T.**
Unresolved issues hinder full realization of SMT's [surface mounting technology] benefits. 64-05198A
- Djeu, Tuck P.** See Cottle, James G.

- Dmitriev, I. A.** See Polisar, E. L.
- Do, Dong-yu; and Xu, Hong-fu**
Method improving the quality of reconstructed images from focusing Fourier holograms. 64-05426A
- Do, Tong-san; and Rui, Fang-de**
Blended cement using zeolite and limestone as fine fillers. 64-01700A
- Donk, K. W.** See Kennedy, S. W.
- Dobbs, J. N.; Anderson, A. C.; and Hayes, W.**
Low-temperature dielectric constant of near-stoichiometric Na β -alumina. 64-03794A
- Dobbs, Robert J.** See Benjamin, Mary L.
- Dobosh, V. G.** See Fotiev, A. A.
- Dobraslava, Silvie; and Strnad, Zdenek**
Silica glass preparation of alkaline silicate water solutions by the sol-gel method. 64-03355A
- Dobrikov, A. A.; and Presnyakova, O. V.**
Dislocation and domain structure of lead titanate single crystals. 64-01534A
- Dobrin, Ion** See Dragos, Vasile
- Dobrovinskaya, E. P.** See Andreev, E. P.
- Dobrovinskaya, E. P.; Litvinov, L. A.; and Pishchik, V. V.**
Dependence of structural perfection on the growth mechanism of corundum single crystals grown by various methods. 64-04454A
- Dobrovinskii, R. Yu.; Nechaev, Yu. A.; and Mesnyankina, S. L.**
Region of homogeneity of lithium-manganese ferrites. 64-05795A
- Dobrovolskaya, V. I.** See Byndin, V. M.
- Dobrowski, J. A.**
Optical interference coatings—third topical meeting: I. 64-01961A; Optical interference coatings—third topical meeting: II. 64-04815A
- Dobrowski, J. A.; Ho, F. C.; and Waldorf, A.**
Determination of optical constants of thin-film coating materials based on inverse synthesis. 64-03762A
- Dobrowsky, F.** See Weidner, A.
- Dodd, K.**
Energy-saving light sources. 64-03436A
- Dodds, G. C.** See Breval, E.
- Dodds, Robert E.; Landmesser, Carl E.; and Minnier, Henry B.**
Coated phosphors, method for producing same and [glass-based] articles employing same. 64-00349P
- Dodelet, J. P.** See Belanger, D.
- Dodet, Claude; Noville, Francis; and Crine, Michel**
Texture of seabed nodules for potential use as catalysts. 64-05505A
- Dodge, Marilyn J.**
Refractive properties of magnesium fluoride. 64-03820A
- Dodson, Vance H.; and Hayden, Thomas D.**
Corrosion-inhibiting additive for cement compositions. 64-03060P
- Doezitz, Fritz-Dieter; Welsch, Gabriele; and Vogel, Werner**
Role of tin in glass-ceramics of the system $MgO-Al_2O_3-SiO_2$. 64-03353A
- Doeplens, J.; Wuerz, U.; and Frischat, Guenther H.**
Stable long-period composition variations in demixing systems: II. Experimental evidence in alkali borate glass melts. 64-00228A
- Doering, Klaus; and Hornig, Hanns-Juergen**
Uniformity of raw materials for glassmaking. 64-03497A
- Doerr, Wolfgang** See Assmann, Helmut
- Doerr, Wolfgang; Gradel, Gerhard; and Peehs, Martin**
Method for manufacturing oxidized sintered nuclear fuel bodies. 64-05353P
- Doetsch, Horst** See Ballabene, Corrado
- Doi, Akira** See Tsukamoto, Shinya
- Doi, Haruo** See Kamigaito, Osami; Sugiura, Masahiro; Takatori, K.; Yamamoto, Minoru
- Doinikov, L. I.** See Maslyuk, V. T.
- Dokuchaev, V. G.** See Glebov, L. B.
- Doladugina, V. S.**
Changes in the refractive index of glasses during their cooling at a constant rate. 64-03200A
- Dolezal, Karoly; Voros, Tibor; and Reuter, Otto**
Effect of SiO_2 + Fe_2O_3 on thermal properties of refractory concretes made with high-alumina cements. 64-00470A
- Dolgikh, V. A.** See Khodyakova, I. A.; Kholodkovskaya, L. N.
- Dolth, Leonard E.** See Gentilman, Richard L.
- Dolivo-Dobrovolskaya, G.** See Petrov, A. A.
- Doll, Gernot; Gottschalk, Werner; and Syrowatka, Udo**
Removal of combustion residues from coal-fired tunnel kilns. 64-04164A
- Dollimore, David** See Bhatti, Asaf S.
- Dollinger, Lucian** See Barna, Septimiu
- Dolnik, Michal; Beranek, Michal; and Horský, Jaroslav**
Rheological type of ceramic body in the process of drying. 64-04566A
- Dolnikowski, Gregory G.; Watson, Throck J.; and Allison, John**
Direct determination of metals in archeological artifacts by fast atom bombardment mass spectrometry. 64-00014A
- Domero, Robert A.; and Kirch, William**
Method of preparing zirconia-silica xerogels, the xerogels, and xerogel catalysts. 64-02881P
- Domingorena, Albert A.; Rich, Donald G.; and Manning, John D.**
Apparatus and method for evaluating the performance of a heat exchanger. 64-02630P
- Domingues, P. H.** See Neto, J. Maria
- Domka, F.; Basinska, A.; and Foltynowicz, Z.**
Porous structure of products of thermal transformation of iron metahydroxides. 64-04483A
- Domsa, F.** See Lupel, A.
- Donaldson, R.** See Crook, Douglas N.
- Doncaster, A.** See Bird, T. J.
- Dong, D. W.** See DiMaria, Donelli J.
- Dong, Liang-jin** See Lai, Ting-rong
- Dongli, Fan**
Conserving energy in heat treatment in China. 64-03602A
- Donlan, Jeffrey P.** See Gupta, Arunava
- Donnelly, Vincent M.; Flamm, Daniel L.; and Dautremont-Smith, W. C.**
Anisotropic etching of SiO_2 in low-frequency CF $_4$ /O $_2$ and NH $_3$ /Ar plasmas. 64-02287A
- Donohue, K.** See Johnson, C. C.
- Donohue, Paul C.**
Hexaboride resistor composition. 64-05216P
- Donomoto, Tadashi; and Tanaka, Atsuo**
Method for production of [metal-matrix] composite material using preheating of reinforcing material. 64-04397P
- Donomoto, Tadashi; Tatematsu, Yoshiaki; and Tanaka, Atsuo**
Composite material manufacturing method exothermally reducing metallic oxide in binder by element in matrix metal. 64-01294P
- Doontz, Edward R.**
Technology of casting and soldering alloys for metal-ceramic applications. 64-06145A
- Dorazio, Raymond E.; Mings, William L.; and Cleveland, Joseph J.**
Triple-pass ceramic heat recuperator. 64-01368P
- Doremus, Robert H.** See Bansal, Narottam P.; Komatsu, Takayuki
- Doremus, Robert H.; Bansal, Narottam P.; and Bradner, Tymn**
Zirconium fluoride glass—surface crystals formed by reaction with water. 64-00242A
- Dorfman, G. A.** See Amosov, A. V.
- Dorikens, M.** See Mbungu-Tsumbu
- Dorokhov, V. P.; Kopan, V. S.; and Silenko, P. M.**
Mechanical properties of silicon carbide fibers. 64-02793A
- Doronin, V. N.** See Gerasimova, L. A.
- Doroshev, V. D.** See Borolin, V. A.
- Dorstewitz, Ulf-Ekhard**
Optimizing the winning and materials transport of raw materials in clay deposits. 64-02715A
- Dos Santos, Dayse I.** See Ventura, Paulo C. S.
- Dos Santos, Dayse I.; Ventura, Paulo C. S.; and Aegerter, Michel A.**
Porous glasses of high silica content for storage of nuclear wastes: II. Solidification, characterization, and leaching. 64-06742A
- Dosch, Robert G.; Northrup, C. J.; and Headley, T. J.**
Crystalline titanate ceramic nuclear waste forms—leaching and radiation damage. 64-06737A
- Dosch, Robert G.; Stephens, Howard P.; and Stohl, Frances V.**
Catalysis [titanate, niobate, tantalate, or zirconate] using hydrous metal oxide ion exchanges. 64-05599P
- Dose, Hartmut; and Hauswald, Marion**
Problems of assessment of acid and lye solubility of ceramic fragments. 64-00610A
- Doisenko, A. V.; Zakharov, V. K.; and Morozov, A. V.**
Kinetics of photochromic processes in glasses under non-monochromatic activation conditions. 64-03282A
- Dotts, Robert L.; Curry, Donald M.; and Tillian, Donald J.**
Toughest tile job ever [on the Space Shuttle]. 64-04362A
- Doty, John S.**
Tool for optically finishing multiple-mounted optical fibers. 64-03550P
- Dou, Shixue; Pacey, Philip D.; and Masson, Charles R.**
Grain growth in CaO-stabilized ZrO $_2$ in the presence of a liquid phase. 64-05099A
- Douglas, Esther; and Mainwaring, Paul R.**
Hydration and pozzolanic activity of nonferrous slags. 64-06091A
- Douglas, W. H.** See DeLong, R.
- Douville, Jean-Pierre** See Rouly, Eric
- Dovletov, K.** See Zhukov, E. G.
- Dow, A. L.** See McCandlish, C. S.
- Dow, John D.** See Ekenberg, Ulf A.
- Dowden, Dennis C.** See Higginbotham, John W.
- Dowdell, H.; and Gohar, I. A.**
Influence of aluminum oxide on the phase separation and electrical conduction in photochromic glasses. 64-06207A
- Downey, A. Morris, Jr.**
Brick gets boost from transit deregulation. 64-02029A
- Downey, Daniel F.**
Method for reflow of phosphosilicate glass. 64-00389P
- Downing, H. L.** See Jain, Himanshu
- Dragnea, Ion** See Tcoareanu, Ion
- Dragoi, Ioan; Lazau, Ioan; and Marx, Francis**
Synthesis and properties of calcium fluoroaluminate. 64-06127A
- Dragoman, I.; Kamernan, K.; and Bardeyan, D.**
Refractory concrete lining of furnaces for the firing of pyrites. 64-02200A
- Dragoman, I.; Tuclea, D.; and Hanganu, Maria**
Refractory materials for impulse burners. 64-03674A
- Dragomir, Constantin; Szabo, Andrei; and Hanganu, Maria**
New chemical binders in the refractory materials industry. 64-06461A
- Dragoo, Alan L.** See Frederikse, Hans P. R.
- Drags, Vasile; Dobrin, Ion; and Gheorghiu, Iulia**
Antireflecting glass. 64-03408A
- Drain, Leslie E.; and Negus, Clive R.**
Measurement of the size of particles. 64-04121P
- Drake, Cyril F.; and Jones, Ronald**
Composite [phosphate glass drug transport] materials. 64-00247P
- Drake, Cyril F.; Maries, Alan; and Bateson, Paul F.**
Corrosion-inhibiting [glass powder-containing] paint composition. 64-06346P
- Drake, Robert A.**
Environmental agencies target chromium emissions for action. 64-07523A; Glass Packaging Institute reviews programs for the container industry. 64-00299A
- Draper, J. Kyle** See Kotacka, Warren
- Dratch, Ralph L.; and Skinner, Charles S.**
Advanced manufacturing with robotics. 64-05973A
- Draxler, Richard** See Fantozzi, Louis R.
- Dreckoetter, K.**
Economics in new industrial planning. 64-00592A
- Dreizler, I.** See Knoefel, D.
- Drennan, J.** See Badwal, Sukvinder Pal S.
- Drennan, J.; and Hannink, Richard H. J.**
Sintering aids for partially stabilized zirconia. 64-07167A
- Dreno, P.** See Bony, Pierre
- Drescher, Karoly; Harsanyi, Gyorgy; and Kasza, Otto**
Radioactive HF determination in glass-polishing solutions. 64-04748A
- Dreval, I. V.; and Khotimchenko, V. S.**
Spectral characteristics of thin layers of titanosilicate glasses. 64-03358A
- Dreval, I. V.; Zaslotskaya, M. V.; and Khotimchenko, V. S.**
Structural transformations in titanosilicate glassy coatings during high-temp. treatment. 64-03365A
- Dreshage, Martin G.** See Fieldly, T. A.; Scherer, George W.
- Driessen, Antonius J. G.; Geertsema, Eise B.; and Oomen, Joris J. C.**
Composite [oxide/metal] body for gas discharge lamp. 64-03162P
- Driessens, F. C. M.** See Terpstra, R. A.
- Drobashcheva, T. I.** See Skoropad, T. S.
- Drogaitsev, E. A.** See Dubovik, M. F.
- Drolet, Jean-Pierre** See Chevalier-Buillet, Jean P.; Lalancette, Jean M.
- Drolet, Jean-Pierre; and Chevalier-Buillet, Jean P.**
Protoenstatite ceramic units and process for their preparation. 64-01362P
- Dronca, S.** See Lupse, O.
- Drory, Michael D.** See Johnson-Walls, D.
- Drory, Michael D.; and Evans, Anthony G.**
Effects of voids at three-grain junctions on sintering and creep damage. 64-02982A; Elimination of surface voids in ceramics. 64-07461A
- Drory, Michael D.; and Glaeser, Andreas M.**
Stability of pore channels—experimental observations. 64-04567A
- Drozova, I. A.** See Degen, M. G.
- Drozova, T. A.** See Vidrevich, M. B.
- Drukbenrodt, W.-G.** See Roepenack, Horst
- Druet, Jean-Pierre**
Method and apparatus for the sintering of a mineral using gaseous fuel. 64-04180P
- Druzhinin, A. P.; and Nemeslov, N. S.**
Brightness-current curves and brightness waves in the electroluminescence of thin films of alkali-halide crystals. 64-05897A
- Druzhinin, V. G.** See Karaulov, A. G.
- Dryburgh, P. M.**
Manufacture [molten method] of aluminum nitride. 64-01154P
- Drye, James E.** See David, Earl K.
- Dryshlyuk, T. V.; Maschenko, L. V.; and Shapovalova, T. F.**
Effect of SiC addition on the properties of multielement corundum packing compositions. 64-00469A
- Dryshlyuk, T. V.; Nerubashchenko, L. I.; and Perederii, N. A.**
Multielement refractories with the addition of electrocorundum for crucible ladles. 64-02155A
- Du, Xin-min; and Guan, Zhen-duo**
Compliance calibration of Chevron-notched cleave specimen and determination of K_{IC} values in ceramic materials. 64-07449A
- Duarte, Alamar Kasan**
Influence of manganese oxide additions on sintering of natural magnesite. 64-06452A
- Dube, D. C.** See Sharma, B. K.
- Dubec, P. M.; and Wagner, J. B., Jr.**
Electrical conductivity studies on CuBr containing Al_2O_3 particles. 64-05080A
- Dubey, K. S.; and Ramachandran, P.**
Viscosity of glass-forming melts and its temperature dependence. 64-04762A
- Dubiel, S. M.** See Kusior, E.
- Dubina, S. K.** See Safonov, V. V.
- Dubinin, M. M.; Isirikian, A. A.; and Regent, N. I.**
Chemical nature and the texture of ultrastrabe, zeolite-type faujasite. 64-05522A
- Dubois, Bernard** See Cottrent, Jean Francois
- Dubovik, M. F.** See Maisov, G. V.
- Dubovik, M. F.; Bondar, V. G.; and Drogaitsev, E. A.**
Growth and certain properties of calcium orthovanadate crystals. 64-01544A

- Dubrovina, I. V.; Budennaya, L. D.; and Mizetskaya, I. B. System SnTe-ZnSe. 64-05845A
- Dubrovskaya, L. B. See Rempel, A. A.
- Dubrovskii, G. B. Electron state symmetry in SiC crystals. 64-03774A
- Dubuit, Jean-Louis See Rouly, Eric
- Ducarre, R. New design for lightweight ["all-fiber"] kiln cars. 64-05468A
- Ducarroi, M. See Schouler, M. C.
- Duchange, Jean-Pierre See Gabano, Jean-Paul
- Ducharme, Stephen; and Feinberg, Jack Speed of the photorefractive effect in a BaTiO₃ single crystal. 64-05378A
- Duchemin, Jean-Pascal See Poisson, Marie-Antoinette
- Ducheyne, Paul L. R.; and Hench, Larry L. Metal fiber reinforced bioglass composites. 64-00379P
- Duckworth, James P.; and Burn, Peter Generation of high-level radioactive wastes at West Valley, NY. 64-05327A
- Duckworth, Winston H. See Rosenfield, Alan R.; Shetty, Dinesh K.
- Duckworth, Winston H.; Shetty, Dinesh K.; and Rosenfield, Alan R. Influence of stress gradients on the relationship between fracture stress and mirror size for float glass. 64-00308A
- Duda, Craig R. See Hartouni, Edward
- Dudareva, A. G.; Polyanskaya, O. V.; and Tenyanko, N. V. Interaction of holmium tribromide with the bromides of the alkali metals. 64-05731A
- Dudek, Jaroslav See Bulandir, Jiri
- Dudek, Ronald P.; Kosmos, Peter; and Jonkouski, Jill E. Development of a restorative dental porcelain system which simulates the fluorescent properties of natural dentition. 64-07084A
- Duderov, I. G. See Zhmur, V. V.
- Duderstadt, E. C. See Miller, Robert A.
- Dudko, G. D.; Aslanova, M. S.; and Shirokova, A. V. Chemical stability and vibrational spectra of ultraphosphate glass fibers. 64-03203A
- Dudro, Harry R., Jr.; and Morris, Frank E. Refractory [rammed] runner. 64-00575P
- Duebel, Juergen See Boerner, Paul
- Duemben, Gerd See Baer, Karl
- Duffy, D. M.; and Tasker, Philip W. Properties of grain boundaries in rock salt structured oxides. 64-07495A
- Duffy, Dorothy; and Tasker, Philip W. General structure for coincidence twist grain boundaries in rock-salt-structured oxides. 64-01541A
- Duffy, Peter L. See Ritter, John E., Jr.
- Dugin, V. E. See Sholokhov, M. I.
- Dugin, V. E.; Nesterov, A. A.; and Belyaev, I. N. Structural and ferroelectric properties of phases of the system PbNb₂O₇-WO₃. 64-05283A
- Duley, W. W. See MacLean, S. G.
- Duley, W. W.; and Rosatini, M. Orange luminescence band in MgO crystals. 64-07486A
- Dulnev, E. G. See Altschuler, G. B.
- Duma, Gyorgy Dispersed systems made of crystalline grains in glasses and glazes. 64-0608A; Graphical representation of the melting process of silicates. 64-05924A; Shaped bricks from the Middle Ages in the Buda castle [Hungary]. 64-00017A
- Dumas, Glenn A. See Varshneya, Arun K.
- Dumas, P. See Carvalho, W.
- Dumas, T.; Ramos, A.; and Gandais, M. Role of zirconium in nucleation and crystallization of a (SiO₂, Al₂O₃, MgO, ZnO) glass. 64-06246A
- Dumbaugh, William H., Jr. Easily meltable dense opal glasses. 64-00249P
- Dumbaugh, William H., Jr.; and Tyndell, Brian P. Lead gallate glasses. 64-01933P
- Dumitrescu, Constantin; Albita, Gheorghe; and Branzan, Aristica Wear behavior of cast grinding media made of high chromium-alloyed white cast iron. 64-06791A
- Dumitru, Ovidiu See Rehner, Hans
- Dumola, Richard J. See Romero, Eduardo
- Dunaea, T. I. See Il'yasov, I. I.
- Dunbar, Bonnie J. (Editor) Advances in Ceramics: Vol. V, Materials Processing in Space. 64-03039B
- Duncombe, P. R.; and Well, S. W. Thermal behavior of shell molybdenum-alumina catalysts. 64-07184A
- Dunhill, Steve Development in the process of filtering through [separation equipment]. 64-06762A
- Dunikov, A. V.; Semchenko, G. D.; and Gogotsi, Yu. G. Corundum-graphite materials for steel-casting ladles. 64-04933A
- Dunn, Charles S. Arc circuit electrodes for arc glassmelting furnace. 64-06966P; Electric glassmelting furnace. 64-01984P; Method for controlling the level of molten material in a surface. 64-00785P; See also Hohman, Charles M.
- Dunn, Charles S.; Propster, Mark A.; and Hohman, Charles M. Melting furnaces. 64-06983P
- Dunn, Charles S.; and Seng, Stephen Method and apparatus for feeding raw material to [an arc-melting] furnace. 64-00974P
- Dunn, Michael P. Method and apparatus for producing a continuous glass filament mat. 64-00382P
- Dunn, Thomas J. Prestressed thermal protection panels. 64-04990A
- Dunnivant, William R.; Langer, Helmo J.; and Sedgwick, Grant O. Process of forming foundry cores and molds utilizing binder curable by free radical polymerization. 64-06497P
- Dunning, Reginald See Potter, William D.
- Dunnon, Donald D. Workplace environment and [ASTM Committee] E-34 on occupational health and safety. 64-03038A
- Dunphy, James R. See Meltz, Gerald
- Dupin, Thierry Catalyst [titanate- and silicate-based] for the desulfurization of industrial waste gases and process for its preparation. 64-02853P; See also Jacques, Roland
- Dupree, R. See Butler, N. D.
- Dupress, R.; Holland, D.; and McMillan, Peter W. Structure of soda-silica glasses—an MAS NMR study. 64-03367A
- Dupuy, J.; Elarby-Aoulzerat, A.; and Jal, J. F. Influence of water on the crystallization of electrolyte glass. 64-06211A
- Duran, Alicia; Fernandez Navarro, J. M.; and Garcia Sole, J. Coloring process in copper ruby glasses studied by optical and EPR spectroscopy. 64-00150A
- Duran, Alicia; Jurado, J. R.; and Fernandez Navarro, J. M. Dielectric properties of glasses in the system P₂O₅-BaO-CuO. 64-06178A
- Duran, Pedro; and Moure, Carlos High-density PLZT ceramics prepared chemically from different raw materials. 64-06688A
- Duran, R.; and Moure Jimenez, C. Sintering at near-theoretical density and properties of PZT ceramics chemically prepared. 64-06695A
- Durand, Philippe J. Cup or similar article. 64-01686P; Mug [glass] or similar article. 64-00022P; Plate [cut crystal] or similar article. 64-06051P; Tumbler or similar article. 64-00025P; 64-00024P
- Durmashkin, A. L. See Kuznetsov, A. T.
- Durovic, Slavomir See Weiss, Zdenek
- Dus, Alina; Kojder, Bronislava; and Stefanczyk, Andrzej Effect of constructional changes in operating channels on glass mass flow parameters in Pittsburgh-type tank furnaces. 64-03430A
- Dusza, J.; Parilik, L.; and Diblik, J. Elastic and plastic behavior of WC-Co composites. 64-04273A
- Dutt, Bulusu V. Light-emitting [III-V mixed crystal] device for optical switching. 64-00762P
- Duvier, Henry A., Jr. Lightweight [ceramic aggregate] insulating building blocks and method of making same. 64-06133P
- Dvina, M. A. See Fetisov, V. B.
- Dvorak, George J. (Editor) Mechanics of Composite Materials—1983. 64-01633B
- Dvorakova, Eva; and Hlavac, Jan Thermal resistance of container glass. 64-03491A
- Dvorskii, M. I. See Mikhailov, M. M.
- Dvorkin, L. I. See Shestakov, V. L.
- Dwivedi, R. K.; and Gowda, G. Thermal stability of aluminum oxides prepared from gel. 64-07396A
- Dworak, Ulf; Olapinski, Hans; and Fingerle, Dieter Cylinder head [ZrO₂, Al titanate composite] of a piston engine. 64-07221P; Mullite [ZrO₂ cylinder head] plate. 64-07260P; Thermal insulation lining of ceramic material for a hot gas duct [automotive exhaust] enveloped in metal. 64-07293P
- Dworsky, Lawrence N. Apparatus and method for determining surface contour of piezoelectric wafers. 64-04109P
- Dworzak, Wolfgang Rudolf See Gallagher, Sarah Ann
- Dwyer, Francis G.; and Chu, Po-chun Synthesis of zeolite ZSM-5. 64-07438P
- D'yachenko, B. I. See Vydrovskii, S. L.
- D'yakonov, S. S.; Lygin, V. I.; and Shalunov, B. Z. Ir-spectroscopic investigation of high-dispersion silica gel doped with zirconium dioxide. 64-04731A
- Dyakov, Dobromir A.; Kodjabashev, Petko V.; and Stanchev, Pejo System for monitoring dynamic parameters of magnetic heads. 64-02654P
- Dyer, Alan See Bhatti, Asaf S.
- Dyer, Henry B. Abrasive [CBN] bodies. 64-06008P
- Dymshits, O. S. See Golubkov, V. V.
- Dyns, Frederick W.; and Halloran, John W. Influence of aggregates on sintering. 64-01412A
- Dzeranova, K. B.; Kalojev, N. I.; and Egeev, O. I. Phase diagram of the system Bi₂-CsI. 64-05765A
- Dzhalandinov, D. N. See Zubarev, P. V.
- Dzhamarov, S. S. See Koval'chenko, M. S.
- Dzhanibekov, R. A. See Lyashkevich, I. M.
- Dzhigallo, N. T. See Bakunov, V. S.
- Dzhigirits, D. D.; Makhova, M. F.; and Gorobinskaya, V. D. Continuous basalt [glass] fiber. 64-00281A
- Dzlabak, Cecylia; and Pieczarowski, Henryk Economic considerations during production of ceramic coloring agents using the beige coloring agent [as example]. 64-03719A
- Dzugutova, A. S. See Tebiev, A. K.
- Earnest, Charles M. Modern thermogravimetry. 64-04094A
- Eastman, J.; Schmucke, F.; and Vaudin, M. D. Electron diffraction and microscopy studies of the structure of grain boundaries in NiO. 64-07459A
- Eaton, H. E.; and Novak, R. C. Ceramic-faced outer air seal for gas turbine engines. 64-01287P; Co spray [plasma] abrasive coating. 64-06011P
- Ebata, Yasuo; Suzuki, Hitoshi; and Matsumura, Sadao Temperature-compensated [Li borate] surface acoustic wave device. 64-02449P
- Ebata, Yoshihiro; Kose, Saburo; and Kinoshita, Makoto Adhesive and method for adhesion of [Si₃N₄] ceramic articles. 64-02846P
- Ebata, Yoshihiro; Tamari, Nobuyuki; and Kinoshita, Makoto Method for [CaF₂ and kaolin] adhesion of silicon nitride parts. 64-02873P
- Ebata, Yoshihiro; Tamari, Nobuyuki; and Toibana, Yasuo Process for metallizing the surface of a ceramic. 64-06157P
- Ebato, Koichi; Wakasugi, Isamu; and Suzuki, Yasuo Nozzle clogging [by MgO-Al₂O₃] of tundish sliding gate in bloom caster. 64-03652A
- Eberhart, John E.; Haub, John G.; and Pryor, Arthur W. Reflectivity of natural and powdered minerals at CO₂ laser wavelengths. 64-05953A
- Eberhart, J. P. See Crovisier, J. L.
- Eberling, Igor L.; Tereshchenko, Lev A.; and Nikolaev, Nikolai I. Method for the determination of kinetics of structure formation in a binder. 64-06912P
- Eberly, Paul E., Jr.; and Winter, William E., Jr. Crystalline silica zeolite-containing catalyst. 64-05611P
- Ebersbach, U.; Henny, F.; and Winckler, U. Ion beam nitriding of high-purity iron surfaces. 64-04679A
- Ebert, H. Westerwald [German] clays and their significance for the European ceramic industry. 64-05506A
- Ebert, M. See Micka, Z.
- Ebihara, Susumu See Okazaki, Masanobu
- Ebizawa, Akio; Taguchi, Kazuo; and Okumura, Toshio Oxygen sensor with [hollow ceramic] heater. 64-05239P
- Ebizawa, Ritsuo See Morimoto, Tadashi
- Ebneht, Harold; Preis, Lothar; and Giesecke, Henning Metallized carbon fibers and composite materials containing these fibers. 64-02872P
- Echevskii, G. V. See Ione, K. G.
- Echigoya, Eisuro See Hayakawa, Takashi
- Eck, Ralph State of the art of molybdenum fabrication. 64-06960A
- Eckardt, Rudolf See Derner, Paul; Spitka, Horst
- Eckardt, Joachim See Bauer, Guenter
- Economy, James; and Zachariades, Anagnostis Surface finishing process [for SiC-reinforced substrate]. 64-07292P
- Edahiro, Takao See Okamoto, Katsunari
- Edahiro, Takao; Inagaki, Nobuo; and Kurosaki, Shiro Process for producing optical glass product. 64-06288P
- Edelson, N. M.; and Bennett, C. L. Process management pass off for Corning. 64-03032A
- Edger, Alfred See Albarda, Scato
- Edgerton, Robert F. Apparatus for uniformly heating a [thin, large-area] substrate. 64-00944P; Optical methods for controlling [CVD] layer thickness. 64-06914P
- Edgington, J. H. How the glass container industry can improve its profitability [and productivity]. 64-00305A
- Edinger, J. Raymond See Alexandrovich, George
- Edmonds, M. J. Centrifugal [ceramic] casting mold liner. 64-00537P
- Edwards, George H.; and Anderson, D. W. Strategic risk analysis of raw materials in the glass industry. 64-00329A
- Edwards, Robert C. Catalysts [P-V oxide] for the production of maleic anhydride by the oxidation of butane. 64-07206P
- Efimov, G. V. Production technology of high-strength lightweight refractory materials. 64-02184A
- Efimov, O. M. See Glebov, L. B.
- Efimovskaya, T. V. See Lukin, E. S.; Tel'nova, G. B.
- Efremov, V. A.; Norkin, D. R.; and Karas, G. E. System for stabilizing the moisture content of refractory bodies. 64-00524A
- Efremov, V. N. See Zozulya, V. Yu.
- Efryushina, N. P.; and Novikova, G. K. Determination of lanthanoid traces with sensitization of luminescence in crystallophors. 64-05685A
- Egami, Akira; and Tsukino, Mitsuki Gunning system of plastic refractory. 64-03624A
- Egawa, Isao; Tanaka, Tetsuya; and Inokuma, Toshio Thick film on stainless steel board. 64-05191A
- Egeev, O. I. See Dzeranova, K. B.
- Egli, Hans See Byrne, Joe L.
- Egorov, L. P. See Zatulovskii, L. M.
- Egorova, O. N. See Glushkova, V. B.
- EGUCHI, Kiyoshi See Tanaka, Hiroshi

- Eguchi, Ronald G. See Naik, Ishverlal K.
 Eguchi, Shusaku. See Kotera, Noboru
 Eguchi, Tadatsuka; and Okuma, Takeshi
 Repairing machine for tap hole of converter. 64-05000A
 Egyhazi, Tibor. See Kotsis, Levente
 Ehret, G. See Crovisier, J. L.
 Ehrhardt, K. See Jerschekwitz, H.-G.
 Ehrlich, Robert. See Pull, William E.
 Ehrlich, Robert; Kennedy, Stephen K.; and Crabtree, Sterling J.
 Petrographic image analysis: I. Analysis of reservoir pore complexes. 64-06886A
 Elbisch, R. See Clemens, P.
 Eichhorn, Uwe. See Gliemeroth, Georg
 Eichner, Peter; and Hartmann, Marion
 Determination of workability—a method for evaluating the application properties of lime hydrate for building. 64-04632A
 Eidelman, I. Ya.; Zil'terman, S. M.; and Kirilenko, V. I.
 Burner-withdrawing unit for glass tank furnaces. 64-01077A
 Eidek, Ya. Ya. See Kuschel, M. I.
 Eifling, Dennis R. See DeReamer, Sharon M. B.
 Einzinger, Richard
 Substrate made of ZnO-based varistor material having a plurality of electronic components mounted thereon. 64-05252P
 Eisenberg, Arnold J.
 Method and apparatus for forming glass fibers. 64-01998P
 Eisenrith, Karl-Heinz. See Aulich, Hubert A.
 Eins, N. A.; and Hassan, M. Y.
 Moessbauer spectroscopic study on portland cement clinker doped with sodium carbonate. 64-06110A
 Ekholm, Ragnar; and Garvare, Tore
 Welding by hot isostatic pressing (HIP) [using glass powder]. 64-02028P
 Ekenberg, Ulf A.; Robertson, John; and Dow, John D.
 Impurity states in SiO₂. 64-04467A
 Eklund, Åke
 Divergent views on the problem of frost resistance of brick products. 64-03558A
 Eklund, P. C.; See Giergiel, J.
 Eklund, P. C.; and Smith, H. G.
 Possible application of graphite—SbCl₃ intercalation compounds as long-wavelength neutron monochromators. 64-07144A
 El Leil, Mahmoud Abo; and Snitzer, Elias
 Field-assisted ion exchange in type III silica. 64-02931A
 El Mansouri, A. See Granier, W.
 El-Akkad, T. M. See Guindy, Nabila M.
 El-Astal, K. See Krupanidhi, S. B.; Sayer, M.; Shapiro, G.
 El-Badry, K. M. See Abd El-Hadi, Z.
 El-Badry, K. M.; Abd El-Hadi, A.; and Mostafa, A. G.
 Absorption spectra of some lead silicate glasses containing nickel. 64-03182A
 El-Badry, K. M.; Affifi, M. S.; and Moustafa, F. A.
 Infrared absorption spectra of some sodium borosilicate glasses containing CaO, ZnO, and CdO. 64-00199A
 El-Bialy, A. See Hussein, A. L.
 El-Didamony, Hamdy. See Younes, A. E.
 El-Hemaly, S. A. S. See Serry, Mohammed A.
 El-Hemaly, S. A. S.; El-Sheikh, R.; and Mosalamy, F. H.
 Hydration of alite in the presence of concrete admixtures. 64-01725A
 El-Hiti, A. S.
 Preferential crystallization of cristobalite and mullite from bentonite. 64-04216A; Unusual behavior of (002) and (006) planes of talc and preferential crystallization of protocon-tinental crystallites. 64-00621A
 El-Malawany, R. A. See Al-Aini, S. K. J.
 El-Nimr, M. K. See Abou Sekkina, M. M.
 El-Sagheer, A. A. See Sanad, A. M.
 El-Shamy, T. M. See Ahmed, A. A.
 El-Sharkawy, A. A.; Sanad, A. M.; and Kashif, I.
 Thermal properties of barium-borate glass containing iron in the temperature interval 300 to 700 K. 64-06271A
 El-Sharkawy, A. A.; Sanad, A. M.; and Zaghloul, M. S.
 Thermal properties of the binary glass system V₂O₅-GeO₂. 64-04758A
 El-Shazly, Mohamed F. See Halecky, Alan A.
 El-Sheikh, R. See El-Hemaly, S. A. S.
 El-Shennawi, A. W. A. See Morsi, Morsi M.
 El-Shobky, G. A. See Ghoniem, N. M.
 Elarby-Aouizerat, A. See Dupuy, J.
 Elban, W. L. See Yoo, K.-C.
 Elchaminov, V. V.
 Magnetite refractory plant [USSR]. 64-02139A
 Elf, F. See Schaefer, W.
 Elings, Virgil B.; and Nicoli, David F.
 Recent advance in submicron particle sizing by dynamic light scattering. 64-02615A
 Eliot, Glenn R.
 Optical fiber protection by [ceramic] powder-filled coatings. 64-06399P; Process for providing [coating on] optical fibers conditioned for hostile environments and fibers thus formed. 64-00419P
 Eliseev, A. A.
 Monochalcogenides of the rare-earth elements with variable valence. 64-05753A; See also Kuz'micheva, G. M.
 Eliseev, S. S.; and Malyusheva, L. E.
 Synthesis and physicochemical properties of WCl₆. 64-01583A
 Eliseeva, G. G. See Zoz, E. I.
 Elkman, Daniel D.; Wang, Taylor G.; and Trinh, Eugene H.
 Contactless measurement of physical properties. 64-02583A
 Elhara, A. M. See Mill, B. V.; Sukhovokhov, V. F.
 Elliott, Alwyn
 Manufacture of highly porous refractory material. 64-05021P
 Elliott, G. K. See Barnes, A.
 Ellis, Marion E. See Bloom, Terry R.
 Ellis, Roland, Jr.; Jacobs, Brian; and March, Edward J.
 Technique for bonding a chip carrier to a metallized substrate. 64-05254P
 Ellison, T. L.; Buck, Daniel M.; and Yext, W. F.
 Glass-to-metal [electronic] sealing. 64-06620P
 Elmer, Thomas H.
 Leaching of E glass. 64-01867A; See also Borrelli, Nicholas F.
 Elmer, Thomas H.; and Fehner, Francis P.
 Electrochromic device with porous glass electrolyte. 64-02359P
 Elsaesser, Kurt. See Baumgartner, Armin
 Elssner, Gerhard. See Diem, Wolfgang
 Elssner, Gerhard; and Kopp, W. V.
 Polished section preparation of ceramic and metal-ceramic materials—a reference list. 64-06888A
 Eluskov, E. P. See Ermakov, A. E.
 Em, V. T. See Molodovskaya, E. K.
 Emami, Marius. See Mihailescu, Mihaela
 Emel'yanov, A. N.; and Tsidenkov, G. V.
 Glazes for low-temperature slag-containing tile bodies. 64-00191A
 Emel'yanov, S. M.; Raevskii, I. P.; and Bunina, O. A.
 Synthesis and study of Ag-Bi titanate. 64-00712A
 Emery, Ashley F. See Liaw, Ben Ming
 Emi, Toshihiko; Uchimura, Ryoji; and Watanabe, Seiji
 Properties of flame-grown layer. 64-03659A
 Emiraliyev, A.; and Karimov, I.
 Thermal decomposition of hydrosodalite. 64-01479A
 Emmett, Manley D.; and McNellis, Robert L.
 Method for forming multilayered electroluminescent device. 64-02382P
 Emmons, H.-H.; Horibek, W.; and Kiessling, D.
 Thermodynamics and structure of molten mixtures of alkali halide-alkaline-earth halide. 64-01590A
 Emori, Nobuhiko. See Sasada, Tadashi
 Emslie, Alfred G. See Aronson, James R.
 Encinas, G.; Recalcati, F.; and Rowland, B.
 Kiln simulation as a training tool. 64-06947A
 Endicott, Wayne A.
 A. P. Green [refractories] rides diversity to the top [a profile]. 64-02051A; Anatomy of a retrofit—grinding, firing modifications increase plant production 50%. 64-04883A; Belden Brick [Ohio]—going strong after 100 years [a company profile]. 64-06415A; Brick plant retrofits boost production, lower costs. 64-02030A; Constant upgrading keeps tile plant profitable. 64-02032A; Converted plant relies entirely on coal. 64-04886A; Distributors: "We need your [brick] marketing support." 64-02035A; Finding your way through the product liability maze: I. 64-03013A; Finding your way through the product liability maze: II. 64-03014A; General Shale creates manufacturing magic [a company profile]. 64-04893A; Innovative marketing makes ACME Brick an industry leader [a profile]. 64-02038A; Manufacturer-distributor partnership [in the brick industry]. 64-02040A; Modernized [specialty refractory] plant cuts labor 30 percent. 64-02151A; New plant makes "used brick" with high fuel efficiency. 64-00444A; New prep system stops wet clay problems. 64-02041A; New refractories tunnel kiln cuts gas consumption by 80 percent. 64-02158A; New roller hearth kiln ups roof tile capacity [Interlocking Co.]. 64-02042A; Pallet plant turns brickmaker into blockmaker. 64-02044A; State-of-the-art equipment speeds [light-weight] thin brick production. 64-02048A; Two "old" products make modern sense. 64-02049A
 Endo, Junji. See Shimada, Hisashi
 Endo, Tadashi; Fukunaga, Osamu; and Sato, Tadao
 Process for producing sintered body of [cubic] boron nitride. 64-01352P
 Endou, Morinobu; Takamizawa, Minoru; and Hongu, Tatsuhiro
 Method [pyrolysis] for the preparation of silicon carbide fibers. 64-04392P
 Engel, Lothar; Leydenroth, Vera; and Thiemann, K. H.
 Damage to ceramic materials. 64-04528A
 Engelhardt, G. See Hoebebel, D.
 Engelmann, Charles. See Trociller, P.
 English, Gary F.; and Wiley, Donald E.
 Refractory tube. 64-00578P
 Enomoto, Ryo
 Process for the production of silicon carbide sintered bodies. 64-07279P
 Enomoto, Ryo; and Tsukada, Kiyotaka
 Powder composition for producing sintered ceramic. 64-02963P
 Enomoto, Ryo; Yamauchi, Hidetoshi; and Tanikawa, Shoji
 Silicon carbide substrates and a method of producing the same. 64-03908P
 Enomoto, Youichi. See Murakami, Toshiaki
 Enomoto, Youichi; Suzuki, Minoru; and Murakami, Toshiaki
 Highly sensitive optical detector using superconducting oxide BaPb_{1-x}Bi_xO₇ (BPB). 64-02315A
 Enomoto, Yuji. See Watanabe, Tadahiko
 Enthoven, Axel
 Bidet. 64-00019P; Combined water closet and seat. 64-00020P
 Entin, E. P. See Tsibin, I. P.
 Entwistle, Lester. See Munro, Alexander
 Epkes, Thomas A.
 Concentric core optical fiber coupler. 64-00351P
 Eppler, Richard A.
 ASTM in the world of ceramic whitewares. 64-00582A; See also O'Connor, Eugene F.
 Epstein, S. M. See Borisovskii, E. S.
 Erasova, N. A.
 Phase transition in lead telluride with gallium admixture. 64-05778A
 Erdle, Jack A.
 Laminated bus bar containing multilayer ceramic capacitors. 64-06629P
 Erdyk, Yu. Ya. See Leruma, M. R.
 Eremina, G. P. See Gabrielyan, G. S.
 Eremina, L. I. See Timofeeva, L. K.
 Eremina, V. E. See Mikhailov, V. V.
 Ericsson, Sylve J. D.
 Silk-screen printing machine having an endless conveyor and registration for the printed-on material. 64-04062P
 Eriksson, T. S.; and Granqvist, Claes G.
 Infrared optical properties of electron-beam-evaporated silicon oxynitride films. 64-04299A
 Erlacher, Richard F. See McCartney, Michael S.
 Ermakov, A. E.; Yurchikov, E. E.; and Eluskov, E. P.
 Order-disorder transitions in ZnFe₂O₄ [ferrite] during mechanical grinding. 64-03966A
 Ermsich, Hans-Martin
 Enameling of castings formed in high-pressure automatic presses. 64-03151A
 Ermoilin, Yu. N.; Ryzhenkov, N. A.; and Umanets, V. N.
 Improved mining technology and ore production at the Kirgizskii [USSR] magnesite deposit. 64-05494A
 Ernest, Michael V. See Peters, Alan W.
 Ernst, Donald M.
 Abrasion resistant [ceramic-oxide-coated] heat pipe. 64-00117P
 Ernstberger, Uwe; Cohr, Henri; and Porz, Franz
 Oxidation behavior of silicon-infiltrated silicon carbide. 64-02803A
 Erola, M.; Keinonen, J.; and Witlow, H. J.
 Ion-beam mixing of aluminum films on fused SiO₂. 64-04680A
 Eron'ko, S. B. See Chmel, Alexandre
 Eron'ko, S. B.; and Chmel, Alexandre
 Laser-induced accumulation of structural defects in glassy SiO₂. 64-01865A
 Eron'yan, N. A. See Kogel, S. P.
 Eror, Nicholas G. See Suriyayothin, N.
 Ershkova, V. I.; Slovokovskii, V. V.; and Demina, O. D.
 Service life of periclase-chromite tyeve blocks in horizontal converters for Pb-Zn production. 64-02208A
 Ersepek, Zdenek; Jahodova, Alois; and Kraljickova, Marie
 XRF analysis of silicates in thin layers. 64-02627A
 Ershov, B. G. See Polevoi, A. S.
 Ershova, L. A. See Artamonova, M. V.
 Ershova, S. A. See Novikova, E. M.
 Erstfeld, Thomas E.
 Method for the preparation of epitaxial films of mercury cadmium telluride. 64-02387P; See also Quinlan, Kenneth P.
 Erwin, Emmett M. See Bihuniak, Peter P.
 Esaki, Leo. See Chang, Chin-An
 Escalona Platero, E.; Otero Arenas, C.; and Mata Arjona, A.
 Alumina from calcined aluminum sulfate. 64-04486A
 Esch, Heinz. See Naurath, Peter
 Eschmann, F. See Braun, K.
 Eschner, A.; and Wirth, L.
 Pasty fibrous [clay-based] compositions. 64-00625P
 Escobar, M. E. See Rigotti, G.
 Escobedo Lopez, P. See Alarcon Navarro, J.
 Escobedo Lopez, P.; Guillem Monzonis, Claudio; and Alarcon Navarro, J.
 Cr-SnO₂-CaO-SiO₂-based ceramic pigments. 64-01387A
 Eschleman, Roger D.
 Particle fuel delivery control device. 64-06988P
 Esper, F. J.; and Gohl, W.
 Triazin resin/carbon fiber composites (TCF)—a new [bi-compatible] material for implants. 64-04365A
 Esposito, M. V.; Nastro, Alfonso; and Frigione, Giuseppe
 Glass-fiber-reinforced gypsum—influence of some admixtures. 64-06087A
 Esquivias, I.; Rodriguez, T.; and Sanz-Maude, J.
 Influence of substrate temperature on the optical properties of evaporated silicon films. 64-05930A
 Essenborn, Reiner. See Bernhard, Horst
 Essenhigh, Robert H.
 Furnace analysis applied to glass tanks. 64-06942A
 Etherington, C. See Pardoe, J. A.
 Etherington, George; Keller, L.; and Lee, A.
 X-ray diffraction study of the structure of barium fluorozirconate and fluorohafnate glasses. 64-04763A
 Ethridge, Edwin C. See Naumann, Robert J.
 Eto, Yoshiyuki
 Catalyst for reforming of methanol and process of preparing same. 64-05602P
 Etoc, P.; and Verhille, M.
 Experience of a French cement works in using waste byproducts for fuel. 64-01714A

- Euser, Paul**
Annual ceramic mineral resources review—refractory clays. 64-07014A
- Evanczuk, S.** See Manuel, T.
- Evans, Anthony G.**
Aspects of the reliability of ceramics for engine applications. 64-05976A; Fracture in Ceramic Materials: Toughening Mechanisms, Machining Damage, Shock. 64-04958B; See also Blumenthal, William R.; Dalgleish, B. J.; Drory, Michael D.; Fu, Y.; Hsueh, Chun-Hway; Johnson, S. M.; Johnson-Walls, D.; Marshall, David B.; Thouless, Michael David
- Evans, Anthony G.; and Fu, Y.**
Mechanical behavior of alumina—a model anisotropic brittle solid. 64-07477A
- Evans, David C.; and Rau, Lee**
Why have industry leaders gone to a formal agreement? 64-05995A
- Evans, Diane** See Olsen, Randall B.
- Evans, E. P.; Hedley, R. J. G.; and Pygall, C. F.**
Alumina sols. 64-07405P
- Evans, J. C.; Relf, C. P.; and Rowlands, C. C.**
EPR study of the effect of calcination temperature on Cr³⁺-impregnated polycrystalline rutile TiO₂. 64-02924A
- Evans, J. R. G.; Stevens, R.; and Tan, S. R.**
Sintering of β -alumina—microstructure and mechanical properties. 64-01255A; Thermal shock of β -alumina. 64-04357A; Thermal shock of β -alumina with zirconia additions. 64-04358A
- Evans, Larry G.** See Trombka, Jacob I.
- Evans, P. A.; Stevens, R.; and Binner, J. G. P.**
Quantitative X-ray diffraction analysis of polymorphic mixtures of pure zirconia. 64-01248A
- Evans, William P.**
Alkali-metal [oxide] or alkaline-earth metal compound additive for manganese dioxide-containing nonaqueous cells. 64-01492P
- Evason, John**
Method of and apparatus for thermally toughening glass. 64-03529P
- Evason, John; Rigby, Malcolm J.; and Ward, Peter**
Thermally toughening glass. 64-04880P
- Evdokimov, A. A.** See Sirotkin, V. P.
- Evdokimov, A. A.; Mishin, V. V.; and Smirnov, S. A.**
System Li₂O-La₂O₃-MoO₃. 64-05837A
- Evdokimova, G. G.**
Multiple cutting machines for ceramic bricks. 64-04006A
- Evdokimova, G. G.; Obolentsev, Yu. N.; and Kulazin, Yu. M.**
Flow sheet for the production of ceramic tiles. 64-02270A
- Everest, Charles E.**
Intraoptical light beam sighting system for an infrared thermometer. 64-04119P
- Everett, George S.**
Catalysts for foundry core binders. 64-07207P
- Everhan, Walter**
Cream pitcher. 64-04616P; Sugar bowl. 64-06052P; Teacup. 64-03069P; Teapot. 64-04622P; Tureen. 64-06053P
- Everhart, Cherie H.** See Aszman, Harry W.
- Eygen'ev, S. B.** See Islamov, S. A.; Sorokina, O. V.
- Eygen'ev, S. B.; and Ganina, N. B.**
Phase equilibria in the system Ga-Bi-GaAs. 64-05770A
- Eygen'ev, S. B.; Sorokina, O. V.; and Mashchenko, I. V.**
Solubility of thallium in indium antimonide. 64-05805A
- Evlch, L. I.** See Kalita, G. E.
- Ewing, John J.** See Claassen, George R.; Fecik, Michael T.; Frank, Robert G.
- Ewing, Rodney C.** See Altenhein, Friedrich K.
- Ewsuk, K. G.; and Messing, Gary L.**
Densification of sintered lead zirconate titanate by hot isostatic pressing. 64-00825A
- Exner, Gerhard**
Permissible bending stress in glass components under continuous loading—a prediction concept from laboratory dynamic strength measurements. 64-03471A
- Etikov, V. I.; Buzin, Yu. I.; and Chuchmarev, S. K.**
Temperature-concentration dependences of the oxygen activity in glassmelts of the system Na₂O-CaO-SiO₂. 64-03371A
- Ezis, Andre**
Method of making an anisotropic silicon nitride comprising object by use of higher density and fully reacted preforms. 64-05633P; Method of making silicon nitride comprising objects. 64-01327P; See also Tenenhouse, Gerald J.
- Ezis, Andre; Beckwith, Elaine C.; and Blair, Howard D.**
Method of making a densified silicon nitride/oxynitride composite. 64-04404P
- Ezis, Andre; and Blair, Howard D.**
Method of making yttrium silicon oxynitrides. 64-04405P
- Ezis, Andre; and Coppel, Warren B.**
Method of hot-pressing reactive [Si₃N₄] materials. 64-02879P
- Ezz El-Din, F. M.** See Ahmed, A. A.
- Fabbri, B.** See Fiori, C.
- Fabbri, B.; and Fiori, C.**
Volcanic ash—a natural additive to prevent black coring. 64-00453A
- Faber, Katherine T.**
Ceramic educational council statistics, 1983-84. 64-01604A; Toughening mechanisms for ceramics in automotive applications. 64-04361A
- Fabricant, Barbara L.** See Aubourg, Patrick F.
- Fadeeva, V. I.** See Tikhomirova, T. I.
- Faerman, V. T.** See Ugryumova, M. A.
- Fahy, John P.** See Ritter, John E., Jr.
- Fahlen, Theodore S.** See Yao, J. Q.
- Fahlke, B.** See Bremer, H.
- Faillace, Louis M.**
Extruder temperature controller. 64-06811P
- Fainaro, L.; Ish Shalom, M.; and Ron, M.**
Interdiffusion of silver in glasses and the related variations in electronic polarizability. 64-01860A
- Fairbanks, Carolyn J.; Lee, Hong Lim; and Hasselman, D. P. H.**
Effect of crystallites on thermal shock resistance of cordierite glass-ceramics. 64-01835A
- Fairhurst, Carl W.; Mackert, J. Rodway, Jr.; and Twigg, S. Warren**
Bonding of ceramics to alloys. 64-06138A
- Fajun, Wei** See Roy, Della M.
- Falcony, C.** See DiMarzio, Donelli J.
- Falz, W.** See Tkalcic, E.
- Fan, Liang** See Sun, Yu-yun
- Fanderlik, Ivan**
Absorption of glasses in the ultraviolet region of the spectrum. 64-03180A; See also Kocik, Jiri
- Faneli, Anthony J.; and Price, Alton K.**
Alumina-based aerogel supported transition-metal catalysts useful as a ziegler-natta olefin polymerization catalyst and process for preparing same. 64-01275P
- Fanfani, Angiolo** See Cora, Galcazzo
- Fang, Chih-yao; and Uhlmann, Donald R.**
Process of crystal melting: II, Melting kinetics of sodium disilicate. 64-00218A
- Fantozzi, Louis R.; Kessler, Lawrence W.; and Draxler, Richard**
Model EO 1000 multispectral computerized [infrared] lens evaluation station. 64-02647P
- Fanucci, Ronald E.; and Yven, Maria J.**
Technique for fabricating single mode lightguide soot forms. 64-00269P
- Fara, Vladimir L.** See Fochianu, Vasile
- Fara, Vladimir L.; Nisteanu, Viorica; and Grigorescu, Radu**
Possibilities of achieving aluminized mirrors with a protective layer. 64-06322A
- Farafonov, G. A.** See Bas'yas, I. P.
- Farag, L. M.** See Hanna, S. B.
- Farbas, N.**
Magnetic determination of plastic deformation of ferromagnetic materials. 64-03962A
- Faria, Angela Rodrigues** See Luiza, Sebastiana
- Farlow, G. C.** See McHargue, C. J.
- Farmer, Robert W.; and Beckman, James R.**
Particle size distribution analysis of blended solids by a modified Andreasen pipet method. 64-01027A
- Farr, Howard J.** See Alexander, Kevin; Taylor, Derek
- Farrow, Robin F. C.** See Dean, Anthony B.
- Farvaze, R. F.** See Sorokin, I. N.
- Fassler, D.** See Kneipp, K.
- Fathy, D.; Narayan, J.; and Holland, O. W.**
Microstructure analysis of Ni-SiC mixed layers. 64-00101A
- Fau, C.** See Lombos, B. A.
- Faunce, Frank R.**
Microcellular ceramic material [for dental veneer] and process for manufacture thereof. 64-01333P
- Faure, Jean-Paul** See Lecron, Jacques
- Faustova, R. S.**
Phase diagram of the system RbPO₃-Bi(PO₃)₃. 64-05767A
- Fay, Gordon C.**
Are we conserving as much fuel and energy as we profitably could? 64-01602A
- Fegain, Roy C.**
Refractory [casting mold from sol-gel] material. 64-05028P
- Fecik, Michael T.** See Frank, Robert G.
- Fecik, Michael T.; Ewing, John J.; and Mates, Edward I.**
Glass sheet handling devices. 64-06358P
- Fecik, Michael T.; Frank, Robert G.; and Ewing, John J.**
Shaping sheets of glass or other deformable material to a complicated curvature. 64-00425P
- Federico, M.** See Carini, G.
- Fedorik, Radovan** See Potancok, Miroslav
- Fedorov, A. G.** See Bogomolova, L. D.
- Fedorov, N. F.; and Kyatkovskii, O. V.**
Glass-formation region in the system MgO-MoO₃-La₂O₃. 64-03263A
- Fedorov, P. P.** See Zimina, G. V.
- Fedorov, P. P.; Sattarova, M. A.; and Shersheva, I. I.**
Phase diagrams of the binary systems formed by the fluoride of cadmium and the fluorides of holmium and erbium. 64-05768A
- Fedorov, P. P.; Zhmurova, Z. I.; and Sobolev, B. P.**
Fusibility diagram of the system CdF₂-YF₃. 64-05710A
- Fedorov, V. P.; Naumov, V. A.; and Korets, A. Ya.**
Low-temperature electronic absorption spectra of crystalline sodium nitrate. 64-04548A
- Fedorova, E. G.; and Yatsenko, S. P.**
Relationships of phase formation in binary systems from rare-earth metals and p-elements of the III-IV groups. 64-01458A
- Fedorova, L. V.; Molchanov, V. S.; and Makarova, T. M.**
Kinetics of the initial stages of leaching of Pb silicate glasses by acid solutions. 64-01864A
- Fedorovich, O. V.** See Kask, N. E.
- Fedorovskii, Ya. A.**
Glass-ceramic gravel for building construction. 64-06306A
- Fedoruk, R. M.; Pitak, N. V.; and Khmelenko, T. P.**
Properties of grog obtained by the firing of kaolin in a rotary kiln. 64-00504A
- Fegley, Bruce, Jr.; White, Paul; and Bowen, H. Kent**
Preparation of zirconia-alumina powders by zirconium alkoxide hydrolysis. 64-04320A; Processing and characterization of ZrO₂ and Y-doped ZrO₂ powders. 64-07150A
- Fehér, Ferenc; and Horvath, Istvan**
Re recuperative heat utilization. 64-04994A
- Fehner, Francis P.** See Elmer, Thomas H.
- Feierabend, Louis** See Mottram, William R.
- Feierabend, R.** See Goepel, W.
- Feige, Fritz; Verch, H.; and Krahner, A.**
Energy-saving manufacture of standard cement in roller mills with external material circulation. 64-01712A
- Feigelson, Robert S.**
Method of growing single-crystal cadmium telluride. 64-00774P
- Feilchenfeld, H.; Fuchs, J.; and Sarig, S.**
Calorimetric investigation of the stability of stagnant calcium chloride hexahydrate melt. 64-05665A
- Feinberg, Jack** See Ducharme, Stephen
- Feieng, Zhang** See Tomisa, Antoni P.
- Felto, J. M.**
Ceramic museum and school, Aviles, Spain. 64-03057A
- Fekce, Jerzy; and Tyminska, Jolanta**
Effect of selected additives on the sintering process of tin oxide. 64-03771A
- Fekete, Laszlo**
Dolomite as an aggregate for concrete making. 64-05490A
- Fekete, S.** See Hrivnakova, V.
- Feklin, S. K.; and Bullis, Yu. Yu.**
Unit for controlling the drying of ceramic bricks. 64-06962A
- Felice, Frank T.**
Aluminum-resistant refractory composition. 64-06473P
- Felinski, G. S.** See Klimenko, V. A.
- Feltz, Adalbert; and Pfaff, Gerhard**
Glass formation and structure [properties] of chalcogenide systems: XXVIII, Bonding energies of Si-Si and Ge-Ge bonds in Na₂Si₂X₄ and Na₂Ge₂X₄ (X = S, Se). 64-01543A
- Feng, Ching C.**
Apparatus for acoustic emission detection including a waveguide made of aluminum or beryllium oxide. 64-05445P
- Feng, Chu-de**
Microscopic observations on the metal-carbon films formed during the synthesis of diamond. 64-01555A
- Feng, Xi-qi; and Ren, Cong-xi**
Properties of the surface layer of low-energy ion-bombarded LiNbO₃ crystal. 64-05279A
- Feng, Zhe-chuan** See Liu, Hong-du
- Fenin, V. V.** See Wanklyn, B. M.
- Fennell, Thomas G.; and Fisher, Ronald**
Load-bearing [mica/metal matrix] thermal insulator. 64-06150P
- Fenton, Frank A.**
Dead plate arrangement of a glassware forming machine. 64-04845P; Method of cooling a glassware mold. 64-06382P; Mold arrangement for a cyclically-operating glassware container manufacturing machine with temperature-sensing means. 64-06833P
- Fenzke, H. W.** See Van Muu, Bui
- Ferber, Mattison K.**
Mathematical description of transient crack growth behavior in glass. 64-02987A; See also Becher, Paul F.
- Ferber, Mattison K.; Kimrey, H. D.; and Becher, Paul F.**
Mechanical reliability of ceramic windows in high-frequency microwave heating devices: I, Analysis of temperature and stress distributions. 64-03797A
- Ferber, Mattison K.; Ogle, J.; and Tenney, Victor J.**
Characterization of corrosion mechanisms occurring in a sintered SiC exposed to basic coal slags. 64-05898A
- Ferguson, Robert L.; and Lovelady, Ray W.**
Fabricating underwater electroacoustic transducers. 64-05097A
- Ferguson, Susan A.** See Chin, Roland L.
- Fernandes, A. A. R.** See De Biasi, R. S.
- Fernandez Navarro, J. M.** See Duran, Alicia
- Fernandez Valcarlos, J. A.; and Gonzalez Canibano, J.**
Coal-beneficiation wastes as raw materials for making ceramic products. 64-06417A
- Ferniani, C.** See Biffi, Giovanni
- Ferrari, A.** See Bertolotti, M.
- Ferreiro, Franco** See Fornaro, Giorgio
- Ferreira, Al**
Brick sculptors carve new artistic niche. 64-01653A; Refractory producers find energy savings pay off. 64-02202A
- Ferreira, Heber Carlos** See Aliaga Kiminami, Ruth H.; Da Cunha Machado, Edna C.; Luzinete Barbosa, Maria; Ramos, Rosemary R.
- Ferri, John L.; and Kohnken, Kent H.**
Calculation of fuel savings via recuperation by utilizing computer-generated heat curves. 64-04144A
- Fertl, Walter H.; and Ruhovets, Naum**
Method and apparatus for determining characteristics of clay-bearing [geological] formations. 64-02642P
- Fesenko, V. M.** See Pirogov, E. N.
- Fesquet, J.; Girault, B.; and Razafindratsimaniray**
Determination of absorption coefficients of thick semiconductor samples using photoacoustic spectroscopy. 64-00646A
- Fessler, H.; and Fricker, D. C.**
Theoretical analysis of the ring-on-ring loading disk test. 64-01038A

- Festa, D. See Scarinci, Giovanni
- Fetisov, V. B.; Divina, M. A.; and Vorob'ev, Yu. P.
Phase equilibria in the system Y-Fe-O at 1270 K. 64-01439A
- Fett, T.; and Munz, Dietrich
Determination of ν -K curves by a modified evaluation of lifetime measurements in static bending tests. 64-06865A
Determination of transient creep parameters for HPSN [hot-pressed Si₃N₄] by dynamic bending tests. 64-01196A
- Feuerhelm, L. N. See Fisanich, P. E.; Tanimura, K.
Fiato, Rocco A. See Soled, Stuart L.
Ficht, R.; and Schlinder, M.
Ceramic [engine] sliding bearings. 64-01284P
- Fichtner, H. See Schneider, M.
Fickel, Albrecht; and Kramms, Joern
Silicon carbide refractories in blast furnaces—theory, applications, results. 64-02213A
- Fiegl, George; and Torbet, Walter
Two-crucible Czochralski process. 64-04015A
- Fiedling, Julian; and Lamb, Lesley
Distributed control in slurry blending. 64-06766A
- Fierro, J. L. G. See Homs, N.
Fietisch, Guntner; and Ramdohr, Heike
Preliminary studies of grinding aid use in the plaster industry. 64-00051A
- Fielek, Vratislav; Zelazny, Zdenek; and Narta, Frantisek
Oswald's combustion triangle. 64-04157A
- Filina, L. V. See Krotikov, V. A.
Filipchenko, V. Ya. See Gorbunov, O. B.
Filip'ev, V. S.; Devikanova, R. U.; and Kryshkop, V. G.
Solid solutions in the systems of oxides with tetragonal potassium-tungsten bronze-type structure. 64-01462A
- Filippakis, S. E. See Calamitout, M.
Filippov, N. I. See Skorokhod, V. V.
Filius, Jiri
Pilot-plant proof-testing of precalcining systems for cement kiln lines of lower capacities. 64-03115A
- Finch, P. J.; and Wickstead, C.
Control of glass level. 64-04779A
- Finger, L. W. See Hazen, R. M.
Fingerle, Dieter See Dworak, Ulf
Fink, J. K.
Review of the thermophysical properties of fast-reactor fuel. 64-05347A
- Finkel'shtein, S. Kh. See Gorbunov, O. B.
Finlayson, Claude M. See Maris, Wilbur S.
Finn, Mark B.; Hallenbeck, William H.; and Chen, Edwin H.
Comparison of preparation techniques for analysis of asbestos samples by transmission electron microscopy. 64-02580A
- Finney, John F.
Means for and method of [ceramic fiber] furnace insulation. 64-06982P
- Finnie, Iain See Nielsen, Charles A.
Fiori, C. See Fabbri, B.
Fiori, C.; and Fabbri, B.
Development of alkaline vapors during firing of NaCl-containing clay for brick and tile production. 64-04887A
- Firsi, A. C. See Reynen, Piet
Firov, A. V.; Bush, A. A.; and Venevsev, Yu. N.
Growth and study of single crystals MPb₃(Ge₂O₇) (M = Ba, Cd, Zn) with the structure of barillite. 64-05717A; Synthesis and investigation of phases in the PbO-SiO₂ system. 64-05816A
- Firsova, L. P. See Simirskii, Yu. N.
Firtak, Yu. Yu. See Mikulainets, S. V.
Fischnick, P. E.; Halliburton, L. E.; and Feuerhelm, L. N.
Radiation-induced defects in fluoride glasses. 64-06238A
- Fischer, Frank See Haider, Zia
Fischer, Knut
Device for detecting defects in glass articles. 64-02633P
- Fischer, Peter
Comments on the color of the fired clays. 64-02264A
- Fischer, Peter; and Bobbe, Gunther
Reflections on process engineering for heavy clay production at the [E. German] Grossraeschen plant. 64-03575A
- Fischer, R. See Sun, Y. L.
Fischer, Robert See Menschner, Rolf
Fischetti, M. V. See Ricco, B.
Fischman, Gary S.; and Petuskey, William T.
Thermodynamic analysis and kinetic implications of chemical vapor deposition of SiC from Si-C-Cl-H gas systems. 64-05867A
- Fisher, Albert W.
Local oxidation of silicon substrate using LPCVD silicon nitride. 64-00764P
- Fisher, Chester F. See Lu, Grant
Fisher, Clark K.; Hankey, Dana L.; and Liang, Edward C.
Infrared firing of a copper multilayer system. 64-05116A
- Fisher, Gene A. See Mottram, William R.
Fisher, Greg
Background investigations help gain support for research. 64-01603A; Ceramic corrosion fundamental to process efficiency gains. 64-07074A; Ceramics play key role in thick-film pastes. 64-02291A; Electronic ceramics—technology acceptance key to market performance. 64-05089A; Materials for ceramics face changed perception. 64-07042A; Numerical control produces precision parts. 64-02802A; Summary of Japan's innovative industrial materials. 64-04591A; US universities provide research developments—require massive support. 64-01624A
- Fisher, Greg; Noe, Terry R.; and Rice, Steven O.
Low-mass cars bring productivity gains. 64-06455A
- Fisher, Jeffery E.
Measurement of pH[—simplification of methods and materials]. 64-02603A
- Fisher, John R.
Cast leads for surface attachment. 64-03752A
- Fisher, Ronald See Fennell, Thomas G.
Fitchett, A. M.; and Wiltshire, B.
Mechanical properties of carbon-bearing magnesia: I. Pitch-bonded magnesia. 64-00483A; Mechanical properties of carbon-bearing magnesia: II. Pitch-bonded magnesia-graphite. 64-00484A; Mechanical properties of carbon-bearing magnesia: III. Resin-bonded magnesia and magnesia-graphite. 64-02143A
- Fitzgerald, F.
Process developments in the iron and steel industry. 64-02179A
- Fitzgerald, John See Van de Weijer, Martinus H.
Fjeldby, T. A.; Hordvik, A.; and Drexhage, Martin G.
Stability of ir transparent fluoride glasses in humid air studied by Auger electron spectroscopy. 64-00326A
- Fajsar, Jiri; Nezhbya, Pavel; and Hromada, Jiri
Double-frequency classifier-vibrating screen [driven by exciters with different frequencies]. 64-02508A
- Flament, F. See Laguiton, D.
Flamm, Daniel L. See Donnelly, Vincent M.
Flanagan, Paul; and Chumse, Mark S.
Rotary burner. 64-02695P
- Fiandermeier, B. F.; Agarwal, Anil K.; and Anderson, H. V.
Oxidation-reduction behavior of La-doped SrTiO₃. 64-02433A
- Flanagan, Marie C. See Bobbio, Stephen M.
Flanigen, Edith See Lok, Brent M. T.
Fleer, S. A.; and Tyutyunnik, F. P.
Plate-like refractory materials [from grog, clay, SiC, and Al₂O₃]. 64-00496A
- Fleer, S. A.; Tyutyunnik, F. P.; and Ustinov, V. V.
Trapped dust [from waste gases] at the Suvorov [USSR] ore-beneficiation plant [for making grog for refractories]. 64-01145A
- Fleming, Georges
Runner [refractory brick and ramming] for molten metal. 64-05030P
- Fleming, James W., Jr.
Dispersion in GeO₂-SiO₂ glasses. 64-04717A; Method for making germanium silicate gel glass and articles. 64-00387P
- Fleming, Penelope
Double-chambered kiln. 64-06025A
- Flerova, G. A. See Grinchenko, V. T.
Flerova, S. A.; Bochkov, O. E.; and Tsinnan, I. L.
Effect of magnetic field on ferroelectric phase transitions in BaTiO₃. 64-03769A
- Fletcher, Joseph P. See Giess, Edward A.
Fletcher, K.
Role for fast and once firing in energy and cost savings for the UK pottery industry. 64-05046A
- Fletcher, Michael B.
Method of fusing vanadium pentoxide powder. 64-04051P
- Flex, N. S. See Guindy, Nabila M.
Flinn, J. E. See Welch, J. M.
Flintoff, John F. See Harker, Alan B.; Morgan, Peter E. D.
Flom, Z. G. See Grossman, I. N.; Lukishker, E. M.
Flora, John H.; and Henderson, James E.
Piezoelectric moisture-measuring device. 64-02445P
- Flores, James S.; and Shackelford, James F.
Solubility of argon in vitreous silica. 64-03356A
- Flory, F. See Borgogno, J. P.
Flyagin, V. G. See Turchaninov, V. S.
Flynn, John J. See Chai, Bruce H.
Foalke, K. D.
Oxygen-enhanced combustion. 64-06954A
- Fochiana, Vasilie; Fara, Vladimir L.; and Nistreanu, Viorica
Thin protective layers of the SiO₂-type in the mirror and glass industry. 64-06332A
- Fodor-Szorenyi, Marta
Determination of antimony(III) oxide in glasses. 64-04712A; Determination of zirconium(IV) oxide content in silicates by a photometric method. 64-05410A
- Foerster, A.
Operation of single-component blending beds. 64-06113A
- Fojtkova, Marie See Bedros, Petr
Fokin, G. A.; Kudryavtseva, E. G.; and Rogovoi, M. I.
Acoustic emission method for studying and calculating the firing rate of wall [tile] ceramics. 64-02258A
- Foldesi, Edit; Benko, Peter; and Gal, Jozsef
Nongraphical evaluation of [Litteton] softening-point determination of glasses. 64-05429A
- Foley, Patrick; Cox, Herb; and Word, William
How electric melting affects glass chemistry. 64-00304A
- Folgar, Francisco; Krueger, William H.; and Gore, James G.
Fiber FP/metal-matrix composites in reciprocating engines. 64-05540A
- Foltynek, Svatopluk
Applications of fibrous refractory materials under various conditions. 64-03588A
- Folynowicz, Z. See Domka, F.
Folwaczny, Jozef; Gornik, Henryk; and Szymczyk, Jozef
New method of attaining the heat balance for the Portland cement clinker manufacturing process. 1. 64-06111A
- Fomichev, E. N. See Semin'ko, I. V.
Fomina, N. P. See Maslennikova, G. N.
Fonseca, Marcus C.; Da Cunha, Tarciso P.; and Fonseca, Marcus V. A.
Properties after firing in oxidizing atmosphere of Petrosix process pyrolyzed oil shale. 64-02047A
- Fonseca, Marcus C.; De Souza Santos, Persio; and Schmal, Martin
Use of pyrolyzed shale from the Petrosix process for poz-zolan production. 64-07056A
- Fonseca, Marcus V. A. See Fonseca, Marcus C.
Fontana, Aldo See Carini, G.
Fonteneau, Gilles See Tregato, Denis
Foote, Kenneth G.
Ultrasonic particulate sensing. 64-06924P
- Forcht, Brennan A. See Patten, James W.
Ford, R. W. See West, H. W. H.
Ford, William M.
Gallium arsenide—the technological dark horse. 64-02312A
- Fordsmand, H. See Thorsen, K. A.
Forster, Ray B., Jr.; and Panzarino, Joseph N.
Chemical [Na silicate glass] strengthening method. 64-01977P
- Forlani, Franco
Thick films in fuel injection systems. 64-05192A
- Forlani, O.; Ancillotti, F.; and Netari, B.
Catalyst based on [SiO₂-stabilized] gamma alumina. 64-01281P
- Formalik, Jadviga
Ferric iron concentration in glass determined by applying the electron paramagnetic resonance method. 64-03251A
- Fornaro, Giorgio; and Ferrefro, Franco
Re-use in brick production of treatment slurries of wool-washing water. 64-06430A
- Forrest, Stephen R.; Kim, Ock-Ky; and Smith, Richard G.
Long wavelength [chalcogenide] avalanche photodetector. 64-00765P
- Forslund, Bertil; and Jelinski, Bohdan
Simple minifurnace for thermocompaction and crystal growth experiments. 64-02617A
- Forster, Arthur D.; and Mitchell, James S.
Extensometer. 64-01054P
- Forster, Ewald See Kramer, Hans
Forster, J. B.
Fuel savings in kilns[—a review]. 64-06941A
- Forté, Susan; Morris, John R., Jr.; and Cannon, W. Roger
Strength of tape-casting tapes. 64-06581A
- Fortmann, R. See Johnson, D. L.
Foster, Bryan D.
Kiln car furniture module. 64-00556P; 64-06486P; See also Waugh, Arthur
- Foster, Bryan D.; and Stapleton, D. G.
Refractory support for use in kiln. 64-06499P
- Foster, G. V.
Kourion votive figurines—a study using xroradiography. 64-02273A
- Foster, Robert D.; and Walker, Ronald F.
Quantitative determination of crystalline silica in respirable dust samples by infrared spectrophotometry. 64-02611A
- Foster, S. C. See Coxon, J. A.
Foster, Thomas V.
Can we "build" a more competitive bottle? 64-03415A; Method of cooling a mold. 64-04863P; Mold cooling arrangement for a glassware forming machine. 64-04053P; Take-out mechanism for a glassware-forming machine. 64-06411P
- Fotiev, A. A. See Cheshtinskii, S. M.; Gladkov, V. E.; Gofman, E. E.; Khodos, M. Ya.; Krasil'nikov, V. N.; Krasenko, T. I.; Sharova, N. G.; Viktorov, V. V.
Fotiev, A. A.; Surat, L. L.; and Dobosh, V. G.
Analysis of phase compositions in systems containing V₂O₅, Fe₂O₃, Cr₂O₃, Al₂O₃, TiO₂, and SiO₂. 64-05661A
- Fourie, Jacobus T. See Res, Miloslav A.
Fowler, D. E. See Baik, Sunggi
Fox, B. See Harmer, Martin P.
Fox, Bradley H. See Kassarian, Michael P.
Fox, Bradley H.; Dayton, Gordon O.; and Moses, Paul
Controlled-temperature-profile firing system. 64-06934A
- Fox, Richard J.
Method and apparatus for determining peak temperature along an optical fiber. 64-06909P
- Fracker, Clarence E., Jr. See Grubka, Lawrence J.
Franklin, Judith N. See Pfeffer, Henry A.
Fraioli, Anthony V.
Solid [metal oxide] electrolyte structure. 64-00810P
- France, Paul W.; Carter, Stephen F.; and Williams, John R.
NH₃ absorption in fluoride glass infrared fibers. 64-01873A
- Francis, Thomas L. See Phelps, Frankie E.
Francis, Thomas L.; and Phelps, Frankie E.
Refractory composition comprising nitride filler and colloidal sol binder. 64-07281P
- Francis, Paul W. See Beales, Keith J.
Frank, Robert G. See Fecik, Michael T.
Frank, Robert G.; Claassen, George R.; and Ewing, John J.
Pivotal shaped auxiliary gas heater for glass sheet-shaping molds. 64-02016P
- Frank, Robert G.; and Ewing, John J.
Multiple chamber vacuum holder used to shape glass sheets with means to isolate adjacent vacuum chambers. 64-02011P
- Frank, Robert G.; Fecik, Michael T.; and Claassen, George R.
Shaping glass sheets to complicated shapes using special lift mold. 64-06406P
- Frank, Robert G.; Fecik, Michael T.; and Ewing, John J.
Method and apparatus for shaping glass sheets to complicated shapes. 64-03521P; Vacuum mold for shaping glass sheets. 64-06852P
- Frank, S.
Gold-ruby glass. 64-03446A

- Franke, Rudiger; and Weiss, Aby**
Cross-pit conveyor. 64-02538P
- Frankhouser, William L.; Kiesek, Michael C.; and Brendley, Keith W.**
Gasless Combustion Synthesis of Refractory Compounds. 64-06000B
- Franko, A. M.** See Gratsianski, V. I.
- Franks, Larry** See Patil, Ram S.
- Frantsevich, I. N.** See Kravets, V. A.
- Frans, Cornelis**
Temperature sensor and method using a single rotated quartz crystal. 64-00849P
- Fraser, Donald J.**
System for locating [ceramic] cores in casting molds. 64-02572P
- Frater, Norman K.; Hoe, Stanley S.; and McConnell, William H.**
Circuitry for measuring magnetic head flying characteristics. 64-01049P
- Frattacci, G.** See Boudigues, S.
- Frazer, Robert E.; and Andrew, Thomas W.**
Continuous monitoring of melt compositions. 64-04078A
- Frazier, Donald O.; Smith, James E., Jr.; and Kaukler, William F.**
Reversing glass wettability. 64-06326A
- Frederikse, Hans P. R.; Kahn, A. H.; and Dragoo, Alan L.**
Electrical resistivity and microwave transmission of hexagonal boron nitride. 64-05535A
- Fredriksson, A.** See Sjostrand, M. E. C.
- Freeborn, W. Phelps** See Troester, Joseph W.
- Freeborn, W. Phelps; and White, William B.**
Hydrothermal dissolution of nuclear waste ceramics. 64-05550A
- Freeman, Eva C.; and Baird, Donald H.**
Method for making thin-film electroluminescent rare-earth-activated zinc sulfide phosphors. 64-05882P
- Freeman, Gerald L.** See Hager, Adolph G.
- Freestone, I. C.** See Tite, M. S.
- Freidenberg, A. S.; and Gur'eva, V. A.**
Properties of aluminosilicate guniting mass during the early stages of hardening. 64-00503A
- Freidenberg, A. S.; Popov, A. D.; and Grinberg, V. Ya.**
Organic-bonded refractory materials. 64-02163A
- Freidenberg, A. S.; Sorokin, I. N.; and Zav'yalova, N. P.**
Protective coating for increasing the service life of refractory linings of pig iron-tapping channels in blast furnaces. 64-02190A
- Freidenfeld, E. Zh.** See Osipyan, V. G.
- Freiman, Stephen W.; White, Grady S.; and Fuller, Edwin R., Jr.**
Environmentally enhanced crack growth in soda-lime glass. 64-04790A
- Frejlich, Jaime** See Gibson, Mauro
- French, D. H.; Warne, S. S. J.; and Sheedy, M. T.**
Ion-exchange resins for the dissolution of carbonates. 64-04209A
- Frenkel, M. Ya.; and Ariskin, A. A.**
Algorithm of the computational solution of the equilibrium problem for crystallization of a basaltic melt. 64-05896A
- Freund, Friedemann; King, Bruce; and Knobel, Rolf**
Low atomic number impurity atoms in magnesium oxide—hydrogen and carbon. 64-07350A
- Frey, Jeffrey**
Semiconductors. 64-02336A
- Fricke, R.** See Selinina, M.
- Fricke, D. C.** See Fessler, H.
- Fridez, J. D.; Carry, C.; and Mocellin, A.**
Effects of temperature and stress on grain-boundary behavior in fine-grained alumina. 64-07094A
- Friebele, E. Joseph; Askins, Charles G.; and Gingerich, Michael E.**
Effect of low dose rate irradiation on doped silica-core optical fibers. 64-03431A
- Friedlander, Fritz J.; Takayasu, Makoto; and Hwang, Jiann-Yang**
Magnetic separation method utilizing a colloid of magnetic particles. 64-06819P
- Friedmann, Karel; and Pavsek, Antonin**
New cement type in Czechoslovak roadbuilding. 64-03105A
- Friedrichs, H. A.** See Meraikib, M.
- Frigione, Giuseppe**
Effect of fineness of raw mix components on clinkerization. 64-00038A; See also Esposito, M. V.
- Frigione, Giuseppe; and Nastro, Alfonso**
Effect of triethanolamine on properties and hydration of blast-furnace slag cement. 64-04635A
- Frisch, V.; and Jeschar, Rudolf**
Possibilities of optimizing the burning process in rotary cement kilns. 64-01743A
- Frischat, Guenther H.**
Anomalous diffusion behavior of sodium in SiO₂ glass; II. Results and interpretation. 64-03190A; See also Daemgen, Rainer Michael; Dietrichs, Joachim; Doeppkens, J.; Richter, Thomas
- Frischat, Guenther H.; and Overbeck, Iris**
Chemical durability of fluorozirconate glasses. 64-01814A
- Frische, Richard H.; Dankwort, Rudolf C.; and Klen, Charles D.**
Vibrating quartz diaphragm pressure sensor. 64-00852P
- Frit, B.** See Ziad, A.
- Froes, Francis H.** See Smith, Paul R.
- Frohman-Bentschkowsky, D.** See Nissan-Cohen, Y.
- Frohnshorff, Geoffrey** See Brown, Paul Wencil
- Frohwerk, Paul A.**
Multicell [ceramic] tiles with openings for use in a liquid cooling tower. 64-02886P
- Frolov, A. A.** See Papushina, T. I.
- Frolova, V. P.** See Rublevskii, I. P.
- Frolovskii, N. M.; Liberman, A. L.; and Kan, Yu. E.**
Service life of refractories during the treatment of metals with inert gas flow during continuous casting of steel. 64-05004A
- Fronm, Ellsworth H.** See Schirmer, Robert M.
- Frozzitta, Michael** See Clay, Hughie M.
- Frunza, Ligia** See Nicolescu, I. V.
- Fryburg, G. A.; and Makar, Frank B., Jr.**
Improved fabrication of Al₂O₃ tubing for sodium vapor lamps. 64-01221A
- Fryer, G. M.** See Ghudbhan, T. K. A.
- Fu, S. L.; Wei, C. C.; and Cheng, S. Y.**
Low-temperature firing of ceramics. 64-06565A
- Fu, Wen-biao**
Paramagnetic color center induced by γ -ray irradiation in phosphate and fluorophosphate glasses. 64-06231A
- Fu, Xi-ren** See Li, Wen-lan
- Fu, Y.** See Evans, Anthony G.
- Fu, Y.; Evans, Anthony G.; and Kriven, Waltraud M.**
Microcrack nucleation in ceramics subject to a phase transformation. 64-01554A
- Fu, Zheng-min; and Li, Wen-xiu**
Investigation of the pseudobinary system Bi₂SiO₅-Bi₂GeO₅. 64-07348A
- Fuchikami, Jun; Higashi, Hidehiro; and Inoue, Takashi**
Hydrocracking [Al₂O₃-based] catalyst composition and method of making same. 64-04389P
- Fuchs, Henry O.** See Ross, Wayne
- Fuchs, J.** See Feilchenfeld, H.
- Fuess, H.** See Rae-Smith, A. R.
- Fuessl, Erwin**
Process of and apparatus for operating a [lime burning] shaft furnace. 64-02694P
- Fuessl, Erwin; and Waldert, Horst**
Feeding apparatus for uniflow regenerative shaft furnaces for calcining limestone and similar mineral materials. 64-01774P
- Fujii, Shuzo; Abe, Koichi; and Miwa, Hideo**
Constant discharge device in a conveyor for powdery and granular materials. 64-04027P
- Fujii, Shuzo; Oishi, Hideo; and Moriyama, Takashi**
High-pressure conveyor for powdery and granular materials. 64-04038P
- Fujikawa, Takao** See Moritoki, Masato
- Fujiki, Kuniharu**
Magnetic recording media of the high-recording-density-type comprising both titanium monoxide and magnetic alloy powders in a magnetic layer. 64-06732P
- Fujiki, Yoshinori** See Hasegawa, Yasushi
- Fujimoto, Kaoru** See Shikada, Tsutomu
- Fujimoto, Masayuki; and Kingerly, W. David**
Microstructures of SrTiO₃ internal boundary layer capacitors during and after processing and resultant electrical properties. 64-05132A
- Fujimoto, Shoichiro**
Carbon-containing refractories. 64-03596A; See also Naruse, Yoichi
- Fujimoto, Shoichiro; Shikano, Hiroshi; and Kaneko, Toshiaki**
Spalling test methods for graphite-containing nozzles. 64-05437A
- Fujimoto, Terunori; Shimizu, Nobuyoshi; and Shimizu, Mutsumi**
Metallic chromium-nickel-hydrated chromium oxide-coated tin-free steel and process for the production thereof. 64-04695P
- Fujimoto, Yoshiaki** See Hirota, Ken
- Fujimura, Yoshikazu** See Ishida, Shingo
- Fujiri, Kinjiro** See Osada, Kiyoishi
- Fujita, Shizuo; Toyoshima, Hideo; and Obishi, Toshiyuki**
Plasma-deposited silicon nitride films from SiF₄ as silicon source. 64-02806A
- Fujita, T.; and Watanabe, K.**
Low-temperature sintered [Al₂O₃] porcelain composition. 64-06535P
- Fujita, Tsuyoshi** See Taguchi, Noriyuki
- Fujita, Tsuyoshi; Taguchi, Noriyuki; and Toda, Gyoze**
Ceramic [electric] wiring boards. 64-00731P
- Fuji, Takamitsu; and Ogino, Makoto**
²⁵¹Pb NMR study on the structure of lead silicate glasses. 64-00224A
- Fujiwara, Francis** See Andermann, George
- Fujiwara, Teichi** See Kyoden, Hiroshi
- Fujiwara, Toshiaki** See Takemoto, Junichi
- Fujiwara, Yoshio; Kojima, Yuji; and Yamada, Sumio**
Piezoelectric resonator chip and trimming method for adjusting the frequency thereof. 64-00847P
- Fujiwara, Yukio; Sonoyama, Seiji; and Imatoki, Mitsumasa**
Lightning arrester [ceramic-cased] with leakage current detection. 64-05220P
- Fujiyama, Masashi** See Miyoshi, Takahito; Yamaguchi, Nobutaka
- Fujiyoshi, Kaichi** See Ishida, Shingo
- Fukai, Hirotsugu; and Nose, Norio**
Automatic thickness control system for presses. 64-02504A
- Fukatsu, Takeo**
Porcelain-clad electrical machine with vibration-on-transportation suppression. 64-00797P
- Fukaya, Kazuo** See Sugimoto, Hiroyuki
- Fukazawa, Takeshi** See Yamaguchi, Shunzo
- Fukuda, H.** See Kodaira, Kohei
- Fukuda, Junzo** See Kita, Katsuhiko
- Fukuda, Tadaji** See Shirai, Shigeru
- Fukuda, Tamotsu** See Asari, Akira
- Fukuda, Tsuguo** See Terashima, Kazutaka
- Fukui, Satoshi**
Quartzite as refractory raw material. 64-03662A
- Fukuizumi, Hideaki** See Yoshinari, Osamu
- Fukunaga, Osamu**
Comparison of tests for evaluating strength in Japan and the USA. 64-02581A; Construction of large-volume high-pressure apparatus [for ceramic research]. 64-04145A; Impressions of American group for high technology of ceramics—[August, 1983 visit to Japan]. 64-03018A; See also Endo, Tadashi
- Fukuoka, Hiromi** See Hiraguchi, Keisuke
- Fukushiki, Shinichi** See Ideno, Eizo
- Fukushima, Shigeyoshi; Mizuno, Masaaki; and Koga, Hideaki**
Process for the production of porous ceramic molded articles. 64-00995P
- Fukushima, Yoshiaki** See Kamigaito, Osami
- Fukuura, Shinichi** See Hikosaka, Shinichi
- Fukuura, Yukio** See Tanaka, Itsuo
- Fukuya, Hiroyuki** See Koga, Yoshikazu
- Full, William E.; Ehrlich, Robert; and Kennedy, Stephen K.**
Optimal configurations and information content of sets of frequency distributions [for grain size analysis]. 64-01026A
- Fuller, Edwin R., Jr.** See Freiman, Stephen W.; Lawn, Brian R.
- Fuller, Henry H.** See Hynek, Scott J.
- Fumagalli, Carlo** See Suciu, George D.
- Funabashi, Kiyomi** See Kawamura, Fumio
- Funabashi, Masahiko** See Nakamura, Masayuki
- Funnyama, Jyunichi**
Development of semiconducting ceramics [SrTiO₃]. 64-02296A
- Funazaki, Mitsunori** See Iwanami, Yoshiyuki
- Funk, James E.**
Extrusion of electrical porcelain bodies. 64-00903A; Slip casting and casters. 64-00616A
- Funk, V. F.; Kosukhin, V. V.; and Klement'ev, A. A.**
Process of precipitation of aluminum nitride from the gas phase. 64-05570A
- Funtikov, V. A.** See Orlova, G. M.
- Furata, Mamoru** See Kobayashi, Kazuo
- Furdanowicz, W.; and Klein, Lisa C.**
Viscosities and durabilities of lead phosphate glasses. 64-00241A
- Furioso Thonet, Domingo**
Ceramic stoves. 64-01666A; History of ceramic kilns. 64-03061A; Spanish ceramic pot. 64-03064A
- Furman, Sh. A.**
Synthesis of [thin-film optical] interference coatings. 64-04830A
- Furr, Dale D.**
Cooling tower with interlocking [ceramic] tiles. 64-02241P
- Furuchi, Shinji; Morita, Shigetoshi; and Taka, Shunichi**
Magnetic [Mn-Zn/Ni-Zn ferrite] head assembly. 64-05308P
- Furukawa, Kunito** See Ishibashi, Tazuo; Nameishi, Naoyuki
- Furukawa, Osamu** See Imai, Motomasa; Kanai, Hideyuki
- Furukawa, Seiji** See Rahman, Mohammad Mahmudur
- Furukawa, Takeshi** See Onuma, Eiichi
- Furukawa, Yoshitaka**
Chemical vapor deposition of phosphorus nitride and related compounds. 64-04252A
- Furumi, Koichi** See Naruse, Yoichi
- Furuta, Akio** See Yamada, Masatoshi
- Furutani, Toshinobu** See Sakurai, Shigenori
- Furyay, H.** See Hoshide, T.
- Furyay, Hiroshi; and Weedon, Jan B.**
South African andalusite—purisite. 64-02724A
- Fusenig, R.** See Limbert, Ulrike
- Futama, Hideo** See Tsukamoto, Takeyo
- Futami, Toshiko** See Ogino, Makoto
- Fyfe, W. S.** See Melling, Peter J.
- Fyles, K. M.** See Cockram, D. R.
- Fyodorova, I. L.** See Vitay, P. A.
- Gabano, Jean-Paul** See Broussely, M.
- Gabano, Jean-Paul; and Duchange, Jean-Pierre**
Lithium cell having a solid electrolyte constituted by a conductive vitreous [sulfide or halide] compound. 64-00763P
- Gabbi, C.** See Barbon, F.
- Gabor, Thomas; Broberg, David E.; and Diersen, Gunther H.**
Granular silicon carbide abrasive grain coated with refractory material—method of making the same and articles made therewith. 64-04606P
- Gabrian, Justina** See Mihalescu, Mihaela
- Gabrielyan, G. S.; Eremina, G. P.; and Kobak, E. N.**
Vibration spectra of glasses of the system Ba(PO₃)₂-PbF₂-AlF₃(AlO₂)₃. 64-03379A
- Gabuniya, L. V.** See Verulashvili, R. D.
- Gabuniya, N. V.** See Verulashvili, R. D.
- Gac, Frank D.** See Blake, Rodger D.
- Gac, Frank D.; and Blake, Rodger D.**
Fabrication of laser spark discharge devices. 64-06559A
- Gac, Frank D.; and Petrovic, John J.**
Feasibility of a composite of SiC whiskers in a MoSi₂ matrix. 64-07101A
- Gadalla, Ahmed M.**
Compatible phases in the system ZnO-CuO-Cu-Cr₂O₃. 64-05670A

- Gadalla, Ahmed M.; and Mansour, Nalla A. L. Quaternary system $\text{Cr}_2\text{O}_3\text{-MgO-CuO-Cu}_2\text{O}$ in air and its bearing on the performance of copper melting furnaces. 64-04991A
- Gadgil, Balkrishna B. See Obrist, Albert
- Gad'msali, Z. P. See Suslikov, L. M.
- Gadzhiev, M. I.; and Shaplygin, I. S. Interactions in the system BaO-RuO_3 . 64-05736A; System $\text{Li}_2\text{O-FeO}$. 64-05836A
- Gaenko, N. S. See Simonov, K. V.
- Gaffre, Michel See Kleinhans, Michel
- Gagen, Lucia See Becherescu, Dumitru
- Gagen, Lucia; Tarsu, Margareta; and Chelben, Drago Recycling of chemical industry waste—technical cupric oxide produced for ceramic flux dyeing. 64-07379A
- Gagne, Robert Oxygen control in a float glass tank. 64-06884A
- Gagne, Robert; and Tsai, Yih-Wan Regenerator checker packing with enhanced transverse flow. 64-06500P
- Gahrman, Norbert; and Stitz, Annelies Use of Fe_2O_3 -containing waste products for correction in cement industry. 64-03135A
- Gailiyova, Y.; Schmidt, E.; and Humlicek, J. Multiple-angle ellipsometry of Si-SiO_2 polycrystalline Si system. 64-05428A
- Gajbure, N. S.; See Kutty, T. R. N.
- Gajdarziska, M. See Mavrodiev, G.
- Gajek, Richard T. See Patton, Robert L.
- Gaj, Josef See Foldesi, Edit
- Galahov, F. Ya.; Aver'yanov, V. I.; and Vavilova, V. T. Immiscibility region in the systems $\text{Li}_2\text{O-Al}_2\text{O}_3(\text{CaO})\text{-SiO}_2$. 64-01829A; Liquefaction in the system $\text{Al}_2\text{O}_3\text{-TiO}_2\text{-SiO}_2$. 64-03289A
- Galah, A. F. See Younes, A. E.
- Galin, E. See Liso, F. J.
- Galan, E. I. See Astakhova, V. V.
- Galan, E. I.; Serkov, M. M.; and Kondrat'ev, Yu. N. Distribution of Sb_2O_3 between microphases in liquating alkali borosilicate glasses. 64-03220A
- Galan, S.; Grouset, D.; and Martinez, G. New SiC gas-gas ceramic heat exchanger for high-temperature use (1200°C). 64-02800A
- Galan, S.; Indart, J. M.; and Paturean, J. P. Experimental study of a cyclone burner for the stable combustion of industrial waste gases of very low calorific value (4 MJ/Nm³). 64-02664A
- Galan, V. E. See Urusovskaya, L. N.
- Galanowicz, M.; Gasior, M.; and Grzybowski, B. Oxidation of orthorhylene on $\text{V}_2\text{O}_5\text{-TiO}_2$ catalysts: I. Dependence of the reaction course on the composition and calcination temperature of the catalysts. 64-02804A
- Galanos, Francis S. See Birbara, P. J.; Veltri, Richard D. Galasso, Francis S.; and Veltri, Richard D. Pyrolytic graphite pretreatment for carbon-carbon composites. 64-02905P
- Galcum, R. See Wojtasinski, R.
- Galcner, Frank L. Model for the distribution of bond angles in vitreous SiO_2 . 64-07482A; See also Geissberger, A. E.; McKown, D. A. Caler, Richard E.; and Webb, Paul C. Nonexpansive [portland and high- Al_2O_3] rapid-setting cement. 64-01778P
- Galiano, Roberto E. See Larrauri, Jose M.
- Galkhova, L'ubica See Horvath, Ivan
- Galkhova, L. See Hanic, Frantisek
- Galkimov, G. G.; Berg, N. A.; and Zhitkova, T. N. System $\text{MgSO}_4\text{-Al(OH)}_3\text{-Na}_2\text{CO}_3\text{-H}_2\text{O}$ and production of magnesium aluminate. 64-05584A
- Galkitskaya, Galina K. See Andreev, Anatoly A.; Gavrilov, Alexei G.
- Galkin, V. M.; Sharygin, L. M.; and Molisev, V. E. Reaction of hydrated ZrO_2 with phosphoric acid. 64-01455A
- Galkin, Yu. M. See Uzberg, L. V.
- Gallagher, Patrick K.; and O'Bryan, Henry M., Jr. Characterization of LiNbO_3 by dilatometry and DTA. 64-05257A
- Gallagher, Patrick K.; Robbins, Murray; and Schrey, F. Preparation of III-V compounds by reduction of precursors. 64-06698A
- Gallagher, Sarah Ann; and Dworzak, Wolfgang Rudolph Thermodynamic properties of cerium oxalate and cerium oxide. 64-07398A
- Galle, Wilfried Total electric melting for enamel frits. 64-03161A
- Gallivan, Timothy J. See Connolly, John D., Jr.
- Galloway, R. C. Electronically conductive tectosilicates. 64-00746P
- Gall'perina, M. K. See Vinogradova, L. V.
- Gall'perina, M. K.; Tarantol, N. P.; and Khechumyan, E. M. Wollastonite synthesized from phosphogypsum for making ceramic tiles. 64-00622A
- Galvao, Fabio M. S. See Rouse, Colin Graham
- Galvin, Thomas M. See Bandyopadhyay, Gautam
- Galy, Jean; Mosset, Alain; and Lecante, Pierre Measuring instrument for X-ray structure determinations of liquid or amorphous materials. 64-01061P
- Gammaggo, Carlo See Mori, Mario
- Gamalei, Edwin I. See Antonov, Veniamin V.
- Gaman, V. I. See Kalygina, V. M.
- Gambino, R. J. See Ruf, R. R.
- Gamell, Paul M. Dielectric scanning locates voids in glass foam. 64-00285A
- Gamidov, R. S. See Pribyl'skii, N. Yu.
- Gan, Fe-xi; and Liu, Hui-min Laser-excited fluorescence spectra of Cr^{3+} in phosphate and fluorophosphate glasses. 64-00202A
- Ganapathi, L.; Subbanna, G. N.; and Gopalakrishnan, J. Electron microscopic investigation of oxides related to β -alumina. 64-07460A
- Ganapathy, V. Finding the draft loss across tube bundles—[nomograph for in-line or staggered bundles]. 64-02663A
- Ganbarov, D. M. See Mamedov, Kh. S.
- Gandals, M. See Dumas, T.
- Gandy, Richard G. See Dibrell, Benton L.
- Gane, Brian R.; and Howard, Philip Catalytic activity of aluminosilicate zeolites. 64-07209P
- Gangeth, J. R. See Srivastava, K. N.
- Ganguli, Dibyendu See Chatterjee, Minati
- Ganguli, Dibyendu; and Kundu, Debshou Preparation of amorphous ZrO_2 coatings from organometallic solutions. 64-01450A
- Ganguly, P. See Somasundaram, T.
- Ganina, N. B. See Evgen'ev, S. B.
- Gao, Yu-ming; and Li, De-yu Crystal structure of α -form sodium metavanadate. 64-05905A
- Gao, Zhen-xin Peritectic reaction in the system $\text{ZrO}_2\text{-Al}_2\text{O}_3\text{-SiO}_2$. 64-07360A
- Gasdin, A. N. See Degtyareva, E. V.; Dergaputskaya, L. A.; Shapiro, Ya. Z.
- Gasimov, Ya. G. See Karaulov, A. G.
- Gasimdashvili, G. G.; Odzelskashvili, D. G.; and Kutateladze, K. S. Properties of internal layers of ceramic glazes. 64-00220A
- Gasneva, N. Zh. See Khoroshavin, L. B.
- Gasni, S. K.; Majumdar, S. D.; and Chatterjee, K. C. Refractories [MgO-C] for large L. D. converters—[review]. 64-06444A
- Garbis, Dennis; Chan, Joseph Y.; and Granata, Amedeo J. Reactor and susceptor for chemical vapor deposition process. 64-06991P
- Garcia Casado, P.; Mendiola, A.; and Rasines, I. Perovskites $\text{Ba}_x\text{Ln}_{1-x}\text{SbO}_6$ ($\text{Ln}=\text{Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Yb}$). 64-01563A
- Garcia Sole, J. See Duran, Alicia
- Garcia Verduch, A. Coal and by-products as an alternative fuel for the kiln industry. 64-06930A; Physical effects of the treatment of clay with water vapor (steaming). 64-07045A; Texture concepts in the design of fired clay materials. 64-06433A
- Garcia, J. A. See Villafuerte-Castrejon, M.
- Garcia, J. R.; Suarez, Maria; and Guadido, C. G. X-ray diffraction spectroscopy for the analysis of crystalline solid phases. 64-01042A
- Garcia, R. R. See Parish, M. V.
- Garcia, Silverio M. Acidic glass cleaning composition. 64-01490P
- Gardner, Edward B. See Bystritsky, Wasy
- Gardner, Edward B.; and Winzer, Frederick W. Apparatus and method for controlling the shears of a glassware forming machine. 64-00938P
- Gardner, Samuel A.; and Ban, Thomas E. Desulfurization of phosphogypsum. 64-03140P
- Gardner, Timothy J.; and Messing, Gary L. Preparation of MgO powder by evaporative decomposition of solutions. 64-01449A
- Gargallo, J. J. See Alarcon Navarro, J.
- Garino, Terry See Scherer, George W.
- Garland, Paul A. Machine for comminuting materials. 64-00968P
- Garlock, David E. Developments and trends in the use of ceramic fibers. 64-03611A
- Garmash, V. Ya. See Zhuravskii, E. A.
- Garmire, Elia See Mueller, Craig T.
- Garmon, Jeff P. See Williams, Joseph C.
- Garmute, Antonio Synthesis of calcium hydrosilicates from industrial wastes. 64-01761A
- Garner, Peter; Stancati, Nicholas T.; and Szostak, Tadeusz Cleaving device for optical fibers. 64-04843P
- Garofalini, Stephen H.; and Levine, S. M. Differences in surface behavior of alkali ions in $\text{Li}_2\text{O-3SiO}_2$ and $\text{Na}_2\text{O-3SiO}_2$ glasses. 64-06179A
- Garratt-Reed, A. J. See Mizutani, N.
- Garritano, Ronald F. Compensated rheometer. 64-04112P
- Garvare, Tore See Ekblom, Ragnar
- Garzo, G. See Stade, H.
- Gasanaliev, A. M.; and Verdiev, N. N. System $(\text{NaF-CaF}_2\text{-BaMoO}_4)$. 64-05819A
- Gasanaliev, A. M.; Verdiev, N. N.; and Dzhirrov, M. A. System $\text{Na}_2\text{MoO}_4\text{-K}_2\text{MoO}_4\text{-CaMoO}_4\text{-BaMoO}_4$. 64-05840A
- Gasimov, K. S.; Strizhkov, B. V.; and Kozirkin, B. I. Cobalt oxide films prepared by chemical precipitation from the gas phase. 64-01383A
- Gasimov, Yu. M. See Allazov, M. R.
- Gasior, M. See Galantowicz, M.
- Gata, Gheorghe See Mihailescu, Andrea M.
- Gater, R. Development of optical decorating processes in the tableware industry. 64-05361A
- Gattuso, Todd R.; and Bowen, H. Kent Processing of narrow size distribution alumina. 64-06781A
- Gatzweller, Werner See Ohlenforst, Hans
- Gau, Shek-Chung; and Dalal, Vikram L. Amorphous [semiconducting] silicon carbide method. 64-00728P
- Gaulcker, Ludwig See Mizrah, Tiberiu; Rieger, Wolfhart
- Gault, C.; and LeDousal, H. Thermal endurance of polyphased refractories based on alumina. 64-00527A
- Gault, William A. Method for forming and growing a single crystal of a semiconductor compound. 64-06823P
- Gauthier, Francis; and Gombert, Jean Process for producing doped vitreous silica for preparing a preform for an optical fiber. 64-03402P
- Cavalet, Eugene J. See Usher, Peter P.
- Gavrilchikov, S. A. See Berzhanskii, V. N.
- Gavrilov, Alexei G. See Andreev, Anatoly A.
- Gavrilov, Alexei G.; Galitskaya, Galina K.; and Zhed, V. P. Wear-resistant [Hf or Zr carbide or nitride] single-layer coating of metal cutting tool. 64-07301P
- Gavrilsh, D. I.; Bugayev, N. F.; and Sokolov, A. N. Refractories for units used for the degassing of steel outside of the furnace and prospects for their development. 64-02197A
- Gay, David M. See McAfee, Kenneth B., Jr.
- Gayler, Ronald See Hadwick, William H.
- Gazza, G. E. See Greskovich, Charles D.
- Gazzara, C. P. See Ruid, Clayton O.
- Gazzoli, D. See Valigi, M.
- Geana, D. Min-max formulation of phase equilibrium in chemical reacting system. 64-01426A
- Gebhardt, Georg R. U.; and Hein, Klaus R. G. Method of making a [CaO-based] building material. 64-031429A
- Gee, Caroline M.; and Thurmond, Gary D. Reversing optical damage in LiNbO_3 switches. 64-06693A
- Gee, Mark G. See Almond, Eric A.
- Geertsema, Elise B. See Driessen, Antonius J. G.
- Gehrer, E.; and Hayek, K. Ultrathin epitaxial deposits of platinum on NaCl to be used as model catalysts. 64-05872A
- Gehrke, E. See Ullner, C.
- Gelb, Kent See Demiryont, H.
- Geldarova, E. A. See Rustamov, P. G.
- Geldarova, L. S. See Sychev, M. M.
- Geiger, Klaus See Strobel, Klaus
- Geller, V.; Haspel, R.; and Neuroth, N. Glass or glass-ceramics as a material for fluorescent solar collectors. 64-03512P
- Geller, Volkmar See Grabowski, Danuta
- Germaert, Gilles Possibilities for application as raw material of dusts from the dedusting process of charlotte production. 64-01135A
- Geissberger, A. E.; and Galanter, Frank L. Raman studies of vitreous SiO_2 versus fictive temperature. 64-03339A
- Gelabert, Antonio Sala See Steagall Person, Paulo H.
- Gell, P. A. M. Furnace for tomorrow in operation today. 64-04794A
- Gendry, M. See Granier, W.
- Genetay, Michel; and Dangers, Gerard Process for converting a ceramic toilet commode intended to be supplied with an independent water supply pipe into a toilet commode adapted to be supplied with water by an associated tank. 64-06539P
- Genjyo, H. See Kohara, M.
- Genkina, G. M.; and Tokman, I. D. Inverse Faraday effect in ferromagnetic semiconductors. 64-03960A
- Genkina, N. A.; Pavlov, P. V.; and Vodinskii, V. Yu. Structure of zirconium dioxide films prepared from zirconium acetylacetonate. 64-01579A
- Gentilman, Richard L. See Hartnett, Thomas M.
- Gentilman, Richard L.; Maguire, Edward A.; and Dolbert, Leonard E. Transparent aluminum oxynitride and method of manufacture. 64-07295P
- George, A. U. Reliability and quality assurance—basic concepts and their application to microcircuits. 64-03821A
- George, Stephen; and George, Thomas H. Refractory-binder coated fabric. 64-05029P
- George, Thomas F. See Last, Isidore; Lin, Jui-ten
- George, Thomas H. See George, Stephen
- Georges, Jean-Pierre J. See DiBianca, Frank A.
- Georgescu, Maria See Teoreanu, Ion
- Geraci, Dean J.; and Shelby, James E. Effect of atmosphere on the electrical conductivity of sodium tungstophosphate glasses. 64-00168A
- Gerard, Philippe Implantation of bubble garnets. 64-05296A
- Gerasimova, L. A.; Gubanov, I. A.; and Doronin, V. N. Electrophysical properties of polycrystalline nonstoichiometric Mn-Zn ferrites. 64-05293A
- Gerdas, E. See Schuett, H. J.
- Geren, Gerald S. Design patent infringements, damages, and profits—a lawyer's view. 64-03008A
- Gerlich, D.; and Hart, S. Second-order pressure derivatives of the elastic moduli of a machinable glass-ceramic. 64-01969A
- Gerlich, D.; and Slack, Glen A. Pressure dependence of the thermal conductivity of glasses. 64-06323A

- German, M.; and Kovba, L. M.
Model for the structure of the β -modification of the orthotitanates of the rare-earth elements. 64-05934A; XRD study of the system $\text{CaO}-\text{Y}_2\text{O}_3-\text{TiO}_2$. 64-01598A
- Gerstle, Volker See Beckerle, Heinz
- Gerstorfer, O.
Determination of surface roughness. 64-06903P
- Gervais, F.; and Kress, W.
Lattice dynamics of incipient ferroelectric rutile TiO_2 . 64-03927A
- Gerward, L. See Olsen, J. S.
- Gesling, Adam J.; and Stratford, Graham
Shaped refractory metal boride articles and method of making them. 64-04431P
- Gessaer, W. See Rettel, A.
- Get'man, E. I.; and Marchenko, V. I.
Isomorphic substitution of gallium for aluminum, indium, and iron in molybdates. 64-05744A
- Gharib, Sayed A. See Salman, S. M.
- Ghatak, S. See Mitra, N. K.
- Georgiuliu, Iulia See Dragos, Vasile
- Ghin, Victor V.; and Palintea, Anton
Primary heat recovery as a function of furnace char characteristics. 64-05471A
- Ghinamo, Leonardo
Device for automatic marking out and dividing up of a flat sheet of glass which can be positioned upstream of a sheet cutting line. 64-06800P
- Ghiselli, R. See Venturi, Viviano
- Ghods, M. See Labani, A.
- Ghoniem, N. A.
Optical absorption and ESR studies on Ti^{3+} in barium borosilicate glass. 64-03312A
- Ghoniem, N. A.; and Halawa, M. M.
Effect of boron oxide on the thermal conductivity of some sodium silicate glasses. 64-06183A
- Ghoniem, N. M.; and El-Shobaky, G. A.
Thermal behavior of cobalt oxides doped with ZrO_2 and ThO_2 and the possible cubic phase stabilization of zirconia. 64-04355A
- Ghoniem, Nabil See Ibrahim, Doreya M.
- Ghorab, Hanna Y.; and Abou El Fetouh, Safaa H.
Factors affecting the solubility of gypsum: II, Effect of sodium hydroxide under various conditions. 64-04643A
- Ghorab, Hanna Y.; Wassef, Marguerite; and Abou El Fetouh, Safaa H.
Factors affecting the solubility of gypsum: I, Effect of lime and temperature in different media. 64-04642A
- Ghosh Dasgupta, R. See Mitra, N. K.
- Ghosh, Gautam; and Samaddar, B. N.
Translucency of unglazed bone china body. 64-06529A
- Ghosh, N. K.; Das, A. R.; and Rai, K. N.
Preparation, characterization, and magnetic properties of coprecipitated barium hexaferrite powders. 64-06718A
- Ghuddban, T. K. A.; and Fryer, G. M.
Irreversible dilation on heating pressed pellets of alumina powder. 64-07473A
- Giachetti, N.
Glazes for single fired wall tiles. 64-06000A
- Giannini, G. See Bortolani, C.
- Giavelli, Giordano See Carraroli, Dario
- Gibbs, Marilyn B.
Surface-area stabilization of fumed silica. 64-01513P
- Gibbs, Ronald J.
Coagulation rates of clay minerals and natural sediments. 64-01119A; Settling velocity, diameter, and density for flocs of illite, kaolinite, and montmorillonite. 64-07050A
- Gibson, Donald D.
Method for preparing blocks of glass for shipment. 64-03526P
- Gibson, Mauro; and Frejlich, Jaime
Implementation of the Abels method for thin-film refractive-index measurement with transparent substrates. 64-00197A
- Gibson, Ursula J. See Kennemore, Charles M.
- Giedt, Donald C. See Inman, Frank S.
- Giergiel, J.; Subbaswamy, K. R.; and Eklund, P. C.
Light scattering from molten alkali halides. 64-05932A
- Giesecke, Henning See Ebneht, Harold; Sirinyan, Kirkor
- Giesel, P. See Warnecke, W.
- Gless, Edward A. See Watanabe, Koichi
- Gless, Edward A.; Fletcher, Joseph P.; and Herron, L. Wynn
Isothermal sintering of cordierite-type glass powders. 64-00309A
- Gigli, Paul D.
Process for making diamond and cubic boron nitride compacts. 64-06018P
- Gilbart, E. See Wu, Su-xing
- Gildersleeve, M. J.; and Brook, Richard J.
Fast firing of seawater magnesia materials. 64-03621A; Hot pressing of seawater magnesia materials. 64-06773A
- Giliberti, G.
Recycling fired scraps in the ceramic tile industry. 64-00613A
- Gilks, Michael J. R.
Taking the trouble out of trouble-shooting. 64-06432A
- Gill, B. S. See Subramanyam, A. V.
- Gill, Laurence D. See O'Connor, Eugene F.
- Gill, P. S.; Thomas, G. C.; and Blaine, R. L.
Systems for thermal analysis. 64-05439A
- Gillery, F. Howard
Low-resistance indium oxide films. 64-05224P
- Gillman, Dale C.
Electrode assembly for melting glass. 64-01101P
- Gimpel'man, E. Ya. See Maurin, A. F.; Panfilov, R. A.
- Gladin, E. I.; Kvantov, M. A.; and Kostikov, Yu. P.
Phase composition of BaTiO_3 doped with Y_2O_3 and Ta_2O_5 . 64-00685A
- Gingerich, Michael E. See Friebele, E. Joseph
- Ginn, Michael W.
Reducing slurry viscosity of kaolinic clays. 64-01171P
- Giordano, Nicola See Burriesci, Nicola
- Giraud, J. P.; Conord, J. P.; and Saverot, P. M.
Conceptual design for vitrification of HLW [high-level waste] at West Valley [NY] using a rotary calciner/metallic melter. 64-05318A
- Girault, B. See Fesquet, J.
- Girgis, L. G.; and Serry, Mohammed A.
Chromite-dolomite refractory products. 64-02079A
- Gitis, K. M. See Isagulyants, G. V.
- Gitman, Grigory M.
Oxy-fuel burner [with furnace blade for high-temp. melting]. 64-01109P
- Givargizov, E. I. See Limanov, A. B.
- Gizhevskii, B. A. See Samokhvalov, A. A.
- Gladkov, V. E. See Viktorov, V. V.
- Gladkov, V. E.; Viktorov, V. V.; and Fotiev, A. A.
Reaction in the system of finely dispersed oxides $\text{Al}_2\text{O}_3-\text{Cr}_2\text{O}_3$ at 800–875 K. 64-00506A
- Gladushko, O. A.; Gorbachev, V. V.; and Artamonova, G. I.
X-ray spectrometric study of Al ions in aluminoborosilicophosphate glasses. 64-03389A
- Gladys, V. V.; Kirillov, A. M.; and Gromov, Yu. P.
Decreasing the dust separation during the treatment of refractory clays with the APU combine apparatus. 64-02090A
- Glaesemann, G. S. See Ritter, John E., Jr.
- Glaeser, Andreas M. See Drory, Michael D.
- Glagoleva, N. N. See Burkhano, A. S.
- Glance, Paul
Designing with ceramics. 64-04263A
- Glanzman, W.
Xeroradiographic examination of pottery manufacturing techniques—a test case from the Baq'ah Valley, Jordan. 64-02283A
- Glasberg, Oscar S.
China welcome the pacemakers. 64-01943A
- Glaser, H. See Romey, I.
- Glaser, Hermann See Vogt, Wilhelm
- Glaser, Walter See Boggum, Paul
- Glaser, Walter; and Roesch, P.
Fully insulated kiln for the manufacture of hollow glassware. 64-01083A
- Glaser, Walter; Schmalenbach, B.; and Simon, G.
Structure and calculation of new, energy-efficient regenerative chamber systems. 64-00332A
- Glasgow, D. A. See Yuceoglu, U.
- Glasgow, Thomas K. See Herbell, Thomas P.
- Glass, A. M. See Jackel, Janet L.
- Glass, Howard L.
Ceramic strontium ferrite borate. 64-04500P; Strontium ferrite borate. 64-03980P
- Glass, S. Jill; Nicholson, Patrick S.; and Clark, C. Burton
Characterization of interfacial reactions between $\beta\text{-Al}_2\text{O}_3$ and Y_2O_3 -partially stabilized ZrO_2 . 64-07077A
- Glasser, David See Van Vuuren, D. S.
- Glasser, Fred P.
Role of ceramics, cement, and glass in the immobilization of radioactive wastes. 64-06745A; See also Jantzen, Carol M. F.
- Glasson, D. R.
Phosphate bonding of lime, magnesia, and clay. 64-07044A; Vacuum balance studies of phosphate-bonded oxide ceramics. 64-07400A
- Glazov, V. M. See Pavlova, L. M.
- Gleason, George W. See Daudt, Stephen W.
- Glebov, L. B. See Savel'ev, V. L.
- Glebov, L. B.; Derzhavin, S. N.; and Ivanov, A. V.
Microhardness of glass layers obtained by low-temperature ion-exchange diffusion. 64-03299A
- Glebov, L. B.; Dokuchaev, V. G.; and Petrovskii, G. T.
Effect of oxidative conditions of synthesis on the relation of $\text{Fe}^{3+}/\text{Fe}^{2+}$ ratio and near-ir absorption of high-purity silicate glasses. 64-03236A
- Glebov, L. B.; Efimov, O. M.; and Petrovskii, G. T.
Effect of photodecolorization on 2-photon coloring of Na silicate glasses. 64-03237A
- Glebov, L. B.; Morozova, I. S.; and Petrovskii, G. T.
Role of stresses in the formation of spectral modes in diffusion waveguide plates. 64-03352A
- Glebov, L. B.; Nikonov, N. V.; and Petrovskii, G. T.
Effect of stresses on the refractive index of gradient layers of glasses prepared by ion-exchange diffusion. 64-01838A
- Glebycheva, A. I. See Philippova, E. A.
- Glemza, Rimantas See DeWolf, Robert B., II
- Gilbins, I. V. See Bozhenov, P. I.
- Gliemeroth, Georg
Photoacoustic measurements on phototropic glasses. 64-03472A; See also Speit, Burkhard
- Gliemeroth, Georg; and Eichhorn, Uwe
Phototropic glass with a refractive index of at least 1.59. 64-01936P
- Gliemeroth, Georg; Eichhorn, Uwe; and Hoelzel, Eva
Phototropic glass with a brown tint in the irradiated state. 64-01935P
- Gliemeroth, Georg; Ross, Ludwig; and Speit, Burkhard
Spectacle glass $[\text{Al}_2\text{O}_3\text{-SiO}_2\text{-phosphate}]$ with increased refractive index. 64-04767P
- Glikman, M. L. See Avrus, A. V.
- Glinka, C. J. See Case, E. D.
- Glian, T. G. J.; and Deverill, R. J.
Casting of metal articles using disintegrable $[\text{Ca-silicate}]$ cores. 64-03698P
- Glomski, Guenter See Beerwald, Hans
- Glonti, G. O.; and Klyachko, A. L.
Adsorption characteristics of zeolite structures. 64-05511A
- Glowinski, Jozef; Stocki, Jerzy; and Baczynska, Teresa
Proposed use of lignite in the clinker manufacturing process. 64-06119A
- Glukhovskii, V. D.; Zaitsev, Yu. V.; and Pakhomov, V.
Slag-alkaline cements and concretes—structure, properties, and technological and economical aspects of their use. 64-01756A
- Glushkova, V. B.; Egorova, O. N.; and Krzhizhanovskaya, V. A.
Synthesis of yttrium aluminates by the hydroxide coprecipitation method. 64-01472A
- Glushkova, V. B.; Markov, N. I.; and Osiko, V. V.
Preparation and study of single crystals of solid solutions in the system $\text{HfO}_2\text{-Y}_2\text{O}_3$. 64-01570A
- Gnedina, I. A. See Sokolinskaya, Ch. A.
- Gnesin, G. G.
Sintering of materials based on silicon carbide and silicon nitride. 64-07171A; See also Petrovskii, V. Ya.
- Gnesin, G. G.; Shipilova, L. A.; and Kas'yanenko, A. A.
Electrical conductivity of self-bonded silicon carbide doped with boron. 64-04274A
- Gnjidi, Branko See Pavlovi, Pavao
- Gnos, B.
Blending beds for cement raw material processing: I. 64-03073A; Blending beds for cement raw material processing: II. 64-03074A
- Goberis, S. Yu.; Abramov, G. P.; and Popov, O. N.
Stability of Cr-Al-Zr refractories in mineral-wal melts. 64-02216A
- Goc, J. See Berus, T.
- Goddard, John B.; and Johnson, William N.
Extraction $[\text{Al}_2\text{O}_3\text{-SiO}_2\text{-catalyst}]$ of tungsten from spent or scrap catalyst materials. 64-05617P
- Gode, G. K.; and Klyavina, L. A.
Synthetic borates in the ceramic industry. 64-02727A
- Godin, Thomas J.
Transducer for measuring particles suspended in a fluid. 64-02656P
- Goepel, W.; Rocker, G.; and Felerabend, R.
Intrinsic defects of $\text{TiO}_2(110)$ —interaction with chemisorbed O_2 , H_2 , CO , and CO_2 . 64-04545A
- Goerings, Wilhelm See Kronschnabel, Hartmut
- Goessler, Gerhard; and Wilde, Eugen
Heating element, particularly radiant heating element for heating glass-ceramic plates. 64-05622P
- Goettel, K. See Bell, P. M.
- Goerliot, Patrice M. V. See Launay, D.; Turpin-Launay, D.
- Gofman, E. E.; Fotiev, A. A.; and Potekhin, O. G.
Electrode materials based on oxide vanadium bronzes. 64-05087A
- Gogotsi, G. A.; Negovskii, A. N.; and Zhukovskaya, A. E.
Thermal damage in corundum refractories. 64-05010A
- Gogotsi, Yu. G. See Dunikov, A. V.
- Gogu, Olga See Mihailescu, Mihaela
- Gohar, I. A. See Dowidar, H.
- Gohar, I. A.; Abou Sekkina, M. M.; and Megahed, A. A.
Effects of temperature, and single and double dopings on the electromechanical properties of quaternary glasses. 64-06188A
- Gohl, W. See Esper, F. J.
- Golins, Robert R.
Method and apparatus for blending solids or the like. 64-00971P; 64-00972P
- Goksel, Mehmet A.
Self-reducing iron oxide agglomerates. 64-07435P
- Golanski, A. See Devine, R. A. B.
- Golanski, A.; Devine, R. A. B.; and Oberlin, J. C.
Irreversible and reversible annealing of paramagnetic oxygen vacancies (E' centers) in oxygen-implanted amorphous SiO_2 . 64-07472A
- Gold, Jon S.; Bassett, William A.; and Weathers, Maury S.
Melting of diamond. 64-02988A
- Golden, R.
Fluidized bed combustion for raw materials and coal processing. 64-03090A
- Goidle, Brian P. F.; and McCarroll, John J.
Method of inhibiting corrosion using [oxidized, with hydroxyl groups,] cations. 64-00129P
- Goldman, David T.
Is the metric system really the world standard? [Progress in the USA]. 64-03020A
- Goldman, J. A. See Hankey, Dana L.
- Gol'dman, S. Yu. See Golubentsev, A. F.
- Goldschmidt, Dan
Determination of the absorption edge of a thin film from transmission measurements. 64-01530A
- Goldsmith, Herbert
Reflectance measuring instrument with integrating sphere. 64-02651P
- Goldstein, Adrian See Cristea, Viorel
- Goldstein, David See Ilardi, Joseph M.
- Goldstein, Howard E. See Stewart, David A.

- Goldstein, Raymond** See Goss, Willis C.
- Golikov, Yu. V.; Barkhatov, V. P.; and Turbin, S. Ya.**
Phase diagrams of the Co-Mn-O system in air. 64-07363A
- Golob, Helen R.; and Swartz, E. Lowell**
Disproportionation of SO₂ in bubbles within soda-containing glasses. 64-00163A
- Golobov, E. M.; Sedrenko, N. I.; and Sharal, V. I.**
Distribution of principal elements and impurities in Nb and Ta carbonitrides synthesized under high pressure and temperature. 64-01201A
- Golosman, E. Z.** See Grechenko, A. N.
- Golovanova, N. S.; Zlomanov, V. P.; and Tanasheva, O. I.**
Doping of lead telluride crystals with bismuth in the process of growth. 64-05692A
- Golubentsev, A. F.; Goldsman, S. Yu.; and Minkis, L. M.**
Spectroscopic method for determining the diffusion coefficient and solubility of He and Ne in glass. 64-03360A
- Golubev, A. S.** See Borovikov, N. F.
- Golubkov, V. V.** See Alekseeva, I. P.; Aver'yanov, V. I. Golubkov, V. V.; Dymshits, O. S.; and Zhilina, A. A.
- Golubov, V. V.; Dymshits, O. S.; and Zhilina, A. A.**
Effect of NiO additives on phase decomposition in Li aluminosilicate glasses containing TiO₂. 64-03226A
- Golovin, Yu. M.; Maslennikova, E. G.; and Titov, L. G.**
Enthalpy of formation of silicides in the system Sc-Si. 64-05918A
- Golyamina, I. P.** See Ugryumova, M. A.
- Gombert, Jean** See Gauthier, Francis
- Gomes, John M.; Radetz, Andrea E.; and Haglin, Elizabeth G.**
Formation of tungsten monocarbide from a molten tungstate-halide phase by gas sparging. 64-02863P
- Gomez Cedeo, A.; and Valle Fuentes, F. J.**
Tungsten contamination during the grinding of samples [clays, refractories, calcined bauxite] for analysis—tungsten determinations by inductive coupling plasma technique. 64-06789A
- Gomma, S. S.** See Nassar, A. M.
- Gonzalez, G. E.** See Wajdowicz, A. A.
- Gonczy, Stephen T.**
Densification of metal-ceramic composites. 64-00955P
- Gontar, Yu. V.** See Gussarov, V. N.
- Gonzalez Canliano, J.** See Fernandez Valcarce, J. A.
- Gonzalez Pena, J. M.** See Rincon Lopez, J. M.; Sandoval del Rio, F.
- Gonzalez Pena, J. M.; Rodrigues Pascual, C.; and Oteo Mazo, J. L.**
Effect of crystallization processes on the properties of Spanish kaolins with different geological history: I. Mineralogy. 64-07035A
- Gonzalez, Armando C.** See Lawn, Brian R.; Schioler, Lisolotte J.
- Gonzalez, R.; Chen, Yek; and Tsang, K. L.**
Diffusion of deuterium in amorphous cordierite. 64-02756A
- Gonzalez, Richard D.** See Sarkany, Janos
- Gonzalez, Roberto** See Llopis, J.; Pareja, R.
- Gonzalez-Diaz, G.** See Marill, I.
- Good, Jeremy A.** See Cohen, Enrico
- Goodenough, John B.** See Thackeray, Michael M.
- Goodman, Thomas H.**
Developments regarding effluent regulations. 64-01609A
- Goodkind, R. J.** See DeLong, R.
- Goodman, Howard; and Bleakley, Ian S.**
Process for beneficiating bentonite. 64-02733P
- Goodman, Jack E.**
Optical fiber coating apparatus. 64-04871P
- Goodwin, John D.; and Milkey, Forest W., III**
Process for preparing a lightweight expanded silicate aggregate from rice hull ash. 64-02967P
- Gopalakrishnan, J.**
Preparative solid-state chemistry—recent developments. 64-02945A; See also Ganapathi, L.; Rao, C. N. R.
- Gorbachev, V. V.** See Aramonova, M. V.; Gladushko, O. A.; Tykachinskii, I. D.
- Gorbachev, V. V.; Bystrikov, A. S.; and Vasil'ev, S. K.**
X-ray spectrometric study of the state of Mg ions in Na-Mg and Na-Ca-Mg silicate glasses. 64-01928A
- Gorbachev, V. V.; Orlov, D. L.; and Bystrikov, A. S.**
X-ray spectral analysis [of glass]. 64-01044A
- Gorbachev, V. V.; Petrakov, V. N.; and Mel'nikitskii, V. V.**
X-ray spectrometric study of borate glasses and crystals. 64-03390A
- Gorbachuk, S. I.** See Vlasova, M. V.
- Gorbanov, O. B.; Filchenko, V. Ya.; and Finkel'shtein, S. Kh.**
Effect of moisture on the surface morphology of obliquely deposited GeO₂ films. 64-00650A
- Gorbanova, Yu. E.** See Linde, S. P.
- Gordeev, S. K.; and Smirnov, E. P.**
Spectroscopic and X-ray structural investigation of oxitanium-carbon compounds prepared by the chemical assembly method. 64-05579A
- Gordon, Ronald S.**
Understanding defect structure and mass transport in polycrystalline Al₂O₃ and MgO via the study of diffusional creep. 64-07516A
- Gordon, Roy Gerald**
Coating [CVD] process using alkoxy substituted silicon-bearing reactant. 64-00950P; Method of depositing electrically conductive, infrared reflective, transparent coatings of stannic oxide. 64-00771P; Reactor for continuous coating of glass. 64-06404P
- Gordon, Roy Gerald; and Kurtz, Sarah**
Photovoltaic cell [with conductive nitride, carbide, or boride layer]. 64-02890P
- Gore, James G.** See Folgar, Francisco
- Gorelova, A. V.** See Brach, B. Ya.
- Goriletsky, Valentin I.** See Apilait, Vitaly Y.
- Gorlovskaya, N. B.** See Tsygankov, V. N.
- Gorin, V. M.** See Shipulin, V. I.
- Goring, J. O.** See Nicholas, K. E. L.
- Gorlov, Yu. P.; Goryainova, S. K.; and Adzhimatov, G. S.**
Gypsum fiber wall panels with improved acoustic properties. 64-01720A
- Gormley, Robert J.** See Pennline, Henry W.; Shamsi, Abolghasem
- Gorniak, Henryk** See Folwaczny, Jozef
- Gorobets, F. T.; Samsonov, V. I.; and Ustinov, A. G.**
Method for controlling the corrosion of refractories in glass tank furnaces. 64-00485A
- Gorobinskaya, V. D.** See Dzighir, D. D.
- Gorogotskaya, L. I.** See Ostapenko, G. T.
- Goroshchenko, Ya. G.** See Savos'kina, A. I.
- Gorre, Luisa E.** See Pastor, Ricardo C.
- Gorre, Rainer** See Hermann, Wolfgang
- Gorshkov, A. I.; Nikolaev, V. A.; and Smirnov, I. I.**
Photometric enrichment of dolomite from the Shchelkovo [USSR] deposit. 64-05497A
- Gorshkov, V. A.** See Pavlushkin, N. M.
- Goryainova, S. K.** See Gorlov, Yu. P.
- Goss, Willis C.; Mann, Wolfgang A.; and Goldstein, Raymond**
Optical-fiber welding machine. 64-05368A
- Goswami, N.** See Choudhary, P. S.
- Goto, Kimiyoshi** See Munakata, Makoto
- Goto, Seishi** See Takagi, Tatsuo
- Goto, Shigeru** See Iwamoto, Nobuya
- Goto, Takayasu; Hanada, Teichi; and Soga, Naohiro**
Elastic moduli, hardness, and coefficient of thermal expansion of high-density fused silica. 64-03615A
- Gotoh, Yoshio** See Mizuhashi, Mamoru
- Gottardi, Vittorio** See Soraru, G. D.
- Gottschalk, Werner** See Doll, Gernot
- Gottschalk, Robert J.**
Overview of DOE [US Dept. of Energy] ceramics research in basic energy sciences and nonengine energy technology programs. 64-07531A
- Gotschlich, Chad F.; Roblee, Leland H. S., Jr.; and Seemann, Howard H.**
Burner [vortex]. 64-02679P
- Gottschling, J.** See Wendt, W.
- Gotzmer, Carl** See Rizer, Janine M.
- Gougonyan, Yves; and Basseville, Philippe**
Alumina-based ceramic composition and substrate obtained by means of this composition. 64-02347P
- Gould, Gordon** See Schmadel, Donald
- Gourier, D.** See Collongues, R.
- Gourrouc, Alain; and Le Noane, Georges**
Optical fibers and cables. 64-03468A; 64-04814A
- Gouzerh, J.; Le Gall, H.; and De Beauregard, Y.**
Laser and thermal annealings of Bi₂Ga₃ and La₂Ga₃ substituted garnet films. 64-02465A
- Govila, Ratan K.**
Phenomenology of fracture in sintered alpha silicon carbide. 64-02805A
- Govila, Ratan K.; Mangels, John A.; and Baer, John R.**
Fracture of yttria-doped, sintered reaction-bonded silicon nitride [RBSN]. 64-07106A
- Gowda, G.** See Dwivedi, R. K.
- Grab, George P.; Hood, Grant W., Jr.; and Swanson, Sigurd A.**
Flowable [ceramic, carbide, refractory] composition adapted for sintering and method of making. 64-02862P
- Grabowski, Vlastimil**
Lime sludge from glass polishing shops as binding material for mortars [of low strength]. 64-02039A
- Grabner, B.; and Hoeffgen, H.**
Porous plug use in steel foundry ladles and their wear characteristics. 64-06462A
- Grabowski, Danuta** See Mennenmann, Karl
- Grabowski, Danuta; Ross, Ludwig; and Geller, Volkmar**
Optical lightweight glass with a refractive index of >1.70, an Abbe index of >22 and a density of >3.5 g/cm³. 64-02862P
- Grabowski, Thaddeus J.** See Luft, Joseph P.
- Grachev, D. K.** See Kadnikova, N. V.
- Grachev, V. A.; Kirin, E. M.; and Perpelitsyn, V. A.**
Service of refractory nozzle in a gas-fired cupola. 64-02210A
- Gracheva, L. V.**
Intrinsic and supplementary absorption spectra of Ag halide photochromic glasses containing Cu impurity. 64-03278A
- Gracheva, N. V.** See Slovanskikh, V. K.
- Grad, P.**
Australia's PSZ breaks into US market. 64-07069A
- Gradel, Gerhard** See Doerr, Wolfgang
- Græffe, Ralf** See Lindfors, Sven G.
- Graham, Alan L.; and Bird, R. Byron**
Particle clusters in concentrated suspensions: I, Experimental observations of particle clusters. 64-05940A
- Graham, Alan L.; and Steele, Raymond D.**
Particle clusters in concentrated suspensions: II, Information theory and particle clusters. 64-05941A
- Graham, Alan L.; Steele, Raymond D.; and Bird, R. Byron**
Particle clusters in concentrated suspensions: III, Prediction of suspension viscosity. 64-05942A
- Graham, P. W. L.**
Lightweighting, strengthening, and coatings. 64-03459A
- Graham, R. A.** See Morosin, B.
- Grain, Clark F.**
Humidity sensor, comprised of compound metal oxides with perovskite structure. 64-02372P
- Grambow, Bernd**
Geochemical modeling of the reaction between glass and aqueous solution. 64-04725A
- Granata, Amedeo J.** See Garbis, Dennis
- Grancher, Roy A.**
US cement—cylindrical recovery has begun. 64-03134A
- Grandjacques, Benoit; Molrez, Jacques; and Saint-Sevin, Michel**
Refractometer using the limiting angle method. 64-02652P
- Grange, Jean-Pierre; and Schober, Wilhelm**
Talc—the versatile ceramic raw material. 64-05504A
- Granier, W.; Gendry, M.; and El Mansouri, A.**
Ionic conductivity of the phases isolated in the binary systems PbF₂-SnF₄ and PbF₂-GeF₄. 64-01553A
- Granqvist, Claes G.** See Eriksson, T. S.; Hamberg, Ivar; Niklasson, Goran A.
- Grant, J. T.**
Surface analysis—applications of Auger electron spectroscopy. 64-01035A
- Grant, Nicholas J.; and Robinson, Ramon K.**
Process for producing high hafnium-carbide-containing alloys. 64-02800P
- Grant, William B.; and Hinkley, E. David**
Detecting methane leaks. 64-02585A
- Grantham, Daniel H.; and Swindal, James L.**
Three plate silicon-glass-silicon capacitive pressure transducer. 64-00428P
- Grantham, L. F.** See De Wames, R. E.
- Grassell, Robert K.** See Burrington, James D.
- Grasser, Leo**
Method for forming silicon oxide films. 64-06638P
- Grassi, A.** See Cafera, D.
- Grassi, A.; Branda, F.; and Saitello, S.**
Nonisothermal devitrification of Na₂O-2SiO₂ gel-glass. 64-01876A
- Grathwohl, Georg** See Hanna, S. B.
- Gratsianski, V. I.; and Franko, A. M.**
Physicochemical and industrial aspects of the production of facing tiles from gypsum. 64-03113A
- Graz, Andrew**
Deformation in laboratory-shocked quartz. 64-02428A
- Grau, Peter** See Petzold, Matthias
- Gravel, L. A.; Leonov, N. B.; and Novikov, Yu. B.**
Change in the surface state of reduced lead silicate glasses. 64-03199A
- Gray, E.**
Fused ceramic capacitor. 64-06619P
- Gray, Paul E.** See Klein, Lisa C.
- Gray, Paul E.; and Klein, Lisa C.**
Chemical durability of sodium ultraphosphate glasses. 64-00147A; Optical spectra of sodium phosphate glasses. 64-03181A
- Gray, W. J.**
Gamma radiolysis of ground-waters found near potential radioactive waste repositories. 64-05713A
- Greason, A. N.; Hillert, L.; and Ingelstrom, N.**
Application of Salmons to metal cutting. 64-01177A
- Grebennikov, V. M.; and Krokin, E. Ya.**
Computer-controlled production equipment in the Magnesit Plant [USSR, for molding refractory bodies]. 64-00459A
- Grebenschikov, R. G.** See Brach, B. Ya.
- Grebien, Michael; Haberger, Florian; and Sahl, Kurt**
Phase diagram of the pseudobinary system Ga₂O₃-Bi₂O₃. 64-01437A
- Grehille, D.** See Berar, J. F.
- Grebinskii, S. I.; Kaminskii, V. V.; and Stepanov, N. N.**
Piezoresistivity of SmSe. 64-03931A
- Grechanyuk, N. I.** See Movchan, B. A.
- Grechenko, A. N.; Golosman, E. Z.; and Kontorovich, S. I.**
Specificities of structure formation of mixed cement-containing catalysts at the calcination stage. 64-00058A
- Grechishnyi, V. V.** See Krichkevits, M. I.
- Grechko, E. G.** See Bogomolova, L. D.
- Green, Albert**
Approach to glazemaking. 64-01651A
- Green, David J.**
Compressive surface strengthening of brittle materials. 64-02978A; Fabrication and mechanical properties of lightweight ceramics produced by sintering of hollow spheres. 64-07464A; Impact behavior of coated low-density bodies. 64-01220A
- Green, David J.; and Hoagland, Richard G.**
Mechanical behavior of lightweight ceramics based on sintered hollow spheres. 64-07478A
- Green, Gilbert E., Jr.**
Electrolytic capacitor with a [glass-to-metal] hermetic seal. 64-00358P
- Green, Hindley** See Munro, Alexander
- Green, M. L.; Levy, R. A.; and Nuzzo, R. G.**
Aluminum films prepared by metal-organic low-pressure chemical vapor deposition. 64-04671A
- Greene, J. E.** See Shah, S. I.
- Greenspan, Jay S.** See Baird, Phillips C.
- Grego, Giorgio**
Method of and apparatus for continuously monitoring diameter variations of an optical fiber being drawn. 64-06378P
- Gregoire, P.** See Berar, J. F.

- Gregory, J.; and Nelson, D. W.
Detecting particles and changes in particle size in a suspension. 64-04114P
- Gregory, William D.
Apparatus and method for image reproduction of materials using their magnetic and electric properties. 64-04110P
- Grekov, F. F. See Aleksandrov, S. E.
- Grens, J. Z. See Ackerman, F. J.
- Greskovich, Charles D.
Deviation from stoichiometry in Cr_2O_3 at high oxygen partial pressures—correction. 64-01392A; Sintering Si_3N_4 to high density. 64-04337A; See also Cusano, Dominic A.
- Greskovich, Charles D.; Cusano, Dominic A.; and DiBianca, Frank A.
Preparation of yttria-gadolinia ceramic scintillators [with transparency additive] by vacuum hot-pressing. 64-00799P; Preparation of yttria-gadolinia ceramic scintillators by sintering and gas hot isostatic pressing. 64-06659P; Preparation of yttria-gadolinia ceramic scintillators by vacuum hot-pressing. 64-00800P
- Greskovich, Charles D.; and Gazza, G. E.
Hardness of dense α - and β - Si_3N_4 ceramics. 64-07111A
- Greskovich, Charles D.; Pasco, Wayne D.; and Quinn, George D.
Thermomechanical properties of a new composition of sintered Si_3N_4 . 64-01267A
- Grewal, Virinder; and Reindl, Werner
Mirror structure [with amorphous Al_2O_3 film]. 64-02007P
- Gribov, V. L. See Krinchik, G. S.
- Grieggs, Robert J. See Blake, Rodger D.
- Griepentrog, Peter; and Henke, Manfred
Reproducibility of sieve analyses using vibration test sieves and barium ferrite as test media. 64-04010A
- Griesfeller, F.; Koehler, J.; and Hoppe, R.
First oligo-oxo-aluminate— $\text{Na}_3[\text{Al}_2\text{O}_7]$. 64-01539A
- Griffith, Richard A. See Ayers, William J., Jr.
- Griffiths, Joyce
Rare earths—attracting increasing attention. 64-02720A
- Griffiths, R. J. M. See Cockayne, B.
- Grigorescu, Radu
See Fara, Vladimir L.
- Grigorovich, S. M. See Starostin, Yu. V.
- Grilikhes, S. F.; Il'in, V. G.; and Karapetyan, G. O.
Electrodiffusion treatment of glass matrices for the preparation of optical planar waveguides. 64-03244A
- Grimes, John R. See Grimes, Philip M.
- Grimes, Philip M.; and Grimes, John R.
Method of making coated abrasive disc. 64-06016P
- Grimmer, A. R.; Magl, M.; and Hachner, Manfred
High-resolution solid-state ^{29}Si nuclear magnetic resonance spectroscopic studies of binary alkali silicate glasses. 64-03267A
- Grinberg, V. Ya. See Freidenberg, A. S.
- Grinberg, V. Ya.; Zhebrunov, S. V.; and Laletin, G. M.
Optimum parameters for the filtration of slips in the production of heat-insulating inserts. 64-02162A
- Grinchenko, V. T. See Lyakhovich, T. K.
- Grinchenko, V. T.; Lyakhovich, T. K.; and Flerova, G. A.
Effect of substrate parameters on the case of vacuum plasma-arc deposition of Ni-Cu alloy onto piezoceramics of the system lead zirconate-titanate. 64-00826A
- Grindstaff, G. G. See Pavelka, E. A.
- Griscom, D. L.
Electron spin resonance studies of trapped hole centers in irradiated alkali silicate glasses—a critical comment on current models for HC and HC₂. 64-00181A
- Grisel, Lucien
See Boulardon, Gabriel
- Grishin, I. A.; Dianov, E. M.; and Kiselev, N. I.
Radiation-induced color centers in multicomponent ZrF₄-based glasses. 64-03333A
- Grishina, N. E. See Baranova, T. F.
- Gritsina, V. T.; Dement'ev, O. I.; and Kol'ner, V. B.
Distribution of cations in magnesium-aluminum spinel crystals. 64-04935A
- Grivakova, Zh. A. See Simonov, K. V.
- Groethe, Roland E.
Method of manufacturing shear blades for shearing hot glass. 64-06389P
- Groetzing, John K. See Heithoff, Robert B.
- Groh, H.; and Gruen, R.
Inorganic nonstoichiometric compounds: XXII. New metastable block structures in the system $\text{Nb}_2\text{O}_5/\text{WO}_3$ —electron optical investigation. 64-01551A; Inorganic nonstoichiometric compounds: XXIII. New building elements of metastable block structure in the system $\text{Nb}_2\text{O}_5/\text{WO}_3$ —high-resolution microscopy study. 64-01552A
- Grollmund, Everett C.; Smick, William H., III; and Brookman, Donald L.
Self-cleaning porosimeter. 64-06919P
- Gromov, Yu. P. See Gladys, V. V.
- Grondey, S.; Lecomte, G. V.; and Von Loehneysen, H.
Thermal properties of vitreous silica with He impurities. 64-01920A
- Grosbois, Jean; Jacubert, Serge; and Verdier, Jean-Michel
Preparation of silane, SiH_4 . 64-04512P
- Groshev, I. A. See Balakirev, A. A.
- Grosjean, Pierre
Fast single firing of faience with talc—study of pastes and enamels and application in the wall tile industry: I. 64-00596A; Fast single firing of faience with talc—study of pastes and enamels and application in the wall tile industry: II. 64-00597A; Fast single firing of faience with talc—study of pastes and enamels and application in the wall tile industry: III. 64-02267A
- Gross, F. See Hohenau, W.
- Grossman, David G.
Processing a dental ceramic by casting methods. 64-06324A
- Grossman, I. N.; Flom, Z. G.; and Kholodov, N. M.
Modeling of heat-transfer processes during the formation of glass articles. 64-03463A
- Groteke, Daniel E.
Apparatus [porous ceramic] for filtration of molten metal. 64-05595P
- Groth, Rolf; and Mueller, Dieter
Method of coating a transparent substrate. 64-03894P
- Grounds, T.; Middley, H. G.; and Nowell, D. V.
Thermal methods to estimate the state of hydration of $3\text{CaO}\cdot\text{Al}_2\text{O}_3\cdot3\text{CaSO}_4\cdot n\text{H}_2\text{O}$. 64-06129A
- Gronset, D. See Galant, S.
- Gronsson, R.; Henry, M.; and Mallick, S.
Transport properties of photoelectrons in Bi_2SiO_5 . 64-06587A
- Grubb, Willard T.; and King, Lawrence H.
Nuclear fuel element having a [Zr oxide] composite coating. 64-00882P
- Gruber, David P.
Synthetic yarn-reinforced flexible webs stabilized against elongation, coated abrasive thereon, and process therefor. 64-00008P
- Grubka, Lawrence J.
Apparatus for producing and collecting glass fibers. 64-00339P
- Grubka, Lawrence J.; and Fracker, Clarence E., Jr.
Method for forming glass fibers. 64-02000P
- Grudkowski, Thomas W. See Cullen, Donald E.
- Gruhn, R.; See Bald, L.; Bayer, E.; Groh, H.; Piles, V.; Schmidt, G.; Seiwert, F.-J.
- Grum-Grzhimalo, O. S. See Bibilashvili, M. S.
- Grund, Theodor
See Adrian, Fritz
- Grunert, Heinz; Hahn, Fritz; and Rall, Ulrich
Use of fine-particulate alkali-metal aluminosilicates in the process of dye soaping. 64-04520P
- Grungo, G.; and Vosila, G.
New low-density refractory material of group ASTM 26—characteristics and applications. 64-04976A
- Grunze, J.; Hilmer, W.; and Chudinova, N. N.
Preparation and thermal transformations of crystalline dihydrophosphates of the type $\text{KM}(\text{III})(\text{H}_2\text{P}_2\text{O}_7)_2$ ($\text{M}(\text{III}) = \text{Al}, \text{Ga}, \text{Fe}$). 64-05786A
- Gruzec, Michael W. See Roy, Della M.
- Grzybowska, B. See Galantowicz, M.
- Gu, Pei-fu
Electrical field distribution and optical losses in optical coatings. 64-06191A
- Gu, Wen-rong; and Chen, Da-ren
Deposition of $\text{Bi}_2\text{Te}_3/\text{O}_2$ thin film by rf sputtering. 64-05062A
- Gu, Zhen-an
Spectrum absorption and luminescence properties of cerium-doped silica glass. 64-06256A
- Gualtieri, Devlin M.; and Tumelty, Paul F.
Temperature-dependent magnetic properties of the 1.2 μm bubble diameter compositions $(\text{La}, \text{Sm}, \text{Lu}, \text{TM})_2(\text{Fe}, \text{Ga}, \text{O})_4$ and $(\text{La}, \text{Sm}, \text{Lu}, \text{TM}, \text{Ca})_2(\text{Fe}, \text{Ga}, \text{O})_4$. 64-02482A; Temperature-stable [Fe garnet-based] magnetic bubble compositions. 64-06735P
- Guan, An-min
See Wu, Ji-sen
- Guan, Zhen-duo
See Du, Xin-min
- Guardo, C. G. See Garcia, J. R.
- Gubanov, V. A. See Likhtenstein, A. I.
- Gubanov, V. A.; Ivanovsky, A. L.; and Shveikin, V.
Vacancies and the energy spectrum of refractory metal compounds—TiC and TiO. 64-04366A
- Gubanova, I. A. See Gerasimova, L. A.
- Gude, Klaus E. See Jons, Ebbe S.
- Gudkov, Yu. V.
Production of efficient building materials based on gypsum. 64-03120A
- Gudzenko, L. V. See Sizonenko, N. T.
- Guenard, Claude; and Velluet, Philippe
Characterization of magnesia-carbon bricks. 64-03600A; Characterization of the properties of magnesia-carbon bricks. 64-02076A
- Guenther, P. See Baumer, J.-C.
- Guenther, Arthur H. See Bennett, Harold E.; Stewart, Alan F.
- Guenther, Bernhard; and Huschke, Christian
Design of production efficiency means at VEB Thuringer Ziegelwerke Erfurt [E. German brickworks]—a decisive factor for the use of industrial robots. 64-00434A
- Guenther, Karl H.
Microstructure of vapor-deposited optical coatings. 64-03801A; Physical and chemical aspects in the application of thin films on optical elements. 64-03813A
- Guerra, J. M. See Sanchez, Gomez M.
- Guerra, Salvatore
See Meyer, John H.
- Guerlin, Patrick W.
Multilayer, fully trimmable, film-type capacitor and method of adjustment. 64-00788P
- Guery, J. See Aurialt, N.
- Gugel, Ernst
Ceramic structural components for engines: I. 64-07075A; Ceramic structural components for engines: II. 64-07076A; See also Leimer, Gerhard
- Guglielmi, M. See Della Mea, G.; Soraru, G. D.
- Guglielmi, M.; and Maddalena, A.
Coating of glass fibers for cement composites by the sol-gel method. 64-06294A
- Guglielmi, M.; Maddalena, A.; and Xasan, Mamamud M.
Deposition of $\text{SiO}_2\text{-ZrO}_2$ coatings on glass fibers by the sol-gel method. 64-06296A
- Guha, Jayanta K.
Application basics of microcomputer and robotics for processing industry. 64-05974A; Application of robotics in inspection and manufacture of ceramic products. 64-00886A
- Guha, Jyoti P.
Dielectric properties of lead-magnesium niobate ceramics—comment. 64-05064A
- Guha, S. K. See Bhattacharyya, A. P.; Chatterjee, S.; Sinha, M. K.
- Guichard, Serge
See Hardy, Patrick
- Guignès, Jacques
Moldable refractory composition based on partially stabilized zirconia and on an aluminous hydraulic binder, its preparation and moldings manufactured from this composition. 64-05024P
- Guillaume, Michel; and Pichot, Michel
Method and device for measuring temperature using a diffraction grating. 64-06911P
- Guillemon, Claudio
See Escribano Lopez, P.; Guillemon, M. Carmen
- Guillemon, M. Carmen; and Guillemon, Claudio
Kinetics and mechanism of formation of cement from barium carbonate and kaolin. 64-04472A; Reactions of SrCO_3 with kaolin—influence of mineralizers. 64-07378A
- Guillot, M. See Lecyuras, C.
- Guindy, Nabila M.; El-Akkad, T. M.; and Flex, N. S.
Thermal dehydration of mono- and divalent montmorillonite cationic derivatives. 64-07052A
- Gulamova, D. D. See Azimov, S. A.
- Gullan, Shahai
Improvements in or relating to the manufacture of Tandoori ovens. 64-06534P
- Guliev, M. M. See Murguzov, M. I.
- Gul'ko, N. V. See Zoz, E. I.
- Gulotta, Gerald D.
Baking dish or the like. 64-01679P; Cover for a baking dish or the like. 64-03066P; Cover for a serving dish or the like. 64-01685P; Serving dish or the like. 64-03068P; Snack tray or the like. 64-01691P
- Gulyas, Agnes; Koszik, Istvan; and Sircz, Janos
How to reduce dust emission from cement plants—technology/dust collector interconnections. 64-04644A
- Gulyas-Bodnar, Maria
See Szabo, Istvan
- Gunold, Kerstin
See Schnabel, Hans-Dieter
- Gunter, F.; and Schildt, H.
Roller [steel wool-coated] for conveying glass-ceramic plates. 64-04059P
- Guo, Chang-lin
Crystal structure of several SiC polytypes belonging to special structure family. 64-05523A; Defects in β -silicon carbide epitaxial film. 64-05524A; Dislocations in α -silicon carbide single crystal. 64-05526A
- Guo, Chang-lin; and Lu, Chang-wei
Determination of X-ray powder diffraction data for sodium lead niobate. 64-07318A; X-ray powder diffraction data for sodium lead niobate. 64-05970A
- Guo, Chang-lin; Wu, Yu-qin; and Wang, Tian-bao
X-ray study on the phase boundary of ferroelectric ceramics of $\text{K}_2\text{B}_6\text{TiO}_{10}\text{-Na}_2\text{B}_6\text{TiO}_{10}$ system. 64-05285A
- Guo, Chang-xi
See Liu, Hong-du
- Guon, J. See De Wames, R. E.
- Gupta, Arunava; West, Gary A.; and Donlan, Jeffrey P.
Stable suspensions of boron, phosphorus, antimony, and arsenide dopants. 64-02418P
- Gupta, Ashok K.; Gyarmati, Erno; and Kreutz, Hermann
Binderless weld-bonding of preshaped SiC -base parts into solid bodies. 64-02849P
- Gupta, Ashok K.; Gyarmati, Erno; and Muenzer, Rudolf
Method of molding bonding parts with silicon carbide surfaces. 64-06829P
- Gupta, K. B.; and Semler, Charles E.
Corrosion of refractories by vanadium pentoxide. 64-02086A
- Gupta, Krishna M.
Permeameter. 64-04136P
- Gupta, P. D. See Uppal, J. S.
- Gupta, Prabhat K. See De, Ashok; Majumdar, Amitava
- Gupta, Prabhat K.; Lai, Ming L.; and Bray, Philip J.
Boron coordination in rapidly cooled and in annealed aluminum borosilicate glass fibers. 64-04706A
- Gupta, R. K. See Saraf, M. N.
- Gupta, Tapan K.
Crack healing in Al_2O_3 , MgO , and related materials. 64-07080A; See also Blewitt, Donald D.; Mattox, Douglas M.
- Gur'eva, V. A. See Freidenberg, A. S.
- Gurjar, A. See Ayyub, P.
- Gurkina, V. A. See Kisilenko, N. G.
- Gurshumov, A. P. See Murguzov, M. I.
- Gurshumov, A. P.; Asadov, Yu.; and Murguzov, M. I.
Interactions in the system PbTe-TiSe . 64-05738A
- Gurshumov, A. P.; Murguzov, M. I.; and Asadov, Yu.
System PbTe-InSe . 64-05843A
- Gurtner, Bernard; Barral, Robert; and Bachelard, Roland
Process for the preparation of high-purity aluminas starting from impure aluminum chloride solutions. 64-02734P

- Gurlich, V. M.
Advanced end-window XRF spectrometer for analysis of light elements. 64-04070A
- Gusarov, V. N.; and Gostar, Yu. V.
Finishing materials and compositions based on gypsum. 64-06086A
- Guseinov, F. K. See Babanly, M. B.
- Gusev, A. I.
Effect of structural imperfection on the nature of reciprocal solubility of high-heat compounds of a variable composition. 64-0138A
- Gutachin, V. Ya.; Shapiro, E. Ya.; and Borinov, V. G.
Concentrates from high-grade sulfite-waste liquor in producing magnesia refractories. 64-02083A
- Gustaw, Krystyna; Brylicki, Witold; and Kulig, Piotr
Self-disintegrating steelworks slag in the production of light building materials. 64-06124A
- Guzyskii, G. F. See Smokotin, E. M.
- Gutenov, M. S. See Kasparova, E. S.
- Gutenov, M. S.; and Mikhailov, M. D.
Proton-based model of dielectric loss in glasses. 64-01893A
- Gutenov, M. S.; Turkina, E. Ya.; and Karpova, E. A.
Dielectric study of glasses in the system $\text{In}(\text{Ga})\text{-Ge-}(\text{Se})$. 64-03765A
- Gutarts, G. L. See Kosodriga, A. D.
- Guth, Jean-Louis See Bourgogne, Michel
- Gutierrez, William A.; and Wilson, Herbert L.
Method of forming GaAs on $\text{Al}_2\text{Ga}_{1-x}\text{As}$ transmission mode photocathode. 64-00773P
- Gutkina, N. G.; Ignat'ev, A. I.; and Kozhina, I. I.
Glass formation, properties of glasses, and crystallization in the systems based on K_2O , TiO_2 , and GeO_2 . 64-03261A
- Guttman, Paul F.
Annual ceramic mineral resources review—boron. 64-07003A
- Gutzwil, Ivan See Pascova, Radost
- Guzman, I. Ya. See Bendovskii, E. B.
- Gverdtsiteli, I. G.; Kalandrishvili, A. G.; and Zaitsev, V. P.
Anisotropy of electrical resistance of pyrolytic graphite intercalates with cesium and rubidium. 64-01176A
- Gvozni, V. S. See Nemets, I. I.
- Gvozni, V. S.; Nemets, I. I.; and Shvaiko-Shvaikovskii, V.
Mass spectrometric study of the evaporation of MgO doped with oxides of rare-earth metals. 64-00482A
- Gyarmati, Erno See Gupta, Ashok K.
- Gyowaki, Edward R.
Improving emittance of high-temperature insulating tile. 64-07117A
- Haaeg, Rolf
Development of the lightweight elevated-hole brick. 64-04888A
- Haaeg, Ingrid; and Reetz, Teja
Development of density and structure during sintering of uranium dioxide. 64-03982A
- Halaoui, Ismael
Disintegration of aggregates. 64-04206A
- Habata, Eisaku; Ohshima, Nobumasa; and Kanatani, Kenji
Positive-temperature-coefficient thermistor heating device. 64-02401P
- Haber, Florian See Grebien, Michael
- Haberko, Krzysztof See Pampuch, Roman
- Habicht, Hensat
Discharge valve for granular materials. 64-00956P
- Habromova, Dana See Suser, Vladav
- Hachino, H. See Misawa, Yutaka
- Hadeh, Mirko See Matusek, Miroslav
- Hadeh, Mirko; and Matusek, Miroslav
Effective degree of carat utility of diamond in abrasive tools. 64-03052A
- Haefer, H. W.; and Kuderer, G. A.
Pistier Proportioning Rot Scale DRW for controlled feeding of coal. 64-04158A
- Hachert, Manfred See Grimmer, A. R.
- Hachert, Manfred; and Haaschenbach, Bernd
Surface layers of silicate glasses. 64-01915A
- Haesle, Rainer
European heavy clay machine industry—partner of the world. 64-03562A
- Haerdtl, Karl H.
Dielectric on the basis of lead titanates, method of manufacturing same, and a multilayer capacitor comprising the dielectric. 64-00743P
- Haessler, Andreas
Holder and method of firing [clay tile] ceramic briquettes. 64-06533P
- Haga, Fumio
Ceramic research project sponsored by the Japanese Science and Technology Agency. 64-04576A
- Hagan, J. T.; and Van der Zwang, S.
Plastic processes in a range of soda-lime-silica glasses. 64-00318A
- Hagedorn, Floyd T.; and Koonz, Mervyn L.
Apparatus for bending glass sheets. 64-06336P
- Hagemann, Hans J.; Huenen, Siegfried; and Wernicke, Rolf
Method of manufacturing a [ceramic] dielectric. 64-00777P
- Hagemeyer, K.
Method of connecting a ceramic $[\text{Si}_3\text{N}_4]$ rotary component to a metallic rotary component for a turbomachine. 64-04402P
- Hagenmuller, P.
Predictive character of solid-state chemistry—relation between structure, chemical bonding, and physical properties of solids. 64-02942A; See also Zahir, Mohamed
- Hagenmuller, Paul; Reau, Jean-Maurice; and Lucat, Claude
Ionic conductivity of fluorite-type fluorides. 64-00201A
- Hager, Adolph G.; Freeman, Gerald L.; and Rush, James P.
Method of detecting gamma radiation by placing glass doped with Fe in an environment subject to gamma radiation and measuring color change in the glass as a function of radiation. 64-04129P
- Hagesawa, Yoshio; and Okamura, Kiyohito
SiC-C composite [sheet] materials synthesized by pyrolysis of polycarbosilane. 64-07382A
- Haggard, George W. See Kuhn, Christopher F.
- Haggerty, John S. See Lihmann, J. M.; McLeod, A. D.
- Hagio, Tsuyoshi See Yoshida, Hisayoshi
- Hagiwara, Takeshi See Hiragushi, Keisuke
- Haguchi, H. See Iwasaki, Y.
- Hahn, C. See Rubin, R.
- Hahn, Fritz See Grunert, Heinz
- Hahn, Michael See Scheetz, Barry E.
- Haibara, Yuki See Kitamura, Sakae
- Haider, Zia; and Fischer, Frank
Performance improvement of IS machines with electronic timing. 64-06780A
- Haiduc, Iovana See Marta, Liana
- Hailey, Laurence N. See Boecker, Wolfgang D. G.
- Hajas, Norman L.
Quicklime slaking process. 64-01170P
- Hajia, M. See Kohara, M.
- Hajdu, Ferenc See Herms, Gerhard
- Hajek, Bohumil; and Ondracek, Jan
Determination of lattice parameters of polycrystalline substances. 64-01529A
- Hajek, R. B.; and Bhattacharya, J. M.
Rheological properties of clay pastes: III. Surface area and thixotropy at liquid limit consistency. 64-07049A
- Haken, Roger A. See Coleman, Donald J., Jr.
- Hakulinen, M.
Residual strength of ground hot isostatically pressed silicon nitride. 64-07157A
- Halande, Ludvik
Defferring burners for the manufacture of glass microfibers. 64-06295A
- Halande, Ludvik; Havelka, Antonin; and Novotny, Frantisek
Application of scanning electron microscopy for evaluating submicron glass fibers. 64-03410A
- Halawa, M. M. See Ghoneim, N. A.
- Halberschmidt, Friedrich See Schwarzenberg, Norbert
- Halberschmidt, Friedrich; Audi, Josef; and Radermacher, Herbert
Process and device for feeding glass sheets to a furnace. 64-02017P
- Hale, Thomas E.
Coated [Co-cemented] carbide cutting tool insert. 64-04378P; Coated [carbide, nitride, or carbonitride] product with oxide wear layer. 64-04379P; Oxide bond for aluminum oxide-coated cutting tools. 64-01339P
- Halecky, Alan A.; and El-Shazly, Mohamed F.
Electroless direct deposition of gold on metallized ceramics. 64-00745P
- Haley, M. P.; and Joyce, I. H.
Modern instrument techniques for particle size evaluation. 64-05427A
- Hall, D. W.; Weber, M. J.; and Brundage, R. T.
Fluorescence line narrowing in neodymium laser glasses. 64-03254A
- Hall, David R.
Composite [carbide] polycrystalline diamond. 64-06013P
- Hall, John
Flow computers—what's happening? 64-06770A; Level monitoring—new products abound. 64-02514A; Programmable controller applications' roundup. 64-06892A
- Hall, P. M.
Forces, moments, and displacements during thermal chamber cycling of leadless ceramic chip carriers soldered to printed boards. 64-03780A
- Hallenbeck, William H. See Finn, Mark B.
- Halliburton, L. E. See Alonso, P. J.; Fisanich, P. E.; Jani, M. G.
- Halling, J.; and Arnell, R. D.
Ceramic coatings in the war on wear. 64-07073A
- Hallmann, Ernst
Calculation of extrusion pressure for ceramic materials: II. 64-02505A; Calculation of extrusion pressure for ceramic materials: III. 64-02506A
- Hallok, Dale P. See Bouldin, Dennis P.
- Halloran, John W.
Role of powder agglomerates in ceramic processing. 64-00927A; See also Dynys, Frederick W.
- Hallum, Gary W.; and Datta, R. K.
System $\text{Sc}_2\text{O}_3\text{-WO}_3$. 64-04496A
- Halstead, Woodrow J. See Newton, Howard, Jr.
- Ham, William E.
Process for forming an improved silicon-on-sapphire device. 64-03905P
- Hamacher, A. R.
Permanent repair of damaged coke oven walls by ceramic welding. 64-03656A
- Hamaguchi, M. See Shimomura, K.
- Hamamoto, Fujio; Minamibuchi, Yoshikazu; and Okuzawa, Kazuhisa
Binder [resin] for magnesia carbon bricks. 64-03593A
- Hamana, Toshiyuki See Ogawa, Yutaka
- Hamano, Kenya
Material design of porcelain. 64-02274A
- Hamano, Kenya; Nakagawa, Zenbee; and Watanabe, Hideo
Effect of magnesium chloride on sintering of magnesia. 64-07325A
- Hamano, Kuniyuki; Numazawa, Yoichiro; and Yamazaki, Koji
Structural and electrical properties of photo-CVD silicon nitride film. 64-03830A
- Hamazaki, Yoshihisa See Terada, Osamu; Yoshino, Shigeo
- Hamberg, Ivar; and Granqvist, Claes G.
Transparent and infrared-reflecting indium-tin-oxide films—quantitative modeling of the optical properties. 64-06586A
- Hamelin, Hugues See Lalancette, Jean M.
- Hamilton, E. P., III See Jones, Earl
- Hamilton, J. C.; and Nagelberg, A. S.
In situ Raman spectroscopic study of yttria-stabilized zirconia attack by molten sodium vanadate. 64-01224A
- Hamilton, Robert N.
Superalloys lead industry into 21st century. 64-04603A
- Hamn, H. See Weiler, H.
- Hammond, J. S. See Moulder, J. S.
- Hammond, L. G.; and Chamberlain, K.
Tile stacking and packaging. 64-06849P
- Hammond, Robert B.; Pautler, Nicholas G.; and Wagner, Ronald S.
InP:Fe photoconducting device. 64-02373P
- Hamus, Jean See Porte, Louis
- Hanada, Teichi See Goto, Takayasu
- Hancock, R. G. V.
Source of clay used for Cologne [Germany] Roman pottery. 64-04611A
- Hancock, R. G. V.; Hayes, J. W.; and Wightman, E. M.
INAA [Instrumental Neutron Activation Analysis] of ceramic samples from the Lower Lint Valley, Italy. 64-05419A
- Handa, K.; Watanabe, T.; and Yamashita, Y.
Low-temperature fired high-dielectric constant ceramics for multilayer ceramic capacitor. 64-06077A
- Handwerker, C. A.; Cannon, R. M.; and Coble, Robert L.
Final-stage sintering of MgO . 64-07104A
- Haneda, Hajime; Shindo, I.; and Yamamura, Hiroshi
Oxygen self-diffusion in single and polycrystalline magnesioferrites. 64-02477A
- Haneda, Hajime; Yamamura, Hiroshi; and Watanabe, Akio
Oxygen self-diffusion in single-crystal Mn-Zn ferrite. 64-04559A
- Hanehara, Shunsuke See Uchikawa, Hiroshi
- Hanejko, Francis G.
Method of consolidating a metallic or ceramic body. 64-04049P
- Haney, Jerry D. See Simms, R. John
- Hang, Kenneth W. See Prabhu, Ashok N.
- Hanganu, Maria See Dragoman, I.; Dragomir, Constantin
- Hanic, Frantisek; Galikova, L.; and Havlicka, J.
Kinetics of the thermal decomposition of CaSO_4 in air. 64-06102A
- Hank, W. See Schlesinger, K.; Selena, M.
- Hankey, Dana L. See Fisher, Clark K.
- Hankey, Dana L.; Goldman, J. A.; and Moran, P. J.
Structure/property relationships in experimental thick-film interfaces. 64-03831A
- Hannyo, Masayuki See Kitani, Fukuichi
- Hanna, S. B. See Nassif, N.
- Hanna, S. B.; Abou Sekkina, M. M.; and Rashad, M.
Kinetics of the thermal behavior of hot-pressed silicon nitride in the temperature range 1250 to 1400°C. 64-02788A
- Hanna, S. B.; Farag, L. M.; and Mansour, Naila A. L.
Pyrolysis and combustion of treated and untreated rice hulls. 64-07152A
- Hanna, S. B.; Grathwohl, Georg; and Thuermer, Fritz
Oxidation behavior of hot-pressed silicon nitride containing minor amounts of magnesia. 64-05567A
- Hanna, S. B.; Mansour, Naila A. L.; and Taha, Ahmed S.
Silicon carbide and nitride from rice hulls: III. Formation of silicon nitride. 64-07165A
- Hannink, Richard H. J. See Drennan, J.
- Hannink, Richard H. J.; Maher, D. M.; and Chiff, G.
MgO segregation in decomposed MgO-ZrO_2 alloys. 64-07132A
- Hannink, Richard H. J.; Murray, M. J.; and Scott, H. G.
Friction and wear of partially stabilized zirconia—basic science and practical applications. 64-07108A
- Hannum, William H. See Knabenschuh, John L.
- Hansen, Borge B.; and Boe, Ove S.
Electrode arrangement for an oil or gas burner. 64-01100P
- Hansen, Glenn A. See Jacobs, Stephen F.
- Hansen, P. See Winkler, G.
- Hansen, P.; and Krumme, J.-P.
Magnetic and magnetooptical properties of garnet films. 64-05299A
- Hansen, P.; Witter, K.; and Tolksdorf, W.
Magnetic and magnetooptical properties of bismuth- and aluminum-substituted iron garnet films. 64-02466A
- Hanson, Charles B.; and Harrison, Colin R.
Production of [V/P mixed-oxide] catalysts. 64-04429P
- Hanson, Eric G.; Hiskes, Ronald; and Schantz, Christopher A.
Optical fiber with hermetic [Si and C] seal and method for making same. 64-04874P
- Hanstine, Kenneth W. See Nelson, Jeffrey A.
- Hanyuk, Vladimir
Orientation and results of scientific and research work at the Ceramics Section, Silicate Technology Dept., University of Chemical Technology at Prague [Czechoslovakia]. 64-07528A

- Hanyu, Yoshiaki** See Tochigi, Kenji
Hara, Kazuhisa See Tanaka, Hidehiko
Hara, S. See Misawa, Yutaka
Hara, Sadao
 Reduction of refractory unit consumption in ladle refining furnace. 64-03665A; See also Kyoden, Hiroshi
Hara, Sadao; Moritani, Hiroaki; and Kaga, Hisashi
 Method [Al phosphate-based coating] for the insulation of heated metallic parts. 64-05022P
Harada, Toshiharu See Okuda, Yosiro
Haradome, M. See Inokuma, T.
Harakawa, Masaji See Horikiri, Shozo
Harani, Ravishankar See Ahmed, M. M.
Harani, Ravishankar; Hogarth, C. A.; and Lott, K. A. K.
 Electron spin resonance in phosphate glasses containing mixed transition-metal ions. 64-00180A
Harao, Norio See Noji, Takashi
Harata, Mituo; Hiraki, Hideaki; and Uno, Shigeki
 Humidity-sensitive [porous metal oxide] element and process for producing the same. 64-05217P
Hard, Robert A. See Mu, Jacob
Harding, G. L. See Window, B.; Yin, Zhiqiang
Harrison, Robert P. See Crain, Norman Robert
Hardwick, William H.; and Gayler, Ronald
 Treatment of [radioactive] substances [in ceramic or glass container]. 64-02502P
Hardy, James E. See Dean, Anthony M.
Hardy, Patrick; Cantagrel, Michel; and Guichard, Serge
 Multilayer power capacitor. 64-06652P
Hare, Alan W.; Murr, Lawrence E.; and Carlson, F. Paul
 Impulsive consolidation of a particle mass including amorphous material. 64-02548P
Hare, T. M. See Palmour, H., III
Hargraves, Robert B. See Moskowitz, Bruce
Harita, Akira See Morimoto, Tadashi
Harjes, Wolfgang; and Kraselt, Volker
 Energy reduction using refractory and heat-resistant insulating materials in industrial furnaces. 64-03618A
Harju, Philip H.; and Call, Kenneth R.
 Preparation of crystalline TiO₂ as anatase and/or rutile in porous carriers. 64-02963P
Harker, Alan B. See Morgan, Peter E. D.
Harker, Alan B.; and Flintoff, John F.
 Crystalline-phase formation in hot isostatic pressing of nuclear waste ceramics with high zirconia content. 64-05321A; Crystalline-phase formation in hot isostatic pressing of nuclear waste ceramics with high zirconia content—correction. 64-06738A; Hot isostatically pressed ceramic and glass forms for immobilizing Hanford high-level wastes. 64-05328A
Harland, Gary D.; and Brownell, Dean B.
 Method for cutting and separating green ceramic capacitor bodies. 64-06635P
Harley, G. L.
 Fused silica—a high-technology refractory [production and uses in industry]. 64-04953A
Harmer, Martin P.
 Solid-solution additives in ceramic processing. 64-07383A; See also Bennison, Stephen J.; Hu, Y. H.
Harmer, Martin P.; Bhalla, A.; and Fox, B.
 Electron microscopy of ordered domains in lead scandium tantalate Pb(Sc_{0.5}Ta_{0.5})O₃. 64-00855A
Harms, W. See Sladek, R. J.
Harms, Walter
 Optimization of kilns for modern tableware production. 64-05470A
Harnwell, S.
 Advances in porcelain enamel processing [in Australia]. 64-06137A
Harrell, James
 Roller micrometer analysis of grain shape. 64-04223A
Harris, Frank J. T.
 Glass fiber paper separator for electrochemical cells. 64-00365P
Harris, Harry A.
 Cementitious composition. 64-03139P
Harris, I. A., Jr.; and Bray, Philip J.
 "B NMR studies of zinc borate compounds and glasses. 64-03191A; "B nuclear magnetic resonance studies of borate glasses containing tellurium dioxide. 64-01809A
Harris, Lawrence A. See Wei, George C. T.
Harris, N. M.
 Effects of dealcalization treatments on the hydrolytic reactivity of soda-lime glass. 64-06186A
Harris, Philip H.
 Coproduction of cementitious [CaO-Al₂O₃-sulfate] products. 64-04661P
Harrison, Colin R. See Hanson, Charles B.
Harrison, D. E. See Pope, J. M.
Harsanyi, Gyorgy See Drescher, Karoly
Harsanyi, Gyorgy; Kodolanyi, Andras; and Leitner, Gyorgy
 Determination of wall wear of glassmelting kilns by radioactive tracing. 64-04783A
Hart, LeRoy D.
 Worldwide applications for alumina chemicals made from Arkansas bauxite. 64-07057A
Hart, Richard A. See Chenausky, Peter P.
Hart, S. See Gerlich, D.
Hartman, Robert L.; Koszi, Louis A.; and Williams, Richard S.
 Method of improving current confinement in [III-V] semiconductor lasers by inert ion bombardment. 64-06645P
Hartmann, Marion See Eichner, Peter
Hartmann, Michel
 High-temperature [ceramic brick] kilns. 64-05479P
Hartmannsgruber, Max; Krichbaum, Kurt; and Schulz, Guenther
 Means for controlling fiber-drawing apparatus. 64-00378P
Hartnett, Thomas M.; Gentilman, Richard L.; and Maguire, Edward A.
 Aluminum oxynitride having improved optical characteristics and method of manufacture. 64-02848P
Hartouni, Edward; and Duda, Craig R.
 Integrated optical fiber testing device. 64-01058P
Hartsock, Dale L.
 Ceramic head for internal combustion engine. 64-05607P; Method and apparatus for modifying the combustion chamber of an engine to accept ceramic liners. 64-06822P
Hartung, Dieter See Philipp, Ottomar
Harvey, Keith B.; and Litke, C. D.
 Model for leaching behavior of aluminosilicate glasses developed as matrices for immobilizing high-level wastes. 64-00208A
Harvey, Keith B.; Litke, C. D.; and Boase, C. A.
 Diffusion-based leaching models for glassy waste forms. 64-04714A
Hasaba, Shigemasa See Kawamura, Mitsunori
Hase, Teizo See Suzuki, Hiroshige
Hasegawa, Eiichi See Wada, Minoru
Hasegawa, Hiroshi; Takashi, Masatoshi; and Yasui, Itaru
 Tensile strength of boric oxide glass in vacuum and at very low humidities. 64-04757A
Hasegawa, Masaki; Kondo, Kenichi; and Sawaoka, Akira
 Shock compression and shock-induced radiation measurements on calcium fluoride. 64-02995A
Hasegawa, Ryusuke
 Iron-boron solid solution alloys having high saturation magnetization and low magnetostriction. 64-02868P
Hasegawa, Shinichi; Takano, Eiji; and Sekine, Masao
 Process for manufacturing uranium dioxide powder. 64-05354P
Hasegawa, Susumu See Kawakami, Tatsuo
Hasegawa, Yasuhiro See Nishitani, Kunio
Hasegawa, Yasushi; Tanaka, Hidehiko; and Fujiki, Yoshinori
 Properties of single crystals of potassium hexatitanate. 64-02994A
Hasegawa, Yoshio See Okamura, Kiyohito
Haselkorn, M. H.
 Stable slurry of inactive magnesia for coating silicon steel. 64-00136P
Hashiba, Minoru See Okada, Hajime; Yokoyama, Chizuru
Hashiba, Minoru; Miura, Eiji; and Nuriishi, Yukio
 Effect of LiF on the formation of ZnAl₂O₄—observation of the behavior of LiF in the microstructural changes of ZnO-Al₂O₃-LiF system. 64-01022A
Hashimoto, F. See Miyashita, M.
Hashimoto, H. See Shibahara, H.
Hashimoto, Shunichi; and Ohno, Katsutoshi
 Phosphor [CaO silicate]. 64-04509P
Hashimoto, Taki See Kuroda, Hiroshi
Hashimoto, Yasuo See Ishino, Ken
Haska, Miroslav See Skopal, Jaroslav
Hasker, Jan; Jacobs, Jacobus H.; and Opmeer, Peter
 Oxide [alkaline-earth metal] cathode. 64-00790P
Hassel, R. See Geiler, V.
Hass, Robert H.; and Ward, John W.
 Catalyst [zeolite-based] for oxidizing hydrogen sulfide. 64-07203P
Hassan, M. Y. See Eissa, N. A.
Hassanien, A. See Abo-El-Enin, S. A.
Hasselmann, D. P. H. See Bakaran, Suresh; Fairbanks, Carolyn J.; Lee, Hong Lim; Sager, Ramon L.
Hassler, Dieter; and Trautenberg, Elmar
 Plane reconstruction ultrasound tomography device. 64-01073P; Ultrasound tomography device. 64-01075P
Hastings, Ian J.; Hunt, C. E. Laurence; and Lipsett, John J.
 Release of short-lived fission products from intact and defected UO₂ fuel elements. 64-00880A
Hatahira, Seichi
 Sintered apatite bodies and composites thereof. 64-04438P; Sintered apatite bodies and compositions. 64-04439P
Hatakeyama, I. See Ishii, O.
Hatamori, Takashi See Nishida, Toyomi
Hatanaka, Koji See Takizawa, Tozo
Hatano, Jun See Tsukamoto, Takeyo
Hathersall, L. G.
 Automatic hollow ware glazing. 64-06757A
Hatta, Tokunaki; Ueno, Haruyuki; and Katsura, Yuji
 Method of making flaky β -SiC [from organic Si polymer]. 64-01325P; Refractories with flaky β -silicon carbide. 64-00571P
Hattesen, K. J.
 Storage, handling, and dispatch of cement: I. 64-03128A; Storage, handling, and dispatch of cement: II. 64-03129A
Hattori, Kenichi; Okada, Eisaburo; and Mizunuma, Tatsuya
 Rheological properties of cement pastes with superplasticizer and the consistency [slump] of superplasticizer cement. 64-06123A
Hattori, Makoto See Yamanka, Shoji
Hattori, Nobukazu See Tanemura, Fumikazu
Hattori, Tadashi See Nishida, Minoru
Hattori, Yoshinori See Katayama, Yusuke; Miura, Kazunori; Shimamori, Toru
Haub, John G. See Eberhardt, John E.
Hauhold, S. See Clemens, P.
Hauner, Wigbert See Meislitz, Karl H.
Haupt, Dietmar See Pompe, Wolfgang
Haupt, Herbert
 Process for manufacturing glass fiber optical waveguides. 64-03542P
Hausermann, Elmer P. See Hausermann, Marten C.
Hausermann, Marten C.; and Hausermann, Elmer P.
 Orbital polisher with elastic abrasive. 64-04055P
Hausner, Gerd; and Semmelrodt, Rolf
 Spinning or twisting machine, especially for glass-fiber threads. 64-06845P
Haussonne, J. M.
 Sintering of ceramics—recent studies. 64-07500A
Haussonne, J. M.; Regreny, O.; and Lotec, J.
 Sintering of barium titanate in presence of lithium fluoride. 64-03826A
Haussonne, J. M.; and Schaepeynck, L.
 Dilatometric analysis of initial-stage ceramic sintering. 64-01012A
Hauswald, Marion See Dose, Hartmut
Hauze, Albert W. See Suplinskas, Raymond J.
Havelka, Antonia See Haladej, Ludvik
Havelka, J. See Hanic, Frantisek
Havlin, Dusan; Krupansky, Josef; and Sramek, Oldrich
 Plastic refractory material with chemical bond. 64-03658A
Havranek, Peter H.; and Olsen, E.
 Tackling problems in the outlet zone and cooler bends of rotary kilns. 64-06961A
Havrdla, Jiri; Novotna, Eva; and Oujiri, Frantisek
 Temperature profile development in a ceramic body. 64-00618A; Thermal diffusivity determination of a ceramic mix. 64-00619A
Havrdla, Jiri; Oujiri, Frantisek; and Novotna, Eva
 Moisture profile in a ceramic body during thermodiffusion of water. 64-02938A
Havrdla, Jiri; Oujiri, Frantisek; and Sebsajevic, Gabriel
 Temperature dependence of the barodiffusion coefficient of water in ceramic mix. 64-05964A
Hawkins, Larry T.
 Energy savings in a new porcelain enameling system. 64-00087A
Hawley, Gil R. See Inkrott, Kenneth E.
Hawman, M. W.; Cohen, P. H.; and Conway, J. C.
 Effect of grinding on the flexural strength of a Silon ceramic. 64-07086A
Hawrylo, Frank Z.
 Multiple double heterojunction buried laser device. 64-02398P; Simultaneous-doped [InP] layers for semiconductor devices. 64-06669P
Hayakawa, Junshiro; and Tagami, Yoshiaki
 Silicon carbide raw materials for SiC refractories[—a review]. 64-04335A
Hayakawa, Kiyoharu See Takahashi, Hideaki
Hayakawa, Masanori; and Nishimura, Satoshi
 Wet process for preparing ferrites of magnetoplumbite structure in fine particle form. 64-05310P
Hayakawa, Takashi See Takehira, Katsuomi
Hayakawa, Takashi; Akimoto, Masamichi; and Echigoya, Eisuru
 Oxidation of butadiene to maleic anhydride over oxide catalysts containing molybdenum. 64-01432A
Hayakawa, Takashi; Takehira, Katsuomi; and Ishikawa, Toshio
 Oxidative dehydrogenation of ethylbenzene to styrene over Si-C-type oxide catalysts containing V-group elements. 64-01433A
Hayama, F. See Kishimoto, Mikio
Hayami, Ryozo
 Fine ceramics (advanced) study at Government Industrial Research Institute, Osaka, [Japan]. 64-03015A
Hayasaka, Hiroshi See Okigami, Noboru
Hayashi, Akira
 Present and future of silica glasses. 64-04818A
Hayashi, Kazunori See Kinoshita, Chiken
Hayashi, Masahiro See Aoyama, Fumihiko
Hayashi, Masayoshi See Okada, Tokuhiko
Hayashi, Shinji
 Optical study of electromagnetic surface modes in microcrystals. 64-02990A
Hayashi, Shinsuke See Hirai, Toshio
Hayashi, Takeshi
 Recent trends of refractory technologies in Japan[—review]. 64-04993A
Hayashi, Takeshi; and Kyoden, Hiroshi
 Design of refractories. 64-02093A
Hayashi, Yasuhide See Oki, Kazuo
Hayashi, Yuichiro See Amemiya, Yoshihide
Hayashi, Yushihiko See Takahima, Masaru
Hayden, Thomas D. See Dodson, Vance H.
Hayduk, F. A.
 Effect of atmosphere composition on metallizing Al₂O₃ substrates with Mo-Mn paste. 64-05069A
Hayek, K. See Gehr, E.
Hayes, J. W. See Hancock, R. G. V.
Hayes, W. See Dobbs, J. N.
Haynes, Philip; and Palin, Francis Terence
 Testing of carbon-containing refractories. 64-02222A
Hays, Laurence W.; and Cotten, H. L. Wayne
 Reinforced ceramic tube in the electrolyte production of metals. 64-00580P
Haytayan, Harry M.
 Method of attaching insulation [boards] to a mold. 64-00565P

- Hayward, P. J.** See Hocking, W. H.; Speranzini, R. A.
Hayward, P. J.; Vance, E. R.; and Cann, C. D.
 Crystallization of sphe-ne-based glass-ceramics for immobilization of high-level nuclear fuel reprocessing wastes. 64-04711A
- Haywood, S. A.**
 Mechanical design safety of vitrified grinding wheels. 64-03053A
- Hazen, R. M.; and Finger, L. W.**
 Compressibilities and high-pressure phase transitions of sodium tungstate perovskites (Na₂WO₆). 64-07450A; Compressibility of zeolite 4A is dependent on the molecular size of the hydrostatic pressure medium. 64-07079A
- Hazzard, H.**
 Integrated MLC substrates. 64-00672A
- He, Chung-fan** See Kong, Hua-shuang
- He, Guo-rong** See Wang, Yong-ling
- He, Jun-yuan; Scheetz, Barry E.; and Roy, Della M.**
 Comparison of tuff and fly ash in blended cement. 64-06067A
- He, X.-m.** See Yin, Z.-w.
- He, Xue-mei** See Tang, Yuan-fen
- Hendley, T. J.** See Dosch, Robert G.
- Hendley, T. J.; and Lochman, Ronald E.**
 Crystallization of a glass-ceramic by epitaxial growth. 64-00158A
- Hemp, J. D.; Nelson, Leroy D.; and Zook, J. David**
 Top-coating silicon onto ceramic. 64-05196A
- Hemibrot, Paul**
 Ceramic fibers in ladle lids and reheat furnaces. 64-02072A
- Hentrich, Dale E.** See Brynestad, Jorulf
- Henton, John L.** See Spooner, Frank H.
- Hevens, S. N.**
 Beta-alumina [Zr-doped] material. 64-03847P; Structural transformations during sintering and annealing of beta alumina. 64-02831A
- Hedden, Jerry C.; and Allen, Lesley M.**
 Tubular glass fiber package and method. 64-01005P
- Hedley, R. J. G.** See Evans, E. P.
- Hedrick, Harold M., II**
 Apparatus and method for producing virgin and/or reclaiming used abrasives. 64-06009P
- Hegemann, Karl-Rudolf** See Weissert, Helmut
- Hegy-Pako, Julia** See Vitalis, Gyorgy
- Hegy-Pako, Julia; Vitalis, Gyorgy; and Wojnarovits-Hrapka, Ilona**
 Examination of [Hungarian] Triassic dolomites by scanning electron microscopy. 64-05492A
- Hehl, Martin; Helmrich, Harald; and Schugerl, Karl**
 Dolomite decomposition in a high-temperature fluidized bed reactor. 64-00466A
- Heidenreich, Hans Dieter**
 Rising demands necessitate new cement plant in Venezuela. 64-03124A
- Heidrich, Horst; and Jaekel, Gernot**
 Material [with glass frit] for jewelry and commodities and process for its production. 64-00121P
- Heilig, K.** See Mizrah, Tiberiu
- Heilmann, Robert B.; Ives, M. B.; and McIntyre, N. S.**
 Effect of deposition mechanism on the composition of surface films on silicon. 64-05070A
- Heilmann, Robert B.; and Johnson, Lawrence H.**
 Design of multicomponent systems tests on high-level nuclear waste forms. 64-05322A
- Heimer, Wilfried C.**
 Device for the production of glass drops from a glass melt containing radioactive waste. 64-06348P
- Heimsoth, Dietrich A.**
 Energy-saving in ceramic firing. 64-06938A
- Hein, Klaus R. G.** See Gebhard, Georg R. U.
- Heine, Heinrich** See Biermann, Hans-Peter
- Heincke, Rudolf A. H.; Stern, Ronald C.; and Cooke, Michael J.**
 Metallization plant. 64-02555P
- Heinemann, Otto; Baldus, Heinz-Dieter; and Schmits, Heinz-Herbert**
 Apparatus for introducing fine material into a combustion zone. 64-00943P
- Heinrich, Juergen; Scheller, Heinrich; and Schindler, Stefan**
 Process for manufacturing heat exchangers from ceramic sheets. 64-06839P
- Heilhoff, Robert B.; Groetzing, John K.; and Schwensinger, Ronald L.**
 Transition between partial preheating and liquefying stages apparatus. 64-03551P
- Heimann, Peter W.**
 Ceramic components for gas turbine engines. 64-04249A; See also Khandelwal, Pramod K.
- Hekmet-Shear, M. H.; Hogarth, C. A.; and Moridi, G. R.**
 Electrical properties of molybdenum phosphate glasses. 64-06192A
- Holdenbrand, William C.** See Henry, Robert R.
- Holenschmidt, Dale J.** See Prange, Bernard H.
- Holland, Gerd** See Oel, Heribert J.
- Holmhold, Peter; and Zopf, Norbert**
 Chemical resistivity of enamel surfaces as a function of 3d element oxide admixtures. 64-03149A
- Holmhold, Friedhelm; and Tenzel, Edwin**
 Pilot plant for introduction of a new preparation process in the heavy clay industry. 64-03573A
- Holmrich, Harald** See Hehl, Martin
- Helmy, Fathia M.** See Ali Shebl, Farouk
- Helmy, Fathia M.; and Ali Shebl, Farouk**
 Detection of more released lime than free calcium hydroxide in hydrated portland cement. 64-04631A
- Heiser, Jerry L.**
 Hydrous calcium silicate insulation products manufactured by recycling greenware. 64-06132P; Method for recycling greenware in the manufacture of hydrous calcium silicate insulation products. 64-00388P
- Hem, Stanley L.; and White, Joe L.**
 Synergistic research [applied to clays]. 64-04226A
- Hensch, Larry L. (Editor)**
 Ultrastructure Processing of Advanced Structural and Electronic Materials. 64-07536B; See also Clark, David E.; Ducheyne, Paul L. R.; Ortel, Gerard; Wallace, Stephen; Wang, Shi-Ho
- Hensch, Larry L.; Lodding, Alexander; and Werne, Lars**
 Analysis of one year in situ burial of nuclear waste glasses in Stripa [Sweden]. 64-04703A
- Hensch, Larry L.; and Wilson, June**
 Surface-active biomaterials. 64-04353A
- Henderson, James E.** See Flora, John H.
- Hendriks, M.; Radelaar, S.; and Beers, A. M.**
 Additional X-ray and electron diffraction peaks of polycrystalline silicon films. 64-05895A
- Henek, Milan** See Kovara, Rudolf
- Henke, Manfred** See Griepentrog, Peter
- Henney, J. W.** See De Portu, G.
- Hennicke, Hans Walter; and Kuhlmann, B.**
 Rheology of enamel slips. 64-00112A
- Hennicke, Hans Walter; and Plentz, Wolfgang**
 Crack and fracture behavior of porous refractory materials. 64-03606A
- Henning, Otto; and Lang, Eberhard**
 Power stations and some of their specific effects on properties of lignite fly ash. 64-03118A
- Henning, Otto; and Tier, Hans-Werner**
 Sedimentation behavior of hydraulic cements. 64-03126A
- Hennings, Detlev; and Schreinemacher, Herbert**
 Ceramic dielectric [multilayer capacitor] basis on bismuth-containing BaTiO₃. 64-03853P
- Henny, F.** See Ebersbach, U.
- Henrich, Victor E.**
 Structure of MgO and Al₂O₃ surfaces. 64-07504A; Surface electronic structure of MgO and Al₂O₃ ceramics. 64-07505A
- Henry, M.** See Grousson, R.
- Henry, Robert R.; and Heldenbrand, William C.**
 Elastic limit detection and reset testing system. 64-02634P
- Henselmann, Imre**
 Effect of body moisture and of pressing characteristics on the properties of dense floor tiles. 64-05038A
- Hentzell, H. T. G.** See Johansson, B. O.
- Heraud, Louis**
 Method for adhesively bonding parts made of refractory materials. 64-06490P
- Herbell, Thomas P.; Glasgow, Thomas K.; and Orth, Norman W.**
 Demonstration of a silicon nitride attrition mill for production of fine pure Si and Si₃N₄ powders. 64-00897A
- Herchenbach, Horst**
 Kiln systems for difficult raw materials and fuels. 64-04154A; See also Rake, Heinrich; Steinbiss, Eberhard; Wolter, Albrecht
- Herchenbach, Horst; Seelen, Fritz; and Ramesohl, Hubert**
 Cyclone [cement kiln] heat exchanger including segmented immersion pipe. 64-05477P
- Herchenbach, Horst; Wolter, Albrecht; and Steinbiss, Eberhard**
 Method and apparatus for the heat treatment of a fine grained [lime] product. 64-04666P
- Herczeg, L.** See Assadourian, L.
- Hervé, De-La-Paz, Jorge** See Cardenas-Franco, Luis
- Herrell, D.; and Norris, A.**
 Heat-storage blocks [phosphate-bonded refractory] and manufacture thereof. 64-06485P
- Herman, Dean A., Jr.; Seagle, David J.; and Mundie, Robert E.**
 Ferromagnetic resonance of bubble garnet films with a new planar microstructure. 64-02462A
- Herman, Herbert** See Iseli, Robert W.
- Herman, M. A.**
 Semiconductor compositional superlattices. 64-03823A
- Hermann, Wolfgang; Reuter, Bernhard; and Gorris, Rainer**
 Furnace chamber lining structure. 64-00549P
- Hermanson, William C.** See Daudt, Stephen W.
- Hermanson, Hans-Peter** See Christensen, Hilbert; Clark, David E.
- Hermanson, L.** See Chandan, Harish C.
- Hermanson, Lef** See Johnson, A.
- Hermes, Edward E.** See Mazdizyari, Kurt S.
- Hernes, Gerhard; and Hajdu, Ferenc**
 Nonfocusing diffractometer for X-ray studies on weakly absorbing amorphous materials. 64-06881A
- Hernandez, Jorge M.**
 Decoupling capacitor [with flat, metallized ceramic] and method of manufacture thereof. 64-00739P
- Hernandez, P.; Tiller, H.; and Perrin, P.**
 Individual calorific sources for chamber drier for heavy clayware. 64-06946A
- Herold, U.** See Schueller, Karl-Heinz
- Herring, Thomas M.**
 Method of installing [ceramic fiber] furnace wall lining. 64-03709P
- Herron, L. Wynn** See Giess, Edward A.
- Herron, R. H.; and Indelicato, B. A.**
 Silicon carbide [corrosion-resistant] refractories. 64-03713P
- Hertau, Herold T.** See Horowitz, Franklin B.
- Herve, P.; Adam, P.; and Masclot, P.**
 Determination of the thermochemical properties of semitransparent media in solid or aerosol form. 64-01011A
- Hervig, Richard L.; and Navrotsky, Alexandra**
 Thermochemistry of sodium borosilicate glasses. 64-06272A
- Herzog, Silke** See Mueller, Klemens
- Hess, D. W.** See Williams, L. M.
- Hess, E. G.** See Hughs, G. M.; Ploetz, D. K.
- Hess, Karl** See Tang, J. Y.
- Hesse, Theodor; and Barkmeyer, Hans**
 Pneumatic suction devices for discharging granulates. 64-05391P
- Hesse, Valentin; and Klein, Werner**
 Brick industry in the Soviet Union. 64-03557A
- Hettrick, Michael C.** See Barbee, Troy W., Jr.
- Heuer, Arthur H.**
 Dislocations in ceramics. 64-07454A; See also Butler, E. Paul; Chaim, Rachman; Lawn, Brian R.; Lou, V. L. K.
- Heuer, Arthur H.; and Castaing, J.**
 Dislocations in α -Al₂O₃. 64-07452A
- Heuer, Arthur H.; Claussen, Nils; and Ruhle, Manfred (Editors)**
 Advances in Ceramics: Vol. 12, Science and Technology of Zirconia II. 64-05996B
- Heurers, H.; and Magel, P.**
 Fly ash cement—manufacture, quality, and economy. 64-01715A
- Heughebaert, J.-C.** See Marraha, M.
- Hevin, Roberto P.**
 Ceramic clays from the San Julian-Santa Cruz area, Argentina. 64-07025A; Unconventional raw materials in the ceramic industry—use of Argentinean diatomites. 64-07055A
- Hewitt, David K.**
 Kiln [low-density] furniture. 64-05020P
- Hey, A.**
 Manufacture of gas-permeable [refractory concrete] plugs. 64-00561P
- Heyer, Raymond F.; and Lovness, William R.**
 Method of making an abrasive article comprising abrasive agglomerates supported in a fibrous matrix. 64-01650P
- Heymer, Gero** See Joedden, Klaus
- Heyne, Karl-Heinz**
 Conclusions from up-to-date rupture theories for hard rock quarrying. 64-04203A; Natural aggregate processing with diamond tools. 64-05367A
- Hibino, Noburo** See Kikawa, Akira
- Hibiya, Takatoshi; and Nakajima, Junichiro**
 Optical absorption of liquid-phase epitaxial garnet films at 1.3 μ m wavelength for magneto-optical applications. 64-00861A
- Higashi, Tsumo; Inoue, Masahiko; and Ogino, Makoto**
 Artificial apatite dental root. 64-05596P
- Hidayan, Shozo; Ishizawa, Akio; and Kumagai, Katuya**
 Magnetic [ferrite] recording medium. 64-05309P
- Hieber, Ernst; Kaden, Hans-Dieter; and Martini, Helmut**
 High-temperature, high-pressure workpiece treatment system. 64-02544P
- Hiert, G.** See Wartenberg, Erwin W.
- Hiestand, E. N.; and Smith, D. P.**
 Three indices for characterizing the tableting performance of materials. 64-00931A
- Higashi, Hidehiro** See Fuchikami, Jun
- Higashihara, Takashi** See Kawakami, Tatsuo
- Higashikata, Masaki** See Nishitani, Kunio
- Higginbotham, G.**
 Manufacture of French-green glass in Australia. 64-06314A
- Higginbotham, Gordon J. S.; Ambury, Clifford R.; and Starkey, Graham C.**
 Foundry machinery [for ceramic core]. 64-00545P
- Higginbotham, John W.; and Dowden, Dennis C.**
 Pulse-coded optical attenuation meter. 64-06918P
- Higgins, Norma** See Higgins, Wallace
- Higgins, Wallace; and Higgins, Norma**
 Ceramic artist materials—beauty and the beasts. 64-00010A
- Hight, Ralph D.** See Plough, Charles T., Jr.
- Higuchi, Seizun; Oga, Tomonari; and Tsukamoto, Yukio**
 Hydrated chromium oxide-coated steel strip useful for welded cans and other containers. 64-03167P
- Hikida, Chuichi; Yamamura, Tatsuo; and Nomura, Yuuzi**
 Low-speed electron excited [ZnO-Zn-based] fluorescent material and fluorescent display tube. 64-00766P
- Hikosaka, Shinichi; Murayama, Kosho; and Fukura, Shinichi**
 Apparatus for the separation of magnetic and nonmagnetic solid particles from a liquid. 64-06799P
- Hillman, Lee; and O'Hara, Mark J.**
 Hydrocracking [colleed SiO₂-ThO₂-supported] catalyst. 64-01313P
- Hilker, Ernst** See Bruening, Ulrich
- Hill, Joel B., Jr.** See Stevens, William E.
- Hill, Kenneth O.; Kawasaki, Brian S.; and Johnson, Derwyn C.**
 Optical fiber reflective filter. 64-00404P
- Hill, Kenneth W.** See Winkelbauer, Howard M.
- Hill, Michael R. H.** See Moseley, Patrick T.
- Hill, R.; and McNaught, W. G.**
 Joining [glass or ceramic] articles of materials of different expansion coefficients [with In film]. 64-03516P

- Hill, R. J.; and Madsen, I. C.
Effect of profile step counting on the determination of crystal structure parameters by X-ray Rietveld analysis. 64-0669A
- Hiller, S.
Gas laser tubes—a challenge for glasses and glass-ceramics. 64-03443A
- Hillert, L. See Gresson, A. N.
- Hills, J. F.; and Pettifer, G. S.
Clay mineral content of various rock types compared with the methylene blue value. 64-07029A
- Hilmer, W. See Grunze, J.
- Hilson, David G., II See Johnson, Gary W.
- Hilson, Michael J.
Observations on the use of foreign cullet [in Canada]. 64-06320A
- Himpel, Francis L. See Andrews, Robert W.
- Himukashi, Yoshinori See Kawahito, Takashi
- Hindin, H. J. See Manuel, T.
- Hinds, Samuel
Guyana [S. America] calcined bauxite—profile of recent developments. 64-02705A
- Hinkens, Dale R. See Morgan, George M.
- Hinkley, E. David See Grant, William B.
- Hinnenkamp, James A.; and Walatka, Vernon V., Jr.
Preparation of crystalline metal silicate and borosilicate compositions. 64-01158P
- Hino, Mitsuo See Yamazaki, Tamotsu
- Hinsen, Hans-Klemens; Katscher, Werner; and Loenissen, Karl-Josef
Heat-aided method for separating the graphite matrix from the nuclear fuel of nuclear reactor fuel elements. 64-05352P
- Hintermann, Hans-Erich See Chollet, L.; Lammer, Johann
- Hintz, Michael
Finely crushed soft brown coal as an additive material for brickmaking clays. 64-03563A
- Hinz, Bernhard; and Kochendoerfer, Richard
Piston-cylinder [fiber composite band] set for reciprocating internal-combustion engines, especially Otto and diesel engines. 64-01343P
- Hiohi, Tatsumi; Itoh, A.; and Noda, S.
Strengthening of Al_2O_3 by ion implantation. 64-04349A
- Hiohi, Toshimi
Ceramic porous media and their applications. 64-05519A
- Hiragushi, Keisuke; Fukuko, Hiromi; and Kayama, Tsuneo
Evaluation of the thermal shock resistance of basic brick. 64-02111A
- Hiragushi, Keisuke; Hagiwara, Takeshi; and Matsuo, Masataka
Properties of oil-flamegun-formed magnesia blocks [—methods, properties, results]. 64-02189A
- Hiragushi, Keisuke; Horio, Takehiro; and Ohkawa, Kiyoishi
Mechanical strength of refractory brickwork in coke oven. 64-04972A
- Hirai, Toshio See Niihara, Koichi; Nishida, Tetsuaki
- Hirai, Toshio; Hayashi, Shinsuke; and Ohkubo, Akira
Titanium-containing silicon nitride film bodies and a method of producing same. 64-01367P
- Hiraiwa, Kiyoko See Maki, Iwao
- Hiraki, Hideaki See Harata, Mituo
- Hirano, Masanori See Murase, Yoshio
- Hirano, Ryoichi; and Namizaki, Hirofumi
Liquid-phase epitaxial [heterostructure GaAs] growth technique. 64-05221P
- Hirao, Katsumi See Nishikawa, Kazuyuki
- Hirooka, Hirofumi
Process [ion etch] for forming via holes having sloped walls. 64-02403P
- Hirata, Yoshihiro See Kato, Akio
- Hiratsuka, Yutaka See Tochigi, Kenji
- Hirochi, Kumiko See Kitabatake, Makoto
- Hirokawa, Yoshinori See Ishigawa, Syuko
- Hirokawa, Uwe See Vogt, Hans
- Hirono, Takashi; and Yamada, Tomoaki
Photochromic properties of silver complex oxides. 64-02327A
- Hirooka, Eiji; and Saito, Kyoichi
Low-energy PSA [pressure-swing-adsorption] oxygen generator by zeolite adsorbent. 64-05560A
- Hirooka, Susumu See Masuyama, Masaru; Tusaka, Shoichi
- Hirotsuki, N. See Mitomo, Mamoru
- Hirotsuki, Naoto See Sakai, Toshikazu
- Hirose, Masataka See Mishima, Y.
- Hirose, Takao See Uemura, Seiichi
- Hirose, Toru See Miyata, Shiguo
- Hirose, Toshifumi See Kawakubo, Fumio
- Hirota, Eiichi See Hirota, Ken
- Hirota, Ken; Fujimoto, Yoshiaki; and Watanabe, Kouichi
Polycrystalline ferrite and a magnetic head using the same. 64-06733P
- Hirota, Ken; Sugimura, Minoru; and Hirota, Eiichi
Hot-pressed ferrites for magnetic recording heads. 64-03958A
- Hirota, Toshiharu; Kano, Osamu; and Kato, Yoshiharu
Temperature-compensating titanate ceramic capacitor with nickel or copper electroless metal electrodes. 64-02421P
- Hirtz, Jean-Pierre See Poisson, Marie-Antoinette
- Hirtz, Pierre See Poulin, Pierre
- Hishita, S.; Mutoh, I.; and Koumoto, Kunihito
Inhibition mechanism of the anatase-rutile phase transformation by rare-earth oxides. 64-04469A
- Hiskes, Ronald See Hanson, Eric G.
- Hitt, K. B.; and Martin, J. J.
Radiation-induced mobility of lithium and sodium in alpha quartz. 64-01452A
- Hiyoshi, Yoshiko See Kamegashira, Naoki
- Hlavac, Jan (Editor)
Technology of Glass and Ceramics—An Introduction. 64-06005B; See also Dvorakova, Eva
- Hlavac, Jan; Mathelid, Jiri; and Rybarikova, Ludmila
Vaporization of simple substances used in glassmelting: II. Vaporization of boric oxide. 64-00239A
- Himelo, A. G.; Bilello, J. C.; and Davies, S. T.
Synchrotron X-ray fractography—a novel technique for fracture-surface analysis. 64-01036A
- Hnat, James G.; and Coles, Walter F.
Will cogeneration work on a regenerative furnace? 64-01089A
- Ho, Chung W. See Chance, Dudley A.
- Ho, F. C. See Dobrowolski, J. A.
- Hogland, Richard G. See Bhatena, N.; Green, David J.
- Hoang, Chong Jem; Krylova, A. Yu.; and Saikhuddin, S. M.
Effect of spinel formation on Fischer-Tropsch synthesis in the presence of $Co-Al_2O_3$ catalysts. 64-05530A
- Hobczuk, Michael P. See Adair, Peter J.
- Hocker, G. Benjamin; and Skogen, John D.
Acoustic desensitization of optical fibers by means of nickel jackets. 64-00337P
- Hocking, W. H.; Hayward, P. J.; and Watson, D. G.
Scanning Auger microscopy of lanthanum partitioning in sphenic-based glass-ceramics. 64-01903A
- Hocmanova, Irena See Tkacova, Klara
- Hodge, James D.
Mullite-beta spodumene composite ceramic. 64-07261P; Mullite-cordierite composite ceramic and method for preparation. 64-07262P
- Hodge, Malcolm H.
High bandwidth fiber and method of forming the same by preform rotation during drawing. 64-00370P
- Hodgkins, Charles E.; Rose, Daniel C.; and Collier, Dana L.
Low-firing ceramic dielectric for temperature-compensating capacitors. 64-05223P
- Hoe, Stanley S. See Frater, Norman K.
- Hoebbel, D.; Vargha, A.; and Engelhardt, G.
Anion constitution of tetrabutylammonium silicates and their aqueous solutions. 64-01379A
- Hoeffgen, H. See Grabner, B.
- Hoek, Arend; Minderhoud, Johannes K.; and Post, Martin F. M.
Process for preparing a $[Zn, Cu, Cr, Al]$ oxide catalyst. 64-07268P
- Hoeks, Gerardus P. F. See Rutten, Joseph
- Hoelderich, Wolfgang; Maroul, Lazzio; and Moss, Wolf D.
Preparation of a crystalline aluminosilicate (zeolite) [from SiO_2 and $Al(OH)_3$]. 64-01346P
- Hoelzel, Eva See Gliemeroth, Georg
- Hoenes, M. F. A.; and Vuyk, J.
Powdered enamels from homogeneous and heterogeneous materials. 64-01787A
- Hofer, Alan See Alexandrovich, George
- Hofer, B.
Application of the HIP process for ceramic materials. 64-06755A
- Hoffman, David; Roy, Rustum; and Komarneni, Sridhar
Diphasic ceramic composites via a sol-gel method. 64-00162A
- Hoffman, H. J. See Sher, A.
- Hoffmann, B.; and Rump, H.
Recycled silicon carbide for highly stressed kiln furniture. 64-02195A
- Hoffmann, M. See Mizrah, Tiberiu
- Hoffmann, R. See Weisweiler, W.
- Hoffmann, Rainer
Firing ceramic tiles—when to use the roller kiln, when the fast single layer kiln, when the tunnel. 64-06940A
- Hoffnagle, J. See Baumert, J.-C.
- Hoffler, Heinz See Keller, Paul
- Hofmaenner, F. J.
Relations between chemical content and proportion by weight of a mineral deposit as a planning tool for long-term raw material use. 64-01754A
- Hofmann, Juergen See Boerner, Paul
- Hogan, P.; and Miszyk, Gerald P.
Evaluating new coatings for glass containers. 64-04791A
- Hogarth, C. A. See Ahmed, M. M.; Al-Ani, S. K. J.; Harani, Ravishankar; Hekmat-Shoar, M. H.; Hosseini, A. A.
- Hogarth, C. A.; and Mordil, G. R.
Infrared spectra of copper-calcium-phosphate glasses. 64-00200A
- Hogmark, S. See Jonsson, B.
- Hoh, Bernhard See Baethmann, Hans-Juergen
- Hohenau, W.; Schwingenschuh, K.; and Gross, F.
Decay of luminescence in natural and silver-doped quartz after X-ray excitation. 64-03759A
- Hohenegger, Karl See Thoeni, Werner
- Hohmann, Charles M. See Dunn, Charles S.
- Holman, Charles M.; Propster, Mark A.; and Dunn, Charles S.
Recovery of heat absorbent media to preheat combustion gases and glass batch. 64-00420P
- Hohn, Fritz-Juergen
Shaped electron emission from single-crystal lanthanum hexaboride with intensity distribution. 64-00807P; Single crystal lanthanum hexaboride electron beam emitter having high brightness. 64-02909P
- Hoholick, John D.; Metarko, Thomas; and Potter, Paul E.
Regional variations of porosity and cement—St. Peter and Mount Simon sandstones in Illinois Basin. 64-01140A
- Hojo, Junichi See Miyachi, Kenji
- Holand, W.; Vogel, Werner; and Mortier, W. J.
New type of phlogopite crystal in machinable glass-ceramics. 64-03311A
- Holden, Andrew (Editor)
The Self-Retracting Potter. 64-03046B
- Holden, John Stanley; Purton, William Alfred; and Currans, Charles
Cutter [tile sheet glass] or scribe jig. 64-04028P
- Holland, D. See Dupress, R.
- Holland, L. L.
Materials evaluation laboratory automation. 64-05423A
- Holland, Lawrence R.
Sealed silica pressure ampoules for crystal growth. 64-06328A
- Holland, O. W. See Fathy, D.
- Hollock, Helmut; Thuemmler, Fritz; and Prakash, Leo
Wear-resistant [MoC and B, BN, and B₂C] hard metal free of tungsten carbide. 64-02918P
- Holman, R. A.; Bigg, D. M.; and Mutsuddi, Beebhas C.
Computer modeling of fluid flow. 64-00895A
- Holmes, R. J.; and Smyth, D. M.
Titanium diffusion into $LiNbO_3$ as a function of stoichiometry. 64-03939A
- Holmgren, Per See Ransheim, Anders P.
- Holtsworth, Richard M.; and Provder, Theodore
Method for determining particle size and/or distribution. 64-01065P
- Holt, Jack W.; and Smiser, Laurence W.
Bonding heat-resistant fabric to tile. 64-05515A
- Holub, Fred F. See Abolins, Vivaldis
- Homeny, Joseph; and McGarry, Dennis L.
Preparation and mechanical properties of Mg-Al-Si-O-N glasses. 64-01887A
- Homma, Katsuhiko; and Kanda, Takeshi
Recent trends in HIP equipment and its application to ceramics. 64-04008A
- Homs, N.; Ramirez de la Piscina, P.; and Fierro, J. L. G.
Catalytic activity for ammonia synthesis of iron supported catalysts prepared from an acid-modified $\gamma-Al_2O_3$ method. 64-07309A
- Honda, Hisao See Kawahara, Hideo
- Honda, Keisuke See Chubachi, Noriyoshi
- Honda, Norio
Integrated circuit device having easily cleaned region between mother board and chip carriers mounted thereon. 64-03879P
- Honda, Tsugunori See Kambe, Koichi
- Hong, Chi-Shain See Liu, Yet-Zen
- Hong, Yuan-zhen See Li, Gan-sheng
- Hongu, Tatsuhiko See Endou, Morinobu
- Honma, Ichiro See Nakata, Kazuo
- Hons, A.; McDonald, A. D.; and Ng, Y. S.
Ionic substitutions in modified PZT. 64-06689A
- Hood, Grant W., Jr. See Grab, George P.
- Hood, P. J. See Coombs, P. G.
- Hood, Paul E.; and Pickens, John O.
Silicon carbide whisker composites. 64-01363P
- Hooper, R. M. See Davies, T. W.
- Hooton, R. D. See Burnett, N. T.
- Hopkins, David A.
Annual ceramic mineral resources review—dolomite. 64-07005A
- Hopkins, David H. See Newman, Ray L.
- Hoppe, Adolf; and Buberl, Joachim
Heavy clay material in production of red floor tiles. 64-00602A
- Hoppe, Hans See Krambrock, Wolfgang
- Hoppe, R. See Betz, T.; Bukovec, P.; Griesfeller, F.; Koehler, J.; Kroeschell, P.; Werthmann, R.; Wingefeld, G.
- Hoppe, R.; and Baier, R.
New oxozincate— $KNaZnO_3$. 64-01429A
- Hoppe, R.; and Nowitzki, B.
Oxidation products of intermetallic compounds: III. Low-temperature forms of $K_2Sn_2O_7$ and $Rb_2Sn_2O_7$, and a notice about $K_2Ge_2O_7$. 64-01558A
- Hoppe, Wally C. See Bar-Cohen, Yoseph
- Hopper, Albert C., Jr.
Direct metal brazing [via Al_2O_3 substrate] to cermet feed-throughs. 64-01792P
- Hopper, Hans See Leupold, Gerhard
- Hopper, Robert W.
Coalescence of two equal cylinders—exact results for creeping viscous plane flow driven by capillarity. 64-02976A
- Hordvik, A. See Feldly, T. A.
- Hori, Saburo
Powdery material of minute $[ZrO_2]$ and $[Al_2O_3]$ composite ceramic particles having a dual structure and a process and an apparatus producing thereof. 64-02893P
- Hori, Takahiro See Obitsu, Masamichi
- Hori, Naoshi See Kimura, Shuichi
- Horie, Y. See Davis, Robert F.
- Horiike, S.; Tanahashi, M.; and Aoi, T.
Thick-film capacitor with excellent thermal characteristics. 64-06584A
- Horiike, Shozo; Kadokura, Hidemichi; and Hasekawa, Masaji
Process [polymer precursor] for producing inorganic fiber. 64-04513P
- Horio, Takehiro See Hiragushi, Keisuke

- Horiechi, Hiroyuki; and Kawada, Isao**
Structural studies of condensed matter by neutron diffraction—application of pulse neutron source. 64-04101A
- Horiechi, S.; Izumi, F.; and Kikuchi, T.**
Spindal decomposition in TiO-SnO_2 by IMV HRTEM [high-resolution electron microscopy]. 64-06257A
- Horlmann, Herbert** See Nied, Roland
- Horlbeck, W.** See Emons, H.-H.
- Hormadaly, Jacob**
Stain-resistant ruthenium oxide-based resistors. 64-00812P
- Hornig, Hanns-Juergen** See Doering, Klaus
- Hornay, Emery J.; and Weinberg, Michael C.**
Velocity of a freely rising gas bubble in a soda-lime silicate glass melt. 64-01972A
- Horowitz, Franklin B.; Pfeiffer, Martin; and Herta, Harold T.**
Additive inventory control, batching, and delivery system. 64-06793P
- Horsky, Jaroslav** See Dolnik, Michal
- Horvath, Eugene B.** See Andrews, Robert W.
- Horvath, Gyula** See Baksa, Gyorgy
- Horvath, Istvan** See Fehér, Ferenc
- Horvath, Ivan**
Kinetics and compensation effect in kaolinite dehydroxylation. 64-07041A; See also Zigo, Ondrej
- Horvath, Ivan; Komadel, Peter; and Galikova, L'ubica**
Thermoanalytical study of high-temperature dehydration of kaolinites: II. Activation parameters and the kinetic compensation effect. 64-05866A
- Horvath, Sándor; Patkay, Ferenc; and Sircz, János**
Portable device for examining dust collectors and experience gained at the Labatán Cement Plant [Hungary]. 64-05432A
- Horvath, Vojtech; and Petrovic, Jan**
Determination of the content of 11 Å tobermorite in the products of hydrothermal processes. 64-00035A
- Horvath, Zolt**
Mathematical modeling of the dissolution of a quartz grain in flowing glass melt. 64-04735A
- Horwitz, William** See Boyer, Kenneth W.
- Hosaka, Masahiro** See Taki, Sadao
- Hosaka, Toshio** See Okamoto, Katsunari
- Hoshida, T.; Furuya, H.; and Nagase, Y.**
Fracture mechanics approach to evaluation of strength in sintered silicon nitride. 64-05543A
- Hoshino, Kazumoto; and Peterson, Norman Lee**
Cation impurity diffusion in CoO and NiO . 64-07310A; Cation self-diffusion and the isotope effect in Fe_2O_3 . 64-07311A; Diffusion and correlation effects in iron-doped CoO . 64-07320A
- Hoshino, Koei** See Kojima, Susumu
- Hoshino, Toshitsugu** See Yoshino, Shigeo
- Hoshino, Yoshikazu** See Naruse, Yoichi
- Hoshino, Yoshio** See Utsunomiya, Taizo
- Hoshino, Yoshitaka** See Tamura, Hiroshi
- Hosoe, Masahiro** See Hosono, Hideo
- Hosoe, Yuzuru; Ando, Keikichi; and Ohta, Norio**
Bi-Se doped bubble garnets supporting 0.35 μm diameter bubbles. 64-02454A
- Hosokawa, Kiyohiro** See Ishibashi, Tanezo
- Hosokawa, Kiyoshi** See Ishibashi, Tanezo
- Hosono, Hideo; Kawamura, Sukezo; and Abe, Yoshihiro**
Preferred molecular orientation at crystal growth front in $\text{Ca}(\text{PO}_3)_2$ glass. 64-06235A
- Hosono, Hideo; Saitake, Taketiko; and Hosoe, Masahiro**
Reversible optical change of amorphous red phosphorus in reduced phosphate glasses. 64-03350A
- Hosoya, Yoichi** See Taki, Humihiko
- Hosomi, A. A.; and Hogarth, C. A.**
Conduction mechanism at high electric field and switching phenomena in $\text{V}_2\text{O}_5\text{-P}_2\text{O}_5$ and $\text{V}_2\text{O}_5\text{-P}_2\text{O}_5\text{-TeO}_2$ glasses. 64-06547A
- Hou, Hui-ying** See Huang, De-qun
- Hou, L. D.; and Kroeger, F. A.**
Creep in polycrystalline $\text{Al}_2\text{O}_3\text{-Si}$. 64-04257A
- Hou, Li-xiong; Zhu, Cong-shan; and Xie, Juan-juan**
Low-temperature synthesis of $\text{ZrO}_2\text{-TiO}_2\text{-SiO}_2$ glasses from $\text{Zr}(\text{NO}_3)_4$, $\text{Ti}(\text{OC}_2\text{H}_5)_4$, and $\text{Si}(\text{OC}_2\text{H}_5)_4$. 64-06220A
- Hodokova, Aken; and Yanda, Stanislaw**
Single-side cooling of [fired] toilet bowls. 64-03732A
- Houghton, M. E.** See McPherson, R.
- Hommel, Mack A.**
Refractory fiber ladle preheater sealing rings. 64-03711P; Self-supporting fabric-reinforced refractory fiber composite curtain. 64-00581P
- House, Roy F.**
Organophilic clay suspending agents. 64-01157P
- Hovel, Harold J.; and Rosenberg, Robert**
Gallium aluminum arsenide integrated circuit structure using germanium. 64-02366P
- Howard, Gerald J.**
Drill bit for glass and ceramic structures. 64-02540P
- Howard, P. W.**
Reflections on corrosion. 64-03666A
- Howard, Philip** See Gane, Brian R.
- Howard, Richard E.; Pletchel, William; and Simpson, Jay R.**
Single-mode single-polarization optical fiber. 64-06409P
- Howe, Michael W.; and Sopp, Samuel W.**
Barium or chromium additions to magnesium oxide coating slurry [for Si steel prior to annealing]. 64-05876P
- Howell, A.**
Coal usage in the [S. African] ceramics industry. 64-06931A
- Howell, Robert G.**
Glass frits containing WO_3 or MoO_3 in RuO_2 -based resistors. 64-00751P
- Howes, Victor R.; and Szameitat, Armin**
Effect of cracks on water sorption of glass. 64-00169A; Morphology of subsurface cracks below the scratch produced on soda-lime glass by a disk cutter. 64-03464A
- Howlett, Stephen P.** See Taylor, Derek
- Howlett, Stephen P.; Taylor, R.; and Morrell, R.**
Thermal diffusivity and expansion of Sialon ceramics. 64-07185A
- Hradsky, Josef**
Possibilities for saving fuel in cement production. 64-04655A
- Hreglich, S.**
Physicochemical and mineralogical characteristics of alumina raw materials. 64-01134A
- Hrivnakova, V.; Lapcik, L.; and Fekete, S.**
Wetting of epitaxial silicon layer and pyrolytic SiO_2 layer. 64-07404A
- Hrma, Pavel**
Reaction between sodium carbonate and silica sand at 874°C to 1022°C . 64-07374A
- Hromada, Jiri** See Flajsar, Jiri
- Hsieh, Martin Y.**
Silicon nitride [TiC, TiN, La aluminate composite] bodies. 64-07286P
- Hsueh, Chun-Hway; and De Jonghe, Lutgard C.**
Particle rotation in early sintering. 64-01561A
- Hsueh, Chun-Hway; and Evans, Anthony G.**
Oxidation induced stresses and some effects on the behavior of oxide films. 64-01557A; Residual stresses and cracking in metal/ceramic systems for microelectronics packaging. 64-05172A; Residual stresses in metal/ceramic bonded strips. 64-06144A
- Hu, Guan-qing; Shan, Ying; and Li, Jia-zhi**
Relationship between phase separation and crystallization of $\text{ZnO-Al}_2\text{O}_3\text{-SiO}_2$ glass. 64-06244A
- Hu, S. C.; and De Jonghe, Lutgard C.**
Pretectic densification in $\text{MgF}_2\text{-CaF}_2$. 64-04485A
- Hu, S. M.**
Thermal oxidation of silicon—chemisorption and linear rate constant. 64-04497A
- Hu, Y. H.; Harmer, Martin P.; and Smyth, Donald M.**
Solubility of BaO in BaTiO_3 . 64-07384A
- Hua, Dao-quan** See Zhuang, Han-rui
- Hua, Su-kun** See Zhong, Wei-zho; Zhong, Wei-zhuo
- Hua, Wang-xiang** See Tan, Hiao-ran
- Huang, Bing-tang; Shi, Xue-jun; and Lu, Zhong-qian**
Vacuum-evaporated Al-black chrome tandem selective absorption films. 64-04835A
- Huang, C. D.** See Spielberger, R. K.
- Huang, Cornelius** See Stein, Sidney J.
- Huang, Cornelius; Bess, Paul W.; and Stein, Sidney J.**
High-reliability thick-film capacitor dielectrics. 64-05110A
- Huang, De-qun; Wang, Hao-bin; and Hou, Hui-ying**
Surface microtopography of corundum grown by Verneuil method. 64-07506A
- Huang, Hsiao-hsien** See Li, Wen-lan
- Huang, Hui-huang** See Li, Guang-ping
- Huang, Jen-chi**
Chemical etching of lithographic aluminum substrate. 64-07409P
- Huang, Jow-Lay; and Virkar, Anil V.**
High-speed fracture in brittle materials—superionic crack propagation. 64-07470A
- Huang, Li-ping; Huang, Xiong-zhang; and Shen, Bao-zhen**
Preparation of aluminum nitride powder. 64-05569A
- Huang, Peng-nian; and Huang, Xi-huai**
Glass formation, structure, and ionic conductivity in the glass system $\text{Li}_2\text{O}(\text{LiCl})\text{-B}_2\text{O}_3\text{-Al}_2\text{O}_3$. 64-00187A
- Huang, Rui-fu** See Chen, Xian-qiu
- Huang, Tian-quan** See Chen, Zhi-xue
- Huang, Wen-hai; and Zhu, Pei-nan**
Change in microstructure during the crystallization process of lepidolite-based glass-ceramics. 64-06168A
- Huang, Xi-huai** See Huang, Peng-nian
- Huang, Xi-huai; Ji, Yun-song; and Jiang, De-hua**
Preparation of carbon-impregnated glass temperature-sensing material. 64-04744A
- Huang, Xiao-xian** See Li, Wen-lan
- Huang, Xiong-zhang** See Huang, Li-ping
- Huang, Yu-zhen** See Pan, Zhen-su
- Huang, Yu-zhen; Pan, Zhen-su; and Jiang, Dong-liang**
Variation of microstructure in alumina refractory balls in hot blast stove. 64-05014A
- Huang, Yuan-lin** See Bao, Zhuo-wu
- Huang, Zhan Jie; Sakka, Sumio; and Yoko, Toshinobu**
Hydration of phosphate and borate glasses at high temperatures and pressures. 64-01858A
- Huang, Zhen-kun; Sun, Wei-ying; and Yan, Dong-sheng**
Phase relations of the $\text{Si}_3\text{N}_4\text{-AlN-CaO}$ system. 64-07141A
- Huber, Hans P.; and Russer, Peter**
Waveguide [elongated core, dielectric-clad] and method of manufacturing same. 64-00429P
- Huber, Johann; and Thanner, Otto**
Abrasive article [and metal halogenide binders]. 64-03055P
- Huber, Peter** See Thoeni, Werner
- Huebner, H. W.**
Time-dependent strength of ceramic materials—causes and effects. 64-03001A
- Huebner, Manfred; and Kaczmarek, Gerhard**
Determination of incorporated liquid in montmorillonite by light refraction measurements. 64-04080A
- Huebschen, Gerhard** See Repplinger, Wilhelm
- Hueller, Rolf** See Weiler, H.
- Huenten, Siegfried** See Hagemann, Hans J.
- Huetner, Werner**
Method of manufacture [of] silicon nitride ceramic molded articles. 64-04406P; See also Krueger, Wolfgang; Rossman, Axel
- Huetner, Werner; and Rossman, Axel**
Multiple-layer wall for a hollow body and method for manufacturing same. 64-05026P
- Huetz-Aubert, M.**
Radiative transfer in semitransparent media—solid, liquid, and gaseous. 64-01372A
- Huggett, J. M.** See White, S. H.
- Hughes, E.**
Ceramic tile duct linings. 64-01286P
- Hughes, Ernest W.**
Status report on porcelain enameled metal substrates [for electronic circuitry]. 64-00114A
- Hughes, G. M.; Knaebenschuh, John L.; and Hess, E. G.**
Conceptual design of high-level waste vitrification process at West Valley [NY] using a slurry-fed ceramic melter. 64-05320A
- Hultmark, Eric B.**
Method of manufacturing a [ceramic] sealing cap for an integrated-circuit-carrying substrate. 64-06647P
- Humlicek, J.** See Gaillyova, Y.
- Hummel, Floyd A. (Editor)**
Introduction to Phase Equilibria in Ceramic Systems. 64-01632B; See also Badger, William B.
- Humphrey, Cecil T.**
Dual frequency vibratory screen for classifying granular material. 64-02541P
- Humphrey, J. B.** See Swift, P. T.
- Humphries, Adrian P.** See Scherzer, Julius
- Humphries, Michael J.; and Schumacher, Edward B.**
Anchor [ceramic] for [low-density] refractory lining. 64-02236P
- Hunarova, Helena; Jackulakova, Anna; and Lorenc, Dalibor**
Remodeling of analytical balance M-A-3 to sedimentation balance. 64-04009A
- Hunsold, Klaus**
Hot isostatic pressing in the ceramic industry. 64-02511A; See also Schwetz, Karl A.
- Hunsold, Klaus; Lipp, Alfred; and Reinmuth, Klaus**
Dense shaped articles consisting of polycrystalline hexagonal boron nitride and process for their manufacture by isostatic hot pressing. 64-04384P; Refractory, electrically conductive, mixed materials containing boron nitride and process for their manufacture. 64-07282P
- Hunt, C. E. Laurence** See Hastings, Ian J.
- Hunter, J. R.** See Sanderson, D. C. W.
- Hunter, Orville, Jr.; and Schaefer, Joseph A.**
Bulk, [ZnO-based] polycrystalline switching materials for threshold and/or memory switching. 64-00729P
- Hunter, W. R.** See Bedford, K. L.
- Hunzinger, Jean J.**
Method of multiplexing transmission channels in a step-index optical fiber and device for carrying out the method. 64-05971P
- Hurst, Janet B.; and Millard, Michael L.**
Evaluation of $\alpha\text{-SiC}$ sintering using statistical methods. 64-07098A
- Hurtig, Karl**
Switching apparatus for changing the absolute value and the permanent magnetization direction of ferromagnetic bodies, e.g., of permanent magnets. 64-04138P
- Huschke, Christian** See Guenther, Bernhard
- Husby, Irvin C.; and Bobik, Carl F.**
Process of pressureless sintering to produce dense, high thermal conductivity aluminum nitride ceramic body. 64-01357P
- Huss, Albin, Jr.** See Chu, Po-chen
- Hussain, A. L.; Moustafa, F. A.; and El-Bialy, A.**
Thermal bleaching of color centers induced in irradiated alkali aluminum borate glasses. 64-01918A
- Hutchings, Ron; Lotitz, Ruzica; and Mueller, Klaus**
Catalysts [RuO_4 , IrO_4 , and SnO_4] for coating anodes and a process for its preparation. 64-05600P
- Hutchings, David A.** See Willard, G. Fred
- Hutchinson, E.** See Thomas, M. P.
- Huth, Joseph F., III**
Adjustable air gap [soft] ferrite [core] structures and methods of manufacture. 64-06723P
- Hutton, W.; and Thorp, J. S.**
Vibrational spectra of $\text{MgO-Al}_2\text{O}_3\text{-SiO}_2$ glasses containing TiO_2 . 64-06275A
- Huzinec, G.** See Stubican, Vladimir S.
- Hwang, James C.**
III-V-based semiconductor devices and a process for fabrication. 64-03875P
- Hwang, Jiann-Yang** See Friedlaender, Fritz J.
- Hymore, Frank J.; and Kreinbrink, Paul H.**
Method of and apparatus for bending glass sheets. 64-03528P
- Hynek, Scott J.; Dantowitz, Phillip; and Fuller, Henry H.**
Variable firing-rate burner. 64-01113P
- Hyondou, Masao** See Kato, Yukihiro
- Hyung, Kyung-Woo** See Choy, Jin-Ho; Kim, Chang-Eun
- Iacovazzi, Robert A.** See Baker, Martin L.
- Ibbott, Jack K.**
Spark plug. 64-02417P

- Ibrahim, Doreya M.; Kabish, Atia M.; and Ghoneim, Nabil**
Thermal behavior of some raw materials and ceramic mixtures. 64-02728A
- Ibrahim, Doreya M.; Kabish, Atia M.; and Taha, Ahmed S.**
Effect of mode of silica addition on the transformation of quartz into cristobalite. 64-01836A
- Ibrahim, Doreya M.**
Device for dressing grinding wheels. 64-01646P
- Ichida, Hiroshi** See Takahata, Kei
- Ichihara, Kenichi** See Ishino, Ken
- Ichihara, Shoichi** See Ono, Tetsuji
- Ichikawa, Hiroshi** See Ishikawa, Toshikatsu
- Ichikawa, Kenji** See Yoshino, Shigeo
- Ichikawa, Masaru**
Process [ZrO₂ catalyst] for producing oxygen-containing hydrocarbon compounds. 64-05643P
- Ichikawa, Yasushi; Yamamoto, Takao; and Abe, Yukihiro**
Cooling down and hot idling of silica brick not stove during blast-furnace refining. 64-04930A
- Ichino, Noboru (Editor)**
Fine Ceramics (Fain Seramikku Tokuhon). 64-05999B; See also Komeya, Katsutoshi
- Ichiyama, Hiroshige** See Naruse, Yoichi
- Ide, Hideo** See Nagai, Haruya
- Ide, Syunki; Nanbu, Hidesaburo; and Kuroki, Takeshi**
Elimination reaction of phenyl groups from polystyrene in the presence of silica-alumina catalyst. 64-02767A
- Ideno, Eizo; Fukushi, Shinichi; and Tai, Masahiko**
Method and apparatus for winding glass fibers. 64-05387P
- Ido, Tadashi** See Kubo, Osamu
- Idrichan, G. Z.** See Sorokin, G. P.
- Iesaka, Susumu; and Yakushiji, Shigenori**
Method of manufacturing a glass passivation semiconductor device. 64-00778P
- Igaki, Hisashi** See Ikeda, Kiyohiko
- Igarashi, Hideaki** See Kataoka, Nobuhiro
- Iglesias, Juan E.** See Moya, Jose A.
- Ignat'ev, A. I.** See Gutkina, N. G.
- Ignat'ev, I. S.; and Lazarev, A. N.**
Fluctuations in cluster models of defect centers in glassy SiO₂—[review]. 64-03253A
- Ignat'eva, V. B.** See Veis, A. N.
- Iguchi, Satoru** See Nishie, Mitsuaki
- Ihara, Chikashi** See Matsukita, Kazumasa
- Iida, Satoshi** See Kose, K.
- Iijima, Sumio**
Ultrafine spherical particles of γ -alumina—electron microscopy of crystal structure and surface morphology at atomic resolution. 64-03003A
- Iino, Shinji; and Nakamura, Akihiko**
Process for preparing apatite. 64-04417P
- Iino, Shinji; Nakamura, Akihiko; and Maruyama, Kensaku**
Process for preparing [Ca-phosphorus] apatite. 64-02897P
- Ijdo, D. J. W.** See Zandbergen, H. W.
- Ikami, H.**
Reducing residual strain in extruded and rolled ceramic plates. 64-06540P
- Ikami, Hideo**
Ceramic plates and method for the production thereof. 64-03738P
- Ikawa, Hiroyuki** See Tsurumi, Takaaki; Urabe, Kazuyori
- Ikazaki, Fumikazu**
Control of particle behavior using electric force. 64-04450A
- Ikeda, Kiyohiko; and Igaki, Hisashi**
Fracture criterion for alumina ceramics subjected to triaxial stresses. 64-01215A
- Ikeda, Masahiko** See Narasaki, Hisatake
- Ikeda, Masakazu** See Yamanaka, Hiroaki
- Ikeda, Masaki** See Nishino, Atsushi
- Ikeda, Nena Tanaka** See Kertstener, Karl Heinz
- Ikeda, Shuichi** See Matsubara, Masaki
- Ikeda, T.** See Shimada, Y.
- Ikegami, Akira** See Tosaki, Hiromi
- Ikegami, Takayasu** See Moriyoshi, Yusuke
- Ikeman, H.**
Application of fiber optics in the mining industry. 64-03409A
- Ikoma, Shuji** See Sato, Taichi
- Ikonomov, S.** See Machkova, M.
- Ikrami, D. D.; Kuznetsova, N. I.; and Sidorov, V. S.**
Systems MnF₂-LiN₂F₂. 64-05850A
- Ikuma, Yasuro; and Komatsu, Wazo**
Oxygen surface diffusion and surface layer thickness in MgO. 64-07359A
- Ikuma, Yasuro; Komatsu, Wazo; and Yaegashi, Satoshi**
ZrO₂-toughened MgO and critical factors in toughening ceramic materials by incorporating zirconia. 64-07194A
- Ikuma, Yasuro; and Virkar, Anil V.**
Crack size dependence of fracture toughness in transformation-toughened ceramics. 64-02752A
- Ilardi, Joseph M.; and Goldstein, David**
Solution mining of iron or nahcolite ore with aqueous NaOH and HCl solvents. 64-04238P
- Ilgen, Rolf**
Intergrading substances and interground cement grades. 64-04648A
- Il'in, V. G.** See Grilikhes, S. F.
- Il'mer, G. P.** See Vernikovskii, V. E.
- Ilonca, G.** See Ardelean, Ioan
- Ilse, Gerald A.** See Malloy, John P.
- Il'yaseva, N. A.**
Crystallization specifics of tetrahydrate in the system Cu-Sb-S. 64-05683A
- Il'yasov, I. I.; Dunaeva, T. I.; and Il'yasov, Yu. I.**
Complex formation in systems made up of the chlorides of lithium, rubidium, and lead. 64-05671A
- Il'yasov, T. M.** See Aliev, O. M.; Rustamov, P. G.
- Il'yasov, T. M.; Mamedov, A. I.; and Rustamov, P. G.**
Interactions in the region of glass formation in the system As₂S₃-Yb₂S₃. 64-05735A
- Il'yasov, Yu. I.** See Il'yasov, I. I.
- Imai, J.** See Obinata, H.
- Imai, Motomasa** See Kanai, Hideyuki
- Imai, Motomasa; Takahashi, Takashi; and Furukawa, Osamu**
Metal oxide varistor with nondiffusible electrodes. 64-06633P
- Imai, Yoshikazu** See Ishikawa, Toshikatsu
- Imaida, Yasuo** See Morimoto, Tadashi
- Imamura, Kenji; Saitoh, Hiroshi; and Kakizaki, Katsuhisa**
Magnetic [mixed ferrite] carrier powder having a wide chargeable range of electric resistance useful for magnetic brush development. 64-02487P
- Imamura, Y.** See Kagawa, M.
- Imanaka, Osamu**
Precision machining for advanced ceramics [review]. 64-07147A
- Imsooka, Yasuo** See Sugihara, Hiroshi
- Imasaki, Teruo** See Katase, Denji
- Imataki, Mitsumasa** See Fujiwara, Yukio
- Imura, T.** See Messerschmidt, U.
- Imura, Takeshi** See Nakashita, Toshio
- Inaba, Ritsuo** See Mitsuyu, Tsuneo
- Inabe, K.** See Takeuchi, N.
- Inabe, Katsuyuki; Utsui, Yoshinori; and Kurobōri, Toshio**
Photoacoustic spectroscopy of powdered LiF crystals for thermoluminescent dosimetry. 64-02991A
- Inada, Tomoki; Mizunuma, Seiji; and Toyoshima, Toshiya**
Manufacturing process of semi-insulating gallium arsenide single crystal. 64-02380P
- Inagaki, Michio** See Suwa, Yoshiko
- Inagaki, Nobuo** See Edahiro, Takao
- Inai, O. T.** See Mabon, J. C.; Patel, S. M.
- Inamura, Takahiro** See Murakami, Toshiaki
- Indart, J. M.** See Galant, S.
- Indelicato, B. A.** See Herron, R. H.
- Indra, Rudolf** See Linke, Walter
- Ingebrigtsen, Janis** See Seene, Charles E.
- Ingel, Robert P.** See Perry, C. H.; Rice, Roy W.
- Ingelstrom, N.** See Gearson, A. N.
- Ingle, William M.; Peffley, Marilyn S.; and Setty, H. S. Nagaraja**
Trichlorosilane production process. 64-07439P
- Ingraffea, Anthony R.**
Hand-held, direct-reading, fully mechanical fracture loading device for short rod/bar specimens. 64-02637P
- Iniguez, J.** See Moreno, A.
- Inkrott, Kenneth E.; and Hawley, Gil R.**
Magnesium halide hydrates and polymerization catalysts prepared therefrom. 64-07237P
- Imman, Frank S.; Giedt, Donald C.; and Lushis, Donald V.**
Braided preform for [C fiber-based] refractory articles and method of making. 64-06802P
- Inoguchi, Kazuhiko; Asano, Mitsuru; and Okamoto, Kunio**
Method for producing a cordierite [honeycomb] body. 64-01321P
- Inoguchi, Toshio**
Electroluminescent devices for information display [using ceramic materials]. 64-02305A
- Inokawa, Hisashi; Takahashi, Kenji; and Uchida, Kiyohiko**
Relationship between the rheological property of cement paste and hydration of cement in the presence of water reducer. 64-06122A
- Inokuma, T.; Taketa, Y.; and Haradome, M.**
Microstructure of RuO₂-thick-film resistors and the influence of glass particle size on their electrical properties. 64-02320A
- Inokuma, Toshio** See Egawa, Isao
- Inomata, Yoshizo** See Tanaka, Hidehiko
- Inoue, Akira** See Sekido, Yasuo
- Inoue, Akira; Takase, Shinji; and Sekido, Yasuo**
Method for preparation of [Al₂O₃-based] catalyst carriers. 64-05630P
- Inoue, Hideaki; Takeuchi, Hiroshi; and Kawabata, Hidetsugu**
Method of making metal [B]-coated foil speaker diaphragm. 64-00130P
- Inoue, Hiroshi** See Tsuge, Akihiro
- Inoue, Hiroshi; Komeya, Katsutoshi; and Tsuge, Akihiro**
Process for preparing silicon nitride powder. 64-07271P
- Inoue, Jiro**
Grooved piezoelectric ceramic resonator with two poling directions. 64-03942P
- Inoue, Kiyoshi**
Magnetic filtering apparatus. 64-02553P
- Inoue, Masahide** See Hidaka, Tsuneo
- Inoue, Satoru; Yamane, Masayuki; and Serizawa, Takashi**
Apparatus for precise measurement of glass homogeneity by Shelyubskii's method. 64-01007A
- Inoue, Susumu; Sakashita, Isao; and Meguro, Kazunori**
Silicon carbide material for low melting point fusion metal. 64-02908P
- Inoue, Takashi** See Fuchikami, Jun
- Inoue, Yoichi** See Asari, Akira
- Inouye, Akira** See Ishibashi, Tanezo
- Intou, Masakazu** See Kyoden, Hiroshi
- Inui, Tomoyuki** See Takegami, Yoshinobu
- Ioffe, I. V.** See Sirenko, V. A.
- Ioffe, V. A.; and Andronenko, R. R.**
Electrical properties of VO₂ single crystals as dependent on the conditions of synthesis. 64-05083A
- Ioffe, V. Ya.** See Ushakov, D. F.
- Iona, E.; Khorvat, I.; and Yammitskil, M.**
Characteristics of thermal stability of coordination compounds. 64-05668A
- Ione, K. G.; Stepanov, V. G.; and Echevskii, G. V.**
Nature of the factors determining activity, stability, and selectivity of zeolite catalysts. 64-07136A
- Ionescu, Alexandru D.**
Bottle orienting apparatus. 64-00948P
- Ionescu, Elena Hilda** See Barna, Septimiu
- Ionov, S. P.** See Permyakov, Yu. V.
- Iosof, V.; and Neacsu, V.**
Determination of major constituents in manganese silicates by atomic absorption spectroscopy. 64-04205A
- Iovu, Traian** See Barboloviciu, Lucia
- Irani, Keikhsorow; and MacBurney, Michael G.**
Infrared transducer-transmitter for noncontact temperature measurement. 64-06906P
- Ireland, J.** See Lemon, Peter H. R. B.
- Irikura, Tsutomu**
Method for manufacturing solid electrolyte condensers [with oxide dielectric film]. 64-02385P
- Irkakhodzhaeva, A. P.** See Saidazizova, N. A.
- Irmsch, Reiner** See Reetz, Teja
- Irvine, John** See Black, Philip W.
- Irvine, S. J. C.** See Tunnicliffe, J.
- Irvine, S. J. C.; Tunnicliffe, J.; and Mullin, J. B.**
Growth of highly uniform cadmium mercury telluride by a new [organometallic vapor phase epitaxial] MOVPE technique. 64-01410A
- Irwin, David M.**
Superstructure for kiln car. 64-02256P
- Irwin, George W.**
Cooling wind shut-off valve for glass-forming mold. 64-04844P
- Irwin, George W.; and Mumford, Eustace H.**
Baffle moving and alignment means for the four gob glass forming machine. 64-00946P; Quadruple cavity glass mold operating apparatus. 64-02020P
- Irwin, Win**
How thick should insulation be on hot tanks? 64-03632A
- Isagulyants, G. V.; Glits, K. M.; and Kornyshov, U. N.**
Transformations of piperylene over superhigh-silica zeolites. 64-05871A
- Isakovski, S.; and Kovacevic, S.**
Application of pyritic ash as an additive to clay for the improvement of its mechanical characteristics. 64-03554A
- Iseki, Takayoshi**
Mechanical behavior of ceramics [lecture]: I. 64-04551A; Mechanical behavior of ceramics [lecture]: II. 64-04552A; Mechanical behavior of ceramics [lecture]: III. 64-04553A; Mechanical behavior of ceramics [lecture]: IV. 64-04554A
- Iseki, Takayoshi; Kameda, T.; and Maruyama, T.**
Interfacial reactions between SiC and aluminum during joining. 64-01225A
- Iseki, Takayoshi; Matsuzaki, Hiroshi; and Kofu Bondi, Jonas**
Brazing of silicon carbide to stainless steel. 64-04246A
- Iseii, Robert W.; and Herman, Herbert**
Thermally sprayable ceramics. 64-03177P; 64-03178P
- Ish Shalom, M.** See Fairaro, I.
- Ishaq, Mousa H.; Roberts, Stanley; and Kien, James G.**
Method for making diffusions into a substrate and electrical connections thereto using rare-earth boride materials. 64-02383P
- Ishibashi, Tanezo** See Nameishi, Naoyuki
- Ishibashi, Tanezo; Furukawa, Kunio; and Suzuki, Toshiyuki**
High-strength and low-cement castable refractories. 64-03628A
- Ishibashi, Tanezo; Inouye, Akira; and Hosokawa, Kiyoshi**
Properties of magnesia clinkers in Greece [for MgO and MgO-C refractory brick]. 64-03660A
- Ishibashi, Tanezo; Matsumura, Tatsuo; and Hosokawa, Kiyohiro**
Behavior of flake graphites and magnesia clinkers in magnesia-carbon reaction. 64-02064A; Influence of magnesia clinker on the properties of unburned magnesia carbon brick: II. 64-03642A
- Ishibashi, Tanezo; Tamehiro, Taizo; and Suzuki, Takashi**
Adhesion of gunning material. 64-03582A; Gunning materials for rotary hearth vacuum degasser. 64-02117A
- Ishida, Keiji** See Ohya, Kaoru
- Ishida, Shingo; Fujimura, Yoshikazu; and Fujiyoshi, Kaichi**
Valences of vanadium ion in vanadium-containing ceramic stains. 64-02281A
- Ishido, Yoshitoku** See Motoc, Akihiro
- Ishigami, Sumiyuki; and Sato, Mitsuru**
Y-shaped support for piezoelectric resonator. 64-02453P
- Ishigami, Syntok; and Hirokawa, Yoshinori**
Heat-reflective glass—its energy conservation effect and glazing method. 64-03448A
- Ishihara, Hideo; Nishimoto, Yasuo; and Kihara, Yoshio**
Some Rosetti materials for steelmaking ladle brick. 64-02215A
- Ishihara, Yutaka** See Nakada, Ichiroh
- Ishii, Eiiji** See Oishi, Izumi
- Ishii, O.; and Hatakeyama, I.**
Os-doped γ -Fe₂O₃ thin films having high coercivity and high coercive squareness. 64-02476A
- Ishii, Shoji**
Powders for ceramic raw materials—materials design. 64-07145A

- Ishii, Tadashi**
Trend of ceramic industry in FY 1982 [in Japan]. 64-05994A
- Ishii, Takahiko**
Hot isostatic pressing system. 64-00965P; See also Asari, Akira
- Ishii, Tsutomu** See Takahara, Takeshi
- Ishikawa, Katsuhiko; Kawanishi, Yoshitaka; and Yotsuya, Motoo**
Liquid-fuel-burning device. 64-01106P
- Ishikawa, Michio** See Nakamura, Kyuzo
- Ishikawa, Takuma; Sato, Hiroshi; and Kikuchi, Ryoichi**
Demixing of materials under chemical potential gradients. 64-04453A
- Ishikawa, Yoshikazu; Ichikawa, Hiroshi; and Inai, Yoshikazu**
Electromagnetic wave absorbers of [metal plate and] silicon carbide fibers. 64-05615P
- Ishikawa, Yoshio** See Hayakawa, Takashi; Takehira, Kazuo
- Ishikawa, Tsuneo** See Miyazawa, Kokihi; Nakata, Kazuo
- Ishino, Ken; Hashimoto, Yuzo; and Ichihara, Kenichi**
Composite ferrite textile. 64-06724P
- Ishino, Ken; Hashimoto, Yuzo; and Narumiya, Y.**
Ferrite-containing fibers and fabrics. 64-00866P
- Ishino, Yoshitake** See Yoko, Toshinobu
- Ishiwata, Hiroshi; and Shirahashi, Teruhisa**
Japan as it is—current Japanese industrial standards and standardization of refractories. 64-03021A
- Ishiyama, Akio** See Hideyama, Shozo
- Ishiyama, A. A.** See Dubinin, M. M.
- Ishizumi, Shigeo** See Uchida, Masaki
- Ishmorov, S. A.; Ergen, S. B.; and Sorokina, O. V.**
Phase equilibria in the systems In-As-Be and In-P-Be. 64-05773A
- Isoeda, Masao; Yashuhiko, Noriyuki; and Nagano, Shoji**
Large-sized refractories for electric-arc furnace roof. 64-04967A
- Isopova, M. V.**
Nature of reactions of HCl solutions with glasses in the system Na₂O-TiO₂-GeO₂. 64-03307A
- Itohoshi, Keiji** See Takahashi, Tetsuo
- Itakura, Gen; and Matsuo, Yoshihiro**
Composite function [capacitor/varistor] element and [sintering] process for producing the same. 64-00735P
- Italiano, Pietro; and Riva, Ernesto**
Porosimeter with detection by capacity variations. 64-06517P
- Iizumi, Kiyoshi; Yamamoto, Toshiyuki; and Kishikawa, Akira**
Effect of magnesium bis (dihydrogen orthophosphate) dihydrate on sintering of magnesium oxide. 64-07324A
- Igenhorst, Dieter** See Kutz, Johannes
- Ito, Hirotsugu; and Takada, Daizo**
Oxygen-enriched air ratio control device for combustion apparatus. 64-04134P
- Ito, Hiroshi** See Sakaguchi, Shigeo; Sakurai, Kunio
- Ito, Jun** See De L'Epreux, A. Grandin
- Ito, Katsuhiko; Sugii, Hiroshi; and Takata, Yukito**
Methods for preparing amorphous zirconium phosphosilicate. 64-07424P
- Ito, Keiji** See Yasuda, Akira
- Ito, Mitsuo** See Arima, Hideo
- Ito, N.** See Kishida, H.
- Ito, Noriaki** See Atsumi, Kinuya
- Ito, Setsumi** See Tomozawa, Minoru
- Ito, Shozo** See Matsumoto, Akio
- Ito, Tameo** See Yokoi, Shinichi
- Itoh, A.** See Hioki, Tatsumi
- Itoh, H.** See Sugiyama, K.
- Itoh, H.; Shimizu, M.; and Ohmori, Y.**
Hydrogen diffusion and defect center in gamma-irradiated GeO₂-doped optical fiber. 64-06205A
- Itoh, Hideo** See Takahashi, Tadashi
- Itoh, Jiro**
Infrared gas burner [sintered] plate. 64-05480P
- Itoh, K.; and Bockris, John O'M.**
Stacked thin-film photoelectrode using iron oxide. 64-06580A
- Itoh, Masaharu**
Precision machining of advanced ceramics. 64-02808A
- Itoh, N.**
Creation of lattice defects by electronic excitation in alkali halides. 64-04526A
- Itoi, Hidenobu** See Yamanaka, Hiroaki
- Itoyama, Masaru; and Kuzo, Takashi**
Thermocouple instrument. 64-02655P
- Iwaki, Toku; Watanabe, Kuniohshi; and Shibata, Toshihiko**
Method of and an apparatus for measuring surface temperature and emissivity of a heated material. 64-01067P
- Ivankov, G. G.** See Blinov, L. N.
- Ivankovskii, V. M.** See Aleksandrov, L. N.
- Ivan, Elina** See Becherescu, Dumitru
- Ivanitskii, V. V.; Klykova, L. Ya.; and Balkanov, Zh. P.**
High-strength and water-resistant gypsum binders based on phosphogypsum. 64-03094A
- Ivanovskii, A. A.** See Pirogov, Yu. A.
- Ivanovskii, R. K.** See Tolochkova, M. G.
- Ivanov, A. V.** See Glebov, L. B.; Kozlov, A. S.
- Ivanov, M. I.**
Automated system for controlling the drying conditions of ceramic bricks. 64-06927A
- Ivanov, V. A.** See Bednosheva, V. Ya.
- Ivanov, V. I.** See Berzhanskii, V. N.
- Ivanov, V. I.; Seredkin, M. A.; and Breskii, S. I.**
Combustion of solid fuels in kilns for firing ceramic bricks. 64-06418A
- Ivanov, Yu. A.** See Belyaev, I. N.
- Ivanova, L. A.** See Kukueva, L. L.
- Ivanova, N. D.** See Sagalevich, Yu. D.
- Ivanovsky, A. L.** See Gubanov, V. A.
- Ivashchenko, A. N.** See Sokolova, E. V.
- Ivashchenko, V. I.; Lisenko, A. A.; and Zhuravskii, E. A.**
Calculation of the electron spectra of stoichiometric and nitrogen-deficient zirconium nitrides. 64-05517A
- Ives, M. B.** See Heimann, Robert B.
- Ives, Neil A.** See Marvin, Dean C.
- Ivleva, L. L.; and Kuzminov, Yu. S.**
Preparation of single crystalline plates of Ca(VO₃)₂ and SiO₂ from the melt by the Stepanov method. 64-04486A
- Iwabuchi, Kazuo** See Tanaka, Chihaya
- Iwado, Hiroshi** See Yoshino, Shigeo
- Iwai, Masami**
Trends of development of automotive gas turbines. 64-02840A
- Iwai, Tadashi; Kawahito, Takashi; and Yamada, Teisoo**
Process for producing metallic nitride powder. 64-02901P
- Iwai, Tadashi; Mizuno, Hisayuki; and Miura, Masao**
Production process of silicon tetrachloride. 64-02969P
- Iwakuro, Hiroaki** See Yang, Wei Yi
- Iwasaki, Nobuyuki; Umesaki, Norimasa; and Goto, Shigeru**
Structural analysis of Na₂O-Ga₂O-SiO₂ glasses by the X-ray diffraction method. 64-06259A; Structural investigation of glass system Na₂O-Ga₂O-SiO₂. 64-01911A
- Iwasaki, Yoshiyuki; Taniguchi, Kozo; and Funazaki, Mitsumori**
Process [Al₂O₃-coating] and apparatus for the production of a metallic laminar composite material. 64-03172P
- Iwasa, M.; and Bradi, Richard C.**
Fracture toughness of single-crystal alumina. 64-07465A
- Iwasa, Uchi; Kokumai, Hiroyuki; and Okikawa, Shinji**
Test results of sintered calcia brick for vacuum oxygen decarburization vessel. 64-03684A
- Iwasaki, Y.; and Haguchi, H.**
Brick-forming vacuum press. 64-03579P
- Iwase, N.; Tange, A.; and Sugiera, Y.**
Development of a high-thermal-conductive AlN ceramic substrate technology. 64-03763A
- Iwashita, Koichi** See Moriga, Hiroyuki
- Iwaszenko, Antoni**
Economic [and environment] aspects of dedusting in the [Polish] cement industry. 64-06071A
- Iwatani, Shizuo** See Nishida, Masahiro
- Iwaya, S.; Tsuyuki, H.; and Sato, A.**
Ceramic capacitor. 64-03852P
- Iwayama, Kazuyoshi; Kamano, Takao; and Tada, Kuniyuki**
Process for preparing crystalline aluminosilicate zeolites using a carboxylic acid. 64-05647P
- Izu, Masatsugu; Cannella, Vincent D.; and Orvinsky, Stanford R.**
Continuous amorphous solar cell production system. 64-06804P
- Izu, Y. Douglas** See Nakano, Harry N.
- Izum, F.** See Horiuchi, S.
- Izum, Fujio; Mitomo, Mamoru; and Bando, Yoshio**
Rietveld refinements for calcium- and yttrium-containing α -Sialons. 64-02821A
- Izumi, Hiroshi**
Ceramic trimmer capacitor. 64-03858P
- Izumi, Misao** See Morimoto, Takuo
- Izyumov, A. A.** See Alekseev, N. E.
- Izzard, D. J.**
Simulated [refractory cavity] solid fuel gas fires. 64-06501P
- Jaccarino, V.** See Belanger, D. P.
- Jachimowski, M.** See Kursor, E.
- Jack, Kenneth H.; and Trigg, Mark B.**
O'-phase Sialon ceramic product and a method of forming dense ceramic product. 64-05639P
- Jackel, Janet L.; Glass, A. M.; and Peterson, George Earl**
Damage-resistant LiNbO₃ waveguides. 64-02294A
- Jackson, D. A.** See Wheeler, Jennifer M.
- Jackson, George**
Making the most of heat in ceramic production. 64-01084A
- Jackson, William M., II**
Boroflux low-cost "stirred" glazes. 64-06506A
- Jackullakova, Anna** See Hunarova, Helena
- Jacobs, Bernardus A. J.** See Zalm, Pieter
- Jacobs, Brian E.** See Ellis, Roland, Jr.
- Jacobs, Cornelius A. J.** See Van de Weijer, Martinus H.
- Jacobs, Jacobus H.** See Hasker, Jan
- Jacobs, Stephen F.; Johnston, Steve C.; and Hansen, Glenn A.**
Expansion hysteresis upon thermal cycling of Zerodur. 64-00292A
- Jacobs, Stephen F.; Shough, Dean; and Connors, Cliff**
Thermal expansion uniformity of materials for large telescope mirrors. 64-03490A
- Jacobson, Allan J.** See Beyerlein, Robert A.
- Jacobson, Nathan S.; and Smialek, James L.**
Hot corrosion of sintered α -SiC at 1000°C. 64-07114A
- Jacoby, Barbara A.**
Unlimited glaze decoration the imaginative way. 64-06531A
- Jacques, Roland; and Dupin, Thierry**
Preparation of spheroidal alumina particulates. 64-07063P
- Jacques, Roland; Reppell, Michel; and Seignourin, Laurent**
Fluorinated silica catalyst and preparation of aromatic/aliphatic nitriles in the presence thereof. 64-05619P
- Jacquet-Francillon, N.** See Vernaz, E.
- Jacubert, Serge** See Grosbois, Jean
- Jacquet, Gernot** See Heidick, Horst
- Jaeger, Gernot** See Rake, Heinrich
- Jaeger, Kurt S.** See Martin, Richard R.
- Jaggi, Ernst**
Device for controlled batch feeding of a fluidizable particulate material and process for its operation. 64-06807P
- Jahn, Paul F.**
Boron nitride paint for ceramic hot-pressing. 64-07200P
- Jahodova, Alois** See Ersepe, Zdenek
- Jain, G. C.; Bindal, V. N.; and Singh, J.**
Frequency and temperature dependence of dielectric and electromechanical parameters of soft piezoelectric materials developed at NPL [India]. 64-02429A
- Jain, H.**
Temperature dependence of electrical conductivity of glasses. 64-01917A
- Jain, Himanshu; Balzer-Jollenbeck, Gert; and Kanert, Otmir**
Li nuclear magnetic resonance in (Li, Li) and (Li, Na) triborate glasses. 64-03287A
- Jain, Himanshu; Downing, H. L.; and Peterson, Norman Lee**
Mixed alkali effect in lithium-sodium borate glasses. 64-00207A
- Jain, P. S.** See Mulla, B. A.
- Jain, P. S.; and Darskhane, V. S.**
Magnetic studies of the systems ZnFe₂, MnCrO₂. 64-02470A
- Jakes, Dusan; Rosenkranz, Jindrich; and Kral, Jiri**
Technical glasses—electrical properties and behavior in nuclear reactor VVR-S. 64-01916A
- Jakob, Wolfgang; Ulbricht, Joachim; and Riedel, Guenter**
Sintering behavior and material properties of white Al₂O₃ ceramics with additives. 64-04339A
- Jakus, Karl** See Lawn, Brian R.; Ritter, John E., Jr.; Sonderman, D.
- Jal, J. F.** See Dupuy, J.
- Jalava, Jouko S.** See Kuusman, Heikki T.
- James, Barry R.**
High-temperature [refractory] furnace nose construction. 64-00551P
- James, Peter Finlay** See Ramsden, A. H.; Wozniak, I.
- Jamet, Jean F.; Lewis, David, III; and Loh, E. Y.**
Characterization of mechanical behavior and fractographic observations on Compglas SiC/LAS composites. 64-05521A
- Jamet, Jean F.; Poupeau, Jean-Jacques; and Ommes, Jacqueline**
Process for the manufacture of compact composite carbonaceous materials by densification of porous carbonaceous substrates. 64-07275P
- Jamet, Jean F.; Spanu, Joseph R.; and Rice, Roy W.**
Ceramic-fiber composite processing via polymer-filler matrices. 64-05520A
- Janecek, Jiri** See Smetana, Josef
- Janecek, Jiri; Smetana, Josef; and Vytras, Karel**
Control of the enamel firing process by measurement of color tones of enameled products. 64-01782A
- Janecka, Lucyna**
Effect of burning conditions on clinker quality, using as example a 3500 Mg capacity precalcination kiln. 64-06074A
- James, S.; and Majdic, Aleksander**
Thermal shock resistance of plasma-sprayed special ceramic coatings on refractories. 64-02224A
- Jani, M. G.; and Halliburton, L. E.**
Point defects in neutron-irradiated quartz. 64-06692A
- Jani, M. G.; Halliburton, L. E.; and Kohne, E. E.**
Point defects in crystalline SiO₂—thermally stimulated luminescence [TSL] above room temperature. 64-01565A
- Janich, Hans-Juergen**
Method for the operation of an air separator and an air separator for the practice of the method. 64-06827P
- Jank, M.** See Bremer, H.
- Jansen, E.** See Schaefer, W.
- Jansen, M.** See Chang, Fung-ming
- Jansen, M.; and Standke, B.**
Crystal structure of Ag₂GeO₄—a new GeO₂-network structure. 64-01522A
- Janssen, Johannes A.** See Weterings, Cornelis A. M.
- Janssen, Petrus J.; and Van der Hulst, Victor A.**
Device for drawing an optical fiber. 64-00356P
- Janssen, R. K.** See Krol, D. M.
- Janssen, R. K.; and Krol, D. M.**
Micro-Raman spectroscopy—a technique for analyzing bubbles in glass. 64-04739A
- Janta, Jerzy**
Energy saving in the [Polish] lime industry. 64-06080A; Milling of lime and limestone in Silesian lime industry plants [Poland]: I. 64-06107A; Milling of lime and limestone in Silesian lime industry plants [Poland]: II. 64-06108A
- Jantzen, Carol M. F.**
Effects of Eh (oxidation potential) on borosilicate waste glass durability. 64-05700A; Radioactive waste-portland cement systems: II. Leaching characteristics. 64-00054A; See also Plodinec, M. John
- Jantzen, Carol M. F.; Bickford, Dennis F.; and Karraker, David G.**
Time-temperature-transformation [TTT] kinetics in SRL waste glass. 64-04760A

- Jantzen, Carol M. F.; Glaser, Fred P.; and Lachowski, Eric E.
Radioactive waste-portland cement systems: I. Radionuclide distribution. 64-00053A
- Jantzen, Carol M. F.; and Plodinec, M. John
Thermodynamic model of natural, medieval, and nuclear waste glass durability. 64-01921A
- January, James R.
Carbon-containing monolithic glasses and ceramics prepared by a sol-gel process. 64-00245P
- Jaras, Sven G. See Otterstedt, Jan-Erik A.
- Jarmoc, W. See Kulaszewicz, S.
- Jarvela, Pentti K.
Bending strength and static fatigue of glass fiber in different atmospheres by fiber loop test. 64-03412A
- Jarvela, Pentti K.; Laitinen, Keijo W.; and Puroila, Jaakko J.
Lightweight glass fiber-reinforced composites [studied] by destructive and nondestructive methods. 64-06313A
- Jarvinen, R.; Mantyla, T.; and Kettunen, P.
Improved adhesion between a sputtered alumina coating and a copper substrate. 64-04678A
- Jarvis, C. R. See Langdon, R. M.
- Jarvis, J. C. See Kakoullis, Y. P.
- Jasper-Torres, B.; and Mueller-Buschbaum, H.
Synthesis and structure determination of CoV_2O_6 . 64-01584A
- Jastrzebski, Lubomir L. See McGinn, Joseph T.
- Jastrzebski, Lubomir L.; and Lagowski, Jacek
Method to determine the crystalline properties of an interface of two materials by an optical technique. 64-04130P
- Javed, Inam; and Skalny, Jan P.
Influence of alkali sulfates on the properties of cement and concrete. 64-03099A
- Jayaratna, Manikprage; Yoshimura, Masahiro; and Somyia, Shigeyuki
Subsolidus phase relations in the pseudoternary system $\text{ZrO}_2\text{-YO}_3\text{-Cr}_2\text{O}_3$ in air. 64-02832A
- Jeanvoine, Pierre L. See Moreau, Raymond
- Jedlicka, Josef See Blaha, Jindrich
- Jedlicka, Josef; Blaha, Jindrich; and Vrba, Vladimir
Influence of calcium sulphate dihydrate on cement grinding. 64-06095A
- Jefferson, D. A. See Wen, Shu-lin
- Jehn, Hermann See Szokefalvi-Nagy, Agnes
- Jelinski, Bohdan See Forslund, Bertil
- Jen, Cheng-Kuei; Cielo, Paolo; and Madaque, Xavier
Noncontact ultrasonic characteristics of piezoelectric ceramics. 64-06691A
- Jeng, S. J.; Wayman, C. M.; and Costantini, G.
Interface structure of GaAs/AlAs semiconductor superlattices prepared by MOCVD [organometallic CVD]. 64-00675A
- Jenkins, Robert G.; and Shinn, Dennis B.
Method for reducing striations in fused silica. 64-07249P
- Jenkins, Ron
X-ray fluorescence analysis [theory and instrumentation]. 64-02625A
- Jennings, James E.; and Pessimis, George N.
Method of making an iron oxide/chromium oxide catalyst. 64-02880P
- Jensen, Edwin K. See Olenick, John A.
- Jensen, Leslie C. See Dickinson, J. Thomas
- Jensen, Paul L. See Mueller, Edward E.
- Jensen, Uffe L.; and Mortensen, Sten
Method and apparatus for drying a pulverulent or particulate product. 64-04042P
- Jerschke, H.-G.; and Ehrhardt, K.
Catalytically active surface compounds: XI. Influence of topology of silanol groups on the formation of vanadium oxide clusters on SiO_2 surfaces. 64-01181A
- Jerus, Paul See Clearfield, Abraham
- Jeschke, Rudolf See Frisch, V.
- Jesper, G. P.
Light construction [enameling] furnaces. 64-05467A; See also Stokman, F.
- Ji, Yun-song See Huang, Xi-huai
- Jia, Chuan-jin See Sun, Bao-zhen
- Jiang, An-min See Li, Xi-shan
- Jiang, De-hua See Huang, Xi-huai
- Jiang, Dong-liang See Huang, Yu-zhen; Zeng, Shao-xian
- Jiang, Ling-zhang See Yu, Ling
- Jimenez, B. See Alemany, C.
- Jin, Feng
Two methods for calculating the refractive index of optical slab waveguide films. 64-05967A
- Jin, Xing-yun
Properties of PZT ceramics under one-dimensional compressive stress. 64-05277A
- Jochem, Cornelius M. G. See Spierings, G. A. C. M.
- Jochem, Cornelius M. G.; Khoe, Giok D.; and Nicia, Antonius J. A.
Method of manufacturing a fiber-optical coupling element. 64-02005P
- Jodoin, Raymond C.
Decoupled [ceramic capacitor] integrated circuit package. 64-03864P
- Joe, Yasuichi See Marsuda, Yoshifumi
- Joedden, Klaus; Heymer, Gero; and Stephan, Hans-Werner
Process for making titanium dioxide concentrates. 64-07065P
- Joesten, Raymond
Diffusion-compensation relation for normal grain growth and grain-boundary diffusion of oxygen in oxides. 64-04455A
- Jogier Tamargo, A.
Color determination of glasses—various instrument types [review]. 64-06862A
- Johannessen, Olvind; and Kolstad, Per
Effect of oxide additions on the electrical conductivity of the low-temperature form of Ta_2O_5 . 64-03770A
- Johansen, V.; and Christensen, N. H.
Laboratory burnability and practical kiln operation. 64-04651A
- Johansson, B. O.; Sundgren, J. E.; and Hentzell, H. T. G.
Influence of substrate shape on TiN films prepared by reactive sputtering. 64-05114A
- Johnson, A. P. See Thorp, J. S.
- Johnson, C. C.; Wydeven, T.; and Donohue, K.
Silicon nitride antireflection coatings for photovoltaic cells. 64-02823A
- Johnson, D. L.; McIntyre, B. L.; and Fortmann, R.
Particle analysis—bulk analysis. 64-04098A
- Johnson, D. Lynn See Bagley, Rodney D.; Kemer, Eric L.
- Johnson, D. Lynn; Sanderson, Wayne B.; and Knowlton, Jennifer M.
Sintering of $\alpha\text{-Al}_2\text{O}_3$ in gas plasmas. 64-06784A
- Johnson, D. Ray; and Schulz, Robert B.
Structural ceramic research and development in Japan. 64-04350A
- Johnson, Daniel D.
Liquid chemical process for forming conductive through-holes through a dielectric layer. 64-03882P; Process using plasma for forming conductive through-holes through a dielectric layer. 64-00804P
- Johnson, David R., Jr.; Schaffhauser, A. C.; and Tennery, Victor J.
Ceramic technology for advanced heat engines project. 64-04251A
- Johnson, Derwyn C. See Hill, Kenneth O.
- Johnson, Gary W.; Schoonejongen, Ronald J.; and Hilson, David G., II
Blister-resistant [thick-film glass and Al_2O_3 -based] dielectric. 64-02349P
- Johnson, Joseph A.
Method and apparatus for making antique brick. 64-03580P
- Johnson, Keith, Jr.; Long, Robert A.; and Over, William R.
Optical waveguide terminating apparatus. 64-00407P
- Johnson, Lawrence H. See Heimann, Robert B.
- Johnson, Leonard M.
Integrated optical transducers. 64-06368P
- Johnson, Marvin M. See McDaniel, Max P.
- Johnson, Milo R. See Tiku, Shiban K.
- Johnson, O. S.
Silica [vitreous] tube manufacture. 64-03544P
- Johnson, R. W. See Wojtasinski, R.
- Johnson, Randall L.
Annual ceramic mineral resources review—talc. 64-07018A
- Johnson, Richard C.; and Norris, Allyn P.
Erosion test apparatus. 64-04117P
- Johnson, Ronald E.; and Wu, Lung-ming
Decalcification [heat release decal]. 64-00355P
- Johnson, S. B. See Tidy, P. H.
- Johnson, S. M.; Dalglish, B. J.; and Evans, Anthony G.
High-temperature failure of polycrystalline alumina: III. Failure times. 64-02779A
- Johnson, Sylvia M. See Brittain, R. D.
- Johnson, Thomas H.
Metal oxide-tantalum(V) hydride/oxide compositions and process for preparing them. 64-01501P; Metal oxide-niobium(V) hydride/oxide compositions and process for preparing them. 64-01502P; Niobium or tantalum/halogen-containing [ceramic-supported] catalyst regeneration process. 64-01337P; Niobium(V) halide/oxide-metal oxide compositions [for catalyst] and a process for their preparation. 64-02888P; Tantalum(V) halide oxide-metal oxide compositions and a process for their preparation. 64-02420P
- Johnson, William N. See Goddard, John B.
- Johnson-Walks, D.; Drory, Michael D.; and Evans, Anthony G.
Evaluation of reliability of brittle components by thermal stress testing. 64-06871A
- Johnson, A.; Carlstrom, Ellis; and Hermanson, Leif
Rate-controlled thermal extraction of organic binders from injection-molded bodies. 64-00926A
- Johnston, Garland D. See Beggs, James M.
- Johnston, Garland D.; Coleman, Archie D.; and Portwood, Joseph N.
Insulation debond detection. 64-05421A
- Johnston, Steve C. See Jacobs, Stephen F.
- Joliet, M. C. See Antoniadis, C.
- Jones, Cecil M.
Chromia-magnesia ramming cement. 64-05017P; Refractory [dry Al_2O_3] cement mix. 64-00572P
- Jones, Cecil M.; Washburn, Malcolm E.; and Trostel, Louis J., Jr.
Refractory cement [bond of SiO_2 , Fe oxide, Si, and Ca]. 64-00576P
- Jones, D. See Thomas, D. R.
- Jones, Earl; and Hamilton, E. F., III
Microprocessor-controlled lignite gasifier. 64-04901A
- Jones, G. T. See Wall, G. W.
- Jones, Kenneth R.
Microprocessor application in a refractory plant. 64-04975A
- Jones, L. Raymond, Jr. See Cassidy, John E.
- Jones, P. R.
Solder joint integrity is key to temperature cycling resistance [in surface-mount assemblies]. 64-05176A
- Jones, R. E. See Calamitout, M.
- Jones, R. L. See Chandler, H. D.
- Jones, Ronald See Drake, Cyril F.
- Jones, Stanley P.
Controlling the temperature of a glass mold. 64-06345P
- Jones, Stephen R.
Optical fiber [coating] reinstatement. 64-06395P
- Jones, Sue
New roles for ceramics in the construction and machine industries. 64-00445A
- Jones, William R.
Hot zone chamber [ceramic panel lined] wall arrangement for use in vacuum furnaces. 64-02245P
- Jonkouski, Jill E. See Dudek, Ronald P.
- Jons, Ebbe S.; and Gude, Klaus E.
Preparation of a calcium sulfate anhydrite material of low chloride content. 64-03144P
- Jonsson, B.; and Hogmark, S.
Hardness measurement of thin films. 64-05418A
- Joo, Louis A. See Juel, Leslie H.
- Joo, Louis A.; Joo, Leslie H.; and Nabben, Hendrikus J. P.
Method of providing magnesium fluoride layers. 64-04507P
- Jordan, G. W. See Rasmussen, M. D.
- Jordan, G. W.; and Berard, Michael F.
Production of highly sinterable rare-earth oxide powders by controlled humidity dewatering of precursors. 64-04219A
- Jordan, Peter; and Seifmeier, Werner
Experience with a microprocessor-based control system at ICL's new Limerick [Ireland] plant. 64-06872A
- Jorgensen, Annette W. See Petersen, Ib Finn
- Jorgensen, Paul J. See Bartlett, Robert W.
- Jorgensen, Walter F. See Adam, Ken L.
- Joseph, Werner
Situation in the US enamel industry. 64-04689A
- Joseph, Werner A.
Matte surfaces—a new style trend. Applications, problems, solutions. 64-05042A; Matte surfaces—uses, problems, solutions. 64-00097A
- Joshi, P. B. See Bhatia, S. N.
- Jost, K.-H. See Schneider, M.
- Joyce, I. H. See Haley, M. P.
- Judy, J. H. See Chen, Ga-lane
- Juel, Leslie H.; Joo, Louis A.; and Tucker, Kenneth W.
Composite of TiB₂-graphite [from TiO₂, coke, and liquid B₂O₃]. 64-01295P
- Juma, Q. A. See Parker, J. M.
- Jun, Byung-Sei See Lee, Hee-Soo
- Jung, Bok-Hwan; Kim, En-Hoon; and Oh, Young-Woo
Basic tin-dish coating powder. 64-06439A
- Jung, Joerg
Peculiarity of flow behavior of ceramic casting slips. 64-03726A
- Jung, R.
Molding [one-piece] ceramics. 64-03743P
- Jung, Su-Jin See Lim, Eung-Keuk
- Junge, Karsten
Energy conservation in tunnel kilns: I. 64-02662A; Energy conservation in tunnel kilns: II. 64-05464A
- Junge, Karsten; and Rupplik, Michael
Effects of simple design measures on the energy consumption of tunnel kilns. 64-03560A
- Jungling, K. C. See McNeil, John R.
- Junod, A.; and Roulet, C.
Heat capacity and thermal conductivity of bismuth germanate ($\text{Bi}_2\text{Ge}_2\text{O}_7$). 64-07469A
- Jurado, J. R. See Duran, Alicia
- Juvinal, John W.
Method for inspecting glass containers [refractive defect]. 64-02643P
- Jyomura, Shigeru See Takeuchi, Hiroshi
- Kaai, Kiyoishi; and Kobayashi, Masaru
Zirconia sensor for combustion equipment. 64-03845A
- Kabanov, N. P. See Pavlushkin, N. M.
- Kabanov, V. O. See Bondarenko, E. G.; Yanush, O. V.
- Kabe, Toshiaki See Nagai, Masatoshi
- Kabish, Atia M. See Ibrahim, Doreya M.
- Kabos, P. See Kogekar, M. V.
- Kaburagi, Katsuhiko See Kaminaka, Motofumi
- Kachalova, Lidia See Kosa-Somogyi, Istvan
- Kachur, A. V. See Batalin, G. I.
- Kaczowska, Danuta
New method of frost resistance testing of porous building materials. 64-06880A
- Kaczmarek, Gerhard See Huebner, Manfred
- Kaczmarek, Helmut; and Laengrich, Werner
Testing of needle fleece filter material for use in the cement industry. 64-00930A
- Kadar, Jozsef
State and tasks of the [Hungarian] building materials industry. 64-04659A
- Kaden, Hans-Dieter See Hieber, Ernst
- Kadnikova, N. V.; L'vova, L. A.; and Grachev, D. K.
Synthesis and investigation of a new oxide compound of cadmium and antimony(III). 64-05815A
- Kadokura, Hidekimi See Horikiri, Shozo
- Kadokura, Hidekimi; and Umezaki, Hiroshi
Pigmented aluminum oxide powder and the method of producing the same. 64-04510P
- Kadono, Atsuro
Japan's refractory industry—trends. 64-00481A
- Kadyrly, Kh. V. See Murguzov, M. I.
- Kadyrova, N. I. See Pereleyev, V. A.

- Kaede, Kazuhiko**
Planar, optical star coupler for optical fibers. 64-00409P
- Kaeding, Warren W.**
Paraelectric zeolite catalysts treated with sulfur compounds. 64-01341P
- Kaeppler, G.**
Discussion on a continuous operating enamel smelting furnace with an in-line fluorine sorption stage. 64-03150A
- Kaese, Hans Rolf; Teck, John Aloysius; and Case, Eldon Darrel**
Elastic constants of two dental porcelains. 64-07095A
- Kaga, Hideo**
See Hara, Sadao
- Kaganova, I. V.** See Sivchikova, M. G.
- Kaganyuk, D. S.; and Perepelitsin, A. P.**
Estimating the formation enthalpies of compounds of the type $MR(EO)_x$. 64-05703A
- Kagawa, H.; and Matsui, K.**
Sodium-sulphur (β - Al_2O_3) storage battery. 64-00809P
- Kagawa, M.; Imamura, Y.; and Utsui, S.**
Distribution of ZrO_2 and Al_2O_3 in ultrafine ZrO_2 - Al_2O_3 powders formed by the spray-ICP technique. 64-02757A
- Kageyama, Yoichi** See Onuma, Kazuhiko
- Kahan, Alfred**
Cut angles for quartz crystal resonators. 64-03863P
- Kahl, L.** See Matzke, Hansjoachim
- Kahn, A.** See Agafonov, V.; Collongues, R.
- Kahn, A. H.** See Frederikse, Hans P. R.
- Kahn, David A.**
Optical fiber power tap. 64-00403P
- Kahn, Luis R.** See Mutsaers, Beebhas C.
- Kai, Norichika** See Musto, Richard L.
- Kaiser, Fritz** See Nied, Roland
- Kaiser, Gregory A.; DeMunda, Gabriel P.; and Tremier, Richard E.**
Porous [SiC] conductor dopant carriers. 64-06658P
- Kaiser, Jack N.**
Water closet or similar article. 64-01693P; 64-00028P; 64-04623P
- Kaiser, William J.; and Logothetis, Eleftherios**
Method of making a titanium dioxide oxygen sensor element by chemical vapor deposition. 64-05232P
- Kaisersberger, E.**
Thermoanalytical material testing up to 2400°C. 64-04106A; See also Balck, Vladimir
- Kaito, Chiharu**
High-resolution electron microscopic study of oxide particles produced by the coalescence of smoke particles of iron and iron oxide. 64-02935A
- Kajihara, Takehiro** See Kaneno, Masayuki
- Kajoka, Hiroshi; Tokunaga, Toshikide; and Nakagawa, Junichi**
Single-polarization [B_2O_3 - P_2O_5 -doped jacket] optical fibers. 64-03545P; Single-polarization optical fibers. 64-03546P
- Kakazai, N. G.** See Vlasova, M. V.
- Kakegawa, Kazuyuki; and Mohri, Junichi**
Synthesis of $(Ba,Pb)(Zr,Ti)O_3$ solid solution having no compositional fluctuations. 64-06697A
- Kakii, Toshiaki** See Tanaka, Chihaya
- Kakizaki, Katsuhisa** See Imamura, Kenji
- Kakoulis, Y. P.; and Jarvis, J. C.**
Cyprus Cement semidirect coal-firing system. 64-06935A
- Kala, Tomaz**
Formation of the solid solution of $Pb_{0.5}La_{0.5}(Zr_{0.5}Ti_{0.5})_{0.5}O_3$ from coprecipitates. 64-05264A
- Kalendariashvili, A. G.** See Gverdtsiteli, I. G.
- Kalishokoff, Reinhard** See Baumberger, Otto
- Kale, M. R.**
Air management for regenerative glass furnaces. 64-04770A
- Kaler, Ward S.** See O'Brien, Larry S.
- Kallins, P. S.** See Petrovskaya, T. S.
- Kallins, G. V.** See Val'dman, O. A.
- Kallinovskaya, I. N.** See Dergaputskaya, L. A.
- Kallits, G. E.; Evich, L. I.; and Yastremskaya, E. N.**
Encrustation in the slide skive gates during the casting of bearing steel. 64-03616A
- Kalov, N. I.** See Dzeranova, K. B.; Tobiev, A. K.
- Kalos, Stephen H.** See Black, John R. H.
- Kalshoven, James E., Jr.** See Korb, Charles L.
- Kalugin, G. A.** See Kashkina, T. V.
- Kaluzhsky, Nikolai A.; Sizyakov, Viktor M.; and Andreev, Vladimir**
Process for desilication of aluminate liquors in the production of alumina. 64-07064P
- Kalyamina, A. V.** See Belozerskii, G. N.
- Kalygin, V. G.** See Nazarov, V. I.
- Kalygin, V. M.; Gaman, V. I.; and Bogomolova, L. D.**
Effect of heat treatment on the electrical properties of Bi-V glasses. 64-03231A
- Kalz, Hans-Joergen** See Rieck, Hans-Peter
- Kamada, Yoshiyuki** See Naruse, Yoichi
- Kamali, R.** See Kishore, N.
- Kamano, Takao** See Iwayama, Kazuyoshi
- Kamardin, A. A.; Mamedov, A. A.; and Smirnov, V. A.**
Concentration quenching and Nd^{3+} luminescence quantum yield in γ - La_2S_3 semiconductor crystals and La_2S_3 - $2Ga_2O_3$ glasses. 64-03758A
- Kamata, Hideo** See Ueno, Susumu
- Kamata, Hideo; Mochizuki, Takao; and Matsumoto, Shigeaki**
Preparation of submicrometer AlO_3 powder by gas-phase oxidation of tri(acetylacetonato)aluminum(III). 64-07370A
- Kamata, Kichiro; Shibata, Yoshitake; and Kishi, Yukio**
MgO films deposited by chemical vapor deposition. 64-01425A
- Kamata, Nobuo; Sekiya, Takashi; and Takeda, Kazutoshi**
Divalent silver oxide cell including cadmium and tellurium. 64-06613P
- Kamata, Shuji** See Tanaka, Isao
- Kamata, Yoshiyuki** See Naruse, Yoichi
- Kamath, G. Sanjiv** See Knechtli, Ronald C.
- Kambe, Koichi; Honda, Tsugunori; and Toyota, Toshio**
Process for producing ferrites. 64-00873P
- Kameda, T.** See Iseki, Takayoshi
- Kamegashira, Naoki; Miyazaki, Yuji; and Hiyoshi, Yoshihiko**
Limiting oxygen partial pressure of $LaMnO_3$ phase. 64-01421A
- Kamegashira, Naoki; Miyazaki, Yuji; and Suzuki, H.**
Z-type jump in electrical conductivity of samarium manganese. 64-00865A
- Kamehara, Nobuo; Kurihara, Kazuki; and Niwa, Koichi**
Method for producing multilayered glass-ceramic structure with copper-based conductors therein. 64-05229P
- Kamel, Tsunenori** See Kawahito, Tsuneyoshi
- Kamenev, N. N.; and Troitskii, Yu. V.**
Metal-dielectric mirrors with one-sided light reflection. 64-03799A
- Kamenicky, Vincent** See Schlie, Theodore
- Kamenskaya, L. A.; and Matveev, A. M.**
System K_2NbF_6 - K_2TiF_6 - KCl . 64-05832A
- Kamerman, K.** See Dragoman, I.
- Kamigaito, Osami** See Kamiya, N.; Kamiya, Nobuo; Takatori, K.
- Kamigaito, Osami; Fukushima, Yoshiaki; and Doi, Haruo**
Composite (heat- and abrasion-resistant) material composed of clay mineral and organic high polymer and method for producing the same. 64-01292P
- Kaminaka, Motofumi; Takashima, Hiroyuki; and Kaburagi, Katsuhiko**
Powdery coal burner. 64-06989P
- Kaminska, Nobuyuki** See Nomura, Noboru
- Kaminskas, A. S.; and Machyulis, S. V.**
Economy of fuel, energy, raw material consumption, and labor in the production of mineral wool bodies. 64-01944A
- Kaminskas, A. Yu.**
Increasing the durability of mineral fibers of heat-insulating mineral wool materials. 64-03453A; See also Sadunas, A. S.
- Kaminskii, A. A.; Mill, B. V.; and Belokoneva, E. L.**
Growth and crystal structure of the new inorganic laser material $La_3Ga_2GeO_{10} \cdot Nd^{3+}$. 64-01545A
- Kaminskii, A. A.; Mill, B. V.; and Butsashina, A. V.**
New opportunities for exciting stimulated radiation in inorganic crystal materials with the garnet structure. 64-00678A
- Kaminskii, A. A.; Mill, B. V.; and Silvestrova, I. M.**
Nonlinearly active materials ($La_{0.5}Nd_{0.5}$)- Ga_2SiO_5 . 64-04557A
- Kaminskii, A. A.; Petrosyan, A. G.; and Ovanesyan, K. L.**
Cross-cascade generation of stimulated radiation of ions Tm^{3+} - Hn^{3+} in $Lu_2Al_2O_4 \cdot Cr^{3+}$ - Ho^{3+} . 64-01190A
- Kaminskii, A. A.; Sarkisov, S. E.; and Maier, A. A.**
Growth and spectral-luminescent properties of hexagonal crystals $Bi_2GeO_5 \cdot Nd^{3+}$. 64-01546A
- Kaminskii, V. V.** See Grebinskii, S. I.
- Kamitsos, Efstratios I.; and Risen, William M., Jr.**
Vibrational spectra of single- and mixed-alkali pentasilicate glasses. 64-01924A
- Kamiya, Kanichi** See Yoko, Toshinobu
- Kamiya, Kanichi; Yoko, Toshinobu; and Sakka, Sumio**
Coordination of Ti^{4+} and Ge^{4+} ions in Na_2O - TiO_2 - GeO_2 glasses—an approach based on crystallization behavior, X-ray absorption, and IR spectroscopy. 64-06172A
- Kamiya, N.; and Kamigaito, Osami**
Estimation of Weibull parameters by omission of some data in a sample. 64-04540A
- Kamiya, Nobuo; and Kamigaito, Osami**
Effect of thermal fatigue under stress on refractory life. 64-02981A
- Kamiyama, Kouzi**
Process for the preparation of ferrite magnetic particulate for magnetic recording. 64-03977P
- Kamizono, Hiroshi; and Niwa, Kazukuni**
Estimation of the thermal shock resistance of simulated nuclear waste glass under water quenching conditions. 64-01845A
- Kammott, G. W.** See Nassau, Kurt
- Kamo, M. R.; and Bryzik, W.**
Cummins/TACOM advanced adiabatic engine. 64-04260A
- Kano, Takashi**
Zirconia sensor for automobiles. 64-03844A; See also Sakurai, Shigenori
- Kamper, Konrad** See Rieger, Wolfhart
- Kamper, Karl-Heinz** See Kurandt, Hans-Friedrich
- Kamyshnikov, V. V.** See Zaidat, G. I.
- Kan, Yu. E.** See Frolovskii, N. M.
- Kanabe, Tadashi** See Toide, Eiichi
- Kanase, I. A.** See Byndin, V. M.
- Kanal, Elze** See Somya, Shigeyuki
- Kanal, Hideyuki; Furukawa, Osamu; and Imai, Motomasa**
Valistor [doped ZnO]. 64-06676P
- Kanal, Kazuhiko; and Sakabe, Yukio**
Method of making a ceramic capacitor. 64-00775P
- Kanal, Kenzo** See Nomura, Noboru
- Kanal, Yuzo**
Electrical properties of In_2O_3 single crystals doped with metallic donor impurity. 64-02301A; Electrical properties of indium-tin-oxide single crystals. 64-02303A
- Kanamaru, Takayoshi** See Maruhashi, Shigeaki
- Kanamori, Terutoshi** See Ohishi, Yasutake
- Kanatsui, Kenji** See Habata, Etsuroh
- Kanayama, Toshihiko; Tanoue, Hisao; and Tsurushima, Toshio**
Formation kinetics of niobium and molybdenum silicides induced by ion bombardment. 64-02932A
- Kanazawa, Tatsu** See Yamaguchi, Osamu
- Kanbe, Junichiro** See Ogawa, Kyosuke; Shirai, Shigeru
- Kanda, Takeshi** See Homma, Katsuhiko
- Kandachi, Takayoshi; Okino, Seki; and Yanai, Toshiharu**
Method of producing heat-reflecting glass plate by coating with titanium oxide film. 64-06390P
- Kandori, Toshio** See Sugura, Masahiro
- Kane, James; and Murr, John, Jr.**
CRT with internal neck coating of crystalline tin oxide for suppressing arcing therein. 64-06592P
- Kaneda, Alzo** See Sato, Hidemi
- Kanehori, Keiichi** See Miyachi, Katsuki
- Kaneke, H.** See Miyake, K.
- Kaneko, Kimiyoshi** See Ozaki, Yoshiharu
- Kaneko, Toshiaki** See Fujimoto, Shoichiro
- Kanemura, Yutaka** See Sugita, Tadaaki
- Kaneno, Masayuki; and Kajihara, Takehiro**
Polycrystalline translucent alumina sintered body, a method for producing the same and a high-pressure vapor discharge lamp obtained by using said sintered body. 64-04409P
- Kanert, Otmär** See Jain, Himanshu
- Kanets, Kumiko** See Nomura, Shoichiro
- Kaneva, Akio**
Feasibility study on R & D of advanced ceramics and international cooperation. 64-03012A
- Kaneyasu, Masayoshi** See Arima, Hideo
- Kang, Won-Ho** See Park, Yong-Wan
- Kangro, A. R.** See Arbuzov, V. I.
- Kanik, John A.; Meinking, William E.; and Morris, Jeffrey R.**
Vibratable refractory mix and binder therefor. 64-05034P
- Kanno, Tsuneo** See Suda, Toshikazu
- Kano, Osamu** See Hirota, Toshiharu
- Kanosi, H. S.** See Bannister, M. J.
- Kanowski, M. G. (Editor)**
Containers of Classical Greece: A Handbook of Shapes. 64-05998B
- Kanzaki, Shuzo**
Process for making engineering ceramics: I. 64-02523A; Process for making engineering ceramics: II. 64-02813A
- Kanzaki, Shuzo; Tabata, Hideo; and Kumazawa, Takeshi**
Sintering and mechanical properties of stoichiometric multilayers. 64-04338A
- Kanzaki, Shuzo; Tabata, Hideo; and Takada, Tadanobu**
Microstructure and sinterability of amorphous Si_3N_4 with added calcined Y_2O_3 . 64-02798A
- Kapadia, M.; Van Roode, M.; and Roy, R.**
Kinetics and mechanism of matte glaze formation. 64-04732A
- Kapitanova, N. N.** See Balabanov, N. P.
- Kaplan, Morris**
Self-dispersing antimony oxide sols. 64-02970P
- Kaploka, Josef**
Development in application of (automation and automatic manipulators in [Czechoslovakian] brickmaking. 64-02034A
- Kapra, P.; and Vlot, J. F.**
Friction of metal/ceramic couples—important phenomena. 64-04268A
- Kapty, Gyorgy** See Matyasi, Jozsef
- Kapustina, O. A.** See Belyaeva, E. V.
- Kar, Kishore K.**
Lithium stearate aluminate as lubricant additive. 64-07415P
- Karne, Z. Sh.** See Buludov, N. T.
- Karamov, A. G.; Vanyukova, N. V.; and Pershina, T. E.**
Autoradiographic quality control of semiconductor materials. 64-05054A
- Karamov, A. G.; Vanyukova, N. V.; and Salamatina, B. A.**
Errors in radiometric analysis of semiconductor materials. 64-05416A
- Karapetyn, G. O.** See Grilikhes, S. F.; Yanush, O. V.
- Karapetyn, G. O.; Kiselev, B. A.; and Konopatin, S. N.**
Ir emission of unactivated glasses excited with He-Ne lasers. 64-03280A
- Karapetyn, G. O.; Livshits, V. Ya.; and Nemilov, S. V.**
Energetics of polyalkaline aluminosilicate glasses based on data from measurements of viscosity and ultrasound velocity. 64-03247A
- Karas, Bradley R.; and Baumgarter, Charles E.**
Bubble [organometallic derived ceramic] pressure barrier and electrode composite. 64-05204P
- Karas, G. E.** See Efremov, V. A.
- Karsak, Keith R.** See Amateau, Maurice F.
- Karasev, V. P.** See Tarkhman, G. S.
- Karasev, V. I.** See Aizdarskaya, B. B.; Vlasova, N. I.
- Karsnik, Alexander Y.** See Denker, Boris I.
- Karstani, Hajime; Minakuchi, Hiroyoshi; and Oka, Syotaro**
Preparation of gel-like glass particulates from tetraethoxysilane as a carrier for immobilization of enzymes. 64-01889A
- Karsulov, A. G.; Malyuk, A. D.; and Druzhinin, V. G.**
Melting of baddeleyite in an electric arc furnace. 64-02937A
- Karsulov, A. G.; Sudarkina, T. E.; and Gaponov, Ya. G.**
Melting of baddeleyite in an electric arc furnace of type OKB-955N. 64-02516A
- Karsulov, A. G.; Zoz, E. I.; and Rudyak, I. N.**
Structure and properties of solid solutions in the systems ZrO_2 - MgO , ZrO_2 - CaO , and ZrO_2 - Y_2O_3 . 64-02947A

- Karbowiczek, M. See Krucinski, M.
 Karch, John A. See Yoo, Jin S.
 Kardos, Z. L. See Rytken, L. E.
 Karetina, I. V. See Vasil'eva, E. A.
 Kargol, Jurgen; and Mersmann, Theo
 Thermo-chaff for reinforcement of refractories. 64-03688A
 Karimov, I. See Emiraliev, A.; Molodovskaya, E. K.
 Karimov, S. S.; Sifamov, S. S.; and Ulanov, V. A.
 Electrophysical properties of TIPS [thallium phosphorus sul-
 fur]. 64-05091A
 Karioris, F. G. See Vance, E. R.
 Karis, Ya. E.; Ozols, Yu. Ya.; and Pzhevuskii, A. K.
 Magnetic circular dichroism spectra of glasses activated with
 rare-earth ions. 64-03291A
 Karlyu, Michio See Ogino, Makoto
 Karakitsa, T. N. See Tovarov, V. V.
 Karthanas, S. N. See Melling, Peter J.
 Karthi, A. K.
 Plasticizing additives in refractory concretes. 64-04987A;
 Recent trends in improving the production of refractories
 [in the USSR]. 64-04992A; See also Tsin, I. P.
 Karthi, A. K.; and Sokolov, A. N.
 Increased stability of linings of vacuum-treatment devices
 from foreign countries—review. 64-03636A
 Karlo, Rudolph A. See Claassen, George R.
 Karlsson, Axel T. See Nolan, James D.
 Karlsson, B. See Valkonen, E.
 Karpichenko, E. A.
 Calculation of the viscosity of suspensions based on glassy
 systems. 64-03197A
 Karpinos, D. M.; and Listovichaya, S. P.
 Reaction of boron nitride films with nickel at high tempera-
 tures. 64-01250A
 Karpinski, O. G. See Abrikosov, N. Kh.
 Karpov, Henry B. See Kupperman, David S.
 Karpov, E. A. See Gutenev, M. S.
 Karraher, David G. See Jantzen, Carol M. F.
 Kartavova, O. G.; and Lyzenok, L. N.
 Corrosion of binary alkali-metal silicate glasses in multicom-
 ponent salt solutions. 64-03210A
 Karthikeyan, Jeganathan; Venkatramani, Narayanan; and Ro-
 htagi, Vijay Kumar
 Plasma-sprayed ceramic reaction couples. 64-02807A
 Karyuk, G. G.; Kolesnichenko, L. F.; and Yuga, A. I.
 Frictional properties of materials based on dense modifi-
 cations of boron nitride. 64-07109A
 Kasa, Stanislav; and Stanek, Jaroslav
 Homogenizing and intensifying effect of electric boosting in
 glassmelting furnaces. 64-04798A
 Kasai, K.; Tsukidate, T.; and Nagata, S.
 Process for preparation of silicon nitride powder of good
 sintering property. 64-04416P
 Kasai, Yoshihiko
 Ceramic resonator and a ceramic filter using the same. 64-05286P
 Kasanami, Tohru See Senda, Atsuo
 Kasenga, Anthony F.
 Method of making cerium-activated yttrium aluminate
 phosphor. 64-02960P
 Kasheev, I. D. See Strelov, K. K.
 Kasheev, I. D.; Nazarov, T. I.; and Perepelitsyn, V. A.
 Effect of the nature of SiO₂-containing fillers on the kinetics
 of multistep formation. 64-04944A
 Kasheev, I. D.; Semennikov, V. P.; and Savchenko, Yu. I.
 Bodies based on chemically synthesized compositions in the
 system MgO-Cr₂O₃. 64-04922A
 Kashif, I. See El-Sharkawy, A. A.; Sanad, A. M.
 Kashima, Masao; and Miyashita, Yasuo
 Composition [MgTiO₂-free] for ceramic dielectrics. 64-00736P; Composition [temp.-compensating] for ceramic
 dielectrics. 64-00737P
 Kashima, Masao; and Tomuro, Noboru
 Dielectric [zirconate] ceramic composition. 64-06611P
 Kashima, Norio See Kato, Yasuyuki
 Kashintseva, A. N.; and Kolyadin, A. I.
 Differences in the spectral absorption of glasses in the near-ir
 region relative to the presence of cerium. 64-03218A
 Kashiwagi, Yoshiyuki; and Suzuki, Tsutai
 Process for bonding copper or copper-chromium alloy to
 ceramics, and bonded articles of ceramics and copper or
 copper-chromium alloy. 64-03174P
 Kashkina, T. V.; Kazantsev, V. V.; and Kalugin, G. A.
 Transfer bins for loading finely ground refractory materi-
 als into mixtures. 64-05229A
 Kasimov, A. M. See Krechin, Yu. V.
 Kask, N. E.; Kornienko, L. S.; and Fedorovich, O. V.
 Thermal characteristics of glasses based on experiments with
 laser heating. 64-03373A
 Kasparova, E. S.; Gutenev, M. S.; and Baldaikov, L. A.
 Dielectric study of glasses in the system AsSe₃-As₂Se₃.
 64-03764A
 Kassabian, Bahir; and Viriyayuthakorn, Montri
 Apparatus for coating lightguide [glass] fiber. 64-06338P
 Kaszargi, Michael P.; Fox, Bradley H.; and Biggers, James V.
 Fast firing of a lead-iron niobate dielectric ceramic. 64-06686A
 Kassarjian, Michael P.; Newnam, Robert E.; and Biggers,
 James V.
 Sequence of reactions during calcining of a lead-iron niobate
 dielectric ceramic. 64-06376A
 Kassner, Reinhard; Mader, Karl-Heinz; and Cook, Lee M.
 Highly refractive, low-dispersion optical glass suitable for
 multifocal corrective lenses. 64-04765P
 Kastl, Hans; Bauer, Rainer; and Modlich, Erich
 Analysis manipulator for nondestructive material testing,
 and method for controlling the coordinates thereof. 64-02629P
 Kastler, G.
 Process computer use for stacking and tunnel kiln opera-
 tion. 64-06957A
 Kastner, M.
 Surface mount offers choice of design solutions. 64-05182A
 Kasuga, Akira; Hibino, Noburo; and Miyatsuka, Hajime
 Magnetic [ferromagnetic grain with binder] recording medium. 64-03885P
 Kas'yanenko, A. A. See Gnesin, G. G.
 Kasza, Otto See Drescher, Karoly
 Katsoka, Nobuhiko; Igarashi, Hideaki; and Kobayashi,
 Waiichi
 Characteristics of fly ash and strength development of fly
 ash cement. 64-06065A
 Katsoka, Nobuhiko; Masuo, Mitsuo; and Koga, Tadayuki
 Properties of cement ground in roller mill. 64-06117A
 Katse, Denji; Masuo, Terumoto; and Imasaki, Teruo
 Bubbling test through sliding nozzle using water model. 64-03594A
 Katse, Denji; Yagi, Takao; and Uchida, Yoshihiko
 Repairing method for hot stove shell by dry sealer and in-
 jection material. 64-05001A
 Katsosonov, I. I. See Kozay, V. M.
 Katayama, Haruo See Takahashi, Tadaaki
 Katayama, Muneyoshi See Yoshino, Shigeo
 Katayama, Yusuke; and Hattori, Yoshinori
 Size effect on strength of pressureless silicon nitride. 64-02827A
 Katcher, Steven J.; Nozaki, I.; and Tanaka, Y.
 Robot for stacking green sheets in multilayer ceramic cap-
 acitor fabrication process. 64-05173A
 Kates, R. See Lowe, J. C.
 Kato, Akio
 Preparation of ultrafine particles by vapor phase techniques. 64-02520A; See also Suyama, Yoko; Tokunaga, Yukio; Tsu-
 da, Hideyuki
 Kato, Akio; Nitta, Koichi; and Hirata, Yoshihiro
 Sinterability of calcia-stabilized zirconia powders prepared
 by spray-pyrolysis technique. 64-02825A
 Kato, Chuzo See Sugahara, Yoshiyuki
 Kato, Etsuro See Murase, Yoshio
 Kato, Hiroshi See Takasugi, Hiroshi
 Kato, Hisayuki See Yoshimi, Takeo
 Kato, Koshi
 Plasma melting. 64-02518A
 Kato, N.
 Theoretical consideration of the intermediate phase in α - β
 transition of quartz. 64-02994A
 Kato, Nobuhiko; and Murase, Takao
 Oxygen [ceramic body] sensor with heater. 64-05236P; Oxygen
 sensor with [ceramic body] heater. 64-06654P
 Kato, Suehiro See Senda, Atsuo
 Kato, Toshio See Shimizu, Shigeo
 Kato, Yasuyuki; Tanifuji, Tadatoshi; and Kashima, Norio
 Arc-fusion splicing of single-mode fibers: III. A highly ef-
 ficient splicing technique. 64-00273A
 Kato, Yoshiharu See Hirota, Toshiharu
 Kato, Yukihiro; Kawahara, Hideo; and Hyohodou, Masato
 Method for forming [F-containing] tin oxide coating. 64-03887P
 Katoh, Shunsaku See Ooi, Kenta
 Kats, I. B. See Belyaev, I. N.
 Kats, S. M.; and Ordan'yan, S. S.
 Creep in sintered polycrystalline niobium carbide and niobium
 carbide-based solid solutions. 64-04258A
 Katscher, Werner See Hinsen, Hans-Klemens
 Katsobashvili, Ya. R. See Tsodikov, M. V.
 Katsura, Takashi See Tamura, Yutaka
 Katsura, Yuji See Hata, Tokuyuki
 Katsuyama, Toshio See Matsumura, Hiroyoshi
 Katz, Allan P. See Mah, Tai-Il
 Katz, R. Nathan See Schioler, Lisolotte J.
 Kauffmann, Bernard See Schellberg, Franz
 Kaukler, William F. See Frazier, Donald O.
 Kaup, Friedel; and Warnke, Heinrich
 Method for electrophoretic enamelling. 64-00125P
 Kaveh, Farrokh
 Blower for the attenuation of fibers. 64-04023P
 Kavka, Jan; and Novotny, Vladimir
 Anomalous growth of double refraction of thermally treated
 glasses. 64-03407A
 Kawabata, Hidekazu See Asakura, Etsuro
 Kawabata, Hidetsugu See Inoue, Hideaki; Kudo, Yoshihiko
 Kawabata, Kaoru; Sano, Elchik; and Adachi, Norimasa
 Hydration of synthesized slag—heat liberation and mortar
 strength. 64-06093A
 Kawabe, Tadashi See Tanaka, Minoru
 Kawachi, Masao See Tomaru, Satoru; Yamada, Yasufumi
 Kawada, Isao See Horuchi, Hiroyuki
 Kawaguchi, Masanori See Ohashi, Koji
 Kawaguchi, Masayuki See Watanabe, Nobuatsu
 Kawaguchi, Mitsuru
 Method of withdrawing particulate material from dead-bed
 of centrifugal crusher and centrifugal crusher suitable for
 carrying the method into practice. 64-06831P
 Kawaguchi, Takao; Adachi, Hideaki; and Sensune, Kentaro
 PLZT thin-film waveguides. 64-02434A
 Kawahara, Hideo See Kato, Yukihiro
 Kawahara, Hideo; Nagayama, Hirotsugu; and Honda, Hideo
 Method for making a silicon dioxide coating. 64-00258P
 Kawahito, Shiro See Kita, Katsuhiko
 Kawahito, Takashi See Iwai, Tadashi
 Kawahito, Takashi; Himukashi, Yoshinori; and Yamada,
 Tetsuo
 Grinding amorphous silicon nitride powder prior to heat-
 ing to produce crystalline silicon nitride powder. 64-07229P
 Kawahito, Tetsuyoshi; Abe, Katsuo; and Kamei, Tsuneki
 Thermal [Cr-Si-SiO₂ resistor] printhead. 64-06673P
 Kawai, Kiyoshi See Urahe, Kazuyori
 Kawai, Kyosuke; Nakagawa, Mitsuru; and Yanase, Shinji
 Apparatus for producing glass fibers with centrifugal force. 64-06340P; Method for producing glass fibers with centrifugal
 force. 64-02001P
 Kawai, Yoshihiko See Yasuda, Isao
 Kawajiri, Shogo See Mackawa, Koji
 Kawakami, Hiroshi See Okada, Hajime; Yokoyama, Chizuru
 Kawakami, Kanji; Narishige, Shinji; and Suenaga, Masahide
 Magnetoresistive sensor having a closed domain structure
 and electrode biasing. 64-04120P
 Kawakami, Tatsuo See Sato, Masaki; Toritani, Hirohito
 Kawakami, Tatsuo; Higashihara, Takeshi; and Hasegawa,
 Susumu
 High-temperature deformation behavior of Al₂O₃-SiO₂
 bricks [under heavy load]. 64-04955A
 Kawakami, Tatsuo; Yamane, Toshio; and Mitsui, Haruo
 Gas permeability and pore size distribution of unshaped
 refractories. 64-03622A
 Kawakatsu, Akira; and Yamamoto, Fumio
 Incandescent lamp with film of alternately stacked [amor-
 phous metal oxide] layers. 64-06364P
 Kawakatsu, H. See Yoshinari, Osamu
 Kawakatsu, Yoshifumi See Yoshinari, Osamu
 Kawakubo, Fumio; Hirose, Toshifumi; and Minokami,
 Tadashi
 Process for improving weather-resistant adhesion of a coat-
 ing to a glass surface. 64-03401P
 Kawalec, M.
 Application of extra-hard tool materials to precision
 machining. 64-03048A
 Kawamoto, Yoji
 Raman spectra of barium fluorozirconate glasses and their
 interpretation. 64-03336A
 Kawamura, Fumio; and Funabashi, Kiyomi
 Radiation reduction in nuclear reactor water using titani-
 um oxide adsorbent. 64-05344A
 Kawamura, Hideo; Sagawa, Nobukazu; and Yamamoto,
 Noriyoshi
 Ceramic glow plug. 64-06599P
 Kawamura, Mitsunori; Takemoto, Kunio; and Hasaba,
 Shigemasa
 Effect of various pozzolanic additives on alkali-silica ex-
 pansion in mortars made with two types of opaline reactive
 aggregate. 64-06079A
 Kawamura, Sukeyo See Hosono, Hideo
 Kawana, Akio See Okamoto, Katsunari
 Kawaragi, Yuji See Otake, Masayuki
 Kawasaki, Brian S. See Hill, Kenneth O.
 Kawasaki, Tsutomu
 High-performance liquid chromatography using hydrox-
 yapatite crystals as adsorbent. 64-05720A
 Kawasaki, Yoshitaka See Ishikawa, Katsuhiko
 Kawase, Akira See Kobayashi, Yoshinori
 Kawashima, Hirofumi
 Flexural mode vibrator formed of lithium tantalate. 64-06703P; Tuning fork flexural quartz resonator. 64-00850P
 Kawashimo, Yasushi See Umeda, Kazuo
 Kay, Nicholas W. See Barth, Edward G.
 Kayama, Tsuneo See Hiraguchi, Keisuke
 Kazakova, I. A. See Safonov, V. V.
 Kazakova, I. P. See Shutoy, A. I.
 Kazanovich, B. L. See Skoblov, L. I.
 Kazantsev, V. V. See Kashkina, T. V.
 Kazantseva, L. V.; Ostrovskaya, P. S.; and Yakovlev, V. V.
 Manufacture of siphon drain [refractory] bodies by semi-
 dry techniques. 64-02141A
 Kazilyunas, A. L. See Stonis, S. N.
 Kazuaki, Higuchi See Matsuda, Naotoshi
 Kazunori, Sorol See Nagato, Yoshio
 Keck, Donald B. See Blankenship, Michael G.; Borrelli,
 Nicholas F.
 Keck, Erich See Cebula, Waldemar
 Keeney, Mark E.
 Sodium carbonate (soda ash) crystal modification. 64-01174P
 Keithbasini, J. See Weroniski, A.
 Keithberth, Richard See Aldinger, Fritz
 Keilmann, George W.
 Apparatus for testing ultrasonic transducers. 64-01047P
 Keinonen, J. See Erola, M.
 Keith, Douglas L. See Barber, Troy W., Jr.
 Keler, E. K. See Yuritsyn, N. S.
 Kellar, John D.; and Pereman, Gordon F.
 Cooling vacuum holder [for glass shaping] by suction fluid
 flow. 64-01979P; Deformable vacuum holder used to shape
 glass sheets. 64-04846P; Deformable vacuum holder with
 helical coil springs for shaping glass. 64-01981P; Vacuum
 holder with antilubing means used to shape glass sheets. 64-04882P
 Keller, L. See Etherington, George

- Keller, Paul. See Surso, Peter P.
 Keller, Paul; and Heffler, Heinz
 Planning a porcelain enamel powder plant. 64-00106A
 Kellner, E. M. See Rose, T. L.
 Kelly, A.
 Ceramics in geometric jewelry. 64-00011A
 Kelly, William J.
 Methylene blue test—review. 64-06877A
 Kelmacher, Barry L. See Weinstein, Paul
 Kelley, P. V. See Conley, J. G.
 Kemer, Eric L.; and Johnson, D. Lynn
 Microwave plasma sintering of alumina. 64-06775A
 Kennetz, Steven J. See Cody, Charles A.
 Kennis, Wilfred M.
 Annual ceramic mineral resources review—graphite. 64-07008A
 Kenned, F. L., III. See Quinn, D. B.
 Kennedy, C. R. See Wei, George C. T.
 Kennedy, James V. See Ocelli, Mario L.
 Kennedy, Peter. See Parkinson, Kenneth
 Kennedy, Peter; and Parkinson, Kenneth
 Joining of silicon carbide bodies. 64-07235P
 Kennedy, S. W.; and Doak, K. W.
 High-temperature furnaces for advanced ceramics processing. 64-06944A
 Kennedy, Stephen K. See Ehrlich, Robert; Full, William E.
 Kennemore, Charles M.; and Gibson, Ursula J.
 Ion beam processing for coating MgF₂ onto ambient temperature substrates. 64-03457A
 Kenney, Malachi P.; Young, Kenneth P.; and Koch, Alan A.
 Continuous production of metal alloy composites. 64-01299P
 Keogh, William R.
 Insulated [ceramic fiber] atmosphere furnace. 64-02246P
 Keova, S. R. See Conad, J. P.
 Kephart, W. W.; and DeNapoli, F. J.
 Raw material specifications to tighten in the glass container industry. 64-04822A
 Keramidas, Vasilis G.; and Lourenco, Jose A.
 LPE growth on Group III-V compound semiconductor substrates containing phosphorus. 64-03800P
 Kerbe, Friedmar; Michalowsky, Lothar; and Reetz, Teja
 BeO ceramic—a special material for the electronic industry. 64-03750A
 Kerber, Viktor. See Brabec, Ludvik
 Kerker, A. S. See Chattopadhyay, G.; Tripathi, S. N.
 Kermon, A.; Barthelemy, C.; and Terrier, N.
 Structural and spectroscopic study of an aluminum fluoride-based glass doped with trivalent europium. 64-01910A
 Kern, W. See Brauer, Gerhard M.
 Kern, Werner; and Schaub, George L.
 Chemically vapor-deposited borophosphosilicate glasses [BPSG] for silicon device applications. 64-00638A
 Kerner, Dieter. See Kiehe, Hans
 Kerwin, Mark C.; and Reskey, Albert L.
 Carbon-bonded [Si-Mg-Al] refractories. 64-06476P
 Kerwin, Walter
 Water-soluble substances in bodies and glazes. 64-05048A
 Kesavaiah, Georges. See LeGoff, Yves M.
 Ketscher, Wolfgang; Bahr, Rolf; and Schott, Rolf
 Transparent Al₂O₃ ceramics—state of the art of material use. 64-04363A
 Kerttunen, Karl Heinz; and Ikeda, Nana Tanaka
 Suggestions [and recommendations] for using points for ceramic decoration and glazes containing lead or cadmium. 64-02279A
 Keshavaiah, Madanasi K.; and Weatherly, Merle H.
 Abrasion-resistant [WC-based] coating composition. 64-06147P
 Kessler, Lawrence W.
 Acoustic microscopy—a nondestructive tool for bond evaluation on TAB interconnections. 64-05399A; See also Fantozzi, Louis R.
 Kettunen, P. See Jarvinen, R.
 Kevorkian, M. N. See Bublik, V. T.
 Khamel, Nacer. See Devalette, Michel
 Kham, V. B.
 Preparation of molybdenum(V) hydroxide by reduction of molybdenum(VII) in aqueous medium. 64-01451A
 Khakhalov, Z. L. See Shurdurov, G. K.
 Khakhalov, Z. L.; Shurdurov, G. K.; and Mekhlov, M. V.
 Crystallization surface of the ternary systems made up of the molybdates, chlorides, and carbonates of sodium and potassium. 64-05684A
 Khalilov, V. D. See Avramenko, E. N.; Orlova, M. A.
 Khalilov, V. D.; Kevorkian, I. D.; and Vukhramov, V. I.
 Effect of industrial (technological) parameters on the light-transmittance as gallate-permanate glasses in the ir region. 64-03232A
 Khalilov, Kh. A. See Aliev, M. I.
 Khan, M. A. See Khawaja, E. E.
 Khan, M. N.
 Insulated [SiO₂ or Al₂O₃] metal substrates. 64-06628P; See also Ahmed, M. M.; Khawaja, E. E.; Kutab, A. A.
 Khan, S. K.; and Mandal, S. S.
 Glass-bonded mica—an ideal material for PCB. 64-02313A
 Kinnert, L. N. See Budennaya, L. D.
 Khandewal, Pramod K.; Kinnick, Randolph R.; and Heitman, Prier W.
 Photocoustic microscopy of ceramic turbine blades. 64-06887A
 Kharchenko, L. Yu. See Protasova, V. I.
 Kharitonov, E. I. See Knevel, E. P.
 Kharitonov, F. Ya. See Maslennikova, G. N.
 Kharitonov, N. P. See Krotikov, V. A.
 Khawaja, E. E. See Ahmed, S.; Kutab, A. A.
 Khawaja, E. E.; Khan, M. A.; and Khan, M. N.
 Electrical conductivity of sodium-copper-germanate glasses. 64-01842A
 Khazova, T. A. See Ovchinnikova, E. I.
 Khechumyan, E. M. See Gal'perina, M. K.
 Kheifets, A. S. See Sloush, V. G.
 Khilov, M. Yu. See Sirotkin, O. S.; Zav'yalov, V. V.
 Khlustov, N. V. See Sobolev, E. G.
 Khamlenko, T. P. See Fedoruk, R. M.
 Khodakovskaya, R. Ya.; and Pavlushkin, N. M.
 Kinetics of the catalytic crystallization of glass. 64-06216A
 Khodos, M. Yu. See Krasil'nikov, V. N.
 Khodos, M. Ya.; Leonidov, I. A.; and Fotiev, A. A.
 Formation of solid solutions in systems made up of the orthovanadates of calcium and lanthanum (samarium, europium). 64-05708A
 Khodskii, L. G. See Mamedova, G. G.
 Khodyakova, I. A.; Dolgikh, V. A.; and Stepanovich, S. Yu.
 Preparation of crystalline mixed Te(IV) and Nb(V) oxides with an acentric structure. 64-05787A
 Khoe, Giok D. See Jochem, Cornelius M. G.
 Kholodkovskaya, L. N.; Dolgikh, V. A.; and Popovkin, B. A.
 Cross sections in the system Bi₂O₃-BiI₃-TeO₂. 64-05678A
 Kholodov, N. M. See Grossman, A. G.
 Kholopova, G. D. See Volkov, V. E.
 Khomenko, V. M. See Nesterenko, S. V.
 Khomich, A. V. See Kucha, V. V.
 Khor'kov, P. N.; and Zolotarevskii, A. Z.
 Mechanization of labor-intensive processes in plants for making ceramic wall materials—drying bricks. 64-06425A
 Khoroshavin, L. B. See Sprygin, A. I.
 Khoroshavin, L. B.; Garayeva, N. Zh.; and Koksharov, V. D.
 Thermomechanical properties of cast forsterite [refractory] concrete. 64-02226A
 Khoroshavin, L. B.; Garayeva, N. Zh.; and Perepelitsa, V. A.
 Properties of ground-together fine-grained mixtures in the system periclase-dunite-chromite. 64-02188A
 Khorvat, I. See Iona, E.
 Khotimchenko, V. S. See Deval, I. V.
 Khotyaintseva, G. Yu. See Ostrovskii, I. V.
 Khranov, D. A.; and Urusov, V. S.
 Solid solutions in the system α-Fe₂O₃-SnO₂ studied using the Moessbauer effect. 64-00863A
 Khrumov, S. M. See Lyakhovich, T. K.
 Kheri-Yakub, Betrus T. See Kino, Gordon S.
 Khoshchev, S. S. See Vasil'eva, E. A.
 Kilby, Charles L.; and Kobylinski, Theodorus P.
 Activated cobalt-substituted layered aluminosilicate for synthesis gas conversion. 64-04371P; Method for converting synthesis gas using an activated cobalt-substituted layered aluminosilicate. 64-04394P
 Kidwell, B. L.; Oden, L. L.; and McCune, R. A.
 2Al₂C/SiC—a new intermediate phase in the Al-Si-C system. 64-07067A
 Kiefer, Werner. See Sack, Werner
 Kiefer, Werner; and Stetter, Klaus
 Process for the thermal tempering of glass. 64-06403P
 Kieffer, Edward P.; and Sie, Swan T.
 Process for improving the quality of [SiO₂(Al₂O₃)+Fe₂O₃] catalysts catalytically cracked gasoline. 64-05645P
 Kiehl, Jean Pierre
 Refractory problems in coal gasifiers. 64-03675A
 Kienow, Ekhard
 Two approximation methods for calculating fluid-induced heating and cooling in a poured bed of solids. 64-02675A
 Kiesling, D. See Emmons, H.-H.
 Kieszek, Michael C. See Frankhouser, William L.
 Kihara, Seiji. See Watanabe, Akira
 Kihara, Yoshio. See Ishihara, Hideo
 Kijima, Kazuori
 Preparation of ultrafine ceramic particles by plasma techniques. 64-02519A
 Kijima, Naoto. See Oguri, Yasuo
 Kikuchi, Makoto. See Arai, Tsunenori
 Kikuchi, Ryochi. See Ishikawa, Takuma
 Kikuchi, T. See Horuchi, S.
 Kikuta, Seishi; Takahashi, Toshio; and Nakatani, Shinichiro
 High-frequency time modulation of the X-ray beam diffracted from an LiNbO₃ crystal by surface acoustic wave. 64-02431A
 Kliner, John A. See Dennis, Paul F.
 Kim, A. S.; Akberdis, A. A.; and Kellikov, I. S.
 Surface tension of melts in the system CaO-SiO₂-15%Al₂O₃-MgO-CaF₂. 64-03369A
 Kim, Byoung-Ho; and Yoo, Young-Moon
 Ion-exchange capacity and phase separation of alkali borosilicate glass by substituting Al₂O₃. 64-06214A
 Kim, C. Y.; and Condrate, Robert A., Sr.
 Vibrational spectra of crystalline W₂O₇(PO₄)₂ and related tungsten phosphate glasses. 64-06276A
 Kim, Chang-Eun. See Choy, Jin-Ho
 Kim, Chang-Eun; Choy, Jin-Ho; and Hyung, Kyung-Woo
 Synthesis of organomontmorillonite by intercalation reaction and its kinetic study. 64-07393A
 Kim, Chod-Young. See Lee, Chan-Soo
 Kim, Chong-Hee. See Kim, Heung
 Kim, En-Hoon. See Jung, Bok-Hwan
 Kim, Eun-Dong. See Kim, Tae-Ok
 Kim, George A. See Verma, Surendra K.
 Kim, Gwan. See Peters, Alan W.
 Kim, H. C. See Lee, S. H.
 Kim, Heung; and Kim, Chong-Hee
 Influence of various transport properties of the nitriding atmosphere on the formation of reaction-bonded Si₃N₄ [RBSN]: I, Molecular diffusivity and viscosity. 64-07123A; Influence of various transport properties of the nitriding atmosphere on the formation of reaction-bonded Si₃N₄: II, Thermal conductivity and thermal diffusivity. 64-07122A; Recent developments in processing techniques of dense silicon nitride. 64-07155A
 Kim, Ho-Gi
 Reaction between the dielectric and the electrode during the manufacturing of the ceramic capacitor. 64-06574A
 Kim, H.-Ung; and Richards, Von L.
 High-temperature electrical conductivity of aluminum oxide spinel. 64-07113A
 Kim, Jong-Sun. See Yoon, Ki-Hyun
 Kim, K. S.
 Regulatory research on materials used for nuclear waste management. 64-05345A
 Kim, K. S.; and Clifton, R. J.
 Dislocation motion in MgO crystals under plate impact. 64-01535A
 Kim, Ken-Hong; Oh, Eun-Ju; and Choi, Jae-Shi
 Electrical conductivity of "hydrogen-reduced" titanium dioxide (rutile). 64-06552A
 Kim, Kwang K.
 Integrated resistor of niobium oxide passivating ring, gold corrosion barrier, and titanium resistive layer. 64-05219P
 Kim, Kwang-Yul; and Sachse, Wolfgang
 Characteristics of acoustic emission signals of Hertzian and unloading cracks in glass. 64-03201A
 Kim, Myun-Sup. See Kwon, Yeong-Soo
 Kim, Ock-Ky. See Forrest, Stephen R.
 Kim, Tae-Ok; and Kim, Eun-Dong
 Effect of aging coprecipitate on the synthesis process of Ba ferrite. 64-06707A
 Kim, Whan. See Lee, Seok-Keun
 Kim, Young-Wook. See Yoo, Young-Hyuk
 Kimmel, E.
 Temperature-sensitive materials for process control. 64-04103A
 Kimmer, H. D. See Ferber, Mattison K.
 Kimura, K. See Nishino, Atsushi
 Kimura, Kenji; Onitsuka, Yoshihiro; and Nakanishi, Kenji
 Formation of aluminum nitride by nitrogen-ion implantation in aluminum single crystal. 64-04461A
 Kimura, Kenzoku; and Watanabe, Toshio
 Method of processing charges in a continuous combustion furnace. 64-02691P
 Kimura, Kunio. See Nishino, Atsushi
 Kimura, Kunio; and Nishino, Atsushi
 Catalytic mechanism for the cleaning of cooking soils by a continuous-cleaning ceramic coating. 64-00076A
 Kimura, Mamoru. See Otake, Etsuo
 Kimura, Masanichi. See Ninagawa, Chikayoshi
 Kimura, Shinichi; Yasuda, Eiji; and Horai, Naoshi
 Boundary structure observed in MgO bicrystals. 64-07442A
 Kimura, Takao. See Kuboyama, Keiji
 Kimura, Toshio; and Yamaguchi, Takashi
 Fused salt synthesis of Bi₂Ti₂O₇. 64-03782A
 Kimura, Yoji; Yagasaki, Takayoshi; and Kunio, Takeshi
 Delayed fracture characteristics of Vickers indented glass in deionized water. 64-01823A
 Kimura, Yukihiko; and Nozaki, Shinichi
 Sintered silicon carbide materials having metallized surface and process for producing the same. 64-01365P
 Kinbara, K. See Sugiyama, K.
 Kinder, John P. See Kuhn, Christopher F.
 Kinder, R.; Teubel, J.; and Schuster, H.
 Process for the manufacture of highly porous mineral bodies of polyform structure. 64-07276P
 King, A. R. See Belanger, D. P.
 King, Bruce. See Freund, Friedemann
 King, H. W.; Murphy, G. J.; and Castelliz, K. M.
 Crystal structures and electrical properties of nickel-based ceramics with compositions ABO₃ and A₂BO₄. 64-01525A
 King, James P.
 Lubricating compositions and process using complex metal chalcogenides. 64-01500P
 King, John A.
 Acoustical [piezoelectric crystal] transducer. 64-00841P
 King, Lawrence H. See Grubb, Willard T.
 Kingery, W. David
 Effect of surface condition on oxygen self-diffusion coefficients in single-crystal Al₂O₃—reply. 64-02928A; Grain boundaries in MgO and Al₂O₃. 64-07466A; See also Li, Chien-Wei; Mizutani, N.; Yager, T. A.
 Kingery, W. David. See Fujimoto, Masayuki
 Kingow, Angus I. See Cohen, Abraham
 Kingsburg, Paul I. See Adair, Peter J.
 Kingsbury, Charles M. See Abbott, Vaughan; Morris, Nicholas G.
 Kingsbury, Charles M.; Beckwith, Bruce R.; and Bares, Frank P.
 Timing control system for glassware forming machine. 64-01001P
 Kingsbury, Charles M.; Beckwith, Bruce R.; and Messina, Anthony
 Delivery system for glassware forming machine. 64-05380P
 Kingston, Alan D. See Mills, David
 Kinnick, Randall R. See Khandewal, Pramod K.

- Kiso, Gordon S.; Khuri-Yakub, Butrus T.; and Bennett, Simon D.
Reflection acoustic microscope for precision differential phase imaging. 64-05458P
- Kinoshita, Chikun; Hayashi, Kazunori; and Mitchell, T. E.
Migration energies of interstitials and vacancies in MgO. 64-07480A
- Kinoshita, Hiroo See Suzuki, Yoshihiro
- Kinoshita, Makoto See Ebata, Yoshihiro
- Kinoshita, Masayuki See Naruse, Yoichi
- Kinsler, Donald L. See Kordas, G.
- Kiraly, Laszlo See Verdes, Sandor
- Kirch, William See Dombro, Robert A.
- Kirchhof, J. See Kleinert, P.
- Kirchner, Henry P.; See Larchuk, T. J.
- Kirchner, Henry P.; Tircordis, J. A.; and Larchuk, T. J.
Contact damage in hot-pressed and chemically-vapor-deposited zinc sulfide. 64-01010A
- Kireenko, M. F.; and Pukh, V. P.
Fracture of glass near the softening interval. 64-03257A
- Kirichok, P. P. See Paschenko, V. P.
- Kirichok, P. P.; Kopov, A. V.; and Budivskaya, B. N.
Valency of ions and electromagnetic properties of Mn-Zn ferrites. 64-05306A
- Kirichok, P. P.; Paschenko, V. P.; and Dem'yanov, T. O.
X-ray and Moessbauer study of isotropic barium ferrites. 64-05307A
- Kirk, S. D. See Skorodumov, V. V.
- Kirilenko, V. I. See Eidel'man, L. Ya.
- Kirilenko, V. M. See Petrovskii, V. Ya.
- Kirilenko, V. V.
Interaction between components and glass formation in the system Ti-As-Se. 64-03275A
- Kirilenko, V. V.; Samokhov, V. A.; and Velikova, N. G.
System TiAsSe-AsSe-TiAsSe. 64-05185A; System TiSe-TiAsSe-TiSe. 64-05846A
- Kirillov, A. M. See Gladys, V. V.
- Kirina, E. M. See Grachev, V. A.
- Kiryama, Takashi; and Yamaguchi, Chiyoimi
Method for repairing refractory wall of furnace. 64-00563P
- Kirnbauer, Peter See Linke, Walter
- Kirovskaya, I. A. See Yur'eva, A. V.
- Kirsch, Roland; Zemek, Pavel; and Blahova, Milada
Heat resistance determination of optical blanks. 64-03447A
- Kirtley, J. R. See DiMarzio, Donelli J.
- Kiryukhin, V. V. See Sokolov, V. A.
- Kiselev, B. A. See Karapetyan, G. O.
- Kiselev, N. I. See Grishin, I. A.
- Kiseleva, E. V.; Petrovskii, V. I.; and Vekshina, V. S.
Properties of indium antimonide doped with germanium. 64-05166A
- Kiseleva, L. V. See Bobrov, B. S.
- Kishi, Yukio See Kamata, Kichiro
- Kishida, Isamu See Yasue, Tamotsu
- Kishida, Mitsuhiko
Porcelain gas-filled bushing with electrodes for moderating the electric field. 64-06577P
- Kishimoto, Mikio; Amemiya, Masahiro; and Hayama, F.
Magnetic annealing and relaxation in cobalt-substituted acicular iron oxide particles. 64-02467A
- Kishimoto, Mitsuharu See Maeda, Takuya
- Kishioke, Akira See Itatani, Kiyoshi
- Kishore, N.; Banasi, T. K.; and Kamal, R.
Electron paramagnetic resonance and direct current resistivity studies on barium borate glasses containing iron. 64-01843A; Moessbauer spectroscopic studies in BaO-B₂O₃-Fe₂O₃ glass systems. 64-06222A
- Kislenko, N. G.; Tashiryan, M. A.; and Garkina, V. A.
Steklokeramit [a glass-ceramic] as a new effective decorative-fabric material. 64-00328A
- Kisler, A.; and Reifeld, R.
Spectral characteristics of fluorescence quantum efficiencies of Cr(III) in phosphate and silicate glasses with Li and Be modifiers. 64-04755A
- Kissell, Ronald E.
Apparatus for curing fibrous mineral insulation material. 64-02677P
- Kita, Katsuhiko; Fukuda, Junzo; and Kawahito, Shiro
Method of producing ceramic tapes. 64-04052P
- Kitabatake, Makoto; Mitsuyu, Tsuneo; and Hirochi, Kumiko
Preparation of amorphous ABO₃-type ferroelectric materials by sputtering and their physical properties. 64-00835A
- Kitabatake, Makoto; Mitsuyu, Tsuneo; and Wada, Kiyotaka
Structure and dielectric properties of amorphous LiNbO₃ thin films prepared by a sputtering deposition. 64-06583A
- Kitagaki, Tetsuo See Sakato, Naoyuki
- Kitagawa, Kazuo See Moritoki, Masato
- Kitajima, Masahiko See Kondoh, Takehiko
- Kitajima, Nobuyuki; Tachibana, Yoshinori; and Muraki, Asahi
Method of producing ceramic [decorated clay] ware. 64-06538P
- Kitamoto, Tatsuji See Akashi, Goro; Dezawa, Shinichiro
- Kitamura, Sakae; Nakazato, Tetsuo; and Halbara, Yukio
Sintered alkali clinker. 64-03127A
- Kitano, Takao See Ooi, Kenta
- Kitani, Fukuchika; Takahashi, Tatsuo; and Hamano, Masayuki
Refractories [Al₂O₃-SiC brick] of molten ladle for pretreatment. 64-03667A
- Kitazawa, Koichi
Transparent alumina Lucalox. 64-02839A
- Kitaka, Toshiohiko See Ogawa, Toshio
- Kitaki, Suheki See Naruse, Yoichi
- Kiyonaga, Kazuo See McMillin, James A.
- Kizina, T. A. See Skoropanova, A. S.
- Klages, C.-P. See Tolkdorf, W.
- Klebe, Hans; Koth, Detlev; and Kerner, Dieter
Process for the hydrophobization of pyrogenically produced silica. 64-04516P
- Kleber, Siegmund See Schober, Reiner
- Kleeb, Linda L. See Kleeb, Thomas R.
- Kleeb, Thomas R.; Cris, George H.; and McCright, Donald O.
Silica castables [refractories]. 64-05031P
- Kleeb, Thomas R.; and Kleeb, Linda L.
Monolithic refractories comprising a hydrocolloid. 64-06494P
- Klein, B. M. See Boyer, L. L.
- Klein, Gernot See Schulle, Wolfgang
- Klein, Lisa C.
Oxide coatings from the sol-gel process. 64-04479A; See also Furdanowicz, W.; Gray, Paul E.
- Klein, Lisa C.; and Gray, Paul E.
Water and the modifier-to-former ratio in sodium ultraphosphate glasses. 64-06627A
- Klein, M. V. See Sun, Y. L.
- Klein, Philipp H. See Addamiano, Arrigo
- Klein, Thomas E. See Morgan, John W., II
- Klein, Werner
Industrial robots [in making small-format structural clay products]. 64-00442A; See also Hesse, Valentin
- Kleinert, P. See Oppermann, H.
- Kleinert, P.; Schmidt, D.; and Kirchhof, J.
Chemistry of the formation of glass soot by oxidation of gaseous SiCl₄ and GeCl₄ at high temperatures. 64-00148A
- Kleinhaus, Michel; and Gaffre, Michel
Method of manufacturing a single crystal of a III-V compound. 64-06649P
- Kleinhaus, William A.
Electrooptic sensor for measuring angular orientation. 64-04116P
- Kleinheisterkamp, L. See Butta, R.
- Kleinschmidt, Peter See Backe, Michael
- Klein, Charles D. See Frische, Richard H.
- Klement'ev, A. A. See Funke, V. F.
- Klement'eva, V. S.; Krasnyi, B. L.; and Komlev, V. G.
Thermophysical properties of phosphate-bonded aluminate-silicate refractory mortars. 64-02227A
- Klenin, M. A. See Tadros, A.
- Klepper, Martin
Capturing energy savings without any capital investment. 64-03065A
- Kleshchev, D. G.; Polyakov, A. A.; and Tolchev, A. V.
Formation of Sb₂O₃ during thermolysis of antimony pentoxide hydrate in a closed system. 64-01403A
- Kleshchevskoy, A. M.; Mikovarov, A. P.; and Moiseev, V. V.
X-ray photoelectron spectroscopic study of the surface of ion-exchange-treated Na silicate glass. 64-03388A
- Kleykamp, Helmo See Paschall, Jose O. A.
- Klava, J. See Valvada, M. A.
- Klava, J.; and Bal's, A. N.
Analysis of the shape of EPR spectra of Mo⁵⁺ and W⁵⁺ ions in phosphate glasses. 64-03188A
- Klava, J.; Lagodina, S. E.; and Chugunov, L. A.
EPR spectra of Gd³⁺ ion and short-range ordering in phosphate glasses. 64-03223A
- Klava, J.; Milner, I. I.; and Purans, J.
EPR study of Mn²⁺ in compositionally disordered phosphate glasses. 64-03224A
- Klibanov, S. Z.
Monorail suspended trolley for the handling of refractory bodies. 64-02517A
- Klientova, G. P. See Korolev, D. F.
- Klinenko, A. N. See Maria, V. P.
- Klinecko, V. A.; Korotkov, P. A.; and Felinski, G. S.
Angular dispersion of optical-phonon frequencies in the Raman spectrum of lithium niobate. 64-03917A
- Klinecko, V. S. See Paschenko, A. A.
- Klimat, Helmut; and Klug, Jochen
First efficient two-color automatic applicator for enameling sheet steel tableware. 64-03153A
- Klinov, M. M.; Pavlovskii, G. V.; and Uralov, D. N.
Performance of thermoelectric transducers in glass tank furnaces. 64-00317A
- Klinov, E. Ya. See Ashmarin, G. D.
- Kline, George A.
Valve metal electrodeposition onto graphite. 64-01805P
- Klingensmith, L. Kirk
Application of gas/oxygen burner technology to improve operating efficiency of a direct-fired glassmelter. 64-06926A
- Klinger, Liliana
Method of protecting optical fiber against stress corrosion. 64-00398P
- Kloboucek, J.; Ruzicka, F.; and Vostry, J.
Mold for manufacturing porcelain hollow goods. 64-06834P; Throwing mold. 64-06848P
- Klonkowski, A.
Structure of sodium aluminosilicate glasses. 64-01912A
- Klug, Jochen See Klimat, Helmut
- Klyachko, A. L. See Glonin, G. O.
- Klyavina, L. A. See Gode, G. K.
- Klyova, L. Ya. See Ivanitski, V. V.
- Klym, N. M.; Mudryi, S. I.; and Kozynenko, V. N.
Structural specifics of stratification in the system In-Te. 64-05179A
- Klyuchev, O. N. See Kostov, V. N.
- Klyuev, V. P. See Dandinov, D. G.; Mazurin, O. V.; Stolyar, S. V.
- Klyuev, V. P.; and Buleva, A. V.
Viscosity and thermal expansion of Pb silicate glasses in the glass-transition range. 64-03382A
- Klyugva, V. V. See Markhasov, B. I.
- Klyunov, A. A.
Frequency dependence of the interelectrode capacity of cement paste liquid phase. 64-00040A
- Kusak, Jochin
Magnetic-inductive [ceramic tube] flow meter for high temperatures. 64-07238P
- Kasbenschuh, John L. See Hughs, G. M.; Ploetz, D. K.
- Kasbenschuh, John L.; and Hannum, William H.
Overview of the West Valley [NY] demonstration project [for high-level nuclear waste disposal]. 64-05341A
- Knapp, G. S.; Veal, Boyd W., Jr.; and Lam, Daniel J.
EXAFS studies of silicate glasses containing uranium. 64-00166A
- Knapp, William J. See Chen, T.-J.
- Knauser, Horst
Experience from production of masonry bricks with brick raw density below 1.0. 64-00438A
- Knecht, Ronald C.; Loo, Robert Y.; and Kamath, G. Sanjiv
Accelerated annealing of gallium arsenide solar cells. 64-03846P
- Knepp, K.; Buerger, Herbert; and Fausler, D.
Raman spectroscopic study of glasses in the system K₂O-B₂O₃-TeO₂. 64-01895A
- Knevel, E. P.; and Khariton, E. I.
Mixer for making gypsum-cement-pozzolan binders. 64-01736A
- Knickerbocker, Sarah H.; Zangvil, Avigdor; and Brown, Sherman D.
High-temperature mechanical properties and microstructures for hot-pressed silicon nitrides with amorphous and crystalline intergranular phases. 64-05548A
- Knipfert, Stephan
Digital simulation of production process control in cement works. 64-00037A
- Knight, C. H.; Cassidy, R. M.; and Ronalde, B. M.
Dynamic ion-exchange chromatography for determination of number of fissions in thorium-uranium dioxide fuels. 64-00876A
- Kalnina, G. I.; Zavadskii, G. V.; and Belozero, N. G.
Properties of composites based on soluble glass and low-grade asbestos. 64-01892A
- Kalnina, G. I.; Zavadskii, V. F.; and Storozhenko, G. I.
Lignin for the production of ceramic wall tiles. 64-06521A
- Knobel, Rolf See Freund, Friedemann
- Knobloch, Gunter; Blume, Otto; and Thiele, Reinhold
Heat recovery from the draught fan air of heavy clayware dryers. 64-02565A
- Knodlik, L. G. See Mamedova, G. G.
- Knoefel, D. G. and Dreider, I.
Advance determination of cement properties. 64-01696A
- Knoth, Werner-Dieter
Cutting device for sectioning liquid glass strand. 64-00954P; See also Nebelung, Hermann H.
- Knoth, Werner-Dieter; and Kopsch, Klaus
Glass gao feeding device. 64-00366P
- Knott, Peter See Telfer, Stewart B.
- Knowlton, Jennifer M. See Johnson, D. Lynn
- Knox, John F. See Burger, Dale R.
- Knaus, Kasch C. B.
Gypsum [to K or Na sulfate] conversion. 64-05879P
- Knapfner, Ulrich; and Berger, Iris
Methods of determining the aging condition of ceramic-bonded SiC kiln furniture. 64-02147A
- Knyazev, V. E. See Kozov, V. M.
- Knyazev, E. A. See Nechipurenko, A. S.
- Ko, Seok-Kum See Yo, Chul-Hyun
- Ko, Yung-chao See Chen, Kuan-ye; Chien, Yung-tsen; Pan, Hong-chih
- Kobak, E. N. See Gabrielyan, G. S.
- Kobayashi, Albert S. See Liaw, Ben Ming
- Kobayashi, Hiromu See Onuma, Kazuhiko
- Kobayashi, Hiroyuki See Ohki, Yoshimasa
- Kobayashi, Kazuo
Research activity on fine ceramics at the Government Industrial Research Institute, Kyushu [Japan]. 64-03035A
- Kobayashi, Kazuo; Furuta, Mamoru; and Masao, Yoshio
Ceramic [Al₂O₃] arc tube for metal vapor discharge lamps. 64-04376P
- Kobayashi, Keiji
Viscosity points and OH absorption removal for ZnO-B₂O₃-PbO-SiO₂ passivation glasses. 64-03384A
- Kobayashi, Masaru See Kasi, Kiyoshi
- Kobayashi, Nobuyuki; Abe, Yoritane; and Shibata, Kazuo
Vacuum heat insulator [with glass fibers]. 64-02026P
- Kobayashi, Shigehiro See Nakano, Kinichi
- Kobayashi, Shigeki
X-ray microanalysis of the boundary phase in partially stabilized zirconia (PSZ). 64-0192A
- Kobayashi, Shigeko See Kobayashi, Yoshinori
- Kobayashi, Shinichi See Tsuji, Yukikazu
- Kobayashi, Takashi; and Nishii, Motoki
Semiconductor ceramic [BaTiO₃-based] composition. 64-02413P
- Kobayashi, Waichi See Kataoka, Nobuhiro
- Kobayashi, Yoshinari; Kobayashi, Shigeko; and Kawane, Akira
X-ray fluorescence method using glass beads for analysis of samples containing silicates as the main component. 64-01043A
- Kobori, Yukiko See Tamaura, Yutaka

- Kobune, Masafumi** See Tanaka, Minoru
Kobylnski, Thaddeus P. See Kibby, Charles L.
Koch, Alan A. See Kenney, Malachi P.
Koch, Joergen See Vogt, Wilhelm
Koch, U. See Okonska-Kozłowska, I.
Kocheganova, L. S. See Anashkina, V. I.
Kochendoerfer, Richard See Hinz, Bernhard
Kocher, Hans R. See Lammer, Johann
Kocik, Jiri; Nebrensky, Jiri; and Fanderlik, Ivan
 Coloring of [commercial and art] glass by combination of colorants. 64-03419A
Kock, Erhard; and Zielinski, Leo J.
 Spray booth apparatus [with venturi chamber]. 64-00998P
Kocis, Geza
 Connection between viscosity and thermal properties of glasses. 64-04778A; Low-heat glass batches for commercial alkali-lime glasses. 64-04808A
Kucvaz, Rudolf; and Heneš, Milan
 Refractory cement "Rudokit" and experience with application in industrial installations. 64-03672A
Koda, A. See Yamashita, M.
Koda, N. John
 Liquid crystal light valve [sputtered CdS] structures. 64-06369P
Kodaira, Koei; Fukuda, H.; and Shimada, Shiro
 Preparation and characterization of fluorophlogopite-fluoromuscovite mica glass-ceramics. 64-03474A
Kodama, Hiroyuki
 Phosphate optical glass. 64-00263P
Kodjashchev, Petko V. See Dyakov, Dobromir A.
Kodolanyi, Andras See Harsanyi, Gyorgy
Kodolov, Kh. A. See Shurdumov, G. K.
Koe, Kiyohiko
 Process for producing circular gallium arsenide wafer. 64-04052P
Koehler, J. See Griesfeller, F.
Koehler, J.; and Hoppe, R.
 Na₂(GaO₂) relationship—KNa₂(GaO₂) and CsK₂(GaO₂). 64-0428A
Koehler, Peter See Biermann, Hans-Peter
Koehler, Walter See Schmidt, Martin
Koehling, Alfons See Robens, Erich
Koehn, M. See Ostyn, Katrien M. H. J.
Koel, Gerrit J. See Auwerda, Cornelis P.
Koenig, Alan R.; and Moon, Edward L.
 Apparatus and method for producing shot-free mineral wool. 64-04841P
Koenig, Gerhard F. See Burket, Kenneth A.
Koenig, Rainer; Siegen, Rolf; and Weisser, Wolfgang
 Process and equipment for collecting magnetite-containing ore dust samples and determining the magnetite and phosphorus contents thereof. 64-02650P
Koenig, Wilfried; and Meser, Johannes
 Behavior of grinding wheels during machining of materials with varying grindability: I. Grindability of materials with extremely dissimilar properties. 64-01639A; Behavior of grinding wheels during machining of materials with varying grindability: II. Wear of single grains during scratching of materials with differing grindability. 64-01640A
Koestner, Dagmar See Nitulescu, Garil
Koetter, Erwin J.
 Present state of basic refractory lining of the sintering zone of cement kilns. 64-00052A; Present state of basic refractory lining of the sintering zone. 64-01745A
Kofflyberg, F. P. See Benko, F. A.
Koffi Bondi, Joas See Iscki, Takayoshi
Kofstad, Per See Johannessen, Oivind; Norby, Truls
Koga, Hideaki See Fukushima, Shigeyoshi
Koga, Hideo
 Preparation of the active manganese(IV) oxide for dry batteries by the thermal decomposition of manganese(II) sulfate. 64-00699A
Koga, Tadayuki See Kataoka, Nobuhiro
Koga, Yoshikazu; and Fukaya, Hiroyuki
 Apparatus for directly and continuously weighing continuously fed powder or particle substances. 64-02535P
Kogekar, M. V.; Kabos, P.; and Patton, C. E.
 Spin-wave instability theory for hexagonal ferrites. 64-02481A
Kogel, S. P.; Avarbe, R. G.; and Chizhik, T. N.
 Calculating thermal capacities of nitrides of the metals of the IVA subgroup from IR absorption spectra and elasticity constants. 64-01180A
Kogel, S. P.; Avarbe, R. G.; and Eron'yan, N. A.
 Temperature dependence of pressure in decomposition of the nitrides of metals of the VIA subgroup in the case of incongruent fusion. 64-01475A
Koguchi, Yoji See Sugimoto, Hiroyuki
Koh, Kyong-Shin See Zho, Kyong-Ik
Koh, Yoshio
 Change of properties of various cements stored more than twenty years in double polyethylene tubes. 64-06063A
Kohara, M.; Hata, M.; and Gensjo, H.
 Thermal stress-free package for flip-chip devices. 64-03841A
Kohler, Robert D. See Bieringer, Robert J.
Kohlstedt, David L. See Wolfenstine, Jeff
Kohn, David H. See Cooper, Emanuel I.
Kohn, Kay See Kuroda, Kiyotaka
Kohn, S. C.; and Butler, B. C. M.
 Reaction mechanisms in a magnesia-chromite composition at 1530°C. 64-07376A
Kohnen, Julius See Kutz, Johannes
Kohnke, E. E. See Alonso, P. J.; Jani, M. G.
Kohnen, Kent H. See Ferri, John L.
Kohno, Kenji See Nakashita, Toshio
Kohtani, Tomokatsu
 Recent progress in steelmaking technology—[review]. 64-03664A
Koidl, Peter See Bubenzner, Achim
Kolke, Keiichi See Yanadori, Michio
Koisuma, Toyoji See Obitsu, Masamichi
Koizumi, H. See Ando, Ken
Koizumi, Mitsue
 Japan as it is—the Institute of Scientific and Industrial Research, Osaka University. 64-03022A; Progress in the past two years of the "New Functional Ceramics" research project [in Japan]. 64-03817A; See also Miyamoto, Yoshinari; Suganuma, Katsuki; Uchida, Norimasa; Yamada, Osamu
Koizumi, Mitsue; Okamoto, Taira; and Shimada, Masahiko
 Diffusion-reaction bonding of ceramics to ceramics and to metals under pressure. 64-01200A
Koizumi, Mitsue; and Yanagida, Hiroaki
 Current major ceramic research programs under the auspices of the Japanese government. 64-01608A
Kojder, Bronislawa See Dus, Alina
Kojima, Seiji See Nakamura, Hiroshi
Kojima, Susumu; and Hoshino, Koel
 System for detecting the damage of refractory materials in heating furnace. 64-05438A
Kojima, Yuji See Fujiwara, Yoshiro
Kokaula, V. D.; and Sorokin, A. A.
 Classification of methods for drying dispersed materials in suspensions. 64-00894A
Kokhanovskii, V. V.; and Zemtsova, Z. N.
 Thermal dehydration of magnesium diphosphate crystal-hydrates. 64-05861A
Kokini, K.; and Perkins, R. W.
 Estimating the strength of annular glass-to-metal seals in microelectronic packages—an experimental study. 64-03778A
Koksharov, V. D. See Khoroshavin, L. B.; Simonov, K. V.
Koksharov, V. D.; Vyaznikova, T. A.; and Moseeva, G. A.
 New Soviet standard for the ultrasonic quality control of refractory concrete bodies. 64-00492A
Kokumai, Hiroyuki See Iwasa, Uichi
Koleschenko, L. F. See Karyuk, G. G.
Kol'ner, V. B. See Gritsyna, V. T.
Kolokolov, L. V.; L'vov, V. S.; and Cherepanov, V. B.
 Interactions and relaxation of magnons in the 20-sublattice ferrimagnet Fe-Y ferrogarnets. 64-06711A
Kolomeitzev, V. V.; Suvorov, S. A.; and Makarov, V. N.
 Physicochemical properties of [refractory] composites in the system ZrO₂-Y₂O₃-Al₂TiO₃. 64-02171A
Kolomiets, B. T. See Vasil'ev, V. A.
Kolotilkin, O. B.; and Volchok, I. P.
 Methods for increasing the in-use stability of glass molds. 64-00918A
Koltermann, Manfred
 Refractories from the European viewpoint—development and trend of refractories in the steel industry. 64-04996A
Kol'tsov, S. I. See Yezhovskii, Yu. K.
Kolyndin, A. I. See Kashintseva, A. N.
Kolybaeva, M. A. See Azarov, V. V.
Komac, Milos See Krstic, Vladimir I.
Komadel, Peter See Horvath, Ivan
Komsanduri, R.
 Substitution of ceramics for conventional tools. 64-05582A
Komar, Paul D.; Baba, Jumpei; and Cai, Bingquan
 Grain-size analysis of mica within sediments and the hydraulic equivalence of mica and quartz. 64-07036A
Komar, Paul D.; and Cai, Bingquan
 Analysis of grain-size measurements by sieving and settling-tube techniques. 64-04071A
Komar, V. P. See Deshkhovskaya, A. A.
Komarevskii, V. M. See Malykh, T. G.
Komarseni, Sridhar See Hoffman, David; Roy, Rustum; Yang, Li J.
Komarseni, Sridhar; Roy, Della M.; and Kumar, Amitabha
 Cation-exchange properties of hydrated cements. 64-04627A
Komarseni, Sridhar; and Roy, Rustum
 Diphasic xerogels, a new class of materials—phases in the system Al₂O₃-SiO₂—reply. 64-04716A
Komarseni, Sridhar; Roy, Rustum; and Breval, Else
 New method of making titania gels and their microstructure. 64-04478A
Komarov, E. V. See Sirenko, V. A.
Komaru, Isamu
 Thirty years of graphite refractories. 64-05011A
Komatsu, Hiroshi See Nishioka, Goro
Komatsu, Michiyasu See Tsuge, Akihiko
Komatsu, Noboru See Ohtsuki, Yuzo
Komatsu, Takayuki See Matsuda, Kazumasa
Komatsu, Takayuki; and Soga, Naohiro
 ESR and Moessbauer studies of the precipitation process of various ferrites from silicate glasses. 64-02458A
Komatsu, Takayuki; Ur, H.; and Doremus, Robert H.
 Infrared transmission and glass formation in AgI-AgF-AlF₃. 64-06212A
Komatsu, Wazo See Ikuma, Yasuro
Komeya, Katsutoshi
 Development of nitrogen ceramics. 64-01197A; See also Inoue, Hiroshi
Komeya, Katsutoshi; and Ichinose, Noboru
 High-strength and -toughness ceramics. 64-02775A
Komine, Yoshiharu; and Sato, Ken
 Gas sensor from hydroxylapatite composites. 64-02772A
Komisarchik, M. Sh.; Prokator, L. M.; and Orlov, Yu. F.
 Etching mechanism of CdSe in the alcohol solution of bromine. 64-05095A
Komisarchik, V. F. See Yurkov, L. F.
Komjati, Attila
 Automatic clay level control in vacuum extruders. 64-00887A
Komlev, V. G. See Klement'eva, V. S.
Komori, Toshihisa See Uzaki, Nagato
Komova, R. V. See Kuznichenko, A. N.
Kompe, Guenther See Balzau, Gerhard
Koncius, G. A. See Paulavicius, R. B.
Kondo, Haruyoshi See Takahashi, Hideaki
Kondo, Kazuo See Nishio, Shinji
Kondo, Kazuo; Okuyama, Masahiko; and Ogawa, Hidetoshi
 Preparation of high-strength apatite ceramics. 64-02809A
Kondo, Kenichi See Hasegawa, Masaki
Kondo, Kenichi; Soga, Sinji; and Sawaoka, Akira
 Shock compaction of silicon carbide powder. 64-07164A
Kondoh, Takehiko; and Kitajima, Masahiko
 Precalciner for cement raw meal. 64-06990P
Kondrasheva, L. A. See Pavlushkin, N. M.
Kondratyev, D. A. See Minachev, K. M.
Kondrat'ev, Yu. N. See Galant, E. I.; Serkov, M. M.
Kone, Ali See Carrette, Brigitte
Konecny, Ladislav
 New refractories for the construction of tunnel kilns. 64-02157A
Konev, D. G.; and Popov, Yu. T.
 Tensile machine for determining the strength of high molecular brittle fibers. 64-05385A
Konevskii, V. S.; Krivososov, E. V.; and Litvinov, L. A.
 Oxidation of ruby. 64-01237A
Kong, Hua-shuang; Zhang, Shou-qing; and He, Chung-fan
 Thermal decomposition of NdAl₃(BO₃)₃ and NdAl₃(B₂O₃)₂O₆ crystals. 64-05859A; X-ray diffraction powder data and some physical properties of NdAl₃(B₂O₃)₂O₆. 64-05969A
Konicek, Frantisek See Matusek, Miroslav
Konishi, Yoshihiro See Nomura, Shoichiro
Kono, Ichiro See Nishie, Mitsuki
Konoike, Takehiro; and Tamura, Hiroshi
 High-frequency dielectric ceramic [tantalate] compositions. 64-02369P
Kononko, V. P. See Pokrass, B. I.
Kononov, A. A. See Lyashkevich, I. M.
Kononov, V. A. See Sturman, V. K.
Konopatin, S. N. See Karapetyan, G. O.
Konoplov, V. P. See Sagalevich, Yu. D.
Konrad, C. See Brannon, P. J.
Konstant, Z. A. See Vaivada, M. A.
Kontorovich, S. I. See Grechenko, A. N.
Koontz, Merwyn L. See Hagedorn, Floyd T.
Kopaev, A. V. See Kirichok, P. P.
Kopan, V. S. See Dorokhov, V. P.
Kopatz, Klaus See Knoch, Werner-Dieter
Kopp, W. V. See Elsenner, Gerhard
Koprowski, Jan See Wasylak, Jan
Koptelov, V. N. See Simonov, K. V.
Kopylov, N. I.; Degtyarev, S. V.; and Tolkaev, N. P.
 System Fe₂As₂Na₂S. 64-05829A
Kopylov, N. I.; Toguzov, M. Z.; and Kudryavtseva, S. I.
 System Cu₂As₂ZnS. 64-05828A
Korb, Charles L.; and Kalshoven, James E., Jr.
 Method of and apparatus for measuring temperature and pressure. 64-04128P
Korchma, I. G.
 Improvements in the production technology of ceramic sewer pipes. 64-00441A
Korczykowski, Lawrence L.; and Zielinski, Robert J.
 Light-controlled apparatus for moving filter press plates. 64-02552P
Kordas, G.; and Oel, Heribert J.
 Electron spin resonance studies of radiation-induced damage in iron silicate glasses. 64-03245A
Kordas, G.; Weeks, R. A.; and Kinsler, Donald L.
 Effects of densification conditions on the defect center concentration in germanium-doped silica optical fiber preforms. 64-06187A; Influence of fusion temperature on the defect center concentration of GeO₂ glass. 64-00198A
Koren, L. N. See Romanovskii, L. B.
Korets, A. Ya. See Fedorov, V. P.
Kornblit, L.; and Urbanczyk, S.
 NiMo/Al₂O₃ + zeolite—a new type of hydrosulfurizing catalyst. 64-04309A
Korner, Harald
 Automation of mixing process of tile plant of Langburkersdorf [GDR]. 64-04073A
Kornev, V. V. See Kozlova, M. A.
Korzenko, L. S. See Bibikh, L. G.; Kask, N. E.
Korzenko, L. S.; Denker, Boris I.; and Osiko, V. V.
 Radical ions in glassy rare-earth phosphates containing different alkaline modifiers. 64-03353A
Korzenko, L. S.; Rybalovskii, A. O.; and Simakin, I. O.
 Photostimulated thermoluminescence [PTL] of quartz glasses with radiation-induced color. 64-03323A
Kornilova, E. E. See Belozerskii, G. N.
Kornyakov, A. B. See Permyakov, B. A.
Korshakov, U. N. See Isagulyants, G. V.
Korol, E. Z. See Panferov, V. M.

- Korol, E. Z.; Panferov, V. M.; and Buiakh, V. L.
Thermomechanical properties of mullite-corundum refractories based on fused mullite. 64-00529A
- Korolev, D. F.; Belimenko, L. D.; and Kilentova, G. P.
Role of the catalyst during conversion of graphite into diamond under high pressure. 64-05757A
- Korolev, N. M. See Selyanin, P. A.
- Koroleva, L. N. See Bondar, I. A.
- Korotcheva, N. Ya. See Urikh, V. A.
- Korotkov, N. A. See Osipov, K. A.
- Korotkov, P. A. See Klimenko, V. A.
- Korpijaankko, Pekka
Method for making ambidirectional pressed ceramic slip-on support for a towel bar. 64-06536P
- Korpiun, Peter See Luscher, Edgar
- Korpus, V. A.; Tikavly, V. F.; and Zakharov, I. A.
Effect of additives of higher vanadium and molybdenum oxides on thermal transformations of aluminophosphate binder. 64-04941A
- Kort, D. W.
SMT [surface-mount technology] squeezes computer power into tighter spaces [in multilayer printed circuit boards]. 64-05174A
- Kortel, A. A. See Kuznetsov, A. T.; Tsinin, I. P.; Zhukovskaya, A. E.
- Korytin, O. V. See Kozlova, M. A.
- Korzhev, I. A.; and Trubchenko, R. I.
Quality control and effective use of raw materials in the Krasnoarmeisk Dinas plant [USSR]. 64-02191A
- Korzova, L. N. See Tolochkova, M. G.
- Kosa-Somogyi, Istvan; and Kachalova, Lidia
Glass fiber optics. 64-00300A
- Kosak, Jaroslav
Application of refractory insulating fibers in electric discontinuous furnaces. 64-03587A
- Koschei, W. See Brettrup, L.
- Kose, K.; and Iida, Satoshi
Interacting phase transitions in $\text{Fe}_{1-x}\text{Cr}_x\text{O}_4$ ($0 < x < 0.4$). 64-02463A
- Kose, Saburo See Ebata, Yoshihiro
- Kosenko, A. I. See Strel'nikov, V. I.
- Koshchev, A. P.; and Panesh, A. M.
Variation of electrophysical properties of the ZnO surface during bombardment by low-energy ions. 64-01484A
- Koshchev, S. V.; and Cherkashin, A. E.
Optical, electrophysical, and photoemission properties of solid solutions ($\text{Ti}_x\text{Fe}_{1-x}$) $_2\text{O}_3$. 64-00862A
- Koshino, Minoru See Shoda, Yuzuru
- Koshino, Takashi See Yamamoto, Ryuichi
- Koshizuka, Naoki See Okuda, Takashi
- Kosinski, Sandra G.; Lemaire, Paul J.; and O'Connor, Paul B.
Optical fiber preform manufacturing method. 64-04873P
- Kostitzke, Karlfried See Skubatz, Rainer
- Koslowski, H. See Racine, R.
- Kosmos, Peter See Dudek, Ronald P.
- Kosodriga, A. D.; Gutierrez, G. L.; and Shlevin, D. N.
Ceramic bodies for finishing (interior decor off) buildings. 64-06416A
- Kosova, N. V. See Avvakumov, E. G.
- Kostikov, Yu. P. See Gindin, E. I.
- Kostikov, Yu. P.; and Leikina, B. B.
Compensation regularities of electron conductivity in complex doping of BaTiO_3 . 64-00639A
- Kostikov, Yu. P.; Rozova, M. N.; and Smirnov, O. M.
Electron structure of impurity centers Nb(IV) in KNbO_3 . 64-01538A
- Kostika, Miroslav See Reinis, Jiri
- Kostov, Marchel See Kostova, Elena
- Kostov, V. N.; Vol'f, V. E.; and Klyuchev, O. N.
Microprocessor use in process-control systems for glass production. 64-00314A
- Kostova, Elena; and Kostov, Marchel
Electrogyration modulator with centrosymmetric $\text{NaBi(MoO}_4)_3$ crystal. 64-06684A
- Kostyuk, V. Kh. See Panchenko, T. V.
- Kostyuk, Ya. I.; Zhukov, E. G.; and Aminov, T. G.
Preparation and properties of single crystals of copper thiochromite. 64-05785A
- Kosugi, Tetsuo See Matsushita, Yasuo
- Kosukhin, V. V. See Funke, V. F.
- Kozl, Louis A. See Hartman, Robert L.
- Kozacka, Warren; and Draper, J. Kyle
Application of Texas bentonites in structural clay brick formulations. 64-06413A
- Kotani, Hiroshi See Marsuda, Yoshifumi
- Kotecha, Harish N. See DiMaria, Donelli J.
- Kotera, Noboru; Eguchi, Shusaku; and Miura, Norio
Phosphor [rare-earth fluorides]. 64-05887P
- Kotera, Yoshihide See Ogawa, Kiyoshi; Sekine, Tadao; Yonemura, Michiko
- Kotera, Yoshihide; and Ueno, Akifumi
Kinetics of the formation of MoO_3 , at elevated temperatures from a mixture of MoO_3 and $\alpha\text{-Al}_2\text{O}_3$. 64-01420A
- Koth, David L.; McKinney, Ralph V., Jr.; and Davis, Quince B.
Single-crystal sapphire endosteal dental implant—a longitudinal human study—one-year results. 64-01254A
- Koth, Detlev See Klebe, Hans
- Koto, Kichiro See Tsubaki, Miho
- Koto, Osamu See Yamamoto, Yoshifumi
- Kotseiko, R. S. See Kozlov, A. S.
- Kotsis, Levente See Bartha Balogh, Agnes
- Kotsis, Levente; and Egyhazi, Tibor
Information and research—use of SiC in industry. 64-05554A
- Kotsis, Levente; Szocsanyi, Pal; and Kutics, Karoly
Application of zeolites for the adsorption of organic solvent vapors. 64-05513A
- Kottke, T.; and Williams, F.
Dependence on hydrostatic pressure of the crystal structure of ruby. 64-01528A
- Koucky, Jiri
Mechanism of glass polishing with bonded-ceria polishing material: I. Influence of dynamic parameters on glass removal. 64-03462A
- Koumoto, Kunihito See Hishita, S.; Ohara, Yoshinobu; Saito, Shinichiro; Tsukamoto, Keizou
- Koumvalis, N. See Merkie, Larry D.
- Koutsoulis, Michael S. See Morgan, Peter E. D.
- Kovacevic, S. See Isakovski, S.
- Kovach, D. Sh. See Suslikov, L. M.
- Kovach, Stephen M.
Alumina catalyst for alkylating aromatics with olefins. 64-02847P
- Kovacs, Robert
Possibilities for increasing the hydraulic additive content of cements. 64-04654A
- Koval, A. A. See Bednosheya, V. Ya.
- Koval'chenko, M. S.; and Dzhamarov, S. S.
Densification kinetics of a wurtzite-like boron nitride powder in hot pressing under high pressure. 64-02753A
- Kovalenko, V. F.; Kuta, P. S.; and Lyakhmet, S. N.
Dynamics of photoinduced spin-reorientation transitions in $\text{Y}_2\text{Fe}_2\text{O}_7$ single crystals with Fe^{3+} ions. 64-03953A
- Kovalenko, V. I.; Bukun, N. G.; and Ukshe, E. A.
Effect of F^- , Co^{2+} , and Ti^{4+} ions on synthesis and properties of sodium polyaluminate. 64-01396A
- Kovalev, S. P. See Pisanenko, G. G.
- Kovalev, V. I.
Improving the effective utilization of ceramic pipes for drainage systems. 64-03566A
- Kovba, L. M. See Antipov, E. V.; German, M.
- Kovba, L. M.; Lykova, L. N.; and Antipov, E. V.
Systems $\text{BaO-Ln}_2\text{O}_3\text{-Al}_2\text{O}_3$. 64-05849A
- Koveshnikova, I. D. See Khalilov, V. D.
- Kovner, M. I. See Ushakov, D. F.
- Kovrizhe, E. D.
Ultrasound for studying the properties of ceramics. 64-02623A
- Kovzun, I. G. See Chop, Yu. I.
- Kowalski, Bruce R. See Veltkamp, David J.
- Kowalski, Charles I. See Nemeth, Joseph
- Kowata, Nobuo; and Sasano, Naoshige
Optical fiber [glass rod] junction device and method of making same. 64-03535P
- Koyama, Naoki See Umezaki, Hiroshi
- Koyama, Tamotsu See Nakamura, Tutomoto
- Kozeva, L. P. See Protasova, V. I.
- Kozeva, L. P.; and Pavlyuk, V. I.
Growing single crystals K-Gd molybdate $\alpha\text{-KGd(MoO}_4)_3$. 64-01407A
- Kozhevnikov, G. N. See Kulich, V. I.; Vodop'yanov, A. G.
- Kozhina, I. I. See Gutkina, N. G.; Orlova, G. M.; Shmatok, L. K.
- Kozik, Tomas See Rohac, Jan
- Kozik, Tomas; Rohac, Jan; and Stubas, Igor
Drying by electrical resistance: II. Influence of different electrode systems on the process and results of drying. 64-03998A
- Kozlov, A. A. See Berezin, G. I.
- Kozlov, A. S.; Astasia, V. I.; and Lisenenkova, S. B.
Flow threshold in the baths of glass tank furnaces. 64-00295A
- Kozlov, A. S.; Kotselko, R. S.; and Ivanov, A. V.
Experimental [transducer-based] method for determining the heat loss through the masonry of glass tank furnaces. 64-00475A
- Kozlov, V. V.; Shelunian, E. Sh.; and Pavlov, V. F.
Optimization of the firing conditions of wall ceramic bodies from low-melting glasses. 64-03725A
- Kozlova, M. A.; Kornev, V. V.; and Korytin, O. V.
Statistical and electron microscopic studies of industrial types of quartz glasses. 64-03485A
- Kozlowski, Guenter; and Beier, Norbert
Properties of special steel enamels. 64-03159A
- Kozlowski, J. M.
Influence of microcracks on the temperature dependence of resistance in ruthenium-based thick-film resistors. 64-00671A
- Kozlik, Istvan See Gulyas, Agnes
- Kozub, G. M.; Tishchenko, A. V.; and Beletskii, I. P.
Electrical conduction of ferrisilica gels. 64-04722A
- Kozyr, V. M.; Knyazev, V. V.; and Katsanov, I. I.
Improving the setup of conveyor lines [in ceramic plants]. 64-02513A
- Kozyrenko, V. N. See Klym, N. M.
- Kozyrkin, B. I. See Gasanov, K. S.
- Kraemer, A. See Feige, Fritz
- Kraemer, F.; and Mufflinger, H. O.
Solubility and diffusivity measurements of water in a television tube glass. 64-06254A
- Kraemer, John F.
Foundry [mold] binder. 64-00544P; Process for preparing sand cores and molds. 64-00569P; See also Seency, Charles E.; Varnum, Nancy C.
- Kraemer, W. See Szikora, S.
- Krahl, Karl See Schulle, Wolfgang
- Krajewski, Adriano; See Azzoni, C. B.; Ravaglioli, Antonio
- Krajewski, Adriano; and Ravaglioli, Antonio
Methods to control the ceramic and glass industries' production cycles—present situation and future prospects. 64-00919A
- Krajewski, Adriano; Ravaglioli, Antonio; and Azzoni, C. B.
Thermal expansion in a CuO-doped silicophosphate glass. 64-06270A
- Krajewski, Adriano; Ravaglioli, Antonio; and De Portis, G.
Physicochemical approach to improving adherence between steel and bioactive glass. 64-07142A
- Krajewski, G. See Wasylak, Jan
- Krajickova, Marie See Ersepke, Zdenek
- Krajina, Antonin See Bouse, Václav
- Krakowski, Lili
Hobart Cowles' Albany glazes. 64-06519A; Hobart Cowles' tan and brown glazes. 64-06030A
- Kral, Jiri See Jakes, Dusan
- Kralove, Hradec See Kuzel, Radomir
- Kramb, Richard J. See MacZura, George
- Krambrock, Wolfgang; and Hoppe, Hans
Air classifier. 64-06794P
- Kramer, D. P.; and Massey, R. T.
Vacuum injection molding of glass-metal electrical components. 64-00935A
- Kramer, Daniel P.; and Massey, R. T.
Design and fabrication of super-high-strength glass-ceramic to metal seals. 64-04673A
- Kramer, Hans; Zahrl, Sheik A.; and Forster, Ewald
Foams of silicates and poly(meth)acrylic acids. 64-01497P
- Kramas, Joera See Fickel, Albrecht
- Krasil'nikov, V. N.; Khodos, M. Ya.; and Fotiev, A. A.
Phase relation in the system $\text{CaO-V}_2\text{O}_5\text{-O}_2$ and the enthalpy of formation of cesium vanadates. 64-01440A
- Krasnikova, N. A. See Bogomolova, L. D.
- Kraslov, Yu. I. See Alekshkevich, N. I.; Denisov, Yu. V.
- Krasnov, T. I. See Slododin, B. V.
- Krasnenko, T. I.; Bilnovskov, Ya. N.; and Fotiev, A. A.
Electrophysical properties of lead orthovanadate. 64-05916A
- Krasnenko, T. I.; and Fotiev, A. A.
Formation of defects in calcium orthovanadate. 64-05706A
- Krasnenko, T. I.; Syryova, O. N.; and Fotiev, A. A.
Electrophysical and structural properties of strontium orthovanadate. 64-05914A
- Krasnenko, T. I.; Zhukovskaya, A. S.; and Fotiev, A. A.
Self-diffusion of ^{45}Ca and ^{48}V in poly- and single crystals of calcium vanadates. 64-01459A
- Krasny, B. L. See Klement'eva, V. S.
- Krasny, Ya. R. See Simonov, K. V.
- Krasselt, Volker See Harjes, Wolfgang
- Kratzer, Wolfgang; and Thilo, Peer
Method and circuit arrangement for measuring a magnetic field. 64-04126P
- Krausova, Helena See Ruzek, Josef
- Kraus, W.
Developments in pneumatic silo discharging. 64-06763A
- Kravchenko, V. B. See Alekseev, N. E.; Kucha, V. V.
- Kravchenko, V. P. See Degtyareva, E. V.; Shakhin, D. M.
- Kravchik, A. E. See Ordan'yan, S. S.
- Kravchinskaya, M. V. See Tikhonov, P. A.
- Kravchinskaya, M. V.; Tikhonov, P. A.; and Kuznetsov, A. K.
Praseodymium-containing high-refractory materials with an electron conductivity. 64-02175A
- Kravets, V. A.
Phase composition and details of formation of silicon carbide single crystals. 64-05568A; See also Pilyankevich, A. N.
- Kravets, V. A.; Nazarenko, K. V.; and Frantskevich, I. N.
Relaxation phenomena in β -silicon carbide single crystals. 64-05572A
- Kravetskii, D. Ya. See Zatulovskii, L. M.
- Krechin, Yu. V.; Kasimov, A. M.; and Orlova, E. A.
Dust formation during the firing of refractory bodies in tunnel kilns. 64-00467A
- Kreft, Wilfried
Method and apparatus for heat treatment of fine-grained material. 64-04179P
- Krehnovi, Richard J.
Glass sheet positioning apparatus for conveyor platform. 64-04036P
- Kreider, James F. See Cockrum, Charles A.
- Kreidl, Norbert
State of glass science. 64-00229A
- Kreigsmann, Jochem; Lipp, Alfred; and Reinmuth, Klaus
Design shaped articles of polycrystalline α -silicon carbide and process for the manufacture thereof by hot-pressing. 64-01104P
- Kreimer, A. A. See Aleksandrov, L. N.
- Kreinbrink, Paul H. See Hymore, Frank J.
- Krell, A.; and Lippmann, K.
Response of polycrystalline Al_2O_3 to diamond grinding. 64-04331A
- Kresin, O. M. See Berdichevskii, I. M.
- Kress, W. See Gervais, F.
- Kreuer, Klaus-Dieter See Bell, Michael
- Krentz, Hermann See Gupta, Ashok K.
- Kretzer, Karl See Brandt, Lutz
- Krichevets, M. I.; Grechishnyi, V. V.; and Shostobitov, M. A.
Physicochemical properties of $\text{MgO-Al}_2\text{O}_3\text{-CaF}_2$ melts. 64-03326A
- Kriebbaum, Kurt See Hartmannsgruber, Max

- Krijt, Gerrit; and Van de Leest, Reaant E.
Metal article layered with a nickel-phosphorus alloy and a protective coating. 64-03169P
- Krischik, G. S.; Valiev, U. V.
Krischik, G. S.; Grishkov, V. L.; and Zubov, V. A.
Determination of optical constants of ferromagnets from magnetooptic measurement. 64-05291A
- Krischer, David H.; and Sier, R. A.
Results of a round-robin leaching test for vitrified radioactive waste. 64-06744A
- Krishna, P.; Perumal, P.; and Warrier, K. G. K.
Thermal studies on the laterite-phosphoric acid system. 64-07397A
- Krishna, R. Murali. See Prasad, B. S. Maruthi
- Krishna, Radika; and Krishnan, Shiro
Fiji Industries converts kiln No. 2 to semiwet process. 64-06685A
- Krishnasiah, M. V.; and Srinamasuri, P.
Computational model for the oxygen potentials of mixed uranium-plutonium oxide. 64-00875A
- Krishnan, Shiro. See Krishna, Radha
- Krishnasamy, V.; and Ratnasamy, P.
Characterization of alumina—a versatile catalyst. 64-01187A
- Krist, Otto; and Salzberg, Herbert
Enamel frit and a one-bake two- and multilayer enameling process. 64-01793P
- Krist, Otto; and Schuster, Alfons
Double- and multicoat applications in one firing pass—a new enameling method. 64-01784A
- Kriven, Waltraud M. See Fu, Y.
- Krivonozhko, E. V.; See Konevskii, V. S.
- Krivonozhko, A. D. See Semin'ko, I. V.
- Krivonozhko, P. P. See Shakhitin, D. M.
- Krivonozhko, A. A. See Shorina, N. K.
- Kroelch, H.; Merz, M.; and Van Der Biest, O. (Editors)
Ceramics in Advanced Energy Technologies: Proceedings of the European Colloquium held at the Joint Research Center, Petten Establishment, Petten, The Netherlands, Sept. 20-22, 1982. 64-04594B
- Kroelch, H.-J. See Bothe, H.-G.
- Kroege, F. A.
Electrical properties of α -Al₂O₃. 64-06553A; Experimental and calculated values of defect parameters and the defect structure of α -Al₂O₃. 64-07463A; See also Hou, L. D.; and Lee, C. H.
- Kroemer, Herbert. See Banerjee, Indrajit
- Kroeschell, P.; and Hoppe, R.
Oxothorates of the alkaline metals: I, K₂NaThO₄. 64-01434A
- Krokhin, V. P. See Nemets, I. I.
- Krokhin, E. Ya. See Grebennikov, V. M.
- Krol, D. M. See Janssen, R. K.
- Krol, D. M.; and Janssen, R. K.
Raman study of grain size effects in the melting behavior of 15Na₂CO₃-10BaCO₃-75SiO₂ batches. 64-01898A
- Krol, D. M.; and Rommers, P. J.
Oxidation-reduction behavior of antimony in silicate glasses prepared from raw materials and cullet. 64-03470A
- Krol-Stepelanska, L. See Bensch-Marchwicka, G.
- Kroll, Hartmut. See Mueller, Erhard
- Kronschabel, Hartmut; Goertings, Wilhelm; and Boeltingen, Johann
Process for the separation of coated nuclear fuel particles from a graphitic matrix and installation for implementing the process. 64-03988P
- Kronseider, Hermann; and Schneider, Egon
Apparatus for widening and slowing down a stream of upright bottles. 64-04021P
- Kroos, Robert J.
Bottle alignment apparatus. 64-04024P
- Kropanev, A. Yu.; and Petrov, A. N.
Thermal stability of LnCoO₃ cobaltites in open air (Ln = Sm, Eu, Gd, Tb, Dy, Ho). 64-01481A
- Kropanev, A. Yu.; Petrov, A. N.; and Rabinovich, L. Ya.
Solid-phase synthesis of rare-earth cobaltites with RCoO₃ composition (R = Sm, Eu, Gd). 64-05802A
- Krotkov, V. A.; Filina, L. V.; and Kharitonov, N. P.
Sintering and phase composition variability of polyorganosiloxane + talc + kaolin mixtures during calcination. 64-01461A
- Kroupa, Petr. See Bartuska, Miloslav; Zverina, Karel
- Krstanovic, I. See Stanic, G.
- Krstic, Vladimir D.
Fracture of brittle solids in the presence of thermoelastic stresses. 64-01540A
- Krtic, Vladimir D.; Konec, Milos; and Vlais, M. D.
Crack extension and arrest within the particle subjected to tensile thermoelastic stresses in brittle matrix composites. 64-04255A
- Krucinski, M.; and Karbowiczek, M.
Service life of the refractory lining of an arc furnace side wall. 64-02209A; Service life of the refractory lining of arc furnace side walls. 64-00513A
- Krueger, William H. See Folgar, Francisco
- Krueger, Wolfgang
Arrangement for connecting a ceramic rotor wheel, particularly a turbine rotor wheel of a turbomachine, such as a gas turbine engine, to a metallic shaft. 64-07198P
- Krueger, Wolfgang; and Huether, Werner
Turbine rotor blade [with ceramic jacket] for a turbomachine, especially a gas turbine engine. 64-02915P
- Kruglitskaya, V. Ya. See Kruglitskii, N. N.
- Kruglitskii, N. N.
Optimizing the deformation properties of ceramic pastes by evaluating relevant physical and chemical mechanisms. 64-04212A
- Kruglitskii, N. N.; and Kruglitskaya, V. Ya.
Complete rheological curves for clay dispersions and pastes and their associated energies. 64-04202A
- Kruglyashov, A. L.; and Tkachenko, E. V.
Defectiveness of the structure of CaWO₄. 64-01526A
- Kruglyashov, S. B. See Valiev, U. V.
- Krumme, J.-P. See Hansen, P.
- Krupanidhi, S. B.; Maffei, N.; and Sayer, M.
Rf planar magnetron sputtering and characterization of ferroelectric Pb(Zr,Ti)O₃ films. 64-00837A
- Krupanidhi, S. B.; Sayer, M.; and El-Assal, K.
Fabrication and characterization of piezoelectric films for SAW and acoustic microscopy. 64-05262A
- Krupanidhi, S. B.; Sayer, M.; and Masing, A.
Electrical characterization of amorphous germanium dioxide films. 64-05076A
- Krupansky, Josef. See Havlin, Dusan; Lach, Vladimir
- Krupica, Milos. See Novak, Jaroslav
- Krutzner, Karl
Apparatus for heat treatment of fine-grained material. 64-02678P
- Krylova, A. Yu. See Hoang, Chong Jem
- Krystop, V. G. See Filip'ev, V. S.
- Kryuchkov, V. I. G.; Lashin, E. D.; and Nosov, K. T.
Preparation and performance of ladle cars with monolithic linings. 64-04989A
- Krzyszczak, V. A. See Glushkova, V. B.
- Ku, R. C. See McCune, Robert C.
- Kuba, Yasuro. See Nagai, Haruyasu
- Kubinova, Ludmila. See Sevcik, Frantisek
- Kubo, Osamu; Ido, Tadashi; and Nomura, Tutomu
Production of a magnetic powder having a high dispersibility. 64-03979P
- Kubota, Takehiro. See Oishi, Izumi
- Kuboyama, Keiji; Matsui, Takeki; and Kimura, Takeo
Indium antimony complex crystal semiconductor and process for production thereof. 64-00759P
- Kubinskaya, M. E. See Bogomolova, L. D.
- Kucera, Milos
First Czechoslovak line for high-speed firing of wall tiles. 64-06769A
- Kucha, V. V.; Khomich, A. V.; and Kravchenko, V. B.
Growth, structure, and optical properties of Bi₂TeO₇ single crystals. 64-05718A
- Kucheryavii, M. N.; Popov, O. N.; and Selyanko, V. T.
Extending the service life of refractories in baths of glass tank furnaces for container glass production. 64-00476A; Stability of refractory materials in vertical cellular corrosion. 64-00519A
- Kuchinskii, S. A. See Zakharov, V. K.
- Kuchirka, Peter J. See Argall, Bruce M.
- Kudakov, U. D. See Barovskii, N. V.
- Kudo, Tetsuichi. See Miyachi, Katsuki
- Kudo, Yoshihiko; Kawabata, Hidetugu; and Irikawa, Masahiro
Magnetooptical [rare-earth germanide] recording medium. 64-03973P
- Kudorfer, G. A. See Haefner, H. W.
- Kudryashov, G. S. See Dan'kov, I. A.
- Kudryavtsev, A. N. See Ananichev, V. A.
- Kudryavtseva, E. G. See Fokin, G. A.
- Kudryavtseva, N. L.; Belikova, V. I.; and Presnyakov, E. A.
Magnesite from northeastern Transbaikalia [USSR]. 64-02710A
- Kudryavtseva, S. I. See Kopylov, N. I.
- Kudryavtseva, T. N. See Snegirev, A. I.
- Kudzin, A. Yu. See Panchenko, T. V.
- Kuehl, Guenter H. See Chu, Pochen
- Kuehl, Guenter H.
Hydrothermal activation of acid zeolites with alumina. 64-01315P; Process for making zeolite ZSM-45 with a dimethyldiethylammonium directing agent. 64-04415P
- Kuehle, W.
Rotary kiln heat losses by convection and radiation. 64-06959A
- Kuehn, Friedhelm
Method of monitoring furnace installations. 64-05456P
- Kuestner, Dieter; and Oel, Heribert J.
Blackening of porcelain during firing in SiC saggers—causes and preventative action [continuation]. 64-03714A; Blackening of porcelain during firing in SiC saggers—causes and prevention. 64-02259A
- Kuhlmann, B. See Hennicke, Hans Walter
- Kuhn, Christopher F.; Klinger, John P.; and Haggard, George W.
Industrial wastewater from the viewpoint of the publicly owned treatment works. 64-01613A
- Kuijpers, T. H. J. M. See Oversluizen, G.
- Kuisman, Heikki T.; Lehto, Ari; and Jalava, Jouko S.
Capacitive [glass substrate] humidity sensor and method for the manufacture of same. 64-03849P
- Kujawa, Joseph J. See Barkhau, Marvin L.
- Kukles, Simon G.; and Banks, Robert L.
Metathesis [metal oxide] catalyst. 64-07242P
- Kukuk, P. L.
Bases for controlled defect formation in semiconductor compounds. 64-05056A
- Kukova, L. L.; Plotnikova, M. V.; and Ivanova, L. A.
Dielectric properties of ceramics of the system SbNbO₆-Sb₂SO₄. 64-05063A
- Kulasekhar, S.; Jarmoc, W.; and Turovskaya, K.
Electrical and optical properties of thin In₂O₃:Sn and SnO₂:Sb-In₂O₃:Sn films obtained by the hydrolysis method. 64-05075A
- Kulazis, Yu. M. See Evdokimova, G. G.
- Kulbekov, M. See Saibulatov, S. Zh.
- Kulchov, E. A. See Bulter, P. I.
- Kulesza, B. L. J. See Thorp, J. S.
- Kuliev, A. A. See Babanly, M. B.
- Kuliev, V. Kh.; Popil'skii, R. Ya.; and Bakanov, V. S.
Frenkel effect for obtaining MgCr₂O₄-based thermally stable refractories. 64-02115A
- Kulik, Piotr. See Gustav, Krystyna
- Kulik, L. A. See Pashchenko, A. A.
- Kulik, A. I.
Interaction of SiC refractories with the melts of alkali-metal silicates. 64-04963A
- Kulikov, I. S. See Kim, A. S.
- Kulich, V. I.; Zhilo, N. L.; and Kozhevnikov, G. N.
Activity of components in melts of the system SiO₂-MgO-Al₂O₃. 64-05659A
- Kulkarni, A. R.; Maiti, H. S.; and Paul, Amalendu
Dielectric properties of glasses in LiF-Li₂O-Al₂(PO₄)₃ system. 64-06177A; Quenched glasses in the system LiF-Li₂O-Al₂(PO₄)₃. 64-04746A
- Kulwicki, B. M.
Ceramic sensors and transducers. 64-06544A
- Kulyukin, V. N. See Puzynina, N. I.; Tatarintseva, M. I.
- Kumada, Akio
Piezoelectric ceramic transducer. 64-00846P
- Kumagai, Katuya. See Hideyama, Shozo
- Kumagai, Masato; and Messing, Gary L.
Enhanced densification of boehmite sol-gels by α -alumina seeding. 64-02929A
- Kumagai, Toshiya; Okamoto, Chie; and Mizuta, Susumu
Dissolution of MgO into the H₂SO₄-HI acid mixture. 64-02923A
- Kumar, A. See Dawar, A. L.
- Kumar, A.; Segar, E. G.; and Bukowski, J.
Ceramic-coated anode for cathode protection. 64-02455A
- Kumar, Amitabha. See Komarneni, Sridhar
- Kumar, Ananda H. See Adwalpalkar, Avinash S.
- Kumar, Ananda H.; and Srikrishnan, Kris V.
Selective coating of metallurgical features of a dielectric substrate with diverse materials. 64-03175P
- Kumar, Anil. See Pyare, Ram
- Kumar, Binod. See Daly, Richard T.
- Kumar, Binod; and Lynn, William F.
Deuterioxy groups in vitreous silica. 64-00161A
- Kumar, Narayan G. See Denton, Robert K., Jr.
- Kumar, U. See Meng, Z.-y.
- Kumazawa, Takeshi. See Kanazaki, Shuzo
- Kummer, Peter; and Rehfeld, Gerhard
Superrefractory dry ramming material based on zirconium oxide for the lining of induction-type crucible furnaces. 64-05033P
- Kunc, T.; Lallemand, M. M.; and Martine, J.
Combined heat transfer in silica and a borosilicate glass. 64-00151A
- Kundu, Debtoth. See Ganguli, Dibyendu
- Kunio, Takeshi. See Kimura, Yuji
- Kuniya, Keiichi. See Arakawa, Hideo
- Kunnecke, M.
Lining brick for refractory furnace linings. 64-06487P
- Kunz, A. B. See Boettger, J. C.
- Kunze, Oswald
Device for burning cement. 64-04662P
- Kuo, Chu-kun. See Tian, Shun-bao
- Kuo, Chu-kun; and Li, Shan-tin
Kinetics of sodium deposition in [Al₂O₃ and Nasicon] fast-ion conductors. 64-05558A
- Kuo, Chu-kun; and Yen, Yi-ming
Firing computation of complex impedance and admittance of [glass, single- or multicrystal] fast-ion conductors. 64-05541A
- Kuperman, Yu. E.; Visloguzova, E. A.; and Shevtsov, A. L.
Mg silicate refractories based on dunite sinter (cake). 64-06488A
- Kupper, Detlev
Apparatus for the heat treatment of fine-grained material. 64-06965P
- Kupperman, David S.; and Karplus, Henry B.
Ultrasonic wave propagation characteristics of green ceramics. 64-01040A
- Kuramoto, N.; and Taniguchi, H.
Aluminum nitride powder [as additive for] sintered product. 64-01150P; Transparent AlN ceramics. 64-01269A
- Kurand, Hans-Friedrich; and Kampfer, Karl-Heinz
Process for improving the fluidity and conveyability of moist calcium sulfate precipitates. 64-04667P
- Kurashina, Yukinobu. See Kyoden, Hiroshi
- Kurata, Koussuke. See Oku, Susumu
- Kurbanov, T. Kh. See Rustamov, P. G.
- Kurdowski, Wieslaw
Problems resulting from high clinker temperature in cement [grinding or silo storage]. 64-06115A
- Kurdowski, Wieslaw; and Taczak, Leslaw
Cements manufactured with low energy consumption. 64-06062A
- Kurdyumov, V. G. See Borovikov, N. F.

- Kurehov, V. A. See Burkanov, A. S.
 Kuriakose, A. K. See Ahmad, A.
 Kurihara, Genji See Maruyama, Yasutaka
 Kurihara, Kazuki See Kamehara, Nobuo
 Kurihara, Koji See Oki, Kazuo
 Kurilo, I. V.; Alekhin, V. P.; and Bulychev, S. I.
 Physicochemical properties of the near-surface layers of CdTe crystals grown by chemical transport reaction. 64-05154A
 Kurita, Akitsugu See Maruyama, Kazuo
 Kurita, Manabu
 Improvement, development, and technical problems in international cooperation in advanced ceramics. 64-02984A
 Kurita, Shoichi See Suda, Toshikazu
 Kuriyama, K.; and Saitoh, J.
 Preparation and optical properties of LiInS, thin films. 64-05159A
 Kurneva, G. I. See Balandina, V. V.
 Kurobori, Toshio See Inabe, Katsuyuki
 Kuroda, Hiroshi; Nishimura, Tsukasa; and Hashimoto, Taiji
 Limestone-gypsum flue gas desulfurization process. 64-01777P
 Kuroda, Kazuyuki See Sugahara, Yoshiyuki
 Kuroda, Kiyotaka; Kohn, Kay; and Seizawa, Hisashi
 Pressure dependence of disaccommodation in a manganese zinc ferrite single crystal. 64-02478A
 Kuroda, Makoto
 Trade rivalry and technology development. 64-03037A
 Kuroki, Takeshi See Ide, Syoaki
 Kuroki, Yasutaka See Tanaka, Mitsuo
 Kuromatsu, Akio
 Grinding wheel for electrolytic and mechanical grinding. 64-01648P
 Kurosaki, Shiro See Edahiro, Takao
 Kurtz, Anthony D.; Mallon, Joseph R., Jr.; and Nunn, Timothy A.
 Transducer structures employing ceramic substrates and diaphragms. 64-02451P
 Kurtz, Sarah See Gordon, Roy Gerald
 Kurus, Sh. M. See Alibegashvili, T. G.
 Kusaka, Yukio See Watanabe, Akira
 Kushel, M. I.; Eiduk, Yu. Ya.; and Shebrov, B. M.
 Corrosion-resistant Zr-containing ceramics for chemical apparatus. 64-01189A
 Kushida, H.; Murata, T.; and Ito, N.
 Method [glass-sol] of providing surface protection to articles having a metallic or ceramic surface. 64-00257P
 Kushida, Keiko; and Takeuchi, Hiroshi
 Crystalline properties of rf-sputtered ZnO film on gold film on fused quartz. 64-06681A
 Kuskov, V. D. See Batalin, G. I.
 Kushman, B. A.
 Ceramic [Al₂O₃-ZrO₂] flame spray powder. 64-01283P
 Kushnirskii, G. M.
 Creep in corundum refractories containing a glass phase. 64-00462A; See also Simonov, K. V.; Val'dman, O. A.
 Kusior, E.; Dubiel, S. M.; and Jachimowski, M.
 Moessbauer effect studies of [(Pb,Sn)-J₂-Sb₂O₃] thin films obtained by reactive sputtering. 64-05133A
 Kusnerova, Maria
 Possibilities of industrial application of some pumice tuffs. 64-01645A
 Kusudo, Takao See Mihara, Toshihiro
 Kutab, A. A.; Khan, M. N.; and Khawaja, E. E.
 Control of the electrical conductivity of germanium vanadate glasses by the admixture of chlorine during preparation. 64-00153A
 Kutateladze, K. S. See Gaprindashvili, G. G.
 Kutles, Karoly See Kotsis, Levente
 Kuts, P. S. See Kovalenko, V. F.
 Kutty, T. R. N.; and Balachandran, R.
 Direct precipitation of lead zirconate titanate by the hydrothermal method. 64-03919A
 Kutty, T. R. N.; Murugan, P.; and Gajbhiye, N. S.
 Activation of trap centers in PTC BaTiO₃. 64-00628A
 Kutz, Johannes; Igenhorst, Dieter; and Kohnen, Julius
 Apparatus for [tow] treating webs of material. 64-05372P
 Kutzenoerfer, Jaroslav
 Correlation of thermal conductivity of refractory fibers with temperature and density. 64-00461A; See also Shulle, Wolfgang
 Kutzenoerfer, Jaroslav; and Mencak, Lubos
 Determining the optimal bulk density of refractory fibrous thermal insulators. 64-02095A
 Kuwabara, Tetsuo
 Infrared reflection-preventing [ZnS on TiO₂] film. 64-02374P
 Kuwamoto, H.
 Czochralski growth of Ba₂TiNb₂O₈. 64-01389A
 Kuwano, Yukinori
 Integrated-type amorphous silicon solar cell. 64-00673A
 Kuzamian, Armen S. See Petrosian, Ashtot G.
 Kuz, Takashi See Itoyama, Masaru
 Kuzel, R. See Bouse, Vaclav
 Kuzel, Radomir; Broukal, Josef; and Bouse, Vaclav
 Ceramic coated copper substrates for hybrid circuits. 64-00077A
 Kuzel, Radomir; Broukal, Josef; and Kralovec, Hradec
 Mixture [Al₂O₃] for preparation of protective and insulating coatings on metals. 64-06155P
 Kuz'ma, Yu. B. See Chernykh, G. V.; Orishchin, S. V.
 Kuz'micheva, G. M.; Voloshin, A. E.; and Eliseev, A. A.
 Stability of coordination polyhedra and the stability of structural types in the chalcogenides of the rare-earth elements. 64-05807A
 Kar'min, I. D. See Nikitina, O. I.
 Kuz'minov, Yu. S. See Ivleva, L. I.
 Kuz'minov, Yu. S.; Lavrishev, S. V.; and Polozkov, N. M.
 Preparation of single crystalline plates of LiNbO₃ and Ba₂Sr₂Nb₂O₈; Ce by the Stepanov method. 64-03932A
 Kuz'mishchev, V. A. See Burkanov, G. S.
 Kuznetsov, A. K. See Kravchinskaya, M. V.; Tikhonov, P. A.
 Kuznetsov, A. N.; Palvanov, V. P.; and Shul'gin, B. V.
 Spin-exchange interaction of E_g centers on the surface of quartz glass. 64-03362A
 Kuznetsov, A. T. See Tsibin, I. P.
 Kuznetsov, A. T.; Kortel, A. A.; and Durnashkin, A. L.
 Heat transfer between refractory bodies and metal during steel melting. 64-00478A
 Kuznetsov, G. D. See Novikova, E. M.
 Kuznetsov, L. D. See Zozulya, V. Yu.
 Kuznetsov, N. T. See Nutsibidze, P. V.; Slovianskikh, V. K.
 Kuznetsov, N. Ya. See Mikhailov, M. M.
 Kuznetsov, P. A. See Bogoyavlenskii, K. N.
 Kuznetsov, V. V.; Sadovali, V.; and Sorokin, V. S.
 Reaction specifics of the multicomponent liquid phase of the system Al-Ga-P-As with a GaP substrate. 64-05168A
 Kuznetsov, Yu. D.; Demidenko, L. M.; and Nagibin, A. Ya.
 Plastic refractory bodies for lining furnaces in marine boilers. 64-02172A
 Kuznetsov, Yu. D.; Suvorov, S. A.; and Mel'nikov, A. D.
 Reaction of periclase and chromite with calcareo-aluminiferous melt. 64-00507A
 Kuznetsova, N. I. See Ikrami, D. D.
 Kuznetsova, T. V.
 Structural-technical characteristics of aluminate and sulfate-aluminate cements. 64-01758A
 Kuznichenko, A. N.; Bogodist, I. M.; and Komova, R. V.
 Ceramics for milling bodies with low firing temperature. 64-01184A
 Kvantov, M. A. See Gindin, E. I.
 Kvyatkovskii, O. V. See Fedorov, N. F.
 Kwon, Yeong-Soo; and Kim, Myun-Sup
 Reaction mechanism for zeolite A synthesis from HaDon [Korean] kaolin. 64-07375A
 Kwun, Hegeon; and Teller, Cecil M., II
 Nondestructive testing of stress in a ferromagnetic structural material utilizing magnetically induced velocity change measurements. 64-04131P
 Kydd, Paul H.
 Multiple thermocouple system for high-temperature reactors. 64-02648P
 Kyle, James C.
 Hermetically [ceramic mix] sealed insulating assembly. 64-04851P
 Kyne, W. Paul
 Refractory fiber as an insulation in the forging industry. 64-03673A
 Kyoden, Hiroshi See Hayashi, Takeshi; Yoshino, Shigeo
 Kyoden, Hiroshi; Istou, Masakazu; and Fujiwara, Teichi
 Alkaline test methods for blast-furnace refractories. 64-05400A
 Kyoden, Hiroshi; Namba, Yasutoshi; and Kurashina, Yukinobu
 Alumina deposits and effective clogging countermeasures of submerged nozzle by water model. 64-02054A
 Kyoden, Hiroshi; Nishio, Hideaki; and Hara, Sadao
 Carbon-containing refractory [with improved hot strength]. 64-03696P; Carbon-containing refractory. 64-03697P
 Kyohya, S. See Tanaka, K.
 La Torre, G. P.; Lannutti, John J.; and Clark, David E.
 Hot-stage Fourier transformation infrared reflection spectroscopy of sol-gel-derived alumina. 64-05549A
 LaBate, Michael D.
 Blast-furnace trough and liner combination. 64-03695P; Ladle covering [lime-based] compound. 64-00559P; Slag and hot metal [refractory] runner system. 64-06502P
 LaBlanca, Michael H.; and Smith, Thomas G.
 Method for forming dual gloss coating. 64-00386P
 LaCamera, Alfred F. See Phelps, Frankie E.
 LaCourse, William C.
 Practical aspects of strengthening glass. 64-00319A
 LaCourse, William C.; Akhtar, M. M.; and Dahar, Steven
 Factors controlling the sol-gel conversion in TEOS. 64-00184A
 LaCourse, William C.; Dahar, Steven; and Akhtar, M. M.
 Masyood
 Fiberizable Si(OC₂H₅)-H₂O-C₂H₅OH sols with stabilized viscosity. 64-01401A
 Labani, A.; Ghodsi, M.; and Plumet, Emile R.
 Surface changes in glass in molten salts. 64-01913A
 Labbe, J.-P.; and Vibert, C.
 Lead pollution and infrared absorption. 64-02601A
 Labbe, Jean-Claude See Billy, Michel
 Labov, Simoa; Bowyer, Stuart; and Steele, Gordon
 Boron and silicon—filters for the extreme ultraviolet. 64-05161A
 Labozin, P. G. See Danilova, T. A.
 Labunov, V. A.; Parkhutik, V. P.; and Sokol, V. A.
 Process of incorporation of electrolyte anions in anode aluminum oxide studied using the ir spectroscopy method. 64-00700A
 Lach, Vladimir; and Krupansky, Josef
 Changes of rheological properties of ceramic raw materials when adding organic admixtures. 64-06758A
 Lacharme, Jean-Pierre; and Lohuede, Patrice
 Interpretation of analyses of silicate glasses and minerals obtained by secondary-ion mass spectrometry. 64-06312A
 Lachman, Irwin M.
 Porosity in extruded cellular ceramics. 64-01242A; See also Day, John P.
 Lachowski, Eric E. See Jantzen, Carol M. F.
 Lackey, Louana M.
 Ceramic history, archeology, and scholarship. 64-06023A
 Lackey, Walter J. See Caputo, Anthony J.; Stinton, David P.
 Lacroix, Suzanne; Parent, Michel; and Bures, Jacques
 Measurement of the linear birefringence in monomode optical fibers by a thermal method. 64-00311A
 Lacy, Alton M. See Copps, Daniel P.
 Laengricht, Werner See Kaczmarek, Helmut
 Laiffort, R. See Darbon, M.
 Lagakos, Nicholas; and Bucaro, Joseph A.
 Temperature-insensitive optical fibers. 64-02024P
 Lagaly, G. See Sander, H.
 Lagerlof, K. P. D. See Lee, W. E.
 Lagier, G. See Mouchart, J.
 Lagomarsino, S. See Antonini, B.
 Lagomarsino, S.; and Mucciarone, A.
 Structural properties of magnetic garnet films. 64-05304A
 Lagowski, Jacek See Jastrzebski, Lubomir L.
 Lagrange, Alain; and Deaeger, Alain
 Dielectric ceramic of barium titanate, lithium oxide, and zinc fluoride—a capacitor and process. 64-00742P
 Laguiton, D.; Flament, F.; and Spring, R.
 Documented Fortran programs for ball-mill modeling. 64-03996A
 Lagzdina, S. E. See Kliava, J.
 Lahn, S. N.
 Anchoring for monolithic constructions. 64-02056A
 Lahann, Richard W. See Siebert, Robert M.
 Lahaussols, C.
 Ceramics in France in the XVI century. 64-01667A; Chinese ceramics from the XIV-XIX centuries. 64-00012A; Chinese ceramics originating in the XIII century. 64-00013A; Dutch faience. 64-03059A; Faience of Nevers [France]. 64-06027A; Faience of Rouen [France] in the XVII and XVIII centuries. 64-06028A; Hispano-Moorish faience. 64-03060A; Islamic ceramics. 64-01672A; Italian majolica. 64-03062A
 Lai, Huang-Ch'e
 Hygienic bowl. 64-06049P
 Lai, Ting-rong; and Dong, Jiang-ling
 Determination of Young's modulus on small ceramic specimens. 64-05406A
 Laird, J. W.
 Tableware glass composition upgraded to meet the demands of the 80s. 64-06267A
 Laitinen, Kello W. See Jarvela, Pentti K.
 Lajos, Robert See Tanielian, Minas H.
 Lakhani, Amir A.
 Growth of graded heterojunctions during heat treatment of indium films on GaAs. 64-05106A
 Laksho, I. G. See Ukhlinov, G. A.
 Lal, M. M.
 Pollutants [dust, sound, and thermal stress] in the occupational environment of glass and ceramic industry. 64-03031A
 Lalancette, Jean M.; and Drolet, Jean-Pierre
 Production of magnesium oxide from magnesium silicates by basic extraction of silica. 64-01168P
 Lalancette, Jean M.; and Hamelin, Hugues
 Light-colored and low-density mineral filler from magnesium silicate. 64-02958P
 Laletin, G. M. See Grinberg, V. Ya.
 Latevic, B. See Vezzoli, G. C.
 Lallemand, M. M.
 Variation of thermophysical constants of semitransparent materials with temperature and heat transfer applications. 64-00240A; See also Kunc, T.
 Lalykin, N. V.; and Mazurin, O. V.
 Mathematical modeling of the sheet-glass annealing process. 64-01956A
 Lam Shang Leen, Kee K.
 Process for the preparation of a crystalline titanoborosilicate [molecular sieve]. 64-07429P
 Lam, D. K. W.
 Low-temperature plasma chemical vapor deposition of silicon oxynitride thin-film waveguides. 64-03795A
 Lam, Daniel J. See Knapp, G. S.
 Lamb, Lesley See Fielding, Julian
 Lambert, Robert D.
 Method and apparatus for drying materials while being conveyed. 64-02688P
 Lambert, Scott M.
 Bottom plate retainer [for glassware forming]. 64-00345P; See also Abbott, Vaughan
 Lamicq, P. See Bernhart, G.
 Lammer, Johann; Kocher, Hans R.; and Hintermann, Hans-Erich
 Tribological [TiC, TiN] coatings for the protection of moving machine parts from wear and corrosion. 64-07296P
 Lamoreaux, R. H. See Brittain, R. D.
 Lamos, Jemo; and Mihalyfi, Gyula
 Removal by magnetic separation of iron from china clay containing sandstone. 64-05502A

- Lamy, B.; and Berle, J.**
Brittleness analysis of ceramic and polymeric materials by means of scratching experiments. 64-04074A
- Lee, Gao-xiang** See Li, Guan-gao
- Lee, Bragana** See Luiza, Sebastiana
- Lea, M.**
Phase transformations $\beta \rightarrow \alpha$ in sintered SiC involving leucite formation: I. Microstructure. 64-04315A
- Landesman, Benjamin J.; and Landesman, David A.**
Screen printing machine and drive system therefor. 64-04060P
- Landesman, David A.** See Landesman, Benjamin J.
- Landgraf, G.** See Wild, W.
- Landmesser, Carl E.** See Dodds, Robert E.
- Landon, Thomas E.; Secrist, Duane R.; and Clark, James M.**
Nonconsumable [cermet metal oxide] electrode for molten salt electrolysis. 64-00132P
- Lane, Edward S.**
Preparation of [SnO precursor] materials. 64-01505P
- Lane, Edward S.; and Winter, John A.**
Treatment of [gel] materials. 64-01004P
- Lang, Eberhard** See Henning, Otto
- Lang, John G.** See Tomaiuolo, Frank G.
- Langford, R. M.; MacDonald, G. A.; and Jarvis, C. R.**
Ceramic vane [with piezoelectric] for use in monitoring flow of a fluid. 64-03940P
- Lang, F. F.**
Structural ceramics—a question of fabrication reliability. 64-02830A; See also Carlstrom, Elis
- Lang, Gerhard; and Boy, Jürgen**
Surge arrester [ceramic-insulated] with a gas-filled housing. 64-03910P
- Lang, Joachim**
Determination of ZrO_2 in glasses by vapor phase dissolution. 64-04079A
- Lang, Peter; and Berger, Iris**
Slate foam glass—a new additive from native raw materials and waste products. 64-03484A
- Langer, Helmo J.** See Dunnivant, William R.
- Langer, Helmar** See Zimmermann, Werner
- Langer, Wolfgang**
Production of new lime sandstone varieties by VEB Kombi-Bau- und Grobkeramik. 64-03121A
- Langille, Donald S.** See Peterson, Craig A.
- Langley, Neal R.** See Li, Chi-tang
- Lankard, David K.**
Factors affecting the selection and performance of steel fiber-reinforced monolithic refractories. 64-03620A
- Lankford, James**
Influence of temperature and loading rate on flow and fracture of partially stabilized zirconia. 64-07121A; See also Page, R. A.
- Lanotti, John J.** See La Torre, G. P.
- Lanotti, John J.; and Clark, David E.**
Sol-gel-derived coatings on SiC and silicate fibers. 64-05798A
- Lanaires, Jacques F.** See LeGoff, Yves M.
- Lao, Fa-sheng** See Ye, Hong-ming
- Lapick, L.** See Hrivnakova, V.
- Laponjade, P.**
Evaluating thermal conductivity and spalling resistance of refractory products. 64-04947A; Thermal conductivity and spalling resistance of refractory products—application to fast-firing kilns for the ceramic industry. 64-03686A
- Lapp, Josef C.** See Chakraborty, Indra N.; Pignet, Joyce L.
- Lapsley, Kh. A.**
Modernization of the mechanized unit for layering ceramic bricks. 64-06777A
- Laptev, L. V.** See Titov, V. P.
- Larchuk, T. J.** See Kirchner, Henry P.
- Larchuk, T. J.; Coway, J. C., Jr.; and Kirchner, Henry P.**
Crushing as a mechanism of material removal during abrasive machining. 64-05360A
- Larionov, E. D.** See Kryzhanovskii, I. G.
- Larker, Hans T.**
Cylindrical elongated [hot-pressing] furnace for treating material at high temperature and under high pressure. 64-04173P; Hot isostatic pressing of ceramic powders to dense ceramic parts. 64-04152A; See also Adlerborn, Jan
- Larri, Jose M.; Arins, Benito C.; and Galliano, Roberto E.**
Hydrocracking with treated bauxite or laterite. 64-05624P
- Larve, V.; Willer, B.; and Lihmann, J. M.**
Stable and metastable phase equilibrium diagrams in the Al_2O_3 -AlC binary system. 64-04345A
- Larrie, Andre P.**
Process for draping layers of composite materials. 64-02568P
- Larson, Jess T.**
Fibers in periodic kilns reduce energy consumption. 64-06939A
- Larson, Olive**
Electrodeposited gold composite coatings. 64-04275A
- Lashkov, Yu. V.** See Volkov, V. A.
- Laska, Eckhard**
Bottle [narrow-neck, beer]. 64-01683P
- Lash, Larry R.**
Platter. 64-04618P; Relish tray. 64-04619P; 64-04620P; Snack bowl. 64-04621P; Torte plate. 64-03070P
- Last, Isidore; George, Thomas F.; and Perry, David S.**
Conductivity in semiconductors induced by vibrational-electronic energy transfer. 64-00641A
- Latsch, Reinhard** See Damsen, Eckart
- Latta, Ernst-Eberhard; and Rousy, Maria**
Catalytic [CeO_2 , or rare-earth] oxidation of solid [Nb] materials. 64-07208P
- Lau, George W.**
Maintenance of spray booths. 64-00914A
- Lau, J.; Nakata, A. M.; and Mackenzie, John D.**
Influence of drawing temperature on the strength of fluoro-rigid glass fibers. 64-06310A
- Laudé, Lucien D.**
Method for preparing [Group III and V or II and VI] composite or elementary semiconducting polycrystalline films. 64-00769P
- Lauf, Robert J.** See Stinton, David P.
- Laughman, Larry M.** See Chenausky, Peter P.
- Laugier, Michael T.**
Contiguity in sintered WC-Co composites. 64-06139A; Palmqvist crack extension and the center-loaded penny crack analogy. 64-04560A
- Lauks, Imants R.**
Composition and method for forming amorphous chalcogenide films from solution. 64-03359P
- Lauzy, D.; Orange, Gilles; and Goeuriot, Patrice M. V.**
Reaction sintering of an Al_2O_3 - $AlOH$ composite [and] determination of mechanical properties. 64-04326A
- Laurent, M.; Mourada, A.; and Bloch, A.**
Thermal conductivity of outdoor insulating mortars for buildings. 64-01762A
- Lawers, Eddy J.**
Process [furnace] for melting glass. 64-00415P
- Laval, J. Y.; Delamarre, C.; and Amann, M. C.**
Influence of the intergranular microstructure of substituted nitrides on high-temperature strength. 64-07471A
- Lavat, A. E.** See Rigotti, G.
- Lavene, Bernard**
Dual-film metallized capacitor. 64-00744P
- Laville, H.** See Chaumont, C.
- Lavrenko, V. A.; and Alexeev, A. F.**
Oxidation of sintered aluminum nitride. 64-04311A
- Lavrishever, S. V.** See Kuzminov, Yu. S.
- Lavrov, A. V.** See Linde, S. A.
- Lavrov, A. V.; and Voltenkov, M. Ya.**
System $BaO \cdot P_2O_5 \cdot H_2O$ at 90–400°C. 64-05822A
- Lawless, William N.**
Oxygen sensor and high-temperature fuel cells. 64-00793P
- Lawa, Brian R.; and Fuller, Edwin R., Jr.**
Measurement of thin-layer surface stresses by indentation fracture. 64-04091A
- Lawn, Brian R.; Jakus, Karl; and Gonzalez, Armando C.**
Sharp versus blunt crack hypotheses in the strength of glass—critical study using indentation flaws. 64-03354A
- Lawn, Brian R.; Marshall, David B.; and Heuer, Arthur H.**
Direct observation of crack-tip geometry of SiO_2 glass by high-resolution electron microscopy—comment. 64-02588A
- Lawn, Brian R.; Wiederhorn, Sheldon M.; and Roberts, D. E.**
Effect of sliding friction forces on the strength of brittle materials. 64-02980A
- Lawrence, David J.; Abbas, Daniel C.; and Phelps, Daniel J.**
Transparent [Si_3N_4] electrode [GaAs] light-emitting diode and method of manufacture. 64-03916P
- Lawrenson, Jack; and Murphy, Kevin M.**
Treatment [coating removal] of coated glass. 64-06412P
- Lawton, Carl W.** See Loomis, Robert W.
- Laz, Michael S.**
Bathub. 64-00018P
- Layden, George K.; and Prew, Karl M.**
Molding process for fiber-reinforced glass matrix composite articles. 64-01335P
- Lazan, Michael; and Zlatnik, Cenek**
Model of aggregate production, assuming maximum entropy. 64-05366A
- Lazarev, A. N.** See Ignat'ev, I. S.; Vodop'yanova, V. P.
- Lazarev, V. B.** See Bazakutsa, V. A.; Panasuk, G. P.; Starosta, V. I.
- Lazarev, V. B.; Starosta, V. I.; and Peresh, E. Ya.**
Regions of homogeneity of the compounds $TiSiS_2$, Ti_2SiS_3 , and $Ti_3Si_2S_5$. 64-05796A
- Lazareva, I. Ya.** See Matveeva, M. P.
- Lazarus, D.** See Mellander, B. E.
- Lazan, Ioan** See Dragoi, Ioan
- Lazet, Frank J.**
Method [alkali metal silicate] for forming compacted bodies of glassmaking raw materials. 64-00380P; See also Alexander, John M.
- Lazzari, Mario; and Scrosati, Bruno**
Rechargeable lithium [Li-metal oxide] batteries with nonmetal electrodes. 64-00805P
- Le Bras, E.** See Peltier, F.
- Le Flem, G.** See Parent, C.
- Le Gall, H.** See Gouzerh, J.; Leycuras, C.
- Le Noane, Georges** See Gourronne, Alain
- Le Van Mao, Raymond** See Moretti, Enrico
- LeBlanc, John R.**
Brockway's lower checker sulphate test. 64-00457A; How Brockway's lower checker sulphate test works. 64-02598A
- LeDussal, H.** See Gault, C.
- LeGoff, Yves M.; Lantaires, Jacques F.; and Kersuzan, Georges**
Most recent developments in hybrid integrated circuits in France. 64-05134A
- LeRouze, J.**
Thermal phenomena and optoelectronic components. 64-03840A
- Leal, Mara Margaret; De Souza, Godinho; and Casarini, Jose Roberto**
Stability of crack propagation in ceramics—relation between thermal shock and mechanical testing. 64-07503A
- Leathen, Joel F. M.; and Calvin, Donald W.**
Recovery of fumed SiO_2 [from combustion]. 64-05890P
- Lebedev, V. A.; Pisarenko, V. F.; and Popov, V. V.**
Thermosimulated phenomena in $LaMgAl_2O_4$. 64-01591A
- Lebedeva, N. N.** See Dedyk, A. I.
- Leboda, R.; and Mendyk, E.**
A new method for modifying the properties of silica gels. 64-04477A
- Lebowitz, Samuel F.** See Metzger, D. Scott
- Leca, M.** See Mandru, I.
- Lecante, Pierre** See Galy, Jean
- Lecerc, Gervais; and Yelon, Arthur**
Birefringence measurements of thin dielectric films by the prism coupler method. 64-02289A
- Lecercq, Lucien; and Provost, Marcelle**
Catalytic reforming process employing reforming catalysts which are based on tungsten and molybdenum carbides. 64-07210P
- Lecomte, G. V.** See Grondy, S.
- Lecron, Jacques; Manera, Maxime; and Faure, Jean-Paul**
Fiberizing apparatus intended for the manufacture of continuous glass fibers. 64-00363P; Method and apparatus for the manufacture of [glass] fibers. 64-00383P
- Ledbetter, Frank E., III; Penn, Benjamin G.; and Clemons, Johnny M.**
 Si_3N_4 fibers for safer composites. 64-02822A
- Ledebink, Friedrich W.** See Schneider, Volkmar W.
- Ledebink, Friedrich W.; Rosenkranz, Wolfgang; and Stoll, Wolfgang**
Method for dissolving hard-to-dissolve thorium and/or plutonium oxides. 64-07417P
- Lederer, Jiri**
Mean drop height for laminated security glass. 64-06315A
- Lee, A.** See Etherington, George
- Lee, C. H.; and Kroeger, F. A.**
Electrical conductivity of polycrystalline Al_2O_3 doped with silicon. 64-04537A; Low-activation-energy conduction in polycrystalline α - Al_2O_3 doped with Si and Na. 64-04547A
- Lee, Chan-Soo; and Kim, Chool-Yong**
Structures and properties in the $PbO \cdot B_2O_3$ glass system with addition of divalent metallic oxides. 64-06265A
- Lee, Chong-Kuen** See Lee, Eung-Sang
- Lee, Chong-Kuen; and Park, Chool-Won**
Effects of V_2O_5 and H_2BO_3 additives on sintering of magnesium oxide. 64-07092A
- Lee, David A.**
Guidelines for selecting pneumatic conveying systems. 64-06771A
- Lee, Dong-In** See Lee, Hee-Soo
- Lee, Eung-Sang; and Choi, Sang-Churl**
Effects of additives on porcelain body of $MgO \cdot SiO_2$ systems. 64-06517A
- Lee, Eung-Sang; Lee, Chong-Kuen; and Choi, Sang-Churl**
Porcelain body of $MgO \cdot SiO_2$ systems: II. 64-06526A
- Lee, Eung-Sang; and Whang, Sung-Yeon**
Forsterite porcelain as a high-frequency insulator: III. Microstructure, thermal expansion, and resistivity of forsterite porcelain. 64-06560A
- Lee, F. H.**
Portable [ceramic tiled] armored shield. 64-01345P
- Lee, Fred S.**
Method of making a thin-film magnetic head. 64-02491P
- Lee, H. Y.; Lee, K. C.; and Schuake, J. N.**
Leakage currents in multilayer ceramic capacitors [MLC's]. 64-03790A
- Lee, Hee-Soo; Lee, Dong-In; and Jun, Byung-Sei**
Magnetite crystallization in semiconducting glaze frit for high-tension electric insulators. 64-06566A
- Lee, Hong H.; and Miller, Dennis J.**
Method and apparatus for determining relative surface areas of a coated material on a substrate. 64-04123P
- Lee, Hong Lim** See Fairbanks, Carolyn J.
- Lee, Hong Lim; and Hasselman, D. P. H.**
Comparison of data for thermal diffusivity obtained by laser-flash method using thermocouple and photodetector. 64-04076A
- Lee, Hong-Lim; and Lee, Hyung-Jik**
Synthesis of β -Sialon from HaDong [Korean] pink kaolin. 64-07182A
- Lee, Hong-Lim; and Shin, Hyung-Jik**
Synthesis of β -Sialon from Wando [Korean] pyrophyllite. 64-07183A
- Lee, Hyung-Jik** See Lee, Hong-Lim
- Lee, J. K.** See Nho, T. J.
- Lee, Jae-Hyeon; Takamura, Noritaro; and Takashige, Masaki**
New type of the reversed c-domain patterns and its similarity to the elastic wave velocity surfaces in $BaTiO_3$ crystal. 64-02324A
- Lee, Jeong-Hoon; and Brueckner, Rolf**
Chromium-manganese redox equilibrium in silicate and borate glasses. 64-03205A; Optical and magnetic properties of alkali borate, germanate, and silicate glasses containing Cu^+ and Cu^{2+} relative to boric oxide and germanate anomalies. 64-03314A
- Lee, June-Gunn** See Lee, Kun-Yea; You, Young-Hyuk
- Lee, K. C.** See Lee, H. Y.

- Lee, Kiu H.; and Cleoszyk, Gary S.
Catalyst impregnated on fine silica, process for preparing, and use for ethylene polymerization. 64-07204P
- Lee, Kue-Yen; Lee, June-Gunn; and Oh, Jae-Hee
Effect of initial partial pressure of nitrogen on the manufacturing of reaction-bonded silicon nitride. 64-07088A
- Lee, Longfar
Optical measurements of cement clinker: I and II. 64-03112A
- Lee, Mark C.
Hollow-sphere production line. 64-00303A
- Lee, Minyoung; Borom, Marcus P.; and Szala, Lawrence E.
Rapid-rate sintering of [multiphase] ceramics. 64-02570P
- Lee, P. C. Y.; and Yang, Y. K.
Temperature derivatives of elastic stiffness derived from the frequency-temperature behavior of quartz plates. 64-07508A
- Lee, Paul F.
Composite [Pb zirconate, Pb titanate] transducer structure. 64-06702P
- Lee, S. H.; and Kim, H. C.
Acoustic emission during indentation fracture of soda-lime glass. 64-03406A
- Lee, Seok-Kuen; Lim, Eung-Keuk; and Kim, Whan
Wetting of ceramic oxides by molten metal. 64-06471A
- Lee, W. E.; Lagerlof, K. P. D.; and Mitchell, T. E.
Radiation damage and nonequilibrium phases in Al_2O_3 . 64-07496A
- Lee, Y. W. See Billy, Michel
- Leeds, Donald H.
Method of fabricating carbon composites. 64-02878P
- Leewis, K. G. See Theriault, E.
- Leglie, Edouard; and Malliet, Pierre
Furnace charging system. 64-04035P; Method of and apparatus for controllably charging a furnace. 64-06828P
- Lehman, Richard L.
Method for improving glass batch formulation. 64-00313A
- Lehman, Richard L.; and Manning, William H.
Method for manufacturing an opal borosilicate glass. 64-06284P
- Lehman, Richard L.; Weinstein, Jerry G.; and Phelps, Girard W.
Reformulation of whiteware bodies using characterization and linear programming methods and techniques. 64-00614A
- Lehmann, H.
Crazing and moisture expansion in earthenware: I. 64-06511A; Crazing and moisture expansion in earthenware: II. 64-06512A
- Lehnheuser, W.
Thermogravimetric analysis in ceramics: II. 64-06899A
- Lehrer, William L. See Fisher, John M.
- Leht, Ari See Kuusman, Heikki T.
- Lehto, Jukka; and Miettinen, Jorma K.
Effects of gamma radiation and high temperatures on the leachability of red clay tiles loaded with nuclear waste. 64-05912A
- Lehuede, Patrice See Lacharme, Jean-Pierre
- Leib, John J.
Method and means for severing an optical fiber. 64-03522P
- Leifgen, Peter
Oxygen use during firing of brick. 64-03572A
- Leikert, Klaus; and Michelsfelder, Sigfried
Method of igniting a pulverized coal annular burner flame. 64-01107P
- Leikina, B. B. See Kostikov, Yu. P.
- Leiman, V. I. See Ashkhalunin, A. L.
- Leimer, Gerhard; and Gugel, Ernst
Method for the production of a polycrystalline shaped body of silicon carbide. 64-04399P; Polycrystalline shaped body of silicon carbide and method for its production. 64-02892P
- Leipold, Martin H. See Chen, Chern Ping
- Leisenberg, Wolfgang
Gas burners with indirect injection for firing of tunnel kilns. 64-02666A
- Leiser, Daniel B. See Stewart, David A.
- Leisberg, Elizabeth E.
Hybrid package thick-film hermeticity monitors. 64-05112A
- Leithner, Melvin A.; and Soman, Harold G.
Articles containing nonfused aluminum oxide-based abrasive mineral. 64-06010P
- Leitner, Gyorgy See Harsanyi, Gyorgy
- Leitzrovi, Gilta See Trica, Elisabeth
- Lejune, M.; and Bollo, Jacques P.
Influence of ceramic processing on dielectric properties of perovskite-type compound $Pb(Mg_{1-x}Nb_x)O_3$. 64-03926A
- Lemaignan, Clement
Process for producing a crack in a tube. 64-01074P
- Lemaire, Paul J. See Kosinski, Sandra G.
- Lemoine, Jean-Marie See Bitailou, Alex
- Lemon, Peter H. R. B.; and Ireland, J.
Binder for calcined dolomite refractory compositions. 64-03693P
- Lemon, Peter H. R. B.; Ralston, Jeffrey D.; and Baker, Derek
Foundry molds and cores [based on granular refractory]. 64-00547P
- Lemon, Peter H. R. B.; Ralston, Jeffrey D.; and Ludlam, Peter R.
Foundry molds [from granular refractory] and cores. 64-00546P
- Lemonnier, Jean
Apparatus for aseptic and antiparticulate opening of sealed glass containers. 64-00940P
- Lemos, V.; Mendes Filho, J.; and Melo, F. E. A.
Pressure-induced phase transition in β - $LiIO_3$. 64-03933A
- Lempriere, G.; and Poltevin, J. M.
Influences of the nitrogen partial pressure on the properties of dc-sputtered titanium and titanium nitride films. 64-05115A
- Leng-Ward, G.; Lewis, Michael H.; and Wild, S.
Diffraction studies of β -magnesium silicate. 64-01199A
- Lennox, John W. See Markhoff, Carole J.
- Lenoe, Edward M.; and Meglen, Joseph L.
International perspective on ceramic heat engines. 64-04302A
- Lentz, Ervin C.
Fluidized bed combustion applications for the porcelain enameling industry. 64-00089A
- Lentz, William F.; Seward, Thomas P., III; and Shay, George C.
Drawing laminated polarizing glasses. 64-01983P
- Leos, Joergen
Choosing refractories for use in reactive furnace atmospheres. 64-02078A; Stress distribution in ceramometallic composite transverse beam strength test samples and the occurrence of transverse cracks in the ceramic coating. 64-02999A
- Leonsberger, Frederick J.; Meingall, Ivars; and Bozler, Carl D.
Optical guided [GaAs/SiO₂] wave devices employing semiconductor-insulator structures. 64-06653P
- Leonidov, I. A. See Khodos, M. Ya.
- Leonov, N. B. See Gravel, L. A.
- Leonov, N. B.; Tyutikov, A. M.; and Murashov, S. V.
Change in the emission properties of Pb silicate glasses under the effect of Ar ions. 64-03198A
- Leonov, V. V.
Electrical properties of the alloys Ge,Pb...Te and Ge,Sn...Te. 64-05085A
- Leopold, Jan
Reduction of cement consumption in the light of economization programs in concrete industry enterprises [in Poland]. 64-06121A
- Lepakova, O. K. See Raskolenko, L. G.
- Lepinskikh, B. M. See Nechepurenko, A. S.
- Lepley, James W.
Bottom soil unloader. 64-03376P
- Lerema, M. R.; Zveiniks, V. A.; and Erduk, Yu. Ya.
Ultrasonic method for determining the thermal stability of ceramics. 64-02622A
- Leser, Jacques F.
Process and apparatus for the detection of flaws in transparent sheets of glass. 64-04137P
- Leschenko, N. P.
High-voltage suspension insulators with a semiconductor glaze. 64-00669A
- Lezhikivich, Gary J.; and Crayton, Philip H.
Identification of hot-pressing conditions producing optimum strength and microstructure in alumina. 64-07116A
- Lesieur, Roger R. See Setzer, Herbert J.
- Lesnikov, V. V. See Merkulov, A. N.
- Lesovoi, M. V. See Solodukha, A. M.
- Letsch, Joergen; and Neill, Walter
Phase formation in several [neolithic and bronze-age] ceramic subsystems at 600-1000°C as a function of oxygen fugacity. 64-02941A
- Letric, Jeffrey J. See Ross, Norman C.
- Letchuev, V. V. See Shur, V. Ya.
- Letyuk, L. M. See Shipko, M. N.
- Lesvacher, W.; and Penzkofer, A.
Refractive-index measurement of absorbing condensed media. 64-01032A
- Leupold, Ernst I. See Baltes, Herbert
- Leupold, Gerhard; and Hopper, Hans
Monolithic [ceramic dielectric] capacitor and method of manufacturing it. 64-00784P
- Leusden, C. O. Pels
Avoidance of crack damage in large-size lightweight bricks during drying. 64-06414A; Behavior of clays in roller mills—consequences for design of roll forming. 64-05359A
- Levenberg, V. A. See Astakhova, V. V.
- Leviche, A. See Pilate, P.
- Levine, S. M. See Garofalini, Stephen H.
- Levine, Susan H.
Beverage mug. 64-03065P
- Levias, D. M. See Reve, K. D.
- Levinson, Lionel M.
Liquid crystal display with low capacitance zinc oxide varistor. 64-02377P; Varistors [ZnO] with controllable voltage versus time response and method for using the same to provide a rectangular voltage pulse. 64-00820P
- Levinstein, Hyman J.; Murarka, Shyam P.; and Williams, David S.
Boron nitride X-ray masks with controlled stress. 64-07199P
- Levitin, L. Ya. See Pankova, N. A.
- Levitin, R. Z. See Borokin, V. A.
- Levitin, R. Z.; Popov, A. I.; and Snegirev, V. V.
Ferromagnetic resonance in Ho-Y ferrite garnets in the Ising model. 64-03957A
- Levitin, R. Z.; and Snegirev, V. V.
Rare earth-rare earth exchange reactions in ferrite garnets. 64-03967A
- Levitskii, I. A. See Bobkova, N. M.
- Levitskii, V. A. See Marin, V. P.
- Levochkin, M. A. See Volkov, V. A.
- Levy, Alvin C.
Coated [composition for] optical fiber. 64-03509P
- Levy, R. A. See Green, M. L.
- Levy, S. See Vezzoli, G. C.
- Lewandowski, Robert S.
Method for coating quartz with boron nitride. 64-07245P
- Lewing, Douglas S. See Pepper, Roger T.
- Lewis, David See Wu, Carl C.
- Lewis, David, III See Bender, Barry A.; Jamet, Jean F.; Rice, Roy W.
- Lewis, Frederick M.
Furnace control method. 64-01055P
- Lewis, G.; Bedder, S. W.; and Reid, I.
Stress corrosion of glass fibers in acidic environments. 64-01908A
- Lewis, John C.
Method and apparatus for uniform induction heating of an elongated workpiece. 64-04181P
- Lewis, M. B. See McHargue, C. J.
- Lewis, Michael H. See Butler, N. D.; Leng-Ward, G.; Winder, S. M.
- Lewis, R. A. See Cooper, J. A.
- Lewis, Robert M.; and Slough, Lynn H.
Copper-alkali metal-ruthenium/silica catalyst for converting syngas to linear alpha-olefins. 64-04383P; Zirconium hydride modified aluminum/siliceous [gel] compositions. 64-01515P
- Leycuras, C.; Le Gall, H.; and Guillot, M.
Magnetization and Faraday rotation of praseodymium-gallium substituted yttrium iron garnets. 64-02471A
- Leydenroth, Vera See Engel, Lothar
- Leyerle, Richard W.
Process for removing alumina or silica substrate from carbonaceous pyrolytic polymers. 64-04515P
- Leyser, W.; and Sillem, H.
Planning, construction, and operation of a cement grinding plant using an MPS vertical roller mill. 64-01741A
- Lhomme, Veronique
Thermal behavior of some organic phosphates. 64-01477A
- Li, Bing See Li, Guan-gao
- Li, C.-e. See Yin, Z.-w.
- Li, C.-e.; Ni, H.-y.; and Yin, Z.-w.
Preparation of active powder for PLZT transparent ceramics by alcohol dehydration of citrate solution. 64-05276A
- Li, Cheng-fu See Deng, He
- Li, Chi-tang; and Langley, Neil R.
Improvement in fiber testing of high-modulus single-filament materials. 64-06874A
- Li, Chien-Wei; and Klager, W. David
Solute segregation at grain boundaries in polycrystalline Al_2O_3 . 64-07385A
- Li, Da-li See Wang, Yu-ji
- Li, De-dong See Deng, Jun-an
- Li, De-yu See Gao, Yu-ming
- Li, De-yu; Liu, Guo-xiang; and Tang, Yuan-fen
Relation between growth orientation of ruby single crystal and its brittleness. 64-07497A
- Li, De-yu; and Wang, Pei-ling
Crystal structure of (Sr) lamprophyllite. 64-05906A
- Li, Gan-sheng; Hong, Yuan-zhen; and Chen, Tian-bin
Growth of b -axis $Li:YAlO_3$ and $(Nd + Cr):YAlO_3$ laser crystals. 64-00667A
- Li, Guang-gao; Lan, Guo-xiang; and Li, Bing
Raman spectra and directional dispersion of extraordinary phonons in $LiTaO_3$ crystal. 64-05952A
- Li, Guang-cal See Sun, Bao-zhen
- Li, Guang-ping; Zhang, Zhi-ping; and Huang, Hui-huang
Activated sintering of natural magnesite. 64-06438A
- Li, Guo-zhen
Ding white [Chinese] porcelain of successive dynasties. 64-06024A; See also Ye, Hong-ming
- Li, Hong-jun; Wang, Dan-ni; and Wang, Hong
Aging mechanism of PZT ceramics. 64-05255A
- Li, Jian-zhi
Formation and development of the green glaze in Zhejiang province [China—historical overview]. 64-00015A; See also Hu, Guan-qing
- Li, Jian-zhi; Chen, Xue-xian; and Sheng, Lian-gen
Structural relaxation in glass. 64-06262A
- Li, Jiaju; and Rand, B.
Porosity and relative permeability of clay casts determined by application of filtration theory to slip-casting kinetics. 64-07494A
- Li, Lian-yang See Luo, Wei-gen
- Li, Qi-di See Deng, Jun-an
- Li, Shan-tin See Kuo, Chu-kun
- Li, Tiagye See Bisbee, Dan L.
- Li, Wen-lan; Fu, Xi-ren; and Huang, Hsiao-hsien
Synthesis of a - Si_3N_4 powder from silica. 64-05583A
- Li, Wen-lan; Fu, Xi-ren; and Huang, Xiao-xian
Synthesis of a - Si_3N_4 powder using silica. 64-07181A
- Li, Wen-xian See Fu, Zheng-min
- Li, Xi-shan; Xia, Qingsheng; and Jiang, An-min
Formation and measurement of refractive index gradient in optical glass. 64-06302A
- Li, Yu-lin See Pan, Zhen-su
- Li, Yuezhen; Shen, Jinyuan; and Wang, Qimin
K 78 infrared absorption method for measuring the oxygen content in silicon. 64-01019A
- Li, Zhong-he; Wang, Zhen-pai; and Wei, Min-min
Microscopic studies of the electrical domain in $Pb(Mn_{1/2}Nb_{1/2})O_3$ - $PbTiO_3$ - $PbZrO_3$ ceramics. 64-00831A

- Liang, Charles C.**
Solid electrolytes and solid-state batteries. 64-00706A
- Liang, Edward C.** See Fisher, Clark K.
- Liang, Zhi-hong; and Cooper, Alfred R., Jr.**
Effect of atmosphere and temperature on the equilibrium between molten tin and soda-lime glass. 64-06300A
- Liao, Jing-ying** See Wu, Yao-ban
- Liao, Zong-long; and Walpole, James N.**
GaInAsP/InP double-heterostructure lasers. 64-00749P
- Liao, Boon Ming; Kobayashi, Albert S.; and Emery, Ashley F.**
Theoretical model of impact damage in structural ceramics. 64-01586A
- Lieberman, A. L.** See Prolovskii, N. M.
- Lieberman, Lawrence O.** See Brown, Paul Wencil
- Lieberman, Maysey**
Apparatus and method for producing article shapes from a composite material. 64-06795P
- Lichter, G.** See Cocco, G.; Magini, M.
- Licht, William** See Trasi, Pradeep R.
- Licks, Tibor** See Danek, Vladimir; Schroeder, Werner
- Lieber, Carl H.; and Miller, Robert A.**
Ceramic thermal barrier coatings. 64-03147A
- Lightfoot, E. N.; Thorne, P. S.; and Stoll, L. L.**
Dimensionless presentation of performance data for fans and blowers. 64-02507A
- Lihmann, J. M.** See Larriere, Y.
- Lihmann, J. M.; and Haggerty, John S.**
Surface tensions of alumina-containing liquids. 64-04570A
- Likholit, I. L.** See Blinov, L. N.
- Likhtenstein, A. I.; Moshkin, A. S.; and Gubanov, V. A.**
Electronic structure of Fe²⁺ centers and exchange interactions in rare-earth orthoferrites. 64-03555A
- Lim, Eung-Kook** See Lee, Seok-Keun
- Lim, Eung-Kook; Jung, Se-Jin; and Yoo, Kwang-Soo**
Effects of impurities on properties of PZT: II. 64-06683A
- Lim, Eung-Kook; and Park, Byung-Chul**
Effect of SO₂ on calcium silicate formation: I. 64-06073A
- Lim, Sheldon C. P.**
TiW/N fusible links in semiconductor integrated circuits. 64-02424P
- Limannov, A. B.; and Givargizov, E. I.**
Control of the structure in zone-melted silicon films on amorphous substrates. 64-01386A
- Limbirt, Ulrike; Fuenig, R.; and Woermann, E.**
Melt equilibria in the system MgO-Ca₂SiO₃-Ca₂Fe₂O₇-MgFe₂O₄ and their influence on properties of basic refractories: II, Composition of periclase. 64-03630A
- Lin, Cheng-tian** See Zhang, Le-hui
- Lin, David C. K.**
Apparatus for producing a continuous glass filament mat. 64-03505P; Method and apparatus for producing a continuous glass filament mat. 64-03520P
- Lin, Jui-teng; Murphy, William C.; and George, Thomas F.**
Theory of laser-induced surface chemistry with applications to microelectronics and heterogeneous catalysis. 64-03838A
- Lin, Kang**
Molecular volume of oxides in alkali-free borosilicate glasses. 64-06223A
- Lin, Ping-Wu**
Apparatus for producing cementitious product from quenched fly ash. 64-01767P
- Lin, Su-zhen** See Zhang, Qing-chun
- Lin, Su-zhen; and Zhang, Qing-chun**
New technology fabricating ZrO₂-based electrolyte for oxygen sensor. 64-05565A
- Lin, Zu-xiang** See Tian, Shun-bao
- Lin, Zu-xiang; and Yu, Hui-jun**
System Na₂Zr₂Si₂PO₇-Na₂ZrSi₂PO₇. 64-05841A
- Linde, S. A.; Gorbunova, Yu. E.; and Lavrov, A. V.**
Synthesis and structure of crystals of sodium uranyl pyrophosphate Na₂UO₂P₂O₇. 64-05817A
- Lindell, Ursula** See Altmann, Heinz-Dieter
- Lindemann, G.** See Clausen, Nik
- Linder, Ernst** See Damsen, Eckart
- Linder, Ernst; Maurer, Helmut; and Mueller, Klaus**
Spark plug with measuring means. 64-02416P
- Lindfors, Sven G.; Antson, Jorma O.; and Graeffe, Ralf**
Electroluminescence structure [on glass substrate]. 64-02360P
- Lindholm, Lief**
Cemented carbide. 64-04375P
- Lins, M. E.**
Scattering losses in optical fiber materials: II, Numerical estimates. 64-03482A; Search for very-low-loss fiber optic materials. 64-03483A
- Linev, B. A.** See Panferov, V. M.
- Ling, Clifton Edgar**
Tile cutting machine. 64-04065P
- Ling, Tom**
Particle size reduction—don't ignore the maintenance needs. 64-06779A
- Ling, Hans**
Method of firing tunnel kilns with solid fuel. 64-06948A
- Linke, Walter; Kirnbauer, Peter; and Indra, Rudolf**
Process and apparatus for the production of articles consisting of ceramic material. 64-04058P
- Linsedt, Hannefore**
Broken glass use in glazes. 64-03716A
- Lipari, Frank**
New solid-sorbent method for ambient nitrogen dioxide monitoring. 64-02606A
- Lipinski, M.; and Wolcok, A.**
System for thermal testing of photoelectric elements. 64-04102A
- Lipp, Alfred** See Hunold, Klaus; Kreigsmann, Jochen; Schwetz, Karl A.
- Lippard, Stephen J. (Editor)**
Progress in Inorganic Chemistry, Vol. 31. 64-01637B
- Lippert, James W.** See Barna, Gordon L.
- Lippmann, K.** See Krell, A.
- Lipsett, John J.** See Hastings, Ian J.
- Lise, Peter, Jr.**
Process and apparatus for cutting laminated glass. 64-00993P
- Lisenkova, S. B.** See Kozlov, A. S.
- Lisenko, A. A.** See Ivashchenko, V. I.
- Lisitsyn, V. M.** See Lisitsyna, L. A.
- Lisitsyna, L. A.; Reiterov, V. M.; and Lisitsyn, V. M.**
Effect of [Pb and Y] impurity on the decay of electronic excitations in MF₂ crystals. 64-05068A
- Liska, Jan**
Contribution to methods of testing cements for refractory concretes. 64-02085A; Refractory concretes with Czechoslovak spherical corundum as aggregate. 64-02201A; See also Wald, Milan
- Liska, Marek** See Pisko, Alfonz
- Liso, F. J.; Galan, E.; and Liso, M. J.**
Mineralogy and possible application of carbonate rocks from southwestern Badajoz province [Spain]. 64-07043A
- Liso, M. J.** See Liso, F. J.
- Liszy, Gunther J.; and Sauder, Donald R.**
Design and construction of a cleaning system for porcelain enamel powder. 64-00822A
- Lister, R. R.**
Randallite—a raw material for monoliths and chemically bonded brick refractories. 64-05501A
- Listovalchaya, S. P.** See Karpinos, D. M.
- Litke, C. D.** See Harvey, Keith B.
- Litovchenko, A. V.; Brekhovskikh, S. M.; and Dem'yanov, V. V.**
Dielectric properties of silicon and aluminum oxides and boron nitrides during heating to 2300 K. 64-01198A
- Litterer, Heinz** See Baltes, Herbert
- Little, Roger G.**
Fiber optic coupler. 64-00361P
- Litvan, Gerard G.**
Volume instability of porous solids: II, Dissolution of porous silica glass in sodium hydroxide. 64-01926A
- Litvin, B. N.** See Bekikh, L. G.
- Litvinov, L. A.** See Dobrovinskaya, E. P.; Konevskii, V. S.
- Litvinov, V. A.** See Ovchinnikova, E. I.
- Liu, C.; Singh, O.; and Poensen, P.**
X-ray and electron microscopy studies of single-layer TaS₂ and NbS₂. 64-05201A
- Liu, D.-W.** See Perry, C. H.
- Liu, Hal-run** See Zhang, Le-hui
- Liu, Hong-du; Feng, Zhe-chuan; and Guo, Chang-zi**
Stresses and photoelastic effects in GaAs-GaAlAs multilayer wafers with masked and selective thermal oxidation structure. 64-06582A
- Liu, Hui-Cheng**
Modified [Li, Ce, Cr, or Ag] zeolite catalyst composition for alkylating toluene with methanol to form styrene. 64-02884P
- Liu, Hui-Cheng; and Spohn, Ralph J.**
Modified [Mn, Fe, Cu, or Zn] zeolite catalyst composition for alkylating toluene with methanol to form styrene. 64-02885P
- Liu, Hui-min** See Gan, Fu-xi
- Liu, Jian-cheng** See Li, De-yu
- Liu, Yet-Zen; Hong, Chi-Shan; and Dapkus, P. Daniel**
W-shaped diffused stripe GaAs/AlGaAs laser. 64-06677P; Zinc-diffused narrow stripe AlGaAs/GaAs double heterostructure laser. 64-06678P
- Livshits, A. I.; Buzalik, V. M.; and Borzenkova, M. P.**
Diffusion of fluorine ions in BiO₂F₂. 64-05690A
- Livshits, V. Ya.** See Karapetyan, G. O.
- Livshits, V. Ya.; Abramovich, A. A.; and Tension, D. G.**
Transmissions of ultrasonic waves through glass with regular changes in the acoustic properties. 64-01922A
- Ljops, J.; Ballesteros, C.; and Gonzalez, Roberto**
Cathodoluminescence [CL] emission from LiNbO₃ single crystals. 64-06680A
- Lloyd, Isabel Knowlton** See Yoldis, Bulent E.
- Lloyd, Isabel Knowlton; Pollak, T. M.; and Bowen, H. Kent**
Conductivity of iron-doped polycrystalline alumina at high temperatures. 64-02749A
- Lloyd, Milton H.; Collins, Jack L.; and Shell, Sam E.**
Method of controlling crystallite size in nuclear-reactor fuels. 64-03986P
- Lloyd-Dodd, W. A.**
Prospects for gas [in the UK]. 64-04161A
- Lobanovich, E. F.** See Afanas'ev, A. M.
- Lobko, Z. I.** See Miroshnikov, L. V.
- Locardi, B.** See Barbon, F.
- Lochfeld, Peter**
Slip-ash glazes. 64-06033A
- Lockwood, R. Addis** See Wood, Charles
- Lodding, Alexander** See Hensch, Larry L.
- Loeding, Neil W.** See Piotrowski, Chester
- Loeffler, William P.** See Cath, Peter G.
- Loehman, Ronald E.** See Headley, T. J.; Shaw, Thomas M.; Tredway, William K.
- Loenissen, Karl-Josef** See Hinsen, Hans-Klemens
- Logan, Kathryn V.; and Walton, Jesse D., Jr.**
TiB₂ formation using thermite initiation. 64-05587A
- Logothetis, Eleftherios** See Kaiser, William J.
- Logothetis, Eleftherios; and Vassell, William C.**
Planar ZrO₂ oxygen pumping sensor. 64-02400P
- Lofsdon, Gary S.** See Millette, James R.
- Lohmes, Robert A.** See Smith, David L. O.
- Loitz, Ruzica** See Hutchings, Ron
- Lok, Brant M. T.; Marcus, Bonita K.; and Flanigan, Edith**
Titanium-containing [Al-phosphate] molecular sieves. 64-04446P
- Lok, Cornelis M.; Verzijl, Dirk; and Van Dijk, Jacob**
Nickel catalyst on alumina support. 64-02887P
- Lokken, Ryan O.** See Timmerman, C. L.
- Lokken, Ryan O.; and Strachan, Denis M.**
Long-term leaching of two simulated waste glasses. 64-02734A
- Lokanth, S.** See Bhattacharjee, S.
- Lombos, B. A.; Averous, M.; and Fan, C.**
Effect of static and modulated uniaxial constraint on impurity band conduction in p-type germanium. 64-04535A
- Lommen, T. P. A.** See Smets, Bruno M. J.
- Lomovskii, V. A.; Andreev, I. V.; and Balashov, Yu. S.**
Internal friction in the glass-transition region of Pb borate glasses. 64-03276A
- London, Andy; Corbett, Steven J.; and Berentsen, Harry**
Thick-film material requirements for power hybrids on beryllia. 64-05193A
- Long, Gary N.; Pellet, Regis J.; and Rabo, Jule A.**
Cracking of crude oils with carbon-hydrogen fragmentation compounds over nonzeolitic catalysts. 64-05610P
- Long, Robert A.** See Johnson, Keith J.
- Long, Russell E.** See Perkins, Walter W.
- Long, Stanley A.** See Akse, James R.; McSweeney, Robert T.
- Longo, Elson** See Assis, Luiz R.; Santilli, Celso V.; Varela, Jose Arana
- Longo, Elson; Varela, Jose Arana; and Santilli, Celso V.**
Model of interactions between magnesia and water. 64-07352A
- Longo, Vittorio** See De Pretis, A.
- Longo, Vittorio; and Podda, L.**
Solid-state phase relations in the system CeO₂-ZrO₂-Y₂O₃ between 1700 and 1400°C. 64-05578A
- Longo, Vittorio; Ricciardiello, F.; and Sbalzero, O.**
Technological characteristics of ceramic materials based on the SrCeO₃ solid solution. 64-05186A
- Lo, Mike C.** See Varsheyna, Arun K.
- Lo, Knechtli, Ronald C.**
- Loomis, Robert W.; and Lawton, Carl W.**
Furnace buckstay design. 64-04175P
- Loos, G. D.** See Dedyk, A. I.
- Lopatin, S. I.** See Belov, A. N.
- Lopatin, S. S.** See Belyaev, I. N.
- Lopatin, S. S.; and Belyaev, I. N.**
Quaternary oxides (Ca,M_{1-x})(Ti_{1-x}Nb_x)₂O₇ with pyrochlore and lamellar perovskite structures. 64-05792A
- Lopatinskaya, D. I.** See Rutman, D. S.
- Lopato, L. M.** See Maister, I. M.; Shevchenko, A. V.; Zoz, E. I.
- Lorenc, Dalibor** See Hunarova, Helena
- Lorentz, Rolf**
Acid attack of chemical-resistant enamel. 64-01780A
- Lorey, R. E.**
Acid-etched ("Maryland") metal-ceramic bridge. 64-06136A
- Lorin, Andre; Rosillo, Andre; and Tanguy, Jean**
Process for the production of a capacitive hygrometer. 64-04206P
- Lorosh, J.; Couzi, M.; and Pelous, J.**
Brillouin and Raman scattering study of borate glasses. 64-04707A
- Loskutova, I. M.** See Tikhomirova, T. I.
- Lososny, Geza** See Toth, Kalman
- Loss, Gunter; Zauhar, Helmut; and Stock, Horst**
Method of sawing crystalline rods and multiple-blade internal-hole saw for carrying out the method. 64-06830P
- Lotec, J.** See Haussonne, J. M.
- Lotfi, Sergio Jorge** See Steagall Person, Paulo H.
- Lotov, V. A.; and Voronova, N. F.**
Choosing the optimum composition for ceramic bodies in the production of clay bricks. 64-02031A
- Lott, K. A. K.** See Harani, Ravishankar
- Lou, Nils**
Self-glazing porcelain. 64-06527A
- Lou, V. L. K.; Mitchell, T. E.; and Heuer, Arthur H.**
Review—graphical displays of the thermodynamics of high-temperature gas-solid reactions and their application to oxidation of metals and evaporation of oxides. 64-04565A
- Loubier, Robert J.**
Method of fabricating a [plastic composite] permanent magnet. 64-03974P
- Loughbridge, Fredrick A.** See Snell, Richard G.
- Loup, J. P.** See Odier, P.
- Loureiro, Valentin R.**
Spray-drying method. 64-00999P
- Lourenco, Jose A.** See Keramidas, Vassilis G.
- Lovati, G.** See Bellardo, A.
- Lovatt, J. W.**
Refractories for fast-firing kilns. 64-05472A
- Lovchikov, V. A.; Madge, H.; and Christensen, A. N.**
Thermodynamic properties of VN₂. 64-05966A
- Lovelsky, Ray W.** See Ferguson, Robert L.
- Lovell, Philip J.** See Mills, David

- Lovness, William R. See Heyer, Raymond F.
 Lowdermilk, W. Howard See Rainer, Frank
 Lowe, Barrie M. See Cacci, John L.
 Lowe, J. C.; Wilson, D. R.; and Kates, R.
 Control of whiwe slip properties. 64-00589A
 Lowell, S. See Shields, J. E.
 Lowry, Mark Newton
 Public versus private management of mineral inventories—a statement of the issues. 64-02719A
 Lu, Chang-wei See Guo, Chang-lin
 Lu, Grant; Fisher, Chester F.; and Burk, Michael J.
 Characterization of crystallites in a fluorozirconate glass. 64-00146A
 Lu, Pei-wen See Sheng, Xu-min
 Lu, Y. Z.; and Cheng, Y. C.
 New model for the growth of silicon dioxide layers. 64-07353A
 Lu, Zhong-qian See Huang, Bing-tang
 Lubaba, N. C. H.; Wilson, C. M.; and Brett, N. H.
 Phase equilibria and solid solution relationships in the system ZrO_2 - SiO_2 - TiO_2 . 64-01438A
 Luca, Adrian See Teorcanu, Ion
 Luca, C.; Semencescu, G.; and Andrei, A.
 Equilibrium state of metal/oxide electrolyte system. 64-01400A
 Lucas, J. See Tregato, Denis
 Lucas, Jacques See Bendow, Bernard
 Lucas, Pam D. See Napier, Norman J.
 Lucat, Claude See Hagenmuller, Paul
 Lucchini, Elio See Meriani, Sergio
 Lucchini, Elio; Meriani, Sergio; and Stokar, G.
 Characterization of barium hexaferrite compacts sintered in the presence of a low-melting glass. 64-05290A
 Lucke, J. W.
 Electrophoretic slip casting. 64-00959P
 Lucetti, Gabriella
 Fast firing and ceramic glasses. 64-00595A
 Lucovsky, G. See Tadros, A.
 Ludecke, Otto A. See Bly, Kenneth B.
 Luder, Leszek M.
 Burning time of raw dolomite of various gradings in dry process rotary kilns. 64-02066A
 Ludiam, Peter R. See Lemon, Peter H. R. B.
 Ludowici, M.
 Production of roofing tile—from raw material to the forming process. 64-04907A
 Luft, Joseph P.; Grabowski, Thaddeus J.; and Arnold, Robert G.
 Selective plating of dielectric substrates. 64-02411P
 Lugovskaya, E. S. See Slodovskiy, N. S.
 Lub, E. Y. See Janet, Jean F.
 Lublich, Hartmut; and Dias, Francisco J.
 Method of making thermal-shock-resistant molded articles on the basis of silicon carbide. 64-07251P
 Lui, Ming L. See Gupta, Prabhat K.
 Luiza, Sebastiana; Lana, Braganca; and Faria, Angela Rodrigues
 Corrosion mechanisms of chrome ore in a magnesia-chrome refractory used in portland cement kilns. 64-06443A
 Lukacs, J. J.; and McMann, Fred C.
 Periodic kiln firing—state of the art 1984. 64-06955A
 Lukas, Klaus-Peter
 MPS roller mills—modern grinding plants for the cement industry. 64-01730A
 Lukaschenko, E. E. See Rybkin, S. G.
 Lukaszek, Theodore J. See Nakazawa, Mitsuo
 Lukin, E. S.; Efimovskaya, T. V.; and Belyakov, A. V.
 Sintering and formation of microstructures in optically transparent polycrystalline oxide ceramics. 64-07168A
 Lukina, L. G. See Stepanova, I. N.
 Lukishker, E. M.; and Flom, Z. G.
 Contact heat resistance and heat transfer during glass forming. 64-03422A
 Lumby, Roland J.; North, Bernard; and Taylor, Alfred J.
 Method of producing a ceramic product. 64-02882P
 Luneberg, Hartmut See Riit, Hans-Georg
 Lunge, Elena; and Alexenco, Tamara
 Perlitic rock—a flux for ceramic glasses. 64-03727A
 Luo, Wei-gen; Pan, Yu-xin; and Li, Lian-yang
 Deposition and properties of PLZT thin ferroelectric films by rf sputtering. 64-05258A
 Lupashko, E. A. See Ovcharenko, A. P.
 Lupel, A.; and Lupel, V.
 Nature of luminescent transitions of the main U^{4+} center in NaF. 64-00878A
 Lupel, A.; Lupel, V.; and Domsa, F.
 Passive Q switch with color centers for neodymium lasers. 64-00682A
 Lupel, V. See Lupel, A.
 Lupo, O.; Atanasiu, F.; and Dronca, S.
 Preparation of $Ba^{14}CO$ from ^{14}C -labelled methane. 64-04217A
 Luscher, Edgar; Korpiun, Peter; and Coufal, Hans-Jurgen (Editors)
 Photoacoustic Effect: Principles and Applications. (Proceedings of the First International Conference on the Photoacoustic Effect in Germany). 64-03045B
 Lush, Donald V. See Inman, Frank S.
 Lutz, Michael A.
 Continuous sense and locate device [capacitive controlled]. 64-02355P
 Lutz, Werner See Altenhein, Friedrich K.
 L'vov, A. L. See Nimon, E. S.
 L'vov, V. S. See Kolokolov, L. V.
 L'vova, L. A. See Kadnikova, N. V.
 Luzinete Barbosa, Maria; Villar de Queiroz, Maria; and Ferreira, Heber Carlos
 Rheological properties after curing in climate and humidity chambers of two smectite clays from Bravo, Boa Vista district, Campina Grande, PA, Brazil. 64-02722A
 Lyakhimets, S. N. See Kovalenko, V. F.
 Lyakhovich, T. K. See Grinchenko, V. T.
 Lyakhovich, T. K.; Grinchenko, V. T.; and Khromov, S. M.
 Transitional layer at the boundary between the piezoceramic system lead-zirconate-titanate and the alloy of Ni with Cu during vacuum plasma-arc application. 64-00840A
 Lyashkevich, I. M.; Kosonov, A. A.; and Dzhanibekov, R. A.
 Production of high-strength marble-like gypsum facing tiles. 64-03729A
 Lydon, F. D.
 Hydraulic cements for the 1990s—developments in science and technology. 64-00043A
 Lygin, V. I. See D'yakov, S. S.
 Lykova, L. N. See Antipov, E. V.; Kovba, L. M.
 Lynch, B. F.; and Terry, K. W.
 Sources and uses of glass in Australia—a forensic viewpoint. 64-01970A
 Lynch, Brian; and Partus, Fred P.
 Method of and apparatus for straightening and configuring a preform tube from which lightguide fiber is drawn. 64-00391P
 Lyan, William F. See Kumar, Binod
 Lysak, S. V. See Ustichenko, V. A.
 Lysenok, L. N. See Kartavova, O. G.
 Lyudoretz, I. I. See Pirogov, Yu. A.
 Mabie, C. P.; Menis, D. L.; and Whittenton, D. L.
 Gel route preparation of low-fusing dental porcelain frit. 64-00599A
 Mabon, J. C.; and Inal, O. T.
 Optimization and evaluation of black zinc selective solar absorber surfaces. 64-05139A
 MacAllister, Burton W. See Palilla, Frank C.
 MacArthur, J. D. See Barfoot, K. M.
 MacBurney, Michael G. See Irani, Keikhsorow
 MacChesney, John B.; and O'Connor, Paul B.
 Optical fiber fabrication method. 64-04872P
 MacDonald, G. A. See Langdon, R. M.
 MacDonald, Gerald J.
 Stress relieving of massive weldments in microprocessor-controlled carbottom furnace. 64-04166A
 MacDonald, Robert I.
 Wavelength-selective optical coupler. 64-00430P
 MacDowell, John F. See Beall, George H.
 MacFarlane, Douglas R.; Matecki, Marc; and Poulain, Michel
 Crystallization in fluoride glasses: I. Devitrification on reheating. 64-00156A
 MacFarlane, John L.
 Load cell assembly for conveyor weighing of bulk material. 64-00967P
 MacFarlane, W. See Barnes, A.
 Mackenzie, K. J. D. See Brown, I. W. M.; Meinhold, R. H.
 Mackenzie, K. J. D.; Brown, I. W. M.; and Meinhold, R. H.
 Outstanding problems in the kaolinite-mullite reaction sequence investigated by "Si" and "Al" solid-state nuclear magnetic resonance: I. Metakaolinite. 64-07488A; Thermal reactions of pyrophyllite studied by high-resolution solid-state ^{29}Si and ^{27}Al nuclear magnetic resonance spectroscopy. 64-07395A
 MacKinnon, R. J.; and Blum, John B.
 Particle size distribution effects on tape casting barium titanate. 64-00924A; Ultrasonic dispersion of $BaTiO_3$ tape casting slurries. 64-00934A
 MacLean, S. G.; and Duley, W. W.
 Photoluminescence from surface states in MgO and CaO powders. 64-04562A
 MacZara, George; Krumb, Richard J.; and McCleod, Chris Tina
 Annual ceramic mineral resources review—alumina. 64-06999A
 Mace, J. See Bernhart, G.
 Macedo, Pedro B. See Simmons, Catherine J.
 Macedo, Pedro B.; Simmons, Catherine J.; and Tran, Danh Cong
 Immobilization of radwastes in glass containers and products formed thereby. 64-06749P
 Machado, Edna C. C. See Ramos, Rosemary R.
 Machesney, Gregory W. See Mittelsteadt, Robert A.
 Machida, H.; and Tanaka, M.
 Ferromagnetic oxides for magneto-optical recording medium. 64-06725P
 Machiels, Albert J. See Ouguag, A. M.; Pescatore, Claudio; Simonson, S. A.; Sullivan, Terrence M.
 Machkova, M.; and Ikonoplov, S.
 Breakdown phenomena during pore filling of anodic alumina films. 64-02290A
 Machyulatis, R. V. See Sadunas, A. S.
 Machyulis, S. V. See Kaminskis, A. S.
 Mackay, A. L. See Tarling, S. E.
 Mackenzie, John D. See Almeida, Rui. M.; Lau, J.
 Mackert, J. Rodway, Jr. See Fairhurst, Carl W.
 Mackrodt, William C.
 Calculated point defect formation, association, and migration energies in MgO and $\alpha-Al_2O_3$. 64-07444A; See also Colbourn, E. A.
 Macmillan, N. H. See Brevet, L.
 Mactavish, J. C. See Schreiner, L. J.
 Maddalena, A. See Guglielmi, M.; Scarinci, Giovanni
 Maddison, Ronald See McMillan, Peter W.
 Mader, Karl-Heinz See Kassner, Reinhard
 Madge, H. See Lovchinov, V. A.
 Maden, I. C. See Hill, R. J.
 Maeda, Katsunosuke See Murakami, Yukihiro
 Maeda, Kunihiko See Oghara, S.
 Maeda, Mamoru See Miyamoto, Hidekazu
 Maeda, Mamoru; and Nakamura, H.
 Insulation degradation and anomalous etching phenomena in silicon nitride films prepared by plasma-enhanced deposition. 64-05118A
 Maeda, Takuya; Yamada, Tsutomu; and Kishimoto, Mitsuhiro
 Rotary kiln and method of using such a kiln. 64-01110P
 Maehl, D.; Pickard, J.; and Reuter, B.
 Preparation and characterization of $CuCrZrSe$ and $CuCrSnSe$ single crystals. 64-00694A
 Maekawa, Koji; and Kawajiri, Shogo
 Combustion pressure peak detector [ceramic piezoelectric] for combustion control for an internal combustion engine. 64-02439P
 Maeno, Mitsuo See Kataoka, Nobuhiro
 Maeno, Yoshio See Kobayashi, Kazuo
 Maekawa, Hidehiko; Shimizu, Etsuo; and Suzuki, Yajiro
 Radiographic [layered phosphor] image conversion screens. 64-02407P; Radiographic [phosphor] image conversion screens. 64-05889P
 Maerkl, B.
 Gas suspension calcination of industrial minerals—a versatile process for carbonate and hydroxide raw materials. 64-01717A
 Maffei, N. See Krupandhi, S. B.
 Magdic, T. J.
 Material selection for compacting tools. 64-00915A
 Mage, J. C. See Warin, D.
 Magel, P. See Heufers, A.
 Magel, M. See Grimmer, A. R.
 Magill, M.; Sedda, A. F.; and Licheri, G.
 Coordination of iron ions in sodium borosilicate glasses: I. Wide-angle X-ray diffraction investigation. 64-01818A
 Maguire, Edward A. See Gentilman, Richard L.; Hartnett, Thomas M.
 Magunov, R. L. See Shamrai, G. V.
 Mah, Tai-It; Mendiratta, Madan G.; and Katz, Allan P.
 Room-temperature mechanical behavior of fiber-reinforced ceramic-matrix composites. 64-04333A
 Mahajan, S.; Chai, A. K.; and Zippel, C. L.
 Origin of dark spot defects in $InP/InGaAsP$ aged light-emitting diodes. 64-00681A
 Mahalingam, M.; and Berg, H. M.
 Thermal trends in component level packaging. 64-02342A
 Mahdy, A. N. See Shaaban, S. A.
 Maher, D. M. See Hannink, Richard H. J.
 Maher, John P.
 Ceramic capacitor with nickel terminations. 64-02350P
 Mahon, Robert D. See Boyer, Charles B.
 Mader, A. A. See Kaminskii, A. A.
 Mader, H.; Schindtmeyer, W.; and Storf, W.
 Ceramic-faced hard metals. 64-03148A
 Mader, P.
 Material and energy savings using cordierite saggars. 64-02142A
 Maillet, Pierre See Leglie, Edouard
 Maillet, Pierre; and Uveling, Leon
 Installation for feeding a shaft furnace. 64-05385P
 Malawaring, Paul R. See Douglas, Esther
 Mail, Rebecca
 Distinctive [manufacturers'] brick showrooms lure beauty seekers. 64-05979A
 Mair, Bernard See Piret, Jacques
 Malov, G. V.; and Dubovik, M. F.
 Pyroelectric effect in barium-strontium niobate crystals. 64-00836A
 Minister, I. M.; Lopato, L. M.; and Shevchenko, A. V.
 System Eu_2O_3 - TiO_2 . 64-01473A; System Y_2O_3 - Er_2O_3 . 64-05847A
 Mistrunko, I. A. See Shutoy, A. I.
 Mital, C. K.; Bhattacharya, D.; and Chakrabarti, N. B.
 Thick-film ferrimagnetic pastes using lithium ferrite. 64-06720A
 Mital, H. S. See Kulkarni, A. R.; Paria, M. K.
 Mital, K. N.
 Industrial production of high-quality zircon opacifier. 64-04208A
 Maitland, P. J.; and Barnes, F. L.
 Use of single-fire underglaze transfers in the production of microwave and dishwasher-safe decorated tableware. 64-05047A
 Majide, Aleksander
 International standardization in the field of refractories. 64-06453A; See also Jones, S.; Routschka, Gerald
 Majer, Josef
 Diamond tools in the glass industry. 64-03049A
 Majewski, Helmut W. See Sherif, Fawzy G.
 Majkrzak, Charles F.
 Interference coatings for neutrons. 64-03786A

- Majumdar, Amitava; and Gupta, Prabhat K.**
Development of low-cost [aluminosilicate]-glazed glass-ceramics. 64-06513A
- Majumdar, J. P.** See Thakur, R. L.
- Majumdar, M. K.** See Adhikari, M.
- Majumdar, S. D.** See Garai, S. K.
- Makar, Frank B., Jr.** See Fryburg, G. A.
- Makarchenko, V. G.** See Virgil'ev, Yu. S.
- Makarov, I. A.; Alekseev, S. V.; and Artamonova, M. V.**
Surface strengthening of corundum ceramics. 64-07178A
- Makarov, L. L.; Shkol'nikov, E. V.; and Batrakov, Yu. F.**
X-ray spectroscopic study of crystals and glasses of the systems As-Ge and As-Se-Sn. 64-03392A
- Makarov, V. N.** See Kolomeitsev, V. V.
- Makarova, I. A.** See Prokof'eva, N. K.
- Makarova, T. M.** See Fedorova, L. V.
- Makshova, N. E.; and Rostyskova, N. G.**
Reaction of silica sols with ammonium buffer solution of manganese chloride. 64-01456A
- Makhsu, M. F.** See Dzhibigir, D. D.
- Maki, Iwao; Nakagawa, Koji; and Hiraiwa, Kiyoko**
Characterization of fluorine-bearing alite in rapid-hardening high-strength cement clinker manufactured by fusion. 64-04628A
- Makishima, Akio**
Application of porous glass. 64-01939A
- Makosch, Guenter; and Schedewie, Franz**
Method and means for interferometric surface topography. 64-04127P
- Makov, A. I.** See Pozdnyakova, G. T.
- Makovetskaya, L. A.; Belevich, N. N.; and Bodnar, I. V.**
Thermal conductivity of ternary chalcogenides of the $A(II)B(III)X_2(VI)$ type. 64-05965A
- Makram-Ebeid, Sherif** See Martin, Gerard M.
- Maksimov, Yu. M.** See Raskolnikov, L. G.
- Maksimov, Yu. V.** See Naerman, Ya. M.
- Maksimova, G. V.** See Avanesov, A. G.
- Maia, Lenka** See Pitlikova, Miloslava
- Malacarne, M.**
Refuse incineration in the cement industry—operational results. 64-01751A
- Malani, Narayandas** See Boller, Thomas E.
- Maldagne, Xavier** See Jen, Cheng-Kuei
- Malhotra, R. Jagdish**
Speaking through glass clearly. 64-04827A
- Malinovsky, V. K.** See Zhdanov, V. G.
- Malinowski, C.**
Effects of time factors on the oxidation rate of zinc sulfide. 64-03772A
- Malitskaya, M. A.** See Raevskii, I. P.
- Mail, R. P.** See Dawar, A. L.
- Mallick, S.** See Grousson, R.
- Mallo, Joseph R., Jr.** See Kurtz, Anthony D.
- Malloy, John P.; and Ilse, Gerald A.**
Fundamental examination of pick-and-place robots. 64-05981A
- Malolepszy, Jan** See Deja, Jan
- Malten, Albrecht** See Pietzarka, Wilhelm F.
- Malysin, A. A.** See Svetkova, M. N.
- Malyskii, T. G.; and Sharygin, L. M.**
Stability of sorbents based on hydrated TiO_2 with varying ZrO_2 content. 64-01573A
- Malyskii, T. G.; Sharygin, L. M.; and Komarevskii, V. M.**
Effect of hydrothermal treatment temperature on the porous structure and mechanical strength of sorbent based on hydrated titanium dioxide. 64-01537A
- Malyshev, S. I.** See Ovod, V. F.
- Malyshev, Vitaly P.** See Bauer, Ivan K.
- Malysheva, L. E.** See Eliseev, S. S.; Yeliseev, S. S.
- Malyskhin, S. F.** See Amosov, A. V.
- Malysuk, A. D.** See Karaulov, A. G.
- Mamedaliyev, F. D.** See Buludov, N. T.
- Mamedov, A. A.** See Kamarzin, A. A.
- Mamedov, A. I.** See Il'yasov, T. M.
- Mamedov, Kh. S.** See Abdullayev, G. K.
- Mamedov, Kh. S.; Gasbarov, D. M.; and Ragimov, N. G.**
Synthesis of sodium hydrosilicate $Na_2Si_2O_5 \cdot 10H_2O$. 64-01470A
- Mamedova, G. G.; Khodskii, L. G.; and Yarmolovich, A. A.**
Cermets heating elements. 64-01186A
- Mamedova, G. G.; Kozdskii, L. G.; and Yarmolovich, A. A.**
Metallo-ceramic heating elements. 64-00099A
- Mamontova, T. N.** See Vasil'ev, V. A.
- Mamoshina, V. L.; and Shilin, A. P.**
Physicochemical properties and structure of glasses in the system $MgO-P_2O_5-BaO-P_2O_5$. 64-03325A; Properties of glasses in the system $MgO-P_2O_5-BaO-P_2O_5-Al_2O_3-3P_2O_5$. 64-03332A
- Mandal, G.**
Ceramic education in India and its growth potential. 64-07519A
- Mandal, S. S.** See Chattopadhyay, D.; Khan, S. K.
- Mandal, Upendra Kumar** See Singh, Vipin Kant
- Mandigo, Frank N.** See Brock, Andrew J.
- Mandler, William F., Jr.** See Woods, M. E.
- Mandolei, D. L.** See Tai, J. C.
- Mandru, Anatoli; and Dimirescu, Constantia**
Modern tendencies and solutions for improving pneumatic separators of cement recirculation grinding equipment. 64-06109A
- Mandru, I.; and Leca, M.**
Flocculation of water [clay] slurries with cation polyelectrolytes. 64-03721A
- Mandzhavidze, A. G.** See Tsitskishvili, K. F.
- Mandzyuk, B. Ya.** See Burkanov, G. S.
- Manera, Maxime** See Lecron, Jacques
- Manevich, V. E.; and Pershin, M. L.**
Conditions for the sampling and analysis of glass batch. 64-00280A
- Manfredi, Louis J.; and McNally, Robert N.**
Solubility of refractory oxides in soda-lime glass. 64-00226A
- Mangels, John A.** See Dickie, Ray A.; Govila, Ratan K.
- Mangels, John A.; and Messing, Gary L. (Editors)**
Advances in Ceramics: Vol. IX, Forming of Ceramics. 64-01628B
- Mangels, John A.; and Trein, Walter**
Ceramic components by injection molding. 64-00893A
- Mangia, Alessandro** See Casoli, Antonella
- Mani, B. P.** See Viswanathan, K.
- Mann, George H.**
Method for making colored photochromic prescription ophthalmic lenses. 64-03524P
- Mann, Sally A.**
Management of commercial high-level nuclear waste in the United States. 64-05337A
- Mann, Wolfgang A.** See Goss, Willis C.
- Manning, John D.** See Domingorena, Albert A.
- Mannl, Reinhard** See Ritt, Hans-Georg
- Manring, William H.** See Lehman, Richard L.
- Mansfield, Robert J.; Payne, David N.; and Sasaki, Issei**
Measurement of optical refractive index profiles. 64-06907P
- Mansingh, A.** See Krupandhi, S. B.
- Mansingh, A.; Singh, Ramadhar; and Sayer, M.**
Low-frequency dielectric relaxation in lightly doped VO₂ single crystals. 64-03793A
- Mansingh, Abhai** See Sharma, B. K.
- Mansour, Mansour N.**
Method and burner tip for suppressing emissions of nitrogen oxides. 64-05481P
- Mansour, Nalla A. L.** See Hanna, S. B.
- Mansour, Nalla A. L.** See Gadalla, Ahmed M.
- Mantatov, V. V.** See Sanditov, D. S.
- Mantovi, A.**
Metal recovery from muds of ceramic water treatment plants. 64-01617A
- Mantyla, T.** See Jarvinen, R.
- Manuel, Oliver K.** See Chiou, Kuen Y.
- Manuel, T.; Hindia, H. J.; and Evanczuk, S.**
Technology update [on multilayer packages and leadless chip carriers]. 64-00716A
- Manykin, E. A.** See Afanas'ev, A. M.
- Mao, H. K.** See Bell, P. M.
- Mao, Raymond L. V.; and Bird, Peter H.**
Composite zeolite-asbestos catalysts. 64-05609P
- Mao, Zhi-qiong** See Zeng, Shao-xian
- Mapes, Glenn H.** See Wood, Charles L.
- Mapstone, Kenneth**
Decoration of wall tiles. 64-03740P
- March, Edward J.** See Ellis, Roland, Jr.
- Marchal, Gerald**
Shoe bearing mills—a 10-year review. 64-06125A
- Marchand, Jacques; and Coudamy, Jacques**
Decor firing on ceramics and glass. 64-01080A
- Marchenko, A. V.** See Samsonov, V. M.
- Marchenko, V. I.** See Get'man, E. I.
- Marcu, George; Andreica, Victoria; and Tibod, Antal**
Optimization of the acid treatment of glass surfaces to increase the chemical resistance. 64-03469A
- Marcus, Bonita K.** See Lok, Brent M. T.
- Marcus, Holger** See Scholdstrom, Ragnar
- Marcuse, Dietrich; and Presby, Herman M.**
Method for inspecting multilayer [fiber optic] transparent rods. 64-03523P
- Mardirosova, I. V.; Ali, M. M.; and Bukhalova, G. A.**
System $Ce(PO_3)_3 \cdot KPO_3$. 64-05825A
- Mardis, Wilbur S.; and Finlayson, Claude M.**
Modified organophilic clay complexes, their preparation and nonaqueous systems containing them. 64-07062P
- Marechal, Jean-Pierre; and Maschmeyer, Richard O.**
Process to mold precision glass [lens] articles. 64-02019P
- Mares, Rafael B.** See Rodriguez, Federico B.
- Maresova, Alena**
Determining the acid content in agents for chemical treatment of glasses using the fluoride-selective electrode. 64-00160A
- Margrita, R.; and Santos-Cottin, H.**
Materials flow in cement plants studied by radioactive tracers. 64-01732A
- Maricle, Donald L.; Putnam, Gary C.; and Stewart, Robert C. Jr.**
Method of making molten carbonate fuel cell ceramic matrix tape. 64-01326P
- Marles, Alan** See Drake, Cyril F.
- Marin, V. P.; Klimenko, A. N.; and Levitskii, V. A.**
Thermodynamics of the reaction of Ho_2O_3 and Lu_2O_3 with H_2O . 64-05868A
- Marinace, John C.; and McGibbon, Ralph C.**
Adhesion of a [ceramic semiconductor] photoresist to a substrate. 64-06590P
- Marino, E.; Mastroianni, R.; and Crispoldi, G.**
Use of sintered calcium oxide nozzles in the continuous casting of Al-killed steel. 64-06470A
- Maris, Z.**
Determination of the optical characteristics in an identical film model. 64-04530A
- Maris, Z.; Mediano, R.; and Timus, C.**
Optical properties and thicknesses of cerium dioxide films. 64-01962A
- Markalous, Frantisek**
Possible production of magnesium compounds in Czechoslovakia and applications for them. 64-07046A
- Markhasev, B. I.; Pioro, N. Ch.; and Klyugant, V. V.**
Conditions for separation of ordered phases from nonstoichiometric tantalum carbide. 64-01188A
- Markhoff, Carole J.; Mutsuddy, Beebas C.; and Lennon, John W.**
Method for determining critical ceramic powder volume concentration in the plastic forming of ceramic mixes. 64-00917A
- Markov, G. A.; Mironova, M. K.; and Potapova, O. G.**
Structure of the anode films in microarc oxidation of aluminum. 64-01465A
- Markov, N. I.** See Glushkova, V. B.
- Markovich, Voya** See Bupp, James R.
- Markworth, Alan J.**
Application of transition-state theory to an atomistic model of environmentally assisted fracture. 64-01517A
- Marletta, Giovanni** See Puglisi, Orazio
- Marmach, M.; and Swain, Michael V.**
Thermal stability of magnesia-partially stabilized zirconia. 64-07186A
- Maronchuk, Yu. E.; Polyanskaya, T. A.; and Yakusheva, N. A.**
Preparation of epitaxial gallium arsenide layers from bismuth solution-melts. 64-05160A
- Marosi, Laszlo** See Hoelderich, Wolfgang
- Marotta, Alberto** See Branda, F.
- Marotta, Alberto; Buri, Alberto; and Branda, F.**
Nucleation in glass-forming systems—a DTA study. 64-06228A
- Marra, A.; and Rossi, R.**
Methods for determining the mechanical characteristics of ceramics used as spark plug insulating materials. 64-05131A
- Marra, John E.** See Varshneya, Arun K.
- Marraha, M.; Heughebaert, J.-C.; and Bonel, G.**
Formation of a solid β -tricalcium orthophosphate structure from reaction between hydroxyapatite and ammonium sulfate. 64-04459A
- Marrett, R.** See Romey, I.
- Marsh, Brian; Rigby, Malcolm J.; and Ward, Peter**
Thermally toughening glass. 64-03549P
- Marshall, David B.**
Indentation method for measuring matrix-fiber frictional stresses in ceramic composites. 64-02782A; See also Lawn, Brian R.
- Marshall, David B.; and Evans, Anthony G.**
Failure mechanisms in ceramic-fiber/ceramic composites. 64-07100A
- Marshall, Richard W.**
Infrared thermometers can help improve melter temperature control. 64-04087A
- Marsuda, Yoshifumi; Kotani, Hiroshi; and Joe, Yasuichi**
Influence of chlorine ion and sulfate ion on the phase equilibrium of ferrite. 64-06710A
- Marta, Liana; Zaharescu, Maria; and Haiduc, Iovana**
Synthesis of strontium metaniobate by a coprecipitation method. 64-01471A
- Martens, A. W.**
Colorants for the enameling industry. 64-00078A
- Martín, I.; Gonzalez-Diaz, G.; and Sanchez-Quesada, F.**
Temperature and bias effect on the electrical properties of CdS thin films prepared by rf sputtering. 64-05187A
- Martin, A. (Rick)**
Ceramic [brick] cutting [wire] materials. 64-04025P
- Martin, D. M.** See Akinc, Mufit
- Martin, David M.**
Real costs of microcomputer utilization. 64-05992A
- Martin, Erwin**
Transducer [ceramic piezoelectric] plate for electroacoustic transducers. 64-03947P
- Martin, Gerard M.** See Berth, Michel
- Martin, Gerard M.; Makram-Ebeid, Sherif; and Venger, Camille**
Method of manufacturing field-effect transistors of GaAs by ion implantation. 64-02392P
- Martin, J. J.** See Hitt, K. B.
- Martin, Jean-Claude** See Sella, Claude
- Martin, P. J.; Netterfield, R. P.; and Sainty, W. G.**
Modification of the optical and structural properties of dielectric ZrO_2 films by ion-assisted deposition. 64-02322A
- Martin, Richard R.; and Jaeger, Kurt S.**
Staged fuel and air for low-NO_x burner. 64-05484P
- Martin, Sieve W.; and Angell, C. Austen**
Glass formation and transition temperatures in sodium and lithium borate and aluminoborate melts up to 72 mol% alkali. 64-01853A
- Martinet, J.** See Kunc, T.
- Martinez, A.** See Charitat, G.
- Martinez, G.** See Galant, S.
- Martini, Gianni E.**
Bottle [decorated narrow-neck]. 64-01681P
- Martini, Helmut**
High-temperature, high-pressure article treatment apparatus, and method. 64-02687P; See also Hieber, Ernst
- Martinez, H. P.** See Abermann, R.
- Martlew, D.** See Cable, M.
- Martynenko, V. M.** See Shul'ga, Yu. M.

- Martynenko, V. V.**
Wettability of refractory glass fibers with water-soluble binders. 64-02233A; See also Degtyareva, E. V.
- Martynov, V. P.** See Popov, O. N.
- Maru, Hansraj** See Patel, Pinakin
- Marugin, V. V.; Odin, I. N.; and Novoselova, A. V.**
Phase equilibria in the system Zn-Bi-Te. 64-05772A; Physicochemical investigation of the system Cd-Bi-Te. 64-05781A
- Maruhashi, Shigeki; Kanamaru, Takayoshi; and Matsumoto, Hiroto**
Annealing steel strip using molten B_2O_3 , SiO_2 , Na_2O , NaF glass bath. 64-00243P
- Marumo, F.** See Yin, C. D.
- Marumo, Fumiaki**
Synchrotron radiation as an intense X-ray source. 64-04592A
- Marusin, Stella L.**
Water absorption, interior fissures, and microstructure of shale brick. 64-06434A
- Maruyama, Hiroshi** See Tanaka, Taku
- Maruyama, Kazuo; and Kurita, Akitsugu**
Composition for concealing graze marks on glass. 64-01493P
- Maruyama, Kensaku** See Iino, Shinji
- Maruyama, Satoshi** See Mukae, Kazuo
- Maruyama, Satoshi; Tsuda, Koichi; and Mukae, Kazuo**
Voltage-dependent nonlinear [ZnO-based] resistor. 64-00821P
- Maruyama, T.** See Iseki, Takayoshi
- Maruyama, Tsutomu** See Sugimoto, Kenji
- Maruyama, Yasutaka; and Kurihara, Genji**
Durability of alumina fiber—quality evaluation of alumina fiber in reheating furnace after 2 years' use. 64-04939A
- Maruyama, Yooji** See Umekaki, Hiroshi
- Marvin, Dean C.; and Ives, Neil A.**
Wide-range fiber-optic strain sensor. 64-03499A
- Marwan, Horst**
Calculation rules for crushing and grading. 64-04196A; Development of a [bulk material] level-measurement device based on acoustic depth sounding. 64-05412A
- Marx, Francis** See Dragoi, Ioan
- Marx, Martin**
Toughening Simax glass using ion exchange. 64-04761A
- Masaki, Kouichi** See Ogawa, Hiroshi
- Masaki, Tatsuo; Nishimoto, Toyoshi; and Masui, Kiyoshi**
Thick-film [intaglio plate] printing method. 64-02573P
- Masalo, A. P.** See Simonov, K. V.
- Maschmeyer, Richard O.** See Marechal, Jean-Pierre
- Masclet, P.** See Herve, P.
- Mase, Synzo** See Matsuzawa, Soichiro
- Mase, Synzo; and Soejima, Shigeo**
High electric resistant zirconia and/or hafnia ceramics. 64-05623P
- Mashchenko, I. V.** See Evgen'ev, S. B.
- Mashchenko, L. V.** See Dryshlyuk, T. V.
- Mashimo, Tsutomu; Nagayama, Kunihito; and Sawaoka, Akira**
Anisotropic elastic limits and phase transitions of rutile phase TiO_2 under shock compression. 64-01516A
- Mashin, A. R.; and Mashina, Z. A.**
Air-jet [or steam pressure] technology from the production of silicate bricks. 64-02052A
- Mashina, Z. A.** See Mashina, A. R.
- Mashir, Yu. I.** See Artamonov, M. V.
- Mashkov, V. A.**
Calculation of the dielectric constant of Pb silicate glasses. 64-03194A
- Maslennikova, E. G.** See Golutvin, Yu. M.
- Maslennikova, G. N.** See Alekseeva, N. N.
- Maslennikova, G. N.; Kharitonov, F. Ya.; and Fomina, N. P.**
Synthesis and properties of eucryptite-mullite materials. 64-00522A
- Maslovskii, M. F.** See Nazarov, V. I.
- Maslyuk, V. T.; and Doinikov, L. I.**
Hierarchy of structural states in chalcogenide glassy semiconductors. 64-03784A
- Mason, Ronald A.**
Optical element having a catalytic coating to promote oxidation of optically opaque substances. 64-06394P
- Mason, Thomas O.**
High-temperature cation distributions in Fe_2O_3 - $FeAl_2O_3$. 64-05721A
- Mason, Walter R.; and Cummings, Jimmie L.**
Apparatus for continuously producing a dry material and a liquid slurry. 64-03137P
- Mass, Henricus G. R.** See Van Ommen, Alfred H.
- Massage Argerich, A.**
Cost of energy and the ceramic industry—[review, for a red brick plant]. 64-00432A
- Massari, John W.**
Factors affecting the modulus of rupture of clay-based bodies. 64-06518A
- Masse, Joseph H.**
Apparatus for cutting glass. 64-03504P
- Massey, R. T.** See Kramer, D. P.; Kramer, Daniel P.
- Maslot, Dominique**
Shape comparison of physical spectra—application to Moessbauer spectra of silicate glasses. 64-06248A
- Masol, J. J.** See Chopinet, M. H.
- Masson, Charles R.** See Dou, Shixue
- Masson, Jean** See Bitailou, Alex
- Mastromarino, R.** See Marino, E.
- Masui, Kiyoshi** See Masaki, Tatsuo
- Masuno, Kunio**
Glazed ceramic substrate materials for a hybrid IC repeater in submarine cable system. 64-00665A
- Masuyama, Isamu**
Review of electronic ceramics. 64-02436A
- Masuyama, Masaru; Hirooka, Susumu; and Yamaoka, Nobutatsu**
Semiconductive [titanate] ceramic materials with a voltage-dependent nonlinear resistance, and process for preparation. 64-02412P
- Mata Arjona, A.** See Escalona Platero, E.
- Matarrese, Alfred P.** See Bosshart, George S.
- Matecki, Marc** See MacFarlane, Douglas R.
- Mateescu, A. G.**
Thermal decomposition mechanism of $Pb(H_2SO_4)PbO$, cell positive electrodes. 64-03839A; See also Sternberg, S.
- Materikin, Yu. V.; and Molochkov, V. A.**
Refractory linings for steel casting ladles [review]. 64-00511A
- Matern, N.** See Abdullaev, M. A.
- Mates, Edward I.** See Fecik, Michael T.
- Mathad, Gangadhar S.** See Chen, Lee
- Matheis, Jiri** See Hlavac, Jan
- Mathers, James E.; and Yale, Ramon L.**
Terbium-activated gadolinium oxysulfide X-ray phosphor. 64-05892P
- Mathias, Eckart**
Laser process for producing electrically conductive surfaces on insulators. 64-03881P
- Mathieu, Pierre**
Method for producing a [SnO₂-based] catalyst for oxidizing carbon monoxide. 64-02876P
- Matoba, Kazuo** See Touda, Masayuki
- Matson, Dean W.** See Sharma, Shiv K.
- Matubara, Masaki; and Ikeda, Shuichi**
Cosmetic bottle. 64-04615P
- Matsuda, Keizo**
Formation process of magnetite by reaction between iron(III) hydroxide oxide and iron(II) sulfate. 64-02933A
- Matsuda, Naotoshi; Tetsuishi, Yoshinori; and Kazuaki, Higuchi**
White luminescent phosphor [InTbBO₃-based] for use in cathode ray tube. 64-05893P
- Matsuda, S.** See Shirasaki, Shinichi
- Matsuda, Shimpei**
High-temperature catalysts with lanthanum beta alumina porous support. 64-05547A
- Matsuda, Toru** See Yoshino, Shigeo
- Matsuda, Yoshikazu** See Wada, Chuzoh
- Matsui, K.** See Kawaga, H.
- Matsui, Kazuhiro** See Yamaguchi, Osamu
- Matsui, Minoru; Takahashi, Tomonori; and Oda, Isao**
Influence of MgO vaporization on the final-stage sintering of MgO- Al_2O_3 spinel. 64-07119A
- Matsui, Takeki** See Kuboyama, Keiji
- Matsui, Toshiro**
Crystal growing apparatus. 64-05378P
- Matsui, Yoshio**
Small particles of cubic boron nitride prepared by electron irradiation of hexagonal boron nitride in a transmission electron microscope. 64-04341A
- Matsuki, Toshiyuki** See Watanabe, Akira
- Matsumoto, Akiko; Ito, Shozo; and Takaya, Kiyoshi**
Refractory bubbles [of alumina—production, properties, and applications]. 64-04328A
- Matsumoto, Hidesaki** See Okada, Tokuhiko
- Matsumoto, Hiroto** See Maruhashi, Shigeki
- Matsumoto, Hisahiro**
Application of zirconia for daily living. 64-04241A
- Matsumoto, Ikou**
Magnetic recording media comprising titanium monoxide and carbon black powders in a magnetic recording layer. 64-06731P
- Matsumoto, Katsutoshi**
Method for glazing printing area in thick printing. 64-00982P
- Matsumoto, Kazuya**
Beam-deflecting [optical waveguide] device. 64-00343P
- Matsumoto, Roger L. K.**
Strength recovery in degraded yttria-doped tetragonal zirconia polycrystals. 64-07177A
- Matsumoto, Shigeji**
Trends of zirconia patents. 64-03842A
- Matsumoto, Shigeki** See Kamata, Kiichiro
- Matsumoto, Takahiro** See Takasugi, Hiroshi
- Matsumoto, Yoshihiro** See Yasuda, Akira
- Matsumura, Akira** See Shimamura, Takazo
- Matsumura, Hiroyoshi; Katsuyama, Toshio; and Suganuma, Tsuneo**
Method of producing optical fiber preform. 64-04864P
- Matsumura, Sadao** See Ebata, Yasuo
- Matsumura, Tatsuo** See Ishibashi, Tanezo; Nameishi, Naoyuki
- Matsumura, Hiroyuki** See Shibahara, Kentaro
- Matsuoka, Akira** See Yoshino, Shigeo
- Matsuoka, Masataka** See Hiragushi, Keisuke
- Matsuoka, Terumoto** See Katase, Denji
- Matsuoka, Tetsuo; Morita, Takehiro; and Yasui, Heiji**
Evaluation of wheels in heavy grinding of steels. 64-01643A
- Matsuoka, Yasushi** See Miura, Kazunori; Shimamori, Toru
- Matsuoka, Yoshihiro** See Itakura, Gen
- Matsuo, Yotaro**
Evaluation and statistical treatment of strength. 64-05919A
- Matsuo, Hiroo** See Yamada, Masatoshi
- Matsuoka, Kiyoshi** See Nishizawa, Hitoshi
- Matsushima, Noriaki; Sasaki, Yukio; and Tokunaga, Yukio**
Coated [foundry mold] sand and method for producing. 64-00540P
- Matsushita, Kenichi** See Tsukuma, Koji
- Matsushita, Yasuo; Nakamura, Kousuke; and Kosugi, Tetsuo**
Electroconductive [Al_2O_3 -based] ceramics. 64-06615P
- Matsushita, Yasuo; Nakamura, Kousuke; and Ura, Mitsuru**
Ceramic [nonoxide, high thermal conductivity] packaged semiconductor device. 64-06595P; High-temperature [Bi- or B-based with SiC] thermistor. 64-00756P
- Matsuura, Shiro** See Asari, Akira
- Matsuura, Takashi; Mizusaki, Junichiro; and Yamauchi, Shigeru**
Martensitic transformation in $La_{1-x}Sr_xCoO_3$. 64-04550A; Single-crystal growth of $La_{1-x}Sr_xCoO_3$ ($x=0.0, 0.5, 1.0, \text{ and } 1.5$). 64-04492A
- Matsuyama, Iwao** See Satoh, Shin
- Matsuyama, Iwao; Sasa, Kenzo; and Satoh, Shin**
Syntheses of high-purity silica glass by the sol-gel method. 64-00232A
- Matsuyama, Shigeru** See Takashima, Masaru
- Matsuzaki, Hiroshi** See Iseki, Takayoshi
- Matsuzawa, Soichiro; and Mase, Synzo**
Method for producing a single crystal [from polycrystal]. 64-06824P
- Matsuzawa, T.** See Okamura, Kiyohito
- Matthews, William G.; and Whitaker, Todd E.**
Interferometric fiber optic hydrophone winding machine. 64-06815P
- Mathiesen, David H.; and Petuskey, William T.**
Solidification microstructures of laser-melted alumina powder compacts. 64-07175A
- Mattiat, Bernhard** See Bruening, Ulrich
- Mattox, Douglas M.; Gupta, Tapan K.; and Carlson, William G.**
Method of fabricating [ZnO-based] nonlinear voltage-limiting device. 64-00772P
- Mattson, Bertil** See Adlerborn, Jan
- Matul, Kazuharu** See Uzaki, Nagato
- Matulis, E. L.** See Paulavicius, R. B.
- Matuskev, Miroslav**
Treatment of glass by laser: 1. 64-03494A; Treatment of glass by laser: II. 64-03495A; See also Brozek, Vlastimil; Hadek, Mirko
- Matuskev, Miroslav; Hadek, Mirko; and Konicek, Frantisek**
Surface concentration of diamond in diamond tools with sintered metallic and electroplated active layer. 64-03054A
- Matusita, Kazumasa; Ihara, Chikashi; and Komatsu, Takayuki**
Photoelastic effects in phosphate glasses. 64-07492A; Photoelastic effects in silicate glasses. 64-00215A
- Matveev, A. M.** See Kamenskaya, L. A.
- Matveeva, M. P.; Lazareva, I. Yu.; and Ugaste, Yu. E.**
Interaction of some platinum alloys with [optical] glassmelts. 64-06213A
- Matyas, Jozsef; Kapitay, Gyorgy; and Zsembery, Laszlo**
Process for the preparation of alkali-poor α -alumina for ceramic purposes. 64-01354P
- Matzke, Hansjoachim** See Weber, W. J.
- Matzke, Hansjoachim; Kahl, L.; and Saidl, J.**
Effect of composition and radiation on the Hertzian indentation behavior of nuclear waste glasses. 64-04719A
- Maultzsch, M.**
Needle apparatus has existed for 100 years—evolution of the setting test for cement. 64-01738A
- Maurer, C.; Roberts, D.; and Sinnadurai, N.**
Chip carrier-based systems and their testability [for surface-mounting applications]. 64-03757A
- Maurer, Helmut** See Linder, Ernst
- Maurin, A. F.; Gimpelman, E. Ya.; and Rutman, D. S.**
Method for studying the dielectric properties of periclase. 64-00486A; Particle-size compositions of electrochemical grade periclase. 64-02165A
- Maurin, A. F.; Rutman, D. S.; and Chusovitina, T. V.**
Certification of methods for determining the particle-size composition of refractory materials. 64-02074A; Preparation of samples for determining the electrophysical properties of periclase. 64-02176A
- Maurin, A. F.; Shmel'kova, T. M.; and Perepel'tyn, V. A.**
Effect of impurities in periclase on its electrical resistance. 64-02104A
- Mauro, David M.** See Thomas, John J.
- Mauschitz, Oskar** See Christof, Gerhard
- Mauz, Gerhard** See Beckerle, Heinz
- Mavlyanov, A. S.** See Bozhenov, P. I.
- Mavrin, B. N.** See Denisov, V. N.; Syrtskii, A. P.; Varschal, B. G.
- Mavrodiev, G.; Gajdardziska, M.; and Novkovski, N.**
Properties of SnO_2 :F films prepared on glass substrates by the spraying method. 64-01633A
- Maximov, Vladimir G.** See Apilat, Vitaly Y.
- Maximova, Galina V.** See Denker, Boris I.
- Maxwell, Donald J.** See Mitchell, William D.
- May, Anthony A.** See Bilimoria, Boni M.
- Maydell-Ondrusz, E. A.; and Wilson, I. H.**
Model for the evolution of implanted oxygen profiles in silicon. 64-05752A

- Mayer, Jerome F.; and Miller, Stephen J.
Hydrocarbon conversion [Al₂O₃-silicate-based] catalyst and process using said catalyst. 64-04388P
- Mayer, P.
Review of the dangerous substances [Pb, As, Ni, Co, F, quartz particles, and asbestos] used in the manufacture and processing of lead glass and crystal ware in the Federal Republic of Germany. 64-00324A
- Mazdiyassni, Kurt S.; Ruh, Robert
Mazdiyassni, Kurt S.; Ruh, Robert; and Hermes, Edward E.
Phase characterization and properties of AlN-BN composites. 64-07140A
- Mazdiyassni, Kurt S.; and Zangvil, Avigdor
Effect of impurities on SiC whisker morphology. 64-07087A
- Mazzeo, Jean P. See Boudot, Jean E.
- Mazo, L. D. See Avramenko, E. N.
- Mazurin, O. V. See Borovinskii, S. V.; Lalykin, N. V.
Mazurin, O. V.; and Klyuev, V. F.
Structural temperature-related coefficients of density, enthalpy, and viscosity of Pb borate and Pb silicate melts in the glass-transition range. 64-03364A
- Mazurin, O. V.; and Stolyar, S. V.
Relation between the glass point and liquidus temperature for some eutectic compositions of an Na borate-silicate system. 64-03347A
- Mazurkiewicz, M.; and Ostachowicz, W.
Point finite element in the analysis of a two-dimensional contact problem. 64-05948A
- Mbenge-Tsambe, Sagers, D.; and Dorikens, M.
Fast-neutron-irradiated vitreous silica by positron annihilation methods. 64-01846A
- McAfee, Kenneth B., Jr.; Gay, David M.; and Walker, Kenneth L.
Thermodynamic stability and incorporation of phosphorus into germanium-doped silica glass. 64-06273A
- McAlina, Patrick
High expansion [Li silicate- and SiO₂-based] glass-ceramic articles. 64-01931P
- McAlister, S. P.
Unusual ferrimagnetism in Mn₂Mo₂O₈ and Sm₂In₂. 64-02483A
- McAlone, Kevin See Briggs, Peter J.
- McBride, James W.
Method of making a [glaze-decorated] dinnerware article. 64-00634P
- McCandlish, C. S.; and Dow, A. L.
Outlook for thick-film hybrids for 1985-90. 64-05141A
- McCandlish, Larry E.; and Tornew, Larina W.
Molybdenum oxycarbonate compositions and process for preparing the same. 64-01503P
- McCarroll, John J. See Goldie, Brian P. F.
- McCarver, W. J.; and Afshar, A. B.
Aspects of the electrical properties of cement paste. 64-03072A
- McCartney, Michael S.; Chadshay, Roman; and Erlacher, Richard F.
Nozzle tip for pulverized coal burner. 64-06986P
- McCaughan, Daniel V. See Read, Eileen
- McCleod, Chris Tim See MacZura, George
- McClurg, John
Annual ceramic mineral resources review—fluorspar. 64-07007A
- McColl, James R.; and Peters, Thomas E.
Infrared-emitting phosphor [ZnS:TMg-based]. 64-04504P
- McConnell, Robert D.; and Vansant, James H.
Glass heat pipe evacuated-tube solar collector. 64-00367P
- McConnell, William H. See Frater, Norman K.
- McCoy, John Kevin See Wills, Roger R.
- McCright, Donald O. See Kleeb, Thomas R.
- McCulloch, C. E. See Angus, M. J.
- McCulloch, C. E.; Rahman, A. A.; and Angus, M. J.
Immobilization of cesium in cement containing reactive silica and pozzolans. 64-05331A
- McCune, R. A. See Kidwell, B. L.
- McCune, Robert C.; and Ku, R. C.
Calcium segregation to MgO and α -Al₂O₃ surfaces. 64-07307A
- McDaniel, E. W. See Stinton, David P.
- McDaniel, Max P.; and Johnson, Marvina M.
Chromium on mixed metal phosphate base with organoboron cocatalyst. 64-02858P
- McDaniel, P. L. See Bates, J. K.
- McDonagh, Alister; McKelvie, James; and Walker, Colin A.
Measurement of [strain] deformation. 64-01060P
- McDonald, A. D. See Hons, A.
- McDonough, William J. See Rice, Roy W.
- McEntire, B. J.
Tooling design for wet-bag isostatic pressing. 64-00932A
- McGarry, Dennis L. See Homeny, Joseph
- McGehee, P. See Tofteld, B. C.
- McGibbon, Ralph C. See Marinace, John C.
- McGinn, Joseph T.; Jastrzebski, Lubomir L.; and Corboy, John F., Jr.
Method for growing a low-defect monocrystalline layer on a mask. 64-02959P
- McGovern, S. See Roy, B. S. H.
- McHardy, W. J. See Nadeau, P. H.
- McHargue, C. J.; Farlow, G. C.; and White, C. W.
Amorphization of ceramics by ion beams. 64-07441A
- McHargue, C. J.; Lewis, M. B.; and Williams, J. M.
Reactivity of ion-implanted SiC. 64-07154A
- McIntosh, John D. See Zucal, Thomas A.
- McIntyre, B. L. See Johnson, D. L.
- McIntyre, N. S. See Bancroft, G. M.; Heimann, Robert B.
McKay, Glen; and Williams, Robert J.
Laying of optical waveguides onto a support filament. 64-02550P
- McKee, Keith E.
Productivity technology and international competitiveness. 64-05991A
- McKee, R. A.
Analysis of the stoichiometry and temperature dependence of cation diffusion in wustite, Fe_{0.9}O. 64-04525A
- McKee, R. W.; Daling, P. M.; and Wiles, L. E.
Economic comparison of crystalline ceramic and glass waste forms for HLW [high-level waste] disposal. 64-05528A
- McKiever, Kenneth D.
Statistical modeling to evaluate refractory performance. 64-06466A
- McKelvie, James See McDonagh, Alister
- McKenna, John F. See Palilla, Frank C.
- McKenzie, D. See Puxley, D. C.
- McKeown, D. A.; Gokseer, Frank L.; and Brown, G. E., Jr.
Raman studies of Al coordination in silica-rich sodium aluminosilicate glasses and some related minerals. 64-03338A
- McKinley, John R.; and Roesshaub, John G.
Process and apparatus for the separation of [limestone] particles into three fractions of similar compositions. 64-00994P
- McKinney, Benjamin F.
Method and apparatus for the production of lead oxide. 64-07061P
- McKinney, Karl R. See Wu, Carl C.
- McKinney, Ralph V., Jr. See Koth, David L.
- McLaren, Malcolm G.
Standards for lead and cadmium release from ceramic glazes. 64-00617A; See also Arayaphong, Dang
- McLean, John W.
Current status and future of ceramics in dentistry. 64-07082A
- McLeod, A. D.; Haggerty, John S.; and Sadoway, Donald R.
Electrical resistivities of monocrystalline and polycrystalline TiB₂. 64-02765A
- McMahon, C. C. See Nemeth, Joseph
- McMann, Fred C. See Lukacs, J. J.
- McMaster, Harold A.
Glass sheet roller conveyor furnace including gas jet pump heating. 64-04849P
- McMaster, Harold A.; McMaster, Robert G.; and McMaster, Ronald A.
Glass sheet roller conveyor including oppositely angled jets. 64-06359P
- McMaster, Robert G. See McMaster, Harold A.; McMaster, Ronald A.
- McMaster, Ronald A.
Apparatus for bending glass sheets. 64-06337P; Glass sheet roller conveyor including antifriction drive chain. 64-04850P; Glass tempering practices affect product quality. 64-01950A; See also McMaster, Harold A.
- McMaster, Ronald A.; and McMaster, Robert G.
Composite blasthead and quench station of glass sheet tempering system. 64-00350P
- McMaster, Ronald A.; and Nitschke, John S.
Method and apparatus for supplying cooling air in a glass sheet quench. 64-06373P
- McMillan, John D.
Ultrasonic method and apparatus for determining the depth of a crack in a solid material. 64-06923P
- McMillan, Paul; Pirou, Bernard; and Costy, Rene
Raman study of pressure-densified vitreous silica. 64-04750A
- McMillan, Peter W. See Chen, Zu-xiong; Dupress, R.
- McMillan, Peter W.; and Maddison, Ronald
Method of reverse osmosis employing an improved porous glass membrane [and production process]. 64-00399P
- McMillin, James A.; Kiyonaga, Kazuo; and Chambers, Robert L.
Improved brick quality through oxygen injection. 64-00440A
- McMullen, James C. See Carpenter, John H.
- McNally, Robert N. See Manfredo, Louis J.
- McNamee, M.; and Ashurst, J. G.
Quantitative image analysis and interferometry to optimize ceramic polishing conditions. 64-02612A
- McNaught, W. G. See Hill, R.
- McNeil, John R.; Al-Jumaily, G. A.; and Jungling, K. C.
Properties of TiO₂ and SiO₂ thin films deposited using ion-assisted deposition. 64-05164A
- McNeil, Thomas J.; Cole, Robert; and Subramanian, R. Shankar
Surface-tension-driven flow in a glassmelt. 64-06330A
- McNellis, Robert L. See Emmett, Manley D.
- McPherson, R.
Model for the thermal conductivity of plasma-sprayed ceramic coatings. 64-04684A
- McPherson, R.; and Houghton, M. E.
Yttria-partially stabilized zirconia plasma-sprayed coatings. 64-07193A
- McPherson, R.; and Shafer, B. V.
Spherulites and phase separation in plasma-dissociated zircon. 64-01905A
- McSweeney, Robert T.; and Long, Stanley A.
Low-fire ceramic dielectric compositions for multilayer ceramic capacitors. 64-03883P
- McVay, Gary L. See Pederson, Larry Robert; Shade, J. W.
- McVey, Charles I.
Ceramic seal [frit] for high-pressure sodium vapor lamps. 64-00347P
- McWhinnie, Harold J.
Cone 3-6 data bank glazes. 64-06510A; Glazes for medium and high firing. 64-01671A
- Meadus, F. Weldon See Sparks, Bryan D.
- Mechev, V. V. See Avtuhov, V. V.
- Mediani, R. See Maris, Z.
- Medvedev, B. A.; Parshkov, O. M.; and Silkina, T. G.
Processes of amplification and laser action in alkali-halide crystals with electronic color centers. 64-05951A
- Medvedovskaya, E. I. See Balkevich, V. L.
- Meuwissen, T. P. M. See Spierings, G. A. C. M.
- Megahed, A. A. See Gohar, I. A.
- Meglen, Joseph L. See Lenoe, Edward M.
- Megles, John E., Jr. See Beall, George H.
- Meguro, Kazunori See Inoue, Susumu
- Mein, Peter G.
Process for recovering cesium from cesium alum [Cs-Al-(SO₄)₂]. 64-01510P
- Meiners, L. G.
Electrical properties of Al₂O₃ and Al₂O₃/P₂O₅ dielectric layers on InP. 64-05081A
- Meinert, Leo L. See Rymarchuk, Nicholas M.
- Meinholt, R. H. See MacKenzie, K. J. D.
- Meinholt, R. H.; MacKenzie, K. J. D.; and Brown, I. W. M.
Thermal reactions of kaolinite studied by solid-state ²⁷Al and ²⁹Si NMR. 64-07053A
- Meinking, William E. See Kaniuk, John A.
- Meislitzer, Karl H.; and Hauser, Wigbert
Saggar furnace [for dental porcelain]. 64-04192P
- Mein, Yu. V. See Vadbolskii, S. L.
- Meisgaard, Hans L.
Fiber treatment oven. 64-06973P
- Mellander, B. E.; and Lazarus, D.
Activation volumes in the high-temperature region for silver chloride and silver bromide. 64-04523A
- Mellen, Robert H., Sr.
Method of providing a dynamic temperature gradient. 64-06965P
- Melling, Peter J.
Alternative methods of preparing chalcogenide glasses. 64-00142A
- Melling, Peter J.; Karkhanis, S. N.; and Fyfe, W. S.
Hydrothermal leaching behavior and properties of sodium-calcium aluminophosphosilicate glasses. 64-00195A
- Melling, G. B. See Bjorklund, W. J.; Blair, H. T.
- Melling, G. B.; Perez, J. M., Jr.; and Pope, J. M.
Small-scale glass meter tests using alkoxide/hydroxide slurry feeds containing simulated West Valley [NY] waste. 64-05348A
- Mellors, Geoffrey W.
Manganese dioxide and process for the production thereof. 64-01153P
- Melngailis, Ivars See Leonberger, Frederick J.
- Meinik, N. N. See Azimov, S. A.
- Meinikov, A. D. See Kuznetsov, Yu. D.
- Meinikov, D. K. See Sokolova, E. V.
- Meinikova, I. G.; Razzol'skaya, I. V.; and Shcherbinova, V. A.
Multilayer refractories for glassmelting. 64-02153A
- Meinikova, O. V.; Vladimirovskaya, L. E.; and Udakov, Yu. P.
Fusibility diagrams of the system Me₂O-La₂O₃-Ta₂O₅ [Me = Li, Na]. 64-05711A
- Meinitskii, V. V. See Gorbachev, V. V.
- Melo, F. E. A. See Lemos, V.
- Meltz, Gerald See Cullen, Donald E.
- Meltz, Gerald; Newman, Leon A.; and Dunphy, James R.
Forward scattering laser [gas carried] particulate sensor. 64-02636P
- Memmi, Massimo See Bruno, Roberto
- Mencak, Lubos See Kutzendoerfer, Jaroslav
- Mendel, Eric See Basi, Jagtar S.
- Mendelson, Mel I. See Veltri, Richard D.
- Mendes Filho, J. See Lemos, V.
- Mendiola, A. See Garcia Casado, P.
- Mendiola, J. See Alemany, C.
- Mendiratta, Madan G. See Mah, Tai-I
- Mendiratta, R. G. See Puri, R. K.
- Mendyk, E. See Leboda, R.
- Menessy, Iuliu See Cristea, Viorel
- Meng, Z. Y.; Sun, Y. M.; and Cross, Leslie E.
Electrostriction tensor components of alkaline-earth fluoride single crystals. 64-05917A
- Meng, Z.-y.; Kumar, U.; and Cross, Leslie E.
Electrostriction in lead lanthanum zirconate-titanate ceramics. 64-06685A
- Menis, D. L. See Mabie, C. P.
- Men'kova, E. R. See Balkevich, V. L.
- Mennemann, Karl See Speit, Burkhard
- Mennemann, Karl; and Grabowski, Danuta
Highly refractive, ThO₂-free optical glasses having refractive indices of 1.86-1.94 and Abbe-index numbers greater than or equal to 30. 64-00255P
- Menschner, Rolf; and Fischer, Robert
Metal effect glazes for ceramic bases. 64-03741P
- Meraikib, M.; and Friedrichs, H. A.
Decarbonization of limestone, dolomite, and magnesite. 64-00463A
- Mercandante, Ottorino N.
Plate or the like. 64-01689P; 64-01688P
- Mercandalli, Louis M. See Crosset, Michel; Pribat, Didier

- Mercier, A. M. See Auriat, N.
 Mercier, Robert A.; and Criscione, John M.
 Nuclear graphite. 64-07264P
 Mercurio, J. P. See Ziad, A.
 Meriani, Sergio See Lucchini, Elio
 Meriani, Sergio; Lucchini, Elio; and Monte, V.
 Crystallization of ZnO-Al₂O₃-SiO₂ glass fibers. 64-06175A
 Meriaux, E. See Boinet, J.
 Merkin, A. P.; Zelfman, M. I.; and Shenkao, M. A.
 Production technology and properties of self-glazing ceramic tiles. 64-00612A
 Merkle, Frank P.
 Suspended roof construction for industrial furnaces. 64-01111P
 Merkle, Larry D.; Koumvakalis, N.; and Bass, M.
 Laser-induced bulk damage in SiO₂ at 1.064, 0.532, and 0.355 μ m. 64-01866A
 Merkulov, A. N.; Aglyukov, Kh. I.; and Lesnikov, V. V.
 Effectiveness of the underground mining of [Russian] magnesite. 64-01126A
 Merritt, Rich
 Update on temperature monitoring and control equipment [products in 1983-4]. 64-02624A
 Merritt, W. R. See Poag, D. W.
 Mersmann, Theo See Kargol, Juergen
 Merrens, K. K. See Bogoyavlenskii, K. N.
 Merz, Kenneth M.
 Thick film [glass, Fe, Pd] temperature-sensitive device and method and material for making the same. 64-06674P
 Merz, M. See Krockel, H.
 Mesnyankina, S. L. See Dobrovinskii, R. Yu.
 Messer, Johannes See Koenig, Wilfried
 Messerly, Michael J. See Bovard, Bertrand; Saxe, Steven G.
 Messerschmidt, U.; Schmidt, U.; and Imura, T.
 X-ray topography study of crack-induced dislocations in MgO single crystals. 64-04574A
 Messier, Donald R.; and DeGruen, Eileen J.
 Thermal decomposition in the system Si-Y-Al-O-N. 64-01265A
 Messina, Anthony See Kingsbury, Charles M.
 Messing, Gary L. See Ciminelli, Renato R.; Ewsuk, K. G.; Gardner, Timothy J.; Kumagai, Masato; Mangels, John A.; Nies, C. W.
 Metzdag, M. M.; Dauby, C.; and Van Cough, L.
 Optical and electron paramagnetic resonance investigations of color instabilities in amber glass as a function of melting temperature and batch redox conditions. 64-00213A
 Metarko, Thomas See Holobick, John D.
 Metselaar, R. See Overduin, G.; Van Dijen, F. K.
 Metzger, D. Scott; and Lebowitz, Samuel F.
 Medical applications of ceramics. 64-07131A
 Metson, J. B. See Bancroft, G. M.
 Meunier, Georges See Devallette, Michel
 Meunier, Gilles See Vio, Lino
 Mews, Hannelore See Vite, Lutz
 Mey, Isabelle See Desgardin, Gilbert
 Meyer, Hans-Robert
 Method of truing of [cBN] grinding disks. 64-00066P
 Meyer, John H.; and Guerra, Salvatore
 Glass spandrel product. 64-00368P
 Meyrick, G. See Bhatena, N.
 Mezentsev, E. P.; Simonov, K. V.; and Kryuchkov, V. A.
 Modernization of a tunnel kiln for firing magnesium and Mg-spinel refractories at 1850°C. 64-02150A
 Miale, Joseph N. See Chang, Clarence D.
 Miale, Joseph N.; and Chang, Clarence D.
 Catalysis over [fluoride-activated] Al₂O₃ and Ga₂O₃ inorganic oxides. 64-04374P
 Miccoli, G. See De Gasperi, P.
 Michael, David J. See Whittemore, Dwight S.
 Michaels, Edwin S. See Sherif, Fawzy G.
 Michalowsky, Lothar See Schoeps, Wolfgang
 Michalowsky, Lothar
 Substrate materials. 64-03832A; Trends in the development of inorganic nonmetallic materials. 64-04364A; See also Kerbe, Friedmar
 Michel, Christian G.
 Dicalcium phosphate dihydrate having improved monofluorophosphate compatibility and process for the preparation thereof. 64-01152P
 Michel, Daniel See Agafonov, V.
 Michel, Frederick A.
 Premix-type burner distributor tip. 64-04188P
 Michel, Horst-Werner
 Apparatus for hardening mold parts made of sand for making metal castings. 64-02237P
 Michelfelder, Sigfrid See Leikert, Klaus
 Michishita, Kazuo See Suzuki, Go
 Micka, Z.; Uchytlova, M.; and Ebert, M.
 Cadmium(II) and mercury(II) selenites. 64-07305A
 Midgley, H. G. See Grounds, T.
 Miedaner, Horst; and Spirk, Herbert
 Blocks or [refractory] bricks for the construction of a two-shell tile stove. 64-00535P
 Mielke, Siegfried See Sander, Wilfried
 Miernik, M.; and Trzebowski, J.
 Abrasive machining of Cr₂O₃ ceramic coatings obtained by plasma spraying. 64-03047A
 Mieskowski, Diane M. See Sanders, William A.
 Mieskowski, Diane M.; and Sanders, William A.
 Microstructure of reaction-bonded silicon nitride consolidated by isostatic hot-pressing. 64-07134A; Oxidation of silicon nitride sintered with rare-earth oxide additions. 64-07139A
 Miettinen, Jorma K. See Lehto, Jukka
 Migot, P. See Vander Poorten, H.
 Miggins, Michael R.
 Hybrid electrical insulator bushing. 64-03874P
 Migliorato, Piero See Dean, Anthony B.
 Migonadzhiev, A. S. See Balandina, V. V.
 Mihalescu, Andrea M.; Barbolescu, Alin; and Gata, Gheorghe
 XRD study of micaceous mineral crystallinity. 64-04230A
 Mihalescu, Mihaila See Cerchez, Lidia
 Mihalescu, Mihaila; Dima, Paul; and Alexenco, Tamara
 Ceramic mass and slip recipes for casting large-size sanitary articles. 64-06507A
 Mihalescu, Mihaila; and Emandi, Marius
 Reusable resource use for majolica tile performance. 64-03731A
 Mihalescu, Mihaila; Gabriel, Iustina; and Gogu, Olga
 Furnace slag use in [faience tile-type] ceramic bodies for interior lining [of buildings]. 64-03722A
 Mihalylfi, Gyula See Lamos, Jeno
 Mihara, Toshihiro; Kusuda, Takao; and Noma, Koichi
 Ceramic [fireclay, fiber, and LiO] burner plate. 64-05606P
 Mihashi, Hiroshi See Anzai, Takanori
 Mikami, Harry M.
 Annual ceramic mineral resources review—chromite. 64-07004A
 Mikeska, Kurt; and Cannon, W. Roger
 Dispersants for tape casting pure barium titanate. 64-00899A
 Mikesova, Jana; Verostova, Anna; and Prilepkova, Hana
 Measuring the thermal conductivity coefficient of the ceramic body under conditions of nonstationary heat passage. 64-04092A
 Mikhailov, M. D. See Gutenev, M. S.
 Mikhailov, M. M.; Dvoretzki, M. I.; and Kuznetsov, N. Ya.
 Coloring of polycrystalline ZrO₂ irradiated with ultraviolet light and electrons. 64-05899A
 Mikhailov, V. I. See Syritskii, A. P.
 Mikhailov, V. V.; Atkarskaya, A. B.; and Eremkina, V. E.
 Absorption spectra of Cr(III)-colored alkaline borosilicate glasses. 64-01806A
 Mikhailullina, G. N. See Sloushch, V. G.
 Mikkelsem, J. C., Jr. See Silin, A. R.
 Miko, Jozsef
 Energy-saving operation of glassmelting furnaces. 64-04789A
 Mikoshiba, Nobuo; Tsubouchi, Kazuo; and Sugai, Kazuyoshi
 Multilayer [Si/SiO₂/AlN] acoustic surface wave device having minimal delay time temperature coefficient. 64-06651P; Surface acoustic wave device using an elastic substrate and an aluminum nitride piezoelectric film. 64-05253P
 Mikulevicius, Cecilya See Rosiek, Genowefa
 Mikulaninets, S. V.; Firtsak, Yu. Yu.; and Sharkan, I. P.
 Evaporation process of indium orthothiophosphate studied by mass-spectrometric method and preparation of its films. 64-05705A
 Milan, David See Bennett, Harold E.; Rainer, Frank
 Milani, E.; and Paroli, P.
 Optical study of hydrogen diffusion in yttrium iron garnet. 64-02475A
 Milberger, Ernest C. See Blum, Patricia R.
 Mildner, D. F. R.; and Carpenter, J. M.
 Normalization of diffraction from porous noncrystalline systems. 64-04741A
 Milevskaya, R. N. See Bobkova, N. M.
 Milewski, John V.
 Method of producing silicon carbide articles. 64-05636P; Producing silicon carbide bodies. 64-01358P
 Milev, D. V. See Conley, J. G.
 Milius, D. See Rasmussen, M. D.
 Miljkovic, L. See Schreiner, L. A.
 Mill, B. V. See Kaminski, J. J.
 Mill, B. V.; Butashin, A. V.; and Ellera, A. M.
 Germanates with the structure Ca₂Ga₂Ge₂O₁₀. 64-00664A
 Millar, Colin A. See Payne, David B.
 Millard, Michael L. See Hurst, Janet B.; Watson, Gordon K.
 Miller, Allen C.
 Corning-Chinese team builds a unique TV bulb plant. 64-04780A
 Miller, Charles H.
 Cementitious compositions and methods of making same. 64-01770P
 Miller, David G.
 Lead attachment for an acoustic transducer. 64-00845P
 Miller, Dennis J. See Lee, Hong H.
 Miller, Edward A.
 Distributor tube for CVD reactor. 64-04031P
 Miller, F. M.
 Application of optical microscopy for evaluation of mix burnability and clinker formation. 64-06858A
 Miller, Jeffrey T.; and Nevitt, Thomas D.
 Cadmium- and thorium-containing [refractory oxide-based] catalyst. 64-05597P; Cadmium-containing [borosilicate-based] catalyst. 64-05598P
 Miller, John H. See Ramge, Dennis L.
 Miller, R. L. See Welch, J. M.
 Miller, Richard; and Rizer, Janine M.
 Rapid-set lightweight cement product. 64-03415P
 Miller, Robert A.
 Oxidation-based model for thermal barrier coating life. 64-00104A; See also Berndt, Christopher; Liebert, Curt H.
 Miller, Robert A.; Agarwal, Pankaj; and Duderstadt, E. C.
 Life modeling of atmospheric and low-pressure plasma-sprayed [APPS and LPPS] thermal-barrier coating. 64-04681A
 Miller, S. N. See Zyat'kova, L. R.
 Miller, Stephen B.; Stewart, Ronald L.; and Thompson, David A.
 Process [vapor phase] for making sintered glasses and ceramics. 64-03541P
 Miller, Stephen J. See Mayer, Jerome F.
 Miller, William L. See Schwartz, Murray A.
 Miller, William R.; and Prasad, Chandrika
 Process for controlled braze joining [to ceramic package] of electronic packaging elements. 64-06660P
 Millere, I. See Kliava, J.
 Millette, James R.; Logsdon, Gary S.; and Clark, Patrick J.
 Evaluating the condition of asbestos-cement pipe. 64-04637A
 Millington, Philip
 Water management. 64-02532A
 Milloy, F. See Abderrazik, G. Ben
 Mills, D.
 Dissolving ceramic [foundry core] materials. 64-00543P
 Mills, David; Kingdon, Alan D.; and Lovell, Philip J.
 Refractory [ZrO₂-containing] articles and the method for the manufacture thereof. 64-06498P
 Milne, David J. See Cresswell, Pearson J.
 Milne, S. J.; and West, Anthony R.
 Conductivity of Zr-doped Na₂PO₃—a new Na⁺ ion conductor. 64-00642A
 Miloslavskii, A. G. See Suntsov, N. V.
 Milovanov, A. P. See Kleschevnikov, A. M.
 Milverton, David R. J. See Bowman, Roger
 Mirmura, Mitsutoshi See Oku, Susumu
 Minachev, K. M.; Kondratiev, D. A.; and Borodkin, A. Yu.
 Role of structural factors and acidity in the transformations of alkylaromatic hydrocarbons over high-silica zeolites. 64-05574A
 Minaev, V. S. See Vikhrov, S. P.
 Mingawa, Shoichi See Okamoto, Takeshi
 Mingawa, Yukinori; and Yaguchi, Masachika
 Process for preparing a phosphor. 64-01509P
 Minai, Kiichi See Wakino, Kikuo
 Minaki, Toshihiro
 Inorganic fibers for thermal insulation in high-temperature applications. 64-03645A
 Minakuchi, Hiroyoshi See Karatani, Hajime
 Minamibuchi, Yoshikazu See Hamamoto, Fujio
 Minato, Akira See Nakanishi, Takeshi
 Minato, Minoru See Noguchi, Akio
 Minderhoud, Johannes K. See Hoek, Arend
 Mingo, William L. See Dorazio, Raymond E.
 Minichelli, D.; Ricciardello, F.; and Sbalzero, O.
 Characterization of slurries from ceramic glazes fired at low temperature. 64-01117A
 Minkin, L. M. See Golubentsev, A. F.
 Minkina, V. N. See Sychev, M. G.
 Minnema, Lester C.; and Perry, Jack I.
 Replaceable finger elements for transporting hot glass articles. 64-00421P
 Minner, Henry B. See Dodds, Robert E.
 Minnis, Mary M.
 Automatic point-counting method for mineralogical assessment. 64-01115A
 Minnix, L. M. See Schreiber, Henry D.
 Minokami, Tadashi See Kawakubo, Fumio
 Mireev, V. A. See Safonov, V. V.
 Mireev, V. A.; and Safonov, V. V.
 System KCl-PdCl₂-ZnCl₂. 64-05834A
 Mirogorski, A. P. See Vodop'yanova, V. P.
 Mironova, M. K. See Markov, G. A.
 Mironichenko, O. Ya.; and Mombelli, V. V.
 Ir spectra and structure of glasses in the system Na₂O-V₂O₅-P₂O₅. 64-03281A; Ir spectra and the structure of tungsten-vanadate-phosphate glasses. 64-04805A
 Miroshnik, L. V.; Boyarina, I. L.; and Lobko, Z. I.
 Preparation of bodies for corundum articles used during the growth of single crystals [of Al₂O₃]. 64-02944A
 Mirova, T. V. See Svetlov, V. A.
 Misawa, Yutaka
 Effects of additives on ZnO-B₂O₃-SiO₂ passivation glasses. 64-03239A
 Misawa, Yutaka; Hachino, H.; and Hara, S.
 Surface charges in a ZnO-B₂O₃-SiO₂ glass-silicon [capacitor] system. 64-00711A
 Misczyk, Gerald P.
 Fatty acid emulsion and coating of glassware therewith. 64-07411P; See also Hogan, P.
 Miso, Ellen V. See Aronson, James R.
 Mishchenko, V. I. See Smetanina, A. N.
 Mishima, Shoji; and Nakajima, Tsuyoshi
 Determination of acidic properties of various aluminas by the Benesi method vs other methods. 64-01825A
 Mishima, Y.; Hirose, Masataka; and Osaka, Yukio
 Direct photochemical deposition of SiO₂ from the Si₂H₆ + O₂ system. 64-02297A
 Mishin, V. V. See Evdokimov, A. A.
 Misiuk, A. See Beensh-Marchwicka, G.
 Misono, Masayoshi
 Color picture tube [with bead glass separating electrodes]. 64-01978P
 Misra, Channakya
 Production of alumina from aluminum-containing mineral ores with sodium bicarbonate. 64-01167P
 Misra, Dwarika N. (Editor)
 Adsorption and Surface Chemistry of Hydroxyapatite. 64-01626B

- Mitsui, Teruo; and Oono, Yoichi
Electrophotographic photosensitive Se or Se alloy doped with oxygen. 64-06616P
- Mitsui, Seiko
Chemical durability of fluoride glasses in the BaF₂-GdF₃-ZrF₄ system. 64-01813A; See also Ohishi, Yasutake
- Mitsui, Seiko; Ohishi, Yasutake; and Takahashi, Shiro
Fabrication of low-OH and low-loss fluoride optical fiber. 64-03439A
- Mitsui, Soshu; See Ozaki, Yoshiharu
- Mitsui, Yukio
Ultrafine particles and their application for catalysts. 64-02841A
- Mitchell, Bruce R.; and Vogel, Roger F.
Vanadium passivation in a hydrocarbon catalytic cracking process. 64-07300P
- Mitchell, Gordon L.; and Tressler, John H., III
Optical imaging device and method. 64-03536P
- Mitchell, James S.; See Forster, Arthur D.
- Mitchell, Philip G.
Stirring device for sand mill. 64-04063P
- Mitchell, T. E.; See Kinoshita, Chiken; Lee, W. E.; Lou, V. L. K.
- Mitchell, William D.; and Maxwell, Donald J.
Fabrication of structural cellular glass. 64-00293A
- Mitt, Todor
See Bozadzhiev, Ljudmil
- Mit'lin, V. M.
Formation mechanism of the refractive index gradient of a glass during heat treatment with variation in temperature along the cross section of the sample. 64-03441A; See also Arkhipova, Z. L.
- Mitsuo, Mamoru
Nonoxide ceramics. 64-05566A; See also Izumi, Fujio
Mitsuo, Mamoru; Hirotsuki, N.; and Mitsunishi, Takafumi
Thermal conductivity of α -SiO₂ ceramics. 64-04356A
- Mitra, G. B.; See Bhattacharjee, S.
- Mitra, N. K.; Ghoshal, S.; and Ghosh Dasgupta, R.
Dehydration-rehydration and other related property changes of aluminosilicate gels. 64-01822A
- Mitra, S. K.; and Parker, J. M.
Molecular dynamics of a soda-silica glass containing fluorine. 64-03305A
- Mitsunishi, Takafumi
See Mitomo, Mamoru
- Mitsunishi, Kenji
See Toda, Masumi
- Mitsui, Akihito
See Yamaguchi, Osamu
- Mitsui, Haruo
See Kawakami, Tatsuo
- Mitsunuma, Yoshio; and Seki, Shoji
High-voltage glazed porcelain insulators. 64-00757P
- Mitsuya, Tsuneo
See Kikabatake, Makoto
- Mitsuya, Tsuneo; Owa, Shosuke; and Inoue, Ritsuo
Surface acoustic wave transducer using a split-finger electrode on a multilayered (α -Al₂O₃ and ZnO piezoelectric) substrate. 64-03946P
- Mitsuya, Tsuneo; and Wana, Kiyotaka
Synthesis of piezoelectric ZnO film. 64-02438A
- Mittelschmidt, Robert A.
Microwave oven [ceramic capped] quartz lamp heaters. 64-02394P
- Mittelschmidt, Robert A.; and Macchese, Gregory W.
Ceramic blinders for a microwave oven quartz lamp. 64-03851P
- Mittler, Mathias
Arrangement for preventing [screen printing] screen deformation. 64-04022P
- Mityakha, P. L.; See Strelou, K. K.
- Miyra, Eiji
See Hashiba, Minoru
- Miyra, Hirohisa; Satou, Hiroshi; and Natsume, Toshio
Metal-core ceramic-surface fine powder material and apparatus and method for making it. 64-06152P; Method for making composite material including matrix metal and metal-cored ceramic-surface fine powder material. 64-05628P
- Miyra, Kazumori; Hattori, Yoshinori; and Matsumoto, Yasushi
Process for the production of silicon nitride sintered bodies. 64-07280P; Sintered silicon nitride products and processes for fabrication thereof. 64-05656P
- Miyra, Kenzo
See Takahashi, Juhei
- Miyra, Masao
See Iwai, Tadashi
- Miyra, Mikiro; Arimoto, Hiroshi; and Maruta, Hiroshi
Lattice dynamics of calcium oxide. 64-04564A
- Miyra, Morimichi
See Miyamoto, Akira
- Miyra, Norio
See Kotera, Noboru
- Miya, Hideo
See Fujii, Shuzo
- Miyachi, Kenji; Okabe, Yasuo; and Hojo, Junichi
Sintering of ultrafine silicon carbide powders by using boron and carbon as sintering aids. 64-01256A
- Miyagawa, Soji
See Miyagawa, Yoshiko
- Miyagawa, Soji; Ato, Yasuo; and Miyagawa, Yoshiko
Ion implantation of helium in silicon carbide: I. Trapping and gas reemission. 64-07125A; Ion implantation of helium in silicon carbide: II. Effects of depth profile on surface damage. 64-07126A
- Miyagawa, Yoshiko
See Miyagawa, Soji
- Miyagawa, Yoshiko; Ato, Yasuo; and Miyagawa, Soji
Computer simulation of range and damage distributions of He ions in SiC. 64-05901A
- Miyakawa, Yukio
Silver-metal oxide alloy electrical contact materials. 64-00808P
- Miyake, K.; Kaneko, H.; and Sano, M.
Physical and electrochemical properties of the amorphous and crystalline tungsten oxide thick films prepared under reducing atmosphere. 64-03814A
- Miyake, K.; Kaneko, H.; and Sordomi, N.
Physical and electrochemical properties of rf-sputtered tungsten oxide films. 64-00690A
- Miyamoto, Akira; Miura, Morimichi; and Sakamoto, Kenji
Development of germanium oxide media for the production of concentrated hydrogen by the steam-iron process. 64-04256A
- Miyamoto, Hidekazu; Shiota, Yoshimi; and Maeda, Mamoru
Method for coating a semiconductor device with a phosphosilicate glass. 64-04858P
- Miyamoto, Hiroki
See Taguchi, Hideki
- Miyamoto, Seigo
See Yanadori, Michio
- Miyamoto, Yoshinari
See Yamada, Osamu
- Miyamoto, Yoshinari; Kozumi, Mitsuo; and Yamada, Osamu
High-pressure self-combustion sintering for ceramics. 64-02774A
- Miyama, Junichi
See Moritoki, Masato
- Miyama, T.; See Takeuchi, N.
- Miyazaki, Motoaki; and Tondo, Kenzi
Combustion controlling apparatus. 64-01050P
- Miyano, Haruo
See Uchibori, Hideo
- Miyao, Kunihiko
See Uchikawa, Fusaoki
- Miyashita, M.; Yoshikawa, J.; and Hashimoto, F.
Producing an abrasive layer on a grinding wheel by electrodeposition. 64-06019P
- Miyashita, Yomo
See Kashima, Masao
- Miyata, Noboru
Fracture mechanics property evaluation of ceramics—an overview. 64-05922A
- Miyata, Shigeo; Hirose, Toru; and Okada, Akira
Processes for the production of slaked lime and magnesium hydroxide. 64-01166P
- Miyata, Shigeo; Okada, Akira; and Hirose, Toru
Fibrous magnesium oxide and process for production thereof. 64-05018P
- Miyata, Shiroshi
See Shinohara, Kunio
- Miyatake, Hajime
See Kasuga, Akira
- Miyasaka, Katsuki; Kanehori, Keiichi; and Kudo, Tetsuichi
Lithium oxide-based amorphous ionic [in Li₂O, SiO₂, ZrO₂, system] conductor. 64-00256P
- Miyasaka, Michihiro
See Takai, Mikio
- Miyasaka, Masaru
See Saito, Shinichiro
- Miyasaka, Masaru; and Yanagida, Hiroaki
Dependence of grain-boundary resistivity on grain-boundary density in yttria-stabilized zirconia. 64-01195A
- Miyazaki, Mutsumi
See Yatsuda, Hisao
- Miyazaki, Yasumitsu
See Yamaga, Mitsuo
- Miyazaki, Yuji
See Kamagashira, Naoki
- Miyazawa, Kokiichi; Nakata, Kazuo; and Ishikawa, Tsuneo
Process for the production of cobalt-containing magnetic iron oxide powder. 64-03978P
- Miyazawa, Shintaro; Nishii, Yasushi; and Tada, Kohji
Process for manufacturing boron-doped gallium arsenide single crystal. 64-06661P
- Miyazawa, Takashi
Defect-detecting method [for bottles] and apparatus. 64-04113P
- Miyoshi, Kazuhisa
See Buckley, Donald H.
- Miyoshi, Takahito; Fujiyama, Masaki; and Okuta, Toshimitsu
Magnetic [Sn oxide] recording medium. 64-06730P
- Miyoshi, Takahito; Okuta, Toshimitsu; and Fujiyama, Masaki
Magnetic recording [fine ceramic] medium. 64-00869P
- Mizukawa, I. B.; See Dubrovina, I. V.; Trishchuk, L. I.; Vengeli, P. F.
- Mizokami, Nobuo
See Tokutake, Kunihiko
- Mizokawa, Takumi; and Suzuki, Fumitaka
Method for measuring integrated weight of particulate feed material. 64-02562P
- Mizonov, V. M.; See Plastinin, V. M.
- Mizrah, Tiberiu; Heilig, K.; and Hoffmann, M.
Sintering without pressure of fine ceramics containing SiC. 64-07172A
- Mizrah, Tiberiu; Hoffmann, M.; and Gauckler, Ludwig
Pressureless sintering of α -SiC. 64-02812A
- Mizrah, Tiberiu; Schepers, Bernhard; and Schroeder, Bernhard
Process for manufacturing crystalline alumina. 64-02894P
- Mizuguchi, Kazuhiko
See Nishikawa, Kazuyuki
- Mizuhata, Mamoru; and Gotoh, Yoshio
Glass body provided with an alkali diffusion-preventing silicon oxide layer. 64-01930P
- Mizunuma, Tatsuya
See Hattori, Kenichi
- Mizunuma, Seiji
See Inada, Tomoki
- Mizuno, Chikao
See Ogawa, Hiroshi
- Mizuno, Haruki
See Mizuno, Shigeru
- Mizuno, Hisayuki
See Iwai, Tadashi
- Mizuno, Masaki
See Fukushima, Shigeyoshi
- Mizuno, Shigeru; Suzuki, Masahiko; and Mizuno, Haruki
Press-molding process for preparing a powder compact. 64-05394P
- Mizusaki, Junichiro
See Matsura, Takashi
- Mizuta, Susumu
See Kumagai, Toshiya
- Mizuta, Yasutoshi
See Watanabe, Akira
- Mizutani, N.; Garratt-Reed, A. J.; and Kingery, W. David
Grain boundary segregation of iron, chromium, and scandium in polycrystalline magnesium oxide. 64-04462A
- Mizutani, Nobuyasu
Ceramic education in Japan—the state of ceramics development and its relationship to education. 64-05977A; See also Uematsu, Keizo
- Mkrtchyan, S. A.; See Zhukov, E. G.
- Mocellin, A.; See Fridez, J. D.
- Mochida, Takaaki
See Yoshino, Shigeo
- Mochizuki, Takao
See Kamata, Kiichiro
- Mocylarz, S.; See Bochynski, Zenon
- Modes, Christina; Mueller, Wolfgang F.; and Seeger, Margarete
Hydration behavior of low-iron-magnesia materials. 64-02121A
- Modlich, Erich
See Kastl, Hans
- Modlin, Robert A.
Natural gas—period of ample supply, increased efficiency, and stable prices. 64-04155A
- Moeddel, Dietrich
Quality assurance in glass container production—possibilities and limitations: I. 64-01966A; Quality assurance in glass container production—possibilities and limitations: II. 64-01967A; Quality assurance in glass container production—possibilities and limitations: III. 64-01968A; Quality assurance in glass container production—possibilities and limitations: IV. 64-03475
- Moeller, H.-Joachim; and Weisch, Gerhard
Sintering of ultrafine silicon powder. 64-07501A
- Moerschel, Kenneth G.
Methods of highlighting pinholes in a surface layer of an article. 64-06913P
- Mohamed, A. A.; See Abou-Saif, E. A.
- Mohana, Ashok; and Savitri, K.
Microstructural study of laser-drilled holes in alumina substrates. 64-02795A
- Moharil, S. V.; See Deshmukh, B. T.
- Mohr, Robert K.; See Mukherjee, Shyama P.
- Mohri, Junichi
See Kakegawa, Kazuyuki
- Moir, Douglas N.
Size reduction. 64-04014A
- Molres, Jacques
See Grandjacques, Benoit
- Molisek, V. G.; See Zalkin, I. O.
- Molisev, G. K.; Votolin, N. A.; and Popov, S. K.
Formation of solid solutions in the systems Nb-C-(Ti,Zr,W) during high-temperature reaction between oxides and carbon. 64-01214A
- Molisev, V. E.; See Galkin, V. M.
- Molisev, V. V.; See Kleshechenko, A. M.; Zykova, T. A.
- Moltra, A. K.; See De, Ashok
- Mokhort, V. N.; Sidorenko, A. I.; and Poznanek, O. I.
Production of SiC-containing saggars based on Al-Cr phosphate binder. 64-00500A
- Mokhosov, M. V.; See Khakulov, Z. L.; Shurdumov, G. K.
- Mokhov, E. N.; See Vodakov, Yu. A.
- Mokhanov, V. S.; See Fedorova, L. V.
- Molenaar, Ronald N.; See Ploegert, Hendrikus T.
- Molnelli, Joyce E.; See Tomozawa, Minoru
- Molnelli, Joyce E.; Tomozawa, Minoru; and Takata, Masamune
Sodium transport in the Na₂O-H₂O-SiO₂ glass system. 64-04754A
- Moller, K.; See Wiskott, B.
- Moller, K. D.; See Chandler, Ian R.
- Mollic, Joseph T.; See Brashears, David F.
- Molman, Robert E.; and Silva, Ralph
Electrically [C-black- and oxide pigment-doped] conductive fiber glass articles and sheets. 64-05211P
- Molochkov, V. A.; See Materikin, Yu. V.
- Molodovskaya, E. K.; Enn, V. T.; and Karimov, I.
Phase transformations in Ta-N. 64-05777A
- Mombelli, V. V.; See Miroshnichenko, O. Ya.
- Monaghan, George J.
Apparatus and methods of operation for converting fly ash into high-quality mineral wool. 64-01974P; High-quality [fly ash-derived] mineral wool. 64-04852P
- Monden, Norbert
Method of and apparatus for making a [glass] parison. 64-06379P
- Monma, Hideki; and Ueno, Seichi
Uptake of cadmium(II) and copper(II) ions by calcium phosphates. 64-00062A
- Monosi, Saveria
See Collepardi, Mario
- Monte, V.; See Meriani, Sergio
- Montgomery, Lionel C.
Process for improving the high-temperature flexural strength of titanium diboride-boron nitride. 64-07267P
- Moody, B. E.
Effects of legislation on the competitiveness of glass. 64-04579A
- Moody, Gerald W.
Apparatus for cutting ceramic tile. 64-05375P
- Mool, John
Preparative process for alkaline-earth metal, aluminum-containing spinels. 64-01507P
- Mooney, Diane
Low-free surface effects. 64-06522A
- Moon, Edward L.; See Koenig, Alan R.
- Mooradian, Gregory C.; and Stotts, Larry B.
Method for determining in situ the absorption coefficient of particulate media using pulsed laser technique. 64-01064P
- Moore, Duncan T.
GRIN IV—gradient index optical imaging systems. 64-00298A
- Moore, J. C.
Joining silicon nitride to metals. 64-07236P
- Moore, Robert L.; See Christensen, Richard G.
- Moore, Thomas J.
Feasibility study of the welding of SiC. 64-07103A; See also Watson, Gordon K.
- Moortgat-Hasthorpe, G.; See Vander Poorten, H.
- Moorthy, P. A.; Krishna; and Shivakumar, G. K.
Growth of crystalline bismuth triulphide films. 64-01409A
- Moorthy, V. K.; See Dalvi, P. Y.
- Morales, J.; See Criado, J. M.
- Moran, P. J.; See Hankey, Dana L.

- Moran, P. L.**
Review of distributed RC thick-film components. 64-00704A
- Moravcik, Alfons** See Bouse, Vaclav
- Moravcik, Jiri**
Intensification of the casting process. 64-04003A
- Moravskaya, T. M.** See Shul'ga, Yu. M.
- Moreau, Raymond** See Darbon, M.
- Moreau, Raymond; and Jeanvoine, Pierre L.**
Sealing and corrosion resistance of glass tank bottoms. 64-02206A
- Moreau, Raymond; and Tackels, G.**
Electrocast refractories and energy savings. 64-02109A
- Moreno, Robert** See Twigg, S. Warren
- Moreno, A.; Sanchez-Carpintero, I.; and Iniguez, J.**
Chlorite deposits of Navarra [Spain]—mineralogy. 64-07028A
- Moretti, C.**
Raw materials used by the Murano [Italy] glassmakers in the nineteenth century. 64-00016A
- Moretti, Enrico; Zamboni, Valentino; and Le Van Mao, Raymond**
Process for synthesizing zeolites having a mordenite structure and having high catalytic activity. 64-07274P
- Morgan, George M.; and Hinkens, Dale R.**
Method of cutting glass with a laser and an article made therewith. 64-00983P
- Morgan, John W., II; and Klein, Thomas E.**
Weld insert and refractory anchor. 64-06503P
- Morgan, Peter E. D.**
Identification of $\text{BaO} \cdot \text{Al}_2\text{O}_3 \cdot 2\text{TiO}_2$ in the ternary system $\text{BaO} \cdot \text{Al}_2\text{O}_3 \cdot \text{TiO}_2$ —comment. 64-03785A; Synthesis of 6 nm ultrathin monoclinic zirconia. 64-01262A
- Morgan, Peter E. D.; Harter, Alan B.; and Flintoff, John F.**
Developments in SRP "composite" defense ceramic radwaste forms. 64-03234A
- Morgan, Peter E. D.; and Koutsoutsis, Michael S.**
Phase relations in the Ca-Ti-Al-O systems—further studies on members of the CTA family. 64-07364A; Phase studies concerning sintering in aluminas doped with Ti^{4+} . 64-07365A
- Morgan, Peter E. D.; Shaw, T. M.; and Pagar, E. A.**
Ceramics for high-waste-loaded commercial radwaste disposal. 64-05313A
- Morgensen, G.**
Durability of mineral fibers in various buffer solutions. 64-06180A
- Mori, Giorgio Barboni**
Kiln for firing heavy ceramics. 64-06981P
- Mori, Ichiro** See Ohya, Kaoru
- Mori, Mario; and Gaggiolo, Carlo**
Application of microprocessors to kilns and ceramic manufacturing. 64-05356A
- Mori, Masao** See Sekido, Yasuo
- Mori, Masashi**
Gypsum obtained by reaction between extract from phosphate ores treated with nitric acid and ammonium sulfate: II. Crystal growth by dihydrate process. 64-01721A; See also Toda, Masumi
- Mori, Yukiyoshi**
Process for continuously producing carbon fibers. 64-01349P
- Morinac, C.** See Thierry, B.
- Moriconi, Giacomo** See Collepardi, Mario
- Moridi, G. R.** See Hekmat-Shoar, M. H.; Hogarth, C. A. Moriga, Hiroaki; Uchida, Masao; and Iwashita, Koichi
- Moriga, Hiroaki; Uchida, Masao; and Iwashita, Koichi**
Method for treating metallic or ceramic surfaces at high temperatures. 64-04506P
- Morikawa, H.** See Yin, C. D.
- Morikawa, Takashi**
Development of parts for ceramic turbine for industry. 64-02754A
- Morimoto, Kiyoshi**
Electroluminescent [glass substrate] device. 64-01985P
- Morimoto, Kiyoshi; and Takagi, Toshiro**
Semiconductor [BeO-insulated] device. 64-06667P
- Morimoto, Kiyotake** See Yosomiya, Ryutoku
- Morimoto, Kotaro** See Suzuki, Tomio
- Morimoto, Kotaro; and Suzuki, Tomio**
Combustion method for reducing the emission of nitrogen oxides. 64-06970P
- Morimoto, Mikio**
Surface acoustic wave bandpass filter. 64-02448P
- Morimoto, Tadashi; Harita, Akira; and Ebizawa, Ritsui**
Hardening property and inspection for it on castable refractory constructions—[nondestructive strength-testing method]. 64-03625A
- Morimoto, Tadashi; Harita, Akira; and Imai, Yasuo**
Influence of carbon purity on wear of MgO-C brick. 64-03639A; Wear mechanism of MgO-C bricks used in melting furnaces. 64-05015A
- Morimoto, Tadashi; Harita, Akira; and Nakada, Kinji**
Lance refractory for desulfurization of molten steel. 64-02132A
- Morimoto, Tadashi; Harita, Akira; and Nakata, Kinji**
Improved cast lining for tundish covers. 64-04956A
- Morimoto, Tadashi; Harita, Akira; and Suzuki, Takao**
Improved stability in the structure of zircon bottom brick for teeming ladles. 64-04957A; Improvements in the refractory for RH [rotary hearth] degasser. 64-04960A; Performance results of high-silica Rosaki bricks with varying crystal structure for teeming ladle. 64-03655A
- Morimoto, Takao; Nishikuchi, Kihachiro; and Izumi, Misao**
Heat-insulating refractory material consisting of alkali titanate and silicon resin. 64-03705P
- Morino, Keiji**
Microscopic observations of alkali-reactive aggregates and reaction products. 64-07351A
- Morishita, Noriaki** See Anzai, Takanori; Terada, Osamu
- Morishita, Satoru** See Takahashi, Tetsuo
- Morita, Hiroshi; and Washida, Hiroshi**
Electrochromism of atmospheric evaporated tungsten oxide films (AETOF). 64-03204A
- Morita, Mikio**
Composite [ceramic] materials. 64-02748A
- Morita, Shigetoshi** See Furuchi, Shinji
- Morita, Shinichi** See Toda, Kohji
- Morita, Shinichi; and Toda, Kohji**
Determination of the crystal structure of Pb_2CrO_4 . 64-04529A
- Morita, Takehiro** See Matsuo, Tetsuo
- Moritani, Hiroaki** See Hara, Sadao
- Moritoki, Masao; Fujikawa, Takao; and Kitagawa, Kazuo**
Heater for hot isostatic pressing apparatus. 64-04037P
- Moritoki, Masao; Fujikawa, Takao; and Miyanga, Junichi**
Heater for hot isostatic pressing apparatus. 64-00963P; Method of hot isostatic pressing treatment. 64-00987P
- Moriwaki, Kazuyuki; Suzuki, Minoru; and Murakami, Toshiaki**
Electromagnetic coupling effects in $\text{BaPb}_2\text{Bi}_2\text{O}_{10}$ two-dimensional Josephson tunnel junction arrays. 64-02306A
- Moriya, Takaharu** See Nakamura, Hajime
- Moriyama, Takashi** See Fujii, Shuzo
- Moriyama, Toshiaki**
Amorphous silica and its applications. 64-04772A
- Moriyoshi, Yusuke; Ikegami, Takayasu; and Bando, Yoshio**
Dislocations in MgO . 64-04753A
- Moriyoshi, Yusuke; Ikegami, Takayasu; and Bando, Yoshio**
Morphology of ceramics by TEM. 64-04095A
- Morley, John G.**
Binders for foundry cores and molds. 64-03694P
- Morodin, B.; and Graham, R. A.**
X-ray diffraction line-broadening studies on shock-modified rutile and alumina. 64-02844A
- Moroz, B. I.; and Datsenko, B. M.**
Fusibility of ceramic bodies based on glauconite clays. 64-02704A
- Morozov, A. V.** See Dotsenko, A. V.
- Morozov, B. A.** See Bezlepkin, V. A.
- Morozov, N. A.; and Rukovishnikov, A. I.**
Repolarization in Ba-Sr niobate ferroelectric crystals. 64-03934A
- Morozova, I. S.** See Glebov, L. B.
- Morrill, R.** See Howlett, Stephen P.
- Morris, Frank E.** See Dudro, Harry R., Jr.
- Morris, Horton H.** See Young, Raymond H.
- Morris, Jeffrey R.** See Kaniuk, John A.
- Morris, John R., Jr.** See Braun, Linda; Forte, Susan
- Morris, Nicholas G.** See Abbott, Vaughan
- Morris, Nicholas G.; Kingsbury, Charles M.; and Beckwith, Bruce R.**
Delivery drive for glassware forming machine. 64-05379P
- Morris, R. P.** See Brannon, P. J.
- Morris, Thomas J.**
CRT article of manufacture and process therefore. 64-00346P
- Morrissey, Karen J.** See Carter, Clive B.
- Morrow, Gary D.; and Russell, Robert O.**
Thermal modeling in melt-shop applications—theory and practice. 64-06467A
- Morse, David L.** See Borrelli, Nicholas F.
- Morse, John W.** See Walter, Lynne M.
- Morse, S. A.**
Cation diffusion in plagioclase feldspar. 64-02696A
- Morse, Theodore F.**
Method [laser] of making optical fiber preform. 64-04855P
- Morsi, Morsi M.; and El-Shennawi, A. W. A.**
Physical properties of silicate glasses containing TiO_2 in relation to their structure. 64-03242A
- Morten, B.; and Prudenziati, M.**
Thermal aging of thick-film resistors. 64-00717A
- Mortensen, Sien** See Jensen, Uffe L.
- Mortier, W. J.** See Holand, W.
- Moslamy, F. H.** See El-Hemaly, S. A. S.
- Moschovis, Elias P.** See Angel, Robert E.
- Mosci, R. A.** See Wajdowicz, A. A.
- Moseeva, G. A.** See Koksharov, V. D.
- Moseley, Patrick T.; and Hill, Michael R. H.**
Method of manufacturing a [PbO] positive electrode for a lead acid electric storage cell. 64-05233P
- Moser, Winfried** See Damsen, Eckart
- Moses, Paul** See Fox, Bradley H.
- Moskowitz, Bruce; and Hargraves, Robert B.**
Magnetic cristobalite (?)—a possible new magnetic phase produced by the thermal decomposition of nontronite. 64-02790A
- Moskvin, A. S.** See Likhtenstein, A. I.
- Moss, Hugh** See Almond, P.
- Moss, Ronald W.** See Patten, James W.
- Mosset, Alain** See Galy, Jean
- Mostafa, A. G.** See El-Badry, K. M.; Moustafa, F. A.
- Motee, Akhliro** See Otsada, Kiyoshi
- Motee, Akhliro; Ishido, Yoshikito; and Otsada, Kiyoshi**
Porous magnesia grains: I. Preparation of porous magnesia grains by use of acetic acid droplets. 64-04097A; Porous magnesia grains: II. Trial preparation of heat-insulating magnesia refractories. 64-04098A
- Motomachi, Tsutomu** See Oishi, Izumi
- Motozo, Yasuo** See Shinozaki, Yoshinobu
- Motsinger, Donald L.; and Brown, Daniel G.**
Method for sizing glass fibers. 64-00983P
- Mott, N. F.**
Defects in noncrystalline materials. 64-07317A
- Mottram, William R.; Fisher, Gene A.; and Fehrenbend, Louis**
Method and apparatus for concentrating oxygen. 64-04041P
- Motylewski, J.; and Rancichowski, J.**
Physicochemical properties of materials [studied] by photoacoustic and electroacoustic spectroscopy. 64-05946A
- Motz, Herbert** See Autzen, Horst
- Mouchart, J.; Legler, G.; and Foinis, B.**
Determination of the optical constants n and k for weakly absorbing materials. 64-06867A
- Moulder, J. S.; and Hammond, J. S.** See the structure, save the material.
- Moulin, G.** See Abderrazik, G. Ben
- Moure Jimenez, C.** See Duran, R.
- Moure, Carlos** See Duran, Pedro
- Moustafa, A.** See Laurent, M.
- Moustafa, F. A.** See Abd El-Hadi, Z.; El-Badry, K. M.; Hussein, A. L.
- Moustafa, F. A.; Hussein, A. L.; and Mostafa, A. G.**
Behavior and absorption spectra of divalent nickel ions in some sodium borate glasses and acid solutions. 64-03192A
- Movchan, B. A.; Grechanyuk, N. I.; and Dilikina, G. G.**
Structure and properties of dispersion-strengthened Cr-MgO , $\text{Cr-Y}_2\text{O}_3$, Cr-Y , and Cr-Cu condensates. 64-04690A
- Movnyaga, V. G.** See Pivovarov, A. D.
- Movsum-Zade, A. A.** See Allazov, M. R.; Movsum-Zade, S. A.; Ragimova, V. M.
- Movsum-Zade, A. A.; Allazov, M. R.; and Shakhverdiev, S. Sh.**
System $\text{GeSe}_2\text{-CoSe}_2$. 64-05831A
- Movsum-Zade, S. A.; Allazov, M. R.; and Movsum-Zade, A. A.**
Character of the interaction of SnTe with Ni_3Te_2 . 64-05666A
- Moya, Jose A.; Serra, Carlos J.; and Iglesias, Juan E.**
Formation of mullite from kaolinites. 64-07332A
- Moya, Jose S.** See Osendi, Maria Isabel
- Moya, Jose S.; and Osendi, Maria Isabel**
Microstructure and mechanical properties of mullite/ ZrO_2 composites. 64-02797A
- Moylan, Cornelius T.** See Tregoe, Denis
- Mrkva, Frantisek**
Experimental investigation of bubbles in the process of molten glass pressing. 64-03437A; Multilayer metallic curtains for screening sources of [thermal] radiation. 64-03465A; Surface tension in the process of glass pressing. 64-03489A
- Mross, Wolf D.** See Hoelderich, Wolfgang
- Mrowka, Stanley** See Barbee, Troy W., Jr.
- Mu, Jacob; and Hard, Robert A.**
Simulation study of a phosphate nodulizing [rotary] kiln. 64-01088A
- Mucciarone, A.** See Lagomarsino, S.
- Muchnik, S. V.**
Formation of nickel phosphides in the burning regime. 64-05707A
- Mudry, S. I.** See Klym, N. M.
- Mueller, Craig T.; and Garmire, Elia**
Photorefractive effect in LiNbO_3 directional couplers. 64-03930A
- Mueller, D.** See Rettel, A.; Stade, H.
- Mueller, Dale A.**
Furnace control apparatus having a circulator failure detection circuit for a downflow furnace. 64-04118P
- Mueller, Dieter** See Groth, Rolf
- Mueller, Edward E.; and Jensen, Paul L.**
Apparatus and method for calcining sand. 64-06964P
- Mueller, Erhard; Christ, Richard; and Kroll, Hartmut**
Insertion canister [of graphite brick] for radioactive material transportation and/or storage containers. 64-01316P
- Mueller, Klaus** See Damsen, Eckart; Hutching, Ron; Linder, Ernst
- Mueller, Klemens; Bettziche, Hartmut; and Herzog, Silke**
Admixing of solid fuels in heavy clay bodies for substitution of more expensive fuels and improvement of product properties. 64-03553A
- Mueller, Klemens; Herzog, Silke; and Bettziche, Hartmut**
Influence of porosity produced by combustible materials on the strength of heavy clay products. 64-03568A
- Mueller, M.; Reiss, Helmut; and Vogel, Werner**
Microstructure of binary $\text{B}_2\text{O}_3\text{-SiO}_2$ system glasses. 64-03300A
- Mueller, Werner** See Dausinger, Friedrich
- Mueller, Wolfgang F.** See Modes, Christina
- Mueller-Buschbaum, H.** See Brandt, R.; Jasper-Toennies, B.; Waburg, M.; Wichmann, R.
- Mueller-Buschbaum, H.; and Schneekel, K.**
Compound formation of $\text{MeO-Me}_2\text{O}$: VIII. Preparation and structure of the metastable compound $\text{CaEr}_2\text{O}_{11}$. 64-01520A; Stabilization of the monoclinic B modification: II. Transformation of $\text{C-Er}_2\text{O}_3$ into $\text{B-Er}_2\text{O}_3$ by high-temperature reaction with CaO . 64-01574A
- Mueller-Zell, A.; and Schwarzmeier, R.**
Injection molding of silicon carbide sintered without pressure. 64-02784A
- Muenzer, Rudolf** See Gupta, Ashok K.
- Murridge, Samantha-Jane; and Young, Harvey R.**
Rapid preparation of polished thin sections for cathodoluminescence study of carbonate rocks. 64-04221A
- Muhratzer, August** See Zeilinger, Hans
- Muhratzer, August; Stemmler, Bruno; and Zeilinger, Hans**
Method for the manufacture of deformation resistant oxide protective layers. 64-00126P

- Muhratov, August; Zeilinger, Hans; and Bume, W.
Multilayer coated metallic body. 64-07263P
- Mukae, Kazuo See Murayama, Satoshi
- Mukae, Kazuo; Murayama, Satoshi; and Tsuda, Koichi
Zinc oxide nonlinear resistor. 64-00822P
- Mukai, Yasuo See Takemoto, Junichi
- Mukherji, J.
Indian blast-furnace slag as an additive for acceleration of melting and refining of glass. 64-03454A
- Mukherjee, B.; De, T. K.; and Mukhopadhyay, M. S.
Porous refractory plugs for gas purging. 64-02173A
- Mukherjee, Shyam P.; and Mohr, Robert K.
Light scattering in gel-derived glasses in the $\text{SiO}_2\text{-B}_2\text{O}_3\text{-Na}_2\text{O}$ system. 64-01868A
- Mukherji, J.; and Nandi, A. K.
Melting rate of pellets compared to loose batch. 64-00312A
- Mukhopadhyay, J. See Datta, A.
- Mukhopadhyay, M. S. See Mukherjee, B.
- Mulderson, John
Screens and screening. 64-04013A
- Mullinger, H. O. See Kramer, F.
- Mulky, Forest W., III See Goodwin, John D.
- Mulla, B. A.; and Durstane, V. S.
Structural, electrical, and reflectance studies of the system $\text{ZnMn}_{1-x}\text{Ni}_x\text{Ti}_2\text{O}_7$. 64-02338A
- Mulla, B. A.; Jain, P. S.; and Deshpande, K. A.
Oxidic spinel system $\text{ZnMnCrO}_4\text{-CoMnCrO}_4$, synthesized using two different methods. 64-05760A
- Muller, Gabor
Application of coals with low calorific value for cement burning. 64-05462A
- Muller, Peter
Break-out in tunnel kiln wall by fusion drilling with oxygen lance. 64-04143A
- Muller, U. See Schneider, W.
- Muller, Ursula
Comparative studies on determining brightness levels in different grades of whitewash. 64-04075A
- Mullins, J. B. See Irvine, S. J. C.
- Mullinger, Peter J.
Burner design for coal-fired cement kilns. 64-06929A
- Mullins, Oscar See Williams, Richard J.
- Mullis, H. Leon
Glass sight gauge for high-pressure vessel. 64-06978P
- Multan, M. S. See Ayyub, P.
- Munford, Eustace H.
Glass feeder heat baffle. 64-00364P; Glass feeder tube support. 64-06356P; Multiple gob shearing mechanism operating in a straight line. 64-03343P; See also Irwin, George W.
- Munakata, Makoto; Goto, Kimiyoshi; and Shimada, Yutaka
Preparation and magnetic properties of Sm-Co films with high substrate temperatures. 64-03158A
- Mundie, Robert E. See Herman, Dean A., Jr.
- Mundus-Takacsev, A. F.; and Tkachenko, A. A.
Solubility of beryl in melts of vanadium(V) oxide/lead(II) oxide. 64-05804A
- Munn, Robin W. See Cheresnowsky, Michael J.
- Munro, Alexander; Entwistle, Lester; and Green, Hindley
Method of producing [untwisted, continuous] glass fiber product. 64-00397P
- Munro, James B.
Annual ceramic mineral resources review—zircon. 64-07021A
- Munster, Marcela See Balasoiu, Horia; Teoreanu, Ion
- Munz, Dietrich See Fett, T.
- Murakami, Hisashi; and Nishishima, Masaru
Automatic shaving equipment after gunning for [dressing interior surface of large cylindrical] duct. 64-03589A
- Murakami, Kazuhito See Yokota, Minoru
- Murakami, Kazuhito; and Takahashi, Kenichi
Infrared fibers [AgBr/AgCl core-clad]. 64-01992P; Infrared light transmitting [crystalline] fiber and process for producing the same. 64-03655P
- Murakami, Shigeomi See Murakami, Yukihiro
- Murakami, T. V. See Akasaka, T.
- Murakami, Toshiaki See Enomoto, Youichi; Moriaki, Kazuyuki; Suzuki, Minoru
- Murakami, Toshiaki; Enomoto, Youichi; and Inamura, Takahiro
Photodetecting $[\text{BaP...Bi}_2\text{O}_3]$ film device having Josephson junctions. 64-06656P
- Murakami, Yukihiro; Murakami, Shigeomi; and Maeda, Kazumasa
Vertical carbonizing furnace for use in the production of carbon fibers. 64-06995P
- Muraki, Aoshi See Kitajima, Nobuyuki
- Murno, Mikko See Suzuki, Takashi
- Murruks, Shyam P. See Levinstein, Hyman J.
- Murumura, Sadao See Takahata, Kei
- Muruz, Takao See Kato, Nobuhide
- Murase, Yoshio; Kato, Eisuro; and Hirano, Masanori
Fabrication of dense, monoclinic ZrO_2 polycrystals by pressureless sintering. 64-02768A
- Murashov, S. V. See Leonov, N. B.
- Murata, A. See Okuda, Takashi
- Murata, Hiroo See Miura, Mitiko
- Murata, Kazuhide See Aoyama, Fumihiko
- Murata, T. See Kushiida, H.
- Murata, Toshihiro
Application of zirconia sensor for making steel. 64-03748A
- Muratori, Walter; and Venturi, Viviano
Characteristics of some clays quarried in the Baio and Carpineti districts [Reggio Emilia region, Appennines]. 64-01116A
- Murarov, A. V. See Nemilov, S. V.
- Murawski, L.
Ac conductivity in binary $\text{V}_2\text{O}_5\text{-P}_2\text{O}_5$ glasses. 64-06160A
- Murayama, Kocho See Hikosaka, Shinichi
- Murayama, Masayoshi See Otake, Masayuki
- Murayama, Seizo See Suzuki, Naomichi
- Murfin, D.
Refractories research for the steel industry. 64-02198A
- Murguzov, M. I. See Gurshumov, A. P.
- Murguzov, M. I.; Gurshumov, A. P.; and Guliev, M. M.
System SnTe-FeSe . 64-05844A
- Murguzov, M. I.; Gurshumov, A. P.; and Kadyrly, Kh. V.
Cross-sections DyTe-Bi and $\text{Dy-Bi}_2\text{Te}_3$ in the system Dy-Bi-Te . 64-05680A; Physicochemical investigation of the system Yb-Sn-Se . 64-05782A
- Murguzov, M. I.; Gurshumov, A. P.; and Nadzhafova, Z. Z.
Interactions in the systems $\text{SnSe-FeCo}_2\text{NiSe}$. 64-05740A
- Murin, I. V. See Ruban, V. F.
- Murota, Junichi See Nakayama, Satoshi
- Murphy, Joseph R.
Rapidly dissolvable [cement-bonding] silicates and methods of using the same. 64-00266P; 64-07433P
- Murphy, G. J. See King, H. W.
- Murphy, Joseph
Thin-film [metal oxide composite] electroluminescent device. 64-00818P
- Murphy, Kevin M. See Lawrenson, Jack
- Murphy, William C. See Lin, Jui-teng
- Murr, John, Jr. See Kane, James
- Murr, Lawrence E. See Hare, Alan W.
- Murray, M. J. See Hannink, Richard H. J.
- Murthy, S. Ramana; and Rao, T. Seshagiri
Elastic behavior and internal friction of polycrystalline magnesium ferrite. 64-00854A
- Murthy, S. Ramana; Reddy, P. Venugopal; and Rao, T. Seshagiri
Elastic behavior of mixed manganese-magnesium ferrites. 64-02460A
- Muruguraj, P. See Kutty, T. R. N.
- Musa, G.; Popescu, A.; and Niculescu, N.
Thermionic converter with [thick] conductive oxide covered [anode] collector. 64-00720A
- Musca, G. See Pop, G.
- Musick, David E. See Adzima, Leonard J.
- Musil, Adolf See Sebok, Tibor
- Musil, Gary D. See Sadlo, James L.
- Musto, Richard L.; and Kai, Norichika
Direct pulverized [solid]-fuel-fired system. 64-01098P
- Muto, Masahiko See Yamaguchi, Osamu
- Mutoh, I. See Hishita, S.
- Mutsaers, Cornelis A. H. See Boonstra, Alexander H.
- Mutsuddy, Beebhas C.
Hot ceramic extrusion process. 64-00906A; See also Holman, R. A.; Markhoff, Carole J.
- Mutsuddy, Beebhas C.; and Kahn, Luis R.
Practical approach in relating capillary viscosity and spiral-length data for molding ceramic mixes. 64-00925A
- Myasnikova, E. A. See Savitski, E. M.
- Myers, Ronald T.
Method for the lubrication of delivery equipment and molds used in production of glass articles. 64-06826P
- Myokan, Izo See Shindo, Masanari
- Myser, B. O. See Seifert, F. A.
- Nabae, Kiyoyuki See Adachi, Yasuo
- Nabben, Hendrikus J. P. See Joosten, Paul H.
- Nabeshima, Masaru See Murakami, Hisashi
- Naboka, M. N.; Borisova, S. S.; and Tereshchenko, L. D.
Formation and structure of oxysulfide phases in thin films of Ce and Yb sulfides. 64-00663A
- Naboka, M. N.; Palatnik, L. S.; and Sadovskaya, O. A.
Impurity phases in thulium sulfide films. 64-05723A
- Nadeau, P. H.; Wilson, M. J.; and McHardy, W. J.
Interstratified clays as fundamental particles. 64-02709A
- Nadiv, Shmuel See Rapoport, Eliezer
- Nadzhafova, Z. Z. See Murguzov, M. I.
- Nachter, Horst
Influence of the geometry of a U-type furnace on energy requirements and the firing curve. 64-01786A
- Naeerman, Ya. M.; Orlov, A. N.; and Maksimov, Yu. V.
Bronze-graphite bearings in glass-rolling machines. 64-00891A
- Nagae, Hajime See Yamamoto, Ryuschi
- Nagai, Haruyo; and Kuba, Yasuro
Reduction of refractory consumption in continuous casting. 64-04995A
- Nagai, Haruyo; Sato, Takayoshi; and Ide, Hideo
Development of brick for hot-metal pretreatment. 64-02096A
- Nagai, Hiroshi
Primary air supply unit of rotary kiln. 64-04189P
- Nagai, Masatoshi; and Kabe, Toshiaki
Hydrodenitrogenation of condensed heterocyclic nitrogen compounds: IV. Hydrodenitrogenation of aniline on a reduced molybdena-alumina catalyst. 64-02781A
- Nagamune, Hiroyuki See Tanaka, Shunji
- Nagano, Masamitsu
Chemical vapor deposition of SnO_2 thin films on (100) surfaces of rutile single crystals. 64-06546A
- Nagano, Shoji See Isoda, Masao
- Nagao, Tokuo
Optical glass fiber transmission lines coupled junction circulators. 64-02013P
- Nagaoaka, Seichi See Nakano, Kinichi
- Nagar, V. K. See Patel, R. D.
- Nagasawa, Kaya; Tanabe, Manabu; and Yahagi, Kichinosuke
Gamma-ray-induced absorption band at 770 nm in pure silica core optical fibers. 64-01949A; Gamma-ray-induced absorption bands in pure-silica-core fibers. 64-04795A
- Nagase, Y. See Hoshide, T.
- Nagata, Koichi
Ceramic $[\text{Al}_2\text{O}_3]$ body for chromatography and process for preparation thereof. 64-05604P
- Nagata, S. See Kasai, K.
- Nagato, Yoshio; and Kazumori, Soroi
Decorative hard $[\text{TiN- or ZrN-based}]$ golden ceramic article. 64-05914P
- Nagatsuma, Kazuyuki See Takeuchi, Hiroshi
- Nagayama, Hirotsugu See Kawahara, Hideo
- Nagayama, Kunihito See Mashimo, Tsutomu
- Nagayama, Masaichi See Tamura, Hiroki
- Nagel, Lynn See Barbee, Troy W., Jr.
- Nagel, Suzanne R.
Glass vases. 64-05982A
- Nagelberg, A. S. See Hamilton, J. C.
- Nagibin, A. Ya. See Kuznetsov, Yu. D.
- Nagin, A. P. See Vlasenko, V. A.
- Nagi, Martin
Apparatus for discharging solids from a shaft furnace. 64-05474P
- Nagoray, P. G. See Slobodyanik, N. S.
- Nagub, Hussein M. See Blaauw, Cornelis
- Nagy, Andras See Cristoph, Heinrich
- Nagy, Monte L. See Bhatti, Mohinder S.
- Nahara, Akira See Arai, Yoshihiro
- Nahler, H.; and Nassenmann, H.
How the geometrical [U-type] furnace design affects the energy consumption and temperature diagram [energy efficiency comparison]. 64-00092A
- Nak, Ishvertal K.; and Eguchi, Ronald G.
Integrated $[\text{SiO}_2]$ substrate optical waveguide fabrication by ion implantation. 64-06367P
- Naka, Masaaki; Tanaka, Tasaku; and Okamoto, Ikuro
Nonoxide ceramic $[\text{Si}_3\text{N}_4\text{-SiC}]$ joint made with amorphous $\text{Cu}_{20}\text{Ti}_{10}$ and $\text{Ni}_{10}\text{Ti}_{10}$ filler metals. 64-02801A
- Naka, Shigeharu See Suwa, Yoshiko
- Nakada, Ichiro; and Ishihara, Yutaka
Preparation of a quasi-one-dimensional Nb_3S single crystal. 64-02330A
- Nakada, Kinji See Morimoto, Tadashi
- Nakagaki, Shirley See Pires Correa, Waldomiro
- Nakagawa, Junkichi See Kajiki, Hiroshi
- Nakagawa, Koji See Maki, Iwao
- Nakagawa, Mitsuru See Kawai, Kyosuke
- Nakagawa, Takuji See Senda, Atsuo
- Nakagawa, Zenbee See Mamoru, Kenya
- Nakagawa, Zenbee; Roy, Della M.; and White, Elizabeth L.
Expansion and physical properties of MgO - and SiO_2 -fume-modified mortars. 64-04639A
- Nakahara, K. See Takagi, S.
- Nakahara, Motohiro
Optical fibers. 64-01960A; See also Sakaguchi, Shigei
- Nakajima, H. See Yokota, R.
- Nakajima, Junichiro See Hibiyu, Taketoshi
- Nakajima, Tsuyoshi See Mishima, Shoji; Watanabe, Nobuatsu
- Nakajima, Yoshio See Nakamura, Hajime
- Nakamoto, Hiromi See Takahashi, Hiroshi
- Nakamoto, Junji See Togawa, Kazuo
- Nakamoto, Takeshi See Chihara, Kunisuke
- Nakamoto, Takeshi; Yoshida, Tetsujiro; and Suzuki, Toshinori
Current techniques [and repair methods] for refining L. D. converters. 64-02089A
- Nakamura, Akihiko See Iino, Shinji
- Nakamura, H. See Maeda, Mamoru
- Nakamura, Hajime; Nakajima, Yoshio; and Mori, Takaharu
Effect of phase composition in solid electrolytes of $\text{ZrO}_2\text{-8.1 mol\% MgO}$ on oxygen activity measurement in molten steel. 64-02759A
- Nakamura, Hiroshi; Kojima, Seiji; and Washiyama, Masako
Liquid-phase epitaxial growth of ZnSe using Sb_2Se_3 as solvent. 64-03792A
- Nakamura, Kousuke See Matsushita, Yasuo
- Nakamura, Kyuzo; Tani, Noriaki; and Ishikawa, Michio
New perpendicular magnetic film of Co-O by evaporation. 64-02474A
- Nakamura, Masayuki; Tsuruta, Masaaki; and Funabashi, Masahiko
Liquid [tar and pitch] refractory binder. 64-04505P
- Nakamura, Minoru See Yamamoto, Yoshihiro
- Nakamura, Takeshi; and Nishiyama, Hiroshi
Piezoelectric [multilayer ZnO] vibrator device including vibrator element and frame of unitary construction. 64-00795P
- Nakamura, Terutaro; Takashige, Masaaki; and Terachi, Tikaori
Structural, dielectric, Raman-spectral and low-temperature properties of amorphous PbTiO_3 . 64-05180A
- Nakamura, Toshio See Oishi, Izumi
- Nakamura, Totumori; and Koyama, Tamotsu
Unidirectional flexure-type tuning fork crystal vibrator. 64-00851P
- Nakamura, Yoshinori See Sasaki, Yutaka
- Nakanishi, Kenji See Kimura, Kenji
- Nakanishi, Masayuki See Shinmuro, Toshiro
- Nakanishi, Nobuhito See Tanizumi, Shozo
- Nakanishi, Takeshi; Shinomura, Kazuo; and Minato, Akira
Mechanism of wear for magnesia carbon brick. 64-04973A
- Nakano, Harry N.; Ess, Y. Douglas; and Yoshoka, Ernest N.
Waterproofing agents for silica tiles. 64-07403A

- Nakano, Kinichi; Kobayashi, Shigehiro; and Arimoto, Yoshitaka
Influence of reactive aggregate and alkali compounds on expansion of alkali-silica reaction. 64-07342A
- Nakano, Kinichi; and Nagaoaka, Seichi
Properties of cement affecting mortar lining by centrifugal force. 64-06116A
- Nakano, Shojiro
Outline of the National Institute for Research in Inorganic Materials [Japan]. 64-05987A
- Nakashita, Toshio; Kohno, Kenji; and Imura, Takeshi
Electronic properties of post-hydrogenated lightly boron-doped CVD amorphous silicon. 64-05537A
- Nakasone, Masami
See Umeda, Kazuo
- Nakata, A. M.
See Lau, J.
- Nakata, Kazuo
See Miyazawa, Kokichi
- Nakata, Kazuo; Ishikawa, Tetsuo; and Honma, Ichiro
Process for producing cobalt-containing magnetic iron oxide powder. 64-02493P
- Nakata, Kinji
See Morimoto, Tadashi
- Nakatsani, K.
See Chiba, K.
- Nakatsani, Kenji
See Suzuki, Kazumoto
- Nakatsani, Shinichiro
See Kikuta, Seishi
- Nakayama, Satoshi; Takeuchi, Hideaki; and Murota, Junichi
Chemical vapor deposition apparatus. 64-03377P
- Nakayama, Yutaka
See Yamada, Tetsuo
- Nakazato, Tetsuo
See Kitamura, Sakae
- Nakazawa, Mitsuo; Ballo, Arthur; and Lukaszek, Theodore J.
Stress-compensated quartz resonator having ultralinear frequency-temperature response. 64-02446P
- Nakazawa, Tomio
Art and hobbies in [Japanese] life. 64-05975A
- Nakazima, Takeaki
See Yoshimura, Tatsushiro
- Nakhmetov, S. M.
See Rustamov, P. G.
- Nakhodkin, N. G.; Bardamid, A. F.; and Novoshekhov, A. I.
Effects of the angle of deposition on short-range order in amorphous germanium. 64-05913A
- Nakishima, Akio
Applications of sol-gel process in glass and ceramics. 64-05358A
- Nalbandyan, V. B.
See Belyaev, I. N.
- Nambe, Yasutoshi
See Chikano, Toshiharu; Kyoden, Hiroshi
- Nametschi, Naoyuki; Ishibashi, Tanezo; and Furukawa, Kunio
Compaction properties of [refractory] ramming material. 64-02080A
- Nametschi, Naoyuki; Ishibashi, Tanezo; and Matsumura, Tatsuo
Change in direct-bonded MgO-Cr brick used in rotary hearth degassing vessels: III. Study of the relation between Fe₂O₃ content and wear ratio. 64-03597A
- Namkawa, Takashi
See Arakawa, Hideo
- Namikawa, Kazumichi; and Terui, Kenji
Observation of T-wall domains in NiO crystal by an optical double-diffraction method. 64-05431A
- Namizaki, Hirofumi
See Hirano, Ryoichi
- Nambu, Hidesaburo
See Ide, Syoaki
- Nambu, Masao
See Oishi, Izumi
- Nandi, A. K.
See Mukherji, J.
- Nandi, D. N.
Future trends in application of monolithic refractories in the cement industry. 64-02116A
- Nanishi, Yasushi
See Miyazawa, Shintaro
- Napadow, Stanley C.
Spray booth and method of operating same. 64-02571P
- Napier, Norman J.; and Lucas, Pam D.
Stain evaluation with computer color matching. 64-06898A
- Napp, Tracy E.
See Bupp, James R.
- Narcev, V. N.; and Pronkin, A. R.
Electrical conductivity of alkali-metal halide glasses based on Ba metaphosphate. 64-03241A
- Narang, K. C.; and Chopra, S. K.
Alkaline activation of BF₃ steel, and alloy slags. 64-01697A
- Narasaki, Hisatake; and Ikeda, Masahiko
Automated determination of arsenic and selenium by atomic absorption spectrometry with hydride generation. 64-02579A
- Narasimhan, M. D.
See Singh, K. K.
- Narasimhan, Tanjore R.
See Bokil, Delip R.
- Narayan, J.
See Fathy, D.
- Nardin, Michel
See Schultz, Jacques
- Narishige, Shinji
See Kawakami, Kanji
- Narita, Kazuo
See Taya, Akira
- Narta, Frantisek
See Filek, Vratislav
- Narumiyu, Y.
See Ishino, Ken
- Naruo, Kyoichi
See Okita, Tsutomu
- Naruse, Yoichi
Trends of steelmaking refractories. 64-03689A
- Naruse, Yoichi; Fujimoto, Shoichiro; and Ichikawa, Hiroshige
Alumina-SiC-carbon precast block used at the spout in electric-arc furnaces. 64-04918A; Magnesia carbon brick used for electric-arc furnace sidewall. 64-04968A
- Naruse, Yoichi; Fujimoto, Shoichiro; and Kamada, Yoshiyuki
Performance result of magnesia carbon brick for L. D. converter. 64-03654A; Physical and chemical properties of magnesia dolomite carbon brick. 64-03657A
- Naruse, Yoichi; Fujimoto, Shoichiro; and Kamada, Yoshiyuki
Effect of gas blowing on erosion of magnesia carbon bricks: II. 64-04943A
- Naruse, Yoichi; Fujimoto, Shoichiro; and Kiwaki, Sukekazu
Effect of some deflocculants on calcium aluminate cement and its application to castable refractory. 64-03613A
- Naruse, Yoichi; Fujimoto, Shoichiro; and Shikano, Hiroshi
Carbon-containing bricks for ladle slag line. 64-02067A
- Naruse, Yoichi; Fujimoto, Shoichiro; and Tanabe, Tokuya
Magnesia-carbon bricks for refining ladles. 64-02137A
- Naruse, Yoichi; Furumi, Koichi; and Yagi, Takuo
Application of alumina-SiC-carbon brick at the pouring pad of the torpedo car. 64-02058A; Effect of gas bubbling on the erosion of basic bricks. 64-02103A
- Naruse, Yoichi; Hoshino, Yoshiaki; and Kinoshita, Masayuki
Properties of graphite from various places. 64-02187A
- Naruse, Yoichi; Ichikawa, Hiroshige; and Kamada, Yoshiyuki
Application of magnesia-carbon brick and unburned high-alumina brick in ladle refining furnace. 64-03585A
- Narvaes, Oscar B.
See Delgadillo, Benigno C.
- Nasemann, H.
See Nahler, H.
- Nash, T. R.; Pashby, E. M.; and Collett, R. L.
Experience in the use of glass-ceramics for high-voltage vacuum-tube envelopes. 64-03249A
- Nasrallah, M. M.; Anderson, Harlan U.; and Agarwal, Anil K.
Oxygen activity dependence of the defect structure of La-doped BaTiO₃. 64-03808A
- Nassar, A. M.; Gomma, S. S.; and Salman, S. M.
Fe³⁺ ions in lithium borosilicate glasses as indicated by electrical conductivity and Moessbauer effect studies. 64-03250A
- Nassar, A. M.; Salman, S. M.; and Gomma, S. S.
Moessbauer and X-ray comparative studies of Li₂O-B₂O₃(Fe₂O₃)-SiO₂ crystallized glasses. 64-06221A
- Nassau, Kurt (Editor)
Physics and Chemistry of Color: The Fifteen Causes of Color. 64-01635B
- Nassau, Kurt; Chadwick, D. L.; and Kammlott, G. W.
Germanium-rich region of the GeO₂-La₂O₃ phase diagram. 64-01850A
- Nassif, A., and Hanna, S. B.
High-temperature corrosion of reaction-sintered silicon nitride [RSSN]. 64-04288A
- Nastro, Alfonso
See Aiello, R.; Esposito, M. V.; Frigione, Giuseppe
- Natesan, R.
See Balasubramanian, M. R.
- Nath, P.
See Pyare, Ram; Singh, A.
- Nathanson, R. D.
See Raghava, R. S.
- Natsenko, A. I.
See Vernikovskii, V. E.
- Natsume, Toshio
See Miura, Hirohisa
- Naujokat, E.; Von Mallinckrodt, D.; and Zografou, Constantin
Comparative measurements of the causticity of MgO. 64-02081A
- Naul, George M.
See Stahl, Steven B.
- Naum, N.; Ou, P.; and Bilba, N.
Toluene alkylation with methanol on synthetic zeolites: V. Synthesis and structural textural characterization of faujasitic-type catalyst. 64-04360A
- Naumann, Robert J.; and Elhrigge, Edwin C.
Containerless manufacture of glass optical fibers. 64-04323A
- Naumov, V. A.
See Fedorov, V. P.
- Nauroth, Peter; Esch, Heinz; and Turk, Guenter
Precipitated silicas having high structure and process for their preparation. 64-04511P
- Navazio, Giancarlo
See Carbin, M.
- Navrotsky, Alexandra
See Hervig, Richard L.; Roy, Bimalendu N.
- Nayak, Ashok L.
Molybdenum-lined electric forehearts. 64-06949A
- Naylor, W. A.
Developing clay pipe production at Naylor [UK]. 64-02033A
- Nazarchuk, V. I.; and Surin, B. V.
Optical gauge for measuring the level of glassmelt in baths. 64-01025A
- Nazarenko, G. D.
See Pievskii, I. M.
- Nazarenko, K. V.
See Kravets, V. A.
- Nazarov, V. I.; Kalygin, V. G.; and Maslovskii, M. F.
Compacted charge use for glass fiber production. 64-00279A
- Nazarova, T. I.
See Kashechev, I. D.; Rutman, D. S.
- Nazirpour, G. A.; Tooke, A. O.; and Standley, K. J.
Hot-pressed polycrystalline yttrium iron garnet. 64-06709A
- N'Dala, Ilunga
See Deleter, M.
- N'Dala, Ilunga; Camber, F.; and Anseau, M. R.
Viscosity of liquid feldspars: I. Viscosity measurements. 64-02730A
- Neacsu, V.
See Iosof, V.
- Neamtu, Mircea
See Chelba, Drago
- Nebelung, Hermann H.; and Knoch, Werner-Dieter
Bottom plate mechanism for a mold of a glassware container manufacturing machine. 64-03507P; Mold arrangement for use in a glassware container manufacturing machine. 64-02008P
- Nebrensky, Jiri
See Kocik, Jiri
- Necas, Radovan
See Novak, Jaroslav
- Nechnev, Yu. A.
See Dobrovinskii, R. Yu.
- Nechepurenko, A. S.; Lepinskikh, B. M.; and Knyshov, E. A.
Exchange interaction of Ti-Cr diboride with a liquid metallic bond. 64-01211A
- Nedoseeva, M. V.
See Timofeeva, L. K.
- Nedees, Christopher R. S.
Infrared firing studies of thick-film material systems for high-volume hybrid microcircuits. 64-05117A
- Neely, James E., Jr.
Spondrel [glass substrate] product with silicate coating. 64-00426P; See also Van Dresser, M. L.
- Nefedov, V. I.; Veremenko, M. D.; and Alenchikova, I. F.
X-ray electronic investigation of nickel fluoride. 64-05874A
- Nefedova, D. I.
See Aksenova, L. N.
- Negas, T.
See Case, E. D.
- Negovskii, A. N.
See Gogotsi, G. A.
- Negre Medall, F.
See Amorós Albaro, J. L.
- Negrini, A.; and Pozzoli, A.
Saving [thermal] energy. 64-01619A
- Negus, Clive R.
See Drain, Leslie E.
- Neldig, Arno
See Bunk, Klaus
- Neldig, Arno; Berndt, Dietmar; and Wahl, Georg
Method of direct bonding copper [and Cu₂O] foils to oxide-ceramic substrates. 64-04698P
- Nelson, George F.
See Weinberg, Michael C.
- Nelson, A. Ya.; Zapanakaya, I. P.; and Polyanskaya, O. A.
Phase with the structure of tetragonal tungsten bronze in the system BaO-Li₂O-Nb₂O₅. 64-01564A
- Nelson, Carolyn; and Tallant, David R.
Raman studies of sodium silicate glasses with low phosphate contents. 64-01896A
- Nelson, Carolyn; Tallant, David R.; and Shelton, John A.
Raman spectroscopic study of scandium in sodium silicate glasses. 64-03337A
- Nelson, D. W.
See Gregory, J.
- Nelson, Daniel C.
See Pepper, Roger T.
- Nelson, Frederick J.
See Poulos, W. Alan
- Nelson, Frederick J.; and Richards, Ray S.
Waste heat recovery from regenerative furnaces. 64-06996P
- Nelson, Gunner E.
Sodium aluminum hydride [catalyst] production. 64-07437P
- Nelson, Jeffrey A.; and Huestine, Kenneth W.
Division head for [tubular, ball] grinding mill. 64-04032P
- Nelson, Leonard
See Barresi, Anthony J.
- Nelson, Leroy D.
See Heaps, J. Don
- Nelson, Ronald J.
See Besomi, Paul R.
- Nemeth, Jeno
See Verdes, Sandor
- Nemeth, Joseph; and Kowalski, Charles I.
Carbon [ceramic] resistor and method for producing same. 64-05205P; Open-celled electrically conductive [PB-free frit-based] ceramic network. 64-03897P
- Nemeth, Joseph; McMahon, C. C.; and Tribble, D. L.
Spark [BaTiO₃-based] plug. 64-06670P
- Nemeth, Miklos
Effect of coal addition to brick bodies on ware quality. 64-00436A; Possibilities for saving thermal energy during brick drying. 64-04905A
- Nemeth, Miklos; and Szakonyi, Lajos
Operation of thermal centers and drying economy. 64-05469A
- Nemeth, Miklos; Szakonyi, Lajos; and Vetek, Lajos
Energy examination of artificial dryers [in the Hungarian brick industry]. 64-04891A
- Nemets, I. I.
See Gvoz, V. S.
- Nemets, I. I.; Gvoz, V. S.; and Bel'maz, N. S.
Influence of the [corundum] refractory structure on resistance to damage from thermal and mechanical stresses. 64-02125A
- Nemets, I. I.; Krokhin, V. P.; and Bessmertny, V. S.
Plasma frosting (mat finishing) of table glassware. 64-01964A
- Nemetz, Judith A.; and Tresler, Richard E.
Thermal nitridation of silicon and silicon dioxide for thin gate insulators: II. 64-00719A
- Nemilov, S. V.
Thermodynamic aspects of the activation parameters of transfer processes in glasses and glassy melts—[discussion]. 64-03375A; See also Karapetyan, G. O.
- Nemilov, S. V.; and Muratov, A. V.
Heat capacity and excess thermodynamic functions at absolute zero of Na₂O-2SiO₂ and Na₂O-SiO₂ glasses relative to the structure of Na silicate glasses. 64-03266A
- Neminskaya, N. A.
See Panasevich, A. A.
- Nerad, Ivan; Proks, Ivo; and Zlatovskiy, Igor
Apparatus for determining the speed of a solid particle through a steady-state temperature field. 64-02575A
- Nerubashchenko, L. I.
See Dryshlyuk, T. V.
- Nesmelov, N. S.
See Druzhinin, A. P.
- Nesterenko, S. V.; and Khomenko, V. M.
Influence of alkalis on the surface tension and electrical conductivity of slags in the system CaO-MgO-SiO₂ with 5% Al₂O₃. 64-05725A
- Nesterov, A. A.
See Dugin, V. E.
- Nestorov, A. I.; and Rudenko, T. S.
Crystalline schists from the Kursk Magnetic Anomaly [USSR] for ceramic sewage pipe production. 64-01122A
- Netari, B.
See Forlani, O.
- Netlik, Petr
See Rath, Jindrich
- Neto, J. Maria; Domingues, P.; and Barthelm, V. M. T. S.
Magnetic properties of lithium ferrite doped with aluminum and gallium. 64-02468A
- Netterfield, R. P.
See Martin, P. J.
- Neudahn, W.
Method for depositing a metal and/or protective layer on a substrate. 64-00124P
- Neuendorf, Hans-Christoph
See Derner, Paul; Spittka, Horst
- Neuhof, Gerd
See Van Mun, Bui
- Neukunft, Ernst; and Scherer, Volker
Development of lead glass tubing in the last decade—progress in technology and environmental protection. 64-03426A
- Neuroth, N.
See Geiler, V.
- Neusy, Hubert
Method and apparatus for manufacturing rounded vitreous beads. 64-01999P
- Neuwall, Anselm
Method for the preparation of metal-free strips in the metal vapor deposition of an insulating tape. 64-00984P
- Neverov, V. V.; Zhitnikov, P. P.; and Suppes, V. G.
Thin periclase layers during mechanoactivating treatment. 64-01592A
- Neven, Andre
Extension of the Loule [Portugal] cement plant with precalcination. 64-03087A
- Nevitt, Thomas D.
Process for solvent extraction of vanadate and molybdate anions. 64-01162P; See also Miller, Jeffrey T.

- Newell, Alton S.; Newell, Alton S., Jr.; and Popovich, Paul D.
Hammer mill having capped disc rotor. 64-05384P
- Newell, Alton S., Jr. See Newell, Alton S.
- Newkirk, Mark C.
Shear mechanism for glass feeder. 64-00996P; See also Par-
tell, Edward
- Newell, Howard, Jr.; and Halstead, Woodrow J.
ASTM standards and concrete pavements—growing
together (ASTM committees C-1 and C-9). 64-03004A
- Newman, A. J.; and Whiteside, D.
Water and air penetration through masonry walls—a device
for the measurement of air leakage in situ. 64-06435A
- Newman, John W. See Sawran, William R.
- Newman, Leon A. See Meltz, Gerald
- Newman, Ray L.; and Hopkins, David H.
Heat recuperator with triple-pass cross-flow ceramic core.
64-05621P; Method of making ceramic core heat recupera-
tor. 64-05634P
- Newnam, Robert E. See Kassarian, Michael P.
- Newson, P. C. See Abdelhamid, M. S.
- Ney, Paul
Whitely clay in the world—halloysite clay from Matauri
Bay, New Zealand. 64-04229A
- Nezhys, Pavel See Flajsar, Jiri
- Ng, Y. S. See Hons, A.
- Nguyen, D.; Van Roode, M.; and See, W.
Zirconia coatings prepared by spray pyrolysis. 64-04692A
- Nguyen, Van Tu See Sadek, Ladislav
- Nho, T. J.; Orr, Keun-Ko; and Lee, J. K.
Wetting behavior of low-temperature molten frits on vari-
ous ceramic substrates. 64-06279A
- Ni, H.-y. See Li, C.-e.
- Nicholas, K. E. L.; and Goring, J. O.
Binders for foundry sands. 64-06474P
- Nicholas, Mark L. See Blum, Patricia R.
- Nicholas, Michael G.; and Valentine, Thomas M.
Ternary alloys in brazing ceramics. 64-00138P
- Nicholson, Patrick S. See Glass, S. J.; Troczynski, Tho-
mas B.
- Nicla, Antonius J. A. See Jochem, Cornelius M. G.
- Nickol, Friedrich W.
Solderable [metal oxide] layer system. 64-04700P
- Niculescu, I. V.; Rajasofanova, J. V.; and Frunza, Ligia
Activation of the natural zeolite clinoptilolite, structural
properties, and catalytic activity. 64-05509A
- Nicoli, David F. See Elings, Virgil B.
- Nicolli, Andrew R.
High-temperature [Al₂O₃ formation-promoting] protection
layer. 64-03166P
- Nicula, Alexandru See Peteanu, Mihai; Simon, Simion
Niculescu, N. See Musa, G.
- Nied, Roland; Horlmann, Herbert; and Kaiser, Fritz
Particle classifier. 64-06835P
- Niedrach, Leonard W.; and Stoddard, William H.
Zirconia membrane pH sensors—description and use data].
64-02545A
- Nielsen, Charles A.; and Fennie, Iain
Tensile fracture of glass capillaries under controlled inner
and outer wall environments. 64-01037A
- Nielsen, Hans C. A.; and Schneider, Roberto
Process for producing hydraulic cement from dicalcium silicate.
64-00072P; Process for producing, from aluminous
silicaceous materials, clinker containing alkali metal aluminate
and dicalcium silicate, and use thereof. 64-04668P
- Niemelä, W.; and Couturier, J. L.
Pulverized fuels in existing furnaces or boilers—solution:
"Ultrasoft flame burners." 64-04162A
- Nies, C. W.; and Messing, Gary L.
Binder hardness and plasticity in granule compaction.
64-00889A
- Niesz, Dale E.
Advanced powder processing technology. 64-00885A
- Niesz, Dale E.; Poier, Robert H.; and Claver, Allen H.
Materials. 64-03025A
- Nieto, M. I. See Diez, J. C.
- Nikitina, D. D. See Penner, S. K.
- Nikhar, Koichi
Indentation microfracture of ceramics—its application and
problems. 64-05420A; Mechanical properties of chemical-
ly vapor deposited nonoxide ceramics. 64-01228A
- Nikhar, Koichi; and Hirai, Toshio
Hot hardness of CVD-Si₃N₄ to 1500°C. 64-02780A
- Niimi, T. See Yamaguchi, Osamu
- Nikiforov, Yu. V.; and Svatovskaya, M. B.
Phase composition of clinkers containing CaF₂ and MgO.
64-01740A
- Nikiforov, Yu. V.; and Zozulya, R. A.
Application of magnesium blast-furnace slags as a raw
material component and a hydraulic additive in cement
production. 64-01698A
- Nikitina, V. I. See Nikitina, O. I.
- Nikitina, O. I.; Nikitina, V. I.; and Kuz'min, I. D.
Experimental design for improving the quality of ceramic
bricks. 64-06420A
- Nikitina, V. G. See Ugryumova, M. A.
- Niki, Antonio
Insulating materials in melting and auxiliary furnaces.
64-03646A
- Niklasson, Gern A.; and Granqvist, Claes G.
Optical properties and solar selectivity of coevaporated Co-
Al₂O₃ composite films. 64-03156A
- Nikolov, Nikolai I. See Eberling, Igor L.
- Nikolov, V. A. See Gorkhov, A. I.
- Nikolaeva, L. V. See Degen, M. G.
- Nikolova, E. G.
Twyman effect and some of its applications. 64-07515A
- Nikonov, N. V. See Glebov, L. B.
- Nilsson, Jan See Adlerborn, Jan
- Nimom, E. S.; L'vov, A. L.; and Senotov, A. A.
Transfer of copper(II) ions in the solid electrolyte
RbCu₂Cl₃·1.5H₂O. 64-05870A
- Ninagawa, Chikayoshi; Ashizaki, Shigeo; and Kimura,
Masamichi
Monochromatic [phosphor-coated] picture tube. 64-02009P
- Ninomiya, Hisato
Problem points in furnace building industries. 64-04160A
- Ninomiya, Yoshito See Sekido, Satoshi
- Nir, D.
Stress-relief forms of diamond-like carbon thin films under
internal compressive stress. 64-05961A
- Nirsha, B. M.; Savel'eva, L. V.; and Rekharskii, V. I.
Thermal decomposition of Re₂S₇·2H₂O. 64-05860A
- Nishi, Masaaki See Terada, Osamu
- Nishida, Masahiro; and Iwatani, Shizuo
Energy saving for industrial reheating furnace by adding
a preheating device. 64-04149A
- Nishida, Minoru; Hattori, Tadashi; and Yanagisawa,
Takamori
Spark plug [of high dielectric constant]. 64-00811P
- Nishida, Tetsuaki; Hirai, Toshio; and Takashima, Yoshimasa
Moessbauer and DTA studies of the crystallization of
borosilicate glasses. 64-00209A
- Nishida, Toshihiro; and Nishikawa, Tomozo
Fracture energy of ceramics—its measurement and appli-
cation. 64-05921A
- Nishida, Toyomi; Suzuki, Takeshi; and Hatamori, Takashi
Pulverizing mill apparatus. 64-05397P
- Nishie, Mitsunori; Iguchi, Satoru; and Kono, Ichiro
Optical connector with ceramic plugs and sleeve. 64-02889P
- Nishigaki, Kenichi
Tough [Cr] carbide-base [TiN-dispersed] cermet. 64-07294P
- Nishigaki, Kenichi; Takahashi, Magoichi; and Wakashima,
Keiichi
Tungsten carbide-based hard alloy for hot-working apparat-
us members. 64-01371P
- Nishii, Motoi See Kobayashi, Takashi
- Nishikawa, Kazuyuki; Hirao, Katsumi; and Mizuguchi,
Kazuhiko
Binder-coated foundry sand grains. 64-02238P
- Nishikawa, Tomozo See Nishida, Toshihiro
- Nishikawa, Yasuo; Takahashi, Hirokuni; and Nonobe, Kazuo
Characteristics of fused magnesia chrome clinker.
64-03598A; Characteristics of magnesia calcia brick—
MOR, and spalling and corrosion resistance. 64-03599A
- Nishimoto, Kazuo See Yamamoto, Tsutomu
- Nishimoto, Toyoshi See Masaki, Tatsuo
- Nishimoto, Yasuo See Ishihara, Hideo
- Nishimura, Nobuyuki See Tsuchi, Shiochi
- Nishimura, Satoshi See Hayakawa, Masanori
- Nishimura, Tadashi
Method for fabricating monocrystalline semiconductor layer
on [Si₃N₄] insulating layer by laser crystallization using a
grid of antireflection coating disposed on poly/amorphous
semiconductor. 64-06637P
- Nishimura, Tsukasa See Kuroda, Hiroshi
- Nishino, Atsushi See Kimura, Kunio
- Nishino, Atsushi; and Ikeda, Masaki
Porcelain enamel frit for aluminized steel. 64-00107A
- Nishino, Atsushi; Ikeda, Masaki; and Kimura, Kunio
Low-melting enamel frits. 64-03399P
- Nishino, Atsushi; Kimura, K.; and Takeuchi, Yasuhiro
Burner [Ca aluminate] skeleton. 64-04647P
- Nishino, Atsushi; Kimura, Kunio; and Ikeda, Masaki
Low-melting [Pb-free] opaque enamel frit. 64-00120P
- Nishino, Atsushi; Sonetaka, Kazunori; and Takeuchi,
Yasuhiro
Apparatus for burning liquid fuel equipped with heating-
type fuel vaporizer. 64-01091P
- Nishino, Shigeo See Shibahara, Kentaro
- Nishio, Hideaki See Kyoden, Hiroshi; Yoshino, Shigeo
- Nishio, Kenichi See Okamoto, Hideo; Sugiyama, Masahiko;
Yamatsuta, Kohji
- Nishio, Shinji; and Kondo, Kazuo
Dental implant [glass-coated metal with calcium phosphate
final layer]. 64-02861P
- Nishioka, Goro; Komatsu, Hiroshi; and Sakabe, Yukio
High [magnetic] permittivity ceramic compositions.
64-00754P
- Nishitani, Kunio; Hasegawa, Yasuaki; and Higashikata,
Masahiko
Application of Fulcher's equation to the sintering of glass
under varying temperature. 64-01807A
- Nishiuchi, Kenichi See Takenaga, Mutsumo
- Nishiuchi, Kihachiro See Morimoto, Takuo
- Nishiyama, Hiroshi See Nakamura, Takeshi
- Nishizawa, Hiroshi; Tani, Takahiro; and Matsuoka, Kiyoshi
Crystallization process of cubic ZrO₂ in calcium acetate so-
lution. 64-02922A
- Nishizawa, Junichi
Method for producing a group IIB-VIB [sulfide or selenide]
compound semiconductor crystal. 64-00770P
- Nishizawa, Junichi; and Ohmi, Tadashi
Gallium arsenide static induction transistor. 64-00750P
- Nissim-Cohen, Y.; Shappir, J.; and Frohman-Bentschowsky, D.
High field current induced-positive charge transients in SiO₂.
64-00668A
- Nisteanu, Viorica See Fara, Vladimir L.; Fochianu, Vasile
Nitsche, R. See Werdecker, Waltraud
- Nitschke, Dean M.
Apparatus for bending glass sheets. 64-06335P
- Nitschke, John S.
Conveyor controller for glass sheet processing equipment.
64-01052P; See also McMaster, Ronald A.
- Nitta, Hideo See Asano, Hiroshi
- Nitta, Koichi See Kato, Akio
- Nitulescu, Garil; Koestner, Dagmar; and Nitulescu, Ilana
Influence of basalt admixture on sandstone bodies.
64-06423A
- Nitulescu, Ilana See Nitulescu, Garil
- Niwa, Kazukuni See Kamizono, Hiroshi
- Niwa, Koichi See Kamehara, Nobuo
- Niwa, Shigeo; Sawal, Kazuhiko; and Takahashi, Shinobu
Filler [Ca phosphate-based] for filling in defects or hollow
portions of bones. 64-04386P
- Nixon, P. J.; Osborne, G. J.; and Shepperd, C. N.
Cementitious properties of slags from the British Gas/Lurgi
Slagging Gasifier. 64-01704A
- Niyogi, S. K. See Das, S. K.
- Nobue, Ito See Yoshida, Hitoshi
- Noda, Akiko See Yajima, Seishi
- Noda, S. See Hioki, Tatsumi
- Noe, Terry R. See Fisher, Greg
- Nogami, Masayuki
Dehydration of gels and glasses in the systems B₂O₃-SiO₂
and ZrO₂-SiO₂; prepared by the sol-gel process from metal
alkoxides. 64-01821A; Glass preparation of the ZrO₂-SiO₂
system by the sol-gel process from metal alkoxides.
64-06199A
- Nogami, Masayuki; and Tomozawa, Minoru
Diffusion of water in high-silica glasses at low temperature.
64-03219A; Effect of stress on water diffusion in silica
glass—correction. 64-00172A
- Noguchi, Akio; Okada, Yasumasa; and Minato, Minoru
Unburned zircon bricks for [use below the slag line in] lad-
les. 64-02229A
- Noguchi, Tetsuo
Ultrahigh temperature-solar furnace, plasma, etc. [for cer-
amics research]. 64-04168A
- Noguchi, Yukio See Shimizu, Masayoshi; Tachibana, Masaki-
yo; Yamagishi, Takashi
- Noguchi, Yukio; and Yamagishi, Takashi
Thallium-containing optical glass composition. 64-03404P
- Nogueira, Rejane A.; and De Freitas, Clauer T.
Microstructural heterogeneities in UO₂-ThO₂. 64-06740A
- Nogues, J. L.; Thomassin, J. H.; and Touray, J. C.
Characterization of nuclear glass corrosion by the
ultramicrotome sectioning technique. 64-06861A
- Nohava, Thomas E.; and Schmid, Joseph L.
Encapsulated CdTe boules for multilayer wafering.
64-02362P
- Noji, Takashi; Harao, Norio; and Obata, Yoshiharu
Method of manufacturing a radiation-excited input phos-
phor screen. 64-07421P
- Nolan, D. A. See Araujo, Roger J.
- Nolan, James D.
Apparatus for coating the glass envelope and predetermined
portions of the end caps of a fluorescent lamp. 64-03503P
- Nolan, James D.; and Karlsson, Axel T.
Methods for coating the glass envelope and predetermined
portions of the end caps of a fluorescent lamp. 64-04867P;
Methods of and apparatus for coating the glass envelope
and predetermined portions of the end caps of a fluo-
rescent lamp. 64-04868P
- Noli, C. G.
Electrostatic precipitation of particulate emissions from the
melting of borosilicate and lead glasses. 64-03434A
- Noll, Walter See Letsch, Juergen
- Noma, Koichi See Mihara, Toshihiro
- Noma, Tatsuo; and Sawaoka, Akira
Effects of heat treatment on fracture toughness of alumina-
diamond composites sintered at high pressures. 64-04536A;
Fracture toughness of high-pressure sintered Al₂O₃-ZrO₂
ceramics. 64-01217A; Toughening in very-high-pressure sin-
tered diamond-alumina composite. 64-02838A
- Nomura, Noboru; Kanai, Kenji; and Kaminaka, Nobuyuki
Magnetoresistive element. 64-00871P
- Nomura, Shiochiro; and Kaneta, Kumiko
Ba(Mn₂/Ta₂)₂O₇ ceramic with ultralow loss at microwave
frequency. 64-02288A
- Nomura, Shiochiro; and Konishi, Yoshihiro
Low-loss microwave dielectric [tantalate] material.
64-02379P
- Nomura, Shiochiro; Tomaya, Keiichi; and Kaneta, Kumiko
Effect of Mn doping on the dielectric properties of Ba₂TiO₅
ceramics at microwave frequency. 64-02299A
- Nomura, Tomomu See Kubo, Osamu
- Nomura, Yuuzi See Hikida, Chuchi
- Nonaka, O. See Sasaki, Ken
- Nonobe, Kazuo See Nishikawa, Yasuo; Watanabe,
Akira
- Noorbrand, G. V. See Slycke, H. L.
- Norby, Truls; and Kofstad, Per
Electrical conductivity and defect structure of Y₂O₃ as a
function of water vapor pressure. 64-02763A
- Nord, Anders G.
Retriev technique for estimating cation distributions.
64-06894A
- Nordstrom, Lennart See Scholdstrom, Ragnar

- Nordyke, John S.
Annual ceramic minerals resources review—lead products. 64-07022A
- Norkin, D. R. See Efremov, V. A.
- Norman, Chris
Progress in heat transfer [review of theoretical design and industrial practice]. 64-02670A
- Norren, Hartmut
Laboratory testing of ceramic drainpipes for drying behavior. 64-03569A
- Norris, A. See Herell, D.
- Norris, Allyn P. See Johnson, Richard C.
- North, Bernard See Lumby, Roland J.
- Northrup, C. J. See Dosch, Robert G.
- Northup, John D.
Method [single-section] for making glass bottles. 64-04856P
- Norton, George R.
Training of technicians for the ceramic and metallurgical industries [at Hocking Technical College, Ohio]. 64-01622A
- Nose, Norio See Fukai, Hirotochi
- Nosov, K. T. See Kryzhanovskii, I. G.
- Noto, Richard See Smith, David C.
- Novak, Jaroslav
Possibilities and limits of application of low-grade fuels for burning clinker. 64-01742A
- Novak, Jaroslav; and Necas, Radovan
Influence of operating conditions of cement kiln line on the origin of gaseous emissions. 64-06098A
- Novak, Jaroslav; and Schneiderova, Jirina
Burning cement clinker using air enriched with oxygen. 64-03075A
- Novak, Jaroslav; and Vrestalova, Marie
Recuperation of waste heat from heat installations in the building materials industry. 64-06782A
- Novak, Jaroslav; Vrestalova, Marie; and Krupica, Milos
Measuring the temperature of secondary air in cement rotary kilns. 64-01733A
- Novak, Josef; Vyhldik, Pavel; and Zemanova, Dagmar
Polarographic determination of trace amounts of platinum in thin (monocrystalline) layers of garnets. 64-01029A
- Novak, Ladislav
Possibilities of mining of silicic components for cement works. 64-04007A
- Novak, R. C. See Eaton, H. E.
- Novak, Vladimir
Application of Umoform SF for defloculating ceramic suspensions. 64-06504A
- Novikov, N. P.; Bogdanov, A. A.; and Zaez, B. K.
Gas formation in silicate glasses under the influence of high-intensity radiation. 64-00186A
- Novikov, V. L. See Abakumov, V. G.
- Novikov, V. V.; and Shestopal, N. G.
Equipment for the automated sorting of glass tubes. 64-00901A
- Novikov, Yu. B. See Gravel, L. A.
- Novikova, E. M.; Ershova, S. A.; and Kuznetsov, G. D.
Effect of the ionic-plasma treatment on the state of the InP surface. 64-05073A
- Novikova, G. K. See Efrayushina, N. P.
- Noville, Francis See Dodd, Claude
- Novinskaya, V. T. See Ashmarin, G. D.
- Novkovski, N. See Mavrodiev, G.
- Novoselova, A. V. See Marugin, V. V.; Plachkova, S. K. Novoselova, A. I. See Nakhodkin, N. G.
- Novotna, Eva See Havrda, Jiri
- Novotny, Frantisek See Haladej, Ludvik
- Novotny, Hans See De Pous, Olivier
- Novotny, Rudolf See Christophliemk, Peter; Von Laufenberg, Juergen
- Novotny, Vladimir See Kavka, Jan
- Novotny, M. See Berus, T.
- Nowell, D. V. See Grounds, T.
- Nowitzki, B. See Hoppe, R.
- Nowogrodzki, M. (Editor)
Advanced III—V Semiconductor Materials Technology Assessment. 64-01627B
- Nozaki, I. See Katcher, Steven J.
- Nozaki, Shunkichi See Kimura, Yukihiko
- Nozaki, Takashi See Sakurai, Kunio
- Nukul, Akihiko
Polymorphism of silica. 64-05784A
- Numazawa, Yoichiro See Hamano, Kuniyuki
- Nunn, Timothy A. See Kurtz, Anthony D.
- Nunne, W. H. See Spielberger, R. K.
- Nurishi, Yukio See Hashiba, Minoru
- Nusbaum, Henry J.
Method of casting metal matrix [fiber-reinforced] composite in ceramic shell mold. 64-01323P
- Nutsulidze, P. V.; Chechernikov, V. I.; and Chechkhiani, L. G.
Magnetic properties of solid solutions of the system Pr₂Si₂U₂. 64-05301A
- Nutsulidze, P. V.; Chechernikov, V. I.; and Kuznetsov, N. T.
Magnetic properties of Tb₂-Y₂U₂Si₂. 64-05300A; Magnetic properties of mixed sulfides of uranium and IVA-group elements. 64-05750A
- Nutt, A. C. G. See Clark, D. F.
- Nuzzo, R. G. See Green, M. L.
- Nygren, S. F. See Swaminathan, V.
- O'Bannon, Loran S. (Editor)
Dictionary of Ceramic Science and Engineering. 64-01630B
- O'Brien, Larry S.; and Kaler, Ward S.
Analytical furnace. 64-01090P
- O'Brien, William J.
High-expansion feldspar porcelain and magnesia core materials. 64-06141A; Research in esthetics related to [dental use of] ceramic systems. 64-07156A
- O'Bryan, Henry M., Jr. See Gallagher, Patrick K.
- O'Bryan, Henry M., Jr.; and Thomson, John
Temperature-dependent phase boundaries for BaTi₃O₇, Ba₂Ti₃O₇, and Ba₃Ti₃O₇. 64-03837A
- O'Connell, E. F. See Schlough, S. D.
- O'Connor, B. H.; and Chang, W.-J.
Procedure for search/match analysis of X-ray powder diffraction patterns using compact data bases. 64-06891A
- O'Connor, Paul B. See Kosinski, Sandra G.; MacChesney, John B.
- O'Connor, Eugene F.; Gill, Laurence D.; and Eppler, Richard A.
Developments in leadless glasses. 64-06514A
- O'Driscoll, Peter F.; Crowe, Gerald E.; and Berry, John
Carbon-carbon rocket motor exit cone reinforcement. 64-01280P
- O'Hara, Mark J.
Hydrocracking with a zeolite in an alumina binder peptized in the presence of a surfactant. 64-02867P; See also Hilfman, Lee
- O'Holleran, T. P. See Roy, R.
- O'Keefe, John A.
Natural glass. 64-01874A
- O'Keefe, Terry See Yoldas, Bulent E.
- O'Neill, Joseph F.
Role of independent testing laboratories. 64-03036A
- O'Neill, James K. See Brule, James E.
- Oba, Masaki See Ogawa, Kiyoshi
- Obata, Hi. See Shimojima, K.
- Obata, Yoshiharu See Noji, Takashi
- Oberbach, Manfred See Schellberg, Franz
- Oberlin, J. C. See Golanski, A.
- Oberlitter, Miklos See Benyei, Karoly
- Obinata, H.; Imai, J.; and Sunohara, M.
Ceramic package for semiconductor devices. 64-06602P
- Obitsu, Masamichi; Hori, Takahiro; and Koinuma, Toyoji
Silicate-containing agent and cement surface modified with said agent. 64-06135P
- Obitsov, A. K.; Valeev, N. Kh.; and Chirkov, A. K.
X-ray diffraction study of the structure of glasses in the system Ge-S. 64-03387A
- Obolentsev, Yu. N. See Evdokimova, G. G.
- Obolkin, V. D.; and Ostapchuk, V. V.
Quartz from the Svetlorechnsk deposit [for making transparent glass]. 64-01139A
- Obriet, Albert; and Gadgil, Balkrishna B.
Method of producing very pure magnesium oxide. 64-05884P
- Ocelli, Mario L.
Catalytic cracking with an interlayered clay—a two-dimensional molecular sieve. 64-02743A
- Ocelli, Mario L.; and Kennedy, James V.
Modified cracking [refractory metal oxide matrix zeolite] catalyst composition. 64-01334P
- Ochagova, I. G.
Periclase-carbon refractory bodies. 64-02168A
- Ochi, Yoshiyuki; Uchida, Yoshihiko; and Ohnishi, Yukio
Hydraulic heat-resisting [cementitious] material and premold product made of such hydraulic heat-resisting material. 64-00067P
- Oczko, K.; and Barowicz, J.
Ceramic construction materials. 64-05518A
- Oda, Isao See Matsui, Minoru; Shikigawa, Hideo
- Odajima, A. See Tanaka, K.
- Oden, L. L. See Kidwell, B. L.
- Odier, P.; Rifflet, J. C.; and Loup, J. P.
Electron emission measurements and the defect structure of α -Al₂O₃. 64-02766A
- Odin, I. N. See Marugin, V. V.; Plachkova, S. K.
- Odina, V. G. See Vodakov, Yu. A.
- Odum, Jerome D. See Caldwell, William E.
- Odzelashvili, D. G. See Caprinashvili, G. G.
- Oehrlein, G. S.; D'Heurle, F. M.; and Reisman, A.
Properties of crystallized tantalum pentoxide thin films on silicon. 64-03818A
- Oehrlein, G. S.; and Reisman, A.
Electrical properties of amorphous tantalum pentoxide thin films on silicon. 64-06058A
- Oel, Heribert J. See Camara, Boubacar; Dannheim, Henning; Kordas, G.; Kuestner, Dieter
- Oel, Heribert J.; Helland, Gerd; and Dannheim, Henning
Thermal strengthening of glass plates. 64-03493A
- Oertel, Goetz K.; and Walton, Ray D., Jr.
Management of defense high-level waste in the United States. 64-05338A
- Oeters, Franz See Seki, Kazumi
- Offermann, Peter; and Richter, Herbert
Slow crack growth in nuclear waste glasses. 64-04753A
- Ogahara, Fumio
Method for drilling coke oven-top brick. 64-05023P
- Oganesyan, R. B.
Single-row firing of Keramzit and bodies made of porous ceramics. 64-06528A
- Ogasahara, Kazuki See Ohishi, Izumi; Oishi, Izumi
- Ogata, Yoshiro See Akutsu, Hideozo
- Ogawa, Hideki See Shikada, Tsutomu
- Ogawa, Hidetoshi See Kondo, Kazuo
- Ogawa, Hiroshi; Mizuno, Chiaki; and Masaki, Kouichi
Magnetic [dual γ -Fe₂O₃ powder] recording medium. 64-03970P
- Ogawa, Ichitaro See Yoshida, Hisayoshi
- Ogawa, Kazumichi
Method for producing crystals. 64-06825P
- Ogawa, Kenji See Uchikawa, Hiroshi
- Ogawa, Kiyoshi; Kotera, Yoshihide; and Oba, Masaki
Mechanical strength of heterogeneous catalyst: II. ZnO-Cr₂O₃ catalysts. 64-01229A; Mechanical strength of heterogeneous catalyst: III. The mechanical strength of MoO₃-CoO-Al₂O₃ catalyst. 64-01230A
- Ogawa, Kyosuke; Shirai, Shigeru; and Kanbe, Junichiro
Photoconductive member with amorphous silicon-carbon surface layer. 64-02399P
- Ogawa, Toshio; and Kittaka, Toshihiko
Piezoelectric ceramic compositions. 64-05287P
- Ogawa, Yutaka; Takeuchi, Tsuneo; and Otaka, Masashi
Method of producing ceramic [honeycomb] filter. 64-07256P
- Ogawa, Yutaka; Yamada, Shunichi; and Hamanaka, Toshiyuki
Rotary cordierite heat regenerator highly gas tight and method of producing the same. 64-02907P
- Ogihara, Masahiro See Sakaguchi, Susumu
- Ogihara, S.; Maeda, Kunihiko; and Takeda, Yukio
Effect of impurity and carrier concentrations on electrical resistivity and thermal conductivity of SiC ceramics containing BeO. 64-03767A
- Ogino, Makoto See Fujii, Takamitsu
- Ogino, Makoto; Futami, Toshihiko; and Kariya, Michio
Dental implant [glass-coated metal] and method of making same. 64-04385P
- Ogiso, Makoto See Hidaka, Tsuneo
- Ogle, J. See Ferber, Mattison K.
- Ogura, Yasutsugu See Uchibori, Hideo
- Oguri, Yasuo; Awata, Mitsuru; and Saito, Junji
Process for preparing a calcium silicate shaped product. 64-01779P
- Oguri, Yasuo; Saito, Junji; and Kijima, Naoto
Process for producing a boehmite shaped product and a burned boehmite shaped product. 64-05648P
- Ogurtsov, I. Ya. See Ostrovskii, V. L.
- Ogut, A. Z. See Altunlu, B.
- Oh, Eung-Ju See Kim, Keu-Hong
- Oh, Jae-Hee See Lee, Kun-Yea
- Oh, Young-Woo See Jung, Bok-Hwan
- Ohara, Yoshinobu; Kounoto, Kunihito; and Yanagida, Hiroaki
Barium titanate ceramics with high piezoelectricity fabricated from fibrous particles. 64-05256A
- Ohashi, Koji; Shimomura, Sigetaka; and Kawaguchi, Masamori
Stability of [high-alumina] castable refractories containing SiC at high temperature. 64-03680A
- Ohata, Tomohisa See Ono, Tetsuji
- Ohba, Hiroshi; Ohtsuki, Shoji; and Taniguchi, Tazuo
Will demand for unshaped refractories increase? Opinions and problems—[panel discussion]. 64-03692A
- Ohl, Nobukazu; Ohno, Koji; and Tosaki, Satoshi
Gypsum composition for denture investment. 64-06131P
- Ohishi, Izumi; Ogasahara, Kazuki; and Nambu, Masao
Tandem linings for continuous casting. 64-05012A
- Ohishi, Toshiyuki See Fujita, Shizuo
- Ohishi, Yasutake See Mitachi, Seiko
- Ohishi, Yasutake; Mitachi, Seiko; and Kanamori, Terutoshi
Optical absorption of 3d transition-metal and rare-earth elements in zirconium fluoride glasses. 64-00212A
- Ohishi, Yasutake; Mitachi, Seiko; and Takahashi, Shiro
Influence of humidity during the fiber preparation process on transmission loss for ZrF₄-based optical fibers. 64-00307A
- Ohkawa, Kiyoshi See Hiragushi, Keisuke
- Ohki, Yoshimasa; Toyoda, Yukio; and Kobayashi, Hiroyuki
Method of making a gallium nitride light-emitting diode. 64-00776P
- Ohkubo, Akira See Hirai, Toshio
- Ohtenforst, Hans; and Gatzweiler, Werner
Glass pane for an automobile rear view window. 64-01990P
- Ohlinger, Manfred; Vaeth, Guenter; and Rudolf, Peter
Preparation of acicular, ferrimagnetic iron oxides. 64-03975P
- Ohmi, Shigeaki; Shingaki, Seichi; and Sakai, Hiroyuki
Process for producing glass product having gradient of refractive index. 64-06402P
- Ohmi, Tadashi See Nishizawa, Junichi
- Ohmori, Akira See Arata, Yoshiaki
- Ohmori, Y. See Itoh, H.
- Ohnishi, Yutaka See Ochi, Yoshiyuki
- Ohno, John M.
Indexable composite [cBN-based] cutting insert having corner cutting edges. 64-04607P; Process [SiC intermediate] for preparing nitrided superhard composite materials. 64-01348P; Silicon carbide cutting insert with prepressed core center piece and sintered diamond envelope. 64-04434P
- Ohno, Junichi See Ohta, Takao
- Ohno, Junichi; and Ohta, Takao
Implanting yttrium and oxygen ions at semiconductor/insulator interface. 64-03876P
- Ohno, Katsutoshi See Hashimoto, Shunichi
- Ohno, Koji See Ohi, Nobukazu
- Ohno, Shinichi See Saeki, Masakatsu

- Ohno, Chikio**
Properties and uses of expanded perlite. 64-04220A
- Ohshima, Ken; and Sakamoto, Masaharu**
System for checking defects on a flat surface of an object. 64-05460P
- Ohshima, Nobumasa** See Habata, Etsuroh
- Ohita, Hiroshi**
Glass fibers for reinforcement. 64-03444A
- Ohita, Norio** See Hosoe, Yuzuru
- Ohita, Takao** See Ohno, Junichi
- Ohita, Takao; and Ohno, Junichi**
Method of fabricating MOS device on an SOS [sapphire] wafer by stabilizing interface region with silicon and oxygen implant. 64-06641P
- Ohkuni, Hiroshi**
Ceramic substrate for semiconductor package and method of manufacture. 64-00734P
- Ohkuni, Shirochi**
Refractories trend of Japan in FY 1983. 64-04998A; See also Ohba, Hiroshi
- Ohnishi, Yuzo** See Chihara, Kunisuke
- Ohnishi, Yuzo; Komatsu, Noburu; and Watanabe, Akira**
Forsterite-carbon refractory. 64-03704P
- Ohya, Kaoru; Ishida, Keiji; and Mori, Ichiro**
Production of atomic-oxygen negative-ion beam by positive ion-induced sputtering of semiconductive BaTiO₃ ceramic. 64-05161A
- Ohzawa, Yoshiyuki** See Sanada, Sakae
- Okie, Mamoru** See Sasada, Tadashi
- Okie, Hideo** See Fujii, Shuzo
- Okishi, Izumi; Motomachi, Tsutomu; and Kubota, Takehiro**
Batch-type reheating furnaces constructed of ceramic fiber. 64-02659A
- Okishi, Izumi; Nakamura, Toshio; and Tachibana, Masaharu**
Application of plastic gunning system for reheating furnace. 64-05357A
- Okishi, Izumi; Ogasahara, Kazuki; and Ishii, Eiji**
Basic castable refractories for steel ladle. 64-02060A
- Okishi, Izumi; Ogasahara, Kazuki; and Yamaguchi, Tomohiro**
Influence of some properties of magnesia carbon bricks on the lining durability of L. D. converters. 64-03643A
- Okishi, Yasumichi** See Ando, Ken
- Okishi, Yasumichi; and Ando, Ken**
Oxygen diffusion in MgO and Al₂O₃. 64-07357A
- Okishi, Yasumichi; Ando, Ken; and Suga, Nobuhiko**
Effect of ratio of surface area to volume on oxygen self-diffusion coefficients determined for crushed MgO-Al₂O₃ spinels—reply. 64-02926A
- Okazaki, Kunitake; and Ueno, Hiromi**
Phase diagram in the system BaCO₃-PbO and crystal growth of BaPbO₃. 64-05764A; Y.Fe₂O₃, single-crystal growth by top-seeded solution growth method. 64-06722A
- Okazaki, Shigeru** See Karatani, Hajime
- Okabe, Shigeru** See Takeuchi, Masato
- Okabe, Yasuzo** See Miyachi, Kenji
- Okabe, Yoshie**
Apparatus for detecting specific color. 64-06901P
- Okada, Akira** See Miyata, Shigeo
- Okada, Eisaburoh** See Hattori, Kenichi
- Okada, Hajime; Kawakami, Hiroshi; and Hashiba, Minoru**
Effect of physical nature of powders and firing atmosphere on ZnAl₂O₄ formation. 64-04456A
- Okada, Hideo** See Takeuchi, Masato
- Okada, Kenichi** See Ando, Kenichiro
- Okada, Kiyoshi**
Diphasic xerogels, a new class of materials—phases in the system Al₂O₃-SiO₂—comment. 64-04715A
- Okada, Tokuhiko; Hayashi, Masayoshi; and Matsumoto, Hideaki**
Particle size distribution analyzer. 64-02649P
- Okada, Yasumasa** See Noguchi, Akio
- Okamoto, Chie** See Kumagai, Toshiya
- Okamoto, Hideo; Yamazaki, Kohji; and Nishio, Kenichi**
Fiber-reinforced [ceramic] metallic composite material. 64-07226P
- Okamoto, Ikuo** See Naka, Masaaki
- Okamoto, Katsunari; Edahiro, Takao; and Kawana, Akio**
Single-mode optical fibers. 64-06408P
- Okamoto, Katsunari; Hosaka, Toshihito; and Sasaki, Yutaka**
Single-polarization single-mode optical fiber. 64-01937P
- Okamoto, Kunito** See Inoguchi, Kazuhiro
- Okamoto, Taira** See Koizumi, Mitsue; Suganuma, Katsuaki
- Okamoto, Takeshi; Asai, Ryuzhi; and Minagawa, Shoichi**
Surface acoustic wave [ZnO dielectric layer] device having a specified crystalline orientation. 64-02419P
- Okamura, Kiyohito** See Hagesawa, Yoshio; Yajima, Seishi
- Okamura, Kiyohito; Matsuzawa, T.; and Hasegawa, Yoshio**
Gamma-ray irradiation curing on polycarbosilane fibers as the precursor of SiC fibers. 64-07110A
- Okamura, Takeo** See Watanabe, Akira
- Okano, Tadao**
Hot-melt screen printing machine. 64-02547P
- Okaya, Takuji** See Tanaka, Taku
- Okazaki, Kiyoshi**
Mechanical behavior of ferroelectric ceramics. 64-00830A
- Okazaki, Masanobu; Akutsu, Satoshi; and Ebihara, Susumu**
Rectangular thickness shear quartz crystal oscillator. 64-00848P
- Okhrimenko, B. A.** See Belyi, M. U.
- Okii, Kazuo; Hayashi, Yasuhide; and Aiba, Yoshio**
High-alumina ladle brick used in the steel ladle. 64-02118A
- Okii, Kazuo; Sugie, Masao; and Kurihara, Koji**
Corrosion and penetration of zirconia refractories by molten steel and slag: I. 64-03604A; Corrosion and penetration of zirconia refractories by molten steel and slag: II. 64-03605A
- Okigami, Noboru; Hayasaka, Hiroshi; and Sekiguchi, Yasuhiro**
Multistage combustion method for inhibiting formation of nitrogen oxides. 64-04186P
- Okikawa, Shinji** See Iwasa, Uichi
- Okimaka, Hideyuki** See Tori, Hideo
- Okino, Seiki** See Kandachi, Takayoshi
- Okita, Tsutomu** See Akashi, Goro
- Okita, Tsutomu; and Naruo, Kyoichi**
Magnetic recording medium and process for producing the same. 64-02489P
- Okusaka-Kozłowska, I.; Koch, U.; and Schmidt, W.**
X-ray and infrared spectroscopic studies of spinel solid solutions of the system Zn_{1-x}Ga_{2x/3}Cr_{2x/3}Se₄. 64-01596A
- Okroschvili, T. G.** See Belogurov, D. A.
- Oku, Narihiro** See Uematsu, Hiroaki
- Oku, Susumu; Mimura, Mitsutoshi; and Akamatsu, Setsuo**
Development of slag blow-coating method for basic oxygen furnace. 64-03610A
- Oku, Susumu; Yamanaka, Hiroaki; and Kurata, Kousuke**
Tearing equipment for ladle lining [tear-down]. 64-03683A
- Okuda, Hiroshi**
From ceramics to advanced ceramics. 64-03016A; Research activity at the Government Industrial Research Institute in Nagoya [Japan]. 64-03034A
- Okuda, Kensuke**
Pitch-based carbon fiber. 64-04316A
- Okuda, Shigeru** See Toda, Masumi
- Okuda, Takashi; Koshizaka, Naoki; and Murata, A.**
Control of birefringence in LPE-grown magnetic garnet films. 64-02457A
- Okuda, Yosiro; and Harada, Toshiharu**
Process for producing acicular magnetite or acicular maghemite. 64-03976P
- Okusa, Takeshi** See Eguchi, Tadataka
- Okumura, Toshio** See Ebizawa, Akio
- Okutsu, Tadayoshi** See Yamaguchi, Shigeo
- Okutu, Toshimitsu** See Miyoshi, Takahito
- Okuyama, Masahiko** See Kondo, Kazuo
- Okuzawa, Kazuhiro** See Hamamoto, Fujio
- Olapinski, Hans** See Dworak, Ulf
- Olcacuga, Roger** See Zahir, Mohamed
- Olby, John K.**
Ceramic [Zr, VS, and SnS] stains. 64-06532P; Ceramic pigment. 64-02953P; Improved ceramic pigment. 64-07414P
- Olcak, Jerzy**
History of glass manufacture in Poland. 64-03450A
- Oleck, Stephen M.** See Angewine, Philip J.
- Oleinik, G. S.** See Trishchuk, L. I.
- Oleinik, John A.; and Jensen, Edwin K.**
Maturation of hot water tank enamels. 64-00098A
- Olesen, Sven**
New way of dedusting dry-process kilns. 64-03109A
- Oliver, G. See Rettel, A.**
- Oliver, B. W.** See Petrovic, John J.
- Oliver, John L.; and Srinivasan, Seshadri**
Gas injection in [mineral] fiber forming. 64-06355P
- Oliver, B. A.** See Dixon, A. E.
- Oliveri, Giorgio**
Growth of the Italian ceramic tile industry. 64-00601A; Tile manufacturing by single and double firing—cost comparison. 64-00620A
- Olivo, P.; Ricco, B.; and Sangiorgi, E.**
Electron trapping/detrapping within thin SiO₂ films in the high field tunneling regime. 64-00661A
- Olmscheid, Bruce A.** See Carpenter, John H.
- Olsen, E. See Havranek, Peter H.**
- Olsen, J. S.; Gerward, L.; and Benedict, U.**
New high-pressure phase of uranium nitride studied by X-ray diffraction and synchrotron radiation. 64-06741A
- Olsen, Randall B.; and Evans, Diane**
Pyroelectric energy conversion—hysteresis loss and temperature sensitivity of a ferroelectric material. 64-00701A
- Olsen, Robert V.** See Pohlman, Steven L.
- Olshansky, Robert**
Method of making multicomponent optical waveguide having index gradient. 64-00393P; Method of making optical index profile for multicomponent nonlinear glass optical waveguide. 64-00394P
- Omata, Y.** See Oya, A.
- Omnes, Jacqueline** See Jamet, Jean F.
- Omori, Mamoru; and Takei, Humihiko**
Composite silicon carbide [rare-earth] sintered shapes and its manufacture. 64-04382P
- Onaiko, V. A.** See Panajuk, G. P.
- Ondracek, Jan** See Hajek, Bohumil
- Ondrousek, Ludvik**
Hydrated lime and [production] technological factors affecting its optimum properties. 64-01723A
- Ongsik, Karl; and Andreoli, F.**
New switch-off and low energy consuming enamel furnaces with underfloor conveyor [design changes]. 64-00102A
- Onitsuka, Yoshihiro** See Kimura, Kenji
- Oono, Hiroyuki**
Method of producing glass bottles. 64-03533P
- Oono, Shusuke** See Mitsuyu, Tsuneo
- Oono, Tetsuji; Ichihara, Shoichi; and Ohata, Tomohisa**
Method for manufacture of [ceramic] honeycomb catalyst. 64-02875P; Process for producing honeycomb catalyst for exhaust gas conversion. 64-05650P
- Oono, Yoshio**
Lattice constants of alite in plant clinker. 64-06103A
- Onodera, Tamio; Sakai, Tokuji; and Yamasaki, Yasuo**
Catalyst composition [zeolite]. 64-02854P; Crystalline aluminosilicate zeolite and process for production thereof. 64-07219P
- Onorato, Paulette I. K.; Alexander, Michael N.; and Struck, Charles W.**
Bridging and nonbridging oxygen atoms in alkali aluminosilicate glasses. 64-07443A
- Onu, P.** See Naum, N.
- Onuma, Eiichi; and Furukawa, Takeshi**
O-SEPA—a new high-performance air classifier. 64-03111A
- Onuma, Eiichi; and Umekei, Kenji**
Advanced technology in cement grinding. 64-03071A
- Onuma, Kazuhiko; Kageyama, Yoichi; and Kobayashi, Hiromu**
Process for producing [catalytic carrier] porous refractory inorganic oxide products. 64-05027P
- Ooga, Tomonari** See Higuchi, Seizun
- Ooi, Kenta; Kitamura, Takao; and Katoh, Shunsaku**
Influence of the addition of urea in the precipitation of hydrous titanium(IV) oxide on its crystal and pore structure. 64-01129A
- Oomen, Joris J. C.** See Driessen, Antonius J. G.
- Oostra, D. J.; and Den Hartog, H. W.**
Raman spectroscopy of superionic solid solutions of alkaline-earth and rare-earth halides. 64-04563A
- Oota, Toshitaka** See Yamai, Iwao
- Opmeer, Peter** See Hasker, Jan
- Opoczky, Ludmilla; and Dekany, Imre**
Interactions at the interface clinker/triethanol amine. 64-04647A
- Oppermann, H.** See Teske, K.
- Oppermann, H.; Schmidt, D.; and Kleinert, P.**
Reaction of germanium with germanium tetrachloride and on the existence of the chloride oxides GeOCl₂ and GeOCl₃ at the equilibrium. 64-01454A
- Oppermann, H.; and Stoeve, G.**
Chemical transport of zinc oxide and estimation of its phase width. 64-00637A
- Opsal, Jon** See Rosencwaj, Allan
- Orange, Gilles** See Launay, D.
- Orcel, Gerard; and Hench, Larry L.**
Drying control chemical additive (DCCA) in the sol-gel processing of soda silicate and soda borosilicates. 64-05693A
- Ordan'yan, S. S.** See Kats, S. M.; Tkachenko, Yu. G.
- Ordan'yan, S. S.; Kravchik, A. E.; and Ponomarenko, V. A.**
Microplastic deformation of TiB₂ particles during vibrocrushing and pressing in high-pressure chambers. 64-05562A
- Orekhov, P. D.** See Sokolov, A. N.
- Orishchin, S. V.; and Kuz'ma, Yu. B.**
Ternary systems Cr(W)-Ni-P. 64-05856A
- Orito, Fusio**
Method for producing a single crystal of a III₂-V₃ compound. 64-02386P
- Orlov, A. N.** See Naerman, Ya. M.
- Orlov, D. L.** See Gorbachev, V. V.
- Orlov, G. V.** See Pursin, A. K.
- Orlov, V. M.** See Shilova, M. V.
- Orlov, V. P.; and Voronina, N. N.**
New [refractory] body types—[Soviet] standards. 64-02156A
- Orlov, Yu. F.** See Komisarich, M. Sh.
- Orlova, E. A.** See Krechin, Yu. V.
- Orlova, G. M.; Kozhina, I. I.; and Funtikov, V. A.**
Interaction in the systems TlAsS₃-TlAsSe₃, TlAsSe₃-TlAsTe₃, and TlAsS₃-TlAsTe₃. 64-05727A
- Orlova, I. G.** See Chudnova, N. M.
- Orlova, M. A.; and Khalilov, V. D.**
Glass formation and properties of glasses in the system PbSiO₃-PbF₂(PbO)-AlF₃(AlO₃). 64-03260A
- Orlova, M. A.; Pavlova, E. N.; and Khalilov, V. D.**
Chemical stability of F-containing Pb silicate glasses. 64-03204A
- Orr, Keun-Ko** See Nho, T. J.
- Osti, M. M.** See Tawansi, A.
- Ortel, G.; and Vincenzini, Pietro**
Influence of ceramic mud additions to brick clays on the buildup of efflorescences. 64-04896A; Reduction of efflorescence in brick through addition of ceramic sludges. 64-00450A
- Orth, Norman W.** See Herbell, Thomas P.
- Osada, Kiyoshi** See Motoe, Akihiro
- Osada, Kiyoshi; Motoe, Akihiro; and Fujiri, Kinjiro**
Deformation temperature observed on cones of some oxide systems in gas furnaces. 64-01390A
- Osadchaya, N. F.** See Sivchikova, M. G.
- Osaka, Akiyoshi** See Takahashi, Katsuaki
- Osaka, Akiyoshi; Takahashi, Katsuaki; and Ariyoshi, Kazumasa**
Elastic constant and molar volume of sodium and potassium germanate glasses and the germanate anomaly. 64-06189A
- Osaka, Fukuobu; and Shirai, Tatsunori**
Avalanche [chalcogenide InP-based] photodiodes. 64-02348P
- Osaka, Yukio** See Mishima, Y.

- Osato, Yoichi See Misumi, Teruo
- Osborne, G. J. See Nixon, P. J.
- Osenbach, John W. See Stubican, Vladimir S.
- Osendi, Maria Isabel See Moya, Jose S.
- Osendi, Maria Isabel; Moya, Jose S.; and Serna, Carlos J. Metastability of tetragonal zirconia powders. 64-05561A
- Oshiro, Seikoku See Teruya, Zengi
- Osiacka, Ewa
- Poizzolanic action—a survey of testing methods for pozzolanic activity of materials. 64-06114A
- Osiko, V. V. See Glushkova, V. B.; Kornienko, L. S.
- Ospov, I. V. See Alexeev, A. N.
- Ospov, K. A.; Borovich, T. L.; and Korotkov, N. A. Structure and electrical properties of thin films based on titanium and its high-heat compounds. 64-01259A
- Ospiy, V. G.; Shitsa, D. A.; and Freidenfel'd, E. Zh. Ferroelectric laminar bismuth-titanate-lungstate. 64-00828A
- Ost, R. See Carment, P.
- Ostachowicz, Z. See Mazurkiewicz, M.
- Ostania, L. V. See Deryabin, Yu. A.
- Ostapchuk, V. V. See Obolkin, V. D.
- Ostapenko, G. T.; Gorogotskaya, L. I.; and Timoshkova, L. P. Phase relationships in the system Al_2O_3 - SiO_2 - H_2O at elevated temperatures and pressures. 64-01441A
- Oster, B.; Siou, R. H.; and Carver, E. B. Grinding wheel containing cubic boron nitride. 64-06014P
- Ostermann, Werner
- Dry cord [colored glaze decoration]. 64-03429A
- Osterstock, Frederic See Chermant, Jean-Louis
- Ostrovskaya, P. S. See Kazantseva, L. V.; Ovchinnikova, G. A.
- Ostrovskii, I. V.; Khotyaintseva, G. Yu.; and Vronskaya, E. V. Spectra of acoustoinjection luminescence [AIL] in CdS crystals. 64-03935A
- Ostrovskii, V. L.; Ogurtsov, I. Ya.; and Bersuker, I. B. Microwave absorption spectrum of symmetrical molecular systems with dipole instability. 64-03928A
- Ostrowski, Czeslaw
- Effect of carbonation on the properties of gypsum-cement materials. 1. 64-06075A
- Ostyn, Katrien M. H. J.; Carter, Clive B.; and Koehne, M. Internal reactions in oxide solid solutions. 64-01416A
- Osvenskii, V. B. See Bublik, V. T.
- Ota, Fukuji See Watanabe, Akira
- Ota, Rikuo See Shiono, Takeshi
- Otake, Masashi See Ogawa, Yutaka
- Otake, Etsuo; Kimura, Mamoru; and Yokota, Hiromu Low-melting glass paste and cellulose nitrate therefor. 64-06370P
- Otake, Masayuki; Murayama, Masayoshi; and Kawaragi, Yuji Oxidation [V,P oxide and SiO_2] catalyst composition. 64-07265P
- Otani, S. See Oya, A.
- Oteo Mazo, J. L. See Gonzalez Pena, J. M.
- Otero Arenas, C. See Escalona Platero, E.
- Otero Diaz, C.; and Alario Franco, M. A. Defects in the system TiO_2 - V_2O_5 . 64-02919A
- Otmakhov, V. I.; Romanov, B. P.; and Otmakhova, Z. I. Emission-spectral analysis for studying the chemical stability of enamels. 64-00086A
- Otmakhova, Z. I. See Otmakhov, V. I.
- Otagawa, Takaaki See Bockris, John O'M.
- Otteneues, Ladger
- Doctor [blade] device. 64-00957P
- Ottersedti, Jan-Erik A.; Jara, Sven G.; and Pudas, Roland Cracking [zeolite/kaolin- Al_2O_3 - SiO_2] catalyst. 64-07217P
- Ottman, John C.; and Shen, John C. S. Fixed abrasive [Si-surfactant-coated] polishing media. 64-00003P
- Otto, Maurice J.; and Peridotti, Jean-Pierre
- Grinding or polishing machine for optical lenses. 64-06814P
- Otwiniowski, Henryk; and Pastucha, Ludwik
- Jet milling of loose materials. 64-06774A
- Ouchi, Hirobumi See Suzuki, Mitsumasa
- Ouchiyama, Norio; and Tanaka, Tatsuo
- Porosity estimation for random packings of spherical particles. 64-05949A
- Ougouag, A. M.; and Machiels, Albert J.
- Modeling of ion-bombardment effects on nuclear waste glass leaching. 64-04657A
- Oujiri, Frantisek See Havrd, Jiri
- Ovaneyan, K. L. See Kaminski, A. A.
- Ovcharenko, A. P.; and Lupshko, E. A. Multilayer dielectric coatings of unequal thickness. 64-05135A
- Ovcharenko, G. I.; See Vdovenko, N. V.
- Ovcharenko, F. D.; and Tamas, Ferenc
- Properties of alkali lignosulfonate mixed cements: I. Physical properties. 64-04657A
- Ovchinnikova, E. I.; Litvinov, V. A.; and Khazova, T. A. Optimum parameters for the cutting of glass with hard-alloy rollers. 64-01963A
- Ovchinnikova, G. A.; Ostrovskaya, P. S.; and Vashchenko, V. I. Manufacture of [refractory] bodies from grog and Arkalyk [USSR] clays for lining steel-casting ladles. 64-02140A
- Over, William R. See Johnson, Keith, Jr.
- Overbeck, Iris See Frischat, Guenther H.
- Overduin, G.; Kuijpers, T. H. J. M.; and Metselaar, R. Thermopower and electrical conductivity of $Ca_{1-x}Y_xMn_2Ge_2O_{10}$ garnet. 64-05190A
- Ovov, V. F.; and Malyshev, S. I. Adjustment parameters of temperature controls for horizontal glass tempering lines. 64-02503A
- Ovshinsky, Stanford R. See Izu, Masatsugu
- Ovshinsky, Stanford R.; Alfred, David D.; and Walter, Lee Method of making amorphous semiconductor [film] alloys and devices using microwave energy. 64-06646P
- Owen, S. J. T. See Tansley, T. L.
- Oya, A.; Omata, Y.; and Otani, S. Oxidation resistivity of montmorillonite/ α -naphthylamine complex heated under nitrogen. 64-07356A
- Oyama, Shigeo T. See Boudart, Michel
- Ozaki, Keiichi See Sumida, Atsushi
- Ozaki, Yoshiharu; Kaneko, Kimiyoshi; and Mitachi, Senshu Process for the production of a rare-earth metal alkoxide. 64-05388P
- Ozaki, Yukio See Tada, Masumi
- Ozawa, Fusaji See Sato, Taichi
- Ozawa, Toshiro See Tori, Hideo
- Ozerova, I. V. See Butyleva, E. S.
- Ozkul, C.; Trimite, M.; and Allano, D. Fiberizing [of fiber optics] by the flame process. 64-04793A
- Ozols, Yu. Ya. See Kariss, Ya. E.
- Pacey, Philip D. See Dou, Shixue
- Packer, Herbert
- Hot-press-forging of a [halide-oxide] optical body with dynamic constraint by crystal powder. 64-06363P
- Packter, A.
- Heterogeneous reactions of aluminum oxohydroxide, γ -, K-, and α -aluminum oxide with magnesium oxide to form a "spinel"—kinetics and mechanisms. 64-05719A
- Packter, A.; and Zaidi, S. A. Heterogeneous reactions of alumina with calcium oxide-mineralizer systems to form monocalcium aluminate—analysis of some relevant calcium oxide-metal salt phase diagrams. 64-01722A
- Pacovsky, Vladimir
- All-electric furnaces for vitrification of radioactive wastes. 64-03981A; Double-compartment vitrification of radioactive wastes. 64-03983A; Glassmelting recuperative tank furnace without internal conduction. 64-03445A; Induction furnaces for vitrification of radioactive wastes. 64-04153A
- Padgett, G. C. See Bell, D. A.
- Pack, Un-Chul
- Single-mode lightguide fiber having a trapezoidal refractive index profile. 64-06407P
- Page, R. A.; Lankford, James; and Spooner, S. Small-angle neutron scattering study of creep cavity nucleation and growth in sintered alumina. 64-04342A
- Page, Raymond S., III See Stephanoff, Nicholas N.
- Page, Trevor F. See Czernuszka, J. T.
- Paguer, Thierry; Souquet, Jean-Louis; and Ribes, Michel Ion environment and electrical conductivity of glasses in the Na_2O - SiO_2 - Fe_2O_3 system. 64-06215A
- Pagnucco, Gilbert See Tombal, Gerard
- Pai, B. C. See Ramachandran, B. E.
- Paikina, L. A.; Rakhovskaya, S. M.; and Vereshchagina, L. A. Synthesis of Co_3O_4 during thermolysis of cobalt hydroxide and binary hydroxides. 64-01469A
- Pailon, Guy S.
- Process for producing cement and cement obtained by means of this process. 64-00071P
- Pak, V. N. See Tsvetkova, M. N.
- Pakhomov, V. See Glukhovskii, V. D.
- Pakulis, E. J. See DiMarzio, Donelli J.
- Pal, A. K. See Sanjukta Ray, S.
- Pal, Uday B.; DebRoy, Tarasankar; and Simkovich, George Oxygen pressure dependence of lead ion transport in PbO - SiO_2 melts. 64-05761A
- Palacio, M. See Boncoeur, M.
- Palanisamy, Ponnusamy; Sarma, Dwadasi H. R.; and Vest, Robert W. Liquid-phase sintering in thick-film resistor processing. 64-06562A
- Palatnik, L. S. See Naboka, M. N.
- Palczek, Milan; and Peters, A. Chemical analysis of chrome green soda-lime-magnesia-silica glasses—recommended methods for determining TiO_2 , Al_2O_3 , Fe, Cr, lime, and MgO . 64-03202A
- Pailla, Frank C.; MacAllister, Burton W.; and McKenna, John F. Development of a composite ceramic resistor for the suppression of arcing currents in cathode ray tubes. 64-06549A; Method of fabricating arc-limiting-refractory [polycrystalline Al_2O_3]-refractory element. 64-02389P; 64-02390P
- Palla, Francis Terence See Bell, D. A.; Haynes, Philip
- Palmer, Brad J. F.; Bohen, Larry E.; and Celli, Adello Thorium-uranium powders prepared via bulk microwave denaturation. 64-00881A
- Palmer, David N. Method for making chalcogenide cathodes. 64-05227P; See also Brule, James E.
- Palmer, G. R. See Barfoot, K. M.
- Palmer, Keith W. See Ball, William J.
- Palmer, Kent F.; and Williams, Michael Z. Determination of the optical constants of a thin film from transmittance measurements of a single film thickness. 64-06868A
- Palmonari, C.; Borghi, M.; and Timellini, G. Cost comparison among materials used in residential floors. 64-05036A
- Palmonar, H., III; Hare, T. M.; and Batchelor, A. D. Sintering of shock-conditioned materials. 64-06785A
- Palmlquist, R. W.
- Corning develops a molybdenum-lined electric melter. 64-02660A
- Palomo Sanchez, Angel; and Blanco Varela, Teresa Calcium fluoride effect on clinker formation. 64-04625A
- Palmeles, Anton See Ghia, Victor V.
- Paluch, E.
- Assessment of the chemical methods for determining the periclase content of portland cement clinker. 64-02578A
- Palvanov, V. P. See Kuznetsov, A. N.
- Pamari, Joel
- Induction-heated casting channel with graphite sleeve. 64-00554P
- Pampuch, Roman; and Haberk, Krzysztof
- Influence of yttria content on phase composition and mechanical properties of Y-PSZ. 64-04298A
- Pan, Hong-chih See Chen, Kuan-ye
- Pan, Hong-chih; and Ko, Yung-chao
- Deposition of lead in a carbon refractory lining from a blast furnace. 64-06444A
- Pan, J. T.; and Blech, I. A. In situ study of film stress and kinetics of platinum silicide formation on silicon. 64-05724A
- Pan, Yu-xin See Luo, Wei-gen
- Pan, Zhen-su See Huang, Yu-zhen
- Pan, Zhen-su; Li, Yu-lin; and Huang, Yu-zhen
- Effect of the $[MgO, Fe_2O_3, \text{ or } Al_2O_3]$ additive on sintering behavior and electrical properties of $LaCrO_3$. 64-05072A
- Panasenko, E. B.; and Begunova, R. G. Crystallization of the titanates of the rare-earth elements under hydrothermal conditions. 64-05682A
- Panasovich, A. A.; Neminskaya, N. A.; and Tarnavich, Yu. I. Swelling of kaolinite in water. 64-05814A
- Panasjuk, G. P.; Lazarev, V. B.; and Onaliko, V. A. Process for producing fine-crystalline α -quartz. 64-07427P
- Pancheenko, T. V.; Kudzin, A. Yu.; and Kostyuk, V. Kh. Effect of doping on the properties of Bi_2SiO_5 single crystals. 64-01397A
- Panesh, A. M. See Koshcheev, A. P.
- Panferov, V. M. See Korol, E. Z.
- Panferov, V. M.; Korol, E. Z.; and Lioev, B. A. Deformation properties of refractory bricks. 64-02092A
- Panferov, V. M.; Korol, E. Z.; and Plitak, N. V. Thermal-mechanical properties of mullite-corundum refractories. 64-02225A
- Panfilov, R. A.; Rutman, D. S.; and Gimpe'lan, E. Ya. Production of dense magnesiopinel bodies with synthetic Mg chromite. 64-00501A
- Panigrahi, B. K. See Saha, P.
- Panin, A. S. See Ter-Martirosyan, Z. G.
- Pankova, N. A.; Levitin, L. Ya.; and Protchenko, L. M. Recent trends in the development of glass tank furnaces for the production of sheet glass—[review]. 64-00323A
- Panova, L. V. See Pirogov, Yu. A.
- Pantano, Carlo G. See Ryder, Robert J.; Shelby, James E. Panzarin, Joseph N. See Forker, Ray B., Jr.
- Panzera, Carlino
- Glaze for use on nonmetallic dental copings. 64-02864P; See also Wu, Jenn-ming
- Paolletti, A.; Scarf, F.; and Tuciore, A. Nonlinearity effects in the current-voltage characteristic of p -type yttrium iron garnet epitaxial films. 64-03965A
- Paoli, Mark A.
- High-power thick-film [resistor]. 64-06623P
- Papadimitrak, Cristian
- Automatic control at the [cement] recirculating mills. 64-03990A
- Papirer, Eugene See Schultz, Jacques
- Papuchon, Michel; Arditty, Hervé J.; and Pusch, Claude Hybrid optical junction and its use in a loop interferometer. 64-00371P
- Papuchon, Michel; Pusch, Claude; and Arditty, Hervé J. Interferometer with a tunable optical resonator incorporating a monomode optical fiber and application to filtering and spectroscopy. 64-02638P
- Papulova, G. N.; and Andruschenko, E. A. Ceramic dyes for stenciling on porous faience. 64-01381A
- Papushina, T. I.; and Frolov, A. A. Effect of impurity in the initial melt on the electrical resistance of single crystals of $Te_{1-x}Co_xGe_2$ ($0 \leq x \leq 0.05$). 64-05696A
- Paramonova, N. A. See Denisov, Yu. V.
- Parant, Jean-Paul See Pargamin, Laurent
- Pardee, J. A.; and Etherington, C. Extruding loose (particulate) material into coherent bodies. 64-00960P
- Paredes, Candelario; and Stevens, William D. Burner monitoring system. 64-06967P
- Parera, R.; Gonzalez, Roberto; and Chen, Yok
- Transmission electron microscope studies of crystalline $LiNbO_3$. 64-07399A
- Parent, C. See Zahir, Mohamed
- Parent, C.; Bochu, P.; and Le Flem, G. Energy transfer mechanisms in the $KCaLa_{1-x}Ce_xTb(PO_4)_3$ phases. 64-04539A
- Parent, Michel See Lacroix, Suzanne
- Parfenova, N. N. See Baitamiev, B.

- Pargamin, Laurent; Parant, Jean-Paul; and Salses, Henri**
Method of manufacturing a tempered glass dielectric material for use as an electrical insulator and insulator fabricated therefrom. 64-00395P
- Paris, M. K.**
Kinetics of enhanced sintering of tin oxide with $[\text{MnO}_2, \text{CuO}, \text{ZnO}, \text{or Li}_2\text{CO}_3]$ additives under nonisothermal conditions. 64-02985A
- Paris, M. K.; Basu, S.; and Paul, A.**
Enhanced sintering of tin oxide with additives under isothermal conditions. 64-02308A
- Paris, M. K.; and Maiti, H. S.**
Electrical conduction in $\alpha\text{-Nb}_2\text{O}_5$ doped with ZrO_2 . 64-03773A; Electrical conduction in barium titanate. 64-02380A
- Paritak, L.** See **Dusza, J.**
- Parimbekov, Z. A.** See **Abdurakhimov, A. A.**
- Parish, M. V.; Garcia, R. R.; and Bowen, H. Kent**
Dispersions of oxide powders [for making capacitors] in organic liquids. 64-06765A
- Paritskii, V. N.** See **Sokolov, V. A.**
- Park, Byung-Chul** See **Lim, Eung-Keuk**
- Park, Chae-Won** See **Lee, Chong-Keun**
- Park, Keum-Chul; and Choi, Sang-Wook**
Characterization of metal silicon and its compacts for nitridation [densification of silicon nitride]. 64-07078A; Effect of magnesium oxide on the nitridation of silicon compact. 64-07090A; Effective nitridation of compacts of coarse silicon particles. 64-07091A
- Park, Keum-Chul; and Choi, Young-Sup**
Microstructure and phase transformation of sintered body of CaO-ZrO_2 . 64-06568A; Sintering behavior of 16 mol% CaO-84 mol% ZrO_2 solid solution. 64-07170A
- Park, Y. S.** See **Rai, A. K.**
- Park, Young-Wan; and Kang, Won-Ho**
Brown coloration of the high-lead silicate glasses by X-ray irradiation. 64-06167A
- Parikell, Edward; and Newkirk, Mark C.**
Glass stream cutting apparatus. 64-03396P
- Parikell, Edward; and Tamagni, Albert J.**
Glass container pusher. 64-00962P
- Parker, J. M.** See **Mitra, S. K.**
- Parker, J. M.; Al-Dulaimy, J. A. M.; and Juma'a, Q. A.**
Volatilization from fluoride opal melts. 64-04837A
- Parikhutik, V. P.** See **Labunov, V. A.**
- Parkinson, Kenneth** See **Kennedy, Peter**
- Parkinson, Kenneth; and Kennedy, Peter**
Production of reaction-bonded silicon carbide bodies. 64-01361P
- Paroli, P.**
Magneto-optical devices based on garnet films. 64-05302A; See also **Antonini, B.; Milani, E.**
- Parry, A. V.; and Courtney, J. H.**
Review of continuous-casting tundish technology. 64-02205A
- Parshkov, O. M.** See **Medvedev, B. A.**
- Parthasarathy, R.; Prasad, R. V.; and Sarode, P. R.**
EXAFS studies of cobalt oxides and oxide glasses. 64-00165A
- Parfi, Mikaly; and Topar, Jozsef**
Examination of a chamber-type brick dryer from the point of energy utilization. 64-00437A
- Partridge, G.**
Improved enamels for chemical plant. 64-00093A; Lead-through seals incorporating a foamed glass-ceramic. 64-03458A
- Partas, Fred P.** See **Lynch, Brian**
- Parvulescu, Vasile** See **Sandulescu, Ioan**
- Paschina, G.** See **Cocco, G.**
- Paschoal, Jose O. A.; Kleykamp, Heiko; and Thuenmler, Fritz**
Phase diagram of the system $\text{VO}_2\text{-ZrO}_2\text{-BaO}$. 64-07362A
- Pasco, Wayne D.** See **Greskovich, Charles D.**
- Pascova, Radost; and Gutzw, Ivan**
Model investigation of the mechanism of formation of phototropic silver halide phases in glass. 64-03301A
- Pashby, E. M.** See **Nash, T. R.**
- Pashchenko, A. A.** See **Chop, Yu. I.**
- Pashchenko, A. A.; Klimenko, V. S.; and Kulik, L. A.**
Interaction of silicic acid xerogels with calcium hydroxide. 64-05733A
- Pashchenko, V. P.** See **Kirichok, P. P.**
- Pashchenko, V. P.; Kirichok, P. P.; and Prokopenko, A. K.**
Barium ferrites with the structure of magnetoplumbite studied by Moessbauer and NMR techniques. 64-05288A
- Past, Joseph A.**
Stable and metastable phase equilibria and reactions in the $\text{SiO}_2\text{-Al}_2\text{O}_3$ system. 64-04589A; See also **Tomsia, Antoni P.**
- Pastor, Antonio** See **Friedmann, Karel**
- Pasquale, Gary M.** See **Cormier, William E., Jr.**
- Pastermack, George** See **Ansel, Robert E.; Bishop, Timothy E.**
- Pasto, Arvid E.**
Causes and effects of Fe-bearing inclusions in sintered Si_3N_4 . 64-01183A; Silicon nitride-cordierite composites for diesel engine applications. 64-04336A
- Pastor, Antonio C.** See **Pastor, Ricardo C.**
- Pastor, Ricardo C.; and Chew, Remedios K.**
Process for preparation of ultrapur thorium fluoride. 64-06751P
- Pastor, Ricardo C.; Pastor, Antonio C.; and Gorre, Luisa E.**
Process for preparation of water-free [Si or Ge] oxide material. 64-01508P
- Pastorelli, P.** See **Ragno, E.**
- Pastucha, Ludwik** See **Otinowski, Henryk**
- Patel, A. D.** See **Patel, S. M.**
- Patel, Dilip G.** See **Thomas, Everett A.**
- Patel, Mahendra**
Effect of heat treatment on surface morphology of vermiculite minerals. 64-02703A; Hydrogen treatment of Ni^{2+} and Cu^{2+} -exchanged montmorillonites. 64-02706A; Preparation of oriented clay mineral samples. 64-05500A; X-ray microprobe techniques in studies of clay minerals—vermiculite. 64-02626A
- Patel, N. D.; and Bridge, B.**
Effect of Mo^{3+} ions (in the presence of Mo^{4+} ions) on the elastic moduli of molybdenum phosphate glasses. 64-00167A
- Patel, N. D.; Bridge, B.; and Waters, D. N.**
Elastic constants and structure of the vitreous system $\text{H}_2\text{O-P}_2\text{O}_5$. 64-00178A
- Patel, N. G.** See **Patel, S. M.**
- Patel, Pinakin; Dharai, Dilip; and Maru, Hansraj**
Fuel cell [porous LiAlO_2 ceramic supported] catalyst member and method of making same. 64-01307P
- Patel, R. D.; Takwale, M. G.; and Nagar, V. K.**
Structured selective coatings. 64-04691A
- Patel, S. M.; and Inai, O. T.**
Optimization and microstructural analysis of black-zinc-coated aluminum solar collector coatings. 64-05140A
- Patel, S. M.; and Patel, A. D.**
Electrical resistivity of polycrystalline AgInSe_2 thin films. 64-00659A; Growth of AgInSe_2 thin films. 64-05103A
- Patel, S. M.; and Patel, N. G.**
Optimization of growth conditions for ZnTe films. 64-00680A; Switching mechanism in ZnTe films. 64-05183A
- Patl, A. K.** See **Adhikari, M.**
- Patil, Ram S.; and Franks, Larry**
Pickling problem with cold rolled fully aluminum killed-decarburized steels. 64-00105A
- Patkai-Horvath, Maria**
Effect of contaminations on the microstructure of sintered magnesia refractories. 64-04942A
- Patkay, Ferenc** See **Horvath, Sandor**
- Patten, James W.; Moss, Ronald W.; and Forcht, Brennan A.**
Composite [SiC-ZrO_2] protective coatings for carbon-carbon substrates. 64-04380P
- Patton, C. E.** See **Kogekar, M. V.**
- Patton, Robert L.; and Gajek, Richard T.**
Crystalline aluminophosphate compositions. 64-01496P
- Patureau, J. P.** See **Galant, S.**
- Patwardhan, V. S.; and Tien, Chi**
Sedimentation and fluidization in solid-liquid systems—a simple approach. 64-06783A
- Paul, A.** See **Paria, M. K.**
- Paul, Amalendu** See **Bhattacharya, D.; Chakrabarti, S.; Kulkarni, A. R.**
- Paul, P. G.; and Samadder, B. N.**
Problems of particle agglomeration in making high-density alumina bodies from calcined alumina powders. 64-07149A
- Paulavicius, R. B.; and Koncius, G. A.**
Properties of glass-metal coatings: IV. Intermediate layer of variable roughness for glass-metal fusion. 64-04686A
- Paulavicius, R. B.; Koncius, G. A.; and Matulonis, E. L.**
Properties of glass-metal coatings: III. Protective mechanism and high-temperature destruction. 64-04685A
- Paulter, Nicholas G.** See **Hammond, Robert B.**
- Pavelescu, C.; Ciobanu, C.; and Coudrine, L.**
Etch-rate behavior of SiO_2 films chemically vapor-deposited from silane, oxygen, and nitrogen gas mixtures at low temperatures. 64-05704A
- Pavelescu, L.**
Chemical and optical study of a titanium clinohumite. 64-04198A
- Pavelets, A. M.** See **Budennaya, L. D.**
- Pavelets, A. M.; Sytko, S. A.; and Sal'kov, E. A.**
Mechanism of formation of photoconductive CdS layers from $\text{CdS}+\text{Cr}_2\text{O}_3$ and their photoelectric properties. 64-05128A
- Pavelka, E. A.; Grindstaff, Q. G.; and Scheppele, S. E.**
Metal-to-ceramic attachment device. 64-07241P
- Pavlich, V. F.** See **Vodop'yanova, V. P.**
- Pavlasak, T. J. F.** See **Ding, L.**
- Pavlov, A. V.** See **Titov, V. P.**
- Pavlov, P. V.** See **Genkina, N. A.**
- Pavlov, V. F.**
Low-melting-point clays for making ceramics. 64-01131A; See also **Kozlov, V. V.**
- Pavlova, E. N.** See **Orlova, M. A.**
- Pavlova, L. M.; and Glazov, V. M.**
Peculiarities of structure of melts in the systems Mg-B(IV) , B(IV)-Si , Ge , Sn , Pb , based on phase equilibria. 64-05762A
- Pavlovi, Pavao; and Gajdici, Branko**
Equipment and method for manufacturing thin glass flakes. 64-06351P
- Pavlovskii, G. V.** See **Klimov, M. M.**
- Pavlushkin, N. M.** See **Khodakovskaya, R. Ya.**
- Pavlushkin, N. M.; and Gorskho, V. A.**
Alkali-resistant glass fiber for reinforcing cement stone. 64-06292A
- Pavlushkin, N. M.; Kabanov, N. P.; and Sarkisov, P. D.**
Glass crystalline material and method for obtaining thereof. 64-03394P
- Pavlushkin, N. M.; and Popovich, N. V.**
Improvements in the production technology and uses of plate glass. 64-06308A
- Pavlushkin, N. M.; Popovich, N. V.; and Kondrashechkova, L. A.**
Water resistance of industrial sheet glass. 64-00335A
- Pavlyuk, A. A.** See **Kozeeva, L. P.**
- Payne, Charles C.**
Preparation of ferric acetate-coated silica sol by selective anion exchange. 64-01506P; Silica-sol compositions for polishing silicon wafers. 64-00007P
- Payne, David B.; and Millar, Colin A.**
Coupling of dielectric optical waveguides. 64-03862P
- Payne, David N.** See **Mansfield, Robert J.**
- Payne, David N.; Sasaki, Issei; and Adams, Michael J.**
Measurement of refractive index profile. 64-06908P
- Peach, Robert C.** See **Bowman, Roger**
- Peake, F.** See **West, H. W. H.**
- Pearce, Kenneth W.**
Filter press and its operation. 64-04034P; See also **Spours, Gerald**
- Pearce, Thomas H.; and Thomas, Mark**
Laser-induced fluorescence in minerals—preliminary results. 64-04210A
- Pearson, Arthur D.** See **Barns, Robert L.**
- Pearson, D.; and Allen, A. J.**
Ultrafine porosity in hydrated cements [studied] using small-angle neutron scattering. 64-06130A
- Peste, Julie**
Density measurement and control [for liquids and slurries]. 64-02584A
- Pestfield, M.**
Technical-economic considerations affecting ladle lining practice. 64-02220A
- Pebler, Alfred R.; and Charles, Robert G.**
Method of making ABO₃ of the cubic perovskite structure [from organics]. 64-02391P
- Pecherski, R. B.**
Relation of microscopic observations to constitutive modeling for advanced deformations and fracture initiation of viscoelastic materials. 64-05954A; See also **Perzyna, P.**
- Pechuro, S. S.**
Methods for calculating the composition of gypsum binders. 64-01734A
- Pedersen, S. Erik** See **Teng, Harry H. I.**
- Pederson, Larry Robert** See **Shade, J. W.**
- Pederson, Larry Robert; and McVay, Gary L.**
Effect of gamma radiolysis on waste glass leaching on brines. 64-04720A
- Peels, Martin** See **Assmann, Helmut; Doerr, Wolfgang**
- Peffley, Marilyn S.** See **Ingle, William M.**
- Peirs, Giovanni**
Belgian brick and tile industry. 64-03555A
- Pekerman, M. E.** See **Pievskii, I. M.**
- Pelizzaro, C.; and Zago, F.**
Theoretical test of the shape of brick blocks for floors with prefabricated joists subject to transverse bending. 64-04913A
- Pellechi, Sergio**
Fully automatic machine for producing large containers. 64-00296A
- Pellet, Regis J.** See **Long, Gary N.**
- Pellier, S. F.**
Stress modification in cerous fluoride films through admixture with other fluoride compounds. 64-05808A
- Pelous, J.** See **Loroch, J.**
- Peltier, F.; and Le Bras, E.**
Determination of temperature profiles in molten silicates by inversion of the transfer equation. 64-00283A
- Peltonen, Esko J.**
Method of and furnace assembly for bending glass sheets. 64-04048P
- Penazova, Vera**
Semiquantitative spectrographic determination of calcium oxide in soda lime feldspars. 64-04224A
- Penberthy, Larry**
Bored tunnel storage of nuclear waste. 64-05311A
- Penchard, Michel** See **Buffat, Bernard**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penera, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A
- Penzline, Henry W.; Gormley, Robert J.; and Scheid, Richard R.**
Process studies with a promoted transition-metal-zeolite catalyst. 64-04322A
- Pentecost, Joseph L.** See **Skalny, Jan P.**
- Penterson, Craig A.** See **Langille, Donald S.**
- Penco, Eugenio** See **Tomassini, Maurizio**
- Penza, S. K.; Rudarska, R. K.; and Nihitjanova, D. D.**
Tin dioxide with the CaF₂ structure in thin tin oxide films. 64-05195A
- Penisten, Thomas E.**
Microprocessor-controlled spray pickling. 64-00100A
- Penn, Benjamin G.** See **Ledbetter, Frank E., III**
- Penn, Benjamin G.; Ledbetter, Frank E., III; and Clemons, Johnny M.**
Improved process for preparing tris (*N*-methylamino) methylsilane monomer for use in producing silicon carbide-silicon nitride fiber. 64-01222A

- Perederii, N. A.** See Dryshlyuk, T. V.
Peredert, M. A. See Tsodikov, M. V.
Perego, Giovanni; Cesari, Marco; and Allegra, Giuseppe
 Ordered and disordered structures in borosilicates with a pentasil-type framework. 64-07487A
Perekrestov, V. I. See Bazakutsa, V. A.
Perelyayev, V. A.; Kadyrova, N. I.; and Zalinulin, Yu. G.
 Magnetic susceptibility of titanium and vanadium monoxides after thermobaric treatment. 64-00860A
Pereman, Gordon F. See Kellar, John D.
Perpelitsa, A. P. See Kaganyuk, D. S.
Perpelitsyn, V. A. See Grachev, V. A.; Kashcheev, I. D.; Khoroshavin, L. B.; Maurin, A. F.; Rutman, D. S.; Snegirev, A. I.; Sprygin, A. I.
Petrozin, M. A.; and Zamaev, V. I.
 Machine for the 2-side diamond dulling of glass articles. 64-00912A
Peresh, E. Yu. See Lazarev, V. B.; Starosta, V. I.
Perevozchikov, N. F. See Denisov, Yu. V.
Perez, J. M., Jr. See Mellinger, G. B.
Perez Jorba, Monique; Dallas, J. P.; and Collongues, R.
 Atmospheric corrosion of medieval stained glass—the role of phosphorus in the reaction mechanism. 64-06164A
Peridot, Jean-Pierre See Otto, Maurice J.
Perkins, R. W. See Kokini, K.
Perkins, Richard C.; and Ault, Neil N.
 Annual ceramic mineral resources review—silicon carbide. 64-07016A
Perkins, Walter W.; and Long, Russell E.
 Physical properties of ceramics. 64-00607A
Perkowitz, Sidney See Cook, William B.
Perl, Josef See Togan, Dorina
Permikina, N. I. See Belogrudov, A. G.
Perminov, A. A. See Svetlov, V. A.
Pernyakov, B. A.; and Korniyakov, A. B.
 Causes for the breakdown of glass pipes in low-temperature air heaters of boilers. 64-00277A
Pernyakov, Yu. V.; Ionov, S. P.; and Artemova, A. A.
 Peculiarities in the structure of charge-regular semiconductor polycrystals of Cs₂SbCl₃. 64-05943A
Pernyakova, T. V. See Zykova, T. A.
Pernick, Benjamin J.
 Optical flaw detection method and apparatus. 64-01071P
Pernot, F.; Baldet, P.; and Bonnel, F.
 Development of phosphate glass-ceramics for bone implants. 64-04267A
Petrova, A. A.; Abramyan, E. A.; and Shekhter, F. L.
 Strength of patterned and wired [reinforced] cast sheet glass. 64-00330A
Perraudin, Roland See Bruni, Maurice
Perrin, P. See Hernandez, P.
Perrine, Lowell E.
 Glass Problems Conference attracts 500. 64-00301A; Glass Problems Conference report. 64-06305A
Perry, C. H.; Liu, D.-W.; and Ingel, Robert P.
 Phase characterization of partially stabilized zirconia by Raman spectroscopy. 64-07361A
Perry, Charles H.; and Shaw, Robert R.
 Method for providing pinhole-free [metal oxide] dielectric layers. 64-06639P
Perry, David S. See Last, Isidore
Perry, Jack I.
 Take-out arm for bottle forming machine. 64-04064P; See also Minneman, Lester C.
Perry, John S.
 Attachment method—ceramic radome to metal body. 64-06148P
Perry, Philip D. See Barkhau, Marvin L.
Perry, Robert C.
 Float glass process—a new method or an extension of previous ones? 64-00294A
Perry, S. Carolyn See Chandan, Harish C.
Persh, Jerome
 International aspects of composite materials and structures technology. 64-05555A; Materials, structures, science, and technology requirements for the DoD [Department of Defense] strategic defense initiative. 64-07129A
Pershin, M. L. See Karamov, V. E.
Pershins, T. E. See Karamov, A. G.
Perthus, H.; and Colomban, P.
 Well-densified Nasion-type ceramics elaborated using sol-gel process and sintering at low temperatures. 64-00724A
Perugini, Giancarlo C.
 Social, economic, and technological evolution—philosophical, scientific, and statistical considerations. 64-01620A
Perugini, Giancarlo C.; Bressan, Giancarlo C.; and Cristofanelli, Gianguido
 Wollastonite—bibliographic investigation of properties and applications of the man-made and mineral product. 64-01148A
Perumal, P. See Krishna, P.
Perzyna, P.
 Stability of flow processes for dissipative solids with internal imperfections. 64-05959A
Perzyna, P.; and Pecherski, R. B.
 Modified theory of viscoplasticity—physical foundations and identification of material functions for advanced strain. 64-05936A
Pesavento, F. L. See DiMaria, Donelli J.
Pescatore, Claudio; and Machiels, Albert J.
 Mechanistic approach to modeling of nuclear waste form leaching. 64-04737A
Pesch, Wolfgang; and Beer, Guenter
 Binder compositions based on alkali metal silicate solutions. 64-05878P
Peshek, Jack R.
 Machinery for injection molding of ceramic shapes. 64-00913A
Pesina, T. I. See Baikova, L. G.
Pessimis, George N. See Jennings, James E.
Peteanu, Mihail; Ardelean, Ioan; and Nicula, Alexandru
 EPR investigation of Mn²⁺ ions in a TeO₂:PbO glass. 64-01829A
Peteanu, Mihail; Trif, Eleonora; and Nicula, Alexandru
 Distribution of 3d⁵ ions in oxidic vitreous systems of Na₂B₄O₇ and 95TeO₂:5PbO type. 64-07455A
Peter, Gyula
 Energy-saving drying of bricks. 64-04892A
Peter, H.
 Energy reduction by use of kiln furniture of recrystallized SiC. 64-03617A
Peters, A. See Palecek, Milan
Peters, Alan W.; Kim, Gwan; and Ernest, Michael V.
 Small bead [Al₂O₃ particle] auto exhaust catalyst. 64-05657P
Peters, Arnd
 Chemical corrosion of selected optical glasses by commercial cleansing agents. 64-03418A
Peters, E.
 Hot-wire method for determining thermal conductivity of dense materials—experimental data and expanded evaluation methods. 64-02597A
Peters, Thomas E. See McColl, James R.
Petersen, Ib Finn
 Isothermal sintering of portland cement raw mixes: II. 64-00046A
Petersen, Ib Finn; and Jorgensen, Annette W.
 Description of raw meal blending in the continuously operating CF [controlled flow] silo. 64-03083A
Petersen, Jorgen H.; Clausen, Peter J. M.; and Rasmussen, Hilmar O.
 Vapor burner for liquid fuel. 64-06994P
Petersen, Paul S.
 Plate glass repair apparatus and method. 64-03538P
Peterson, George Earl See Jackel, Janet L.
Peterson, John R.
 Insulation [ceramic fiber] of domed reactor vessels. 64-02247P
Peterson, Norman Lee
 Point defects and diffusion mechanisms in the monoxides of the iron-group metals. 64-05947A; See also Hoshino, Kazutomo; Jain, Himanshu; Thomas, M. P.
Peterson, Norman Lee; and Wiley, C. L.
 Diffusion and point defects in Cu₂O. 64-03766A; Point defects and diffusion in NiO. 64-06571A; Silver-tracer diffusion in Cu₂O. 64-03825A
Petho, Szilveszter
 Confidence limits of [particulate] samples taken from a population of lognormal distribution in cases of fixed probability. 64-05902A; Laws of motion of particles thrown by vibrating sieves. 64-05364A; Laws of motion of particles thrown vertically in air and aqueous media. 64-05365A
Petrakov, V. N. See Gorbachev, V. V.; Tykchinskii, I. D.
Petrini, G. See Bart, J. C. J.; Zipelli, C.
Petrosian, Ashtot G.; Bagdasarov, Khachik S.; and Kuzani-an, Armen S.
 Single-crystal material based on aluminum garnets. 64-07436P
Petrosyan, A. G. See Kaminskii, A. A.
Petrov, A. A.; Dolivo-Dobrovolskaya, G.; and Zhdanova, V. V.
 Growing single crystals of bismuth silicate and titanate and investigation of structural imperfections. 64-05716A
Petrov, A. N. See Kropanev, A. Yu.
Petrov, A. S.; Sherif, G.; and Yas'kov, D. A.
 Kinetics of nucleus formation of gallium phosphide in the volume of the melt. 64-05121A
Petrovic, Jan See Horvath, Vojtech
Petrovic, John J.
 Mixed-mode fracture of hot-pressed Si₃N₄. 64-07481A; See also Gac, Frank D.
Petrovic, John J.; Olinger, B. W.; and Roof, Raymond B.
 Explosive shock loading of alpha-Si₃N₄ powder. 64-07099A
Petrovic, John J.; and Roof, Raymond B.
 Fracture toughness of a beta-SiC whisker. 64-01216A
Petrovic, Vladan
 Device for drying gypsum. 64-06971P
Petrovskaya, T. P. See Yanovskii, V. K.
Petrovskaya, T. S.; Kalinin, P. S.; and Shevelevich, R. S.
 NMR and infrared spectroscopic study of the structure of Pb borosilicate glasses. 64-03306A
Petrovskii, G. T. See Glebov, L. B.
Petrovskii, G. T.; Sarukhanishvili, A. V.; and Cheshvili, T. Sh.
 Formation of surface films during the heat treatment of Mn-containing glasses. 64-03256A
Petrovskii, G. T.; Vasil'ev, E. A.; and Solov'eva, N. D.
 Moessbauer data for studying the kinetics of change of valence of Sn in Na silicate glasses. 64-03302A
Petrovskii, V. I. See Kiseleva, E. V.
Petrovskii, V. Ya.; Kirilenko, V. M.; and Gnesin, G. G.
 Determination of dielectric characteristics of very fine silicon nitride powders. 64-07083A
Pett, Robert A.; Theodore, Ares N.; and Tennenhouse, Gerald J.
 Plate-type beta'-alumina electrolytes for an advanced sodium-sulfur cell design. 64-06570A
Pettersson, Ola
 Plant for cold isostatic pressing. 64-06836P
Pettifer, G. S. See Hills, J. F.
Petuskey, William T.
 Current-induced segregation in ionic melts. 64-04452A; See also Fischman, Gary S.; Matthiesen, David H.; Yoo, Han-Il
Petz, Fritz
 Process for reducing the oxygen content of the atmosphere in a heat-treatment furnace and heat-treatment furnace for carrying out this process. 64-02693P
Petzold, Armin
 Nature of ground coat adhesion—theoretical interpretation and practical aspects. 64-03154A
Petzold, Matthias; Grau, Peter; and Berg, Gunmar
 Resistance to crack formation of glass surfaces. 64-03480A
Petzw, Guenter See Claussen, Nils
Peuzin, Jean C.
 Pyroelectric [ferroelectric crystal] detector. 64-03944P
Peyroche, P. See Denis, M.
Pfaff, Gerhard See Felz, Adalbert
Pfeffer, Henry A.; and Fradkin, Judith N.
 Method of operating a rotary calciner retrofitted to coal firing. 64-01108P
Pfeffer, Martin See Horowitz, Franklin B.
Pfister, Hans; and Rupp, Guenter
 Device for high-gradient magnetic separation. 64-06808P
Philippou, Jean See Prassas, Michel; Woignier, T.
Phares, Hershel L. See Valimont, James L.
Phelps, Daniel J. See Lawrence, David J.
Phelps, Frankie E. See Francis, Thomas L.
Phelps, Frankie E.; Boget, Paul J.; and Troup, Robert L.
 Process for producing beta'-silicon aluminum oxynitride [β'-Sialon]. 64-05649P
Phelps, Frankie E.; Francis, Thomas L.; and LaCamera, Alfred F.
 Process for producing beta'-silicon aluminum oxynitride [β'-Sialon] using discrete particles. 64-04419P
Phelps, Girard W. See Arayaphong, Dang; Lehman, Richard L.
Phelps, John M.; and Ratsap, Olev
 Spray drying ceramics. 64-06786A
Philibert, Jean See Solomon, Alvin A.
Phillip, Harald
 Optical fiber test instrument [optical time domain reflectometer] calibrator. 64-04133P
Phillip, Herbert R.
 Metal oxide [ZnO containing Li] varistor with controllable breakdown voltage and capacitance and method of making. 64-03866P
Phillip, Ottomar; and Hartung, Dieter
 Use of plaster in firing clinker. 64-00063A
Phillipbar, Jay E.
 Ceramic voice coil assembly. 64-00842P
Philippova, E. A.; Gleycheva, A. I.; and Vtizr, L. A.
 Zinc-containing ceramic pigments based on stanniferous sphere. 64-01149A
Phillips, David S. See Shiue, Y. R.
Phillips, David S.; and Shiue, Y. R.
 Grain-boundary microstructures in alumina ceramics. 64-07467A
Phillips, Edwin
 Nonstick glass stopcock. 64-04870P
Phillipotts, John A. See Sharma, Shiv K.
Piaggi, Alberto
 Processes for manufacturing specific products suitable for the storage, transport, preparation, and consumption of food, drinks, and products from said processes, such as plates, soup plates, vessels, etc. 64-03543P
Pichot, Michel See Guillaume, Michel
Piccolo, Paul L.; Shea, Colleen E.; and Barlett, Robert E.
 Stability testing of low-level waste forms. 64-05349A
Pick, Malcolm E. See Brookes, Ian R.
Pickard, J. See Maehl, D.
Pickens, John O. See Hood, Paul E.
Pickers, Russell G.
 Don't forget the basics when managing the new technology. 64-06299A
Pickett, John B.; and Allender, Jeffrey S.
 Effect of spray calcination conditions on Synroc-D crystalline phases. 64-05531A
Pieczurowski, Andrzej
 Industrial results from melting colored glasses in small electrically heated tank furnaces. 64-03455A
Pieczurowski, Henryk See Dziubak, Cecylia
Piepel, G. F. See Chick, Lawrence A.
Pierantozzi, Ronald
 Ruthenium carbonyl catalyst supported on ceric oxide for preparation of olefins from synthesis gas. 64-05654P
Pierce, John M.; and Lehrer, William I.
 Smooth glass insulating film over interconnects on an integrated circuit. 64-02415P
Pierce, Roger L.
 Body for single, fast-fired, vitreous floor tile. 64-06505A
Pietzarka, Wilhelm F.; Malten, Albrecht; and Strauss, Georg
 Process for cooling and comminuting molten calcium carbide. 64-05644P
Pievskii, I. M.; Nazarenko, G. D.; and Pekerman, M. E.
 Improvements for heat-generating units in the production of gypsum binders and their products. 64-06094A
Piguet, Joyce L.; Lapp, Josef C.; and Shelby, James E.
 Transformation range behavior of lithium galliosilicate glasses. 64-06274A

- Pignat, Joyce L.; and Shelby, James E.**
Preparation and properties of silver borate glasses. 64-06237A
- Pilr, I. V.** See Brach, B. Ya.
- Pilate, P.** See Cambier, F.
- Pilate, P.; Leveche, A.; and Aussen, M. R.**
Vitrification kinetics of ternary silica-alumina-lime glass powders: II. Effect of water vapor. 64-03385A
- Plyankevich, A. N.; Britun, V. F.; and Kravets, V. A.**
Variation of the real structure during the $\beta \rightarrow \alpha$ -SiC transformation. 64-01273A
- Pincus, Alexis G. (Editor)**
Forming in the Glass Industry. Parts I and 2. 64-01631B
- Pincus, Alexis G.; and Davies, David H. (Editors)**
Raw Materials in the Glass Industry: Parts 1 and 2. 64-01638B
- Pine, Lloyd A.**
Phosphorus-containing [clay derived zeolite] catalyst. 64-01342P
- Pine, Lloyd A.; and Cull, Neville L.**
Phosphorus-containing [clay-based] catalyst and catalytic cracking process utilizing the same. 64-04408P
- Pinskav, Eduard**
Method of coating ceramics and quartz crucibles with material electrically transformed into a vapor phase. 64-04697P
- Pinsonneault, Philippe** See Aitcin, Pierre-Claude
- Pioro, N. Ch.** See Markhasov, B. I.
- Piotrowski, Chester; Bendson, Steven A.; and Loeding, Neil W.**
Integrated magnetostriuctive-piezoelectric-metal oxide semiconductor magnetic playback head. 64-06704P
- Pique, D.** See Coudurier, L.
- Pires Correa, Waldomiro** See Amarante, Armando, Jr.
- Pires Correa, Waldomiro; Amarante, Armando, Jr.; and Nakagaki, Shirley**
Influence of waters from different sources on a ceramic slip. 64-02272A
- Piret, Jacques; and Mairy, Bernard**
Improvement of the wear-resistance of black nozzles for continuous casting by addition of boron nitride. 64-04958A
- Pirion, Bernard** See McMillan, Paul
- Pirogov, E. N.; Timan, B. L.; and Fesenko, V. M.**
Secondary pyroelectric effect in lithium niobate and tantalate crystals of different orientation. 64-05280A
- Pirogov, Yu. A.; Ivankovskii, A. A.; and Pudikov, D. V.**
Production of [refractory] rammed linings for 230-ton steel-casting ladles. 64-02181A
- Pirogov, Yu. A.; Panova, L. V.; and Belogradov, A. G.**
Mullite-corundum and corundum ramming bodies [refractories] without a kaolinite-containing component. 64-02154A
- Pirogov, Yu. A.; Prokopenko, M. I.; and Lyudoretis, I. I.**
Ladle linings for casting Mn alloys. 64-02131A
- Pirooz, Perry P.**
Sealing glass and method of making a willemite filler therefor. 64-06290P
- Pisarenko, G. G.; Chushko, V. M.; and Kovalev, S. P.**
Anisotropy of fracture toughness of piezoelectric ceramics. 64-06679A
- Pisarenko, V. F.** See Lebedev, V. A.
- Pisach, I. V.**
Coloring of ceramic pigments by cobalt. 64-00587A
- Pisichik, V. V.** See Dobrovinskaya, E. P.
- Pismennaya, L. Yu.** See Shvaika, D. I.
- Pitak, I. V.; Turchinova, L. N.; and Rutnik, V. L.**
Mullite-corundum hexahedral thin-walled packing bodies for high-temperature air heaters. 64-00491A
- Pitak, N. V.**
Change in the thermal stability of mullite-containing refractories. 64-04925A; See also Fedoruk, R. M.; Panferov, V. M.
- Pitak, N. V.; Turchinova, L. N.; and Anisimova, T. A.**
Creep of mullite-corundum refractories for use in air heaters of blast furnaces. 64-02087A
- Pitlikova, Miloslav; Mala, Lenka; and Sulan, Dusan**
Graphic charts of drying. 64-04151A
- Pivinskii, Yu. E.**
Patterns of hardening of unfired ceramic materials subsequent to chemical activation with contact binders. 64-02166A; Stabilization and aging of ceramic slips. 64-02526A
- Pivinskii, Yu. E.; Dzibiza, A. A.; and Rutman, D. S.**
Industrial parameters and properties of high-porosity ceramic concretes. 64-04961A
- Pivovarov, A. D.; Cherenin, A. D.; and Movnyga, V. G.**
Semiautomatic machine for drilling holes in refractory bodies. 64-02207A
- Pizley, Francis V.**
Computers and microprocessors to control kilns and dryers. 64-05463A
- Plachkova, S. K.; Odin, I. N.; and Novoselova, A. V.**
Solid-phase transformations and electrophysical properties of alloys of the cross-section GeTe-AgBiTe. 64-05803A
- Plakhov, G. F.** See Popov, V. I.
- Plastard, Dominique** See Battigelli, Jean A.
- Plankert, Thomas S.** See Battigelli, James M.
- Plaschke, V. M.; Tretyakskii, S. G.; and Mizonov, V. M.**
Thermomechanical properties of reinforced packet-type glass-enamel coatings. 64-00116A
- Platt, Alan** See Chance, Dudley A.
- Platfel, William** See Howard, Richard E.
- Plentz, Wolfgang** See Hennicke, Hans Walter
- Plies, V.; Redlich, W.; and Gruhn, R.**
Volatility of GeO₂ in the presence of WO₃. 64-01485A
- Pliner, S. Yu.** See Rutman, D. S.
- Plodinec, M. John** See Jantzen, Carol M. F.
- Plodinec, M. John; Jantzen, Carol M. F.; and Wicks, George G.**
Thermodynamic approach to prediction of the stability of proposed radwaste glasses. 64-04759A
- Plögnert, Hendrikus T.; Molesnar, Ronald N.; and Butter, Johannes A. M.**
Method of monitoring the wear of a refractory lining of a metallurgical furnace wall. 64-05457P
- Plöhn, Gerry**
Designed forge furnace modification at Stanley Works decreases fuel cost 72%. 64-03608A
- Ploetz, D. K.; Hess, E. G.; and Knabenschuh, John L.**
Conceptual design of a process for removing radioactivity from a salt solution. 64-05319A
- Plotnikova, M. V.** See Kukueva, L. L.
- Plough, Charles T., Jr.; and Hight, Ralph D.**
High-resistance [ceramic substrate] film resistor. 64-03871P; Thin-film resistor [on ceramic substrate]. 64-03915P
- Pisko, Alfons; and Liska, Marek**
Estimation of color anomalies in soda potash crystal glasses. 64-03248A
- Plumet, Emile R.** See Labani, A.
- Poad, William J.** See Ryder, Robert J.
- Poag, D. W.; and Merritt, W. R.**
Lightweight [Al₂O₃ tile containing] vault door. 64-02869P
- Pober, R. L.** See Torrey, E. S.
- Pocock, Robert**
System for controlling combustibles and O₂ in the flue gases from combustion processes. 64-04195P
- Podda, L.** See Longo, Vittorio
- Podolnetov, E. E.; Akopov, F. A.; and Vlasov, A. S.**
Increase in the thermal stability of CeO₂-based ceramics containing additives. 64-05552A; Structure and properties of high refractory ceramics based on CeO₂ and its solid solutions. 64-05008A
- Podobedov, V. B.** See Denisov, V. N.
- Podol'skaya, N. V.** See Shitepa, E. D.
- Podol'skii, I. I.** See Zozulya, V. Yu.
- Podorozhnyi, A. M.; and Safonov, V. V.**
Interaction of cesium bromide with the bromides of dysprosium and holmium. 64-05729A
- Poelsen, P.** See Liu, C.
- Poepplmeier, Kenneth R.** See Beyerlein, Robert A.
- Poeppl, A.** See Sladek, R. J.
- Poeschel, Eva; Weibel, Guido; and Schwammlein, Wolfgang**
High-temperature and thermal-shock-resistant [plasma-sprayed] thermally insulating coatings on the basis of ceramic [cermet] materials. 64-03121P
- Poeschmann, Ulrich** See Ulbricht, Joachim
- Poessacker, Wolfgang** See Schober, Reiner
- Pogorelov, S. A.; and Popov, A. V.**
Industry wastes for improving the grade of gypsum materials. 64-03098A
- Pogson, Jack** See Barresi, Anthony J.
- Pohlend, Horst; and Tieleas, Arthur J.**
Method for the recovery of alumina. 64-05508P
- Pohlman, Steven L.; and Olsen, Robert V.**
Corrosion and material problems in the copper production industry [use of refractory products in tapers]. 64-04931A
- Pointe, B.** See Mouchart, J.
- Poirier, Robert H.** See Niesz, Dale E.
- Poisson, Marie-Antoinette; Hirtz, Jean-Pierre; and Duchemin, Jean-Pascal**
Shortwave [GaInAsP] semiconductor laser. 64-03907P
- Poltevis, J. M.** See Lemperiere, G.
- Pokras, B. I.; Uman'skii, S. E.; and Kononko, V. P.**
Changes in the stresses in bands and sheets of glass during transverse and longitudinal cutting. 64-00278A
- Polesinski, Z.**
Preparation of clay-like waste materials [for ceramic industry use]. 64-05499A
- Polesing, W.; and Zednick, Walter**
Magnesia-alumina brick as a lining material in the cement industry and its behavior with regard to cement clinker. 64-02136A
- Polevol, A. S.; Ershov, B. G.; and Yudin, I. P.**
Effect of ionizing radiation on mechanical and sorption properties of granular zeolites. 64-05909A
- Poley, Joseph E.**
Combustion air flow control for regenerators. 64-06932A
- Polizhnev, Yu. M.** See Chupin, A. I.
- Pollas, E. L.; Dmitriyev, I. A.; and Savchenko, V. P.**
Relation between physical properties of graphite and its texture. 64-01252A
- Pollak, T. M.** See Lloyd, Isabel Knowlton
- Pollert, E.**
Crystal chemistry of magnetic oxides: I. General problems—spinel. 64-03950A
- Polozukov, N. M.** See Kuzminov, Yu. S.
- Polster, Helmut**
Corrosion behavior of additive cement grades in contact with chloride-containing and sulfate-containing aqueous solutions. 64-03082A
- Pol'yak, B. I.** See Vlasov, A. S.
- Pol'yak, B. I.; Vlasov, A. S.; and Aleksandrova, T. V.**
Recrystallized SiC for refractory products. 64-05059A
- Pol'yakov, O. A.** See Kleshchev, D. G.
- Pol'yanskaya, O. A.** See Neiman, A. Ya.
- Pol'yanskaya, O. V.** See Dudareva, A. G.
- Pol'yanskaya, T. A.** See Maronchuk, Yu. E.
- Polyushkin, V. I.**
Synthesis of F-free chromium aventurine glasses. 64-00233A
- Pompe, Robert**
Process for the production of moldings from materials based on silicon nitride. 64-04427P
- Pompe, Wolfgang; Haupt, Dietmar; and Weiss, Hans-Joergen**
Fracture-statistical approach to the strength of grinding wheels. 64-01644A
- Pond, Ramona G.; and Vitricio, William A.**
Custom packaging in a thick-film house using low-temperature cofired multilayer ceramic technology. 64-05061A
- Ponomarenko, V. A.** See Ordan'yan, S. S.
- Ponomarev, V. I.** See Zakharov, R. G.
- Ponthieux, A.** See Boudigues, S.
- Poole, J. P.**
Practical glass composition control. 64-03329A
- Poolos, W. Alan; and Nelson, Frederick J.**
Analysis of regenerator energy performance with the Heat Balance computer model. 64-00271A
- Pop, E.** See Pop, G.
- Pop, G.; Musca, G.; and Pop, E.**
Catalytic synthesis of olefins on crystalline aluminosilicates: IV. Methanol catalytic conversion of modified synthetic mordenites. 64-04247A
- Popa, V.** See Segal, E.
- Pope, J. M.** See Bjorklund, W. J.; Mellinger, G. B.
- Pope, J. M.; Chapman, C. C.; and Harrison, D. E.**
Improved feed compositions for slurry-fed ceramic melters. 64-05333A
- Popescu, A.** See Musa, G.
- Popescu, Constantin; and Brezeanu, Ioan**
Considerations and study in low-grade coal use for cement clinker manufacturing. 64-03080A
- Popescu, Constantin; and Stancu, Victor**
Installation for partial recovery of the heat loss through the steel sheet of the clinker rotary kiln. 64-06100A
- Popescu, Georgeta** See Balasoiu, Horia
- Popescu-Pogri, Nicoleta** See Prodan, Florina
- Popil'ski, R. Ya.** See Bezlepkin, V. A.; Kuliev, V. Kh.; Reznikova, E. D.; Vinogradova, L. V.
- Popkov, P. M.** See Teif, M. R.
- Popma, Theo J. A.** See Joosten, Paul H.
- Popolotov, V. I.** See Bichurin, R. Ch.
- Popolotov, V. I.; and Plakhov, G. F.**
Crystallization of inorganic compounds under hydrothermal conditions. 64-00823A
- Popov, A. D.** See Freidenberg, A. S.
- Popov, A. I.** See Levitin, R. Z.
- Popov, A. V.** See Pogorelov, S. A.
- Popov, O. N.** See Balkevich, V. L.; Guberis, S. Yu.; Kucheryavii, M. N.; Sokolov, V. A.
- Popov, O. N.; Martynov, V. P.; and Tokarev, Yu. S.**
Method for determining the corrosion stability of refractories in corrosive gaseous mediums. 64-02146A
- Popov, S. K.** See Moiseev, G. K.
- Popov, V. S.; Brykov, N. N.; and Andruschenko, M. I.**
Production technology of molds from Kh13 steels [for refractory industry]. 64-02185A
- Popov, V. V.** See Lebedev, V. A.
- Popov, Yu. A.** See Shur, V. Ya.
- Popov, Yu. T.** See Konev, D. G.
- Popova, T. I.** See Sotnikova-Yuzhik, V. A.
- Popova, T. K.; Tver'yanovich, Yu. S.; and Borisova, Z. U.**
Effect of manganese on the properties of glasses in the system Sb-Ge-Se. 64-03234A
- Popovich, N. V.** See Pavlushkin, N. M.
- Popovich, Paul D.** See Newell, Alton S.
- Popovkin, B. A.** See Kholodkovskaya, L. N.
- Porotnikov, N. V.** See Safonov, V. V.; Tsygankov, V. N.
- Porte, Louis; Roux, Laurent; and Hamus, Jean**
Vacancy effects in the X-ray photoelectron spectra of TiN. 64-04367A
- Porter, John R.** See Chokshi, Atul H.
- Porter, Mark A.** See Allen, Terry L.
- Portier, Josik** See Cottant, Jean Francois
- Portwood, Joseph N.** See Johnston, Garland D.
- Porz, Franz** See Ernstberger, Uwe
- Porzio, Thomas J.** See Bhatti, Mohinder S.
- Post, Richard F.** See Yoo, Jin S.
- Post, Martin F. M.** See Hoek, Arend
- Potabanko, V. S.** See Vdovenko, N. A.
- Potancok, Miroslav; and Fedorik, Radovan**
Possible uses for waste linings from cement kilns. 64-02174A
- Potap, E. G.** See Romanovskii, L. B.
- Potapova, O. G.** See Markov, G. A.
- Potekhin, O. G.** See Gofman, E. E.
- Potenchil, J.** See Rzasa, B.
- Potky, Eugene** See Andrejko, Matthew J.
- Potter, Paul E.** See Hohlbeck, John D.
- Potter, William D.; Barclay, Andrew C.; and Dunning, Reginald**
Cement compositions [with silicate glass]. 64-01769P
- Poulain, Michel** See MacFarlane, Douglas R.
- Poulain, Michel; and Hirtz, Pierre**
Light-emitting [heterogeneous InP] and receiving transistor for operation in alternate sequence in an optical-fiber telecommunications system. 64-02376P
- Found, R.**
Pick-and-place faces a variety of SMCs [surface-mount components]. 64-05155A

- Poundstone, Donald H.** See Barkhau, Marvin L.
Poupeau, Jean-Jacques See Jamet, Jean F.
Powell, J. A.; and Will, H. A.
 Making cubic silicon carbide semiconductors. 64-05125A
Pozdnyakova, G. T.; Solomina, N. V.; and Makov, A. I.
 Reciprocal influence of Y_2O_3 , W, and Al_2O_3 during the formation of the bond between tungsten coating and corundum ceramics. 64-00111A
Poznanski, O. I. See Mokhot, V. N.
Pozzoli, A. See Negrini, A.
Prabhu, Ashok N.; and Boardman, Simon M.
 Thick-film [particulate Al_2O_3] resistor inks. 64-02423P
Prabhu, Ashok N.; and Haug, Kenneth W.
 Indium oxide [BaCa borosilicate glass frit] resistor inks. 64-00760P
Pracidelli, Sebastiao; and De Almeida, Edmir A.
 Clays and tile bodies. 64-06508A
Præstgaard, F. L. See Thorsen, K. A.
Provost, Marcelle See Lederer, Lucien
Prudenziati, M. See Morten, B.
Prussing, Jost
 Making gas-filled insulating glass units. 64-00310A
Prymak, John D.
 Low dissipation factor monolithic [ceramic] capacitor for high-frequency applications. 64-05222P
Pryor, Arthur W. See Eberhardt, John E.
Przhevsukii, A. K. See Kariss, Ya. E.
Puchkov, A. B.; Boyarina, I. I.; and Degtyareva, E. V.
 Rheological and technological properties of suspensions based on β -SiAlon. 64-02820A
Pudas, Roland See Osterstedt, Jan-Erik A.
Pudikov, D. V. See Pirogov, Yu. A.
Puech, Claude See Papuchon, Michel
Puelma, Ernesto C.; and Cordero, Ricardo M.
 Solid-state diffusion in the Al_2O_3 -Cr $_2$ O $_3$ system. 64-02997A
Puff, H. See Westmark, Peter
Pugar, E. A. See Morgan, Peter E. D.
Puglisi, Orazio; Torrisi, Alberto; and Marietta, Giovanni
 XPS investigation of the effects induced by silanization on real glass surfaces. 64-03500A
Pukh, V. P. See Baikova, L. G.; Kireenko, M. F.
Pukhlik, O. I. See Boguslavskii, I. A.
Puleo, Joseph, Jr. See Baldvin, Jon O.
Purana, J. See Kliava, J.
Purdes, Andrew J.; and Bonfield, Thomas D.
 Plasma reactor with reduced chamber wall deposition. 64-05390P
Puri, Anamaria See Teoreanu, Ion
Puri, R. K.; Varshney, Usha; and Mendiratta, R. G.
 Moessbauer study of $Zn_{0.5}Ni_{0.5}Sn_{0.5}Fe_{0.5}O_4$ ferrites. 64-02472A
Puroila, Jaakko J. See Jarvela, Pentti K.
Pursin, A. K.; Shiergart, N. S.; and Orlov, G. V.
 Quartzite-corundum refractory concretes. 64-00505A
Purton, William Alfred See Holden, John Stanley
Pushkarev, O. I. See Berdikov, V. F.
Puskas, Imre
 Method for manufacture of AMS-1B crystalline borosilicate molecular sieve with low sodium content. 64-07247P
Puskely, Istvan
 Instrumentation of brick dryers and kilns and computer-aided data collection and processing. 64-04898A
Putnam, Gary C. See Maricle, Donald L.
Putzmann, Juergen
 Preparation for use of industrial robots [in the heavy clay industry]. 64-00446A
Puust, Ants See Richmond, Iain J.
Puxley, D. C.; Banks, R. G. S.; and McKenzie, D.
 Clay-containing catalysts for methanation, methanol synthesis, and steam cracking. 64-07215P
Puzynina, N. I. See Tatarintseva, M. I.
Puzynina, N. I.; Kulyukin, V. N.; and Tatarintseva, M. I.
 Isothermal chemical transport in the system Ta-C-Cl. 64-01417A
Pyare, Ram; and Kumar, Anil
 Importance of redox equilibria in glasses. 64-04728A
Pyare, Ram; and Nath, P.
 Kinetics and thermodynamics of ferrous-ferric equilibrium in sodium aluminate glasses. 64-04733A
Pyatakova, P. A.
 Nonlinear acoustooptical interactions in photoconductive piezoelectric semiconductors. 64-03806A
Pye, Kenneth; and Kinsley, David H.
 Petrographic examination of sedimentary rocks in the SEM using backscattered electron detectors. 64-04214A
Pygall, C. F. See Evans, E. P.
Pytlev, S. I. See Prodan, E. A.
Pyun, Su-Il
 Gibbs free energies of formations of the magnesium and calcium germanates at high temperatures. 64-01406A; Standard free energies of formation of the germanates in the quaternary systems CoO-GeO $_2$ and CuO-GeO $_2$ at high temperatures. 64-04495A
Pyun, Su-Il; and Baek, Jong-Tae
 Microstructural dependence of permeability and permeability spectra in Ni-TiN glasses. 64-06715A
Pyun, Su-Il; Chang, Seung-Hyun; and Yoon, Duk-Nong
 Permeability and temperature dependence of permeability in Co^{2+} and Al^{3+} -doped Mn-Zn ferrites. 64-06717A
Qi, Ya-fan; and Dai, Yi-sheng
 Formation and properties of glasses in P_2O_5 -BaO-Nb $_2$ O $_5$ -Al $_2$ O $_3$ system. 64-06194A
Qiao, Jing-wen See Zhou, Yong-zong
Qin, Chen See Wang, Jian-guo
Qin, Chen; Wang, Jian-guo; and Wu, Hui-fang
 Tensile strength of long optical fibers. 64-04833A
Querol Vilalba, A. M.
 Application of the Pfefferkorn method to control the plasticity of extrusion pastes in ceramic manufacture. 64-06756A
Quigley, J. F.
 Innovations in the US enamelling industry. 64-00095A
Quinlan, Kenneth P.; and Erstfeld, Thomas E.
 Process for the epitaxial deposition of III-IV compounds utilizing a binary alloy as the metallic source. 64-05244P
Quian, D. B.; Bedford, Raymond E.; and Kennard, F. L., III
 Dry-bag isostatic pressing and contour grinding of technical ceramics. 64-00900A
Quinn, George D.
 Fracture mechanism map for hot-pressed silicon nitride. 64-05923A; Properties testing and materials evaluation. 64-04324A; See also Greskovich, Charles D.
Quinn, James P. See Armstead, Brian H.
Quitkat, Wolfram; Reuter, Gerhard; and Schmidt, Ruediger
 Method for calcining minerals containing heat-value components. 64-04183P
Quon, D. H. H. See Bell, K. E.
Ra, Chang H.
 Safety lamp with [ZnS-Cu- and CaS-Bi-containing] noctu-
 cent lens holder. 64-02410P
Rabatin, Jacob G.
 Thermoluminescent coactivated rare-earth oxyhalide phosphors and X-ray image converters utilizing said phosphors. 64-04222P; X-ray image converter devices utilizing rare-earth oxyhalide phosphors. 64-04521P; See also Brines, Marjorie J.
Rabenstein, Albrecht See Bell, Michael
Rabie, Mahud; and Csetenyi, Jozsef
 Clays for ceramic whitewares from Iraq. 64-01118A
Rabinovich, I. Ya. See Kropanev, A. Yu.
Rabinowitz, Harold N. See Tse, Harold F.
Rabo, Jule A. See Long, Gary N.
Racine, R.; Koslowski, H.; and Desplanches, G.
 Ceramics in diesel engines of industrial vehicles. 64-02745A
Rada, Miroslav
 Behavior of boric oxide during melting of borosilicate glasses. 64-01811A
Raddatz, Andrea E. See Gomes, John M.
Radelnar, S. See Hendriks, M.
Rademacher, Herbert See Halberschmidt, Friedrich
Radford, Kenneth C. See Argall, Bruce M.
Radhakrishna, S.; and Badarinarath, K. V. S.
 Dielectric conductivity and dielectric properties of $MgAl_2Fe_2O_4$ spinel ferrite. 64-03951A
Radkevich, O. V. See Abrikosov, N. Kh.
Radlowski, Cecelia A. See Yoo, Jin S.
Radu, Dorel
 Calculation of interatomic distances in glass. 64-03193A; Dependence of the vitreous state specific angles on the electronic structure of the components. 64-03213A; Influence of excess air on the glass tank operation. 64-00306A
Radu, Dorel; and Radu, Maria
 Statistical model for evaluating the evolution of the glass-making process: I, Establishing a correlation equation between specific heat consumption and some technological parameters. 64-00327A; Statistical model for evaluating the evolution of the glassmaking process: II, Establishing a correlation equation between glass density and main technological influencing factors. 64-03486A; Statistical model for evaluating the evolution of the glassmaking process: III, Qualitative evaluation. 64-03487A
Radu, Maria See Radu, Dorel
Rae-Smith, A. R.; Cheetham, A. K.; and Fuess, H.
 Preparation and crystal structure of $LaReO_4$. 64-01568A
Raeva, I. S.; Bron, V. A.; and Adel, T. A.
 Water absorption by fused periclase. 64-02230A
Raevskii, I. P. See Emel'yanov, S. M.; Smotrakov, V. G.
Raevskii, I. P.; Smotrakov, V. G.; and Malitskaya, M. A.
 Preparation and study of single crystals and ceramics from solid solutions based on lead stannate. 64-05275A
Raevskii, S. D. See Zbigli, K. R.
Rager, Helmut See Schneider, Hartmut
Raghava, R. S.; Valentich, J.; and Nathenson, R. D.
 Thermoelastic behavior of thick glass/epoxy composite laminates. 64-01971A
Ragimov, N. G. See Mamedov, Kh. S.
Ragimova, V. M.; Alieva, Z. G.; and Movsum-Zade, A. A.
 Interactions of InSb with InSe, In $_2$ Se $_3$, and Sb $_2$ Se $_3$. 64-05741A
Ragno, E.; and Pastorelli, P.
 Technical comparison between two spray-dried powders for red body single firing. 64-00451A
Rahaman, Mohammed N. See De Jonghe, Lutgard C.; Wu, Shun Jackson
Rahaman, Mohammed N.; and De Jonghe, Lutgard C.
 Sintering of CdO under low applied stress. 64-01033A
Rahim, A. M. See Abou Sekkina, M. M.
Rahman, A. A. See McCulloch, C. E.
Rahman, Mohammad Mahmud; and Furukawa, Seijiro
 Preparation and electrical properties of an amorphous SiC /crystalline Si p - n heterostructure. 64-02329A
Rai, A. K.; Bhattacharya, R. S.; and Park, Y. S.
 Alloying behavior of gold, Au-Ge and Au-Ge-Ni on GaAs. 64-04670A
Rai, K. N. See Ghosh, N. K.

- Raikhel, M. S. See Shits, Yu. A.
- Railton, Jeffrey D. See Lemon, Peter H. R. B.
- Rainal, Attilio J.
High-speed, high-pin-out LSI chip package. 64-03872P
- Rainer, Frank; Lowdermilk, W. Howard; and Milam, David
Materials for optical coatings in the ultraviolet. 64-05127A
- Raj, Rishi; and Bask, Sunggi; Bordia, R. K.
- Raj, Rishi; and Bask, Sunggi
Use of silicon in liquid sintered silicon nitrides and Silions. 64-02917P
- Rajasekaran, J. V. See Nicolescu, I. V.
- Rajaram, Mohan; and Day, Delbert E.
Sodium diffusion in sodium aluminophosphate glasses. 64-06252A
- Rajendran, P. See Balasubramanian, M. R.
- Rajoli, Lawrence S.
Flexible membrane printing apparatus for a decorating machine. 64-05383P
- Rake, Heinrich; Herchenbach, Horst; and Jaeger, Gernot
Method and device for regulating the burning process of a cement burning system. 64-04182P
- Rakhovskaya, S. M. See Paikina, L. A.
- Rakotonirivo, E.; Bottero, J. Y.; and Cases, J. M.
Adsorption of long-chain alkylsulfonates from aqueous solutions on aluminum hydroxide gels. 64-07303A
- Raleigh, Charles W.
Annual ceramic mineral resources review—sodium carbonate. 64-07017A
- Rall, Ulrich See Grunert, Heinz
- Ramachandran, B. E.; and Balasubramanian, N.
Variation of volume resistivity of E glass and high-silica glass with temperature. 64-00334A
- Ramachandran, B. E.; Basavarajappa, G.; and Pai, B. C.
Effects of acid and post-heat treatment on the tensile properties of E-glass fibers. 64-01839A
- Ramachandran, B. E.; Singh, C. Bala; and Pai, B. C.
Crystallization behavior of high-silica materials. 64-01819A
- Ramachandran, V. S. (Editor)
Concrete Admixtures Handbook: Properties, Science, and Technology. 64-05997B
- Ramachandran, P. See Dube, K. S.
- Ramberg, Jeffrey R.; Wolfe, Cynthia F.; and Williams, Wendell S.
Resistance of titanium diboride to high-temperature plastic yielding. 64-05573A
- Ramond, Heike See Fietisch, Guenther
- Ramond, Heike See Herchenbach, Horst; Steinbiss, Eberhard
- Ramge, Dennis L.; and Miller, John H.
Apparatus for the reclamation of glass fiber from scrap fiber glass mat. 64-04842P
- Ramirez de la Piedad, P. See Homs, N.
- Ramohalli, Kumar N. R.; and Sesha, Panicham K.
Acoustic emissions reveal combustion conditions. 64-01076A; Acoustic imaging of combustion noise. 64-04141A
- Ramos, A. See Dumas, T.
- Ramos, Rosemary R.; Machado, Edna C. C.; and Ferreira, Heber Carlos
Influence of curing treatments on smectitic clays of Boa Vista, Campina Grande, PB, Brazil, for thixotropic fluids for oil well drilling. 64-02708A
- Ramond, A. H.; and James, Peter Finlay
Effects of amorphous phase separation on crystal nucleation kinetics in BaO-SiO₂ glasses: I. General survey. 64-00177A; Effects of amorphous phase separation on crystal nucleation kinetics in BaO-SiO₂ glasses: II. Isothermal heat treatments at 700°C. 64-01840A
- Rama, Virendra V. S. See Blank, Stuart L.
- Ramachowsky, J. See Motylewski, J.
- Rand, B. See Li, Jiaju
- Randa, Mary
Grinding, honing, or abrading body. 64-06015P
- Ranganathan, S.; and Suryanarayana, C.
Amorphous-to-crystalline phase transformations. 64-04701A
- Rankel, Lillian A.; and Valyocik, Ernest W.
Process for the preparation of mordenite utilizing transition-metal complexes during crystallization. 64-04518P
- Rankin, W. Nevyn
Evaluation of glass-contact materials for waste glassmelts. 64-04948A
- Ranney, John; and Baucke, Maynard
Thermal gradient [test] furnace. 64-06034A
- Ranogajec, J. See Zivanovic, Branislav M.
- Rausheim, Anders P.; Thomsen, Arne; and Holmgren, Per
Method and apparatus for determining the flow velocity of a molten, radiation-emitting material. 64-06910P
- Rao, B. G. See Rao, K. J.
- Rao, B. G.; and Rao, K. J.
X-ray diffraction study of lead oxide-lead chloride glasses. 64-01927A
- Rao, C. N. R.; Gopalakrishnan, J.; and Vidyanagar, K.
Superstructures, ordered defects, and nonstoichiometry in metal oxides of perovskite and related structures. 64-05812A
- Rao, Dong-zheng; and Zhu, Xie-yang
Factors affecting the sinterability of Shandong [China] magnesite-dolomite concentrate prepared by flotation. 64-06447A
- Rao, K. J.
Glass transition—a new approach based on a cluster model of glasses. 64-01856A; See also Rao, B. G.; Somasundaram, T.
- Rao, K. J.; Wong, J.; and Rao, B. G.
Determination of the coordination of divalent lead in PbO-PbCl₂ glasses by investigation of the X-ray absorption fine structure. 64-03214A
- Rao, M. R. K. See Bose, A. K.; Ray, K. C.; Singh, K. K.
- Rao, T. Seshagiri See Murthy, S. Ramana; Reddy, P. Venugopal
- Rao, V. Udaya S. See Shamsi, Abolghasem
- Rapoport, Eliezer; and Nadiv, Shmuel
Mechanochemical activation of hexagonal boron nitride and synthesis of the cubic form. 64-06007A
- Ras'ad, M. See Hanna, S. B.
- Rashid, I. H.; and Saleh, M. Abd El-Ghany
Optical absorption in zinc phosphate glasses. 64-04812A
- Rashleigh, Scott See Ulrich, Reinhard
- Rasines, J. See Garcia Casado, P.
- Raskolniko, L. G.; Maksimov, Yu. M.; and Lepakova, O. K.
Vanadit oxynitride phases. 64-01271A
- Rasmussen, Hilmar O. See Petersen, Jorgen H.
- Rasmussen, M. D.; and Akinc, Mufit
Automating a sorption apparatus. 64-05403A
- Rasmussen, M. D.; Akinc, Mufit; and Millis, D.
Effect of spray drying on the sintering of Y₂O₃. 64-04272A
- Rasmussen, M. D.; Jordan, G. W.; and Akinc, Mufit
Influence of precipitation procedure on sinterability of Y₂O₃ prepared from hydroxide precursor. 64-04468A
- Raspopin, S. P. See Bazhenov, V. M.
- Rastogi, Laxmi K.; and Sussman, Scott W.
System and process for controlling a calciner. 64-01112P
- Rath, Jindrich; and Netik, Petr
Influence of environment, especially of humidity, on the strength of ceramic body. 64-04543A
- Ratkowski, Stephen G. See Ruyak, Robert F.
- Ratnaraj, N. See Stewart, Gordon M.
- Ratnasamy, P. See Krishnasamy, V.
- Ratsep, Olev See Phelps, John M.
- Ratzenberger, H.
Secondary raw materials in the building and heavy clay industries [in E. Germany]. 64-04910A
- Rau, Hans; Trafford, Betty; and Wehr, Hermann
Incorporation of OH in PCVD optical fibers and its reduction by fluorine doping. 64-04802A
- Rau, Karlheinz See Brandt, Lutz; Christiansen, Uwe
- Rau, Lee See Evans, David C.
- Rauschenbach, Bernd See Haehnert, Manfred
- Rauth, Gerhard See Skudelny, Dieter
- Ravaglioli, Antonio See Krajewski, Adriano
- Ravaglioli, Antonio; and Krajewski, Adriano
Bioglass ceramics covering metal prostheses—theories and perspectives. 64-01179A
- Ravaioli, Umberto See Cancellieri, Giovanni
- Ravens, Bernard See Desgardin, Gilbert
- Ravez, J. See Sekiya, T.
- Ray, Chandra S.; and Day, Delbert E.
Crystallization of calcia-gallia-silica glasses. 64-01820A
- Ray, Glen
Magnetically biased [ferrite-capped] inductor. 64-02490P
- Ray, Hem Shanker
Determination of concentration and surface area of powders in dispersion using light transmission. 64-06866A
- Ray, K. C.; See, P. C.; and Rao, M. R. K.
Reactivity of lime. 64-01750A
- Ray, Swati See Chaudhuri, P.
- Rayner, Paul
Bonded fly ash ceramics and ceramic concrete. 64-06061A
- Razafindrandratnamiray, See Fesquet, J.
- Razdol'skaya, I. V. See Mel'nikova, I. G.
- Read, Aleha A. R. See Sondic, Zarrin
- Read, Eileen; and McCaughan, Daniel V.
Force sensor with a piezoelectric FET. 64-02441P
- Ready, D. W. See Bheeminn, V.
- Real, C. See Criado, J. M.
- Rean, Jean-Marie See Hagemmuller, Paul
- Reboux, Jens
Direct induction melting device for dielectric substances of the glass or enamel type. 64-01097P
- Recalcati, F. See Encinas, G.
- Recensens, Joseph See Blanchet, Pierre
- Rechenberg, W. See Sprung, Siegfried
- Recoale, B. M. See Knight, C. H.
- Reddy, P. Venugopal See Murthy, S. Ramana
- Reddy, P. Venugopal; Satyanarayana, R.; and Rao, T. Seshagiri
Electrical conduction in magnesium ferrite. 64-03954A
- Redell, Dietrich; and Schmidt, Dieter
Device for supporting flat ceramic objects to be fired in a continuously heating furnace. 64-06972P
- Redkin, B. S.; Satunkin, G. A.; and Tatarchenko, V. A.
Growth of lithium niobate bands by the Stepanov method. 64-03924A
- Redlich, W. See Plies, V.
- Redmon, John W.
Impacting device for testing insulation [bonded to metal]. 64-01057P
- Reed, David J. See David, Earl K.
- Reed, Dorothy A.; and Bradt, Richard C.
Fracture mirror-failure stress relations in weathered and unweathered window glass panels. 64-01849A
- Reed, James See Apothaker, Richard L.
- Reed, James S. See Ackley, George A.; Dey, Sandwip K.; DiMilia, Robert A.
- Reed, Larry T.
Method for reduction of oxides and improving porosity of metallized zirconium oxide ceramics. 64-04398P
- Reed, Scott T. See Brinker, C. Jeffrey
- Reehal, J. S.; White, D.; and Bramley, A. N.
Stress analysis in the vitreous enameling system. 64-00115A
- Reese, Walter J.; and Salego, George T.
Method and apparatus for forming a bundle of glass filaments. 64-06820P
- Reessing, Friedrich See Daniel, Juergen
- Reetz, Teja See Haase, Ingrid; Kerbe, Friedmar
- Reetz, Teja; and Irmisch, Reiner
Quality control during production of ThO₂ ceramics. 64-03984A
- Reeve, K. D.
Status of the Australian Synroc Project. 64-06746A
- Reeve, K. D.; Levins, D. M.; and Woolfrey, J. L.
Immobilization of high-level radioactive waste in Synroc. 64-05332A
- Reeves, Richard
Nondestructive detection of the surface properties of ferromagnetic materials. 64-01069P
- Regent, N. I. See Dubinin, M. M.
- Regney, O. See Haussonne, J. M.
- Rehfeld, Gerhard See Bruening, Klaus; Kummer, Peter
- Rehfeld, Gerhard; and Steffens, Klaus
Apparatus for testing abrasive grains in single-grit scratch tests. 64-01046P
- Rehner, Hans; and Dumitru, Ovidiu
Algorithm for raw material proportioning in the cement industry. 64-06059A
- Rehorik, Emil
Trademarks of Czech china. 64-03735A
- Reichert, William W. See Cody, Charles A.
- Reid, Alistair See Day, Michael A.
- Reid, I. See Lewis, G.
- Reidmeyer, Mary R.; and Day, Delbert E.
Preparation and properties of nitrogen-doped phosphate glasses. 64-06236A
- Reijl, Oguma; and Akihiko, Hiral
Infrared-absorbing quartz glass with iron and aluminum. 64-03397P
- Reiley, Timothy C.; Badding, J. V.; and Payne, David A.
Low-temperature firing film capacitor material based on lead iron niobate/tungstate. 64-05124A
- Reindl, Werner See Grewal, Virinder
- Reinhardt, L. V. See Sorokin, I. N.
- Reins, Jiri; and Kostka, Miroslav
Experimental tracing of viscosity changes during the controlled annealing of glass fibers. 64-03438A
- Reinhold, Klaus See Hunold, Klaus; Kreigsmann, Jochen; Schwetz, Karl A.
- Reisfeld, R. See Kislav, A.
- Reisman, A. See Oehrlin, G. S.
- Reiss, Gerhard
Molecular sieve zeolite for producing hydrogen by pressure variation absorption technique. 64-01336P
- Reiter, Helmut See Mueller, M.
- Reiterov, V. M. See Lisitsyna, L. A.
- Reichardt, V. I. See Nirsha, B. M.
- Reif, C. P. See Evans, J. C.
- Rempel, A. A.; Belyaev, M. Yu.; and Dubrovskaya, L. B.
NMR study of nonstoichiometric niobium monocarbide. 64-05937A
- Ren, Cong-xi See Feng, Xi-qi
- Renkey, Albert L. See Kernion, Mark C.
- Renard, Raymond J. See Vogel, Roger F.
- Reppel, Michel See Jacques, Roland
- Reppinger, Wilhelm; Huebschen, Gerhard; and Salzburger, Hans-Juergen
Nondestructive noncontact ultrasonic [testing of ferromagnetic] material. 64-01070P
- Res, Miloslav A.; Bednarik, Jaroslav; and Fourie, Jacobus T.
Preparation and sintering of a porous glass-ceramic in the system Na₂O-B₂O₃-Ga₂O₃. 64-01888A
- Rettel, A.; Gessner, W.; and Mueller, D.
Hydration of CaAl₂O₄ at various [curing] temperatures [0-80°C]. 64-06092A
- Rettel, A.; Gessner, W.; and Ollow, G.
Temperature dependence of the hydration of CaO-Al₂O₃. 64-00526A
- Reuter, B. See Machl, D.
- Reuter, B.; Aust, R.; and Colsmann, G.
Oxide systems with transition-metal ions in different states of oxidation: XIX. Preparation and properties of V(III)-containing n-type V(III) spinels. 64-01559A
- Reuter, Gerhard See Quittkat, Wolfram
- Reuter, Otto See Dolezal, Karoly
- Revay, Miklos; and Benyei, Karoly
Alumina cement. 64-04624A
- Reven, Frederick V.
Coating [TiO₂ and SiC mixture] to prevent the oxidation of electrodes during electric furnace steelmaking. 64-02859P
- Rewitzer, Siegfried
Process and apparatus for the automatic depositing and pressing of continuous tubes. 64-06838P
- Reynens, Piet; Firatli, A. C.; and Von Mallinckrodt, D.
High-temperature ternary phase in the system MgO-Al₂O₃-ZrO₂. 64-04464A
- Reynolds, C. L., Jr.; Swaminathan, V.; and Tamargo, M. C.
Photoluminescence of (Al,Ga)As double heterostructure layer material containing a buffer level. 64-05149A
- Reynolds, T. James See Barker, Charles E.

- Reznikova, E. D.; Popl'skii, R. Ya.; and Spiridonov, E. G.**
Structure and valency of chromium and oxygen content in yttrium chromites. 64-00521A
- Rheumate, Walter A.**
Apparatus and process for producing woven, nonlinear shapes from graphite fabric, and the like, and products produced therefrom. 64-01278P
- Rhodes, Cecil G.** See Steeds, John W.
- Rhodes, Warren W.** See Yang, Man F.
- Ribbing, C. G.** See Valkonen, E.
- Ribes, Michel** See Pagnier, Thierry
- Riccardi, Richard C.**
Application of new microprocessor-based controls to improve furnace efficiency and save energy. 64-04142A
- Ricci, Dolores Ribeiro; and Ambrozio Filho, Francisco**
Powder characterization using methods of mean particle size determination. 64-06890A
- Ricciardello, F.** See De Pretis, A.; Longo, Vittorio; Minichelli, D.
- Rico, B.** See Olivo, P.
- Rico, B.; and Fischetti, M. V.**
Temperature dependence of the current in SiO₂ in the high field tunneling regime. 64-03835A
- Rice, Roy W.**
Mechanically reliable ceramics—needs and opportunities to understand and control fracture. 64-07526A; See also Jamet, Jean F.
- Rice, Roy W.; Ingle, Robert P.; and Bender, Barry A.**
Development and extension of partially stabilized zirconia single-crystal technology. 64-05525A
- Rice, Roy W.; and McDonough, William J.**
Intrinsic volume changes of self-propagating synthesis. 64-07346A
- Rice, Roy W.; Spann, Joseph R.; and Lewis, David, III**
Effect of ceramic fiber coatings on the room temperature mechanical behavior of ceramic-fiber composites. 64-05529A
- Rice, Steven O.** See Fisher, Greg
- Rich, Donald G.** See Domingorena, Albert A.
- Richard, Christian**
Double or mixed silicates of alkali metal and other glass modifier metal(s) used to prepare glass compositions. 64-03393P
- Richards, Ray S.**
Method of sealing glass furnaces to prevent air leakage. 64-02006P; See also Nelson, Frederick J.
- Richards, Von L.** See Kim, Il-Ung
- Richardson, Robert T.**
Cooking oven [refractory construction]. 64-00541P
- Richartz, W.**
Composition and properties of fly ashes. 64-01706A
- Richerson, David W.**
Evolution in the US of ceramic technology for turbine engines. 64-04277A
- Richert, Carson T.** See Crain, Norman Robert
- Richmond, Iain J.; Wong, David; and Punst, Ants**
Solid fuel furnace. 64-06992P
- Richon, Dominique** See De Pous, Olivier
- Richter, Herbert** See Offermann, Peter
- Richter, Thomas; Frisch, Guenther H.; and Borchardt, G.**
SIMS analysis of a leached soda-lime glass. 64-06247A
- Rideal, Graham R.** See Briggs, Peter J.
- Ridgway, David N.**
Precision cleaving of optical fibers. 64-00414P
- Rieck, Hans-Peter; and Kalz, Hans-Juergen**
Process for the manufacture of zeolites. 64-07277P
- Riedel, F. N.**
Thermodynamic considerations of the formation of contaminants in boron and silicon carbide during grinding in ball mills. 64-04359A
- Riedel, Guenter** See Jakob, Wolfgang
- Riedl, Theo M.**
Brick and tile industry's consumption of energy in 1982. 64-03556A
- Rieger, Konrad C.**
Annual ceramic mineral resources review—pyrophyllite. 64-07013A; Annual ceramic mineral resources review—wollastonite. 64-07019A
- Rieger, Wolfhart; Gauckler, Ludwig; and Kampfer, Konrad**
Filter [ceramic] medium for filtering molten metals. 64-07227P
- Riehl, M.** See Sichert
- Riescher, Lothar**
Wuerzburg Brick and Tile Training Course 1983. 64-03578A
- Rifflet, J. C.** See Odier, P.
- Rippl, Z.; and Schowald, G.**
Influence of pH on the dissolution rate of phase-separated lithium borosilicate glass. 64-04729A
- Rigby, Eugene B.**
Method of making a thin-film [SiO₂-Al₂O₃] insulator. 64-05231P
- Rigby, Malcolm J.** See Evason, John; Marsh, Brian
- Rigden, S. M.; Ahrens, T. J.; and Stolper, E. M.**
Densities of liquid silicates at high pressures. 64-04204A
- Riggs, Dennis M.**
Process of spinning pitch-based carbon fibers. 64-05653P
- Riggs, Olen J., Jr.**
Method of preparing electrolytic manganese dioxide. 64-00780P
- Righini, Giancarlo** See Russo, Vera
- Rigotti, G.; Lavat, A. E.; and Escobar, M. E.**
Crystal data, infrared, and thermal behavior of aluminum decavanadate. 64-01191A
- Rigsbee, J. M.** See Scott, P. A.
- Riha, Viktor**
Influence of cooling liquids on the process of grinding and polishing glass with diamond tools. 64-03456A
- Riley, Brian**
Vanadium oxide synthesis. 64-02973P
- Riley, F. L.** See Brook, Richard J.
- Rimington, I.** See Shapiro, G.
- Rinaldi, Domenico** See Valenti, Gian Lorenzo
- Rincon Lopez, J. M.**
Mica-type minerals for the production of glasses and glass-ceramic materials: I. 64-06317A; Mica-type minerals for the production of glasses and glass-ceramic materials: II. 64-06316A
- Rincon Lopez, J. M.; and Gonzalez Pena, J. M.**
Phase separation and crystallization in some glasses of the system Li₂O-SiO₂. 64-06232A
- Rinehart, Gary H.** See Behrens, Robert G.
- Ringer, Richard M.**
Transfer printing floor tile. 64-00626P; Transfer printing process. 64-01003P
- Ringle, R. D.** See Twigg, S. Warren
- Ringle, Richard P.** See Connolly, John D., Jr.
- Ringlien, James A.** See Bieringer, Robert J.
- Rinklake, Manfred; Roettger, Wilhelm; and Zeibig, Josef**
Roofing tile with thermal conduction device. 64-00455P
- Rippen, W.** See Viens, L.
- Rishod, Subhash H.**
Crystal growth in glasses and amorphous semiconductors. 64-00248P; See also DeGuire, Eileen J.; Speyer, R. F.; Tredway, William K.
- Risen, William M., Jr.** See Kamitsos, Efstratios I.
- Rishi, M. V.** See Srivastava, K. N.
- Rita, Robert A.**
Gas panel seal glass. 64-00253P
- Ritsko, Joseph E.; and Acla, Howard L.**
Process for the recovery of high-purity tantalum oxide. 64-02735P
- Ritt, Hans-Georg; Luneberg, Hartmut; and Maun, Reinhard**
Method of making tubular [glass] vials and ampules. 64-06388P
- Ritter, George W.; and Adzima, Leonard J.**
Preparation of glass-ceramic fibers. 64-03540P
- Ritter, George W., II**
Production of spinel powder. 64-01169P
- Ritter, John E., Jr.** See Sonderman, D.
- Ritter, John E., Jr.; Fahy, John P.; and Duffy, Peter L.**
Slow-stressing-rate testing of ceramic materials—correction. 64-04100A; Slow-stressing-rate testing of ceramic materials. 64-01034A
- Ritter, John E., Jr.; Glaesemann, G. S.; and Jakus, Karl**
Effect of temperature on the strength and fatigue behavior of optical fibers. 64-03432A
- Ritter, John E., Jr.; Strzapa, Peter; and Jakus, Karl**
Erosion damage in glass and alumina. 64-01844A
- Ritter, John E., Jr.; Vicedomine, Michael; and Breder, Kristin**
Dynamic fatigue analysis of indentation flaws using an exponential-law crack velocity function. 64-01536A
- Rittler, Hermann L.**
Transparent glass-ceramics of high negative expansion for use as decorative glazes. 64-04768P
- Ritzman, Ira G.**
Method of removing a glass backing plate from one major surface of a semiconductor wafer. 64-00782P
- Riva, Ermete** See Italiano, Pietro
- Rivault, J. P.** See Brussels, M.
- Rizer, Janine M.** See Miller, Richard; Scheetz, Barry E.
- Rizer, Janine M.; and Gotzmer, Carl**
Lightweight [fly ash and SiO₂/fume] cementitious product. 64-04664P
- Robb, Steve**
ACerS Committee on Programs and Meetings formats annual meeting, sets sights on future growth. 64-04575A; ACerS leaders urge change, long range planning to keep pace. 64-07518A
- Robbins, Gordon B.**
Titanate [organic] compositions having depressed freezing points. 64-01514P
- Robbins, J. M.** See Wei, George C. T.
- Robbins, Jacqui**
UK structural clay products—building on firmer ground. 64-02050A
- Robbins, Murray** See Gallagher, Patrick K.
- Roberts, Erich; and Koehling, Alfons**
Characterization of fuel cell electrodes and investigation of chemisorption of hydrocarbons in the presence of water. 64-03754A
- Roberson, Morris L.** See Anjier, Joseph L.
- Robert, Michel**
Monolithic refractory linings for cement rotary kilns. 64-01737A; Nonshaped refractories in the cement industry—some solutions. 64-00494A
- Roberto, Scorta**
Method for conductively interconnecting circuit components on opposite surfaces of a dielectric layer. 64-00981P
- Roberts, D.**
New computer-controlled furnace saves energy. 64-01957A; See also Maurer, C.
- Roberts, D. E.** See Lawn, Brian R.
- Roberts, E. W.** See Atkinson, P. G.
- Roberts, Gerald E.** See Crescenzi, Robert J.
- Roberts, Gerald E.; and Staples, Alfred G.**
Monolithic crystal filter and method of manufacturing same. 64-02443P
- Roberts, Jon A.** See Brownell, David J.
- Roberts, Stanley** See Bouldin, Dennis P.; Ishaq, Mousa H.
- Roberts, Stanley; and Ryan, James G.**
Process for making high dielectric constant nitride-based materials and devices using the same. 64-01351P
- Roberts, Thomas J.**
Glass container recycling update with a commitment to the future. 64-07524A; Recycling is a key weapon in the bottle bill battle. 64-03477A
- Robertson, D. S.**
Cathode [Zn-V silicate phosphor] ray tube. 64-07408P
- Robertson, J.**
Defects in amorphous semiconductors. 64-06548A
- Robertson, John**
Electronic structure and X-ray near-edge core spectra of CuO. 64-03775A; See also Ekenberg, Ulf A.
- Robertson, John M.; and Van Tol, M. W.**
Cathodoluminescent garnet layers. 64-05289A
- Robinson, Gilbert C.**
Reversibility of moisture expansion. 64-06431A; Tomorrow for brick—hard work and change. 64-04915A
- Robinson, Joseph G.; and Barnes, David I.**
Catalysts [porous amorphous SiO₂]. 64-01282P; Process for the production of ZSM-5 zeolite. 64-07430P
- Robinson, P.**
Woodlands [Australia] clay—sericite mica in a clay-like state. 64-07058A
- Robinson, R. S.** See Clark, David E.
- Robinson, Ramon K.** See Grant, Nicholas J.
- Roblee, Leland H. S., Jr.** See Gottschlich, Chad F.
- Robu, Ion**
Hardening properties of power station ash and carbide slurry mixtures. 64-06089A
- Robyn, Pierre; and Deschepper, Pierre**
Adding [repairing] to silica refractory structures. 64-06472P; Composite refractory articles and method of manufacturing them. 64-03701P; Forming coherent refractory masses. 64-02242P
- Roche, P.** See Borgogno, J. P.
- Rocker, G.** See Goepel, W.
- Rodionov, A. I.** See Tel'nova, G. B.
- Rodionova, G. P.; Smirnov, N. S.; and Shatravka, E. I.**
Effect of clays and electrolyte on the rheological properties of enamel slips. 64-00084A
- Rodriguez Pascual, C.** See Gonzalez Pena, J. M.
- Rodriguez, D. C. S.** See De Biasi, R. S.
- Rodriguez Cuatrecasas, R.**
Theoretical calculation of the properties of glasses—viscosity, thermal, and devitrification parameters. 64-06268A
- Rodriguez, Federico B.; and Mares, Rafael B.**
Glass annealing lehr. 64-01989P
- Rodriguez, T.** See Esquivias, I.
- Roedel, J.; and Tomandl, G.**
Degradation of Mn-doped BaTiO₃ ceramic under a high dc electric field. 64-03760A
- Roepennack, Horst; Schneider, Volker W.; and Druckenbrodt, W.-G.**
Experience with the ammonium uranyl plutonyl carbonate coconversion process for mixed-oxide fuel fabrication. 64-00877A
- Roesch, P.** See Glaser, Walter
- Roeschlaub, John G.** See McKinley, John R.
- Roeske, Heinz**
Mathematical method for ball charge assembling of ball tube mills. 64-00049A
- Roetenbacher, Reinhard**
Method of brazing silicon carbide parts using Si-Co solder. 64-04401P
- Roettger, Wilhelm** See Rinklake, Manfred
- Rog, Gregor; and Borchardt, G.**
Solubility of silica in forsterite [studied] by solid-state emf measurements. 64-00516A
- Rogers, W. F.; and Srinivasan, Makuteswaran**
Ultrasonic detection of surface flaws in sintered alpha silicon carbide. 64-05441A
- Rogers, William Z.**
Annual ceramic mineral resources review—feldspar. 64-07006A
- Rogge, Hugo** See Cozac, Daniel
- Rogovoi, M. I.** See Fokin, G. A.
- Rogozovets, M. V.** See Baskova, N. F.
- Rohac, Jan** See Kozik, Tomas
- Rohac, Jan; Kozik, Tomas; and Stubna, Igor**
Drying by electric resistance: I. Systems of electrodes. 64-04146A
- Rohatgi, Vijay Kumar** See Karthikeyan, Jeganathan
- Rohe, V. Tengzelius; and Schoene, C. M.**
Sodium reaction with high-pressure sodium lamp materials. 64-05577A
- Rohrbach, Hans-Joerg**
Method and apparatus for producing expanded clay and expanded shale. 64-04233P
- Rolf, A. G.; and Bryon, J. P.**
Coated abrasives. 64-06012P
- Rollmann, Louis D.** See Calvert, Robert B.
- Roman, O. V.** See Afanas'ev, L. N.
- Romanescu, Alexandru; Bucsa, Liana; and Amuzica, Florin**
Correlations between composition and structure of mineralogical clinker constituents and their forming temperature. 64-03081A
- Romanov, B. P.** See Otmakhov, V. I.

- Romanovskii, L. B.; Potap, E. G.; and Koren, L. N.
Unfired periclase-chromite refractories with a chemical bond. 64-00531A
- Romanovskii, L. B.; Terekhin, V. A.; and Koren, L. N.
Stability of Mg spinel refractories to evaporation. 64-03679A
- Romero, Eduardo; and Dumola, Richard J.
Alloy coating for cast iron parts, such as glass molds. 64-00937P
- Romey, I.; Glaser, H.; and Marrett, R.
Manufacturing of electrode needle coke from hard coal tar pitch. 64-04304A
- Rommers, P. J. See Krol, D. M.
- Ron, M. See Fainaro, I.
- Romy, Marin See Latta, Ernst-Eberhard
- Roof, Raymond B. See Petrovic, John J.
- Ross-Kozel, Barbara
Designing solder paste materials to attach surface-mounted devices. 64-00645A
- Rosatzin, M. See Duley, W. W.
- Rose, Daniel C. See Hodgkins, Charles E.
- Rose, Douglas N.
Method of sealing of ceramic [heat-exchanger] wall structures. 64-04077P; Process of and apparatus for laser annealing of film-like surface layers of chemical vapor deposited silicon carbide and silicon nitride. 64-01356P
- Rose, Douglas N.; and Becker, John E.
Method for making a radial flow ceramic rotor for rotary-type regenerator heat exchange apparatus and attendant ceramic rotor constructions. 64-07246P
- Rose, T. L.; Kellner, E. M.; and Scoville, A. N.
Characterization of rf-sputtered BaTiO₃ thin films using a liquid electrolyte for the top contact. 64-03755A
- Rose, Walter D.
Apparatus and procedure for [porous body] relative permeability measurements. 64-05444P
- Rosebrooks, Nathan B.
Device for providing a dual coating on an optical fiber. 64-04847P
- Rosemeier, R. G. See Yoo, K.-C.
- Rosenbaum, Joel See Bonney, Rob
- Rosenberg, Michael A.
Leadless [monolithic ceramic electrically conducting] filter component. 64-06630P
- Rosenberg, Robert See Hovel, Harold J.
- Rosenwaig, Allan
Thin-film thickness measurements and depth profiling utilizing a thermal wave detection system. 64-05461P
- Rosenwaig, Allan; and Opsal, Jon
Thin-film thickness measurement with thermal waves. 64-06921P
- Rosenfield, Alan R. See Duckworth, Winston H.; Shetty, Dinesh K.
- Rosenfield, Alan R.; Shetty, Dinesh K.; and Duckworth, Winston H.
Estimating damage laws from bend-test data. 64-07462A
- Rosenkranz, Jindrich See Jakes, Dusan
- Rosenkranz, Wolfgang See Ledebink, Friedrich W.
- Rosenstock, H. G.; and Valentin, P. W.
Pouring tube for casting steel. 64-06495P
- Roser, R. R. See Skinner, M. L.
- Roskicz, Heinz
Laboratory testing of abrasive wear of grinding balls—a method for determining their wear in cement mills. 64-04084A
- Rosiek, Genowefa; Mikulicz, Cecylia; and Bielek, Jan
Behavior of a corundum porous material in a living organism: I. 64-04243A; Behavior of a corundum porous material in a living organism: II. Properties of the bone-porous bioceramic composite. 64-04244A
- Rosillo, Andre See Lorin, Andre
- Roskova, G. P.; Antropova, T. V.; and Tschonkaya, T. S.
Action of acid solutions on plates of 2-phase sodium borosilicate glasses. 64-03185A
- Roslyakova, N. G. See Makasheva, N. E.
- Rosman, Irwin E.; and Bourgeois, Hector S.
Rotor blade and stator vane using ceramic shell. 64-07283P; Support [for] a ceramic blade for a gas turbine. 64-00137P
- Ross, Donald R.
Process [calcining with clay] for treating radioactive salt cake. 64-03987P
- Ross, Julian R. H. See Sambrook, Rodney M.
- Ross, Ludwig See Gliemertor, Georg; Grabowski, Danuta
- Ross, Norman C.; and Lettrich, Jeffrey J.
Alkali-earth metal oxide-based [Ca and Mg] coating compositions. 64-01491P
- Ross, Philip C.
Dual-depth melting of glass. 64-00288A
- Ross, Wayne; and Fuchs, Henry O.
Red heart at Interstate Brick Company [Utah]. 64-00448A; Red heart at Interstate Brick Company. 64-04908A
- Rossi, Claudio A.
Process for the preparation of ceramic powders. 64-04517P
- Rossi, R. See Marra, A.
- Rosington, J. W.
Refractory [octagonal shaped] brick. 64-00574P
- Rosman, Axel See Huecher, Werner
- Rosman, Axel; and Huecher, Werner
Blade [TiN-, TiC-, and TiN-coated] for a fluid-flow engine and method for manufacturing the blade. 64-04372P
- Rosner, R.; and Schwandt, H.
Firing carriage including a rack structure of refractory material for the ceramics industry. 64-06481P
- Ross, Hanna See Teoreanu, Ion
- Rouge, J.
Reactions by continuous-cast steels in commercial use. 64-04688A
- Roulet, C. See Junod, A.
- Rouly, Eric; Baquet, Philippe; and Dubuit, Jean-Louis
Flat silk-screen printing machine with movable pivoted support. 64-06812P
- Rouly, Eric; and Douville, Jean-Pierre
Silk screen printing machine [for cylindrical ware]. 64-04061P
- Rourke, George W.
Composite [C fiber] turbine wheel. 64-01291P
- Rousse, Colin Graham; and Galvao, Fabia M. S.
Phenomena of nucleation and crystallization in the system Na₂O-CaO-ZrO₂-SiO₂. 64-01880A
- Routhort, Jules L. See Weber, W. J.
- Routschka, Gerald; and Majdic, Aleksander
Refractories for converters in steel production—a literature survey. 64-06465A
- Routt, Kenneth R.
Physical modeling of a glassmelter designed for vitrification of defense waste. 64-04816A; See also Allen, Terry L.
- Routt, Kenneth R.; and Crow, Kevin R.
Theoretical predictions for glass flow into an open evacuated canister. 64-04834A
- Roux, Laurent See Porte, Louis
- Rowan, Gerald
Cone 5-6 slip glazes. 64-01668A; Cone 6 oxidation slips and glazes. 64-01669A
- Rowe, Mark S.
Noble metals in the glass industry. 64-06319A
- Rowell, D. K. See Stoneham, A. M.
- Rowland, B. See Encinas, G.
- Rowlands, C. C. See Evans, J. C.
- Rowlette, John R.
Positive battery [Sn oxide-coated] plate. 64-05241P
- Rowley, James R. See Thomawick, Ronald J.
- Roy, A. K.; Das, P. K.; and Banerjee, G.
Hot transverse strength of phosphate-bonded sillimanite and kyanite products. 64-06450A
- Roy, A. K.; and Sircar, N. R.
Cold setting properties of phosphate-bonded refractories. 64-03601A; Thermal analysis of the Al₂O₃-H₂PO₄-Cr₂O₃ system. 64-02950A
- Roy, Bimalendu N.; and Navrotsky, Alexandra
Thermochemistry of charge-coupled substitutions in silicate glasses—systems M₁xAlO₂-SiO₂ (M = Li, Na, K, Rb, Cs, Mg, Ca, Sr, Ba, Pb). 64-00236A
- Roy, D.; Bhatnagar, R.; and Bahadur, D.
Magnetic behavior and microstructural properties of amorphous and crystallized Y₂GdFeO₄, prepared by the amorphous citrate process (x = 0, 0.5, and 3). 64-06713A
- Roy, Della M. See Aitcin, Pierre-Claude; Barnes, M. W.; He, Jun-yuan; Komarneni, Sridhar; Nakagawa, Zenbee; Roy, R.; Scheetz, Barry E.
- Roy, Della M.; Fajun, Wei; and Grutzeck, Michael W.
NZP [NaZr₂(PO₄)₃]—cement composite waste forms. 64-05755A
- Roy, Neill R. See Roy, Rustum
- Roy, R. See Kapadia, M.
- Roy, R.; Roy, Della M.; and O'Holleran, T. P.
Precision drying of simple and complex ceramic powders by DMS [decomposition of misted solutions] technique. 64-07146A
- Roy, Rustum See Hoffman, David; Komarneni, Sridhar; Yang, Li J.
- Roy, Rustum; Komarneni, Sridhar; and Yang, Li J.
Controlled microwave heating and melting of gels. 64-06759A
- Roy, Rustum; and Roy, Neill R.
Institutional sources of ceramics research in the US. 64-01614A
- Roy, S. B.
Mica-reinforced [thermoplastic] composites—a review. 64-02794A
- Roys, B. S. H.; McGovern, S.; and Benziger, J. B.
Analytical photoacoustic spectroscopy of catalysts. 64-06354A
- Rozbal, Herman E. See Taylor, Gene W.
- Rozova, M. N. See Kostikov, Yu. P.
- Ruban, V. F.; Murin, I. V.; and Pronkin, A. A.
Electrical conductivity of fluorozirconate glasses. 64-03242A; X-ray diffraction study of the crystallization of glasses in the system ZrF₄-BaF₂-AlF₃. 64-03386A
- Rubin, R.; and Hsieh, C.
Dinnerware porcelains with high strength—properties and structure. 64-02266A
- Rublevskii, I. P. See Verlotskii, A. A.
- Rublevskii, I. P.; Verlotskii, A. A.; and Frolova, V. P.
Glass resistance of Zr-rich fused refractories. 64-00477A
- Rucker, Klaus G.
High-temperature-stable [B and Fe³⁺ oxide] ignition powder. 64-02371P
- Rud, Yu. V. See Vaipolin, A. V.
- Ruda, G. I.; and Vavilova, V. V.
Effect of phase composition on the sinter formation resistance of alloys of the system Hf-Si-O at 1573 K. 64-01399A
- Rudakova, S. E.; and Dem'yanova, L. P.
Acid resistance of alkali-free aluminoborosilicate glasses based on changes in the ir reflectance spectra. 64-03183A
- Rudakova, S. E.; Dem'yanova, L. P.; and Borukhin, B. Ya.
Estimating the acid resistance of pyroxene-group silicates [glasses] based on changes in the ir reflectance spectra. 64-00182A
- Rudarska, R. K. See Penner, S. K.
- Rudenko, T. S. See Nestersov, A. I.
- Rudenko, V. S. See Boganov, A. G.; Cheremisin, I. I.
- Rudi, D. I. See Shvaika, D. I.
- Rudnitskii, Yu. V.; Chaban, I. P.; and Baranov, L. I.
Apparatus for determining the gas permeability of dense ceramics. 64-01006A
- Rudoi, Boris L.
Apparatus for simultaneous production of double glass panels. 64-06342P; Ballistic-resistant glass-ceramic and method of preparation. 64-00244P
- Rudolf, Peter See Autzen, Horst; Ohlinger, Manfred
- Rudolph, Karl H.
Operational analysis of fossil fuel-fired ceramic kilns. 64-04156A
- Rudolph, Kathleen; Strutz, Carl, Jr.; and Strutz, Frank C.
Printing on [cylindrical or conical] articles. 64-04057P
- Rudyak, I. N. See Alekhin, A. I.; Karaulov, A. G.; Zoz, E. I.
- Ruehle, Manfred See Chaim, Rachman; Claussen, Nils
- Ruehle, Wolfgang
Pressure sensor [GaAlAs epitaxial layer]. 64-05242P
- Rueter, Bernhard See Hermann, Wolfgang
- Ruether, Horst-Peter; and Winzer, Dieter
Operational experience with main trough linings in German blast-furnace plants. 64-02160A
- Ruf, Harald; and Sadewasser, Juergen
Corrosion problems of ceramic glazes. 64-00590A
- Ruf, R. R.; and Gambino, R. J.
Iron-iron oxide layer films. 64-02464A
- Ruh, Edwin
Refractories industry today—Japan and the United States. 64-00510A; See also Skalny, Jan P.
- Ruh, Robert See Mazdyasni, Kurt S.
- Ruh, Robert; Mazdyasni, Kurt S.; and Valentine, Peter G.
Phase relations in the system ZrO₂-Y₂O₃ at low Y₂O₃ contents. 64-01241A
- Ruhle, Manfred See Heuer, Arthur H.
- Ruhovets, Naum See Ferit, Walter H.
- Rui, Fang-de See Do, Tong-san
- Rukovichnikov, A. I. See Morozov, N. A.
- Rummen, H. E. C. See Tail, J. C.
- Rump, H. See Hoffmann, Gerald J.
- Runkle, Franklin D. See Tennenhouse, Gerald J.
- Rupp, Guenter See Pfister, Hans
- Ruppik, Michael See Junge, Karsten
- Rush, James P. See Hager, Adolph G.
- Russell, Robert O. See Morrow, Gary D.
- Russer, Peter See Huber, Hans P.
- Russo, Vera; Righini, Giancarlo; and Sottini, Stefano
Lens-ended fibers for medical applications—a new fabrication technique. 64-01954A
- Rustamov, P. G. See Abilov, Ch. I.; Aliev, O. M.; Il'yasov, T. M.
- Rustamov, P. G.; Baboeva, P. K.; and Askerova, N. A.
Interactions in the system Ga-Fe-Te along the cross-section Ga₂Te-FeTe and GaTe-Fe. 64-05737A
- Rustamov, P. G.; Bakhtiyarov, I. B.; and Nakhmetov, S. M.
System Ga₂S₃-Ga₂O₃. 64-05830A
- Rustamov, P. G.; and Geldarova, E. A.
Systems Sb₂Te₃-GdTe and Sb₂Te₃-TbTe. 64-05852A
- Rustamov, P. G.; Geldarova, E. A.; and Alidzhonov, M. A.
Thermoelectric properties of the Sb₂-(TbLu)₂Te solid solutions. 64-05189A
- Rustamov, P. G.; and Il'yasov, T. M.
System As₂Se₃-YbSe. 64-05821A
- Rustamov, P. G.; Kurbanov, T. Kh.; and Aliev, O. M.
Interactions in the systems Gd₂S₃-Cr₂S₃ and Dy₂S₃-Cr₂S₃. 64-05739A
- Ruthardt, Rolf
Device for manufacturing powder by dividing a melt. 64-06809P
- Rutman, D. S. See Belogradov, A. G.; Maurin, A. F.; Panfilov, R. A.; Pivinskii, Yu. E.; Strelou, K. K.; Turchaninov, V. S.
- Rutman, D. S.; Nazarova, T. I.; and Uzbeg, L. V.
Deformation characteristics of synthetic mullite refractories at high temperatures. 64-02091A
- Rutman, D. S.; Perepelitsyn, V. A.; and Lopatinskaya, D. I.
Improvements in the method for determining the density of Dinas bricks. 64-02600A
- Rutman, D. S.; Toropov, Yu. S.; and Pliker, S. Ya.
High-temp. heat-insulating material—ZrO₂-based porous ceramic concrete. 64-02119A
- Rutman, D. S.; Uzbeg, L. I.; and Diesperova, M. I.
Soviet Standard for periclase and periclase-lime powders for steel casting production. 64-00517A
- Rutt, Truman C. See Scramton, Dehart G.
- Ruten, Joseph; Hoeks, Gerardus P. F.; and Van Kemende, Johannes T.
Luminescent [Me₂-Eu-Au-CrO₃], where Me = Sr or Ba and A = Al+Ga] screen and lamp containing the same. 64-07416P
- Rutz, Richard F.
Structure containing epitaxial [(SiC)(AlN)] crystals on a [Al₂O₃ or AlN] substrate. 64-02911P
- Rund, Clayton O.; and Gazzara, C. F.
Residual stress measurements in alumina and silicon carbide. 64-04330A

- Ruak, Robert F.; Ratkowski, Stephen G.; and Ciprich, Samuel D.**
Consistometer [for high temps. and pressures]. 64-01051P
- Ruzek, Josef; and Krausova, Helena**
Convertibility of Jenikov [Czech] quartzites [for Dinas brick]. 64-02701A
- Ruzicka, F.** See Kloboucek, J.
- Ryan, James G.** See Ishag, Mousa H.; Roberts, Stanley Ryan, Martin J.; and Smedley, Stuart I.
Effect of pressure on fast ion conductivity in glasses. 64-01837A
- Ryazanov, V. K.** See Burtsev, V. I.
- Rybalovskii, A. O.** See Kornienko, L. S.
- Rybarikova, Ludmila** See Hlavac, Jan
- Rybkin, S. G.; Lukashenko, E. E.; and Sidorenko, Yu. A.**
Cross-section PdBi-Cu-Ge of the system Pd-Bi-Cu-Ge. 64-05679A
- Rychly, Rudolf** See Szabo, Mihaly
- Ryder, Robert J.; Pond, William J.; and Pantano, Carlo G.**
Meeting the requirements for longer shelf life. 64-04738A
- Ryserson, Frederick J.** See Ackerman, F. J.
- Ryken, L. E.** See Abdelhamid, M. S.
- Ryken, L. E.; Wiedemann, L.; and Kardos, Z. L.**
Characterization of high-level waste supernatant at West Valley [NY]. 64-05316A
- Rykova, G. A.; Aleksandrova, N. G.; and Skorikov, V. M.**
Gadolinium oxyanhydride. 64-05712A
- Rymarchuk, Nicholas M.; and Meinert, Leo L.**
Lance for repairing the lining of steelmaking vessels. 64-04040P
- Rymon-Lipinski, Tadeusz**
Basic refractories containing carbon: I. Grain composition versus corrosion of materials. 64-03590A; 64-02061A; Basic refractories containing carbon: II. Control of carbon oxidation rate by grain composition of materials. 64-03591A
- Ryntz, Edward F., Jr.; and Bommarito, John J.**
Chill-enhanced lost-foam casting process [unbonded refractory mold]. 64-06478P
- Ryu, Hideo**
Joining [Cr oxide-coated] ceramic to metal. 64-03168P; Metal and [Cr₂O₃ and SiO₂, Cr₂O₃, Al₂O₃] ceramic assembly. 64-06151P
- Ryzhenkov, N. A.** See Ermolin, Yu. N.
- Rza-zade, P. F.** See Abdullaev, G. K.
- Rzasa, B.; and Potenci, J.**
Properties of thick-film resistors fabricated on various dielectric layers. 64-03819A
- Saadat, Sobell; and Terry, Stephen C.**
High-speed chromatographic gas analyzer. 64-01018A; 64-02595A
- Sabatelli, Vittorio** See Valenti, Gian Lorenzo
- Sablina, K. A.** See Volkov, V. E.
- Sacudra, J. F.; and Al Abed, A.**
Combined transfers by conduction and radiation with dispersion in semitransparent media—application to fibrous materials. 64-00152A
- Sachenik, Paul A.** See Borrelli, Nicholas F.
- Sachse, Wolfgang** See Kim, Kwang Yul
- Sack, Werner; and Kiefer, Werner**
Crystallizing glass solders and stripping films with such glass solder imprinted thereon. 64-06607P
- Sacks, Michael D.**
Properties of silicon suspensions and cast bodies. 64-01030A
- Sacks, Michael D.; and Tseng, Tseng-Yuen**
Preparation of SiO₂ glass from model powder compacts: I. Formation and characterization of powders, suspensions, and green compacts. 64-00320A; Preparation of SiO₂ glass from model powder compacts: II. Sintering. 64-00321A
- Sadan, Abraham** See Atwood, George E.
- Sadevasser, Juergen** See Ruf, Harald
- Sadio, James L.; and Musil, Gary D.**
High-reliability [ceramic-insulated] electrical components. 64-02370P
- Sadovskaya, O. A.** See Naboka, M. N.
- Sadovskiy, V.** See Kuznetsov, V. V.
- Sadunay, Donald R.** See McLeod, A. D.
- Sadunas, A. S.** See Blokh, L. S.
- Sadunas, A. S.; Machyulais, R. V.; and Kaminskis, A. Yu.**
Frost resistance of ceramic bricks. 64-06421A
- Sadunas, A. S.; Machyulais, R. V.; and Valyukyavichyus, Ch. A.**
Determining the frost resistance of wall ceramic bodies in the laboratory. 64-02265A
- Saeiki, Goji** See Watanabe, Akira
- Saeiki, Masakatsu; Ohno, Shinichi; and Tachikawa, Enzo**
Comparison of 80 keV D⁺ ion implantation with thermal D₂ doping in silica FTIR and ES⁺ spectroscopy. 64-04708A
- Saeiki, Yukio** See Matsushima, Noriaki
- Safonov, V. V.** See Mireev, V. A.; Podorozhnyi, A. M.
- Safonov, V. V.; Chaban, N. G.; and Porotnikov, N. V.**
Phase equilibria in the system Li₂O-MoO₃-Sc₂O₃. 64-05771A
- Safonov, V. V.; and Kazakova, I. A.**
System PbCl₂-MoO₃-TeO₂. 64-05842A
- Safonov, V. V.; and Mireev, V. A.**
Interaction of palladium dichloride with the chlorides of rubidium and cesium. 64-05732A
- Safonov, V. V.; Mireev, V. A.; and Dubina, S. K.**
Systems PdCl₂-LiCl(NbCl₅). 64-05851A
- Safonov, V. V.; Tishchenko, N. I.; and Kazakova, I. A.**
Interactions of the oxides of tellurium(IV) and tungsten(VI) with the chlorides of neodymium and yttrium. 64-05742A
- Safonov, V. A.; and Shterev, V. V.**
Increasing efficiency in the production of gypsum-fiber and other extrusion products. 64-01727A
- Sagady, Calman S.** See Tuohig, Wayne D.
- Sagalevich, Yu. D.; Ivanova, N. D.; and Kononov, V. P.**
Firing of Dinas bricks from Ovruchsk [USSR] quartzites in tunnel kilns. 64-02112A
- Sagawa, Nobukazu** See Kawamura, Hideo
- Sager, Ramon L.; Tawil, Henri; and Hasselman, D. P. H.**
Effect of heating time on the thermal stress resistance of a soda-lime-silica glass. 64-00171A
- Saha, Chandan Kumar; and Cooper, Alfred R., Jr.**
Abrasion resistance of field-assisted ion-exchanged glass. 64-00139A; Effect of etched depth on glass strength. 64-00170A
- Saha, P.; Bandyopadhyay, T.; and Panigrahi, B. K.**
Optical fiber for telecommunication. 64-06321A
- Saha, Prasenjit** See Annamalai, N.
- Saha, S. K.; and Das-Poddar, P. K.**
Hydraulicity and the temperature strength-retaining capacity of high-alumina cements in relation to titania content. 64-06451A
- Sahl, Kurt** See Greben, Michael
- Saibulov, S. Zh.**
Mechanism of structure formation in ceramics obtained from fly ash. 64-00443A
- Saibulov, S. Zh.; and Kulbekov, M.**
Factors imparting a high frost resistance to fly-ash-based wall ceramics. 64-03720A
- Saidzizova, N. A.; Irkakhodzhayeva, A. P.; and Sirazhiddinov, N. A.**
Celestite in making low-temperature porcelain glazes. 64-00584A
- Saidi, J.** See Matzke, Hansjoachim
- Salelio, S.** See Caffera, D.; Grassi, A.
- Saint-Sevin, Michel** See Grandjeans, Benoit
- Sainty, W. G.** See Martin, P. J.
- Salsse, Henri** See Pargamin, Laurent
- Saito, Hajime; and Urakawa, Tetsuro**
Method [NH₃ added to N₂] of manufacturing β -type silicon nitride whiskers. 64-07243P
- Saito, Hiroshi** See Tamura, Hiroshi
- Saito, Junji** See Oguri, Yasuo
- Saito, Kyoichi** See Hirooka, Eiji
- Saito, N.; Aoki, K.; and Sanmomiya, H.**
Optical and electrical properties of hydrogenated amorphous Si_{1-x}Ge_x alloy thin films prepared by planar magnetron sputtering. 64-05137A
- Saito, Noboru; Satake, Takeshi; and Aoki, Ryuji**
Catalyst [mixed metal oxide] for manufacturing methacrolein. 64-05601P
- Saito, Shinichiro; Miyayama, Masaru; and Koumoto, Kazuhito**
Gas-sensing characteristics of porous ZnO and Pt/ZnO ceramics. 64-03783A
- Saito, Shinroku**
Expectations for fine (advanced) ceramics. 64-03011A; Material design of ceramics—an overview. 64-03024A; New trends in advanced ceramics between Japan and the USA. 64-03027A
- Saito, Shinroku; and Shirasaki, Shinichi (Editors)**
Age of New Ceramics [New Ceramics No. 10]. 64-07533B
- Saito, Yasuhiro**
Alumina ceramics for cutting tools. 64-02740A
- Saito, Yutaka; Sakakibara, Hiroyuki; and Uchida, Kiyohiko**
Heat liberation and temperature rise of cement in hydration. 64-06090A
- Saitoh, Hiroshi** See Imamura, Kenji
- Saitoh, J.** See Kuriyama, K.
- Sakabe, Yukio**
Dielectric ceramic [Pb and Sr titanate-based] composition. 64-02358P; Dielectric ceramic composition. 64-00741P; See also Kanai, Kazuhiko; Nishioka, Goro
- Sakaguchi, Shigeki; Nakahara, Motohiro; and Tajima, Yoshimitsu**
Drawing of high-strength long-length optical fibers. 64-00287A
- Sakaguchi, Shigeyu; Shirogama, Masaharu; and Ito, Hiroshi**
Method [WC powder] for hardfacing a ferrous base material. 64-00122P
- Sakaguchi, Susumu; Watanabe, Kazuyoshi; and Ogihara, Masahiro**
Method for the preparation of single crystals of gadolinium gallium garnet. 64-02388P
- Sakai, Etsuro; Asaga, Kiyoshi; and Daimon, Masaki**
Progress in the concrete forming process. 64-03122A
- Sakai, Hiroyuki** See Ohmi, Shigeki
- Sakai, Kazuo** See Akiba, Shigeyuki
- Sakai, Masahiro; and Watanabe, Katsuya**
Effect of pretreatment and annealing temperature on the strength of SiC-Ni monofilament composites. 64-04271A
- Sakai, Masao; Suzuki, Yasuhiko; and Sugimoto, Makoto**
Resistor [glass frit-based] composition for resistor-incorporated spark plugs. 64-02409P; Resistor [glass, C, ZnO, B₂C, SiC, TiB₂, and TiN] composition for resistor-incorporated spark plugs. 64-05246P
- Sakai, Mototsugu**
Nonlinear fracture of ceramic materials. 64-05938A
- Sakai, Sai**
Gas sensor [metal/ceramic]. 64-04694P
- Sakai, Tokuji** See Onodera, Tamio
- Sakai, Toshikazu; and Hirotsuki, Naoto**
Hot-pressing of SiC with additions of BaO and C. 64-07115A
- Sakakibara, Hiroyuki** See Saito, Yutaka
- Sakakibara, Tatsuo** See Ban, Keisuke
- Sakami, Sadao**
Point of view—new ceramics, refractories, and kilns. 64-03030A
- Sakamoto, Katsuhiko** See Tanaka, Isao
- Sakamoto, Kenji** See Miyamoto, Akira
- Sakamoto, Masaharu** See Ohshima, Ken
- Sakamoto, Masao**
Solid solution softening and solid solution hardening in concentrated KCl-KBr model crystals. 64-02946A
- Sakamoto, Nobuyoshi** See Akune, Tadahiro
- Sakashita, Isao** See Inoue, Susumu
- Sakata, Jiro** See Yamamoto, Minoru
- Sakata, Koichiro** See Takenaka, Tadashi
- Sakata, Naoyuki; and Kitagaki, Tetsuo**
Method for shaping green body of ceramic powder and ceramic body obtained by firing same. 64-04047P
- Sakharov, V. S.** See Bobrik, V. M.
- Sakka, Sumio**
Eleventh new ceramic seminar [in Osaka, Japan]. 64-03010A; Glass science and technology in Japan. 64-00189A; Optical ceramics—an introduction. 64-01958A; Science of Glass and Amorphous [Materials] (Garsu Hishoshitsu No Kagaku). 64-06003B; Typical ceramic laboratory in Japan. 64-01623A; See also Huang, Zhan Jie; Kamiya, Kanichi; Yoko, Toshinobu
- Sakuma, Taketo; Yoshikawa, Yuichi; and Suto, Hajime**
Modulated structure formed by isothermal aging in ZrO₂-5.2 mol% Y₂O₃ alloy. 64-07135A; Rhombohedral phase produced in partially stabilized zirconia. 64-07158A
- Sakuragi, Shiro** See Sato, Heiichi
- Sakurai, Kenji** See Yamamoto, Yoshihiro
- Sakurai, Kunio; Ito, Hiroshi; and Nozaki, Takashi**
Antireflection [evaporated SiO₂-based] optical coating. 64-03501P
- Sakurai, Osamu** See Uematsu, Keizo
- Sakurai, Shigenori; Kamo, Takashi; and Furutani, Toshinobu**
Oxygen sensor [glass-bonded electrode] element. 64-06287P
- Sakurai, Yoshitomi**
Review of magnetic ceramics. 64-02479A
- Saldner, Charles E.**
Reusable thermal barrier for insulation gaps. 64-05002A
- Salmatita, B. A.** See Karanov, A. G.
- Salgado, George T.** See Reese, Walter J.
- Salehuddin, S. M.** See Hoang, Chong Jem
- Salek, M. Abd El-Ghany** See Rashed, I. H.
- Salek, George A.**
Corrosion inhibitive [Mn₂O₃-based] pigments. 64-01495P
- Sales, B. C.; and Bostner, L. A.**
Lead iron phosphate glass—a stable storage medium for high-level nuclear waste. 64-03286A; Lead phosphate glass as a stable medium for the immobilization and disposal of high-level nuclear waste. 64-00204A
- Sales, B. C.; White, C. W.; and Begun, George M.**
Surface layer formation on corroded nuclear waste glasses. 64-01914A
- Sales, B. C.; White, C. W.; and Bostner, L. A.**
Application of ion implantation and backscattering techniques to the analysis of nuclear waste glass corrosion. 64-00144A
- Sallhi, A.; and Weston, R. H.**
Distributed computer control and monitoring of glass container manufacturing plant. 64-03428A
- Salkov, E. A.** See Pavletis, A. M.
- Salmans, S. M.**
Thermal expansion characteristics of some iron-containing glasses and their corresponding crystalline materials. 64-06269A; See also Nassar, A. M.
- Salmans, S. M.; and Gharib, Sayed A.**
Physical properties concerning the thermal conductivity data of BaO-containing silicate glasses in relation to structure. 64-06234A; Thermal conductivity of some multicomponent silicate glasses. 64-01919A
- Salvador, P.**
Hole diffusion length in n-TiO₂ single crystals and sintered electrodes—photoelectrochemical determination and comparative analysis. 64-04542A
- Salzberg, Herbert** See Krist, Otto
- Salzberger, Hans-Juergen** See Reppinger, Wilhelm
- Sannadur, B. N.** See Ghosh, Gautam; Paul, P. G.
- Samanata, C.; and Chatterjee, Manas Kumar**
Pozzolana and pozzolanic cements—a review. 64-01744A
- Sanbrook, Rodney M.; and Ross, Julian R. H.**
Method of preparing a porous ceramic catalyst and catalyst prepared by the method. 64-07253P
- Sammier, Louis S.** See Taylor, Dale F.
- Samokhov, V. A.** See Kirilenko, V. V.
- Samokhvalov, A. A.; Gizevskii, B. A.; and Simonova, M. I.**
Charge-carrier scattering and transport phenomena in heavily doped magnetic EuO_x-Eu_{1-x}Gd_xO₂ and Eu_{1-x}Sm_xO₂ semiconductors. 64-03756A
- Samowitz, K. J.** See Skinner, M. L.
- Sampliv, Ts. D.** See Sedokov, L. M.
- Samsonov, V. A.; Sharazev, A. A.; and Marchenko, A. V.**
Drying of [steel-casting] ladles with monolithic refractory linings. 64-04938A
- Samsonov, V. I.** See Gorobets, F. T.
- Sanad, A. M.** See El-Sharkawy, A. A.

- Sonad, A. M.; Kashif, I.; and El-Sagheer, A. A. Crystallization process in $\text{CaO-B}_2\text{O}_3\text{-Fe}_2\text{O}_3$ glass system. 64-06176A
- Sonada, Sakae; and Ohzawa, Yoshiyuki Method for manufacturing ceramic substrate. 64-03889P
- Sasada, Yoshiaki Cement industry in Korea. 64-01702A
- Sanchez, Gomez M.; Guerra, J. M.; and Vilches, F. Weighted nonlinear regression analysis of a Sellmeier expansion—comparison of several nonlinear fits of CdS dispersion. 64-05443A
- Sanchez, Jose G. See Delgadillo, Benigno C.
- Sanchez-Carpintero, I. See Moreno, A.
- Sanchez-Quesada, F. See Martil, I.
- Sander, H.; and Lagaly, G. Control of viscosity of organic bentonite dispersions by salts. 64-02700A
- Sander, Lothar S. Coating composition [CrO_3 -based]. 64-00118P
- Sander, Wilfried; and Mielke, Siegfried Process of joining a ceramic insert which is adapted to be embedded in a light metal casting for use in internal combustion engines. 64-04428P
- Sanders, Howard J. High-tech ceramics. 64-02776A
- Sanders, Robert N. Zeolite Y [with improved crystallinity]. 64-01373P
- Sanders, William A. See Mieskowski, Diane M.
- Sanders, William A.; and Mieskowski, Diane M. Strength and microstructure of sintered Si_3N_4 with rare-earth-oxide additions. 64-04348A
- Sanderson, D. C. W.; Hunter, J. R.; and Warren, S. E. Energy-dispersive X-ray fluorescence analysis of 1st millennium AD glass from Britain. 64-01670A
- Sanderson, Wayne B. See Johnson, D. Lynn
- Sandhaus, Sani Dental [bioceramic] implant for use as a pillar in a mouth. 64-01305P
- Sandilov, D. S.; and Mantatov, V. V. Relation between the coefficients of thermal expansion of glassy melts and preparations from these glasses. 64-03346A
- Sandova, Jirina Nontraditional applications of glass in medicine. 64-03467A
- Sandoval del Rio, F.; and Del Carpio Conde, B. M. Analysis of variance in the determination of $\alpha\text{-Al}_2\text{O}_3$ content of electrotechnical porcelain. 64-06542A
- Sandoval del Rio, F.; and Gonzalez Pena, J. M. Effect of physical properties of kaolins on the properties of high-alumina porcelain. 64-06516A
- Sandoval, O. Menoz Prospects for development and technological requirements of the ceramics and brick industries of Mexico. 64-00474A
- Sandrolini, S. Special versus ceramic materials—prospects for the future. 64-05993A
- Sandulescu, Ioan; and Parvulescu, Vasile Styrene hydrogenation on $\text{Pd}/\gamma\text{-Al}_2\text{O}_3$ and $\text{Pd-Mn}/\gamma\text{-Al}_2\text{O}_3$. 64-04352A
- Sandulescu, Ioan; Parvulescu, Vasile; and Sraja, Sorin Attempt to explain hydrogenation/dehydrogenation of ethylbenzene-ethyl cyclohexane on $\text{Pd-Mn}/\gamma\text{-Al}_2\text{O}_3$ and $\text{Mn}/\gamma\text{-Al}_2\text{O}_3$ catalysts. 64-05514A
- Sandy, Michael J. See Antonovsky, Ari
- Sangiorgi, E. See Olivo, P.
- Sangster, M. J. L. See Stoneham, A. M.
- Sanjay, K. Jain See Akshay, Mathur
- Sanjanta Ray, S.; and Pal, A. K. Generalized thermoelectric wave propagation in an infinite piezoelectric solid. 64-01542A
- Sankur, Haluk; and Southwell, W. H. Broadband gradient-index AR [antireflective] coating for ZnSe. 64-00632A
- Sannomiya, H. See Saito, N.
- Sano, Eiichi See Kawabata, Kaoru
- Sano, M. See Miyake, K.
- Sano, Shiro Method for manufacture of low-thermal-expansion cordierite ceramics. 64-04395P
- Sanson, Paul Distributed control systems in cement processing plants. 64-03995A
- Sant, B. R. See Thakur, R. S.
- Santilli, Celso V. See Assis, Luiz R.; Longo, Elson
- Santilli, Celso V.; Varela, Jose Arana; and Longo, Elson Optimization of experimental results by mercury porosimetry using the spline function. 64-02607A
- Santos-Cottin, H. See Margrita, R.
- Sanz-Maude, J. See Esquivias, I.
- Sara, Raymond V. Stress-relieved metal/ceramic abrasable seals. 64-07290P
- Sarav, V. V. See Yur'eva, A. V.
- Saraf, M. N.; Gupta, R. K.; and Vishwanath, B. Effect of repeated impact on glass fiber-reinforced polyester composites. 64-05910A
- Sarig, S. See Feilchenfeld, H.
- Sarin, Vinod K.; and Buljan, Sergej-Tomislav Coated composite modified silicon aluminum oxynitride cutting tools. 64-01289P
- Sarkany, János; and Gonzalez, Richard D. Effect of pretreatment on dispersion and structure of silica and alumina-supported Pt catalysts. 64-02760A
- Sarkar, Arnab Method of forming optical fiber having laminated core. 64-06383P
- Sarkar, Satya K.; Sharma, Mitthan L.; and Bhaskar, Hira L. Effect of processing parameters on the surface area of freeze-dried and spray-dried alumina. 64-01125A
- Sarkisov, P. D. See Pavlushkin, N. M.; Smirnov, V. G.
- Sarkisov, P. D.; Smirnov, V. G.; and Trifonova, T. E. Opacification and crystallization of alkali-poor glasses. 64-00211A
- Sarkisov, S. E. See Kaminskii, A. A.
- Sarma, Dwadasi H. R. See Palanisamy, Ponnusamy
- Sarma, Dwadasi H. R.; and Vest, Robert W. Kinetics of liquid spreading and penetration with application to RuO_2 -glass thick-film resistors. 64-07474A
- Sarode, P. R. See Parthasarathy, R.
- Sartre, A.; Dazord, J.; and Bouix, J. Optical fibers—study of the incorporation of OH groups in a CVD silica preform. 64-01877A
- Sarukhanishvili, A. V. See Petrovskii, G. T.
- Sasada, Tadashi; Oike, Mamoru; and Emori, Nobuhiko Effect of abrasive grain size on the transition between abrasive and adhesive wear. 64-03051A
- Sasaki, Hiroto See Yamaguchi, Osamu
- Sasaki, Issei See Mansfield, Robert J.; Payne, David N.
- Sasaki, Ken; Shimizu, T.; and Nonaka, O. Temperature-dependent dispersion of cadmium sulfide thin film in a slab-type optical waveguide. 64-03836A
- Sasaki, Manabu See Choi, Sang-Heul
- Sasaki, Satoshi See Sawamoto, Hiroshi
- Sasaki, Tohru; Terasaki, Syunzi; and Sasa, Tomoo Dielectric [ceramic/polymer/C black] films and process for preparing same. 64-00740P
- Sasaki, Yutaka See Okamoto, Katsunari
- Sasaki, Yutaka; and Nakamura, Yoshimi Method for production or activation of antimony-containing metal oxide catalysts. 64-05632P
- Sasamoto, Tadashi See Sata, Toshiyuki
- Sasano, Naoshige See Kowata, Nobuo
- Sasazawa, Kazuo See Yamaoka, Nobutatsu
- Sasek, Ladislav Orientation and results of scientific and research work at the Glass Section, Silicate Technology Dept., University of Chemical Technology at Prague [Czechoslovakia]. 64-07529A
- Sasek, Ladislav; Nguyen, Van Tu; and Bartuska, Miloslav Crystallization properties of lead glasses. 64-01388A
- Sastri, M. N. See Prasad, B. S. Maruthi
- Sata, Toshiyuki High-temperature vaporization of nonoxides [borides, carbides, and nitrides]. 64-04290A
- Sata, Toshiyuki; and Sasamoto, Tadashi High-temperature vaporization of [refractory] multicomponent oxides. 64-02120A; Vaporization from magnesium and alumina materials. 64-07191A
- Satake, Takehiko See Hosono, Hideo
- Satake, Takeshi See Saito, Noboru
- Sato, A. See Iwaya, S.
- Sato, Akio See Toritani, Hirobun
- Sato, Fumio See Chikawa, Junichi
- Sato, Haruhito Zeolite-type [borosilicate] catalyst and process for preparing same. 64-04488P
- Sato, Heihachi; Tsuchida, Elichi; and Sakuragi, Shiro Optical properties of polycrystalline KRS-5 at individual CO_2 laser lines—magnetooptic effects. 64-02325A
- Sato, Hidemi; Kaneda, Aizo; and Yokono, Hitoshi Optical fiber connector [using Al_2O_3 -filled adhesive]. 64-02012P
- Sato, Hiroshi See Ishikawa, Takuma
- Sato, Kazuo See Tamura, Hiroki
- Sato, Ken See Komine, Yoshiharu
- Sato, Masaaki; Kawakami, Tatsuo; and Yamane, Toshio Investigation of taphole mixes for blast furnaces by core sampling. 64-04966A
- Sato, Masayasu See Suzuki, Yoshihiro
- Sato, Mitsuru See Ishigami, Sumiyuki
- Sato, Shigeru See Shindo, Masanari
- Sato, Tadao See Endo, Tadashi
- Sato, Taichi; Ikoma, Shuji; and Ozawa, Fusaji Thermal decomposition of magnesium hydroxide. 64-01480A
- Sato, Takayoshi See Nagai, Haruya
- Sato, Tsugio; and Shimada, Masahiko Crystalline phase change in yttria-partially-stabilized zirconia by low-temperature annealing. 64-01192A; Transformation of yttria-doped tetragonal ZrO_2 polycrystals by annealing in water. 64-07512A
- Satoh, Shin See Matsuyama, Iwao
- Satoh, Shin; Sasa, Kenzo; and Matsuyama, Iwao Experimental study of porous gel sintering. 64-06768A
- Satou, Hiroshi See Miura, Hirohisa
- Sattarova, M. A. See Fedorov, P. P.
- Satunkin, G. A. See Redkin, B. S.
- Satvaldiev, D. S. See Ashimov, U. B.
- Satyanarayana, R. See Reddy, P. Venugopal
- Sauder, Donald R. See Crider, Albert; Lissy, Gunther J.
- Saulnier, J. B. Determination of the temperature field in a grey and non-grey semitransparent medium. 64-01531A
- Savage, C. See Thorp, J. S.
- Savchenko, V. F. Synthesis of solid solutions $\text{La}_2\text{Ca}_2\text{Ni}_{1-x}\text{O}_x$. 64-01585A; Synthesis of solid solutions in the system $\text{La}_2\text{O}_3\text{-NiO-Fe}_2\text{O}_3$. 64-00864A
- Savchenko, V. P. See Polisar, E. L.
- Savchenko, Yu. I. See Kashcheev, I. D.
- Savel'ev, V. L.; Traikin, A. N.; and Glebov, L. B. Polarization of recombination luminescence of pure Na silicate glasses. 64-03328A
- Savel'ev, V. N. See Baskova, N. F.
- Savel'eva, L. V. See Nirsha, B. M.
- Saverot, P. M. See Giraud, J. P.
- Savin, V. I.; Spivak, I. I.; and Topil'skii, N. D. Electrophysical properties of vanadium carbide in the homogeneity region. 64-01210A
- Savitri, K. See Mohan, Ashok
- Savitskaya, L. K.; Butkevich, L. M.; and Derevyagina, L. S. Temperature dependence of phase lattice parameters of a directionally crystallized eutectic of the system Si-ZrSi_2 . 64-05853A
- Savitskii, E. M.; Yefimov, Yu. V.; and Myasnikova, E. A. Phase equilibria in the systems Nb(V)-Ga-C . 64-05774A
- Savolskis, Edward P. Port wall air jet for controlling combustion air. 64-03539P
- Savoskina, A. I.; Goroshchenko, Yu. G.; and Selivanova, L. Ya. Synthesis of finely dispersed BaSnO_3 from coprecipitation products. 64-05184A
- Savvakini, G. I.; and Serdyuk, V. A. Effect of the conditions of shock-wave crystallization on physicochemical properties of boron nitride. 64-05532A
- Sawada, Yutaka See Taga, Yasunori
- Sawai, Kazuhiko See Niwa, Shigeo
- Sawairi, Hitoshi Laminated capacitor. 64-00761P; Multilayer capacitor. 64-00785P
- Sawamoto, Hiroshi; Weidner, Donald J.; and Sasaki, Satoshi Single-crystal elastic properties of the modified spinel (beta) phase of magnesium orthosilicate. 64-02996A
- Sawamura, Kentaro Method for the preparation of a high-density sintered body of silicon carbide. 64-02877P
- Sawano, Miyoshi See Yamanaka, Hiroaki
- Sawaoaka, Akira See Hasegawa, Masaki; Kondo, Kenichi; Mashimo, Tsutomu; Noma, Tatsuo
- Sawran, William R.; Turill, Frank H.; and Newman, John W. Process for the manufacture of carbon fibers. 64-04422P
- Saxe, Steven G.; Messerly, Michael J.; and Bovard, Bertrand Ion bombardment-induced retarded moisture adsorption in optical thin films. 64-03787A
- Sayer, M. See Krupandhi, S. B.; Mansingh, A.
- Sayer, M.; and El-Assal, K. University/industry cooperate on ultrasonic transducer. 64-05284A
- Schaefer, O. See De Pretis, A.; Longo, Vittorio; Minichelli, D.
- Scaglioni, O. Glass and siliceous sand. 64-01128A
- Scarinci, F. See Paoletti, A.
- Scarinci, Giovanni; Festa, D.; and Maddalena, A. Alkali resistance of some glass modifiers. 64-06161A
- Scarlet, William H. Architectural applications—a resurging market. 64-00075A
- Scatchard, Ted Better vent for [small] electric kilns. 64-01652A
- Scattergood, Ronald O. See Davis, Robert F.
- Schnaf, Theodore F. Plating method using expandable masking bed. 64-04699P
- Schnaake, Herbert F. See Beck, Jeffrey D.
- Schnaake, Herbert F.; Treglous, John H.; and Beck, Jeffrey D. Guttering method for mercury cadmium telluride. 64-05213P
- Schachtschabel, Gerulf See Schlegel, Ernst
- Schaberg, Frank See Balzu, Gerhard
- Schacht, Charles A.; and Aboratin, Eugene V. Structural behavior of teeming ladles lined with high-alumina refractories. 64-02217A
- Schachtschabel, W. See Vogel, Erich
- Schaefer, Herbert See Cordier, Gerhard
- Schaefer, J.; and Schaefer, Helmut A. Leaching of alkali silicate glasses—formation of hydrated layer, surface- and diffusion-controlled kinetics. 64-06218A
- Schaefer, Joseph A. See Hunter, Orville, Jr.
- Schaefer, Juergen See Dietze, Wolfgang
- Schaefer, W.; Jansen, E.; and Elf, F. New linear positron-sensitive scintillation detector for neutron powder diffraction. 64-06879A
- Schaefer, Helmut A. Diffusion-controlled processes in glass-forming melts. 64-01827A; See also Schaefer, J.
- Schaeken, H. G. See Terpstra, R. A.
- Schaepeynck, L. See Haussonne, J. M.
- Schaffhauser, A. C. See Johnson, David R., Jr.
- Schantz, Christopher A. See Hanson, Eric G.
- Schaper, H.; and Van Reijen, L. L. Quantitative investigation of the phase transformation of gamma to alpha alumina with high-temperature DTA. 64-02817A
- Schechter, R. S. See Walsh, M. P.
- Schedewie, Franz See Makosch, Guenter
- Scheerer, P. E. Understanding refractory wear mechanisms through slag studies. 64-00530A

- Scheetz, Barry E. See He, Jun-yuan; Silva, Paul
 Scheetz, Barry E.; Riser, Janine M.; and Hahn, Michael
 Cementitious [pozzolanic] composite material. 64-04660P
 Scheetz, Barry E.; Roy, Della M.; and Tanner, Candace
 Properties of cement-solidified radioactive waste forms with
 high levels of loading. 64-06743A
 Schehl, Richard R. See Penline, Henry W.
 Scheibelechner, G. P.
 Case for chimney block packing. 64-02068A
 Scheider, Herwig
 Panel assembly, particularly a glass or vitreous ceramic heat-
 er or cooker panel assembly. 64-03537P
 Scheler, G. See Stade, H.
 Schellberg, Franz; Kautfeisen, Bernard; and Oberbach,
 Manfred
 Method of [brick] lining a steel-making furnace. 64-00564P
 Scheller, Heinrich See Heinrich, Juergen; Von Alpen, Ulrich
 Schepers, Bernhard See Mizrah, Tiberiu
 Scheppe, S. E. See Pavelka, E. A.
 Scherer, George W.
 Adam-Gibbs equation in the analysis of structural
 relaxation—correction. 64-00141A; Viscous sintering of a
 bimodal pore-size distribution. 64-01973A; See also Brinker,
 C. Jeffrey
 Scherer, George W.; and Drexhage, Martin G.
 Stress in leached phase-separated glass. 64-06258A
 Scherer, George W.; and Garino, Terry
 Viscous sintering on a rigid substrate. 64-05968A
 Scherer, Volker See Neukunst, Ernst
 Scherzer, Julius See Chiang, Robert L.
 Scherzer, Julius; and Humphries, Adrian P.
 Dealumination of faujasite-type zeolites using ion-exchange
 resins. 64-05613P
 Scheubel, B.; and Balzer, H. J.
 Microscopic examination of cement clinker using the linear
 transverse technique for determination of clinker grindability.
 64-01735A
 Scheuer, Gyula; and Schweitzer, Ferenc
 Limestone resources in the Buda and Gerecs mountains
 [Hungary] from the viewpoint of industrial uses. 64-01130A
 Sechevici, Oleg
 Spectroscopic properties of some binary and ternary rare-
 earth sulfides and their industrial applications. 64-07502A
 Schewe, Herbert See Diepers, Heinrich
 Schierloh, U. See Artelt, Peter
 Schildt, H. See Gunther, F.
 Schilling, C. H. See Aksay, Ilhan A.
 Schilling, Curtis L., Jr.; and Williams, Thomas C.
 Hydrosilyl-protected polycarbosilane precursors for silicon
 carbide. 64-01314P
 Schindler, Edmund S. See Vatsky, Joel
 Schindler, Stefan See Heinrich, Juergen; Von Alpen, Ulrich
 Schintmeister, W. See Maier, H.
 Schioler, Lisolotte J.
 Workshop studies ceramic engines—current status and future.
 64-04368A
 Schioler, Lisolotte J.; Katz, R. Nathan; and Gonzalez, Armando
 C.
 Effect of overaging on the room-temperature strength of
 partially stabilized zirconia. 64-04270A
 Schirmer, Robert M.; and Fromm, Elsworth H.
 Combustors and methods of operating same. 64-04172P
 Schlegel, Albert
 Hardener for water glass cements. 64-01776P
 Schlegel, Ernst
 Heat-resistant and refractory thermal insulating in the Ger-
 man Democratic Republic. 64-03626A
 Schlegel, Ernst; Boldt, Reinhardt; and Seifert, Harald
 Comparison of micro- and macroporous fireproof and
 refractory thermal insulators. 64-02082A
 Schlegel, Ernst; and Scharschmidt, Gerulf
 Calcium silicate thermal insulating materials. 64-03076A
 Schlesinger, K.; Ziemer, B.; and Hanke, W.
 Diphosphates $M_2(P_2O_7)_2$, with $M = V, Cr$, and the electron-
 ics spectra of V(III) and Cr(III) phosphates. 64-01533A
 Schlie, Theodore; and Kamenicky, Vincent
 Competitive assessment of the US advanced ceramics
 industry—summary. 64-01607A
 Schlinder, M. See Ficht, R.
 Schlough, S. D.; and O'Connell, E. F.
 Cleaning processes for HIC's with solder paste. 64-02292A
 Schmadel, Donald; Culver, William H.; and Gould, Gordon
 Fiber optic [etched] energy sensor and demodulation sys-
 tem and method of making same. 64-00360P
 Schmal, Martin See Fonseca, Marcus C.
 Schmalenbach, B. See Glaser, Walter
 Schmeckenbecher, Arnold See Arnold, Anthony F.
 Schmid, Hans
 China—the magnesite giant. 64-04199A
 Schmidt, D. See Kleintert, P.; Oppermann, H.
 Schmidt, Dieter See Redell, Dietrich
 Schmidt, E. See Gaillyova, Y.
 Schmidt, G.; and Gruen, R.
 Observations on the chemical transport of GeO_2 : IV. Tem-
 perature dependence with transport agent hydrogen.
 64-01431A
 Schmidt, H. See Schmidt-Reinholz, C.
 Schmidt, Jimmy Q.
 Ceramic-coated differential sensor coil for use on a gun
 muzzle velocimeter. 64-06603P
 Schmidt, Martin; Koehler, Walter; and Abeltis, Andris
 Method and apparatus for calcining lime. 64-02732P
 Schmidt, Ruediger See Quitkat, Wolfram
 Schmidt, Ulrich; and Conrad, Gerhard
 Determination of thermal transfer in the region of the [glass]
 drawing jet by analogous experiments. 64-03425A
 Schmidt, V. See Messerschmidt, U.
 Schmidt, W. See Okonska-Kozłowska, I.
 Schmidt-Reinholz, C.; and Schmidt, H.
 Physical and chemical investigation methods for ceramics:
 XII. Determination of calcium and carbon. 64-02608A
 Schmit, Joseph L. See Nohava, Thomas E.
 Schmits, Heinz-Herbert See Heinemann, Otto
 Schmitz, Heinz-Wilhold See Bauer, Hans
 Schmitz, W.; and Young, D. R.
 Radiation-induced electron traps in silicon dioxide.
 64-00703A
 Schmucke, F. See Eastman, J.
 Schnabel, Hans-Dieter; and Gönold, Kerstin
 Influence of calcination atmosphere on the sintering of Bay-
 er alumina. 64-04295A
 Schnable, George L. See Kern, Werner
 Schnapp, Juergen D.; Winde, Harald; and Blobel, Harald
 Effect of [surface-active] fluids on the mechanical proper-
 ties of glass. 64-01831A
 Schneider, D. See Bentur, Arnon
 Schneider, David F.
 Annual ceramic mineral resources review—ball clay.
 64-07000A
 Schneider, Egon
 Method and apparatus for transferring bottles arriving in
 upright position in laterally adjacent rows on a feed down-
 stream conveyor. 64-02558P; See also Kronseder, Hermann
 Schneider, Hartmut; and Rager, Helmut
 Occurrence of Ti^{3+} and Fe^{3+} in mullite. 64-02159A
 Schneider, Hartmut; Steinhart, Rolf; and Walter, Gerd
 Method for calculating heating rates of stacked ware in tun-
 nel kilns. 64-03570A
 Schneider, Horst W.
 Testing ceramics for diesel engines. 64-04104A
 Schneider, Lutz T.; and Becker, Otmar
 Mechanical and process aspects of coal grinding plant.
 64-02668A
 Schneider, M.; Jost, K.-H.; and Fichtner, H.
 Crystal structure of cyclotetraphosphate $Ca_3[P_4O_{13}] \cdot 4H_2O$.
 64-01523A
 Schneider, Volker W. See Roepneck, Horst
 Schneider, Volker W.; and Ledebink, Friedrich W.
 Cementation of TRU [transuranic] waste by a new
 process—properties of the products. 64-05312A
 Schneider, W.; Müller, U.; and Armbrorst, H.
 Device for slicing a body of [molten ceramic] synthetic
 material. 64-04030P
 Schneider, Wilhelm; and Seidel, Hans-Georg
 Transfer station for a glass-forming machine. 64-06850P
 Schneiderova, Jirina See Novak, Jaroslav
 Schöber, Reiner; Poeschnecker, Wolfgang; and Kleber, Siegmund
 Thermal insulation problems in the laboratory. 64-03687A
 Schöber, Wilhelm See Grange, Jean-Pierre
 Schoene, C. M. See Rohe, V. Tenzelius
 Schoener, Glenn C.
 Properties of low temperature cleaners. 64-00110A
 Schoeps, Wolfgang; and Michalowsky, Lothar
 Kinetics of sintering strontium ferrite. 64-03961A
 Scholdstrom, Ragnar; Marcus, Holger; and Nordstrom,
 Lennart
 Apparatus for measuring the distance to a point on the in-
 ner wall of a hot furnace. 64-05446P
 Scholes, Addison B.
 Article [glass substrate] having a scratch-resistant lubricat-
 ed glass surface. 64-00341P
 Scholl, Frederick W.; and Coden, Michael H.
 Method and apparatus for aligning optical fibers. 64-03519P
 Schollmeyer, H. Edward
 How Wall Street views the glass container industry.
 64-07525A
 Scholten, Joseph J. F.; and Van Montfort, Abraham
 Process for preparing pure silicon dioxide having high
 mechanical strength as well as silicon dioxide obtained by
 applying this process. 64-01159P
 Scholze, Horst See Conrad, Reinhard
 Schonwald, G. See Rigbi, Z.
 Schoonejongen, Ronald J. See Johnson, Gary W.
 Schott, Rolf See Kertscher, Wolfgang
 Schouler, M. C.; Ducarroir, M.; and Bernard, C.
 Constitution and properties of the metal-carbon-nitrogen
 and metal-carbon-boron systems—review. 64-02750A
 Schrader, Rolf
 Method and apparatus for the manufacture of a three-
 dimensional, shaped graphite electrode utilizing a three-
 dimensional shaped file. 64-04393P
 Schrape, U. See Warnecke, W.
 Schreiber, Henry D.; Minnix, L. M.; and Balazs, G. B.
 Chemistry of U in borosilicate glasses: IV. Ferric-ferrous
 couple as a potential redox buffer for the U redox state dis-
 tribution against oxidizing agents in a borosilicate melt.
 64-01816A
 Schreiber, Henry D.; Minnix, L. M.; and Carpenter, B. E.
 Chemistry of U in borosilicate glasses: III. Mutual interac-
 tions of oxidizing agents (Ce^{4+} , Cr^{6+} , Fe^{3+} , and Mn^{3+}) with
 U in base composition for the immobilization of nuclear
 waste. 64-01815A
 Schreinemacher, Herbert See Hennings, Detlev
 Schreiner, L. J.; Mactavish, J. C.; and Miljkovic, L.
 NMR line shape—spin-lattice relaxation correlation study
 of portland cement hydrate. 64-03104A
 Schreiner, Paul
 Strong recovery keeps brick market healthy. 64-04912A
 Schreurs, Jan W. H.; and Brill, R. H.
 Iron- and sulfur-related colors in ancient glasses. 64-04610A
 Schrey, F. See Gallagher, Patrick K.
 Schroeder, Bernhard See Mizrah, Tiberiu
 Schroeder, Christine See Wichelhaus, Winfried
 Schroeder, James E.
 Ceramic coatings for engine parts. 64-07072A; Shielding
 against intense laser beams. 64-07163A
 Schroeder, James E.; and Shlichta, Paul J.
 Absorbable-susceptor welding of ceramics. 64-00884A
 Schroeder, K.
 Mechanical gatherer [for glass]: I. 64-03461A
 Schroeder, Klaus-Juergen
 Possibilities for energy conservation by improved works
 data collection. 64-03574A
 Schroeder, Roberto See Nielsen, Hans C. A.
 Schroeder, Werner; Danek, Vladimir; and Licko, Tibor
 High-temperature behavior of the interface formed by the
 corrosion of baddeleyite-corundum refractories by alkali
 borosilicate glassmelts. 64-03629A
 Schtackelberg, D. I.; and Boldyrev, G. I.
 Ultrasonic checking of drying in building ceramics.
 64-05440A
 Schuck, Jack K.; and Adams, Neal J.
 Multiple hearth [refractory roof and floor] furnace cham-
 ber. 64-05025P
 Schucker, Robert C. See Wheelock, Kenneth S.
 Schueckel, K. See Mueller-Buschbaum, H.
 Schuelke, Karl A.
 Flange connection for quartz tubes. 64-02543P; Semicon-
 ductor substrate [quartz glass] handling tray. 64-00424P
 Schueller, Karl-Heinz; and Herold, U.
 Property changes in a porcelain body. 64-05045A
 Schuett, H. J.; and Gerdes, E.
 Effect of composition on electrical relaxation in potassium
 borosilicate glasses. 64-03229A
 Schugert, Karl See Hehl, Martin
 Schulke, Karl A.
 Bell of opaque fused silica. 64-03506P
 Schulle, Wolfgang; and Bormann, Frank
 Influencing the radiation behavior of refractories.
 64-02127A
 Schulle, Wolfgang; and Klein, Gernot
 Production and use of synthetic fluxes for porcelain bod-
 ies. 64-03728A
 Schulle, Wolfgang; and Kral, Karl
 Feldspathic rock as a flux for porcelain bodies. 64-04207A
 Schumley, Herbert G.
 Procedure for firing dental porcelain on metal. 64-03171P
 Schulte, Hans-Gerd
 Process for the production of sintered magnesite from mag-
 nesium hydroxide. 64-04236P
 Schulte, Klaus See Boggum, Paul
 Schultz, Frederick E.
 Turbomachinery [ceramic matrix/ceramic fiber] rotor and
 method of manufacture. 64-01372P
 Schultz, Jacques; Papirer, Eugene; and Nardin, Michel
 Physicochemical aspects of the filtration of aqueous sus-
 pensions of fibers and cement: V. Influence of fiber ag-
 glomeration on filtration efficiency. 64-01444A;
 Physicochemical aspects of the filtration of aqueous sus-
 pensions of fibers and cement: VI. Influence of flocculat-
 ing agents on filtration efficiency. 64-01445A
 Schulz, Guenther See Hartmannsgruber, Max
 Schulz, Robert B. See Johnson, D. Ray
 Schulz, Siegmund See Baethmann, Hans-Juergen
 Schulze, G. E. W.; and Wilbert, H.-P.
 Distribution of nuclei within a filament of glass-ceramic.
 64-03221A
 Schulze, Jürgen
 Thermoanalytical testing under practice-oriented conditions.
 64-04107A
 Schulze, Walter A. See Dayton, Gordon O.; Swartz, Scott L.
 Schumacher, Edward B. See Humphries, Michael J.
 Schuster, Alfons See Krist, Otto
 Schuster, H. See Kinder, R.
 Schutt, John B.
 Silicate [with SiO_2 gel] binders and coatings. 64-02971P
 Schuulke, J. N. See Lee, H. Y.
 Schwemlein, Wolfgang See Poeschel, Eva
 Schwandt, H. See Rosner, R.
 Schwartz, Bernard
 Review of multilayer ceramics for microelectronic packag-
 ing. 64-06575A
 Schwartz, K. B.; and Prewitt, C. T.
 Structural and electronic properties of binary and ternary
 platinoid oxides. 64-04569A
 Schwartz, Murray A.; and Miller, William L.
 Outlook for ceramic research in the [US] Bureau of Mines.
 64-07530A
 Schwarzenberg, Norbert; Ueberwolf, Heinz; and Halbersch-
 midt, Friedrich
 Apparatus for bending glass sheets. 64-03502P
 Schwarzmeier, Karl See Buehler, Eugen
 Schwarzmeier, R. See Mueller-Zell, A.
 Schweitzer, Ferenc See Scheuer, Gyula
 Schwenninger, Ronald L. See Heithoff, Robert B.
 Schwetz, Karl A.; Reinmuth, Klaus; and Huuold, Klaus
 Substantially pore-free sintered polycrystalline articles of
 α -silicon carbide, boron carbide, and free carbon and
 process for their manufacture. 64-07291P

- Schwetz, Karl A.; Reinhold, Klaus; and Lipp, Alfred
Polycrystalline, pore-free sintered bodies of α -SiC, boron carbide, and carbon. 64-04317A
- Schweingenschuh, K. See Hohenau, W.
- Schiffers, Donald R.; Streifer, William; and Brumham, Robert D.
Monolithic [GaAs-based] multielement laser device. 64-03896P
- Scofield, T. L. See Woods, M. E.
- Scott, Curtis; and Traa, Van Bao
Diffusion bonding of ceramics. 64-06764A
- Scott, H. G. See Hannink, Richard H. J.
- Scott, John J.
Magnetic [Al titanate-coated] recording medium. 64-06728P
Magnetic [Al titanate] recording materials. 64-00867P
- Scott, P. A.; and Rigbee, J. M.
Microstructural analysis of crystallization processes in a Ni-based amorphous alloy. 64-01231A
- Seaville, A. N. See Rose, T. L.
- Scrantom, Dehart G.; and Rutt, Truman C.
Method for fusing [monolithic ceramic capacitor] article or the like. 64-02693P
- Serenti, Bruno. See Lazzari, Mario
- Sessler, J. D. See Brewster, B. S.
- Seagle, David J. See Herman, Dean A., Jr.
- Schive, Pierre-Emmanuel
Bottle [for perfume]. 64-01682P
- Schick, Tibor; and Musil, Adolf
Structural and mechanical properties of binder pastes and ways to estimate them by cone-plastimeter. 64-06787A
- Schick, Tibor; and Tuma, Frantisek
Possibilities of application of the new plasticizer Ligoplast. 64-03116A
- Schjerve, Gabriel. See Havrda, Jiri
- Schmitt, Dune R. See Clark, James M.; Landon, Thomas E. Schmitt, Dune R.; and Clark, James M.
Corrosion-resistant ceramic electrode for electrolytic processes. 64-02356P
- Schick, Nobuo
Vapor synthesis of diamond. 64-02842A
- Schick, A. F. See Magini, M.
- Schlick, Grant O. See Dunnivant, William R.
- Schmeier, Werner. See Jordan, Peter
- Schmalz, U. Ya. See Shults, I.
- Schmalz, V. See Vaidys, J.
- Schokov, L. M.; and Samoilov, Ts. D.
Appraising the mechanical strength of brittle [ceramic] articles. 64-01008A
- Sedrenko, N. I. See Golobov, E. M.
- Sedthom, B. B. See Atkinson, P. G.
- Seeger, Margarete. See Modes, Christina
- Sehassen, Jolst W.
Radiation recuperators—high-temperature heat recovery units that advance thermal processes. 64-04163A
- Seelien, Mohinder S. See Srinivasan, G.
- Seelen, Fritz. See Herchenbach, Horst
- Seeman, Thomas A.
Method for producing a glass article. 64-03527P
- Seemann, Howard H. See Gottschlich, Chad F.
- Seecy, Charles E.; and Kraemer, John F.
Foundry [multioxide refractory] mold and core composition. 64-06482P
- Seecy, Charles E.; Kraemer, John F.; and Ingbrigsten, Janis
Process for preparing olive sand cores and molds. 64-06496P
- Seene, Mark A.; and Chiang, Robert L.
Co-gel [SiO₂-Al₂O₃-rare earth] catalyst manufacture. 64-04377P
- Segal, David L. See Woodhead, James L.
- Segal, E.; Vlad, M.; and Popo, V.
Structural characteristics of the stoichiometric matrix. 64-05962A
- Segan, E. G. See Kumar, A.
- Segawa, K.; Tamura, Setsumo; and Sonoda, Hironaka
Substitute fuels in various types of lime kiln in Japan and development of an efficient lime shaft kiln. 64-01759A
- Segers, D. See Mbungu-Tsumbu
- Segnit, E. R. See Swain, M. V.
- Seibel, Ben
Champagne [fluted] glass. 64-06036P; Champagne glass [bell-shaped]. 64-06037P; Champagne glass [conical]. 64-06038P; Champagne glass [fluted and waisted]. 64-06039P; Champagne glass [fluted stem]. 64-06040P; Champagne glass. 64-06041P; Cordial glass [bell-shaped]. 64-06042P; Cordial glass [conical]. 64-06043P; Cordial glass. 64-06044P; Water goblet [bell-shaped]. 64-06054P; Water goblet [conical]. 64-06055P; Wine glass [conical]. 64-06056P; Wine glass. 64-06058P; 64-06057P; 64-01694P
- Seldel, Hans-Georg. See Schneider, Wilhelm
- Seldner, Robert J. See Walker, Thomas B.
- Seifert, F. A.; Myren, B. O.; and Virgo, D.
Raman study of densified vitreous silica. 64-01897A
- Seifert, Friedrich. See Wandschneider, Peter
- Seifert, Harald. See Schlegel, Ernst
- Seifert, William F. C. See Stone, Carroll E.
- Seigneurin, Laurent. See Jacques, Roland
- Selke, Shoji. See Mitsumatsu, Yoshio
- Selwert, F. J.; and Gruen, R.
Inorganic nonstoichiometric compounds: XXI, Chemical transport of TiO₂, Ti₂O₃, and Ti₃O₅ in the presence of transport agents HgCl₂ and TeCl₄. 64-01413A; Inorganic nonstoichiometric compounds: XXV, Chemical transport of TiO₂, Ti₂O₃, and Ti₃O₅ with HCl and NH₄Cl as transport agents. 64-01414A
- Selzawa, Hsinshi. See Kuroda, Kiyotaka
- Seki, Kazumi; and Oeters, Franz
Viscosity measurements on liquid slags in the system CaO-FeO-Fe₂O₃-SiO₂. 64-01925A
- Sekido, Satoshi; Tachibana, Hirokazu; and Ninomiya, Yoshio
Catalysts [complex La mixed oxide] for converting reductive and oxidative gases in exhaust gases into innocuous gases. 64-02835P
- Sekido, Yuzuo. See Inoue, Akira
- Sekido, Yuzuo; Inoue, Akira; and Mori, Masao
Process for preparing [MoO₃, CrO₃, or WO₃-based] hydrogenation catalysts. 64-02898P
- Sekiguchi, Yoshitoshi. See Okigami, Noboru
- Sekine, Masao. See Hasegawa, Shinichi
- Sekine, Taduo; and Kotera, Yoshihide
Effect of grinding on the properties of zinc sulfide phosphors. 64-01398A
- Sekiya, T.; Ravez, J.; and Chaminade, J. P.
Growth of single crystals of BaTiO₃-type oxide fluoride at low temperature using a LiF-BaF₂-LiBO₃ mixture as flux. 64-07338A
- Sekiya, Takashi. See Kamata, Nobuo
- Selden, Gary F.
Method of making tungsten carbide grit. 64-00005P
- Selenina, M.; Fricke, R.; and Hanke, W.
Catalytically active surface compounds: XIII, Structure and catalytic properties of molybdenum oxide/SiO₂ catalysts. 64-01182A
- Selivanova, L. Ya. See Savos'kina, A. I.
- Selkregg, K. R. See Campos Loriz, D.
- Sella, Claude; Tran-Khanh, Vien; and Martin, Jean-Claude
Devices for preparing substrates coated with a thin layer of platinum oxide and substrates so coated. 64-05382P
- Selli, Marino
Plant and method for regenerating sand from foundry cores and molds by calcination in a fluidized bed furnace. 64-00567P
- Selyanin, P. A.; Strekova, V. V.; and Korolev, N. M.
Drying and heating up of [the refractory linings of] tunnel kilns. 64-02101A
- Selyanko, V. T. See Kucheryavii, M. N.
- Semenchenko, G. D.
Ethylsilicate bond conversion and the chemical behavior of their interaction with a corundum filler on heating. 64-02930A; See also Dunikov, A. V.; Zobina, L. D.
- Semenchenko, V. K.; Bodnar, I. T.; and Yuravichev, V. P.
Temperature dependence of the refractive indices of lithium niobate. 64-03937A
- Semenescu, G. See Luca, C.
- Semenov, G. A. See Belov, A. N.
- Semin, E. G.; Berbenitskaya, T. I.; and Benderskaya, L. P.
Formation of calcium hexaaluminate in solid-phase synthesis. 64-01404A
- Semle'ko, I. V.; Krivorotenko, A. D.; and Fomichev, E. N.
Thermodynamic properties of Y₂O₃. 64-01266A
- Semler, Charles E. See Gupta, K. B.
- Semmelrodt, Rolf. See Hausner, Gerd
- Semyanov, V. P. See Kaschchev, I. D.
- Sen, P. C. See Ray, K. C.
- Sen, R. See Banerjee, N. L.
- Sen, S. K. See Agarwal, P. S.
- Senda, Atsuo; Katanami, Tohru; and Nakagawa, Takuji
Method for inhibiting oxidation of a copper film on ceramic body. 64-05226P
- Senda, Atsuo; Kato, Suehiro; and Katanami, Tohru
Process for preventing oxidation of copper film on ceramic body. 64-00802P
- Sendlebeck, H. See Coenen, Matthias
- Seng, Stephen. See Dunn, Charles S.
- Sengupta, M. See Appa Rao, B. V.
- Senichev, A. P. See Burtsev, V. I.
- Senna, Mamoru
Reactivity of solids and mechanochemistry. 64-04489A
- Seno, Hiroshi. See Wakino, Kikuo
- Senotov, A. A. See Nimon, E. S.
- Sensune, Kentaro. See Kawaguchi, Takao
- Sepp, Guenther. See Siemens, Dieter
- Serdyuk, V. A. See Savvakina, G. I.
- Serdyuk, V. V. See Zalyubinskaya, L. N.
- Seredkin, M. A. See Ivanov, V. I.
- Serizawa, Takashi. See Inoue, Satoru
- Serkov, M. M. See Galant, E. I.
- Serkov, M. M.; and Kondrat'ev, Yu. N.
Gradient [waveguide] mediums based on quartzoid glasses. 64-03265A
- Serna, Carlos J. See Moya, Jose A.; Osendi, Maria Isabel
- Serry, Mohammed A. See Girgis, L. G.
- Serry, Mohammed A.; Taha, Ahmed S.; and El-Hemaly, S. A. S.
Metakaolin-lime hydration products. 64-03102A
- Seskadri, Srinivasa G.; and Srinivasan, Makuteswaran
Hertzian fracture testing of ceramics. 64-05926A
- Seshan, Panchalam K. See Ramohalli, Kumar N. R.
- Sestak, Jaroslav (Editor)
Comprehensive Analytical Chemistry: Vol. XII, Part D, Thermophysical Properties of Solids. 64-03040B
- Sette, D. See Bertolotti, M.
- Setty, H. S. Nagaraja. See Ingle, William M.
- Setzer, Herbert J.; Bett, John A. S.; and Lesieur, Roger R.
Steam reforming utilizing [La-stabilized Al₂O₃] iron oxide catalyst. 64-07289P
- Sevick, Frantisek; and Kubinaova, Ludmila
Dinas refractory concrete. 64-02099A
- Severinaova, E. P. See Zav'yalov, V. I.
- Sevink, Theodor J.
Furnace, especially a [fiber-lined] ceramic or heating furnace. 64-02683P
- Seward, Thomas P., III. See Lentz, William P.
- Severyth, Dietmar; and Wiseman, Gary H.
Pre-ceramic organosilazane polymers. 64-02964P
- Seymour, Samuel L.
Split ring-like support member of adjustable length for shaping glass sheets. 64-00427P
- Sezri, Graziano
Production in the tile industry—outlook. 64-00611A
- Shaban, S. A.; Abadir, M. F.; and Mahdy, A. N.
System Pb-Fe-O in air. 64-02948A
- Shackelford, James F. See Flores, James S.
- Shade, J. W.; Pederson, Larry Robert; and McVay, Gary L.
Waste glass-metal interactions in brines. 64-05331A
- Shafer, B. V. See McPherson, R.
- Shafer, Merrill W. See Watanabe, Koichi
- Shaffer, J. J. See Bennett, Harold E.
- Shaffer, J. J.; and Bennett, Harold E.
Effect of thermal cycling on dimensional stability of Zerodur and ULE. 64-01945A
- Shaffer, Mary E. See Benjamin, Mary L.
- Shah, S. I.; and Greene, J. E.
Growth and physical properties of ZnGeAs₂. 64-01408A
- Shakhmatova, I. P. See Chel'tsova, V. D.
- Shakhrai, S. A. See Zaikin, I. O.
- Shakhin, D. M.; Kravchenko, V. P.; and Krivoruchko, P. P.
Electrical resistance of Cr oxide refractories. 64-04946A
- Shakhverdiev, S. Sh. See Movsum-Zade, A. A.
- Shalamakina, E. E. See Shmatok, L. K.
- Shaldin, Yu. V. See Belogurov, D. A.
- Shalunov, B. Z. See Dyakonov, S. S.
- Shamrai, G. V.; Zagorodnyuk, A. V.; and Maganov, R. L.
System Lu₂O₃-TiO₂. 64-05839A
- Shamsi, Abolghasem; Rao, V. Udaya S.; and Gormley, Robert J.
Zeolite-supported cobalt catalysts for the conversion of synthesis gas to hydrocarbon products. 64-04369A
- Shan, Guo-xiang; Zhang, Xin-shan; and Zhang, Guo-xin
Lineage in single crystal of LiTaO₃ and its effect on optical properties. 64-05267A
- Shan, Ying. See Hu, Guan-qing
- Shand, Michael L. See Walling, John C.
- Shank, Blaine
On-line analyzers aid combustion control. 64-04097A
- Shannugam, G.
Secondary porosity in sandstones—basic contributions of Chepikov and Savkevich. 64-01143A; Significance of secondary porosity in interpreting sandstone composition. 64-07051A
- Shapiro, E. Ya. See Gushchin, V. Ya.
- Shapiro, G.; El-Assal, K.; and Rimmington, I.
Piezoelectric ceramics with high voltage sensitivity and high dielectric constant. 64-05273A
- Shapiro, Ya. Z.; Gaudin, A.; and Zhuchenko, O. V.
Production of corundum lightweight refractories with a low apparent density by the semidry pressing method. 64-02182A
- Shapolygin, I. S. See Gadzhiev, M. I.
- Shapovalova, T. F. See Dryshlyuk, T. V.
- Shappir, J. See Nissan-Cohen, Y.
- Sharav, A. A. See Samsonov, V. A.
- Sharaf, N. A. See Ahmed, A. A.
- Sharai, V. I. See Golobov, E. M.
- Sharkian, I. P. See Mikulainets, S. V.
- Sharma, B. D. See Upadhyaya, D. D.
- Sharma, B. K.; Dube, D. C.; and Mansingh, Abhai
Preparation and characterization of V₂O₅-B₂O₃ glasses. 64-01886A
- Sharma, Mitthan L. See Sarkar, Satya K.
- Sharma, N. K.; Williams, Wendell S.; and Zangvil, Avigdor
Formation and structure of silicon carbide whiskers from rice hulls. 64-02770A
- Sharma, Shiv K.; and Matson, Dean W.
Raman spectra and structure of sodium aluminogermanate glasses. 64-04749A
- Sharma, Shiv K.; Matson, Dean W.; and Philpotts, John A.
Raman study of the structure of glasses along the join SiO₂-GeO₂. 64-03340A
- Sharov, V. I. See Zhmur, V. V.
- Sharova, N. G. See Slobodin, B. V.
- Sharova, N. G.; Slobodin, B. V.; and Fotiev, A. A.
Sequence of phase transformations in mixtures of MgO, CaCO₃, and V₂O₅. 64-05797A
- Sharp, J. H. See Burnett, N. C.
- Sharygin, L. M. See Galkin, V. M.; Malykh, T. G.
- Shashkin, V. S. See Tatarintsev, B. V.
- Shatravka, E. I. See Rodionova, G. P.
- Shaw, H. F. See White, S. H.
- Shaw, Herbert J.; and Bergh, Ralph A.
Fiber-optic directional coupler. 64-03511P
- Shaw, Herbert J.; Chodorow, Marvin; and Dignomet, Michel J. F.
Fiber optic amplifier. 64-06352P
- Shaw, Hugh E., Jr.
Float glass ribbon monitor enhancement method and apparatus. 64-01988P
- Shaw, Joseph W.
Roof tile. 64-01690P
- Shaw, N. J.; Brook, Richard J.; and Stevens, R.
Microstructural development during the early stages of sintering of Y₂O₃ powder. 64-04308A
- Shaw, Robert R. See Perry, Charles H.

- Shaw, T. M. See Morgan, Peter E. D.
- Shaw, Thomas M.; Thomas, Gareth; and Loehman, Ronald E. Formation and microstructure of Mg-Si-O-N glasses. 64-00185A
- Shay, George C. See Lentz, William P.
- Shechegolev, B. F. See Vasil'eva, E. A.; Zakharov, V. K. Shechegrov, L. N.; and Antratskaya, N. M. Effect of heating rate of crystallites on their solid-phase transformation nature. 64-05695A
- Shechegrov, L. N. See Zakharov, R. G.
- Shechter, R. O. See Yalanski, S. T.
- Shechterova, V. A. See Mel'nikova, I. G.
- Shee, Colleen E. See Piculo, Paul L.
- Shebrov, B. M. See Kuschel, M. I.
- Shebsov, A. L. See Kuperman, Yu. E.
- Sheedy, M. T. See French, D. H.
- Sheeler, Phillip; and Shultz, Samuel Computer simulation of centrifugal separations. 64-02582A
- Sheinman, E. Sh. Operation of tunnel kilns [for the production of clay bricks]. 64-02043A; See also Koslov, V. V.
- Shekhter, F. L. See Perova, A. A.
- Shekhtman, I. G.; Burnasik, E. I.; and Stepanov, G. K. Solid electrolytes in the systems Li_2SiO_3 - Li_2TiO_3 and Li_2SiO_3 - Li_2GeO_3 . 64-05178A
- Shelby, James E. Electrical conductivity of alkali-doped Zr-Ba-La-Al fluoride glasses. 64-06190A; Formation and properties of calcium aluminosilicate glass. 64-04724A; Properties and morphology of barium germanate glasses. 64-00219A; See also Chakraborty, Indira N.; Geraci, Dean J.; Piguet, Joyce L. Shelby, James E.; Pantano, Carlo G.; and Tesar, Alecia A. Transformation range viscosity of fluorozirconate glasses. 64-00237A
- Shelikhova, V. I. See Aksenova, L. N.
- Shell, Sam E. See Lloyd, Milton H.
- Shelnutt, John A. See Nelson, Carolyn
- Shen, Bao-zhen See Huang, Li-ping
- Shen, Ding-cheng See Chen, Bo-hua
- Shen, Jinyuan See Li, Yuezhen
- Shen, John C. S. See Oztman, John C.
- Shen, Ju-yun See Yin, Bao-zhong
- Shen, Wen-jiang Electrooptic effect in anodic Nb_2O_5 film. 64-05261A
- Shen, Yang-yun; and Brook, Richard J. Preparation and strength of forsterite-zirconia ceramic composites. 64-04319A
- Shen, Yong-fu See Sun, Yu-yan
- Shendrikar, A. D. See Tzavaras, John
- Sheng, Ding-kun See Yu, Ling
- Sheng, Lian-gen See Li, Jia-zhi; Zhu, Ya-juan
- Sheng, Lian-gen; Zhu, Ya-juan; and Chen, Xue-xian Influence of temperature on optical absorption edge of glass colored with CdSe-CdTe . 64-06210A
- Sheng, Xu-mia; Lu, Pei-wen; and Xu, Jie Pressureless sintering of Si_3N_4 with Al_2O_3 - Y_2O_3 as sintering aid. 64-07148A
- Shenkaio, M. A. See Merkin, A. P.
- Shepherd, D. See White, P. J.
- Shepperd, C. N. See Nixon, P. J.
- Sher, A.; Hoffman, H. J.; and Su, Pin Techniques for improving the Si-SiO₂ interface characterization. 64-00715A
- Sherby, James E. Pattern cutter [for flat glass]. 64-04056P
- Sherer, Jimmie B. See Westphal, Glenn H.
- Sheridan, Patrick J. See Small, John A.
- Sheridan, Stephen E.; and Skjott, Poul Automatic kiln control at an Oregon portland cement plant utilizing fuzzy logic. 64-02658A
- Sherif, Fawzy G. Process for preparing an oxidation catalyst [of V_2O_5 and silicates]. 64-02899P
- Sherif, Fawzy G.; Majewski, Helmut W.; and Via, Francis A. Dicalcium phosphate dihydrate having improved monofluorophosphate compatibility and process for the preparation thereof. 64-01772P
- Sherif, Fawzy G.; and Michaels, Edwin S. Fast-setting cements from liquid waste phosphorus pentoxide-containing materials. 64-01773P; Fast-setting cements from solid phosphorus pentoxide-containing materials. 64-04663P
- Sherif, G. See Petrov, A. S.
- Sherman, A. Plasma-assisted chemical vapor deposition processes and their semiconductor applications. 64-05369A
- Sherman, E. A. See Zhukovskaya, A. E.
- Sherman, Robert Auger analysis of a calcium partially stabilized zirconia. 64-02742A; Auger analysis of hot-pressed and sintered silicon carbide. 64-04242A
- Sherstnev, A. A. See Tsinin, I. P.
- Sherstnev, A. A.; Stenin, V. A.; and Tsinin, I. P. Determining the optimum duration of drying of refractory materials. 64-02586A
- Sherstneva, I. I. See Fedorov, P. P.
- Sherstobitov, M. A. See Krichkevits, M. I.
- Sherwin, Dwayne J. Lens finishing apparatus. 64-05386P
- Sherwin, James S. Fiber optics heat-treated assembly. 64-06353P
- Shestakov, V. L.; Dvorkin, L. I.; and Zablotskii, E. Z. Pelletization of phosphogypsum. 64-04653A
- Shestopal, S. S. See Novikov, V. V.
- Shetty, Dinesh K. See Duckworth, Winston H.; Rosenfield, Alan R.
- Shetty, Dinesh K.; Rosenfield, Alan R.; and Duckworth, Winston H. Analysis of indentation crack as a wedge-loaded half-penny crack. 64-04524A
- Shetty, Dinesh K.; Virkar, Anil V.; and Rosenfield, Alan R. Compressed-spring analog for residual stress effects on the extension of indenter flaws. 64-05121A
- Shvchenko, A. V. See Maister, I. M.
- Shvchenko, A. V.; Zaitseva, Z. A.; and Lopato, L. M. Zirconates and hafnates of alkali-earth elements. 64-01489A
- Shvelevich, R. S. See Petrovskaya, T. S.
- Shi, Welying; Yu, Huiheng; and Zhou, Bianglin Space-charge scattering in undoped *n*-type LPE gallium arsenide. 64-00707A
- Shi, Xiao-feng See Chen, Bo-hua
- Shi, Xue-jun See Huang, Bing-tang
- Shibahara, H.; and Hashimoto, H. Electron microscope study of the crystallization from amorphous phase in BaTiO_3 thin films. 64-07329A
- Shibahara, Kentaro; Nishino, Shigehiro; and Matsunami, Hiroyuki Metal-oxide-semiconductor characteristics of chemical-vapor-deposited cubic SiC. 64-05130A
- Shibanov, V. A. See Sobolev, E. G.
- Shibata, Katsuo See Kobayashi, Nobuyuki
- Shibata, Susumu Thermal head [with dielectric substrate and Ta_2N heater]. 64-00815P
- Shibata, Toshihiko See Iuchi, Tohru
- Shibata, Yoshishige See Kamata, Kiichiro
- Shibuya, Yoshio See Akune, Tadahiro
- Shields, J. E.; and Lowell, S. High-throughput automated instrument for adsorption-desorption isotherms. 64-04086A; Method for the estimation of micropore volume and micropore surface area. 64-01021A
- Shigaki, Masanobu Incinerator and method of reducing NO_x emissions. 64-04039P
- Shigematsu, Naoki See Amemiya, Yoshihide
- Shih, I. See Ding, L.
- Shih, Kwang K. See Aviram, Ari
- Shikada, Tsutomu; Ogawa, Hideki; and Fujimoto, Kaoru Oxidation state of vanadium and role of titania as the support for catalytic reduction of nitrogen monoxide with ammonia. 64-01238A
- Shikama, Takashi; Yamamoto, Tomoyuki; and Takaoka, Yuichi Demagnetizing circuit using a PTC thermistor device. 64-05209P
- Shikano, Hiroshi See Fujimoto, Shoichiro; Naruse, Yoichi Shikigawa, Hideo; Oda, Isao; and Yamamoto, Noboru Mechanical properties of zirconia and its application as structural material. 64-04307A
- Shilo, V. P. See Smirnova, N. N.
- Shilova, M. V.; Chertkova, L. V.; and Orlov, V. M. Optical absorption in single Bi_2SiO_5 crystals doped with Mn and Cr. 64-05939A
- Shimada, Hisashi; Arai, Tohru; and Endo, Junji Apparatus for physical vapor deposition. 64-06798P
- Shimada, Katsunori See Wood, Charles
- Shimada, Masahiko Solid-state ceramic-to-ceramic and ceramic-to-metal bonding. 64-02828A; See also Kozumi, Mitsue; Sato, Tsugio; Tsukuma, Koji; Uchida, Norimasa; Yamada, Osamu
- Shimada, Masayoshi Surface defect-detecting apparatus. 64-05459P
- Shimada, Satoshi; Yamada, Kazuji; and Suzuki, Seikou Semiconductor [glass-supported] pressure transducer. 64-06405P
- Shimada, Shiro See Kodaira, Kohji
- Shimada, Y.; Utsumi, K.; and Ikeda, T. Monolithic multicomponent ceramic [MMC] substrate. 64-03929A
- Shimada, Yutaka See Munakata, Makoto
- Shimamori, Toru; Hattori, Yoshinori; and Matsuo, Yasushi Silicon nitride sintered products having high corrosion resistance and process for production thereof. 64-04436P
- Shimamoto, Koze See Uchikawa, Fusaoki
- Shimamune, Takayuki See Asano, Hiroshi
- Shimamura, Takao; and Matsumura, Akira Behavior of Roski with repeated high-temperature treatment. 64-02063A
- Shimizu, Etsuo See Maekawa, Hidehiko
- Shimizu, Kiyoshi See Yamaguchi, Osamu
- Shimizu, M. See Itoh, H.
- Shimizu, Masayoshi; Yamaguchi, Takashi; and Noguchi, Yukio Converging light-transmitting [glass] body of high performance and process for production thereof. 64-00353P
- Shimizu, Mutsuhiro See Fujimoto, Terunori
- Shimizu, Nobuyoshi See Fujimoto, Terunori
- Shimizu, Shigeo; and Kato, Toshio Recording media comprising vertical magnetization layers essentially consisting of quaternary Co-Ni-Zn-P alloys. 64-06734P
- Shimizu, T. See Sasaki, Ken
- Shimoda, Yutaka See Yamamoto, Tsutomu
- Shimohiro, Toshinobu; and Nakanishi, Masayuki Numerical method for solution of one-dimensional nonsteady-state heat-conduction equation with boiling by using nodal network and their example of calculation. 64-04980A
- Shimoiima, K.; Hamaguchi, M.; and Ohana, H. Newly developed roller mill for cement clinker grinding. 64-06112A
- Shimomura, Sigetaka See Ohashi, Koji
- Shimoyama, Tatsuo Spherical bodies of carbon or graphite. 64-02910P
- Shin, Hyung-jik See Lee, Hong-Lim
- Shin, Kun-Chul Reaction of montmorillonite with cysteamine. 64-07377A
- Shindo, I. See Haneda, Hajime
- Shindo, Masanari; Sato, Shigeru; and Myokan, Isao High rate preparation of amorphous Si:H by reactive evaporation method. 64-02934A
- Shingaki, Seichi See Ohmi, Shigeaki
- Shin, Dennis B. See Jenkins, Robert G.
- Shinohara, Kunio; and Miyata, Shinichi Mechanism of density segregation of particles in filling vessels. 64-02515A
- Shinomiyama, Kazuo See Nakanishi, Takeshi
- Shinozaki, Yoshinobu; Motozo, Yumao; and Tadaaki, Iwamura Method and apparatus for distributing powdered particles. 64-02557P
- Shioda, Toshiyuki Apparatus for producing containerless sand molds. 64-00534P
- Shiohara, Lewis J. High-value surface-mounted [dual-ceramic] capacitor. 64-03737P
- Shiono, Takeshi; Ota, Rikuo; and Soga, Naohiro K_p diagram for single- and polycrystalline α -alumina. 64-04303A
- Shiota, E. See Arika, J.
- Shioya, Kiyohiko High emissivity [SiC-, graphite, Al_2O_3 , Si_3N_4 -based] refractory coating, process for manufacture, and coating composition thereof. 64-01309P
- Shioya, Yoshimi See Miyamoto, Hidekazu
- Shioya, Yoshimi; and Takagi, Mikio Method of growing silicate glass layers [on semiconductors] employing chemical vapor deposition process. 64-02004P
- Shipilova, L. A. See Gnesin, G. G.
- Shipko, M. N.; Tikhonov, V. S.; and Letyuk, L. M. Structural transformations taking place in the surface layers of very fine BaFe_2O_7 powder particles. 64-05305A
- Shipulin, V. I.; and Gorin, V. M. Industrial wastes for the production of refractory concretes. 64-03638A
- Shirai, Shigeru See Ogawa, Kyosuke
- Shirai, Shigeru; Kanbe, Junichiro; and Fukuda, Tadaaki Electrophotographic image-forming member having aluminum oxide layer on a substrate. 64-00747P
- Shirai, Tatsunori See Osaka, Fukuobu
- Shirai, Kazuo Fiber-embedded micro-Faraday rotator for the infrared. 64-05417A
- Shiraishi, Teruhisa See Ishiwata, Hiroshi
- Shirakawa, Yasuhiro See Takahara, Takeshi
- Shiraki, Kyoze Plans for Advanced (Fine) Ceramic Center [Japan]. 64-05988A
- Shirasaki, Shinichi See Saito, Shinroku
- Shirasaki, Shinichi; Matsuda, S.; and Yamamura, Hiroshi Oxygen diffusion in undoped and [Si or Ca] impurity-doped polycrystalline MgO . 64-07358A
- Shirnov, Sh. M. See Allazov, M. R.
- Shirokova, A. V. See Dudko, G. D.
- Shiroyama, Masaharu See Sakaguchi, Shigea
- Shishelova, T. I.; Chilikanova, L. V.; and Tyurin, N. G. Phase transformations in phlogopite mixtures. 64-04743A
- Shishido, Yoshio Hardness measuring probe. 64-05450P
- Shishkin, G. K. See Bovinkin, O. K.
- Shits, Yu. A.; Raikhel, M. S.; and Tyutyunnikov, B. A. New production technology of bodies from polished glass. 64-00316A
- Shitsa, D. A. See Osipyan, V. G.
- Shiue, Y. R. See Phillips, David S.
- Shiue, Y. R.; and Phillips, David S. Crystallography of annealing twins in alumina ceramics. 64-04259A
- Shivakumar, G. K. See Moorthy, P. A. Krishna
- Shivas, T. Robert See Blau, Peter J.
- Shkol'nikov, E. V. See Makarov, L. L.
- Shlevin, D. N. See Kosodriga, A. D.
- Shlichta, Paul J. See Schroeder, James E.
- Shmatok, L. K.; Shalamalko, E. E.; and Kozhina, I. I. Glass formation and crystallization in the system $\text{Na}_2\text{O-TiO}_2$. 64-03258A
- Shmel'kova, T. M. See Maurin, A. F.
- Shmyreva, T. P.; Bratus, T. I.; and Vasil'ev, M. A. Surface composition, properties, and thermal stability of thick and thin [layers and films of Fe-Cr-2Mn-7P-B-7C] metallic glasses. 64-04756A
- Shockey, Woodland G. Need for soil and rock standards—ASTM Committee D18. 64-01133A
- Shoda, Yuzuru; Koshino, Minoru; and Sobue, Kurasauro Present state of ceramic fiber linings. 64-02177A
- Sholkhet, B. M. See Ter-Martirosyan, Z. G.
- Sholokhovich, M. L. See Belyaev, I. N.
- Sholokhovich, M. L.; and Dugin, V. E. Growing crystals of ferroelectric lead metaniobate from melts of the system $\text{PbO-Nb}_2\text{O}_5\text{-B}_2\text{O}_3$. 64-05265A

- Shono, Katsufusa. See Sugiura, Souichi
Shores, Bobby D.
Sampler for slurries. 64-02653P
- Shorin, N. K.; Soldatchenko, N. N.; and Krivosheiko, A. A.
Mechanized production of refractory linings for steel-casting ladles. 64-02144A
- Shoubu, Kazuhiko. See Watanabe, Tadahiko
Shough, Dean. See Jacobs, Stephen F.
Shov, Kazuki. See Utsunomiya, Taizo
Shrest, Thomas R. See Dayton, Gordon O.; Swartz, Scott L.
Shneberg, Yu. G.; Tyurn, E. Ya.; and Berezovskaya, V. A.
Zinc-free liquidation glazes for porcelain, obtained according to faience techniques. 64-02284A
- Shreya, E. D.; Ved'nikov, I. R.; and Podol'skaya, N. V.
Lime-containing gunting mass for the gunting of high-capacity converters. 64-02133A
- Shtravergin, N. S. See Pursin, A. K.
Shtrav, V. V. See Safronov, V. A.
Shin, A. P. See Mamoshin, V. L.
Shin, V. I. See Sokolinskaya, Ch. A.
Shin, V. I.; Vasiluk, A. V.; and Chayukh, N. N.
Chromite magnesite refractories with a high resistance to cement clinker. 64-04926A
- Shinford, David M.
Composition [Si, SiC, B] and method for forming a protective coating on carbon-carbon substrates. 64-01298P
- Shukla, Vishwa. See Amin, Ahmed
Shul'ga, Yu. M.; Martynenko, V. M.; and Moravskaya, T. M.
Surface of powders of silicon nitride produced by self-propagating high-temperature synthesis. 64-02833A
- Shul'ga, R. V. See Kuznetsov, A. I.
Shulze, Wolfgang; and Katsenoderfer, Jaroslav
Temperature and bulk density dependences of specific thermal conductivity for lightweight fireclay refractories. 64-02211A
- Shulz, I.; and Sedmalis, U. Ya.
Electrical properties of W silicate phosphate and aluminosilicate phosphate glasses. 64-03243A
- Shul's, M. M.
Acid-base concept applied to oxide melts and glasses and the D. I. Mendeleev principle in glassy state [review]. 64-03184A
- Shultz, Samuel. See Sheeler, Phillip
Shumelko, R. M. See Sokolov, A. N.
Shumilov, V. P. See Batyrev, N. I.
Shur, V. Ya.; Letchev, V. V.; and Popov, Yu. A.
Spontaneous polarization screening in Pb germanate [Pb₂Ge₂O₇]. 64-03828A
- Shurdurov, G. K. See Khakulov, Z. L.
Shurdurov, G. K.; Khakulov, Z. L.; and Kodzokov, Kh. A.
Thermal analysis of the systems Na[Co], MoO₃, WO₃, and K[CO], MoO₃, WO₃. 64-05857A
- Shurdurov, G. K.; Khakulov, Z. L.; and Mokhosov, M. V.
Thermal analysis, density, and molar volume of melts of binary systems based on the molybdates, tungstates, and carbonates of sodium and potassium. 64-05858A
- Shuster, N. S. See Zargaraeva, M. I.
Shutov, A. L.; Maistrenko, I. A.; and Kazakova, I. P.
Strength of thin tempered thermally polished sheet glass. 64-00311A
- Shvaika, D. I.; Rodi, D. I.; and Pismennaya, L. Yu.
Radio-polarization method for studying the texture of wall ceramics. 64-02277A
- Shvalko-Shvalkovskii, V. See Gvoz, V. S.
Shvartsman, M. Z.; Taig'din, E. P.; and Yadamchenko, N. M.
Drying of [refractory concrete] linings in units for the fluidized-bed calcination of alumina. 64-04937A
- Shvelin, V. See Gubanov, V. A.
Shvets, A. F. See Bodak, O. I.
Shvorneva, L. I. See Chuvava, N. I.
Sibert, Will
Properties and use of metallic carbide cutting tools. 64-04232A
- Sibiriyakov, V. A.; Budov, V. M.; and Prokhorov, B. N.
Electrical melting of crystal glass in furnaces with three-phase heating systems. 64-01947A
- Sichtel, and Riehl, M.
Possible uses of a new [feldspar raw material] product "TC". 64-04215A
- Sida, Vladimir
Diamond tools with sintered metallic layer. 64-03050A
- Siden, Jan
Grinding disc. 64-00021P
- Sidorchenko, A. I. See Mokhort, V. N.
Sidorchenko, Yu. A. See Rybkin, S. G.
Sidorov, V. S. See Ikrami, D. D.
Sie, Swan T. See Kieffer, Edward P.
Siebert, Robert M.; and Lahann, Richard W.
Determination of expandable clay minerals at well sites. 64-04231P
- Siefert, Kristine S.
Preparative process for alkaline-earth metal, aluminum-containing spinals. 64-01347P
- Siefert, Kristine S.; Yoo, Jin S.; and Burk, Emmett H., Jr.
Preparative process for alkaline-earth metal, aluminum-containing spinals. 64-00568P
- Sieger, Werner
Dust-firing technology in the glass industry. 64-06936A
- Sieglein, Rolf. See Koenig, Rainer
Siejko, Janina; and Zapotoczna-Sytek, G.
Quality and amount of lime—basis for development of autoclaved cellular concrete production. 64-06120A
- Siemens, D. H.; and Chapman, C. C.
Remote design features for the West Valley [NY] slurry-fed ceramic melter system. 64-05346A
- Siemens, Dieter; and Sepp, Guenther
Multilayer fiber light conductor. 64-00400P
- Sierakowski, R. L. See Yuccoglu, U.
Sieracki, Joan J.
Accessing remote data bases. 64-05972A
- Sigmund, Adolf
Production line for [threaded] graphite nipples. 64-05396P
- Sigorelli, Anthony J. See Conner, William C., Jr.
Sikora, Edward J.
Clay pipe makers buck stiff competition. 64-04885A
- Silenkov, A. N.; Volkov, V. Ya.; and Stepanov, V. A.
Computation and construction of the liquidus of binary systems of salts, based on empirical curves and the aid of computing machines. 64-05675A
- Silenko, P. M. See Dorokhov, V. P.
Sila, A. R.; Bray, Philip J.; and Mikkelsen, J. C., Jr.
High-temperature intrinsic defects in fused silica. 64-00193A
- Silina, T. G. See Medvedev, B. A.
Sillens, H. See Leyser, W.
Silva, Ralph. See Mollman, Robert E.
Silva, Robert M.
Instruments detect and remove subsurface wafer damage. 64-06875A
- Silvestrova, I. M. See Kaminskii, A. A.
Simakin, I. O. See Kornienko, L. S.
Simirskii, Yu. N.; and Firsova, L. P.
Diffusion of chalcogenides in Pb₂Sn₂Te solid solution. 64-05688A; Diffusion of components in tin telluride. 64-05689A
- Simakovich, George. See Pal, Uday B.
Simmons, Catherine J. See Macedo, Pedro B.
Simmons, Catherine J.; Simmons, Joseph H.; and Macedo, Pedro B.
Fixation by ion exchange of toxic materials in a glass matrix. 64-00252P
- Simmons, Joseph H. See Simmons, Catherine J.
Simms, R. John; and Hancey, Jerry D.
Automatic [glass bottle] optical inspection apparatus. 64-05447P
- Simnad, Massoud T.
Uranium thorium hydride nuclear fuel. 64-03989P
- Simon, G.
Regenerator matrix. 64-00579P; See also Glaser, Walter
Simon, G.; and Bunell, A. R.
Creep behavior and structural characterization at high temperatures of Nicalon and SiC fibers. 64-04256A; Mechanical and structural characterization of the Nicalon silicon carbide fiber. 64-04306A
- Simon, Guenther
Header brick in [glass tank] regenerator lattice structure. 64-02244P
- Simon, Gyula
Experience with cements containing high amounts of hydraulic admixtures. 64-04640A
- Simon, R. A. See Krisher, W.
Simon, Simon; and Nicula, Alexandru
EPR study of glasses and glass-ceramics with gadolinium oxide. 64-01830A
- Simon, Viorica. See Ardelean, Ioan
Simonet, W. See Warin, D.
Simonov, K. V.
Refractory plates with anchor made from high-purity fused pericase for slide gates. 64-00512A; See also Mezents, E. P.
Simonov, K. V.; Bel'tyukov, Yu. V.; and Koptelov, V. N.
Use of caustic magnesite dust in the production of sintered magnesite powders. 64-05013A
- Simonov, K. V.; Bocharov, L. D.; and Borisovskii, E. S.
Mineral composition, structure, and properties of heat-resistant high-purity pericase-spinel refractories. 64-02149A
- Simonov, K. V.; Gensko, N. S.; and Kushnirskii, G. M.
Creep of pericase of Mg-Al spinel refractories. 64-02088A
- Simonov, K. V.; Koksharov, V. D.; and Zabolka, A. I.
Thermomechanical and deformation properties of pericase and Mg-spinel refractories. 64-00528A
- Simonov, K. V.; and Koptelov, V. N.
Caustic dust [from waste gases of rotary kilns] for making fused pericase and pericase chromite clinker. 64-02070A
- Simonov, K. V.; Kras, Ya. R.; and Grivakova, Zh. A.
Production technology of wear-resistant pericase-chrome spinel refractories for the arch of open-hearth and glassmelting furnaces. 64-02186A
- Simonov, K. V.; and Masalova, A. P.
Pericase-chromite and pericase refractories for the lining of high-power steel-melting electric arc furnaces. 64-02169A
- Simonov, K. V.; and Strelou, K. K.
Magnesite refractories with high heat-insulating parameters. 64-02138A
- Simonova, M. I. See Samokhvalov, A. A.
Simonsen, S. A.; and Machiels, Albert J.
Analysis of leaching data using asymptotic expansion techniques. 64-04702A
- Simpson, Jay R. See Howard, Richard E.
Simpson, William
Calumite blast-furnace slag is a glass batch material. 64-03414A
- Sindezingu, C. See Cattelain, C.
Sinevich, A. K. See Bobkova, N. M.
Singh, A.; and Nath, P.
Absorption spectra of holmium ion in glasses. 64-03181A; Absorption spectra of praseodymium ion in glasses. 64-00140A
- Singh, C. Bala. See Ramchandran, B. E.
Singh, J. See Jain, G. C.
Singh, K. K.; Altekar, V. A.; and Narsimhan, M. D.
Liquid-phase sintering of MgO-china clay compacts. 64-02134A
- Singh, K. K.; Subramanyam, A. V.; and Rao, M. R. K.
Development of high-alumina refractories from technical alumina and kyanite. 64-02097A
- Singh, Nakhshatra B.; and Srivastava, K. Abha
Effect of calcium formate on the hydration of portland cement. 64-04634A
- Singh, O. See Liu, C.
Singh, Raj N.
Chemical polishing behavior of sodium β -alumina electrolytes. 64-00636A; Surface characteristics of sodium β -alumina electrolytes. 64-00710A
- Singh, Ramadhar
De conductivity of VO₂ single crystals. 64-02295A; Thermoelectric power of VO₂ single crystals. 64-02343A; See also Mansingh, A.
Singh, Vipin Kant; Ali, M. M.; and Mandal, Upendra Kumar
Assimilation of lime in the formation of calcium aluminate from CaO and Al₂O₃. 64-01699A
- Singh, Vipin Kant; and Mandal, Upendra Kumar
Hydration and some other properties of CA, CA₂, and their mixes. 64-01724A
- Singru, R. M. See Prasad, A.
Sinha, A. N. See Bose, S. K.
Sinha, B. C. See Das Gupta, S.
Sinha, Bikash K.; and Tiensten, H. F.
Thermally generated transient frequency excursions in doubly-rotated quartz thickness-mode resonators. 64-03938A
- Sinha, Kamal R.; and Caldwell, Brian E.
Glass coating composition and method. 64-06282P; Protective coating for dry-heat-sterilizable glassware. 64-06289P
- Sinha, M. K.; and Guha, S. K.
Plasma-sprayed coatings—a review. 64-03157A
- Sinha, Rabindra K.
Blends of magnesium oxide and copper oxychloride as calcium oxide deposit inhibitors in coal-fired lime kilns. 64-03138P
- Sinadurai, N. See Mauder, C.
Sinadurai, N.; Sutherland, R. R.; and Wilson, K. J.
Influence of plastic encapsulation, overglaze, and voltage on anomalous behavior of thick-film resistors. 64-06561A
- Sisou, R. H. See Oster, B.
Sirazhiddinov, N. A. See Saidazizova, N. A.
Sircar, N. R. See Roy, A. K.
Siraz, Janos. See Gulyas, Agnes; Horvath, Sander
Sirenek, V. A.; Komarov, E. V.; and Ioffe, I. V.
Leaching of glasses—theories [review]. 64-03285A
- Sirinyan, Kirik; Giesecke, Henning; and Wolf, Gerhard D.
Process for activating substrate surfaces for currentless metalization. 64-03173P
- Sirklin, Eric R. See Biagelsen, David K.
Sirotnik, V. P. See Trunov, V. K.
Sirotnik, V. P.; Evdokimov, A. A.; and Tadzh-Aghev, Kh. G.
Compounds TRTa₂O₇ [R=rare-earth element]. 64-05673A
- Sirotnik, O. S. See Zav'yalov, V. V.
Sirotnik, O. S.; and Khitrov, M. Yu.
Effect of water vapors on the gas-phase synthesis of polymer vitreous phosphates. 64-00176A
- Siskens, C. A. M. See Van Dijen, F. K.
Sisney, C. J.
Limitations affecting the performance of glassmelting furnaces. 64-03460A
- Sisodia, M. S. See Choudhary, P. S.
Sisamov, S. S. See Karimov, S. K.
Sitas, James R. See Demiryont, H.
Sista, Vincent P.
Thick-film conductor compositions. 64-06675P
- Sivasegaram, S.
International System of Units—some major shortcomings and remedies. 64-04583A
- Sivchikova, M. G.; Kaganova, I. V.; and Osadchaya, N. F.
Local raw materials for the production of porcelain glazes. 64-00604A
- Sivertsen, J. M. See Chen, Ga-lane
Sizonenko, N. T.; and Gudzenko, L. V.
Determination of active additives of some rare earths in monocrystals based on materials of gallium sesquiselenide type. 64-05407A
- Sizyakov, Viktor M. See Kaluzhsky, Nikolai A.
Sjostrand, M. E. C.; Bjorkman, C. P. M.; and Fredriksson, A.
Hard wear-resistant [dual-coated] metal nitride surface layer. 64-07230P
- Skalny, Jan P.
Challenges for cement research—are we ready? 64-00031A; See also Jawed, Inam
Skalny, Jan P.; Pentecost, Joseph L.; and Ruh, Edwin
Japanese cement industry. 64-00047A
- Skeedle, Ronald W.
Future looks bright for high-performance glass. 64-06304A
- Skeels, Gary W. See Breck, Donald W.
Skidan, B. S. See Vlasov, A. S.
Skinner, Charles S. See Dratch, Ralph L.
Skinner, M. L.; Roser, R. R.; and Samowitz, K. J.
Designing a computer-controlled fiber glass filament winding machine. 64-03424A
- Skjoth, Poul. See Sheridan, Stephen E.
Skoblo, L. I.; and Kazanovich, B. L.
Service life of refractory linings of rotary kilns in 1982. 64-05005A

- Shonkwiler, Francis P.**
Manufacturers still seeking the "ideal" refractory. 64-04971A
- Skogen, John D.** See Hocker, G. Benjamin
- Skopal, Jaroslav**
Potential application of radiation pyrometers in brick tunnel kilns. 64-06956A
- Skopal, Jaroslav; and Haska, Miroslav**
Present-day possibilities for automatic control of the [Czech] kiln line Prachovice. 64-02669A
- Skorikov, V. M.** See Rykova, G. A.
- Skornyakov, G. P.** See Astaf'yeva, L. V.
- Skornyakov, I. V.** See Deshkhovskaya, A. A.
- Skorodumov, V. V.; Kirik, S. D.; and Tin'kova, S. M.**
Phase composition of pericase melting products studied by XRD. 64-04986A
- Skorokhod, V. V.; Solonin, Yu. M.; and Filippov, N. I.**
Reaction in the system Cu-W-O. 64-05793A
- Skoropad, T. S.; and Drobosheva, T. I.**
Solid solutions made up of potassium and cesium tungstates. 64-05799A
- Skoropanov, A. S.; Kizina, T. A.; and Bulgak, I. A.**
Thermal stability of lamellar compounds of graphite with copper(II) chloride. 64-05863A
- Skubatz, Rainer; and Kositzke, Karfried**
Microelectronics use for the quality improvement of tiles. 64-00920A
- Skudelny, Dieter; and Rauth, Gerhard**
Flowable mixture and use of synthetic calcium silicate. 64-01775P
- Skvara, Frantisek**
New types of gypsumless portland cements. 64-03108A; Slag-alkali cements. 64-04658A
- Skvara, Frantisek; and Zbuzek, Borivoj**
Morphology and composition of hardened pastes of gypsum-free cements. 64-00050A
- Slack, Glen A.** See Gerlich, D.
- Sladek, R. J.**
Electronic elements—materials, firing, [and production equipment]. 64-06557A; Sintering process for passive electronic components. 64-06696A
- Sladek, R. J.; Harms, W.; and Poepperl, A.**
Raw material parameters and thermal technology determine the firing cycles of structural ceramics. 64-06958A
- Sladkov, A. S.**
Preparation of clay slips in a single-chamber mixer/grinder. 64-02276A
- Slater, Nancy J.** See Tabatabaie-Alavi, Kamal
- Slough, Lynn H.** See Lewis, Robert M.; Tsang, Wen-Ghui; Slavina, L. Ya. See Vil'k, Yu. N.
- Sleizer, R.; and Teller, M.**
Magnetic holding device for refractory lining. 64-06489P
- Silva, Paul; and Scheetz, Barry E.**
ICPP [Idaho Chemical Processing Plant] aluminum phosphate ceramic waste form—synthesis and room-temperature aqueous stability. 64-05329A
- Slivka, V. Yu.** See Suslikov, L. M.
- Slobodin, B. V.** See Sharova, N. G.
- Slobodin, B. V.; Sharova, N. G.; and Krasnenko, T. I.**
Magnesium metavanadate and solid solutions based on it. 64-05749A
- Slobodyanik, N. S.; Nagornyi, P. G.; and Lugovskaya, E. S.**
Interaction of germanium dioxide with the molten fluorides of the alkali metals. 64-05730A
- Sloukar, G.** See Luchini, Elio
- Sloushch, V. G.; Kheifets, A. S.; and Mikhailutsa, G. N.**
Nondestructive testing of the grade of high-alumina refractory blocks for blast furnaces. 64-00493A
- Slovikovskii, V. V.** See Eroshkina, V. I.
- Slovyanskikh, V. K.; Kuznetsov, N. T.; and Gracheva, N. V.**
Composite sulfides NbUS and TaUS. 64-05672A
- Slycke, H. L.; and Noorbrand, G. V.**
Shaped sintered porous [castable] ceramic body. 64-03712P
- Slyh, John A.**
Sorption-desorption of water on porous ceramics. 64-06897A; Twenty-year moisture expansion of quarry tile. 64-00452A
- Small, J.**
Walking watchfully through a buyers' market. 64-00334A
- Small, John A.** See Steel, Eric B.
- Small, John A.; Steel, Eric B.; and Sheridan, Patrick J.**
Analytical standards for the analysis of chrysotile asbestos in ambient environments. 64-05401A
- Smart, Roderick M.** See Aston, Geoffrey W.
- Smedley, Stuart I.** See Ryan, Martin J.
- Smetana, Josef** See Janacek, Jiri
- Smetana, Josef; Janacek, Jiri; and Vytras, Karel**
Control of enamel firing by in-process colorimetry on the enamelled products. 64-00081A
- Smetanina, A. N.; and Mishchenko, V. I.**
Basalt glaze for facing tiles. 64-00583A
- Smets, Bruno M. J.; and Tholen, Margriet G. W.**
Absence of a mixed-alkali effect in the leaching of corrosion-resistant glasses. 64-06159A
- Smets, Bruno M. J.; Tholen, Margriet G. W.; and Lommen, T. P. A.**
Effects of divalent cations on the leaching kinetics of glass. 64-01946A
- Smialek, James L.**
Oxidation-resistant slurry coating for carbon-based material. 64-04312A; See also Jacobson, Nathan S.
- Smick, William H., III** See Grollmund, Everett C.
- Smirnov, E. P.** See Gordeev, S. K.
- Smirnov, I. I.** See Gorshkov, A. A.
- Smirnov, L. A.** See Deryabin, Yu. A.
- Smirnov, N. S.** See Rodionova, G. P.
- Smirnov, O. M.** See Kostikov, Yu. P.
- Smirnov, S. A.** See Evdokimov, A. A.
- Smirnov, V. A.** See Kamarzin, A. A.
- Smirnov, V. G.** See Sarkisov, P. D.
- Smirnov, V. G.; and Sarkisov, P. D.**
Classification of new finishing materials based on opacified glasses. 64-06170A; New finishing materials based on opacified glasses. 64-06318A
- Smirnova, N. N.; and Shilo, V. P.**
Physicochemical properties of glasses in the systems TiS, and TiSe. 64-03327A
- Smirnova, V. A.; and Pridatko, G. D.**
Two-component interference coatings—optical properties and applications. 64-05197A
- Smiser, Laurence W.** See Holt, Jack W.
- Smith, D. P.** See Hiestand, E. N.
- Smith, David C.; and Noto, Richard**
Automatic layout program for hybrid microcircuits (hyar). 64-04111P
- Smith, David J.** See Bursill, L. A.
- Smith, David L. O.; and Lohnes, Robert A.**
Triaxial apparatus for testing particulate material and method of using the same. 64-04139P
- Smith, Douglas D.**
Apparatus for accurately measuring high temperatures. 64-06900P
- Smith, George E.**
Ultrasonic densitometer for liquid slurries. 64-06922P
- Smith, H. G.** See Eklund, P. C.
- Smith, Henry I.** See Atwater, H. A.
- Smith, James E., Jr.** See Frazier, Donald O.
- Smith, Jay R.** See Carruthers, W. Dave
- Smith, Lawrence**
On-line analysis of light elements in slurries. 64-06882A
- Smith, Paul R.; and Froes, Francis H.**
Titanium metal-matrix [SiC, SiC-coated B, B/C-coated B, or Si-coated SiC] composites. 64-04445P
- Smith, Peter W.; and Tomlinson, Walter J., III**
Nonlinear and bistable optical waveguide devices. 64-06392P
- Smith, Richard G.** See Forrest, Stephen R.
- Smith, Stanley B., Jr.**
New technique for background correction atomic absorption spectroscopy. 64-01022A
- Smith, Steven W.** See Brophy, James J.
- Smith, Thomas G.** See LaBianca, Michael H.
- Smith, Thomas M.**
Infrared [burner] generators and use. 64-04176P
- Smith, Thomas W.** See Badesha, Santokh S.
- Smokotin, E. M.; Gusevskii, G. F.; and Vetrov, A. A.**
Magnetic-elastic properties of Y-Fe [ferrite] garnets doped with Tb³⁺ and Yb³⁺ ions. 64-03963A
- Smotrakov, V. G.** See Raevskii, I. P.
- Smotrakov, V. G.; Bokov, A. A.; and Raevskii, I. P.**
Preparation and properties of single-crystal Pb₂InNbO₆. 64-00834A
- Smrcek, Antonin; and Smrcek, Josef**
Regularities in heat consumption during the melting of glass in the tank furnace: 1. Performance curve. 64-06325A
- Smrcek, Josef** See Smrcek, Antonin
- Smyth, D. M.** See Holmes, R. J.
- Smyth, Donald M.** See Hu, Y. H.
- Smyth, R. L.; and Weightman, R. S. (Editors)**
International Ceramic Tableware Industry. 64-04596B
- Sneddon, Joseph**
Direct collection of lead in the atmosphere by impaction for determination by electrothermal atomization atomic absorption spectrometry. 64-02587A
- Snegirev, A. I.; Perpelitsyn, V. A.; and Kudryavtseva, T. N.**
Interaction of a Zn melt with an aluminosilicate rammed material. 64-04964A
- Snegirev, V. V.** See Levitin, R. Z.
- Snell, Richard G.; and Loughridge, Fredrick A.**
Solder [Sb₂O₃, B₂O₃, V₂O₅] glass and electrical device employing the same. 64-06410P; Solder glass [fused SiO₂ to Sb₂O₃-B₂O₃] and electrical device employing same. 64-03547P; Solder glass and electrical device employing same. 64-03403P
- Snider, Charles R.** See Spooner, Frank H.
- Snider, Wendall L.; and Wagner, Edward A.**
Cantilever [refractory] paddle for use with water boats. 64-06593P
- Snitzer, Elias** See El Leil, Mahmoud Abou
- Snodgrass, Lowell F.**
Health-related considerations in the porcelain enameling plant. 64-00091A
- Snopek, Stanislav**
Concentration ratios of atmospheres in glassmelting tanks with use of molten glasses. 64-03207A
- Snyder, William B., Jr.** See Prakash, Sri
- Snyman, F.**
Gas tariffs applicable to the [S. African] ceramics industry. 64-06943A
- Sobolev, B. P.** See Fedorov, P. P.
- Sobolev, E. G.; Shibanov, V. A.; and Khluyustov, N. V.**
Determining the grade [Fe₂O₃ content] of refractory clays by the [Russian] X-ray analyzers BARS-1 and BRA-7M. 64-00465A
- Sobue, Kurasaburo** See Shoda, Yuzuru
- Socha, Louis S., Jr.**
Baffled laminated extrusion dies [for honeycomb structures]. 64-00947P; See also Corbett, Daniel W.
- Soda, T.** See Akasaka, T.
- Soderstrom, M. F.**
Energy cascades in heat-treatment shops. 64-04580A
- Soejima, Shigeo** See Mase, Syunzo
- Soejima, Toshiyuki; and Akizumi, Kiyohara**
Improvement of tundish refractories for continuous casting. 64-04959A
- Soeno, Ko** See Tsuchiya, Masatoshi
- Soga, Naohiro**
Material design of glasses. 64-01955A; See also Goto, Takayasu; Komatsu, Takayuki; Shiono, Takeshi
- Soga, Saji** See Kondo, Kenichi
- Sogura, Koji** See Yamaguchi, Osamu
- Solihli, Z.; and Degiovanni, A.**
Effect of nonlinearity in the measurement of thermal diffusivity by the flash method. 64-01014A
- Sokhovich, E. V.** See Suvorov, S. A.
- Sokol, V. A.** See Labunov, V. A.
- Sokolinskaya, Ch. A.; Gnedina, I. A.; and Shubin, V. I.**
Temperature variations on the inner surfaces of refractory linings of rotary kilns. 64-05009A
- Sokolov, A. N.** See Borisovskii, E. S.; Gavrilin, D. I.; Kartlit, A. K.
- Sokolov, A. N.; Shumelko, R. M.; and Orekhov, P. D.**
Hydraulic-setting corundum ramming materials for equipment in the vacuum treatment of steel. 64-03633A
- Sokolov, A. P.** See Zhdanov, N. G.
- Sokolov, E. B.** See Barovskii, N. V.
- Sokolov, I. A.; and Borisova, Z. U.**
Reaction of glassy As₂Se₃ with Ag and Ti. 64-03341A; Reaction of glassy As₂Se₃ with Cu and Ag. 64-03342A
- Sokolov, V. A.; and Kiryukhin, V. V.**
Determining melting conditions during the manufacture of badeleyite-corundum refractories. 64-02094A
- Sokolov, V. A.; Popov, O. N.; and Partskii, V. N.**
Use of Bakor refractory scraps following service in glass tank furnaces. 64-00532A
- Sokolova, E. V.; Mel'nikov, D. K.; and Ivashchenko, A. N.**
Hydrothermal synthesis of borates in the systems Na₂O-CdO-B₂O₃-H₂O and Li₂O-CdO-B₂O₃-H₂O. 64-01548A
- Sokolova, N. A.** See Bezmaternykh, L. N.
- Sokolova, N. I.** See Deich, S. M.
- Sokolovskii, T. D.**
Phonon spectrum of cubic boron nitride. 64-01028A
- Solacolu, Serban; Teoreanu, Ion; and Andronescu, Ecaterina**
Thermal phase equilibrium relationships in the 2CaO-SiO₂-2CaO-Al₂O₃-SiO₂-CaO-SiO₂ system. 64-05862A
- Solazzi, Monte J.**
Disposable sample cups for XRF analysis. 64-04082A
- Sole, Zdenek** See Trojan, Miroslav
- Soldatchenko, N. N.** See Shorina, N. K.
- Sole, Carlos M.; and Valtve, Juan A.**
Process for the preparation of treated lead chromate-based pigments. 64-04519P
- Soled, Stuart L.** See Conner, William C., Jr.
- Soled, Stuart L.; and Flato, Rocco A.**
Process for preparing high-surface-area iron/cobalt [spinel] Fischer-Tropsch slurry catalysts. 64-07269P
- Solinov, V. F.** See Artamonova, M. V.
- Solidukha, A. M.; Zhukov, O. K.; and Lesovoi, M. V.**
Structure of thin tungsten trioxide films prepared by laser evaporation. 64-01578A
- Solomin, N. V.** See Pozdnayakova, G. T.
- Solomon, Alvin A.; and Philibert, Jean**
New technique for studying crack and rupture of high-purity CO scales in tension. 64-01023A
- Solonin, Yu. M.** See Skorokhod, V. V.
- Solov'eva, N. D.** See Petroskikh, G. T.
- Solt, Charles**
Plate [with highly decorated border]. 64-01687P; Plate. 64-00023P
- Solt, Paul E.** See DiBuo, Louis J.
- Somsundaram, T.; Ganguly, P.; and Rao, K. J.**
Photoacoustic spectra of As₂S₃-As₂Se₃ glasses. 64-01881A
- Somiya, Shigeyuki**
Attending the 86th annual meeting of the American Ceramic Society. 64-03005A; Yearbook of Overseas Advanced Ceramics. 1984. 64-04598B; Zirconia Ceramics: 1. 64-04599B; Zirconia Ceramics: 2. 64-04600B; See also Jayaratna, Manikpurage; Toraya, Hideo
- Somiya, Shigeyuki; Kanai, Eizo; and Ando, Kenichiro (Editors)**
Proceedings of the First International Symposium on Ceramic Components for Engines. 64-07535B
- Somiya, Shigeyuki; and Yoshimura, Masahiro (Editors)**
Zirconia Ceramics: 3. 64-04601B
- Sonderman, D.; Jakus, Karl; and Ritter, John E., Jr.**
Maximum likelihood estimation techniques for concurrent flaw subpopulations. 64-07476A
- Sondocle, Zarrin; and Read, Alcha A. R.**
Materials and processes influencing the characteristics of thick-film transmission lines. 64-05126A
- Sonetaka, Kazumori** See Nishino, Atsushi
- Song, Huesup** See Coble, Robert L.
- Song, Xiang-yan** See Chen, Xian-qi
- Sonoda, Hiraoku** See Segawa, K.
- Sonoda, Hiraoku; and Tamura, Setsuo**
Double-incline shaft kiln. 64-01099P
- Sonoyama, Seiji** See Fujiwara, Yukio
- Sopp, Samuel W.** See Howe, Michael W.
- Soraru, G. D.; Guglielmi, M.; and Gottardi, Vittorio**
Sensitizing function of SnCl₂ in the silvering of glass. 64-04751A
- Sorbe, Guenther** See Westermann, Lothar

- Stewart, Gordon M.; and Ratnaraj, N.
Amber glass furnace particulate emission control by batch sulfate reduction. 64-04771A
- Stewart, H. R. See Bailey, John Edward
- Stewart, Robert C. Jr. See Maricle, Donald L.
- Stewart, Ronald L. See Miller, Stephen B.
- Stijljes, T. G. W. See Welzer, J. T. A. M.
- Stillinger, Frank H.; and Weber, Thomas A.
Packing structures and transitions in liquids and solids. 64-01879A
- Silne, Edward V.
Apparatus for measuring refractive properties of lenses and other transmissive devices. 64-06902P
- Sinton, David P.; Lackey, Walter J.; and Lauf, Robert J.
Fabrication of ceramic-ceramic composites by chemical vapor deposition. 64-05538A
- Sinton, David P.; McDaniel, E. W.; and Weeren, H. O.
Characterization of hydrofracture grouts for radionuclide migration. 64-04629A
- Sitz, Annelies See Gahrmann, Norbert
- Stock, Horst See Lossi, Gunter
- Stocki, Jerzy See Glowinski, Jozef
- Stoddard, William H. See Niedrach, Leonard W.
- Stoeber, G. See Oppermann, H.; Teske, K.
- Stohl, Frances V. See Dosch, Robert G.
- Stokman, F.; and Jespers, G. P.
Latest generation of low thermal mass furnaces, [designs] suitable for integrated enameling circuits. 64-00096A
- Stoll, L. L. See Lightfoot, E. N.
- Stoll, Wolfgang See Ledebink, Friedrich W.
- Stolov, E. G.
Synthesis of optical interference coatings. 64-03834A
- Stolper, E. M. See Rigen, S. M.
- Stolyar, S. V. See Mazurin, O. V.
- Stolyar, S. V.; Klyuev, V. P.; and Bulaeva, A. V.
Viscosity and thermal expansion of Na borate glasses in the T_g range. 64-03381A
- Stone, Carroll E.; and Seifert, William F. C.
Process for treating overspray glass from glass coating operation with metal recovery. 64-04877P
- Stone, Julian See Burrus, Charles A., Jr.
- Stone, Richard See Dash, J. G.
- Stoneham, A. M.; Sangster, M. J. L.; and Rowell, D. K.
Calculations of entropies and of absolute diffusion rates in oxides. 64-07308A
- Stonis, S. N.; Kazilyunas, A. L.; and Bachauskene, M. K.
Gypsum binders based on phosphogypsum—production technology, uses, and development trends. 64-06088A
- Storff, W. See Maier, H.
- Storozhenko, G. I. See Knigina, G. I.
- Storr, B.
Porosimeter and methods of assessing porosity. 64-06916P
- Storier, David V.; and Coffey, Fred S.
Method and apparatus for producing a continuous glass filament mat. 64-03722P
- Stotts, Larry B. See Mooradian, Gregory C.
- Stover, William L. See Cormier, William E., Jr.
- Stowell, Davin B. See Dair, Thomas M.
- Strachan, Denis M.
Effect of flow rate on the leaching of nuclear waste glass. 64-05326A; See also Lokken, Ryan O.
- Stranford, Gerald T.; and Condrate, Robert A., Sr.
Vibrational spectra of α -MoPO₄ and α -NbPO₄. 64-01595A
- Stranik, Josef See Suk, Pavel
- Stratford, Graham See Gesing, Adam J.
- Strauss, Eric L.
Fabrication rates for fibrous refractory composite insulation. 64-04949A
- Strauss, Georg See Pietzarka, Wilhelm F.
- Strauss, Udo See Adrian, Fritz
- Street, Jeffrey B.
Magnetic [Fe₂O₃-coated] head-cleaning diskette. 64-06729P
- Strehlow, Robert W.
Pan-type mixing machine. 64-05388P
- Streicher, William L. See Propster, Mark A.
- Streifer, William See Scifres, Donald R.
- Strekotin, V. V. See Selyanin, P. A.
- Strel'chenko, S. S.; Bondar, G. V.; and Testova, N. A.
Thermodynamic analysis of reactions in the system In-As-Sb-Cl-H and preparation of epitaxial layers of InAs_{0.5}Sb_{0.5}. 64-05188A
- Strel'nikov, V. I.; Barinov, Yu. D.; and Kosenko, A. I.
Properties of clay-poor enamel slips. 64-01788A
- Strelou, K. K. See Simonov, K. V.
- Strelou, K. K.; Kashechev, I. D.; and Rutman, D. S.
Shielding of refractories. 64-02211A
- Strelou, K. K.; and Mityakin, P. L.
Hydrogen bonds in ceramconcrete. 64-00044A
- Strick, R. See Davies, Graham
- Strickland, Edward T.
Method and apparatus for fiber production from heat-softenable material. 64-00381P
- Stritzke, Detlef
Method and device for the removal of the suction tube of a glass-filled final [nuclear waste] storage container. 64-00979P
- Strizhkov, B. V. See Gasanov, K. S.
- Strnad, Zdenek See Dobravska, Silvie
- Strobel, Klaus See Buehler, Eugen
- Strobel, Klaus; and Geiger, Klaus
Method for molding a ceramic article. 64-04045P
- Strohmeyer, Charles, Jr.
Unfired drying and sorting apparatus for preparation of solid fuel. 64-05485P
- Strong, Peter F. See Aronson, James R.
- Struck, Charles W. See Onorato, Paulette I. K.
- Struelbel, G. See Bothe, H.-G.
- Strutz, Carl, Jr. See Rudolph, Kathleen
- Strutz, Carl, Jr.; and Strutz, Frank C.
Ink-dispensing system and method for silk-screen printing having squeegee stroke movement counter. 64-02549P
- Strutz, Frank C. See Rudolph, Kathleen; Strutz, Carl, Jr.
- Strzempa, Peter See Ritter, John E., Jr.
- Stubbs, David A. See Bar-Cohen, Yoseph
- Stubican, Vladimir S. See Agrawal, D. K.; Corman, Gregory S.
- Stubican, Vladimir S.; Huzinec, G.; and Damjanovic, Dragan.
Diffusion of ⁵¹Cr in surface layers of magnesium, alumina, and spinel. 64-05687A
- Stubican, Vladimir S.; and Osenbach, John W.
Grain-boundary and lattice diffusion of ⁵¹Cr in alumina and spinel. 64-07335A
- Stubna, Igor See Kozik, Tomas; Rohac, Jan
- Sturgill, Dennis T.
Cogeneration from glass furnace waste heat recovery. 64-06969P
- Sturman, V. K.; Kononov, V. A.; and Baryshnikova, L. S.
Effect of roughness on the quality of surface of refractory slabs used in slide gates during diamond grinding. 64-03612A
- Stutts, Kenneth J.
Preparation of nickel-oxide hydroxide electrode. 64-00798P
- Su, Pin See Sher, A.
- Suarez Matos, Jose J.
Successful coal conversion at Puerto Rican Cement's Ponce plant. 64-03131A
- Suarez, Marta See Garcia, J. R.
- Subbanna, G. N. See Ganapathi, L.
- Subbaswamy, K. R. See Giergiel, J.
- Subirats, R. See Alegret, S.
- Subramanian, R. Shankar See McNeil, Thomas J.
- Subramanyam, A. V. See Singh, K. K.
- Subramanyam, A. V.; and Gill, B. S.
Fired properties of zircon-alumina mixes. 64-02769A
- Such, R. H.
Recent work on the measurement of noise in the glass container industry. 64-04824A
- Sucia, George D.; Stefani, Giancarlo; and Fumagalli, Carlo
Catalysts containing mixed oxides of vanadium, phosphorus, and aluminum and/or boron. 64-05603P
- Suda, Toshikazu; Kanno, Tsuneco; and Kurita, Shoichi
Properties of Zn₃P₂ thin films grown by ionized-cluster beam [ICB] deposition. 64-02331A
- Sudarkina, T. E. See Karaulov, A. G.
- Sudo, Shintaro See Takahashi, Tadaaki
- Suedomi, N. See Miyake, K.
- Suematsu, Yasuharu (Editor)
Japan Annual Reviews in Electronics, Computer, and Telecommunications: Vol. 11, Optical Devices and Fibers. 64-04597B
- Suemune, Yasutaka
Effects of rare-earth impurities on photochromic characteristics of rare-earth orthoniobates. 64-00653A
- Suenaga, Masahide See Kawakami, Kanji
- Suga, Nobuhiko See Oishi, Yasumichi
- Sugahara, Yoshiyuki; Kuroda, Kazuyuki; and Kato, Chuzo
Synthesis of β -Sialon from a montmorillonite-polyacrylonitrile intercalation compound by carbothermal reduction. 64-02834A
- Sugai, Kazuyoshi See Mikoshiba, Nobuo
- Suganuma, Katsuki; Okamoto, Taira; and Koizumi, Mitsue
Effect of interlayers in ceramic-metal joints with thermal expansion mismatches. 64-01785A
- Suganuma, Tsuneco See Matsumura, Hiroyoshi
- Sugle, Masao See Oki, Kazuo
- Sugiera, Y. See Iwase, N.
- Sugihara, Hiroshi; and Imaoka, Yasuo
Technical trends in tape recording fine particles—a short review. 64-03968A
- Sugli, Hiroshi See Ito, Kathuhiko
- Sugimoto, Hiroyuki; Fukaya, Kazuo; and Koguchi, Yoji
SiO₂-CaO-based low cubically expansive flame-spraying material. 64-01803P
- Sugimoto, Kenji; Maruyama, Tsutomu; and Aonuma, Saburo
Electron beam curing of gypsum tile. 64-01711A
- Sugimoto, Makoto See Sakai, Masao
- Sugimura, Minoru See Hirota, Ken
- Sugishita, Nobuyuki See Tosaki, Hiromi
- Sugita, Hiroshi
Improvement of tundish refractory. 64-03634A
- Sugita, Tadaaki; Ueda, Kanji; and Kanemura, Yutaka
Material removal mechanism of silicon nitride during rubbing in water. 64-04305A
- Sugiura, Koji See Yamaguchi, Osamu
- Sugiura, Kozo
Introduction to mineralogy in cement clinker. 64-03100A; Mineralogy in cement clinker—[lecture]. 64-03103A
- Sugiura, Masahiko; Kandori, Toshio; and Doi, Haruo
Process for producing silicon nitride. 64-02902P
- Sugiura, Souichi; Yoshida, Tohru; and Shono, Katsufusa
Epitaxial Si layer of Si-BP-Si structure. 64-02309A
- Sugiyama, K.; Kinbara, K.; and Itoh, H.
Effects of acoustic wave irradiation on chemical vapor deposition. 64-05533A
- Sugiyama, Masahiko; and Nishio, Kenichi
Piston head [ceramic] structure. 64-05640P
- Suk, Pavel; and Stranik, Josef
Automated control system for the direct melting process of fiber glass manufacture. 64-03411A
- Sukhovokhov, V. F.; and Elern, A. M.
Liquid-solid equilibria in the systems ClF₃-BF₃ and BrF₃-BF₃. 64-05748A
- Sulaiman, I. S. M.; and Worrall, W. E.
Characteristics of illite in sedimentary clays by X-ray diffraction. 64-02698A; Degradation of illites [studied] by infrared spectrophotometry. 64-07032A
- Sulan, Dusan See Pitlikova, Miloslava
- Sullivan, Terrence M.; and Machiela, Albert J.
Growth of hydrated gel layers in nuclear waste glasses. 64-04726A
- Sumida, Atsushi; Ozaki, Keiichi; and Watanabe, Shizuo
Method of producing carbon fibers. 64-07255P
- Summers, Geoffrey P.
Luminescence and photoconductivity in MgO and α -Al₂O₃ crystals. 64-07475A
- Sump, Cord H.
Process for bonding refractory to surfaces. 64-02567P
- Sun, Bao-zhen; Li, Guang-cai; and Jia, Chuan-jia
Relation between the phase composition of hydration products and the strength and shrinkage of autoclaved aerated concrete. 64-00056A
- Sun, Cheng-wen; and Cao, Jia-di
New standard cell—sodium[Na]- β -alumina[dilute sodium amalgam]. 64-00564A
- Sun, Cheng-wen; and Yu, Bai-qin
Working voltage and energy density of the beta cell. 64-05594A
- Sun, R.-m. See Yao, Y.
- Sun, Victor I. H.
LCA IV distributed microcomputer system for cement plant control. 64-04088A
- Sun, Wei-ying See Huang, Zhen-kun
- Sun, Wei-ying; Yan, Dong-sheng; and Tien, T.-y.
Subsolidus phase relationships in part of the system Si, Al, Ca/N, O. 64-05809A
- Sun, Y. L.; Fischer, R.; and Klein, M. V.
Photoluminescence of Al_{0.5}Ga_{0.5}As-GaAs quantum well structures prepared by molecular beam epitaxy. 64-05150A
- Sun, Y. M. See Meng, Z. Y.
- Sun, Y. Z. See Das, S. R.
- Sun, Yi-lin See Wu, Ji-sen
- Sun, Yu-xian; Shen, Yong-fu; and Fan, Liang
Ultrasonic evaluation of fiber-reinforced ceramic composite. 64-05592A
- Suna, A. See Carcia, P. F.
- Sunada, Tadasu See Chikawa, Junichi
- Sunandana, C. S.
Photoacoustic spectra of iron in calcium borosilicate glasses. 64-01882A
- Sunano, Naomasa; Asahi, Naotatsu; and Yoshida, Toshio
Gas sensor with improved perovskite-type material. 64-05212P
- Sundgren, J. E. See Johansson, B. O.
- Sunohara, M. See Obinata, H.
- Sunta, C. M. See Upadhyaya, D. D.
- Suntsov, N. V.; Mihalovskii, A. G.; and Zhuravlev, N. L.
Electrical properties of aluminate-spinel single crystals doped with sulfur. 64-05534A
- Suplinskas, Raymond J.; and Hauze, Albert W.
Boron-coated silicon carbide filaments. 64-02851P
- Suppes, V. G. See Neverov, V. V.
- Surat, L. L. See Chesnostskii, S. M.; Fotiev, A. A.
- Surin, B. V. See Nazarchuk, V. I.
- Suriyothin, N.; and Eror, Nicholas G.
Solubility limit of La in SrZrO₃. 64-02437A
- Surmann, U.
Limestone enrichment for the expansion of Cemento Cerro Blanco de Polpaico, Chile. 64-03101A
- Surovikov, M. V. See Zaitsev, N. A.
- Surso, Peter P.; and Keller, Paul
Equipment advances for porcelain enamel processing—a panel discussion. 64-00088A
- Sury, Ludvik
Composite materials based on glass fibers. 64-04253A
- Suryanarayana, C. See Ranganathan, S.
- Susa, Kenzo See Matsuyama, Iwao; Satoh, Shin
- Susa, Tomoo See Sasaki, Tohru
- Susic, M. See Stanisic, G.
- Suslikov, L. M.; Gad'mashi, Z. P.; and Kovach, D. Sh.
Effect of uniaxial compression on the birefringence of CdGa₂S₄ crystals. 64-03920A
- Suslikov, L. M.; Gad'mashi, Z. P.; and Slivka, V. Yu.
Effect of temperature on the birefringence of CdGa₂S₄ single crystals. 64-05911A
- Susman, Sherman; and Volla, Kenneth J.
Super-ionic conductive glass. 64-00268P
- Suss, J. T. See Ben-Dor, L.
- Susser, Vaciva; Habrmanova, Dana; and Prihara, F.
Construction and operation of all-electric [glassmelting] furnaces and their importance. 64-03421A
- Sussman, Scot W. See Rastogi, Laxmi K.
- Sutherland, R. R. See Sinnadurai, N.
- Suto, Hajime See Sakuma, Taketo
- Sutor, Paul
Tribology of silicon nitride and silicon nitride-steel sliding pairs. 64-05590A

- Sutor, Peter T.**
Insulating refractories. 64-03707P
- Suvorov, S. A.** See Kolomeitsev, V. V.; Kuznetsov, Yu. D.; Zaldat, G. I.
- Suvorov, S. A.; Turkina, I. A.; and Sokhovich, E. V.**
Strength of phosphate-bonded corundum-zircon refractory bodies. 64-00520A
- Suvorova, D. I.** See Cherepanov, E. V.
- Surva, Yoshiko; Inagaki, Michio; and Naka, Shigeharu**
Polymorphic transformation of titanium dioxide by mechanical grinding. 64-01566A
- Sayama, Yoko** See Tokunaga, Yukio
- Sayama, Yoko; and Kato, Akio**
Effect of additives on the formation of TiO₂ particles by vapor phase reaction. 64-07323A
- Suzdal'tsev, E. I.**
Properties of quartz ceramics. 64-05278A
- Suzuki, Fumitaka** See Mizokawa, Takumi
- Suzuki, Go; and Michishita, Kazuo**
Ceramic body having a metallized layer. 64-05207P
- Suzuki, H.** See Kamegashira, Naoki
- Suzuki, Haruo**
Activities of advanced materials [in Japan]. 64-05510A
- Suzuki, Hiroshige**
Material design in structural ceramics. 64-02791A
- Suzuki, Hiroshige; and Hase, Tetsu**
Finely divided silicon carbide having a high content of 2H-type silicon carbide and method of producing the same. 64-07228P
- Suzuki, Hisashi**
Present status and trend of ceramic tools. 64-02811A
- Suzuki, Hitoshi** See Ebata, Yasuo
- Suzuki, Junichiro** See Yamamoto, Yoshihiro
- Suzuki, K.**
Silicon carbide [AIN solution] sintered article and process for its production. 64-04433P
- Suzuki, Kazutomi; Nakatani, Kenji; and Yano, Mitsunori**
Electrode of a-Si:H solar cell. I. Relations between the properties of In-Sn oxide layer and the a-Si:H solar cell characteristics. 64-00660A
- Suzuki, Masahiko** See Mizuno, Shigeru
- Suzuki, Minoru** See Enomoto, Youichi; Moriaki, Kazuyuki
- Suzuki, Minoru; and Murakami, Toshiaki**
Superconducting BaPb_{1-x}Bi_xO₃ [BPB] thin films by rf magnetron sputtering. 64-02339A
- Suzuki, Mitsunori; Ouchi, Hirobumi; and Asayama, Takeshi**
Characteristics of high-T_c Nb₃Ge films prepared by chemical vapor deposition. 64-03753A
- Suzuki, Naomichi; Yajima, Kiyoshi; and Murayama, Seizo**
Application of porcelain-steel-substrate thick-film circuits in Japan. 64-05053A
- Suzuki, Seikou** See Shimada, Satoshi
- Suzuki, Suguru; and Takahashi, Minoru**
Free volume of metaphosphate glasses at the transition temperature. 64-06195A
- Suzuki, Takao** See Morimoto, Tadashi
- Suzuki, Takashi** See Ishibashi, Tanezo
- Suzuki, Takeshi** See Nishida, Toyomi
- Suzuki, Takeshi; Murao, Mikio; and Uchida, Masahiro**
Calcining system provided with a planetary cooler. 64-04169P
- Suzuki, Tomio** See Morimoto, Kotaro
- Suzuki, Tomio; and Morimoto, Kotaro**
Method for controlling combustion in industrial furnaces. 64-04184P
- Suzuki, Toshimori** See Nakamoto, Takeshi
- Suzuki, Toshiyuki** See Ishibashi, Tanezo
- Suzuki, Tsutsumi** See Kashiwagi, Yoshiyuki
- Suzuki, Yasuhiko** See Sakai, Masao
- Suzuki, Yasuo** See Ebato, Koichi
- Suzuki, Yoshihiro** See Watanabe, Akira
- Suzuki, Yoshihiro; Kinoshita, Hiroo; and Sato, Masayasu**
Monolithic [Al₂O₃/rare-earth oxide] catalyst for exhaust gas purification. 64-07258P
- Suzuki, Yujiro** See Maeoka, Hidehiko
- Svatoskaya, L. A.** See Zhdanov, S. P.
- Svatoskaya, L. B.** See Stepanova, I. N.; Sychev, M. M.
- Svatoskaya, M. B.** See Nikiforov, Yu. V.
- Svejdla, H.**
Possible competitive materials for ceramic conductors. 64-03815A
- Svetik, S.** See Vanis, M.
- Svetlov, V. A.; Perminov, A. A.; and Mirova, T. V.**
Increasing the corrosion resistance of Ti enamel coatings through fine-ground additives. 64-00094A
- Swab, Jeffrey J.**
Advances in diesel engine technology. 64-04240A
- Swain, M. V.; and Segnit, E. R.**
Reaction between cryolite and silicon carbide refractories. 64-02185A
- Swain, Michael V.**
Limitation of maximum strength of zirconia-toughened ceramics by transformation-toughening increment. 64-05559A; See also Marmach, M.
- Swaminathan, V.** See Reynolds, C. L., Jr.
- Swaminathan, V.; Dautremont-Smith, W. C.; and Anthony, P. J.**
Photoluminescence changes under high-intensity excitation of Al₂O₃-coated GaAs and their relevance to evaluation of facet coating procedures. 64-06089A
- Swaminathan, V.; Zilko, J. L.; and Nygren, S. F.**
Doping of Al_{0.15}Ga_{0.85}As grown by organometallic chemical vapor deposition with Zn or Se. 64-01395A
- Swann, A.**
Surface grinding of earthenware bodies. 64-06788A
- Swanson, Sigurd A.** See Grab, George P.
- Swarts, E. Lowell** See Golob, Helen R.
- Swartz, Scott L.; Shroet, Thomas R.; and Schulze, Walter A.**
Dielectric properties of lead-magnesium niobate ceramics—reply. 64-05065A
- Sweet, William T.**
Nonpolluting heat-recuperative sintering method and apparatus. 64-04187P
- Sweeney, Jane E.** See Wood, Overt R., II
- Sweet, Richard C.** See Boser, Otmar H.-J.
- Swift, Howard R.**
How surface chemistry affects float glass properties. 64-01857A
- Swift, P. T.; and Humphrey, J. B.**
Cement dust—fabric filters can solve the problem. 64-03077A
- Swindal, James L.** See Grantham, Daniel H.
- Swindells, R.** See Cotton, J. W.
- Switzer, Jay A.**
Electrode containing thallium(III) oxide. 64-03869P; Highly conductive [ceramic-coated] photoelectrochemical electrodes and uses thereof. 64-06625P
- Swoboda, Thomas J.**
Phosphorus-doped tin oxide powder. 64-06655P
- Swozil, Adolf**
Tube bundle [graphite] heat exchanger. 64-01369P
- Sychev, M. M.; Geldarova, L. S.; and Astakhova, M. A.**
Activation of nepheline slurry with phosphogypsum. 64-01695A
- Sychev, M. M.; Minkina, V. N.; and Tandilova, K. B.**
Production of high-strength and rapid-hardening cements from common clinkers. 64-01747A
- Sychev, M. M.; and Yushmanov, O. G.**
Thermal transformations of chromium-containing inorganic polymers and binders based on them. 64-05864A
- Sychev, M. M.; Yushmanov, O. G.; and Svatoskaya, L. B.**
Binders based on inorganic polymers of chromium compounds. 64-05662A
- Sycheva, L. I.** See Bobrik, V. M.
- Sydansk, Robert D.**
Process for utilizing a silicate/silica cement in oil field applications. 64-04669P
- Sypko, S. A.** See Pavletskiy, A. M.
- Syrtskii, A. P.; Mikhailov, V. I.; and Mavrin, B. N.**
Crystallization of Ti-containing Li-aluminosilicate glasses studied by the [Raman spectroscopy] method of combination light scattering. 64-00157A
- Syrneva, O. N.** See Krasenko, T. I.
- Syrowatka, Udo** See Doll, Gernot
- Syt'ko, V. V.** See Alekshovich, N. I.
- Szabo, Andrei** See Dragomir, Constantin
- Szabo, Ervin I.**
Method of manufacturing a foundry mold mix containing a mold binder. 64-06491P
- Szabo, Georges** See Bourgoigne, Michel
- Szabo, Istvan**
Connection of particle size distribution of frits and the luminosity of enamels. 64-00080A
- Szabo, Istvan; Toth, Lajos; and Gulyas-Bodnar, Maria**
Determination of color differences of enamels. 64-01783A
- Szabo, Josef** See Bartuska, Miloslav
- Szabo, Mihaly; and Rychly, Rudolf**
Method and equipment for determining electrical conductivity of molten glass. 64-03296A
- Szakonyi, Lajos** See Nemeth, Miklos
- Szala, Lawrence E.** See Brun, Milivoj K.; Lee, Mingyoun
- Szameilat, Armin** See Howes, Victor R.
- Szaro, L.**
Thin-film Al-Al₂O₃-Te metal/insulator/semiconductor capacitors. 64-05194A
- Szatura, Laszlo**
Application of artificial fibers in asbestos cement manufacture. 64-00029A
- Sze, W.** See Nguyen, D.
- Szekeres-Kollar, Maria**
Energy-saving curing of concrete by calcium chloride. 64-04636A
- Szikora, S.; Krauter, W.; and Bauerle, D.**
Laser-induced deposition of SiO₂. 64-00676A
- Szkaradek, Edward J.**
Sand mill rotor discs. 64-06841P
- Szoke, Bela** See Cristoph, Heinrich
- Szokefalvi-Nagy, Agnes; and Jehn, Hermann**
High-temperature oxidation of NbC and TaC at low oxygen pressures. 64-04289A
- Szokcsanyi, Pal** See Kotsis, Levente
- Szoor, Gyula; Balazs, Eva; and Bohatka, Sandor**
Joint determination of clay minerals, carbonates, and sulfates by complex thermoanalysis. 64-05495A
- Szostak, Tadeusz** See Garner, Peter
- Szomba, Roman**
Effect of clinker and slag properties on the grinding process: I. 64-06076A; Effect of clinker and slag properties on the grinding process: II. 64-06077A
- Szuber, J.**
Surface photovoltage investigations of the electronic properties of Si(III) surfaces annealed in high vacuum. 64-05813A; Thermionic emission for studying point defects in NiO single crystals. 64-01588A
- Szweda, Andrew** See Butler, Edwin G.
- Szymczak, H.** See Wardzynski, W.
- Szymczyk, Jozef** See Folwarczynski, Jozef
- Tabacek, Joseph A.** See Vogel, Roger F.
- Tabak, Renata**
Thermal analysis to study autoclaved cellular concretes. 64-06128A
- Tabata, Hideyo** See Kanzaki, Shuzo
- Tabata, Katsuhiko** See Yoshino, Shigeo
- Tabatabaie-Alavi, Kamal; Choudhury, Abu N. M. M.; and Slater, Nancy J.**
Dual-species ion implantation of ternary compounds based on In-Ga-As. 64-03866P
- Tachibana, Hirokazu** See Sekido, Satoshi
- Tachibana, Katsuhiko; Takahashi, Tadashi; and Watanabe, Toshio**
Result of operational factor analysis on influence of L. D. vessel lining life. 64-02204A
- Tachibana, Masaharu** See Oishi, Izumi
- Tachibana, Masakiyo; Noguchi, Yukio; and Akazawa, Noboru**
Cesium-containing optical glass. 64-00246P
- Tachibana, Yoshinori** See Kitajima, Nobuyuki
- Tachikawa, Enzo** See Sasaki, Masakatsu
- Tachikawa, Iwao**
Recent hybrid technology in Japan. 64-05170A
- Tackels, G.** See Moreau, Raymond
- Taczuk, Leslaw** See Kurdowski, Wieslaw
- Tada, Isao** See Akiyama, Tetsuo
- Tada, Koichi** See Akiyama, Shintaro
- Tada, Koji** See Tsumami, Masami
- Tada, Kunyuki** See Iwayama, Kazuyoshi
- Tadashi, Iwamura** See Shinzaki, Yoshinobu
- Tadros, A.; Klenin, M. A.; and Lucovsky, G.**
Structural model for amorphous SiO₂ including the effects of intermediate range order. 64-00230A
- Tadzi-Agbes, Kh. G.** See Sirotnik, V. P.
- Tada, Yasunori; and Sawada, Yutaka**
Heat wave [SiO₂, In₂O₃, and SnO₂] shielding lamination. 64-05215P
- Tagami, Yoshiaki** See Campos Lorz, D.; Hayakawa, Junshiro
- Taguchi, Hideki; Takahashi, Yuzuru; and Miyamoto, Hiroki**
Slip casting of partially stabilized zirconia. 64-04340A
- Taguchi, Kazuo** See Ebizawa, Akio
- Taguchi, Noriyuki** See Fujita, Tsuyoshi
- Taguchi, Noriyuki; Fujita, Tsuyoshi; and Toda, Gyoza**
Ceramic multilayer circuit board and a process for manufacturing the same. 64-00733P
- Taguchi, Sadanori; Aida, Toshiyuki; and Yamamoto, Shigehiko**
Impregnated cathode [Sc oxide]. 64-06627P
- Taha, Ahmed S.** See Hanna, S. B.; Ibrahim, Doreya M.; Serry, Mohammed A.
- Tabiani, Françoise** See Deutschman, John E.
- Tai, Masahiko** See Ideno, Eizo
- Taig'dina, E. P.** See Shvartsman, M. Z.
- Tait, J. C.; Mandolesi, D. L.; and Rummens, H. E. C.**
Viscosity of melts in the sodium borosilicate system. 64-03498A
- Tail, I.**
Thermal expansion and laser trim stability of ruthenium-based thick-film resistors on alumina and on multilayer dielectric. 64-00718A
- Tajima, Hidemi**
Optical glass. 64-01934P
- Tajima, Yoshimitsu** See Sakaguchi, Shigeki
- Taka, Shunichi** See Furuchi, Shinji
- Takada, Daizo** See Ito, Hirotsato
- Takada, Tadanobu** See Kanzaki, Shuzo
- Takagi, Mikio** See Shiota, Yoshimi
- Takagi, S.; Nakahara, K.; and Yamamoto, T.**
Spark plug [fluorinated porcelain]. 64-06671P
- Takagi, Shigeru; and Tomita, Masahiro**
Electrical heater retained in a porous ceramic structure. 64-06614P
- Takagi, Tatsuo; Goto, Seishi; and Daimon, Masaki**
Diffusion of I⁻ ion through hardened cement paste. 64-07321A
- Takagi, Toshinori** See Morimoto, Kiyoshi
- Takahara, Takeshi; Ishii, Tsutomu; and Shirakawa, Yasuhiro**
Rare-earth oxyfluoride-barium fluoride-halide phosphor. 64-07434P
- Takahashi, Hideaki; Hayakawa, Kiyoharu; and Kondo, Haruyoshi**
Oxygen sensor with heater. 64-03902P
- Takahashi, Hirokuni** See Nishikawa, Yasuo; Watanabe, Akira
- Takahashi, Hiroshi; and Nakamoto, Hiromi**
Method of preparing crystalline aluminosilicate zeolites. 64-01328P
- Takahashi, Juhel; Miura, Kenzo; and Asano, Shogo**
Knocking sensor [piezoelectric element]. 64-03943P
- Takahashi, Katsuki** See Osaka, Akiyoshi
- Takahashi, Katsuki; Osaka, Akiyoshi; and Ariyoshi, Kazumasa**
Sizes of the voids and of the alkali ions in a high-cristallite-type network structure. 64-04752A
- Takahashi, Kenichi** See Murakami, Kazuhito; Yokota, Minoru
- Takahashi, Kenji** See Inokawa, Hisashi
- Takahashi, Kunihiko** See Tsukamoto, Shinya
- Takahashi, Magoichi** See Nishigaki, Kenichi
- Takahashi, Minoru** See Suzuki, Suguru
- Takahashi, Norio**
Cermets tools. 64-02746A

- Takahashi, Sennosuke**
Space—ultrahigh vacuum and weightlessness [for ceramic research]. 64-04588A
- Takahashi, Shinobu** See Niwa, Shigeo
- Takahashi, Shiro** See Mitachi, Seiko; Ohishi, Yasutake
- Takahashi, Tadaaki** See Tachibana, Katsuhiko
- Takahashi, Tadaaki; Katayama, Haruo; and Sudo, Shintaro**
Construction test using high-strength castable for BF (blast-furnace) lining. 64-04927A
- Takahashi, Tadaaki; and Sudo, Shintaro**
Injection repairing of rotary hearth degassing vessel [at <600°C]. 64-03644A
- Takahashi, Tadaaki; and Itoh, Hideo**
Arrangement of anchor bricks for plastic refractory linings. 64-04920A
- Takahashi, Takashi** See Imai, Motomasa
- Takahashi, Tatsuo** See Kitani, Fukuichi
- Takahashi, Tomonori** See Matsui, Minoru
- Takahashi, Toshio** See Kikuta, Seishi
- Takahashi, Yonosuke** See Wada, Minoru
- Takahashi, Yuzuru** See Taguchi, Hideki
- Takahata, Kei; Murasawa, Sadao; and Ichida, Hiroshi**
Multicolor electrophotographic process using TiO_2 . 64-07425P
- Takahata, M.** See Akiyama, M.
- Takai, Mikio; Tanigawa, Takahiko; and Miyauchi, Michihiro**
Residual strain in single crystalline germanium islands on insulator. 64-02334A
- Takaishi, Masatoshi** See Hasegawa, Hiroshi
- Takaishi, Tetsuo; Itabashi, Keiji; and Morishita, Satoru**
Zeolite encapsulating material. 64-01374P
- Takamizawa, Minoru** See Endou, Morinobu
- Takamura, Nerutaro** See Lee, Jae-Hyeon
- Takanaga, Shigeoyuki** See Watanabe, Akira
- Takano, Eiji** See Hasegawa, Shinich
- Takaoka, Yuichi** See Shikama, Takashi
- Takase, Shinji** See Inoue, Akira
- Takeshige, Masaki** See Lee, Jae-Hyeon; Nakamura, Terutaro
- Takeshima, Hiroyuki** See Kaminaka, Motofumi
- Takeshima, Masaru; Matsuyama, Shigeru; and Hayashi, Yushiro**
Core for blow-forming the lining of vessel for molten metal, a lining method using said core, and a lining composition used in said method. 64-00542P
- Takeshima, Yoshimasa** See Nishida, Tetsuaki
- Takasugi, Hiroshi; Matsumoto, Takahige; and Kato, Hiroshi**
 Al_2O_3 -C raw materials. 64-02739A
- Takasugi, Tsuneji** See Waki, Masahiko
- Takata, Masasuke** See Molinelli, Joyce E.
- Takata, Yukito** See Ito, Kathuhiko
- Takatori, K.; Doi, Haruo; and Kamigaito, Osami**
Preliminary study of alumina sintering by addition of Si_3N_4 . 64-0318A
- Takatsu, Sokichi**
Coated [ceramic] tools. 64-02747A
- Takaya, Kiyoshi** See Matsumoto, Akira
- Takayasu, Makoto** See Friedlaender, Fritz J.
- Takeda, Kazutoshi** See Kamata, Nobuo
- Takeda, Mitsuhiro**
Thermal barrier coating. 64-01790A
- Takeda, Yukio** See Ogihara, S.
- Takegami, Yoshinobu; and Inui, Tomoyuki**
Method for supporting metal and/or metal oxide on a crystalline aluminosilicate zeolite catalyst. 64-07418P
- Takehira, Katsumori** See Hayakawa, Takashi
- Takehira, KaSuomi; Hayakawa, Takashi; and Ishikawa, Toshio**
Activity of a supported vanadium-chromium oxide catalyst for the decomposition of *t*-butyl hydroperoxide. 64-01377A; Activity of supported vanadium-chromium binary oxide catalyst for the liquid-phase oxidation of cyclohexene. 64-01378A; Dependence of the structure of vanadium-chromium binary oxide catalyst for liquid-phase oxidation of cyclohexene on the method of preparation. 64-01527A; Liquid-phase oxidation of cyclohexene with γ - Al_2O_3 -supported molybdenum-chromium binary oxide catalyst. 64-01422A
- Takei, Humihiko** See Omori, Mamoru
- Takei, Humihiko; and Hosoya, Syoichi**
Growth of MnSiO_3 and $(\text{Mn},\text{Mg})\text{SiO}_3$ crystals by the floating-zone method. 64-07373A
- Takeichi, Hideo** See Tanuma, Tsuo
- Takemoto, Junichi; Mukai, Yasuo; and Fujiwara, Toshiaki**
Iwate lightweight chamotte [for castable refractories]. 64-03647A
- Takemoto, Kunio** See Kawamura, Mitsunori
- Takenaga, Mutsuo**
Disc memory [using ceramic materials]. 64-02298A
- Takenaga, Mutsuo; Yamada, Noboru; and Nishitani, Kenichi**
 TeO_2 thin films for an optical disc memory. 64-00714A
- Takenaka, Tadashi; and Sakata, Koichiro**
Grain orientation effects on electrical properties of bismuth layer-structured ferroelectric $\text{Pb}_{1-x}(\text{NaCa})_{x/2}\text{Bi}_2\text{Ti}_2\text{O}_{15}$ solid solution. 64-02430A
- Takeshige, Toshihiko** See Taniguchi, Taizo
- Taketa, Y.** See Inokuma, T.
- Taketa, Yoshiaki**
Use of fine particles for electronics. 64-02345A
- Takeuchi, Hideaki** See Nakayama, Satoshi
- Takeuchi, Hiroshi** See Inoue, Hideaki; Kushida, Keiko
- Takeuchi, Hiroshi; Jyomura, Shigeru; and Nagatsuma, Kazuyuki**
Three-electrode piezoelectric ceramic resonator. 64-02450P
- Takeuchi, Masato; Okada, Hideo; and Okabe, Shigeru**
Fuel cell [with Li titanate-based body]. 64-02365P
- Takeuchi, N.; Miyazawa, T.; and Inabe, K.**
Hole-trapped center responsible for high-temperature thermoluminescence in sodium borate glass. 64-06203A
- Takeuchi, Takao** See Choi, Sang-il
- Takeuchi, Tsunezo** See Ogawa, Yutaka
- Takeuchi, Yasuhiro** See Nishino, Atsushi
- Taki, Sadao; and Hosaka, Masahiro**
Recent progress of synthetic quartz. 64-04823A
- Takizawa, Toso; and Hatanaka, Koji**
Glow plug for use in diesel engine [with PTC element]. 64-00752P
- Takwale, M. G.** See Patel, R. D.
- Talbot, Paul T.**
Prospecting for clay. 64-01137A
- Taler, J.** See Zopata, S.
- Tallant, David R.** See Nelson, Carolyn
- Tamagui, Albert J.** See Parkell, Edward
- Tamargo, M. C.** See Reynolds, C. L., Jr.
- Tamari, Nobuyuki** See Ebata, Yoshihiro
- Tamas, Ferenc** See Ovcharenko, G. I.
- Tamura, Yutaka** See Abe, Masanori
- Tamura, Yutaka; Kobori, Yukiko; and Katsura, Takashi**
Magnetite formation and its surface reaction in aqueous solution. 64-02936A
- Tamehiro, Taizo** See Ishibashi, Tanezo
- Tamura, Hidemasa** See Uedaira, Satoru
- Tamura, Hiroki; Sato, Kazuo; and Nagayama, Masaichi**
Air oxidation of iron(II) in the presence of copper(II) and iron(III) oxide hydrate. 64-02920A
- Tamura, Hiroshi** See Konioke, Takehiro; Wakino, Kikuo
- Tamura, Hiroshi; Hoshino, Yoshitaka; and Salto, Hiroshi**
Rapid identification of alkali reactivity of aggregate. 64-07373A
- Tamura, Hiroshi; and Wakino, Kikuo**
Low-loss dielectric materials for microwave use. 64-06690A
- Tamura, Setsuo** See Segawa, K.; Sonoda, Hiraku
- Tamura, Shinichi** See Yamana, Hiroaki
- Tan, Hao-ran** See Wang, Jin-chang
- Tan, Hao-ran; Bian, Hui-an; and Hua, Wang-xiang**
 PbMoO_4 acoustooptic modulator. 64-05271A
- Tan, S. R.**
Beta-alumina [with ZrO_2] material. 64-03848P; See also Evans, J. R. G.
- Tanabe, Manabu** See Nagasawa, Kaya
- Tanabe, Tokuya** See Naruse, Yoichi
- Tanahashi, M.** See Horioke, S.
- Tanaka, Atsuo** See Donomoto, Tadashi
- Tanaka, Chihaya; Iwabuchi, Kazuo; and Kakii, Toshiaki**
Joining method to obtain elongated coated optical fiber. 64-00373P
- Tanaka, Hidehiko** See Hasegawa, Yasushi
- Tanaka, Hidehiko; Inomata, Yoshizo; and Hara, Kazuhisa**
Normal sintering of Al-doped β -SiC. 64-07138A
- Tanaka, Hiroo**
Zeta-potential measurements of sedimentary particles by the microelectrophoretic method. 64-02628A
- Tanaka, Hiroshi**
Silicon nitride cutting tools. 64-02824A
- Tanaka, Hiroshi; and Yamamoto, Yoshihiro**
Manufacturing process for sintered ceramic body for cutting tools. 64-07239P
- Tanaka, Hiroshi; Yawaza, Tetsuo; and Eguchi, Kiyoshi**
Precipitation of colloidal silica and pore size distribution in high-silica porous glass. 64-01965A
- Tanaka, Hiroyuki** See Tokutake, Kunihiko
- Tanaka, Isao; Kamata, Shuji; and Sakamoto, Katsuhiko**
Application of nontar carbon-bonded sliding plate to tunnel sliding nozzle equipment. 64-03586A
- Tanaka, K.; Kyohya, S.; and Odaizima, A.**
Anomaly of the thickness dependence of photodarkening in amorphous chalcogenide films. 64-05051A
- Tanaka, Keiji** See Yoshikawa, Akihiko
- Tanaka, Kunio** See Taniguchi, Taizo
- Tanaka, M.** See Machida, H.; Yamaguchi, Osamu
- Tanaka, Minoru; and Kawabe, Tadashi**
Method of manufacturing crystalline silicon nitride and method of separation thereof. 64-07525P
- Tanaka, Minoru; Kawabe, Tadashi; and Kobune, Masafumi**
Method of manufacturing crystalline silicon carbide. 64-05635P
- Tanaka, Mutsuo; Uchida, Ikuo; and Kuroki, Yasutaka**
Influence of zinc oxide on property of alite. 64-06099A
- Tanaka, Seiji** See Toritani, Hirobun
- Tanaka, Shunji; Yoshida, Isamu; and Nagamune, Hiroyuki**
Example of exhaust gas utilization. 64-02663A
- Tanaka, Taku; Maruyama, Hitoshi; and Okaya, Takuji**
Binder for obtaining a ceramic molded green body. 64-03736P
- Tanaka, Tasuku** See Naka, Masaaki
- Tanaka, Tatsuo** See Ouchiya, Norio
- Tanaka, Tetsuya** See Egawa, Isao
- Tanaka, Y.** See Katcher, Steven J.
- Tanaka, Yoshinori**
Impressions of the 8th Annual Conference on Composites and Advanced Ceramic Materials, organized by Ceramic-Metal Division of the American Ceramic Society. 64-03019A
- Tananaev, I. V.** See Aivalani, M. A.
- Tananaev, O. I.** See Golovanova, N. S.
- Tandilova, K. B.** See Sychev, M. M.
- Tanemura, Fumikazu; Yajima, Koza; and Hattori, Nobukazu**
Alkali reaction in castables and results of use. 64-03583A
- Tang, J. Y.; and Hesa, Karl**
Theory of hot electron emission from silicon into silicon dioxide. 64-01476A
- Tang, Lian-an** See Zhang, Shou-qing
- Tang, Yuan-fen** See Li, De-yu; Yu, Jin-liang
- Tang, Yuan-fen; He, Xue-mei; and Yu, Jin-liang**
Influences of Ce on the morphology and the optical storage properties of SBN ($\text{SrBa}_2\text{Nb}_2\text{O}_{12}$) single crystal. 64-05266A
- Tangay, B.** See Demrba, G.
- Tangay, Jean** See Lorin, Andre
- Tani, Noriaki** See Nakamura, Kyuzo
- Tani, Takuhiko** See Nishizawa, Hiroschi
- Tanielian, Minas H.**
Method and device relating to thin-film cermets. 64-00123P
- Tanielian, Minas H.; Blackstone, Scott; and Lajos, Robert**
Method of depositing fully reacted titanium disilicide thin films. 64-07420P
- Tanifuji, Tadatoshi** See Kato, Yasuyuki
- Tanigawa, Takaho** See Takai, Mikio
- Taniguchi, H.** See Kuramoto, N.
- Taniguchi, Hideo** See Tatsuami, Yutaka
- Taniguchi, Kozo** See Iwanami, Yoshiyuki
- Taniguchi, Taizo** See Ohba, Hiroshi
- Taniguchi, Taizo; Tanaka, Kunio; and Takeshige, Toshihiko**
Development of air-entraining-type insulating coating refractories for continuous-casting steelmaking tundish. 64-02369A
- Tanikawa, Shoji** See Enomoto, Ryo
- Tanimura, K.; Ali, M.; and Feuerhelm, L. N.**
Optical absorption study on radiation damage in fluoride glasses. 64-06230A
- Tanimami, Shozo; and Nakanishi, Nobuhiko**
Perlite from Mikata, Hyogo prefecture [Japan]. 64-04213A
- Tanner, Candace** See Scheetz, Barry E.
- Tanoue, Hideo** See Kanayama, Toshihiko
- Tansley, T. L.; and Owen, S. J. T.**
Conductivity of $\text{Si-ZnO } p-n$ and $n-n$ heterojunctions. 64-02293A
- Tanuma, Itsuro; Takeichi, Hideo; and Fukuura, Yukio**
Sandwich glasses. 64-04879P
- Tao, Wei-ping**
Kaolin deposits of the type of hydrothermal altered tuffs in China. 64-07040A
- Tao, Ying** See Wang, Chengyu
- Tarantuli, N. P.** See Gal'perina, M. K.
- Tarasevich, B. P.; Ashmarin, G. D.; and Ivashchenko, P. A.**
Induced polymerization of monomer compounds of B_2O_3 for modifying the properties of ceramic bodies. 64-01411A; Polyborates as modifying agents for nonisotering ceramic bodies. 64-02275A
- Tarasevich, Yu. I.** See Bondarenko, S. V.; Panasevich, A. A.
- Tarasov, B. P.** See Burnasheva, V. V.
- Tarasov, B. V.** See Chuvaeva, M. I.
- Tare, V. B.; and Wagner, J. B., Jr.**
Electrical conductivity in two phase nickel-nickel oxide mixtures and conductivity of nickel oxide at the nickel-nickel oxide phase boundary. 64-00657A
- Tarhanic, Ladislav**
Evaluating granular material and the quality of the screening products from results of screen analysis. 64-05363A
- Tarling, S. E.; Barnes, P.; and Mackay, A. L.**
Simulation of industrial furnacing with powder X-ray diffraction. 64-06896A
- Tarnopolsky, R. A.** See Zobina, L. D.
- Tarsu, Margareta** See Gagea, Lucia
- Tarunin, A. A.** See Agal'tsov, B. M.
- Tasker, Philip W.**
Surfaces of magnesia and alumina. 64-07179A; See also Duffy, D. M.; Duffy, Dorothy
- Tatarchenko, V. A.** See Borodin, V. A.; Brenner, E. A.; Redkin, B. S.
- Tatarintsev, B. V.**
Diffusion at the boundary between core and shell during glass fiber drawing. 64-03427A
- Tatarintsev, B. V.; and Shashkin, V. S.**
Elimination of cord development during the laminar flow of a glass melt. 64-03435A
- Tatarintseva, M. I.** See Puzynina, N. I.
- Tatarintseva, M. I.; Puzynina, N. I.; and Kulyukin, V. N.**
Crystallographic and morphological specificities of carbide formation in the system Ta-C-Cl. 64-01193A
- Tatarskii, V. P.** See Anashkina, V. I.
- Tataru, Emil** See Ardelean, Ioan
- Tateishi, Hiroshi**
Amorphous [boride] alloy for magnetic head. 64-01277P
- Tatematsu, Yoshiaki** See Donomoto, Tadashi
- Tatevosyan, K. M.**
Determining the optimum depth of bath in glassmelting electric-arc furnaces. 64-00284A
- Tatian, Berge**
Fitting refractive-index data with the Sellmeier dispersion formula. 64-04723A
- Tatsumi, Masami; and Tada, Koji**
Optoelectronic materials—BSO single crystals. 64-02432A
- Tatsumi, Yutaka; and Taniguchi, Hideo**
Method for forming a [glazed] thermal printing head. 64-02381P; Thermal [glazed] printing head. 64-00814P; 64-00816P

- Tavala, Tamas P.**
Synthesis and the study of the color of pigments in the system $\text{NiO-TiO}_2\text{-MgO}$. 64-01468A
- Tavani, Antal**
History of the Herend [Hungary] porcelain factory between 1944-48. 64-05039A
- Tavani, Miklos** See Beres, Janos
- Taverna, Arthur R.; and Thompson, Warren S.**
Erosion-resistant [C-C] nosetip construction. 64-07225P
- Tawani, A.; Basha, A. F.; and Orsi, M. M.**
Effects of gamma radiation and rare-earth additives on the insulation of sodium silicate glasses. 64-01841A
- Tawfik, A.** See Abou Sekkina, M. M.
- Tawil, Henri** See Sager, Ramon L.
- Taya, Akira; Naria, Kazuo; and Akiyama, Junetsu**
Fluorescent lamp [Eu phosphor]. 64-07412P
- Taya, Akira; Naria, Kazuo; and Asada, Masao**
Blue-green-emitting halophosphate phosphor. 64-04499P
- Taylor, Clive**
Getting temperature sensitive? 64-02594A; Size reduction—this is classified information. 64-02525A; Weighing up the cost of plant automation. 64-02533A; Where's the attraction in converting to coal? 64-02676A
- Taylor, Alfred J.** See Lumby, Roland J.
- Taylor, B. J.**
Clay pavers. 64-06436P
- Taylor, Carl R.**
Fibers with multiple coatings. 64-01987P; Multiple coating of fibers. 64-04041P
- Taylor, Charles W.** See Washburn, Malcolm E.
- Taylor, Dale F.; and Sammler, Lesia S.**
Sintered ceramic article [electrode] with porous region. 64-03909P
- Taylor, Derek**
Thermal expansion data: II. Binary oxides with the fluorite and rutile structures, MO_2 , and the antiperovskite structure M_2O . 64-01587A; Thermal expansion data: III. Sesquioxides, M_2O_3 , with the corundum and the A-, B-, and C-M-O structures. 64-02952A; Thermal expansion data: IV. Binary oxides with silica structures. 64-04572A; Thermal expansion data: V. Miscellaneous binary oxides. 64-07510A
- Taylor, Derek; Howlett, Stephen P.; and Farr, Howard J.**
Ceramic compact. 64-03699P
- Taylor, Gene W.; and Roybal, Herman E.**
Fluorinated diamond particles bonded in a $[\text{Al}_2\text{O}_3\text{-B}_2\text{O}_3\text{ or AlB}_2]$ filled fluorocarbon resin matrix. 64-04605P
- Taylor, Gordon William**
Injection [refractory concrete] lances for molten metal. 64-00555P; Insulation of ladles. 64-03708P
- Taylor, Henry F.**
Fiber optic magnetic field sensor. 64-06905P
- Taylor, Mark P.**
Fiber-reinforced [C-ceramic matrix] composites. 64-05618P; See also Bell, George H.; Brennan, John J.
- Taylor, Norman G.** See Spurling, Robert A.
- Taylor, Peter; Ashmore, Sheila D.; and Campbell, Allan B.**
Liquid immiscibility in the systems $\text{Na}_2\text{O-Yb}_2\text{O}_3\text{-B}_2\text{O}_3\text{-SiO}_2$ and $\text{K}_2\text{O-Yb}_2\text{O}_3\text{-B}_2\text{O}_3\text{-SiO}_2$. 64-02025A
- Taylor, R.** See Howlett, Stephen P.
- Taylor, Roy K.**
Cation exchange in clays and mudrocks by methylene blue. 64-07034A
- Tchernev, Dimitar I.**
Process of preparing magnetic spinel ferrite having accurate predetermined transition temperature. 64-02495P
- Teddo, G.** See Castello, G.
- Tebiev, A. K.; Kaler, N. L.; and Dzugutova, A. S.**
Quasibinary cross section in the system KCl-RbCl-BiCl_3 . 64-05790A
- Teif, M. R.; and Popkov, P. M.**
Automation and control of ceramic tile molding—electrical flow sheet. 64-00888A
- Telesman, N. I.** See Berdichevskii, I. M.
- Teller, Stewart B.; Zervas, George; and Knott, Peter**
Water-soluble glass articles, their manufacture, and their use in the treatment of ruminant animals. 64-01938P
- Telford, Clive D.; and Young, Dennis**
Catalytic activity of aluminosilicate zeolites. 64-02856P
- Teller, Cecil M., II** See Kwon, Hegeon
- Teller, M.** See Slezler, R.
- Tel'ner, G. B.; Efimovskaya, T. V.; and Rodionov, A. I.**
Formation of microstructures in solid electrolyte [based on $\text{Na } \beta\text{-Al}_2\text{O}_3$]. 64-01213A
- Temel, Edwin** See Heimhold, Friedhelm
- Temerov, V. L.** See Bezmaternykh, L. N.
- Temirbulatova, O. V.** See Trunin, A. S.
- Tengblad, Alessandro; and Cenzi, Paolo**
Brick clay as an outlet [disposal medium] for industrial sludges. 64-04884A
- Teng, Harry H. I.; and Pedersen, S. Erik**
Oxidative dehydrogenation of carboxylic acids with mixed metal phosphorus oxide coated catalysts. 64-01338P
- Tenne, R.; and Chiu, A. K.**
Application of cathodoluminescence imaging for the investigation of CdTe—effect of photoetching. 64-00631A
- Tenenhouse, Gerald J.** See Pett, Robert A.
- Tenenhouse, Gerald J.; Ezis, Andre; and Runkle, Franklin D.**
Interaction of silicon nitride and metal surfaces. 64-04300A
- Tennery, Victor J.** See Ferber, Mattison K.; Johnson, David R., Jr.
- Tennison, D. G.** See Livshits, V. Ya.
- Tenover, Jaroslava** See Bouse, Vaclav
- Tenyanko, N. V.** See Dudareva, A. G.
- Teoreanu, Ion** See Solaciu, Serban
- Teoreanu, Ion; and Angelescu, Nicolae**
Sodium tripolyphosphate influence on refractory concrete properties. 64-03678A
- Teoreanu, Ion; and Georgescu, Maria**
Correlation between structure and reactivity of blast-furnace slag. 64-05677A; Influence of some aluminophosphatic admixtures on magnesium binder hardening and stability to wet medium. 64-07343A
- Teoreanu, Ion; Georgescu, Maria; and Pari, Anemarie**
Clinkerization aptitude of some mixes of raw materials. 64-06066A
- Teoreanu, Ion; Georgescu, Maria; and Rosu, Ileana**
Hardening properties of some binders with furnace slag and low-burned clinkers. 64-03093A
- Teoreanu, Ion; and Luca, Adrian**
Powder compositions for continuous steel casting with good viscosity at the working temperature. 64-03117A
- Teoreanu, Ion; Munteanu, Marcela; and Dragnea, Ion**
Technological waste reuse by the fabrication of autoclaved gas concrete. 64-03133A
- Teoreanu, Ion; and Pari, Anemarie**
Physicochemical processes during the hardening of lime- and sodium silicate-activated slag binders. 64-03114A
- Teoreanu, Ion; Pari, Anemarie; and Georgescu, Maria**
Influence of compositional and burning parameters on hydraulic properties of portland clinkers. 64-06097A
- Ter-Martirosyan, Z. G.; Panin, A. S.; and Shokhet, B. M.**
Mechanical characteristics of expanded perlite. 64-02711A
- Terada, Osamu; Morikita, Noriaki; and Hamazaki, Yoshinobu**
Application of castable brick in the pouring pad of a ladle bottom. 64-02059A
- Terada, Osamu; Nishi, Masaaki; and Morishita, Noriaki**
Casting process (CL-L) for the steel teeming ladle. 64-02069A
- Terai, Ryohi** See Wakabayashi, Hajimu
- Terasaki, Syuzi** See Sasaki, Tohru
- Terashima, Kazutaka; and Fukuda, Tsuguo**
Apparatus $[\text{Al}_2\text{O}_3\text{- or BN-reinforced}]$ for manufacturing semiconductor single crystal. 64-06963P; Method for manufacture of III-V compound semiconducting single crystal. 64-03888P
- Terazuchi, Hikaru** See Nakamura, Terutaro
- Tercier, N.** See Kermaoui, A.
- Terekhin, V. A.** See Romanovskii, L. B.
- Terent'eva, L. M.** See Ukhlinov, G. A.
- Tereshchenko, Lev A.** See Eberling, Igor L.
- Tereshchenko, L. D.** See Naboka, M. N.
- Teretskaya, N. K.** See Alapin, B. G.
- Ternau, Martin** See Brown, James R.
- Terpstra, R. A.; Driessens, F. C. M.; and Schuiken, H. G.**
Whitlockite phase in the system $\text{CaO-P}_2\text{O}_5\text{-MgO}$ at 1000°C . 64-01487A
- Terry, K. W.** See Lynch, B. F.
- Terry, Stephen C.** See Saadat, Soheil
- Tertyshnikov, S. A.** See Chubnizhe, V. A.
- Terui, Kenji** See Namikawa, Kazumichi
- Teruya, Zengi; and Oshiro, Sotoku**
Ceramic folklore of Ryukyu, Japan: I. 64-01654A; Ceramic folklore of Ryukyu, Japan: II. 64-01655A; Ceramic folklore of Ryukyu, Japan: III. 64-01656A; Ceramic folklore of Ryukyu, Japan: IV. 64-01657A; Ceramic folklore of Ryukyu, Japan: V. 64-01658A; Ceramic folklore of Ryukyu, Japan: VI. 64-01659A; Ceramic folklore of Ryukyu, Japan: VII. 64-01660A; Ceramic folklore of Ryukyu, Japan: VIII. 64-01661A; Ceramic folklore of Ryukyu, Japan: IX. 64-01662A; Ceramic folklore of Ryukyu, Japan: X. 64-01663A; Ceramic folklore of Ryukyu, Japan: XI. 64-01664A; Ceramic folklore of Ryukyu, Japan: XII. 64-01665A
- Tesar, Aleta A.** See Shelby, James E.
- Tesk, John Aloysius** See Kaese, Hans Rolf
- Teske, K.; Oppermann, H.; and Stoever, G.**
Determining the phase width of zinc oxide. 64-00647A
- Testova, N. A.** See Strelchenko, S. S.
- Tetsuishi, Yoshinori** See Matsuda, Naotoshi
- Taubel, J.** See Kinder, R.
- Teuscher, Leon A.**
Multilayer photoreceptor containing siloxane on a metal oxide layer. 64-00787P
- Teutenberg, Josef** See Beltrupp, Herbert
- T'Hoos, Pieter J.**
Piezoelectric [ceramic] apodized ultrasound transducers. 64-06705P
- Thackeray, Michael M.; and Goodenough, John B.**
Solid-state cell $[\text{Li manganate-based}]$ wherein an anode, solid electrolyte, and cathode each comprise a cubic-close-packed framework structure. 64-05249P
- Thakur, R. L.; Majumdar, J. P.; and Chaudhuri, A. K.**
Development of glass-ceramics for use as arcing-resistant chute in high-voltage switchgear. 64-03216A
- Thakur, R. L.; Thiagarajan, S.; and Das, S. K.**
Ceramic wall tiles from phosphorus plant slag. 64-00586A
- Thakur, R. S.; and Sani, B. R.**
Utilization of red mud: I. Analysis and utilization as raw material for absorbents, building materials, catalysts, fillers, paints, and pigments. 64-01147A
- Thanner, Otto** See Huber, Johann
- The, Paul J.** See Bush, J. Finley
- Theisen, K.**
Relation between gypsum dehydration and strength development in portland cement. 64-01753A
- Theodore, Ares N.** See Pett, Robert A.
- Theriat, E.; Lewis, K. G.; and Caley, W. F.**
Corrosion of CaO -stabilized zirconia solid electrolytes by molten silicate slags. 64-04254A
- Theriat, Jean-Marc** See Bolvin, Germain
- Theriat, Jean-Marc; and Bolvin, Germain**
Maxwell-Garnett theory extended for Cu-Pb; cermet. 64-04682A
- Therrien, F.; and Bouchacourt, M.**
Thermoelectric properties of the boron carbide phase $\text{B}_{10}\text{-B}_2\text{C}$. 64-05586A
- Therrien, Francois H. J.** See Turpin-Launay, D.
- Thiagarajan, S.** See Thakur, R. L.
- Thiagarajan, S.; and Ananmalai, N.**
High-temperature solar furnace as research facility. 64-06945A
- Thiel, Aleksandra**
Factors influencing volume changes of expansive cements: II. 64-06084A
- Thiele, Dietrich**
Process [glass encapsulation] for the stabilization of radioactive wastes. 64-02652P
- Thiemann, K. H.** See Engel, Lothar
- Thierry, B.; and Moriames, C.**
Accelerated aging in stored PZT piezoelectric ceramics with quadratic structure. 64-00627A
- Thilo, Ernst** See Kratzer, Wolfgang
- Thoenes, Ernst**
Arrangement for measuring [fluid] viscosity. 64-01048P
- Thoenes, Werner; Huber, Peter; and Hohenegger, Karl**
Optical [chalcogenide, fluoride, and oxide] element. 64-03899P
- Tholen, Margriet G. W.** See Smets, Bruno M. J.
- Thomann, Christoph**
Method of and an [ultrasonic] apparatus for measuring characteristic features of fibrous material. 64-02645P
- Thomas, D. G.**
Optical communications [telemetry using lightwaves—lasers and IC's]. 64-01959A
- Thomas, D. R.; and Jones, D.**
Description of steel production processes with particular reference to the factors affecting vitreous enameling. 64-04672A
- Thomas, Everett A.; Patel, Dilip G.; and Brandt, William F.**
Bonded AZS $[\text{Al}_2\text{O}_3\text{-SiO}_2]$ refractories for glass processing. 64-04924A
- Thomas, G. C.** See Gill, P. S.
- Thomas, Gareth** See Shaw, Thomas M.
- Thomas, J. M.** See Wen, Shu-lin
- Thomas, John J.; and Mauro, David M.**
Packed alumina absorbs hypergolic vapors. 64-04313A
- Thomas, Lowell E.**
Optical grating and method of manufacture. 64-02014P
- Thomas, M. P.; Peterson, Norman Lee; and Hutchinson, E.**
Tracer diffusion and electrical conductivity in sodium-rubidium silicon sulfide glasses. 64-04573A
- Thomas, Mark** See Pearce, Thomas H.
- Thomasina, J. H.** See Nogues, J. L.
- Thomaswick, Ronald J.; and Rowley, James R.**
Adjustable shipping container for frangible [glass] sheet-like units 64-04840P
- Thompson, C. V.** See Atwater, H. A.
- Thompson, David A.** See Miller, Stephen B.
- Thompson, George H. B.**
Injection [retrojunction chalcogenide] laser with an inverted waveguiding junction. 64-02375P
- Thompson, Peter**
Developments in steelmaking refractories. 64-02098A
- Thompson, Warren S.** See Taverna, Arthur R.
- Thomsen, Arne** See Ransheim, Anders P.
- Thomson, John** See O'Bryan, Henry M., Jr.
- Thorne, P. S.** See Lightfoot, E. N.
- Thornton, James Menzies**
Improved monoblock one-piece pouring stopper. 64-03706P; Ladle [ceramic monoblock], etc., stopper. 64-00558P
- Thornton, Leif N.**
Cleaving tool for optical fibers. 64-00949P
- Thorp, J. S.** See Hutton, W.
- Thorp, J. S.; Ahmad, A. B.; and Kulesza, B. L. J.**
High-frequency dielectric properties of Mg-Al-Si , Ca-Al-Si , and Y-Al-Si oxynitride glasses. 64-04284A; Permittivity and dielectric loss of reaction-bonded silicon nitride. 64-04314A
- Thorp, J. S.; Johnson, A. P.; and Savage, C.**
Magnesioferrite formation in heat-treated Fe/MgO powders. 64-06712A
- Thorsen, K. A.; Fordsmand, H.; and Praestgaard, P. L.**
Explanation of wettability problems when brazing cemented carbides. 64-04278A
- Thouless, Michael David**
Spalling of flat plates by thermal shock. 64-05958A
- Thouless, Michael David; and Evans, Anthony G.**
Nucleation of cavities during creep of liquid-phase-sintered materials. 64-02989A
- Thrun, Kenneth M.** See Bobbio, Stephen M.
- Thuemmer, Fritz** See Hanna, S. B.; Holleck, Helmut; Paschall, Jose O. A.
- Thurke, Reinhart** See Knobloch, Gunter
- Thurmond, Gary D.** See Gee, Caroline M.
- Tian, Shun-bao; Kuo, Cha-kun; and Lin, Zu-xiang**
Impedance and admittance spectra in the system $\text{Na}_2\text{Zr}_2\text{-YbSi}_2\text{-P}_{10}\text{O}_{32}$. 64-05929A

- Tibad, Antal** See Andreica, Victoria; Marcu, Gheorghe
Tibbets, Gary G.
 Ferric nitrate treatment for nucleating graphite fiber growth by methane pyrolysis. 64-02954P; See also Bradley, John R.
Tichy, Oldrich
 Influence of fibrous refractory lining on the heat yield of several kilns. 64-03640A
Tidy, P. H.; and Johnson, S. B.
 Improvements in or relating to [Al₂O₃ refractory] concrete. 64-00553P
Tielens, Arthur J. See Pohland, Horst
Tien, Chi See Patwardhan, V. S.
Tien, Gee-yang See Chou, Kan-sen
Tien, T.-y. See Sun, Wei-ying
Tier, Hans-Werner See Henning, Otto
Tiersten, H. F. See Sinha, Bikash K.
Tiesler, Hartmut
 State of discussion concerning the health aspects of man-made mineral fibers. 64-04590A
Tiggasbaumer, Peter
 Trends and developments in dry raw material and clinker grinding. 64-01763A
Tikavil, V. F. See Korpus, V. A.
Tikhomirova, T. I.; Loskutova, I. M.; and Fadeeva, V. I.
 Sorption of scandium on chemically modified silica. 64-05806A
Tikhonov, P. A. See Kravchinskaya, M. V.
Tikhonov, P. A.; Kravchinskaya, M. V.; and Kuznetsov, A. K.
 Physicochemical properties of solid solutions in the system YO_{1.5}-PrO₃-CaO. 64-00691A
Tikhonov, V. P. See Avtukhov, V. V.
Tikhonov, V. S. See Shipko, M. N.
Tiku, Shibani K.; and Johnson, Milo R.
 Composite [thin-film] dielectrics for low-voltage electroluminescent displays. 64-02353P
Tiller, Gottfried See Wernisch, Johann
Tillman, Donald J. See Dotts, Robert L.
Timan, B. L. See Pirogov, E. N.
Timellini, G. See Palmironi, C.
Timmerman, C. L.; and Lokken, Ryan O.
 Characterization of vitrified soil produced by in situ vitrification. 64-05317A
Timofeeva, L. K.; Degtyareva, E. V.; and Nedoseeva, M. V.
 Production technology of chemical- and wear-resistant cast stone pipes. 64-00322A
Timofeeva, L. K.; and Eremina, L. I.
 Improving the quality of treatment of pyroxene porphyritic stone castings. 64-01953A
Timoshenko, L. I. See Cherepanov, G. V.
Timoshkova, L. P. See Ostapenko, E. T.
Timus, C. See Maris, Z.
Tin'kova, S. M. See Skorodumov, V. V.
Tiracorda, J. A. See Kirchner, Henry P.
Tishchenko, A. V. See Kozub, G. M.
Tishchenko, N. I. See Safonov, V. V.
Tite, M. S.; Freestone, I. C.; and Binson, Mavis
 Technological study of Chinese porcelain of the Yuan dynasty. 64-04612A
Titeux, Michel See Barral, Robert
Titov, L. G. See Golutvin, Yu. M.
Titov, V. P.; Pavlov, A. V.; and Lapteva, L. V.
 Structure-forming processes in the system TiO₂-H₂O-P₂O₅. 64-01580A
Tixier, H. See Hernandez, P.
T'Jampens, Germain R.; and Coomans, Abraham
 High-pressure discharge lamp having shielding means composed of boron nitride. 64-01311P
Tkachenko, A. A. See Mundus-Tabakaev, A. F.
Tkachenko, A. A. See Kruglyashov, A. L.
Tkachenko, Yu. G.; Ordan'yan, S. S.; and Yurchenko, D. Z.
 Preparation and some properties of titanium nitride in the region of homogeneity. 64-01569A
Tkacova, Klara; Turcaniova, Ludmila; and Hocmanova, Irena
 Pretreatment of magnesites for chemical processing. 64-07047A
Tkalce, E.; Prodanovic, D.; and Falz, W.
 Microstructure and properties of aluminous electrical porcelain doped with talc. 64-02319A
Tobias, Charles S.
 Bottle. 64-04614P
Tochigi, Kenji; Hanyu, Yoshiaki; and Hiratsuka, Yutaka
 Laser Raman spectrophotometry system and adjustment thereof. 64-05451P
Tochihara, Shigeo
 Magnetic coatings and their applications. 64-00858A
Toda, Gyoze See Fujita, Tsuyoshi; Taguchi, Noriyuki
Toda, Kohji See Morita, Shinichi
Toda, Kohji; and Morita, Shinichi
 Photovoltaic effect in PbCrO₄ ceramic. 64-02328A
Toda, Masami See Yoshino, Shigeo
Toda, Masumi; Okuda, Shigeru; and Mitsuhashi, Kenji
 Relation between temperature-increasing and hardening character of castable refractories. 64-03676A
Toda, Masumi; Ozaki, Yukio; and Mori, Masashi
 Dry-type vibrating process in tundish for continuous casting of steel. 64-04936A
Toffield, B. C.; Williams, D. E.; and McGeehin, P.
 Ceramic [gel powder] coatings. 64-06594P
Togan, Dorina; Capriceanu, Ivona; and Peri, Iosif
 Glasses with uv transmission. 64-06202A
Togan, Dorina; Peri, Iosif; and Capriceanu, Ivona
 Relation of chemical composition to optical properties in the system SiO₂-RO-R₂O with 24-30% PbO. 64-03348A
Togawa, Kazuo; and Nakamoto, Junji
 Change of rheological properties with time for superplasticized cement paste. 64-06064A
Toguzov, M. Z. See Kopylov, N. I.
Toibana, Yasuo See Ebata, Yoshihiro
Toibana, Yasuo; and Ueno, Kazuo
 Ceramics [spinell structure] containing fibers of silicon carbide. 64-05608P
Toide, Eiichi; Kanabe, Tadashi; and Arinaga, Shinji
 Direct interferometric measurement of static and nonlinear wavefront distortions of a high-power glass laser beam. 64-05414A
Tokaev, V. E. See Vorob'ev, Kh. S.
Tokarev, E. F. See Dan'kov, I. A.
Tokarev, Yu. S. See Popov, O. N.
Tokman, I. D. See Genkin, G. M.
Tokuda, Hiroyasu See Watanabe, Akira
Tokunaga, Toshihide See Kajioaka, Hiroshi
Tokunaga, Yukio See Matsushima, Noriaki
Tokunaga, Yukio; Suyama, Yoko; and Kato, Akio
 Preparation of submicron TiO₂-Al₂O₃ powders by the vapor-phase reaction of TiCl₄-AlBr₃-O₂ system. 64-01246A
Tokutake, Kunihiko; Mizokami, Nobuo; and Tanaka, Hiroyuki
 Diagnosis method of rotary kiln interior. 64-05449P
Tolchev, A. V. See Kleshech, D. G.
Toledo, O. D. See Altunlu, B.
Tolkachev, N. P. See Kopylov, N. I.
Tolksdorf, W. See Hansen, P.
Tolksdorf, W.; and Klages, C.-P.
 Growth of bismuth iron garnet layers by liquid-phase epitaxy. 64-05295A
Tolochkova, M. G.; Korzhova, L. N.; and Ivannikova, R. K.
 Potential uses of gypsum from Indersk [USSR] mine. 64-04656A
Tomaiuolo, Frank G.; and Lang, John G.
 Method and apparatus for nondestructive testing of magnetically permeable bodies using a first flux to saturate the body and a second flux opposing the first flux to produce a measurable flux. 64-04124P
Tomandl, G. See Brunner, D. G.; Roedel, J.
Tomaru, Satoru; and Kawachi, Masao
 Silica glass optical waveguide by liquid-phase doping process. 64-00225A
Tomaselli, Vincent P. See Chandler, Ian R.
Tomashik, V. N. See Tomashik, Z. F.; Vengel, P. F.
Tomashik, Z. F.; and Tomashik, V. N.
 Ternary reciprocal system CdS + PbSe = CdSe + PbS. 64-05854A
Tomassini, Maurizio; Penco, Eugenio; and Tranquilli, Angelo
 Coupling between laser and optical fiber. 64-00354P
Tomaya, Kichiro See Nomura, Shoichiro
Tombal, Gerard; and Pagnucone, Gilbert
 Device for handling articles in the form of sheets. 64-02539P
Tomita, Masahiro See Takagi, Shigeru
Tomlinson, Walter J., III See Smith, Peter W.
Tomozawa, Minoru See Accolla, John; Cordaro, J. F.; Molinelli, Joyce E.; Nogami, Masayuki
Tomozawa, Minoru; Bando, Yoshio; and Ito, Setsuro
 Direct observation of crack-tip geometry of SiO₂ glass by high-resolution electron microscopy—reply. 64-02589A
Tomozawa, Minoru; Ito, Setsuro; and Molinelli, Joyce E.
 Hygroscopicity of glasses with high water content. 64-00196A
Tomozawa, Minoru; and Molinelli, Joyce E.
 Non-Fickian diffusion of water in glass. 64-06226A
Tomsia, Antoni P.; Fejzeng, Zhang; and Pask, Joseph A.
 Reactions and bonding of sodium disilicate glass with chromium. 64-03343A
Tomuro, Noboru See Kashima, Masao
Tooke, A. O. See Nazirpour, G. A.
Topar, Jozsef See Parti, Mihaly
Topil'skii, N. D. See Savin, V. I.
Toraya, Hideo; Yoshimura, Masahiro; and Somya, Shigeyuki
 Quantitative analysis of monoclinic-stabilized cubic ZrO₂ systems by X-ray diffraction. 64-01571A
Torbet, Walter See Fiegl, George
Tordjman, Eli
 Perfume bottle. 64-03067P
Tori, Hideo; Okinaka, Hideoyuki; and Ozawa, Toshio
 Oxygen sensor [for high-temp. gases at high speed]. 64-01072P
Toritani, Hironobu; Kawakami, Tatsuo; and Tanaka, Seijiro
 Corrosion of MgO grain in MgO-brick by molten slag. 64-04932A
Toritani, Hironobu; Tanaka, Seijiro; and Sato, Akio
 Structural change of bricks used in electrode-heated rotary hearth degassing vessel—phase analysis]. 64-03681A
Torney, E. S.; Pober, R. L.; and Bowen, H. Kent
 Tape casting—future developments. 64-00929A
Toropov, Yu. S. See Rutman, D. S.
Torris, Alberto See Puglisi, Orazio
Tosaki, Hiromi; Sugishita, Nobuyuki; and Ikegami, Akira
 Process for manufacturing a multilayer [ceramic] circuit board. 64-02404P
Tosaki, Satoshi See Ohi, Nobukazu
Toth, Kalman; and Losonczy, Geza
 Energy comparison of technologies for the manufacture of thermal insulating materials. 64-04788A
Toth, Lajos See Szabo, Istvan
Toth, Louis
 National Science Foundation's program and outlook. 64-07527A
Toth, Peter
 Better energy use and fewer drying cracks. 64-06928A
Touche, Pierre See Aubry, Claude
Touda, Masayuki; Akimune, Yoshio; and Matsuo, Kazuo
 Oxygen sensing element having barrier layer between ceramic substrate and solid electrolyte layer. 64-00792P
Tondo, Kenzi See Miyakawa, Motohito
Touray, J. C. See Nogue, J. L.
Tovar, L. C. Juan
 Remains of Roman pottery found in Talavera de la Reina (Toledo) [Spain]. 64-06032A
Tovarov, V. V.; and Karkanitsa, T. N.
 Relations between the properties of gypsum plaster and its particle size. 64-03123A
Toyoda, Yukio See Ohki, Yoshimasa
Toyoshima, Hideo See Fujita, Shizuo
Toyoshima, Toshiya See Inada, Tomoki
Toyota, Toshio See Kambe, Koichi
Trachtenberg, Joseph J.
 Heater assembly for heating glass surface. 64-01991P
Trafford, Betty See Rau, Hans
Tran, Danh Cong
 Optical fibers having a fluoride glass cladding and method of making. 64-06400P; See also Macedo, Pedro B.
Tran, Van Bao See Scott, Curtis
Tran-Khanh, Vieu See Sella, Claude
Tranquilli, Angelo See Tomassini, Maurizio
Trapp, Turner J. See Cawley, William E.
Trasl, Pradeep R.; and Licht, William
 Effect of recycle on cyclone performance. 64-02509A
Trautenberg, Elmar See Hassler, Dieter
Traverse, Jean-Pierre See Aldebert, Pierre
Tredway, William K.; and Loehman, Ronald E.
 Scandium-containing oxynitride glasses. 64-07161A
Tredway, William K.; and Risbud, Subhash H.
 Influence of atmospheres and TiO₂ nucleant on the crystallization of Mg-Sialon glasses. 64-06208A
Tregilas, John H. See Beck, Jeffrey D.; Schaake, Herbert F.
Tregout, Denis; Fonteneau, Gilles; and Lucas, J.
 Behavior of fluoride glasses in aqueous media—corrosion by atmospheric water vapor. 64-06166A
Tregout, Denis; Fonteneau, Gilles; and Moynihan, Cornelius T.
 Surface -OH profile from reaction of a heavy-metal fluoride glass with atmospheric water. 64-07391A
Tregubenko, R. I. See Korzhov, I. A.
Treia, Walter See Mangels, John A.
Tressaud, A. See Dance, J. M.; Demortain, G.
Tressler, John H., III See Mitchell, Gordon L.
Tressler, Richard E. See Carroll, Daniel F.; Kaiser, Gregory A.; Nemetz, Judith A.
Tresvyatskii, S. G.
 Periodicity in the rare-earth metals series and the composition of the phase diagrams of the systems composed of their oxides. 64-05763A; See also Plastinin, V. M.
Tribble, D. L. See Nemeth, Joseph
Trica, Elisabeta; and Lelzerovic, Gitta
 Fluorine determination of silicates and other materials used by the building materials industry. 64-04085A
Trif, Eleonora See Peteanu, Mihai
Trif, Marcela See Andreica, Victoria
Trifonova, T. E. See Sarkisov, P. D.
Trigg, Mark B. See Jack, Kenneth H.
Trish, Eugene H. See Ellemann, Daniel D.
Trinite, M. See Ozul, C.
Tripathi, S. N. See Chattopadhyay, G.
Tripathi, S. N.; Chattopadhyay, G.; and Kerkar, A. S.
 Thermodynamic stability of UMoO₄ by the transpiration method. 64-06747A
Trishchuk, L. I.; Oleinik, G. S.; and Mizetskaya, I. B.
 Phase diagram of the system Cu₂-Se-CdSe. 64-05766A
Trocetlier, P.; and Engelmann, Charles
 Nuclear analytical techniques to characterize hydrated layers of glasses corroded in aqueous solutions. 64-06227A
Troczyński, Thomas B.; and Nicholson, Patrick S.
 Theory for the load-relaxation technique in fracture studies using four-point-bend chevron-notched specimens. 64-07509A
Troester, Joseph W.; Freeborn, W. Phelps; and White, William B.
 Dissolution kinetics of magnetoplumbite. 64-05527A
Troitskii, Yu. V. See Kamenov, N. N.
Trojan, Miroslav; and Solc, Zdenek
 Preparation of a blue ceramic pigment of the type Zr₂-V₂SiO₄. 64-02943A
Trombka, Jacob I.; and Evans, Larry G.
 Neutron probe of building-wall composition. 64-03063A
Tromeur, Jean-Francois
 Process [ceramic-metal brazing] for manufacturing an ignition device for an internal combustion engine, and ignition device obtained thereby. 64-01801P
Troshina, A. Yu. See Starostin, Yu. V.
Trossarelli, F. See Camino, G.
Trosted, Louis J., Jr. See Jones, Cecil M.
Trota, Patrick A.; and Zak, Paul A.
 Low-dispersion infrared glass. 64-03398P
Trotter, Donald M.
 Metal patterns on photosensitive glasses. 64-06371P; See also Borrelli, Nicholas F.
Troup, Robert L. See Phelps, Frankie E.

- Trent, Harry E.
Refractories—an overview: II, Silica materials, fireclays. 64-03668A; Refractories—an overview: III, High alumina. 64-03669A; Refractories—an overview: IV, Basic refractories. 64-03670A; Refractories—an overview: V, Some special types. 64-03671A
- Troitz, N. K.
Adjustable particle classifier. 64-00926P
- Trukin, A. N. See Savits'ev, V. L.
- Trunin, A. S.; and Temirbulatov, O. V.
Differentiation of multicomponent systems with application of algebraic criteria for differentiating geometric shapes. 64-05908A
- Trunov, V. K.; Sirotskii, V. P.; and Velikodnyi, Yu. A.
Crystal structure of $\text{Sr}_2(\text{Sr}_{1-x}\text{La}_x)\text{Nb}_2\text{O}_{10}$. 64-05907A
- Trunova, T. K. See Verlotskii, A. A.
- Trzciński, Walter E. See Birkett, Tyson C.
- Trzebowski, J. See Miernik, M.
- Tsai, Yih-Wan
Target wall air jet for controlling combustion air. 64-03548P; See also Gagne, Robert
- Tsang, Floris V. See Bieler, Barrie H.
- Tsang, K. L. See Gonzalez, R.
- Tsang, Wen-Ghai; and Singh, Lynn H.
Zeolite-ruthenium-borane catalyst composition. 64-01376P
- Tsaretsyn, M. A. See Kisilenko, N. G.
- Tse, Harold F.; and Rabinowitz, Harold N.
Zeolite restoration. 64-01375P
- Tschoukaya, T. S. See Roskova, G. P.
- Tsung, Tsung-Yuen See Sacks, Michael D.
- Tsibin, I. P. See Shershev, A. A.
- Tsibin, I. P.; and Karkit, A. K.
Economics and accelerated production of [high-grade] refractories. 64-00468A
- Tsibin, I. P.; Kortel, A. A.; and Kuznetsov, A. T.
Evaluating the thermal stability of [zircon, corundum, periclase, and spinel] refractory materials based on the breakdown temperature gradient. 64-00474A
- Tsibin, I. P.; Shershev, A. A.; and Entin, E. P.
Thermal field of [refractory] linings during gunning. 64-02223A
- Tsidenkova, G. V. See Emel'yanov, A. N.
- Tsinman, I. L. See Flerova, S. A.
- Tsitshilvili, K. F.; Mandzhavdze, A. G.; and Bazov, N. G.
Angular phases in Tb-Y ferrite garnets. 64-03948A
- Tsivilskii, S. V.; Zaitlovskii, L. M.; and Alshoev, A. L.
Sensitivity of cross dimensions of sapphire single crystals grown by the Stepanov method to temperature and pulling rate changes. 64-04334A
- Tsodikov, M. V.; Katsobashvili, Ya. R.; and Peredert, M. A.
Porous structure of vermiculite activated by double-stage acid etching. 64-05950A
- Tsubaki, Mito; and Koto, Kichiro
Superstructures and phase transitions of Bi_2O_3 . 64-05811A
- Tsubouchi, Kazuo See Mikoshiba, Nobuo
- Tsuchida, Eiichi See Sato, Heihachi
- Tsuchiya, Masatoshi; Soeno, Ko; and Yoshida, Tomomasa
Semiconductor [bonded glass-metal] pressure transducer. 64-03943P
- Tsuda, Hideyuki; Watari, Takamori; and Kato, Akio
Effect of silicon on vapor-phase growth of TiN and TiC whiskers. 64-01207A
- Tsuda, Kenji
Underwater concreting cement composition. 64-03146P
- Tsuda, Koichi See Maruyama, Satoshi; Mukae, Kazuo
- Tsuge, A. See Iwase, N.
- Tsuge, Akihiko See Inoue, Hiroshi
- Tsuge, Akihiko; Komatsu, Michiyasu; and Inoue, Hiroshi
Process for producing sintered silicon nitride-based body. 64-05651P
- Tsujii, Yukikazu; Kobayashi, Shinichi; and Yokota, Ryuichi
Properties of superplasticized expansive mortars. 64-06118A
- Tsukada, Akira See Yamaoka, Nobutatsu
- Tsukada, Kiyotaka See Enomoto, Ryo
- Tsukahara, Michiyoshi
Thick-film electronic circuit. 64-00817P
- Tsukamoto, Keizou; Yamagishi, Chitake; and Koumoto, Kunihito
Electrical properties of ceramics in the system $\text{Li}_2\text{O}-\text{ZnO}$. 64-02302A
- Tsukamoto, Shiya; Takahashi, Kunihiko; and Doi, Akira
Sintering [ceramic] method using a 'asma gas atmosphere. 64-04194P
- Tsukamoto, Takeyo; Hatano, Jun; and Futama, Hideo
Deflection of light by ferroelectric potassium trihydrogen selenite. 64-02427A
- Tsukamoto, Yukio See Higuchi, Seizun
- Tsukidate, T. See Kasai, K.
- Tsukino, Mitsunori See Egami, Akira
- Tsukuda, Y.
Application of yttria as a refractory material. 64-00456A
- Tsukuma, Koji; and Shimada, Masahiko
Hot isotactic pressing of Y_2O_3 -partially stabilized zirconia. 64-04291A
- Tsukuma, Koji; Ueda, Kunyoshi; and Matsushita, Kenichi
High-temperature strength and fracture toughness of Y_2O_3 -partially-stabilized $\text{ZrO}_2/\text{Al}_2\text{O}_3$ composites. 64-04541A
- Tsukuma, Koji; Ueda, Kunyoshi; and Shimada, Masahiko
Strength and fracture toughness of isotactically hot-pressed composites of Al_2O_3 and Y_2O_3 -partially-stabilized ZrO_2 . 64-04347A
- Tsumebai, Katsuyuki See Yamanishi, Toru
- Tsuno, Nobuo
Metal-ceramic composites and a method for producing said composites. 64-01797P
- Tsunoda, Teruo
Surface treatment of fine particles. 64-02527A
- Tsuriya, Masaaki See Nakamura, Masayuki
- Tsurumi, Takasaki; Ikawa, Hiroyuki; and Urabe, Kazuyori
Electrical conductivity of Mg-containing K^+ - β -alumina-type gallate. 64-02764A
- Tsurushima, Toshio See Kanayama, Toshihiko
- Tsutsumi, Sadao
Naturally occurring silica minerals and their origin. 64-05496A
- Tsuya, Yuko See Watanabe, Tadahiko
- Tsuyuki, H. See Iwaya, S.
- Tsvetkova, M. N.; Pak, V. N.; and Malysin, A. A.
Coordination states of cation-modifiers at the surface of glass fillers. 64-04710A
- Tsygankov, V. N.; Gorilovskaya, N. B.; and Porotnikov, N. V.
Electrophysical properties of binary oxides of indium and alkaline-earth elements. 64-00662A
- Tsyryna, V. V. See Chertov, V. M.
- Tucciaroni, A. See Paolletti, A.
- Tucciaroni, A.; and De Gasperi, P.
Electrical properties of iron garnet films. 64-05292A
- Tucker, Dennis S.
Gamma-to-alpha transformation in spherical aluminum oxide powders. 64-07333A
- Tucker, Kenneth W. See Juel, Leslie H.
- Tudes, D. See Dragoman, I.
- Tuller, Harry L.
Electrical and optical properties of MgO and Al_2O_3 —an overview. 64-07096A
- Tuma, Frantisek See Sebok, Tibor
- Tumelty, Paul F. See Gualtieri, Devlin M.
- Tunnicliffe, J. See Irvine, S. J. C.
- Tunnicliffe, J.; Blackmore, G. W.; and Irvine, S. J. C.
SIMS analysis of impurities at CMT/CdTe heterostructure interfaces. 64-00705A
- Tuohig, Wayne D.; and Sagady, Calman S.
Composition and method for forming a [rutile/ TiO_2 -based] thick-film oxygen sensing element. 64-00738P
- Turaev, Larissa W. See McCandlish, Larry E.
- Turbin, S. Ya. See Golikov, Yu. V.
- Turcanova, Ludmila See Tkacova, Klara
- Turchaninov, V. S.; Rutman, D. S.; and Flyagin, V. G.
Powders from quartzite wastes for making monolithic linings for steel-pouring ladles. 64-00499A
- Turchinova, L. N. See Pitak, I. V.; Pitak, N. V.
- Turdzhanov, G. S.; Karashev, V. P.; and Val'dman, O. A.
Sorption-removal of oxygen from Fe-Ni melts using refractory materials. 64-05006A
- Turk, Guenter See Nuroth, Peter
- Turkdogan, E. T. (Editor)
Physicochemical Properties of Molten Slags and Glasses. 64-01634B
- Turkin, I. A. See Suvorov, S. A.
- Turkina, E. Yu. See Gutenev, M. S.
- Turley, Stephen E. H.
Method of making a compound [InP/InGaAsP] semiconductor laser. 64-03895P
- Turner, Dennis R.
Etch procedure for optical fibers. 64-00359P
- Turowska, K. See Kulaczewicz, S.
- Turpin-Launay, D.; Goulet, Patrice M. V.; and Thevenot, Francois H. J.
New aluminum-containing ceramic composite—aluminolite. 64-01233A
- Turrill, Frank H. See Sawran, William R.
- Tusaka, Shoichi; Hirooka, Susumu; and Nishimura, Nobuyuki
Properties of a low-temperature fired multilayer ceramic substrate. 64-05165A
- Tver'yanovich, Yu. S. See Popova, T. K.
- Twigg, M. V. (Editor)
Mechanisms of Inorganic and Organometallic Reactions: Vol. 1. 64-03043B; Mechanisms of Inorganic and Organometallic Reactions: Vol. 2. 64-03044B
- Twigg, S. Warren See Fairhurst, Carl W.
- Twigg, S. Warren; Ringle, R. D.; and Morena, Robert
Glass transition temperatures at rapid heating rates. 64-03262A
- Tykachinskii, I. D.; Gorbachev, V. V.; and Petrakov, V. N.
X-ray spectrometric study of the structure of Be aluminosilicate glasses and crystals. 64-01929A
- Tyler, Gary A.
Lifter for rotary kiln. 64-01105P
- Tyminska, Jolanta See Fekcz, Jerzy
- Tyndell, Brian P. See Dumbaugh, William H., Jr.
- Tyurin, N. G. See Shishelova, T. I.
- Tyurn, E. Yu. See Shteinberg, Yu. G.
- Tyutikov, A. M. See Leonov, N. B.
- Tyutyunnik, F. P. See Fleer, S. A.
- Tyutyunnikov, B. A. See Shits, Yu. A.
- Tzavaras, John; and Shendrikar, A. D.
ICP analytical scheme to screen environmental samples for metals. 64-02599A
- Ubank, R. G. See Conolly, Ralph I.
- Uchibori, Hideo; Ogura, Yasutsugu; and Miyano, Haruo
Tundish nozzle clogging and its countermeasures in the bloom caster. 64-03690A
- Uchida, Ikko See Tanaka, Mitsuo
- Uchida, Inae See Yoshino, Shigeo
- Uchida, Kiyohiko See Inokawa, Hisashi; Saito, Yutaka
- Uchida, Masaki; and Isitani, Shigeo
Oxygen sensing [ceramic substrate] device having solid electrolyte cell and means for supplying controlled current thereto. 64-00791P
- Uchida, Masahiro See Suzuki, Takeshi
- Uchida, Masao See Moriga, Hiroyuki
- Uchida, Norimasa; Koizumi, Mitsue; and Shimada, Masahiko
Fabrication of Si_3N_4 ceramics with metal nitride additives by isostatic hot-pressing. 64-04279A
- Uchida, Shunichiro See Uchikawa, Hiroshi
- Uchida, Yoshihiko See Katase, Denji; Ochi, Yoshiyuki
- Uchikawa, Fusaoki; Miyao, Kunihiko; and Shimamoto, Koza
Surface OH concentration and electrical resistance of humidity-sensitive silicone composite films. 64-00709A
- Uchikawa, Fusaoki; and Shimamoto, Koza
Time variability of surface ionic conduction on humidity-sensitive SiO_2 films. 64-06585A
- Uchikawa, Hiroshi
Material design of cement. 64-01731A; Role of free lime in early hydration of alite—retarder or accelerator. 64-00057A
- Uchikawa, Hiroshi; Uchida, Shunichiro; and Hanehara, Shunsuke
Influence of cement raw material and its burning condition on the early hydration product of cement. 64-06096A
- Uchikawa, Hiroshi; Uchida, Shunichiro; and Ogawa, Kenji
Diffusion of alkali in hardened cement paste containing slag or fly ash. 64-07322A
- Uchimura, Ryoji See Emi, Toshihiko
- Uchino, Kenji
Electrostrictive [ceramic] actuators. 64-03922A
- Uchytlova, M. See Micka, Z.
- Uda, Satoshi See Asakura, Eisuro
- Udachen, V. V.; and Bolotin, N. A.
Developments in the design of a 5×75 m kiln. 64-02661A
- Udagawa, Shigekazu See Urabe, Kazuyori
- Udalov, Yu. P. See Mel'nikova, O. V.
- Ueberwolf, Heinz See Schwarzenberg, Norbert
- Ueda, Kanji See Sugita, Tadaaki
- Ueda, Kunyoshi See Tsukuma, Koji
- Ueda, Shunro
Rock wool as heat-insulating material. 64-03481A
- Uedaira, Satoru; Yamanoi, Hiroshi; and Tamura, Hidemasa
Method of manufacturing metal titanate fine powder. 64-07422P
- Uematsu, Hiroaki; Aoki, Junji; and Oku, Narihiro
Flow system glass electrode. 64-06617P
- Uematsu, Ketz; Sakurai, Osamu; and Mizutani, Nobuyasu
Electrical properties of La-doped SrTiO_3 ($\text{La} = 0.1-2.0$ at. %) single crystals grown by xenon-arc image-floating zone method. 64-03921A
- Uemura, Seichi; Yamamoto, Shunichi; and Hirose, Takao
Pitch [processing] for carbon fibers. 64-01344P; Pitch for carbon fibers. 64-02891P; Process for the production of pitch-derived carbon fibers. 64-01355P; Starting pitches for carbon fibers. 64-07288P
- Ueno, Akifumi See Koteru, Yoshihide
- Ueno, Haruyuki See Hatta, Tokiaki
- Ueno, Kazuo See Toibana, Yasuo
- Ueno, Seichi See Monma, Hideki
- Ueno, Susumu; and Kamata, Hideaki
Method for imparting improved surface properties to carbon fibers and composite. 64-02561P
- Uetake, Naohito; and Yusa, Hideo
Curing of water glass-portland cement CaSiO_3 system under hydrothermal conditions. 64-00033A
- Ueyama, Tamotsu; and Yamada, Takao
Electroconductive paste and process for producing electroconductive metallized ceramics using the same. 64-03868P
- Uffner, William E.; and White, Robert N.
Chemically modified asphalt and glass fibers treated therewith. 64-06344P
- Ugaste, Yu. E. See Matveeva, M. P.
- Ugryumova, M. A.; Foerman, V. T.; and Nikitina, V. G.
Mathematical analysis of the dependence of piezoelectric properties on composition in the ternary system $\text{PbTiO}_3\text{-PbZrO}_3\text{-Pb(Zn}_{1-x}\text{Nb}_{x-1})\text{O}_3$. 64-05268A
- Ugryumova, M. A.; and Golyamina, I. P.
Mechanical strength of certain piezoceramics. 64-05270A
- Uher, T. E.
Selection of ceramic tiles. 64-02278A
- Uhlmann, Donald R. See Fang, Chih-yao; Weinberg, Michael C.; Zelinski, Brian J. J.
- Ukhlinov, G. A.; Laksho, I. G.; and Terent'eva, L. M.
Electrophysical properties of Cu/PbTe thin-film structures. 64-05915A
- Uksh, E. A. See Kovalenko, V. I.
- Ulanov, V. A. See Karimov, S. K.
- Ulbricht, Joachim See Jakob, Wolfgang
- Ulbricht, Joachim; Poeschmann, Ulrich; and Bartel, Joachim
Development and sintering of high-purity alumina. 64-04264A
- Ullner, C.; and Gehrke, E.
Fatigue of glass—crack growth or sharpening of crack tip? 64-01847A
- Ulrich, Manfred
Economical gear drive systems [for cement mills]. 64-06072A
- Ulmer, James A.
Recirculating lehrs offer in-plant versatility. 64-02671A
- Ulrich, Donald R. See Brinker, C. Jeffrey
- Ulrich, Reinhard; and Rashleigh, Scott
Fiber optical [birefringence] arrangement for the transmission, in a manner preserving its polarization, of light of a defined, linear polarization state. 64-00362P
- Ulvén, Leon See Mailliet, Pierre

- Umanets, V. N. See Ermolin, Yu. N.
 Umanets, S. E. See Pokrass, B. I.
 Umeda, Kazuo; Kawashimo, Yasushi; and Nakasone, Masami
 Iron nitride thin films prepared by arc-discharge-type ion plating. 64-05297A
 Umei, Kenji See Onuma, Eiichi
 Umesaki, Norioka See Iwamoto, Nobuya
 Umezaki, Hiroshi See Kadokura, Hidekimi
 Umezaki, Hiroshi; Koyama, Naoki; and Maruyama, Yooji
 Magnetic bubble memory device. 64-03972P
 Umezawa, Seiji See Waki, Masahiko
 Uscovsky, Jiri
 Regulation of raw materials recycling mills. 64-01752A
 Unger, Hans-Georg
 Selective [wave mode] directional coupler for guided waves. 64-02021P
 Unger, Steve A.
 Decalcomania for chinaware or similar articles. 64-06046P
 Upper surface decoration for a plate or similar article. 64-01692P
 Uno, Shigeki See Harata, Mituo
 Uno, Shigeki; and Yokomizo, Yuji
 ZnCr₂O₄-LiZnVO₄ ceramics for humidity sensor. 64-02346A
 Unoki, Hiromi See Oka, Kunihiko
 Upadhyay, M. See Appa Rao, B. V.
 Upadhyaya, D. D.
 Application of positron annihilation techniques [to study lattice defect structure] in the field of ceramics. 64-06859A
 Upadhyaya, D. D.; Susta, C. M.; and Sharma, B. D.
 Thermoluminescence property of thorium ceramics. 64-03000A
 Upadhyaya, G. S. (Editor)
 Materials Science Monographs, 25: Sintered Metal-Ceramic Composites. 64-06001B
 Uppal, J. S.; Gupta, P. D.; and Bhawalker, D. D.
 Thermally induced active birefringence in Nd:glass laser rods. 64-00235A
 Ur, H. See Komatsu, Takayuki
 Ura, Mitsuru See Matsushita, Yasuo
 Ura, Mitsuru; and Asai, Osamu
 Developments and application of high thermal conductivity/high insulating SiC. 64-02755A
 Urabe, Kazuyori See Tsurumi, Takaaki
 Urabe, Kazuyori; Udagawa, Shigekazu; and Ikawa, Hiroyuki
 Crystal chemical studies on morphology of tobermorite. 64-07031A
 Urabe, Kazuyori; Udagawa, Shigekazu; and Kawai, Kiyoshi
 Tobermorite-like calcium germanate hydrate with fibrous morphology. 64-07054A
 Urakawa, Tetsuro See Saito, Hajime
 Uralov, D. N. See Klimov, M. M.
 Urazova, E. M. See Azimov, S. A.
 Urbach, Hans-Peter See Aulich, Hubert A.
 Urbain, G.
 Viscosity of PbO-SiO₂ melts. 64-06334A
 Urban, H. See Babczinski, L.
 Urbanczyk, S. See Kornblit, L.
 Urlikh, V. A.; Koroteva, N. Ya.; and Bekturov, A. B.
 Reaction of vitreous calcium polyphosphate with water. 64-05794A
 Urtskaya, A. A. See Vidrevich, M. B.
 Urusov, V. S. See Khranov, D. A.
 Urusovskaya, L. N.; and Galant, V. E.
 Refraction and specific volume of Ba fluorolaminophosphate glasses. 64-01900A
 Usami, Jun; and Yamada, Hiroshi
 Combustion control apparatus of a combustion furnace. 64-02632P
 Usatkov, N. F. See Chudnova, N. M.
 Usakov, D. F.; Ioffe, V. Ya.; and Kovner, M. I.
 Fluorine-free alkali-resistant Ti enamel for washing machine tanks. 64-00090A
 Usher, Peter P.
 Method of producing [refractory sheet] high-temperature composite seal. 64-07254P
 Usher, Peter P.; and Gavaletz, Eugene J.
 Composite gasket including rings of refractory sheet material and knitted wire mesh. 64-01293P; Knitted wire mesh exhaust coupling seal with refractory metallic oxide impregnant. 64-00557P; Seal, [refractory oxide/metal] particularly for vehicle exhaust systems. 64-07284P
 Ushiba, Ken K.
 Fuel cells [for energy conversion]. 64-01405A; Fuel cells. 64-05709A
 Ushida, Yoshiro
 Sensor [TiO₂ or ZnO₂-based] for measuring air:fuel ratio. 64-02414P
 Ussumane, Ismael N. See Vogel, Erich
 Ustichenko, V. A.; Lysak, S. V.; and Zhukova, Z. D.
 Effect of TiO₂, Fe₂O₃, and Na₂O on structural changes in fused mullite. 64-02102A
 Ustinov, A. G. See Gorobets, F. T.
 Ustinov, V. V. See Fleer, S. A.
 Usul, S. See Kagawa, M.
 Usvitskii, M. B.
 Microcomputer-based program for calculating batch composition [for refractory production]. 64-00489A
 Utsa, Katsuyuki See Akiba, Shigeyuki
 Utsai, Yoshinori See Inabe, Katsuyuki
 Utsami, K. See Shimada, Y.
 Utsumomiya, Taizo; Hoshino, Yoshio; and Show, Kazushi
 Uniformity of the composition of [Co and Mn] spinel ferrite particles prepared by air oxidation of hydroxide precursors in suspension. 64-06721A
 Uzaki, Nagato; Komori, Toshihisa; and Matui, Kazuharu
 Method of making [sand foundry] mold. 64-00989P
 Urberg, A. I. See Rutman, D. S.
 Urberg, L. V. See Rutman, D. S.
 Urberg, L. V.; Galkin, Yu. M.; and Zakutinski, V. L.
 Sinterability of magnesium oxide depending on its production method. 64-00514A
 Urvais, A. E. See Wiedemeier, H.
 Vacek, Milan
 Chemical polishing of small glass products ground with diamond tools. 64-06293A
 Vadbo'skii, S. L.; D'yachenko, B. I.; and Melitin, Yu. V.
 Destruction kinetics of glass fibers in the liquid phase of portland cement. 64-00034A
 Vaverevsky, Eugene G. See Yoldas, Bulent E.
 Vaeth, Guenter See Ohlinger, Manfred
 Valliant, C.
 Technical data on the new Casablanca [Morocco] II cement plant. 64-03132A
 Valpola, A. A. See Abdurakhimov, A. A.
 Valpola, A. A.; Prochukhan, V. D.; and Rud, Yu. V.
 Semiconductor properties of CuFeTe. 64-05955A
 Valvada, M. A.; Kilava, J.; and Konstant, Z. A.
 Fine structure parameters of Fe³⁺ in phosphate glasses. 64-03252A
 Valvada, J.; and Sedmalis, V.
 Molar volume, refraction, and structure of Na silicate-phosphate glasses. 64-03304A
 Vakhrameev, V. I. See Khalilov, V. D.
 Val, C. M.
 Trends in packaging. 64-00723A
 Valayil, Silvester; Abu-Moustafa, Magda; and Benjamin, Terry A.
 Solution for formation of black oxide [coating on Cu printed circuit board]. 64-05250P
 Val'dman, O. A. See Turdzhuman, G. S.
 Val'dman, O. A.; Kalina, G. V.; and Kushnirskii, G. M.
 Method for determining the glass resistance of refractories. 64-04974A
 Val'dman, O. A.; Prokhorova, I. Ya.; and Chernov, B. G.
 Reactions between slag melts and refractory lining of induction furnaces. 64-02194A
 Valiev, N. Kh. See Oblasov, A. K.
 Valenti, Gian Lorenzo; Rinaldi, Domenico; and Sabatelli, Vittorio
 Effect of some accelerating admixtures on the hardening of β -dicalcium silicate. 64-01709A
 Valentich, J. See Raghava, R. S.
 Valentini, P. W. See Rosenstock, H. G.
 Valentini, Peter G. See Ruh, Robert
 Valentine, Thomas M. See Nicholas, Michael G.
 Valenzuela, R. See Dey, S.
 Valiev, U. V.; Krinchik, G. S.; and Kruglyashov, S. B.
 Faraday effect in paramagnetic rare-earth garnet Tb₃Ga₅O₁₂. 64-03923A
 Valigi, M.; De Rossi, S.; and Gazzoli, D.
 Structural, thermogravimetric, and magnetic study of the WO₃-TiO₂ system. 64-07388A
 Vallimont, James L.; and Phares, Hershel L.
 Vacuum mold for making a windshield subassembly. 64-03552P
 Valishev, R. Sh. See Akramova, N. N.
 Valkonen, E.; Karlsson, B.; and Ribbing, C. G.
 Solar optical properties of thin films of Cu, Ag, Au, Cr, Fe, Co, Ni, and Al. 64-04826A
 Valle Fuentes, F. J. See Gomez Coedo, A.
 Valle, F. J. See Barba, M. F.
 Vallino, M. See Abbattista, F.
 Valiev, Juan A. See Sole, Carlos M.
 Valov, P. M. See Ashkanian, A. L.
 Valyocik, Ernest W.
 Synthesis of ZSM-23 zeolite. 64-02912P; Synthesis of zeolite ZSM-22 with a heterocyclic organic compound. 64-02913P; See also Rankel, Lillian A.
 Valyukavichyus, Ch. A. See Sadunas, A. S.
 Van Campfort, P.; and Demeuse, G.
 Effect of moisture on the refining of lead glass. 64-06301A
 Van Cangh, L. See Meisdag, M. M.
 Van Der Biest, O. See Krockel, H.
 Van Der Meer, A. B. D. See Welzer, J. T. A. M.
 Van Dijen, F. K.; Metelaar, R.; and Siskens, C. A. M.
 Reaction-rate-limiting steps in carbothermal reduction processes. 64-04327A
 Van Dijk, H. J. A. See DeWith, G.
 Van Dijk, Jacob See Lok, Cornelis M.
 Van Dresser, M. L.; and Neely, James E., Jr.
 Refractories for steelmaking in the USA—current practice and future trends. 64-02196A
 Van Gieson, Paul
 Packaging standards—the regulatory and international implications [work of ASTM Committee D-10]. 64-03029A
 Van Iseghem, F.; and De Batist, R.
 Corrosion mechanisms of simulated high-level nuclear waste glasses in distilled water. 64-06736A
 Van Kenenada, Johannes T. See Rutten, Joseph
 Van Milligen, Fred J. See Bovard, Bertrand
 Van Montfort, Abraham See Scholten, Joseph J. F.
 Van Nieu, Bal; Fenzke, H. W.; and Neuhof, Gerd
 Wetting of refractories by molten iron. 64-02234A
 Van Nostrand, Brian
 Dry clay mixer. 64-06026A
 Van Ommen, Alfred H.; Mass, Henricus G. R.; and Appels, Johannes A.
 Method of manufacturing a semiconductor device in which patterns are formed in a layer of silicon nitride by means of ion implantation. 64-06648P
 Van Reijlen, L. L. See Schaper, H.
 Van Rooede, M. See Kapadia, M.; Nguyen, D.
 Van Tol, M. W. See Robertson, John M.
 Van Vuuren, D. S.; Stander, C. M.; and Glasser, David
 Liquid-phase diffusion and adsorption of pyridine in porous silica-alumina pellets. 64-02986A
 Van de Leest, Renaat E. See Krijl, Gerrit
 Van de Pavert, C. A. P. See De Roode, W. H.
 Van de Weijer, Martinus H.; Fitzgerald, John; and Jacobs, Cornelis A. J.
 High-pressure discharge lamp current supply member and mounting [ceramic-glass] seal construction. 64-00755P
 Van der Hoek, Willem
 Optical telecommunication element. 64-00406P
 Van der Huis, Victor A. See Janssen, Petrus J.
 Van der Kruis, F. N. G. See Boonstra, Alexander H.
 Van der Linden, J. H. M. See Wierenga, P. E.
 Van der Merwe, C. P. See Cohen, Abraham
 Van der Rhee, A. K.
 Environmental indices of different enameling processes. 64-04676A; Quality assurance during production of enamel [frit]. 64-04821A
 Van der Zwag, S. See Hagan, J. T.
 Vandewoestine, Robert V. See Blanding, Wendell S.
 Vance, E. R. See Hayward, P. J.
 Vance, E. R.; Kariotis, F. G.; and Cortz, L.
 Radiation effects on sphere and sphere-based glass-ceramics. 64-04747A
 Vance, Macy W.
 Anchoring refractory materials to a refractory lining. 64-00533P
 Vanda, Stanislaw See Houdkova, Alena
 Vandakurov, I. Yu. See Antonov, P. I.
 Vander Poorten, H.; Migeot, P.; and Moortgat-Hasthorpe, G.
 Rheological and electrochemical properties of suspensions of chalk and of white cement. II. 64-01755A
 Vandenberg, Byron; and Chipps, Fred R.
 Old and new problems are solved by polymers containing graphite. 64-04310A
 Vandoor, Catherine
 Prefatorial inquiry into the potteries of the department of Montenegro [France] (1805-1812). 64-01677A
 Vanhoecke, Eddy; and Burgeimann, Marc
 Reactive sputtering of thin Cu₂S films for application in solar cells. 64-05169A
 Vanis, M.; and Svetik, S.
 Influence of melting accelerators on the glass batch studied by thermal analysis methods. 64-06311A
 Vansant, James H. See McConnell, Robert D.
 Van't Land, C. M.
 Selection of industrial dryers. 64-04165A
 Vanyukova, N. V. See Karamov, A. G.
 Varasao, Eugene C. See Dewey, Keith L.
 Varela, David W.
 Ultrasonic thermometer. 64-02657P
 Varela, Jose Arana See Longo, Elson; Santilli, Celso V.; Whittemore, Owen J.
 Varela, Jose Arana; and Longo, Elson
 Principles of solid-state sintering: I, Theoretical models. 64-02992A; Principles of solid-state sintering: II, Sintering of real compacts. 64-02993A
 Varfalvi, Janos
 Examination of architectural glass structures from the viewpoint of saving thermal energy. 64-04792A
 Varga, László
 Prospects for fine glass wool manufacture [in Hungary]. 64-04820A
 Vargha, A. See Hoebeel, D.
 Varnum, Nancy C.; and Kraemer, John F.
 Process for preparing sand cores and molds. 64-02251P
 Varrasao, Eugene C.
 Arc-gate controller for glassmelting furnace. 64-02631P
 Varshai, B. G.; Denisov, V. N.; and Mavrin, B. N.
 Vibration spectral structure and sampling rules in the hyper-Raman and Raman spectra of inorganic glasses. 64-01923A
 Varshney, Usha See Puri, R. K.
 Varshney, Arun K.; Busbey, Robert F.; and Soules, Thomas F.
 Comparison of AlPO₄ and SiO₂ glass structures using molecular dynamics. 64-06171A
 Varshney, Arun K.; and Dumals, Glenn A.
 Influence of externally applied stresses on kinetics of ion exchange in glass. 64-07340A
 Varshney, Arun K.; Loo, Mike C.; and Soules, Thomas F.
 Glass inhomogeneity measurement using the Shelyubskii method. 64-06198A
 Varshney, Arun K.; and Marra, John E.
 Stresses in Dumet-glass seals. 64-04829A
 Vartuli, James C. See Chu, Pochen
 Vashchenko, V. I. See Ovchinnikov, G. A.
 Vasil'ev, E. A. See Petrovskii, G. T.
 Vasil'ev, S. M. See Shmyreva, T. P.
 Vasil'ev, S. K. See Gorbachev, V. V.
 Vasil'ev, V. A.
 Effect of metal (Au, Ag, Cu) impurities on photoluminescence of Ge₂S₃ glasses. 64-03235A
 Vasil'ev, V. A.; and Kolomoietz, B. T.
 Photoluminescence and its thermal quenching in semiconductor glasses GeS₂ and GeSe₂. 64-03322A

- Vasil'ev, V. A.; and Mamontova, T. N.
Photoluminescence of semiconductor glasses of the systems As-Se-Te and As-Se-Sb. 64-03812A
- Vasil'eva, E. A.; Khvoshchev, S. S.; and Shchegolev, B. F.
Characteristics of the electron structure of chabazite. 64-01518A
- Vasil'eva, E. A.; Khvoshchev, S. S.; and Kuretna, I. V.
CO₂ and NH₃ adsorption heats on synthetic zeolites of different structural types: III. Carbon dioxide on Na-, Li-, and K-forms of zeolite X and Y. 64-05663A
- Vasiliev, N. G. M. See Buntova, M. A.
- Vasilik, A. V. See Shubin, V. I.
- Vasil'v, V. I.; and Zakharov, Ya. M.
Self-localized electron excitations in β -Ga₂O₃ single crystals. 64-03822A
- Vassili, William C. See Logothetis, Eleftherios
- Vatolin, N. A. See Moiseev, G. K.
- Vatuly, Joet; and Schindler, Edmund S.
Combustion system and method for a coal-fired furnace utilizing a lowered low-load separator-nozzle assembly and a separate high-load nozzle. 64-01095P; Combustion system and method for a coal-fired furnace utilizing a wide turn-down burner. 64-04171P
- Vaudin, M. D. See Eastman, J.
- Vavasseur, E. M. J. M.; and Pepper, M. A.
Glass-ceramic hob including temperature sensor. 64-06360P
- Vavilova, V. T. See Galakhov, F. Ya.
- Vavilov, Yu. V. See Brekhovskikh, S. M.
- Vavilova, V. V. See Ruda, G. I.
- Vdovenko, N. V.; Ovcharenko, F. D.; and Potabenko, V. S.
Effect of ammonium salt anions on the kaolinite suspension structure. 64-05694A
- Vesal, Boyd W., Jr. See Knapp, G. S.
- Venezey-Mendez, Enrique See Cardenas-Franco, Luis
- Veccchi, Gastone
Cersaie '83 [trade fair in Italy]—a new challenge to the housing crisis. 64-01606A; Tecnargilla '83 [trade fair in Italy]. 64-01621A
- Vedel, J.
CdS solar cells—the formation of nonstoichiometric cuprous sulfide by the ion-exchange process. 64-05059A
- Ved'kalov, I. R. See Shitepa, E. D.
- Veis, A. N.; Ignat'eva, V. B.; and Chernov, B. G.
Electrical conductivity of refractory oxides in the system MgO-Al₂O₃. 64-02108A
- Vekshina, V. S. See Kiseleva, E. V.
- Velazquez, M.; and Danforth, Stephen C.
Casting of monodisperse colloidal silica. 64-00892A
- Velikanova, F. I. See Akramova, N. N.
- Velikodnyi, Yu. A. See Trunov, V. K.
- Velikova, M. See Damjanov, V.
- Velikova, N. G. See Kirilenko, V. V.
- Velluet, Philippe See Guenard, Claude
- Vel'sin, S. I. See Abbakumov, V. G.
- Veltkamp, David J.; and Kowalski, Bruce R.
Chemical information from ion scattering spectrometry. 64-05404A
- Vetri, Richard D. See Birbara, P. J.; Galasso, Francis S.
- Vetri, Richard D.; and Galasso, Francis S.
Composite silicon carbide coatings for carbon-carbon materials. 64-01296P; Composite silicon carbide/silicon nitride coatings for carbon-carbon materials. 64-01297P; Deposition of improved SiC coatings on carbon-based materials. 64-01306P
- Vetri, Richard D.; Galasso, Francis S.; and Mendelson, Mel I.
Manufacture of hollow CVD silicon nitride articles. 64-04391P
- Venables, C. L. See Banerjee, Subrata
- Venable, Edward R.
Lightguide preform chuck. 64-06817P
- Venezetev, Yu. N. See Bichurin, R. Ch.; Bogatko, V. V.; Firsov, A. V.
- Vengel, P. F.; Tomashik, V. N.; and Mizetskaya, I. B.
Reaction of HgTe with certain metals. 64-05167A
- Venger, Camille See Berth, Michel; Martin, Gerard M.
- Venkatramani, Narayanan See Karthikeyan, Jeganathan
- Ventura, Paulo C. S. See Dos Santos, Dayse I.
- Ventura, Paulo C. S.; Dos Santos, Dayse I.; and Aegerter, Michel A.
Porous glasses of high silica content for storage of nuclear wastes: I. Preparation and characterization of spinodal phase separation. 64-01885A
- Venturi, Viviano See Muratori, Walter
- Venturi, Viviano; Ghiselli, R.; and Corsi, M.
Experiments on batches for vitrified, single-fired bodies using clay from central and southern Italy. 64-00439A
- Vennat, M.
Grinding media and energy conservation. 64-01719A
- Verch, H. See Feige, Fritz
- Verdes, Sander
Determination of grindability and grinding kinetics. 64-00898A
- Verdes, Sander; Nemeth, Jeno; and Kiraly, Laszlo
Kinetic analysis of ball mill grinding: IV. Effect of material characteristics on kinetic model factors. 64-00911A
- Verdier, Jean-Michel See Grosbois, Jean
- Verdier, N. N. See Gasanaliyev, A. M.
- Veremeenko, M. D. See Nefedov, V. I.
- Vereshchagina, L. A. See Paikina, L. A.
- Verheijen, Augustinus See Bassett, Peter J.
- Verhille, M. See Etoc, P.
- Verlingue, B.
Electric shuttle kilns for earthenware production. 64-04147A
- Verlotskii, A. A. See Rublevskii, I. P.
- Verlotskii, A. A.; Rublevskii, I. P.; and Trusova, T. K.
Modeling of the effective resistance of baths of melts in electric-arc furnaces for melting refractories. 64-00490A
- Verma, Manoranjan P.
High-voltage insulator assemblage having specially chosen series resistance. 64-06624P
- Verma, Surendra K.; and Kim, George A.
Silicon oxide [B- or P-doped] lapping coatings. 64-06022P
- Vernaz, E.; Deymier, P.; and Jacquet-Francillon, N.
Mechanical properties of some candidate glasses for high-level radioactive waste management. 64-04736A
- Vernikovskii, V. E.; Il'mer, G. P.; and Natsenko, A. I.
Method for determining the strength of raw materials for the production of refractories. 64-02712A
- Verostova, Anna See Mikesova, Jana
- Verulashvili, R. D.; Gabuniya, L. V.; and Gabuniya, N. V.
New composites of ultrafine [glass] fibers based on rocks from the Georgian SSR. 64-00315A
- Verziji, Dirk See Lok, Cornelis M.
- Veselkov, E. A.
Consequences of the statistical character of the distribution of energy in solid bodies. 64-05903A
- Vesely, Boleslav See Brabec, Ludvik
- Vest, Robert W. See Palanisamy, Ponnammy; Sarma, Dwadasi H. R.; Wu, Hui Z.
- Vetek, Lajos See Nemeth, Miklos
- Vetelino, John F. See Chai, Bruce H.
- Vetrov, A. A. See Smokotin, E. M.
- Vezzoli, G. C.; Levy, S.; and Lalevic, B.
Threshold switching polycrystalline NbO₃—decay and recovery of the on state at room and low temperatures and its relationship to trapping centers. 64-00722A
- Via, Francis A. See Sherif, Fawzy G.
- Viberti, C. See Labbe, J.-P.
- Vicedomine, Michael See Ritter, John E., Jr.
- Vich, Milan
Application of acoustic emission in the glass field. 64-02576A
- Vidrevich, M. B.; Uritskaya, A. A.; and Drozdova, T. A.
Estimating the degree of the crystal structure of CdS by voltamperometric technique with a paste electrode. 64-05094A
- Vidvasagar, K. See Rao, C. N. R.
- Vieira Coelho, Antonio C.; and De Souza Santos, Persio
Delamination tests of Brazilian vermiculite treated with lithium chloride. 64-07034A
- Vieira, J. M.; and Brook, Richard J.
Lattice, grain-boundary, surface-, and gas-diffusion constants in magnesium oxide. 64-07349A
- Viemeister, Tucker L. See Dair, Thomas M.
- Vikharov, S. P.; Ampilogov, V. N.; and Minaev, V. S.
Effect of synthesis condition and composition on the O and C contents of chalcogenide semiconductor glasses. 64-03238A
- Viktorov, V. V. See Gladkov, V. E.
- Viktorov, V. V.; Gladkov, V. E.; and Fotiev, A. A.
Effect of TiO₂ additives on Cr₂O₃ oxidation in the system of finely dispersed Al₂O₃-Cr₂O₃ oxides. 64-04940A; Influence of Na₂CO₃ additions on oxidation of Cr₂O₃ in finely dispersed systems of the oxides Al₂O₃ and Cr₂O₃. 64-05553A
- Vilar de Queiroz, Maria See Luzinete Barbosa, Maria
- Vilches, F. See Sanchez, Gomez M.
- Vilcu, Rodica See Ciochina, A.
- Viles, Robert F. See Beale, James
- Vilk, Peter
How the 400 series forehearth has performed in the field. 64-06307A
- Vil'k, Yu. N.; and Slavina, L. Ya.
Relation between hardness, elasticity, and density characteristics of aluminum oxide specimens prepared by hot-pressing. 64-01251A
- Villa, Aldo
Current technological developments in the floor and wall tile industry. 64-00591A
- Villafuerte-Castrejon, M.; Garcia, J. A.; and Cisneros, E.
Phase equilibria in the systems Li₂TiO₃-LiNbO₃, Li₂TiO₃-LiTaO₃, and Li₂TiO₃-LiNbO₃-LiTaO₃. 64-04480A
- Vincenzini, Pietro See Babin, G. N.; Ortell, G.
- Vinogradova, L. V.; Gal'perina, M. K.; and Popil'skii, R. Yu.
Effect of shrinkage-caused stresses on the permeability of acid-resistant ceramics. 64-00473A
- Vio, Lino; and Meunier, Gilles
Impeding sedimentation of clays in water. 64-02956P
- Viot, J. F. See Kapsa, P.
- Virgil'ev, Yu. S.; and Makarchenko, V. G.
Radiation change in the procedures of graphite after its thermomechanical treatment. 64-01249A
- Virgo, D. See Seifert, F. A.
- Viriyayuthakorn, Montri See Kassahun, Bahiru
- Virkar, Anil V.
Kinetics of precipitation from a dilute solid solution. 64-04473A; Also see Huang, Jow-Lay; Ikuma, Yasuro; Shetty, Dinesh K.
- Vishwanath, B. See Saraf, M. N.
- Visluguzova, E. A. See Kuperman, Yu. E.; Vydrina, Zh. A.
- Vlaser, E. G.
Effect of uniaxial tensile stress on the permeability of monocrytalline MnZnFe(II) ferrite. 64-02459A
- Viswanathan, K.; and Mani, B. P.
Holdup studies in the hydraulic conveying of solids in horizontal pipelines. 64-02510A
- Vitalis, Gyorgy
History of prospecting for ceramic and cement raw materials in Hungary. 64-05493A; See also Hegyi-Pako, Julia
- Vitalis, Gyorgy; and Hegyi-Pako, Julia
Application possibilities and quality of dolomites. 64-04919A; Economic geological prospecting for sand. 64-01123A
- Vitarelli, P. See Bart, J. C. J.
- Vite, Latiz; and Mews, Hannelore
Method for manufacturing boron-free silicon dioxide. 64-05228P
- Vitting, L. M.
Dissociation of certain metallic oxides in solution/melts. 64-05691A
- Vitrol, I. K. See Arbuzov, V. I.
- Vitroce, William A. See Pond, Ramona G.
- Vityaz, P. A.; Fyodorova, I. L.; and Yermolenko, I. N.
Synthesis of alumina and zirconia fibers. 64-04354A
- Vivier, Jacobus L.
Classifying means [for particulates in fluids]. 64-06803P
- Vizir, L. A. See Philippova, E. A.
- Vlad, M. See Segal, E.
- Vladimirskaia, L. E. See Mel'nikova, O. V.
- Vlajic, M. D. See Krstic, Vladimir D.
- Vlasenko, V. A.; and Nagin, A. P.
Model of conductivity in silicon nitride films. 64-05563A
- Vlasov, A. S. See Podkletnov, E. E.; Polyak, B. I.
- Vlasov, A. S.; Polyak, B. I.; and Aleksandrova, T. V.
Production technology and properties of bodies made from recrystallized SiC. 64-07151A
- Vlasov, A. S.; Skidan, B. S.; and Chupina, M. S.
Crystallization trends of eutectic-composition materials in systems based on oxides, carbides, borides, and metals. 64-07314A
- Vlasov, Yu. G. See Bychkov, E. A.
- Vlasova, M. V.; Gorbachuk, S. I.; and Kakazel, N. G.
Initiation of F centers by strong all-round compression of polycrystalline MgO. 64-01550A
- Vlasova, N. I.; Damkina, L. I.; and Karaseva, V. I.
Indexes of optical absorption of copper in glass. 64-03272A
- Vodakov, Yu. A.; Mokhov, E. N.; and Odling, V. G.
Internode diffusion of B and Be in SiC. 64-01226A
- Vodop'yanov, A. G.; Baranov, S. V.; and Kozhevnikov, G. N.
Reaction of spinel MgAl₂O₄ with carbon. 64-00508A
- Vodop'yanov, V. P.; Mirgorodskii, A. P.; and Lazarev, A. N.
Combination scattering spectra of potassium feldspars. 64-01121A
- Vodop'yanov, V. P.; Pavlinich, V. F.; and Lazarev, A. N.
Infrared reflection spectra of potassium feldspar (microcline) single crystals. 64-01549A
- Vodzinik, V. Yu. See Genkina, N. A.
- Voehringer, Gerhard F.
Powder spray chamber. 64-05393P
- Vogel, Erich
Computer algorithm for [comparative] evaluation of [cement rotary kiln] ring analyses. 64-00032A
- Vogel, Erich; and Schachtschabel, W.
Increased coating formation in the kiln feed end region. 64-01726A
- Vogel, Erich; and Ussumane, Ismael N.
Reactions between solid fuel and the batch in cement rotary kilns: II. 64-00055A
- Vogel, Roger F. See Mitchell, Bruce R.
- Vogel, Roger F.; Rennard, Raymond J.; and Tabacek, Joseph A.
Process for preparing [20-50% Al₂O₃-based] catalysts. 64-02895P; Process for preparing [Al₂O₃-based] catalysts. 64-02896P
- Vogel, Werner See Doenitz, Fritz-Dieter; Holand, W.; Mueller, M.
- Vogl, H.
Operating experience with the complete emptying of a high-capacity silo for cement. 64-01739A
- Vogt, Hans; and Hiromoto, Uwe
Hyper-Raman scattering from the incipient ferroelectric KTaO₃. 64-03925A
- Vogt, Robert L.
Fuel-injection-staged sectoral combustor for burning low-BTU fuel gas. 64-04174P
- Vogt, Wilhelm; Glaser, Hermann; and Koch, Juergen
Process for making catalytically active aluminosilicates and their uses. 64-01350P
- Voiculescu, Paul See Cerchez, Lidia
- Voitenkov, M. Ya. See Lavrov, A. V.
- Volchok, I. P. See Kolotilkin, O. B.
- Vol'f, V. E. See Kostov, V. N.
- Volin, Kenneth J. See Susman, Sherman
- Volkov, V. A.; Lashchenkov, Yu. V.; and Levochkin, M. A.
Method for protecting recuperative heat exchangers [of glass tank furnaces] under emergency conditions. 64-01085A
- Volkov, V. E.; Sablina, K. A.; and Kholopova, G. D.
Glass of Bi₂Fe₂O₇ composition. 64-00188A
- Volkov, V. Ya. See Silaenkov, A. N.
- Volkova, N. V. See Al'mukhametov, R. F.
- Voloshina, A. E. See Kuz'micheva, G. M.
- Volpe, Leo See Boudart, Michel
- Volynets, F. K. See Demidenko, V. A.
- Volzhenskii, A. V.
Strength characteristics of gypsum binders. 64-06126A
- Von Alpen, Ulrich; Schindler, Stefan; and Scheller, Heinrich
Ceramic [multilayered] substrate support for electronic components and integrated electronic circuits. 64-05206P

- Von Bernuth, G.
Communication technology in the laboratory. 64-03992A
- Von Bieren, Karlheinz
Pencil beam interferometer. 64-04135P
- Von Heesen, Wolfgang
See Biennik, Heinz
- Von Laufenberg, Juergen
See Christophiemi, Peter
- Von Laufenberg, Juergen; and Novotny, Rudolf
Soluble silicates—manufacture and use. 64-03357A
- Von Loehneysen, H.
See Grondey, S.
- Von Mallinckrodt, D.
See Naujokat, E.; Reynen, Piet
Von Mallinckrodt, D.; Zografou, Constantine; and Boess, Harald
High-temperature X-ray diffraction in the system $\text{Al}_2\text{O}_3\text{-Cr}_2\text{O}_3$. 64-04287A
- Von Roda, Eckart
See Dausinger, Friedrich
- Von Seggern, Heinz; and Wang, Tsuey T.
Polarizing of piezoelectric material. 64-05240P
- Voorhees, Temple S.
High-efficiency, low- NO_x -emitting, staged combustion burner. 64-02686P
- Vorob'ev, Kh. S.; Tokaev, V. E.; and Arifmetova, N. V.
Production technology for clay bricks with the addition of asbestos wastes. 64-06428A
- Vorob'ev, Yu. P.
See Fetisov, V. B.
- Voronina, N. N.
See Orlov, V. P.
- Voronova, V. I.
See Yanovskii, V. K.
- Voronova, N. F.
See Lotov, V. A.
- Voros, Tibor
See Dolezal, Karoly
- Vosilla, G.
See Grungo, G.
- Vostry, J.
See Kloboucek, J.
- Votyakov, S. L.
See Bykov, V. N.
- Vrba, Vladimir
See Jedlicka, Josef
- Vrestalova, Marie
Calculation of surface heat losses of kiln system for burning cement clinker or lime. 64-01701A; See also Bazout, Zdenek; Novak, Jaroslav
- Vriens, L.; and Rippens, W.
Optical constants of absorbing thin solid films on a substrate. 64-03807A
- Vronskaya, E. V.
See Ostrovskii, I. V.
- Vugis, Ludovicus
Resistor [CrSi-CrSiN]. 64-06664P
- Vuyk, J.
See Hoens, M. F. A.
- Vyznina, T. A.
See Koksharov, V. D.
- Yadrina, Zh. A.; Androsenko, V. G.; and Vologuzova, E. A.
Forsterite crystals for lining steel-casting ladles. 64-02114A
- Yehlikov, Pavel
See Novak, Josef
- Ysma, Dick H.
Updated instrumentation provides production improvements. 64-04108A
- Vytras, Karel
See Janacek, Jiri; Smetana, Josef
- Waburg, M.; and Mueller-Buschbaum, H.
 ZnTa_2O_7 , a new member of the tri- α - PbO_3 type (with data about ZnNb_2O_7). 64-01599A
- Wada, Chuzoh; and Matsuda, Yoshikazu
Burner with oxygen shortage sensor. 64-02680P
- Wada, Minoru; and Takahashi, Yonosuke
Optical information recording material [metal sulfide or oxide-based]. 64-03900P
- Wada, Minoru; Takahashi, Yonosuke; and Hasegawa, Eiichi
Light information recording medium [of SiO_2 and In] and light information recording and reading method. 64-00375P
- Wada, Nobuhiko
Ultrafine particles—an overview. 64-02330A
- Wader, Heribert
Apparatus for the expansion of mineral matter, especially perlite and vermiculite. 64-05507P
- Wadhawan, V. K.
Ferroelastic phase transitions. 64-05263A
- Wager, A. J.; and Cook, H. C.
Modeling the temperature dependence of integrated circuit failures. 64-02321A
- Waggener, Jack
Approaches to achieving compliance with the latest effluent regulations. 64-01601A
- Wagner, Edward A.
See Snider, Wendall L.
- Wagner, Gary G.
See Weltlich, Gary P.
- Wagner, J. B., Jr.
See Dubec, P. M.; Tare, V. B.
- Wagner, Richard E.
Optical multi/demultiplexer using interference filters. 64-00405P
- Wagner, Ronald S.
See Hammond, Robert B.
- Wagner, Zofia
Low-temperature dilatation of building materials. 64-05040A; Sources of error in the determination of thermal dilatation of glasses. 64-05436A; See also Balint, Pal
Wahl, Georg
See Bunk, Klaus; Neidig, Arno
Wajdowicz, A. A.; Mosel, R. A.; and Goncalves, G. E.
Influence of operating procedures on the performance of basic bricks in rotary cement kilns. 64-02124A
- Wakabayashi, Hajimu; and Terai, Ryohi
Mass transport in volatilization from a lead glass. 64-03293A
- Wakabayashi, Hajimu; Terai, Ryohi; and Yamanaka, Hiroshi
Process for vitrifying liquid radioactive waste. 64-06753P
- Wakashima, Keiichi
See Nishigaki, Kenichi
- Wakasugi, Isamu
See Ebato, Koichi
- Wakajima, Naohisa
See Watanabe, Akira
- Wakelley, L. D.
See Barnes, M. W.
- Waki, Masahiko; Umezawa, Seiji; and Takasugi, Tsuneji
Structure for a watch case made of cemented carbide. 64-04442P
- Wakino, Kikuo
See Tamura, Hiroshi
- Wakino, Kikuo; Minal, Kikichi; and Sano, Hiroshi
Continuous [ceramic product] firing equipment [with metal cars]. 64-02682P
- Wakino, Kikuo; and Tamura, Hiroshi
Microwave dielectric materials—for direct satellite broadcasting. 64-03802A
- Walatka, Vernon V., Jr.
See Hinnenkamp, James A.
- Wald, J. W.; and Weber, W. J.
Effects of self-radiation damage on the leachability of actinide-host phases. 64-05701A
- Wald, Milan; and Liska, Jan
Calcium aluminate cements for refractory concretes. 64-03595A
- Waldenstrom, M.
Wear part [cemented carbide] with high wear strength. 64-04447P
- Waldert, Horst
See Fuessl, Erwin
- Waldorf, A.
See Dobrowski, J. A.
- Walensky, Manfred
See Callwitz, Bernd
- Walker, Colin A.
See McDonagh, Alister
- Walker, D. J.
See Wight, T. D. B.
- Walker, Kenneth L.
See McAfee, Kenneth B., Jr.
- Walker, O. Neal
Solids separator. 64-06844P
- Walker, Richard A.
See Bystrinsky, Wasyl
- Walker, Richard M.
Tungsten carbide reactive process. 64-01370P
- Walker, Richard P.
Hand-held fiber optic cleaving tool. 64-00369P
- Walker, Robert G.
Arrangement for forming and transferring coils for subsequent insertion into a slotted magnetic core. 64-02537P
- Walker, Ronald F.
See Foster, Robert D.
- Walker, Thomas B.; Seider, Robert J.; and Cichy, Paul
Fused aluminum oxide abrasive grain containing reduced titanium oxide. 64-01647P
- Wall, G. W.; and Jones, G. T.
Tube pressure filter [inner assembly]. 64-04066P; Tube pressure filter [outer assembly]. 64-04067P
- Wallace, Clarence L.
See Barnes, Allan F.
- Wallace, G. G.
See Bond, A. M.
- Wallace, Gary A.; and Zimmer, James E.
Circumferentially wrapped carbon-carbon structure. 64-07214P
- Wallace, Stephen; and Hensch, Larry L.
Organometallic-derived (20L) gel monoliths. 64-05758A
- Walling, John C.; and Shand, Michael L.
Cr-doped yttrium-gallium-garnet laser. 64-02357P
- Wallington, Fred L.
See DiFrank, Frank J.
- Wallstein, Dieter
Glass pipe heat exchanger. 64-06357P
- Walsten, H. I.
Doctor blade. 64-04033P
- Walpole, James N.
See Liao, Zong-Long
- Walsh, Kenneth A.
Annual ceramic mineral resources review—beryllia. 64-07002A
- Walsh, LaVerne E.
Incandescent [high-wattage] lamp with ceramic base. 64-03877P
- Walsh, M. P.; Bryant, S. L.; and Schechter, R. S.
Precipitation and dissolution of solids attending flow through porous media. 64-02716A
- Walter, Gerd
See Schneider, Hartmut
- Walter, Lee
See Ovsinsky, Stanford R.
- Walter, Lynne M.; and Morse, John W.
Reactive surface area of skeletal carbonates during dissolution—effect of grain size. 64-07048A
- Walters, Thomas E.
Ceramic fiber [insulation] composition. 64-02239P
- Walton, Alan J.
See Chapman, G. N.
- Walton, Jesse D., Jr.
See Logan, Kathryn V.
- Walton, Ray D., Jr.
See Oertel, Goetz K.
- Wan, De-rui
See Chen, Zhi-xue
- Wandschneider, Peter; and Seifert, Friedrich
System magnesium cordierite-cobalt cordierite. 64-00525A
- Wang, Chang-gui
See Chen, Zhong-zhang
- Wang, Chengyu; and Tao, Ying
Calculation of the melting temperatures of silicate glasses. 64-00276A
- Wang, Chung S.
See Coleman, Donald J., Jr.
- Wang, Dan-ai
See Li, Hong-jun
- Wang, Guo-bin
See Zhong, Bai-qian
- Wang, Hao-bin
See Huang, De-qun
- Wang, Hong
See Li, Hong-jun
- Wang, Jian-guo
See Qin, Chen
- Wang, Jian-guo; Qiu, Chen; and Chen, Hui-min
Application of laser forward scattering pattern to monitoring concentration of silicone resin-coated optical fibers. 64-04773A
- Wang, Jia-chang; Zhang, Shou-qing; and Tan, Hao-ran
Crystal growth, structure, and spectroscopic properties of LiErP_2O_7 . 64-05681A
- Wang, Kai-tai; and Wang, Wei-zhong
ESR [electron spin resonance] study of Mn^{2+} in As-Se glasses. 64-05067A
- Wang, Ke-Chin
See Winkelbauer, Howard M.
- Wang, Pei-ling
See Li, De-yu
- Wang, Qimin
See Li, Yuezhen
- Wang, Shi-Ho; and Hensch, Larry L.
Processing variables of sol-gel-derived (20N) soda silicates. 64-05789A
- Wang, Taylor G.
See Elleman, Daniel D.
- Wang, Tian-bao
Rule of formation of ferroelectrics or antiferroelectrics in perovskite-type compounds. 64-06694A; See also Guo, Chang-lin
- Wang, Tsuey T.
See Von Seggern, Heinz
- Wang, Wei-zhong
See Wang, Kai-tai
- Wang, Wen
See Zhang, Shou-qing
- Wang, Yong-ling; Yuan, Wan-zong; and He, Guo-rong
Shock wave-explosive energy converter of PZT 95/5 ferroelectric ceramics. 64-05281A
- Wang, Yu-ji; and Li, Da-li
Steel-slag-blended cement. 64-01757A
- Wang, Zhan-wen
See Yang, Nan-ru
- Wank, Larry A.; and Brattling, Joseph G.
Composition of matter [CaO , TiO_2 , and ZrO_2] for use in manufacturing nonmagnetic parts of a magnetic head and method of manufacturing the composition. 64-02354P
- Wanklyn, B. M.; Watts, B. E.; and Fenis, V. V.
Nucleation in flux growth of oxides—DTA and TGA experiments. 64-07355A
- Ward, John W.
See Hass, Robert H.
- Ward, Peter
See Evans, John; Marsh, Brian
- Ward, Rodney L.
Development in equipment technology for powder porcelain enameling. 64-00083A
- Wardzynski, W.; and Skymczak, H.
Center of orthorhombic symmetry in chromium-doped Bi_2GeO_5 and Bi_2SiO_5 single crystals. 64-07446A
- Waris, D.; Mage, J. C.; and Simoes, W.
Computer-controlled measurements of ferrimagnetic resonance losses in polycrystalline ferrites. 64-02456A
- Warne, S. S. J.
See French, D. H.
- Warnecke, W.; Giesel, P.; and Schraupe, U.
Cold-rolled sheet from continuous-cast steel for conventional and direct-on enameling. 64-01781A
- Warnke, Heinrich
See Kaup, Friedel
- Warren, Aubrey D.
Cutting guide for fibrous sheets. 64-06760A
- Warren, Robert G.
Gadolinium gallium garnet. 64-02311A
- Warren, S. E.
See Sanderson, D. C. W.
- Warrier, K. G. K.
See Krishna, P.
- Warslawsky, J.
Flend joining for product uniformity. 64-03088A
- Wartenberg, E. W.
Surface decoration of glazed ceramics: I, Process for depositing metalloid coatings in the gas phase. 64-03733A
- Wartenberg, Erwin W.
Apparatus for coating plate-shaped bodies of glazed ceramic (tiles) glass or enamel. 64-05049P
- Wartenberg, Erwin W.; Hiert, G.; and Ackermann, P. W.
Surface decoration of glazed ceramics: II, Coating formation, layer composition, and properties. 64-03734A
- Wasa, Kiyotaka
See Kitabatake, Makoto; Mitsuyu, Tsunao
- Wasei-Nielsen, H.-D.
See Westermann, Lothar
- Washburn, Malcolm E.
See Jones, Cecil M.
- Washburn, Malcolm E.; and Taylor, Charles W.
Refractory [Mg-chromite and Cr_2O_3] bodies for corrosive environments. 64-02252P
- Washida, Hiroshi
See Morita, Hiroshi
- Washiyama, Masako
See Nakamura, Hiroshi
- Wasie, Marguerite
See Ghorab, Hanna Y.
- Wasylak, Jan; Koprowski, Jan; and Czerwinski, Elzbieta
Structure and properties of vanadium phosphate glasses. 64-03366A
- Wasylak, Jan; Koprowski, Jan; and Krajewski, G.
Glass formation, structure, and certain properties of glasses of the systems $\text{MgO-Zn(PO}_3)_2$ - Al_2O_3 and $\text{PbO-Zn(PO}_3)_2$ - Al_2O_3 . 64-01854A
- Watanabe, Akio
See Hanada, Hajime
- Watanabe, Akira
See Ohtsuki, Yuzo
- Watanabe, Akira; Kihara, Seiji; and Suzuki, Yoshihiro
Rate of capillary rise of liquids in refractory brick [equation for calculating]. 64-03663A
- Watanabe, Akira; Kusaka, Yukio; and Yamamoto, Isao
Magnesia-carbon brick use in tap hole of electric-arc furnaces. 64-04969A
- Watanabe, Akira; Okamura, Takeo; and Mizuta, Yasutoshi
Erosion-resistant properties of carbonaceous monolithic refractories. 64-03619A
- Watanabe, Akira; Okamura, Takeo; and Ota, Fukuji
Boiling phenomenon of hot-casting refractory. 64-04923A
- Watanabe, Akira; Okamura, Takeo; and Takana, Shigeyuki
Rheological properties of magnesia water suspension: I, Effect of the amount of dispersant and density of dispersed particles in suspension. 64-04012A; Rheological properties of magnesia water suspension: III, The effect of added ethanol. 64-05371A
- Watanabe, Akira; Takahashi, Hirokuni; and Matsuki, Toshiyuki
Effects of adding magnesium on properties of magnesia-carbon bricks. 64-04945A
- Watanabe, Akira; Takahashi, Hirokuni; and Nonaka, Kazuo
Magdol carbon brick—experimental results. 64-03649A
- Watanabe, Akira; Takahashi, Hirokuni; and Sasaki, Goji
Influence of magnesia carbon bricks. 64-04962A; Influence of iron oxide in steelmaking slag on the corrosion of magnesia carbon bricks. 64-03641A; Wear mechanism of carbon-bonded brick under reduced pressure at high temperature [$>1500^\circ\text{C}$]. 64-03691A

- Watanabe, Akira; Tokuda, Hiroyasu; and Wakejima, Naohisa
Al₂O₃-C-SiC refractor es. 64-02053A
- Watanabe, Hideo
Refractories industry [in Japan] and international competitive power. 64-04997A; See also Hamano, Kenya
- Watanabe, Isao
Refractory raw material in China—survey. 64-04222A
- Watanabe, K. See Fujita, T.
- Watanabe, Katsuya See Sakai, Masahiro
- Watanabe, Kazuhiko
Sorbent comprising spherical particles of activated carbon depositing noncrystalline compound of zirconium and process for preparing thereof. 64-01512P
- Watanabe, Kazuyoshi See Sakaguchi, Susumu
- Watanabe, Koichi; and Gless, Edward A.
Coalescence and crystallization in powdered high-cordierite (2MgO·2Al₂O₃·5SiO₂) glass. 64-04777A
- Watanabe, Koichi; Gless, Edward A.; and Shafer, Merrill W.
Crystallization mechanism of high-cordierite glass. 64-06173A
- Watanabe, Kouichi See Hirota, Ken
- Watanabe, Kunitsugu See Iuchi, Tooru
- Watanabe, Naoto See Yokomizo, Yuji
- Watanabe, Nobutsuna; Nakajima, Tsuyoshi; and Kawaguchi, Masayuki
Ternary intercalation compound of a graphite with an alkali metal fluoride and fluorine, a process for producing the same, and an electrically conductive material comprising the ternary compound. 64-06672P
- Watanabe, Seiji See Emi, Toshihiko
- Watanabe, Seizo
Process for forming thin-film, heat-treatment process of thin-film sheet, and heat-treatment apparatus thereof. 64-02492P
- Watanabe, Shizuo See Sumida, Atsushi
- Watanabe, T. See Handa, K.
- Watanabe, Tadahiko; and Shouba, Kazuhisa
Mechanical properties of hot-pressed TiB₂-ZrO₂ composites. 64-04555A
- Watanabe, Tadahiko; Tsuya, Yoko; and Enomoto, Yuji
Sintered ceramic body containing titanium carbonyl. 64-04440P
- Watanabe, Toshio See Kimura, Kensaku; Tachibana, Katsuhiko
- Watanabe, Yukimizu
Cylindrical [ceramic-cased] fuse. 64-06608P
- Watairi, Takao See Tsuda, Hideyuki
- Waterfield, Brian C.
Hybrid industry in the British Isles. 64-05111A
- Waters, D. N. See Patel, N. D.
- Watson, D. G. See Hocking, W. H.
- Watson, E. B. See Accolla, John
- Watson, Gordon K.; Moore, Thomas J.; and Millard, Michael L.
Effect of hot isostatic pressing on reaction-bonded silicon nitride. 64-01204A
- Watson, Throck J. See Dolnikowski, Gregory G.
- Watson, William (Editor)
Tang and Liao Ceramics. 64-06004B
- Watt, Donald H. See Weinert, Robert W.
- Watts, B. E. See Wanklyn, B. M.
- Watts, D. Y.; and Willoughby, A. F. W.
Composition dependence of the microhardness anisotropy of indium-gallium—arsenide phosphide. 64-06040A
- Watzek, Otto
Highly glassy glass-fiber insulating materials within the system of available thermal and acoustical materials. 64-03627A
- Wang, Arthur; and Foster, Bryan D.
Design and performance of silicon carbide cantilever paddles in semiconductor diffusion furnaces. 64-04934A
- Wantelet, M.
Oxidation of thin Cd, Cu, and Te films under continuous laser irradiation. 64-00923A
- Wawrzczko, Kurt See Bauer, Juergen
- Wax, Steven G.
Ceramics research at DARPA [Defense Advance Research Projects Agency]. 64-07521A
- Wayman, C. M. See Jeng, S. J.
- Weare, Frank; and Wright, Harold
Improve your bulk storage design and maintenance. 64-02512A
- Wentherly, Merle H. See Keshavan, Madapusi K.
- Wenters, Maura S. See Gold, Jon S.
- Webb, D. C. See Bucholtz, F.
- Webb, James B.; Williams, Digby F.; and Adsett, R.
Effect of oxygen chemisorption on highly conducting thin films of ZnO. 64-00651A
- Webb, Paul C. See Galer, Richard E.
- Weber, M. See Bremer, H.
- Weber, M. J. See Hall, D. W.
- Weber, Thomas A. See Stillinger, Frank H.
- Weber, W. J. See Wald, J. W.
- Weber, W. J.; Matzke, Hansjoachim; and Routbort, Jules L.
Indentation testing of nuclear waste glasses. 64-02497A
- Webster, Richard T.
X-cut quartz for improved surface acoustic wave temperature stability. 64-06699A
- Wedge, Philip J.; and Bridson, Robert C.
Fuel-fired burner assembly. 64-06974P
- Weeden, Cyril
Bristol [UK] glass industry—its rise and decline. 64-00275A
- Weedon, Jan B. See Furuya, Hiroshi
- Weeks, R. A. See Kordas, G.
- Weeren, H. O. See Stinton, David P.
- Wegerhoff, Arno; Zengel, Hans; and Brodowski, Walter
Water-containing water glass fibers. 64-00270P
- Wegmann, P.
Simulated handmade bricks (soft mud brick manufacture). 64-04911A
- Wehr, Hermann See Rau, Hans
- Wei, C. C. See Fu, S. L.
- Wei, George C. T.
Method for forming fibrous silicon carbide insulating material [C-fiber precursor]. 64-02874P; Phase transformation and processing of polycrystalline gadolinium selenide, GdSe_{1.6}. 64-00688A; See also Becher, Paul F.
- Wei, George C. T.; and Becher, Paul F.
Development of SiC-whisker-reinforced ceramics. 64-04265A; Improvements in mechanical properties in SiC by the addition of TiC particles. 64-01223A
- Wei, George C. T.; Kennedy, C. R.; and Harris, Lawrence A.
Synthesis of sinterable SiC powders by carbothermic reduction of gel-derived precursors and pyrolysis of polycarbonyl. 64-01263A
- Wei, George C. T.; and Robbins, J. M.
Carbon-bonded carbon fiber [CBCF] insulation for radioisotope space power systems. 64-07071A
- Wei, Min-min See Li, Zhong-he
- Weibel, Guido See Poeschel, Eva
- Weichert, T.
Application of basic refractories as regenerative lattices in kilns melting sodium-calcium-silicate glasses. 64-00272A
- Weichman, F. L.
Internal Schottky barriers in semiconductors. 64-04544A
- Weidner, A.; Baumburger, K.; and Dobrowsky, F.
New trends in the lining of rotary kilns. 64-03107A
- Weidner, Donald J. See Sawamoto, Hiroshi
- Weidner, Ulrich
Fluorine absorption from hot flue gases in the refractory industry. 64-04581A
- Weightman, R. S. See Smyth, R. L.
- Weiler, H.; Hamm, H.; and Hueller, Rolf
Processing of moist finely divided flue gas gypsums [power-station by-products]. 64-01746A
- Weinberg, Michael C. See Hornyak, Emery J.
- Weinberg, Michael C.; Nelson, George F.; and Uhlmann, Donald R.
Homogeneous vs heterogeneous crystal nucleation in Li₂O-2SiO₂ glass. 64-03271A
- Weinert, Robert W.; and Watt, Donald H.
Method for obtaining [glass-coated] oriented gold and piezoelectric films. 64-02422P
- Weinstein, Jerry G. See Lehman, Richard L.
- Weinstein, Paul; and Kelmacher, Barry L.
Method and apparatus for laser sizing of optical fibers. 64-04083P
- Weinstein, Paul; and Winter, Joseph
Laser sizing method and apparatus for fiber optic buffers. 64-01994P
- Weisman, Renee L. See Adwailparker, Avinash S.
- Weiss, Aby See Franke, Rudiger
- Weiss, Hans-Juergen See Pompe, Wolfgang
- Weiss, Zdenek; and Dorovic, Slavomir
Polytypism of pyrophyllite and talc: II. Classification and X-ray identification of MDO polytypes. 64-05498A
- Weisser, Wolfgang See Koenig, Rainer
- Weissert, Helmut; and Hegemann, Karl-Rudolf
Method of producing calcium sulfate semihydrate in conjunction with the desulfurization of flue gases. 64-03143P
- Weisweiler, W.; and Hoffmann, R.
Effect of water vapor on the calcination of limestone in a fluidized bed reactor. 64-01710A
- Welch, J. M.; Miller, R. L.; and Flinn, J. E.
Immobilization of Three-Mile Island [Pennsylvania] core debris. 64-05330A
- Weller, S. W. See Duncombe, P. R.
- Welsh, Gabriele See Doenitz, Fritz-Dieter
- Welsh, Gerhard See Moeller, H.-Joachim
- Welsh, A. W.
Ceramic [colloidal SiO₂-impregnated fiber] hob. 64-06477P; Electric hobs. 64-06349P
- Weltlich, Gary P.; and Wagner, Gary G.
Microfinish measurement apparatus and technique. 64-01068P
- Welzer, J. T. A. M.; Stijtes, T. G. W.; and Van Der Meer, A. B. D.
Method and holder for the manufacture of annular [ferromagnetic] cores. 64-00980P
- Wen, Shu-lin; Jefferson, D. A.; and Thomas, J. M.
Grain boundaries of SiO₂N₄ [studied] by HREM [high-resolution electron microscopy]. 64-05544A
- Wendt, W.; Gottschling, J.; and Staudte, B.
Nickel oxide mixed catalysts: XI. Surface chemical properties of NiO/SiO₂ catalysts. 64-01430A
- Weng, Zhen-pei See Li, Zhong-he
- Wenz, Wilhelm See Buss, Dietrich
- Werdecker, Waltraud See Aldinger, Fritz
- Werdecker, Waltraud; and Aldinger, Fritz
Aluminum nitride—an alternative ceramic substrate for high-power applications in microcircuits. 64-03747A
- Werdecker, Waltraud; Aldinger, Fritz; and Nitsche, R.
Tubular components of densely sintered [AlN] ceramic materials. 64-07297P
- Werne, Lars See Mench, Larry L.
- Wernicke, Rolf See Hagemann, Hans J.
- Wernisch, Johann; and Tiller, Gottfried
Influence of the composition of sintered MgO on its electrical insulating behavior. 64-02126A
- Weroniski, A.; and Kelibinski, J.
Effect of technical factors on deformations of large rotary kilns. 64-03614A
- Werrmann, Rudolf
Double extrusion process use in production of 1.6 NF elevated-hole brick finding and experience. 64-00435A
- Werthmann, R.; and Hoppe, R.
Oxides of the new formula type (A(TO))—KLi₂SiO₃, KLi₂GeO₃, and KLi₂TiO₃. 64-01560A
- West, Anthony R. See Milne, S. J.
- West, Gary A. See Gupta, Arunava
- West, H. W. H.; Ford, R. W.; and Peake, F.
Panel freezing test for brickwork. 64-02045A
- Westermann, Lothar; Wasel-Nielsen, H.-D.; and Sorbe, Guenther
Method for cleaning a glass surface with solutions of dissolved pelleted components containing high-molecular-weight polyphosphates, carbonates, and acid-forming substances. 64-03400P
- Westmark, H.; and Puff, H.
Nondestructive testing of thermal shock resistance of SiC kiln furniture. 64-04978A
- Weston, R. H. See Salhi, A.
- Westphal, Glenn H.; and Sherer, Jimmie B.
Arsenic cell stabilization valve for gallium arsenide in situ compounding. 64-07406P
- Weterings, Cornelis A. M.; and Janssen, Johannes A.
Process for recovering a uranium-containing concentrate and purified phosphoric acid from a wet-process phosphoric acid containing uranium. 64-06752P
- Wey, Raymond See Bourgeois, Michel
- Whalen, P. J.; and Blum, John B.
Thick-film adhesion testing—effect of soldering techniques and pad geometry. 64-02344A
- Whalen, Thomas J.
HIPing of SiC. 64-04283A
- Whalley, Leslie A.
Cutting devices for tiles. 64-06805P
- Whang, Sung-Yeon See Lee, Eung-Sang
- Whitmore, Roger W.; and Young, Iain M.
Application of lithium tetraborate to SAW [surface acoustic wave] devices. 64-06701P
- Wheat, T. A. See Ahmad, A.
- Wheeler, Edward S.
Glaze-to-pin connection for a high-voltage direct-current insulator with embedded metal fitting. 64-06621P
- Wheeler, Jennifer M.
Ceramic capacitors and [Pb,Mg niobate] dielectric compositions. 64-06597P; Ceramic capacitors and dielectric compositions. 64-02351P
- Wheeler, Jennifer M.; and Jackson, D. A.
Dielectric compositions. 64-06612P
- Wheelock, Kenneth S.
Thermally stable [catalyst support] mixed oxide gels. 64-04444P
- Wheelock, Kenneth S.; and Schucker, Robert C.
Hydrocarbon treating processes using perovskite-containing [ABO₃] catalytic compositions. 64-07232P
- Whitchard, G.; and Day, Delbert E.
Glass formation and properties in the gallia-calcia system. 64-01852A
- Whitaker, Ranaid O.
Solar power system utilizing optical fibers, each fiber fed by a respective lens. 64-02022P
- Whitaker, Todd E. See Matthews, William G.
- White, C. W. See McHargue, C. J.; Sales, B. C.
- White, D. See Rehal, J. S.
- White, Elizabeth L. See Nakagawa, Zenbee
- White, Grady S. See Freiman, Stephen W.
- White, J. F. C.
Preheater technology successfully applied to quicklime production. 64-03119A
- White, Joe L. See Hem, Stanley L.
- White, P. J.; and Shepherd, D.
Forced-air heating and cooling—the key to reducing decoration firing energy costs. 64-05465A
- White, Paul See Fegley, Bruce, Jr.
- White, Robert N. See Uffner, William E.
- White, S. H.; Shaw, H. F.; and Huggett, J. M.
Use of backscattered electron imaging for the petrographic study of sandstones and shales. 64-04228A
- White, William B. See Chess, Daniel; Freeborn, W. Phelps; Troester, Joseph W.
- Whitehouse, R. G.
Development of low thermal mass furnaces. 64-04675A
- Whitton, D. L. See Mabie, C. P.
- Whiteside, D. See Newman, A. J.
- Whitley, Thomas J.
Filter connector with discrete [Ba-titanate] particle dielectric. 64-02364P
- Whitt, William D. See Aldrich, Billy R.
- Whitman, Thomas V. See Casci, John L.
- Whitmore, Dwight S.; and Michael, David J.
Slide gates [Al₂O₃-based]. 64-05032P
- Whitmore, Owen J.; and Varela, Jose Arana
Initial sintering of MgO in several water vapor pressures. 64-07124A
- Wichelhaus, Winfried; and Schroeder, Christine
Hollow spherical bodies of solidified alkali metal silicate. 64-06362P

- Wichmann, R.; and Mueller-Buschbaum, H.
Synthesis and investigation of NiNbO_4 single crystals of columbite and rutile type. 64-01582A
- Wick, Wilhelm See Bienen, Heinz
- Wicker, A.
Beta-alumina for sodium-sulfur batteries. 64-01178A
- Wicks, George G. See Plodinec, M. John
- Wickstead, C. See Finch, P. J.
- Wiech, Raymond E.
Method of forming $[\text{Al}_2\text{O}_3]$ substrates. 64-06643P
- Wiedemann, L. See Rykken, L. E.
- Wiedemeier, H.; and Uspurski, A. E.
Thermochromic properties and vapor growth of $\text{Hg}_{1-x}\text{Cd}_x\text{Te}$ on CdTe . 64-01589A
- Wiederhorn, Herman H.; and Clawson, Arthur R.
Process for making $[p\text{-type Ga-In-As}]$ heterojunction source-drain insulated gate field-effect transistors utilizing diffusion to form the lattice. 64-00801P
- Wiederhorn, Sheldon M. See Lawn, Brian R.
- Wieder, Wolfgang See Stade, H.; Stadelmann, Christian
- Wiele, Robert W.
Device for positioning a plug for repairing panes of glass. 64-04029P
- Wierenga, P. E.; Broer, D. J.; and Van der Linden, J. H. M.
Mechanical characterization of optical-fiber coatings by ultramicro-indentation measurements. 64-05424A
- Wiese, John R. See Clauss, Harry G.
- Wigen, P. E.
Microwave properties of magnetic garnet thin films. 64-05303A
- Wight, T. D. B.; and Walker, D. J.
Computer-aided design for ceramic kilns. 64-06933A
- Wightman, E. M. See Hancock, R. G. V.
- Wilbert, H.-P. See Schulze, G. E. W.
- Wild, S. See Leng-Ward, G.
- Wild, W.; and Landgraf, G.
Burnishing gold $[\text{on glass}]$ compositions. 64-03737P
- Wilde, Eugen See Goessler, Gerhard
- Wilder, J. A. See Bunker, B. C.
- Wilder, J. G.
Porous silica AR $[\text{antireflective}]$ coating on at 248 or 266 nm. 64-01447A
- Wiles, L. E. See McKee, R. W.
- Wiley, C. L. See Peterson, Norman Lee
- Wiley, Donald E. See English, Gary F.
- Wilkie, Robert R.; and Cook, Charles S.
Blow mold. 64-01976P
- Wilkinson, E. Louis See Buck, Daniel M.
- Wilkinson, T. L.
Future uses of glass containers—a marketing view. 64-00297A
- Will, H. A. See Powell, J. A.
- Willard, G. Fred; and Hutchings, David A.
Formation of molded glass fiber parts from glass fiber blankets and product. 64-06354P
- Willer, B. See Larere, Y.
- Williams, D. E. See Tofted, B. C.
- Williams, David S. See Levinstein, Hyman J.
- Williams, Digby F. See Das, S. R.; Webb, James B.
- Williams, Douglas F. See Caldwell, William E.
- Williams, F. See Kottke, T.
- Williams, J.
Coating $[\text{hardening}]$ a surface of a fiber blanket. 64-03700P
- Williams, J. M. See McHargue, C. J.
- Williams, John R. See France, Paul W.
- Williams, Joseph C.; Garmon, Jeff P.; and Biswas, Dipak R.
Method of an arrangement for coating optical fibers with metallic materials. 64-02002P
- Williams, L. M.; and Hess, D. W.
Photoelectrochemical properties of plasma-deposited TiO_2 thin films. 64-05148A
- Williams, Michael Z. See Palmer, Kent F.
- Williams, R. T. See Bedford, K. L.
- Williams, Richard J.; and Mullins, Oscar
Feedthrough seal for high-pressure vessel. 64-03779A
- Williams, Richard S. See Hartman, Robert L.
- Williams, Robert J. See McKay, Glen
- Williams, Robert M.
Closed-loop fuel-feed system for multiple direct-fired burners. 64-02681P
- Williams, Thomas C. See Schilling, Curtis L., Jr.
- Williams, W. David See Dickinson, J. Thomas
- Williams, Wendell S. See Ramberg, Jeffrey R.; Sharma, N. K.
- Williams, William J.
Combined bow and lid. 64-01684P
- Williamson, Thomas R., III
Lithium/copper oxide or lithium/cadmium oxide organic electrolyte cell. 64-02378P
- Willston, William H.
Method of manufacturing composite grinding wheel. 64-06017P
- Willner, I.
Solar hydrogen—fuel of the future $[\text{by photoelectrolysis using ceramic electrodes}]$. 64-03827A
- Willoughby, A. F. W. See Wats, D. J.
- Wills, Roger R.; and McCoy, John Kevin
Interface-reaction-controlled kinetics in the hot isostatic pressing of submicrometer alumina powder. 64-05743A
- Wilshire, B. See Fitchett, A. M.
- Wilson, C. J. See Cockram, D. R.
- Wilson, C. M. See Lubana, N. C. H.
- Wilson, D. M. See Buchanan, Relva C.
- Wilson, D. R. See Lowe, J. C.
- Wilson, David A. See Crump, Druce K.
- Wilson, Eddie K., Sr.
Process $[\text{melting}]$ and apparatus for producing hydraulic cements. 64-00070P
- Wilson, Herbert L. See Gutierrez, William A.
- Wilson, I. H. See Maydell-Orndusz, E. A.
- Wilson, James M.
Temperature-stable monolithic capacitor compositions. 64-03911P; Temperature-stable monolithic capacitors and ceramic compositions for producing same. 64-03912P
- Wilson, June See Hensch, Larry L.
- Wilson, K. J. See Sinnadurai, N.
- Wilson, M. J. See Nadeau, P. H.
- Wilson, Randall B. See Besomi, Paul R.
- Wilson, Robert C., Jr. See Angevine, Philip J.
- Wilson, S. J.
Viscosity measurements on infrared-transmitting glasses. 64-06333A
- Winckler, U. See Ebersbach, U.
- Winde, Harald See Schnapp, Juergen D.
- Winder, S. M.; and Lewis, Michael H.
Nitrogen content of the intergranular glass phase in Sialon ceramics. 64-07137A
- Windle, G. V.
Full-scale evaluation of a producer gas-fired glass furnace. 64-03442A
- Window, B. See Yin, Zhiqiang
- Window, B.; and Harding, G. L.
Progress in the materials science of all-glass evacuated collectors. 64-04819A
- Windt, David L.; and Bach, Bernhard
Ion-beam-deposited silicon carbide on glass optics and replica gratings. 64-02786A
- Winful, Herbert G.
Optical $[\text{InSb}]$ pulse generator. 64-03898P
- Wingefeld, G.; and Hoppe, R.
Structure of Ba_2WO_6 and Ba_2MoO_6 . 64-07389A
- Winkelbauer, Howard M.; Hill, Kenneth W.; and Wang, Ke-Chin
Preparation and composition of Sialon grain and powder. 64-04410P
- Winkelbauer, Howard M.; and Wang, Ke-Chin
Fused $[\text{Sialon-coated}]$ silica shapes. 64-06483P
- Winkler, G.; and Hansen, P. (Editors)
International Magnetism Conference INTERMAG Digest. 64-03041B
- Winkler, Karl-Guenther See Altmann, Heinz-Dieter
- Winnubst, A. J. A. See Blasse, G.
- Winnubst, A. J. A.; and Burggraaf, A. J.
Preparation and electrical properties of a monophase $\text{ZrO}_2\text{-Y}_2\text{O}_3\text{-Bi}_2\text{O}_3$ solid electrolyte. 64-0696A
- Winter, John A. See Lane, Edward S.
- Winter, Joseph See Weinstein, Paul
- Winter, William E., Jr. See Eberly, Paul E., Jr.
- Wizajali, Milton E.
Particulate dialytic silica. 64-05886P
- Winzer, Dieter See Ruether, Horst-Peter
- Winzer, Frederick W. See Gardner, Edward B.
- Wirth, L. See Eschner, A.
- Wirthwein, Rudiger
Wet ashes as cement powder component. 64-03136A
- Wiseman, Gary H. See Seyferth, Dietmar
- Witlow, H. J. See Erola, M.
- Witte, Hans-Hermann
Optical star coupler and the method of making. 64-02015P
- Witter, K. See Hansen, P.
- Wittmeier, W.
Electronic control produces optimum extrusion velocity. 64-06767A
- Woermann, E. See Limbert, Ulrike
- Woinnier, T.; and Phalippou, Jean
Reaction of water with monolithic gels during the gel-glass conversion. 64-06242A
- Wojnarovits-Hrapka, Ilona
Aqueous corrosion of synthetic inorganic fibers: I, Basalt wool. 64-04774A; Aqueous corrosion of synthetic inorganic fibers: II, Examination of TEL glass wool. 64-04705A; Characterization of the crystallization of basalt wool. 64-03416A; See also Hegyi-Pako, Julia
- Wojnarovits-Hrapka, Ilona; and Barna, Arpad
Influence of iron oxides on the crystallization of basalt fibers. 64-03274A
- Wojtasinski, R.; Johnson, R. W.; and Galeczum, R.
Radar cuts subsoil survey costs. 64-02613A
- Wolak, Ronald G.
Temperature-sensing structure for a furnace. 64-06847P
- Wolczko, A. See Lipinski, M.
- Wolf, Dieter
Comparison of the calculated properties of high-angle (001) twist boundaries in MnO , FeO , CoO , and NiO with MgO . 64-07448A
- Wolf, Georg
Ceramic burner for a hot blast stove. 64-00539P
- Wolf, Gerhard D. See Sirinyan, Kirkor
- Wolf, Robert A.
Clamping means for matrix in radiant gas burner. 64-04170P
- Wolfe, Cynthia F. See Ramberg, Jeffrey R.
- Wolfe, Robert W.; and Cleveland, Joseph J.
Method for making sintered silicon nitride articles. 64-01320P; Method of preparing silicon nitride articles for sintering. 64-01329P; Process for sintering silicon nitride articles. 64-01353P
- Wolfenstein, Jeff; Dimos, Duane; and Kohstedt, David L.
Decomposition of Ni_2SiO_4 in an oxygen potential gradient. 64-07315A
- Wolter, Albrecht See Herchenbach, Horst
- Wolter, Albrecht; and Herchenbach, Horst
Method and apparatus for burning cement clinker. 64-04665P
- Won, Hui-Jun See Yo, Chul-Hyun
- Won, K. J. See Curlet, N. W. E.
- Wong, David See Richmond, Iain J.
- Wong, J. See Rao, K. J.
- Wong, K. K. See Clark, D. F.
- Wood, Charles; Lockwood, R. Addis; and Chmielewski, Arthur B.
High-temperature Hall-effect apparatus. 64-06873A
- Wood, Charles; Lockwood, R. Addis; and Shimada, Katsumori
Determining thermal diffusivities of radiating specimens. 64-05411A
- Wood, Charles L.; Mapes, Glenn H.; and Daudt, Stephen W.
Power failure detection system for a glassware forming machine. 64-00412P
- Wood, Overt R., II; Craighead, Harold G.; and Sweeney, Jane E.
Vacuum uv loss in magnesium fluoride films. 64-03843A
- Woodhead, James L.; and Segal, David L.
Application of sol-gel processing to ceramic development. 64-06754A
- Woods, M. E.; Mandler, William F., Jr.; and Scofield, T. L.
Designing ceramic insulated components for the adiabatic engine. 64-04262A
- Woolfrey, J. L. See Reeve, K. D.
- Wooten, Frederick
Reflectivity of uniaxial absorbing crystals. 64-04564A
- Word, William See Foley, Patrick
- Worrall, W. E. See Sulaiman, I. S. M.
- Wozniak, H.
Pneumoconiosis morbidity and the fibrosis-inducing properties of dust occurring during production of terralite brick. 64-04586A
- Wozniak, I.; and James, Peter Finlay
Glasses with low softening points in the $\text{Na}_2\text{O-BaO-B}_2\text{O}_3$, $\text{NaF-BaO-B}_2\text{O}_3$, and $\text{BaO-B}_2\text{O}_3\text{-V}_2\text{O}_5$ systems. 64-03264A
- Wright, Harold See Wear, Frank
- Wright, Jeffrey F.
Overseas advances in porcelain enameling. 64-00103A
- Wright, P. J. See Cockayne, B.
- Wright, P. W.
Reactions of zircon refractories with molten steel. 64-06463A
- Wrobel, Z.
Space-charge-limited currents in ferroelectric solids: I. Fundamental assumptions and results of the theory. 64-05282A
- Wroblek, James T.
Process for preparing phosphorus-vanadium mixed oxide catalysts. 64-07270P
- Wu, Carl C.; McKinney, Karl R.; and Lewis, David
Grooving and off-center crack effects on applied-moment double-cantilever-beam tests. 64-01017A
- Wu, Hui Z.; Vest, Robert W.; and Carol, Robert G.
Low-TCR $[\text{temperature coefficient of resistance}]$ thick-film resistors on POS $[\text{porcelain-on-steel}]$ substrates. 64-05123A
- Wu, Hui-fang See Qin, Chen
- Wu, Jenn-ming; Cannon, Warren R.; and Panzer, Carlino
Castable glass-ceramic composition useful as dental restorative. 64-06343P
- Wu, Ji-sen; Guan, An-min; and Sun, Yi-lin
Electrical properties of Na in GaAs. 64-05082A
- Wu, Lin-sheng See Cheng, Ji-jian
- Wu, Lung-ming See Johnson, Ronald E.
- Wu, Shun Jackson; De Jonghe, Lutgard C.; and Rahaman, Mohammed N.
Subeutectic densification and second-phase formation in $\text{Al}_2\text{O}_3\text{-CaO}$. 64-07390A
- Wu, Shy-Hsien
Method of producing a cellular ceramic body. 64-01330P
- Wu, Su-xing See Brook, Richard J.
- Wu, Su-xing; Gilbert, E.; and Brook, Richard J.
Solid-state sintering—the attainment of high density. 64-07174A
- Wu, Wen-long See Chou, Kan-sen
- Wu, Yao-an See Yu, Jin-liang
- Wu, Yao-ban; Liao, Jing-yang; and Yu, Jin-liang
Etching pattern of barium sodium niobate crystals. 64-05096A
- Wu, Yu-qin See Guo, Chang-lin
- Wu, Zhao-q; and Young, J. Francis
Hydration of tricalcium silicate in the presence of colloidal silica. 64-03096A
- Wuensch, B. J. See Yoo, Han-Il
- Wuerz, U. See Doepkens, J.
- Wuestner, Helmut
Wear testing method for the assessment of cement raw materials. 64-01765A
- Wulff, Peter
Hand glass plant fights back. 64-04796A
- Wunning, Joachim
Measuring device for the determination of the activity of carbon in furnace atmospheres. 64-02641P
- Wusirika, Raja
Problems associated with the melting of oxynitride glasses. 64-01890A
- Wyant, James C. See Chen, Chungte W.

- Wydeven, T. See Johnson, C. C.
 Wyman, F. M. See Beatty, R. L.
 Wysocki, B.; Prange, R.; and Moller, K.
 Dolomite refractory compositions. 64-03702P
- Xaana, Masamud M. See Guglielmi, M.
 Xavier, Celso; and Da Costa, Carlos R. C.
 Mechanical behavior of alumina plates under ballistic impact. 64-02792A
- Xeller, H.
 Evolution of burning technology in the cement industry and requirements applicable to the refractory lining. 64-01713A
- Xie, Qing-sheng See Li, Xi-shan
 Xie, Shao-zhan
 Structural causation of phase separation in $\text{Na}_2\text{O}-\text{B}_2\text{O}_3-\text{SiO}_2$ glasses. 64-06260A
 Xie, Juna-juan See Hou, Li-song
 Xie, Song-shan
 Interfacial bonding in cement-based composite materials. 64-06101A
 Xu, Hong-fu See Do, Dong-yu
 Xu, Ji-zhi See Chen, Wen-hao
 Xu, Jie See Sheng, Xu-min
 Xu, Jie-jie See Cheng, Ji-jian
 Xu, Run-yuan
 New method for poling ferroelectric single crystal LiNbO_3 . 64-00832A
 Xu, Su-ying See Zhuang, Han-rui
 Xu, Wen-xia See Xue, Jun-gan
 Xu, Yu-zeng See Zhang, Shou-qing
 Xue, Jun-gan; Xu, Wen-xia; and Ye, Ming-xun
 Liquid phase separated from the pores of hardened cement paste. 64-06104A
- Yachenskii, A. V. See Chubinitze, V. A.
 Yadamchenko, N. M. See Shvartsman, M. Z.
 Yaegashi, Satoshi See Ikuma, Yasuro
 Yafnev, N. R. See Bukharov, A. A.
 Yaguchi, Takayoshi See Kimura, Yuji
 Yager, T. A.; and Kingery, W. David
 Defect association in MgO . 64-07316A
 Yagi, Hideichi See Yang, Wei Yi
 Yagi, Takao See Katase, Denji; Naruse, Yoichi
 Yaguchi, Masachika See Minagawa, Yukinori
 Yabagi, Kichinosuke See Nagasawa, Kaya
 Yajima, K.; and Yamaguchi, T.
 Microstructure of glass-bonded Ag thick-film conductors. 64-03800A
 Yajima, Kiyoshi See Suzuki, Naomichi
 Yajima, Kozo See Tanemura, Fumikazu
 Yajima, Seichi; Noda, Akiko; and Okamura, Kiyohito
 Continuous $[\text{Si}_2\text{Zr}$ oxy-carbide] inorganic fibers and process for production thereof. 64-07216P
 Yakhkind, A. K.; and Chebotarev, S. A.
 Optical constants and the structure of tellurite-halide glasses with Ba and Cd halides. 64-03315A
 Yakovlev, V. V. See Kazantseva, L. V.
 Yakusheva, N. A. See Maronchuk, Yu. E.
 Yakushige, Noriyuki See Isoda, Masao
 Yakushiji, Shigenori See Isaka, Susumu
 Yalanski, S. T.; Scherbinin, R. O.; and Belokry, G. A.
 Intensification [by adding surfactants] of combined grinding of magnesite and chromite in tubular mills. 64-02128A
 Yale, Ramon L. See Mathers, James E.
 Yamada, Hiroshi See Usami, Jun
 Yamada, Hisao
 Viscous creep deformation of polycrystalline CaTiO_3 at elevated temperatures. 64-02843A
 Yamada, J. See Akiyama, M.
 Yamada, Jun
 Surface acoustic wave [piezoelectric] apparatus with a variable amplitude-frequency characteristic. 64-02447P
 Yamada, Kazuji See Shimada, Satoshi
 Yamada, Masatoshi; Furuta, Akio; and Matsuo, Hiroo
 Observation of the fine structure of γ -alumina using electron microscopy. 64-01556A
 Yamada, Noboru See Takemura, Mutsuo
 Yamada, Osamu See Miyamoto, Yoshinari
 Yamada, Osamu; Miyamoto, Yoshinari; and Koizumi, Mitsue
 High-pressure self-combustion sintering of silicon carbide. 64-04386A
 Yamada, Osamu; Shimada, Masahiko; and Koizumi, Mitsue
 High-pressure hot-pressing of AlN ceramics without additives. 64-04285A
 Yamada, Shiroshi See Ogawa, Yutaka
 Yamada, Sumio See Fujiwara, Yoshio
 Yamada, Takao See Ueyama, Tamotsu
 Yamada, Tetsuo See Iwai, Tadashi; Kawahito, Takashi
 Yamada, Tetsuo
 Oxygen sensor [ceramic heater]. 64-05237P; Oxygen sensor [ceramic]. 64-05238P
 Yamada, Tetsuo; and Nakayama, Yutaka
 Oxygen sensor [O₂ diffusion-based solid-state]. 64-03901P
 Yamada, Tomoaki See Hirono, Takashi
 Yamada, Tsutomu See Maeda, Takuya
 Yamada, Yasufumi; Kawachi, Masao; and Yano, Mitsuo
 Carbon-dioxide-laser processing of porous glass layers for optical waveguides. 64-04775A
 Yamaga, Mitsuo; and Miyazaki, Yasumitsu
 Rf sputtering crystal growth and spectroscopy of Nd-doped $\text{Y}_2\text{O}_3/\text{Al}_2\text{O}_3$ thin-film waveguide on $\text{Y}_2\text{O}_3/\text{Al}_2\text{O}_3$ substrate for optical amplifier. 64-02335A
 Yamaga, Shigeki See Yoshikawa, Akihiko
- Yamagishi, Chitake See Tsukamoto, Keizou
 Yamagishi, Takashi See Noguchi, Yukio; Shimizu, Masayoshi
 Yamagishi, Takashi; and Noguchi, Yukio
 Thallium-containing optical glass. 64-03405P
 Yamaguchi, Akira
 Behaviors of SiC and Al added to carbon-containing refractories. 64-04921A; Control of oxidation-reduction in $\text{MgO}-\text{C}$ refractories. 64-04929A
 Yamaguchi, Chiyomi See Kiriya, Takashi
 Yamaguchi, Kenji
 Particle shape indices for particle technology. 64-04561A
 Yamaguchi, Nobutaka; and Fujiyama, Masaaki
 Magnetic recording [abrasive and $\alpha\text{-Fe}_2\text{O}_3$] medium. 64-00868P
 Yamaguchi, Osamu; Kanazawa, Tatsu; and Yokoigawa, Masami
 Formation of alkoxy-derived $3\text{Al}_2\text{O}_3 \cdot 2\text{GeO}_2$. 64-04460A
 Yamaguchi, Osamu; Matsui, Kazuhiko; and Shimizu, Kiyoshi
 Crystallization of hexagonal BaNb_2O_6 . 64-07313A
 Yamaguchi, Osamu; Niimi, T.; and Shimizu, Kiyoshi
 Formation and transformation of BaGeO_3 . 64-01402A
 Yamaguchi, Osamu; Sasaki, Hiroto; and Sogura, Koji
 Formation and transformation of SrGeO_3 . 64-03781A
 Yamaguchi, Osamu; Sugura, Koji; and Mitsui, Akihiko
 New compound in the system $\text{La}_2\text{O}_3-\text{Al}_2\text{O}_3$. 64-04476A
 Yamaguchi, Osamu; Sugura, Koji; and Muto, Masahiko
 Metastable form of Pb_2GeO_5 . 64-01424A
 Yamaguchi, Osamu; Sugura, Koji; and Shimizu, Kiyoshi
 Metastable modification of Y_2GeO_7 . 64-05751A
 Yamaguchi, Osamu; Sugura, Koji; and Tanaka, M.
 Modification of PbGeO_4 . 64-01427A
 Yamaguchi, Shigeo; and Okutsu, Tadayoshi
 Process for producing a prepreg of a glass fiber cloth. 64-04875P
 Yamaguchi, Shunzo See Yoshida, Hitoshi
 Yamaguchi, Shunzo; Fukazawa, Takeshi; and Atsumi, Maritiro
 Exhaust [ceramic resistor diesel] gas cleaning apparatus. 64-05616P
 Yamaguchi, T. See Yajima, K.
 Yamaguchi, Takashi See Kimura, Toshio
 Yamaguchi, Tomohiro See Oishi, Izumi
 Yamai, Iwao; and Oota, Toshitaka
 Low-thermal-expansion polycrystalline zirconium phosphate ceramic. 64-07128A
 Yamamaka, H.
 Ceramic [and organic] fiber blanket. 64-00538P
 Yamamoto, Akira
 Process for preparing silicon carbide whiskers. 64-04418P
 Yamamoto, Fumio See Kawakatsu, Akira
 Yamamoto, Isao See Watanabe, Akira
 Yamamoto, K. See Arika, J.
 Yamamoto, Kimiaki
 Light absorptive film [on glass substrate] having an antireflecting property. 64-01995P
 Yamamoto, Masafumi
 Process for manufacturing ceramic fibers consisting mainly of alumina and silica. 64-05646P
 Yamamoto, Minoru; Sakata, Jiro; and Doi, Haruo
 Method for preparation of porous glass film. 64-06376P
 Yamamoto, Noboru See Shikigawa, Hideo
 Yamamoto, Noriyoshi See Kawamura, Hideo
 Yamamoto, Ryuichi; Koshino, Takashi; and Nagae, Hajime
 Moisture expansion of fired clay products: III. Clay bodies containing feldspar or silica. 64-06523A
 Yamamoto, Shigehiko See Taguchi, Sadanori
 Yamamoto, Shunichi See Uemura, Seiichi
 Yamamoto, T. See Takagi, S.
 Yamamoto, Takao See Ichikawa, Yasushi
 Yamamoto, Tomoyuki See Shikama, Takashi
 Yamamoto, Toshiyuki See Itatani, Kiyoshi
 Yamamoto, Tsutomu; Ashizawa, Masaaki; and Nishimoto, Kazuo
 Gasket and method for [vermiculite/fiber] high-temperature and high-pressure application. 64-00550P
 Yamamoto, Tsutomu; Ashizawa, Masaaki; and Shimoda, Tutsu
 Heat-resistant [wollastonite-layered] sheet gasket [composites]. 64-02865P
 Yamamoto, Yoshifumi; and Koto, Osamu
 Effect of manganese(II) chloride and manganese(IV) oxide on the behavior of silver-silver oxide electrode. 64-00649A
 Yamamoto, Yoshihiro See Tanaka, Hiroshi
 Yamamoto, Yoshihiro; and Sakurai, Kenji
 Ceramic material [$\text{Al}_2\text{O}_3/\text{TiN}$ -based] for cutting tools and process for the production thereof. 64-07213P
 Yamamoto, Yoshihiro; Suzuki, Junichiro; and Nakamura, Minoru
 Process for producing titanium nitride-based cermets with high toughness. 64-07273P
 Yamamura, Hiroshi
 Development of PLZT [$\text{Pb}-\text{La}$ zirconate titanate]. 64-05259A; See also Haneda, Hajime; Shirasaki, Shinichi
 Yamanaka, Hiroaki; Ikeda, Masakazu; and Ito, Hidenobu
 Automatic gunning system for basic oxygen furnace. 64-03991A
 Yamanaka, Hiroaki; Ikeda, Masakazu; and Sawano, Miyoshi
 Hot-testing methods of gunning materials for BOF. 64-03631A
- Yamanaka, Hiroaki; Ikeda, Masakazu; and Tamura, Shinichi
 Wear mechanism of monolithic refractories for steel ladles. 64-02231A
 Yamanaka, Hiroshi See Wakabayashi, Hajimu
 Yamanaka, Shoji; Akagi, Junichi; and Hattori, Makoto
 Reaction of Pyrex-type borosilicate glass with water in autoclave. 64-06241A
 Yamane, Masayuki See Inoue, Satoru
 Yamane, Toshio See Kawakami, Tatsuo; Sato, Masaaki
 Yamanishi, Toru; Tsuneshi, Katsuyuki; and Yoshida, Mamaki
 Method for coating optical transmission glass fibers. 64-04859P
 Yamao, Hiroshi See Uedaira, Satoru
 Yamaoka, Nobutatsu See Masuyama, Masaru
 Yamaoka, Nobutatsu; Tsukada, Akira; and Sasazawa, Kazuo
 Semiconductive [SrTiO_3] ceramic compositions with a non-linear volt-ampere characteristic, and process for preparing coherent bodies of such compositions. 64-06666P
 Yamasaki, Yasuo See Onodera, Tamio
 Yamasaki, M.; and Koda, A.
 Furnace [refractory fiber block] wall. 64-00548P
 Yamasaki, Toshiharu
 Contrast enhancement [glass] filter for color CRT display devices. 64-06280P
 Yamasaki, Y. See Handa, K.
 Yamashita, Kohji See Okamoto, Hideo
 Yamashita, Kohji; and Nishio, Kenichi
 Fiber-reinforced metal composite material. 64-06149P
 Yamauchi, Hidetoshi See Enomoto, Ryo
 Yamauchi, Shigeru See Matsura, Takashi
 Yamaura, Tatsuo See Hikida, Chiechi
 Yamazaki, Koji See Hamano, Kuniyuki
 Yamazaki, Tamotsu; and Hino, Mitsuo
 Characteristics of abrasive grains. 64-01641A
 Yamazoe, Toshihiro
 Application of ultrasonic waves to piezoelectric ceramics. 64-02426A
 Yamashiki, M. See Iona, E.
 Yan, Dong-sheng See Huang, Zhen-kun; Sun, Wei-yang
 Yan, K. L. See Balba, I. S.
 Yan, Man F.; and Rhodes, Warren W.
 Efficient process for volume production of TiO_2 varistor powder. 64-00654A
 Yanadori, Michio; Miyamoto, Seigo; and Koike, Keiichi
 Heat storage material [SrO and Ca -based]. 64-01498P
 Yanagida, Hiroaki
 Material design in functional ceramics. 64-02318A; 64-01616A; See also Koizumi, Mitsue; Miyayama, Masaru; Ohara, Yoshinobu
 Yanagisawa, Takanori See Nishida, Minoru
 Yanai, Toshiharu See Kandachi, Takayoshi
 Yanase, Shinji See Kawai, Kyosuke
 Yang, Der C.
 High-speed automatic brickmaking machine. 64-06437P
 Yang, Jin-quan See Chen, Zhong-zhang
 Yang, Kang
 Catalyst [BF_3 or SiF_4 with metal alkoxides] for alkoxylation reactions. 64-02852P
 Yang, L. J. See Roy, Rustum
 Yang, Li J.; Komarneni, Sridhar; and Roy, Rustum
 Leach resistance of N2P [$\text{NaZr}_2(\text{PO}_4)_3$] waste form. 64-05747A; Titanium phosphate (NTP) waste form. 64-05869A
 Yang, Lien C.
 Surface-moisture monitoring technique. 64-02621A
 Yang, Nan-ru See Zhong, Bai-qian
 Yang, Nan-ru; Wang, Zhan-wen; and Zhang, Cheng-jun
 Determination of the structure of calcium silicates by trimethylsilylation method. 64-00036A
 Yang, Shou-zhi See Zheng, Chuan-xiang
 Yang, Tian-long; and Yang, Bing-zhong
 Image reconstruction in the presence of phase interference by BSBS [stimulated Brillouin scattering] in an optical fiber. 64-06206A
 Yang, Wei Yi; Iwakuro, Hiroaki; and Yagi, Hideichi
 Oxidation of TIS, thin film [studied] by XPS. 64-05759A
 Yang, Zong-qing See Zhong, Wei-zhuo
 Yannopoulos, Lymprios N.
 Synthetic monazite-coated nuclear waste-containing glass. 64-02501P
 Yano, Junichi
 Magnetic separator. 64-00969P
 Yano, Mitsuki See Suzuki, Kazutomi
 Yarovskii, V. K.; Varonkova, V. I.; and Petrovskaya, T. P.
 Phase relationships and dielectric properties in the system $\text{KNbW}_2\text{O}_{10}-\text{K}_2\text{O}-\text{W}_2\text{O}_6$. 64-00686A
 Yanush, O. V. See Bondarenko, E. G.
 Yanush, O. V.; Kabanov, V. O.; and Karapetyan, G. O.
 Calculation of the refractive index and density of Na germanate glasses. 64-03196A
 Yao, Bing-zhong See Yang, Tian-long
 Yao, J. Q.; and Fahlen, Theodore S.
 Calculations of optimum phase match parameters for the biaxial crystal KTiOPO₄. 64-02974A
 Yao, Y.; Chu, B.-h.; and Sun, R.-m.
 Nb_2O_5 -doped ferroelectric semiconducting BaTiO_3 ceramics. 64-05136A
 Yarmolovich, A. A. See Mamedova, G. G.
 Yarmolovich, V. P. See Semchenko, V. K.
 Yashchishin, I. N.; and Babadzharyova, O. F.
 Ion distribution in surface layers of Sr-containing glasses as a result of interaction with SO_2 . 64-01862A

- Yas'kov, D. A. See Petrov, A. S.
- Yastremskaya, E. N. See Kalita, G. E.
- Yasu, Mitsuo See Yamada, Yasufumi
- Yasuda, Akira; Ito, Kenji; and Matsumoto, Yoshihiro Development of hot rolled sheet steel for enameling. 64-0674A
- Yasuda, Eiichi Problems in evaluation of mechanical properties. 64-05433A; See also Kimura, Shuichi
- Yasuda, Isao; Yoshino, Yoriobu; and Kawai, Yoshihiko Magnetic transducer [with glass member reinforcing coils]. 64-00870P
- Yasue, Tamotsu; Kishida, Isamu; and Arai, Yasuo Trial preparation of hardened bodies by gypsum dihydrates produced from phosphoric acid and desulfowaste products. 64-01764A
- Yasui, Heiji See Matsuo, Tetsuo
- Yasui, Itaru See Hasegawa, Hiroshi
- Yates, Raymond W. See Barnes, Andrew
- Yatsenko, S. P. See Fedorova, E. G.
- Yatskova, T. I. See Altukhov, A. M.
- Yatsuda, Hisao; and Miyazaki, Mutsumi Glass for a photomask. 64-03395P
- Yatsurugi, Yoshifumi Ultrapurification of monosilane gas for semiconductor production by use of zeolite. 64-05591A
- Yax, Michael J. Method for edge-grinding multifaceted lenses. 64-04860P
- Yazawa, Tetsuo See Tanaka, Hiroshi
- Ye, Hong-ming; Lao, Fa-sheng; and Li, Guo-zhen Composition, properties, and structure of Southern Song Guan [China] celadon ware. 64-00588A
- Ye, Ming-xun See Xue, Jun-gan
- Ye, Ya-gu; and Yu, Zhi-feng Photoluminescence process in Se and chalcogenide glass. 64-05151A
- Yefimov, Yu. V. See Savitskii, E. M.
- Yegorov, A. L. See Yezhovskii, Yu. K.
- Yeh, Pochi A. Christiansen-Bragg optical filter. 64-03508P
- Yeliseev, S. S.; and Malysheva, L. E. Synthesis and physicochemical properties of WOCl. 64-01467A
- Yelon, Arthur See Leclerc, Gervais
- Yen, Yi-Hsun; Zhu, Ling-Xin; and Zhang, Wen-De Pb-Te optical coatings. 64-03809A
- Yen, Yi-ming See Kuo, Chu-kun
- Yerance, John G., Jr. See Amendola, Albert
- Yerman, Alexander J. Electrical assembly including a [eutectic metal] conductor pattern bonded to a nonmetallic substrate and method of fabricating such assembly. 64-03867P
- Yermolenko, I. N. See Vitay, P. A.
- Yext, W. F. See Ellison, T. L.
- Yezhovskii, Yu. K.; Yegorov, A. L.; and Kol'tsov, S. I. Formation and structure of titanium-oxygen layers on the surface of tantalum. 64-04677A
- Yin, Bao-zhong; and Shen, Ju-yun Photochromic glasses studied by small-angle X-ray scattering. 64-06233A
- Yin, C. D.; Morikawa, H.; and Marumo, F. Coordination number of Ge atoms in Na₂O-GeO₂ glasses studied by chemical shift measurements. 64-04709A
- Yin, Qing-rui Measurements of temperature dependence of birefringence in PLZT composition 7/65/35 using the rotating-analyzer method. 64-05269A
- Yin, Z.-w. See Li, C.-e.
- Yin, Z.-w.; He, X.-m.; and Li, C.-e. Phase transition and properties of 7.9/70/30 PLZT transparent ceramic material. 64-05272A
- Yin, Zhiqiang; Harding, G. L.; and Window, B. Water-in-glass manifolds for heat extraction from evacuated solar collector tubes. 64-04838A
- Yin, Zong-min See Zhu, Song-lai
- Ying, Pao Granulation and drying of fly ash considered with the aid of a mathematical model. 64-01718A
- Yo, Chul-Hyun; Ko, Seok-Keun; and Won, Hui-Jun Nonstoichiometry and electrical conductivity of europium sesquioxide. 64-07354A
- Yoko, Toshinobu See Huang, Zhan Jie; Kamiya, Kanichi Yoko, Toshinobu; Kamiya, Kanichi; and Ishino, Yoshihiro Copper-alkali ion exchange of alkali aluminosilicate glasses in molten CuCl₂-ion exchange controlled by the Cu²⁺-Cu⁺ oxidation reaction in glass. 64-00154A
- Yoko, Toshinobu; Kamiya, Kanichi; and Sakka, Sumio Hydrolysis of silicate, phosphate, and borate glasses in an autoclave. 64-06204A
- Yokoi, Hiromasa See Yoshimura, Tatsushiro
- Yokoi, Shinichi; and Ito, Tsuneo Ceramic heater. 64-03855P
- Yokoigawa, Masami See Yamaguchi, Osamu
- Yokokura, Shuichi How washing affects returnable bottles. 64-04800A; Relationship between internal pressure and resistance to thermal shock of glass containers. 64-03479A; Thermal shock resistance of returnable glass containers. 64-03492A
- Yokomizo, Yuji See Uno, Shigeki
- Yokomizo, Yuji; Yuuki, Keiji; and Watanabe, Naoto Humidity sensor made of [ZnO and other] metal oxide. 64-00758P
- Yokono, Hitoshi See Sato, Hidemi
- Yokota, Hiromu See Otake, Etsuo
- Yokota, Minoru; Murakami, Kazuhito; and Takahashi, Kazuhiko Process for producing infrared [Ag halide, Th halide] light-transmitting optical fiber. 64-04876P
- Yokota, R.; and Nakajima, H. Small-angle X-ray scattering study of spinodal decomposition in B₂O₃-PbO-Al₂O₃ glass. 64-06250A
- Yokota, Ryuichi See Tsuji, Yukikazu
- Yokoyama, Chizuru; Kawakami, Hiroshi; and Hashiba, Minoru Effect of agglomeration of Al₂O₃ on the solid-state reaction between Al₂O₃ and ZnO. 64-02758A
- Yokoyama, Katsuo Research and development on ceramic materials sponsored by the Japanese Ministry of International Trade and Industry. 64-04329A; See also Ando, Kenichiro
- Yoldas, Bulent E. Substrates coated with aluminum oxide solutions. 64-01366P
- Yoldas, Bulent E.; and Lloyd, Isabel Knowlton Rhombohedral Nasicon compound and battery. 64-06665P
- Yoldas, Bulent E.; and O'Keefe, Terry Deposition of optically transparent ir-reflective coatings on glass. 64-03761A
- Yoldas, Bulent E.; and Vaerewyck, Eugene G. Affixing an optical fiber to an optical device. 64-00338P
- Yonemura, Michiko; and Kotera, Yoshihide Kinetic analyses of the formation of solid solution—NaCl-KCl and CaO-SrO systems. 64-01418A
- Yong, Y. K. See Lee, P. C. Y.
- Yoo, Han-Il; Wuensch, R. J.; and Petuskey, William T. Secondary ion mass spectrometric analysis of oxygen self-diffusion in single-crystal MgO. 64-07380A
- Yoo, Jin S. See Siefert, Kristine S.
- Yoo, Jin S.; Karch, John A.; and Poss, Richard F. Preparative process for alkaline-earth metal, aluminum-containing spinels. 64-07266P
- Yoo, Jin S.; and Radlowski, Cecelia A. Preparative process for alkaline-earth metal, aluminum-containing spinels, and their use for reducing the sulfur oxide content in glasses. 64-04412P; 64-04413P
- Yoo, K.-C.; Rosemeier, R. G.; and Elban, W. L. X-ray topography evidence for energy dissipation at indentation cracks in MgO crystals. 64-01045A
- Yoo, Kwang-Soo See Lim, Eung-Keuk
- Yoon, Duk-Nong See Pyun, Su-Il
- Yoon, Ki-Hyun; Kim, Jong-Sun; and Yoon, Sang-Ok Characteristics of TiO₂ ceramic electrode for photoelectrochemical conversion. 64-06545A
- Yoon, Ki-Hyun; and Yoon, Sang-Ok Photoeffects in polycrystalline TiO₂ electrodes. 64-03810A
- Yoon, Sang-Ok See Yoon, Ki-Hyun
- Yorizume, Yutaka Fine structure of Si LVV and N KLL Auger signals for thermally nitrided SiO₂ films. 64-05920A
- Yoshida, Akinori Diamond tools. 64-01642A
- Yoshida, Fumio Zirconia oxygen pump. 64-05202A
- Yoshida, Hiroyoshi; Ogawa, Ichitaro; and Hagio, Tsuyoshi Silicon carbide-boron carbide carbonaceous body. 64-07285P
- Yoshida, Hitoshi; Atsumi, Morihiko; and Nobue, Ito Ceramic heater device. 64-03854P
- Yoshida, Hitoshi; Yamaguchi, Shunzo; and Atsumi, Morihiko Ceramic heater [for engines]. 64-00732P
- Yoshida, Isamu See Tanaka, Shunji
- Yoshida, Masaaki See Yamanishi, Toru
- Yoshida, Tetsujiro See Nakamoto, Takeshi
- Yoshida, Tohru See Sugura, Souichi
- Yoshida, Tomomasa See Tsuchiya, Masatoshi
- Yoshida, Toshio See Sunano, Naomasa
- Yoshikawa, Akihiko; Tanaka, Keiji; and Yamaga, Shigeki Growth of high-quality ZnSe films by low-pressure organometallic chemical vapor deposition. 64-02314A
- Yoshimi, Takeo; and Kato, Hisayuki Silicon dioxide films for semiconductor fabrication. 64-05175A
- Yoshimori, Nobuo Method and apparatus for classifying particles. 64-00973P
- Yoshimura, Masahiro See Jayaratna, Manikpurage; Somya, Shigeyuki; Toraya, Hideo
- Yoshimura, Tatsushiro; Nakazima, Takeaki; and Yokoi, Hiromasa Composition for forming hydrophilic coating. 64-01494P
- Yoshinari, Osamu; Kawakatsu, H.; and Fukuzumi, Hideo Process for producing carbon fiber or graphite fiber. 64-04420P
- Yoshinari, Osamu; Kawakatsu, Yoshifumi; and Fukuzumi, Hideo Process for producing carbon fiber or graphite fiber. 64-07272P
- Yoshino, Shigeo; Ichikawa, Kenji; and Hamazaki, Yoshihisa Hot-air curing of cast refractory [cementless 70% ZrSiO₄] lining for ladles. 64-03630A
- Yoshino, Shigeo; Ichikawa, Kenji; and Iwado, Hitoshi Behavior of TiO₂ in the natural high-aluminous raw materials for refractories. 64-03592A; Mullite from sillimanite minerals. 64-02713A
- Yoshino, Shigeo; Ichikawa, Kenji; and Katayama, Muneyoshi Flow properties of castable refractories for blast-furnace troughs. 64-04950A
- Yoshino, Shigeo; Ichikawa, Kenji; and Matsuo, Akira Effect of grain shape on rheological properties. 64-03999A
- Yoshino, Shigeo; Kyoden, Hiroaki; and Nishio, Hideo Wear of high-graphite MgO-C bricks. 64-02232A
- Yoshino, Shigeo; Nishio, Hideo; and Uchida, Issei Carbon-containing [graphite and raw refractory material] refractory. 64-00336P
- Yoshino, Shigeo; Tabata, Katsuhiko; and Hoshino, Toshinaka Analysis of MgO-CaO bricks used at slag line of vacuum oxygen decarburization. 64-03584A
- Yoshino, Shigeo; Tabata, Katsuhiko; and Mochida, Takaaki Application of Al₂O₃-C brick for desulfurization of the torpedo car. 64-02057A
- Yoshino, Shigeo; Toda, Masami; and Matsuda, Toru Lance for molten steel. 64-03648A
- Yoshioka, Ernest N. See Nakano, Harry N.
- Yoshioka, J. See Miyashita, M.
- Yoshimoto, Yoriobu See Yasuda, Isao
- Yoshizawa, Yuichi See Sakuma, Taketo
- Yoshizumi, Motohiko Electrically conductive powder with white color tone. 64-05086A
- Yosomiya, Ryutoku; and Morimoto, Kiyotake Compressive properties of glass fiber-reinforced rigid polyurethane foam. 64-03420A
- Yotsuya, Motoo See Ishikawa, Katsuhiko
- Yoo, Young-Hyuk; Kim, Young-Wook; and Lee, June-Gunn Effects of surface finishing and grain size on the strength of sintered SiC. 64-07093A
- Younes, A. E.; Galal, A. F.; and El-Didamony, Hamdy Thermal properties of shale clay bricks. 64-03577A
- Young, C. W., Jr. See Scholtz, F.
- Young, D. R. See Schmitz, W.
- Young, Dean A. Crystalline silica catalysts. 64-07220P
- Young, Dennis See Telford, Clive D.
- Young, Harvey R. See Mugridge, Samantha-Jane
- Young, Iain M. See Whatmore, Roger W.
- Young, J. Francis (Editor) Cements Research Progress, 1983. 64-01629B; See also Wu, Zhao-qi
- Young, Kenneth P. See Kenney, Malachi P.
- Young, Raymond H. Method of conditioning clay for flotation using in situ ferrous activator. 64-04234P
- Young, Raymond H.; Morris, Horton H.; and Brooks, Robert L. Method of treating clay [to remove Ti impurity] to improve its whiteness. 64-04235P
- Yovanovich, M. M. See Antonetti, V. W.
- Yu, Bai-qin See Sun, Cheng-wen
- Yu, Haisheng See Shi, Weiying
- Yu, Hui-jun See Lin, Zu-xiang
- Yu, Jiu-liang See Tang, Yuan-fen; Wu, Yao-ban
- Yu, Jiu-liang; Tang, Yuan-fen; and Wu, Yao-ban Growth of barium sodium niobate crystals. 64-05105A; Growth striation of barium niobate crystals. 64-05108A
- Yu, Jiu-liang; Ling-zhang; and Sheng, Ding-kun Refractory corrosion and refractory stone during the melting of C.R.T. glass. 64-04999A
- Yu, Young-Moon See Kim, Byong-Ho
- Yu, Zhi-feng See Ye, Ya-gu
- Yuan, Wan-zong See Wang, Yong-ling
- Yuceoglu, U.; Slerakowski, R. L.; and Glasgow, D. A. (Editors) 1983 Advances in Aerospace Structures, Materials, and Dynamics. 64-01625B
- Yudin, I. P. See Polevoi, A. S.
- Yudin, V. V. Ferromagnetic core energy-intensity investigation. 64-03956A
- Yuferev, V. S. Effect of radiation heat transfer on the shape of the crystallization front and temperature distribution in high-melting translucent crystals grown from the melt. 64-04457A
- Yuga, A. I. See Karyuk, G. G.
- Yukhnova, O. G. See Sychev, M. M.
- Yuksei, A. See Stevens, R.
- Yunker, Roy W. PPG Industries glass operations computer systems. 64-06885A
- Yunusova, F. R. See Atakuziev, T. A.
- Yurchenko, D. Z. See Tkachenko, Yu. G.
- Yurichkov, E. E. See Ermakov, A. E.
- Yur'eva, A. V.; Kirovskaya, I. A.; and Sarayev, V. V. Investigating the acid-base properties of the surface of solid solutions of the system ZnSe-GaAs by EPR method. 64-05119A
- Yuritsyn, N. S.; and Keiler, E. K. Torsion-induced deformation in glasses under low stress. 64-03376A
- Yurkov, L. F.; Averbukh, E. A.; and Komissarchik, V. F. Predicting the physical properties of electrovacuum glasses based on the method of least squares. 64-00216A
- Yusa, Hideo See Uetake, Naohito
- Yuu, Shinichi Collision rate of small particles in a homogeneous and isotropic turbulence. 64-02977A
- Yuuki, Keiji See Yokomizo, Yuji
- Yuen, Maria J. See Fanucci, Ronald E.
- Zablotskii, E. Z. See Shestakov, V. L.
- Zabotka, A. I. See Simonov, K. V.

- Zacharides, Anagnostis See Economy, James
- Zaghlool, M. S. See El-Sharkawy, A. A.
- Zago, F. See Pelizzaro, C.
- Zagorodnyuk, A. V. See Shamrai, G. V.
- Zaharescu, Maria See Maria, Liana
- Zaharescu, Maria; Balasoiu, Marina; and Crisan, Maria Influence of ferric oxide properties on the reaction of Ni-Zn ferrite formation. 64-03959A; Influence of the properties of ferric oxides on barium hexaferrite formation. 64-00856A; Influence of the properties of ferric oxides on the formation of Mn-Zn ferrite. 64-00857A
- Zahir, Mohamed; Olazcuaga, Roger; and Hagenmuller, P. Crystal chemistry and ionic conductivity in Nasicon-type phases $\text{Na}_{1-x}\text{Zr}_x\text{Yb}(\text{AsO}_4)_2$ with $0 < x \leq 0.45$. 64-00643A
- Zahir, Mohamed; Olazcuaga, Roger; and Parent, C. Structural interpretation of the Pb^{2+} , Eu^{3+} , and Nd^{3+} optical spectra in doped sodium borate glasses. 64-06261A
- Zahir, Sheik A. See Kramer, Hans
- Zaidi, S. A. See Packer, A.
- Zaikin, I. O.; Shakhrai, S. A.; and Moiseenko, V. G. Device for chromatographic determination of gas compounds in inclusions in minerals. 64-05413A
- Zainulin, Yu. G. See Pereyaslav, V. A.
- Zaitsev, N. A.; and Suravik, M. V. Reaction of PCl_5 with SiO_2 in an inert atmosphere. 64-01453A
- Zaitsev, V. P. See Gverdtsiteli, I. G.
- Zaitsev, Yu. V. See Glukhovsky, V. D.
- Zaitseva, N. V. See Baitamov, B.
- Zaitseva, Z. A. See Shevchenko, A. V.
- Zajic, Jiri See Bartuska, Miloslav
- Zak, Paul A. See Trotta, Patrick A.
- Zakharko, Ya. M. See Vasil'ev, V. I.
- Zakharov, A. M. Regularities of the triangulation of ternary systems with intermediate phases of variable composition. 64-01457A
- Zakharov, I. A. See Korpus, V. A.
- Zakharov, R. G.; and Ponomarev, V. I. Structural parameters of spinel solid solutions in the system Mn-V-Fe-O . 64-01577A
- Zakharov, R. G.; Ponomarev, V. I.; and Shchepetkin, A. A. Structural parameters of spinel solid solutions in the system Mg-V-Fe-O . 64-01576A
- Zakharov, V. K. See Dotsenko, A. V.
- Zakharov, V. K.; Kuchinskii, S. A.; and Shchegolev, B. F. Calculation of the electronic structure of Cu^{2+} impurity ion in the light-sensitive phase of Ag halide photochromic glass. 64-03195A
- Zakin, Mikhail Traditional potters of Icheon, Korea. 64-01678A
- Zakutinski, V. L. See Uzbeg, L. V.
- Zalaid, G. I.; Kamysnikov, V. V.; and Sevorov, S. A. Fused refractory materials based on magnesium slags. 64-04952A
- Zallen, Richard (Editor) Physics of Amorphous Solids. 64-01636B
- Zalm, Pieter; Jacobs, Bernardus A. J.; and De Poorter, Adri-an W. Optical information disc comprising tellurium, selenium, and antimony. 64-00789P
- Zalyubinskaya, L. N.; and Serdyuk, V. V. Photostimulated diffusion of copper into thin layers of cadmium sulphide. 64-01552A
- Zamaev, V. I. See Pererzon, M. A.
- Zamanskaya, A. Yu. See Zimina, G. V.
- Zamboni, Valentino See Moretti, Enrico
- Zamyatin, S. R.; and Startsev, D. A. Refractory concrete blocks for heating furnaces in metallurgical plants. 64-02199A
- Zandbergen, H. W.; and Ijdo, D. J. W. $\text{SrO-RuO}_2\text{-Al}_2\text{O}_3$ system at 1300°C —crystallographic and leaching study. 64-04493A
- Zangvil, Avigdor See Knickerbocker, Sarah H.; Mazdiyani, Kurt S.; Sharma, N. K.
- Zanker, Adam Solving for voids percentage, real density, and bulk density. 64-02619A
- Zannoni, Cristiano Apparatus and method for drying particulate material. 64-04017P
- Zanotto, Edgar Dutra Immobilization of radioactive wastes in glasses and ceramics—current world efforts. 64-02496A
- Zapasskaya, I. P. See Neiman, A. Ya.
- Zapotochny-Sytek, G. See Sietko, Janina
- Zaretskaya, N. P. See Bolotov, A. V.
- Zargova, M. I.; and Shuster, N. S. Quasibinary cross-sections $\text{PbO-2B}_2\text{O}_3\text{-Bi}_2\text{O}_3\text{-4B}_2\text{O}_3\text{-(3Bi}_2\text{O}_3\text{-5B}_2\text{O}_3)$ of the system $\text{PbO-Bi}_2\text{O}_3\text{-B}_2\text{O}_3$. 64-05791A
- Zaruch, Kenneth P. See Baumgartner, Charles E.
- Zarzycki, Jerzy Water and glass. 64-06277A; See also Prassas, Michel
- Zasolotskaya, M. V. See Drevai, I. V.
- Zatka, Vladimir J.; and Zedding, Nelson Extraction-photometric determination of trace phosphorus in chromium-bearing materials which may contain Si, Nb, Ta, Zr, Ti, and Hf. 64-02591A
- Zatlovskii, L. M. See Tsvinskii, S. V.
- Zatlovskii, L. M.; Kravetski, D. Ya.; and Egorov, L. P. Improving production of sapphire single crystals by the Stepanov method and results of its industrial introduction. 64-04292A
- Zauhar, Helmut See Loss, Gunter
- Zavadil, Milan Method for measuring the specific surface of pulverized materials and apparatus for performing the same. 64-01066P
- Zavadskii, G. V. See Knigina, G. I.
- Zavadskii, V. F. See Knigina, G. I.
- Zavgorodni, A. D. See Alekhin, A. I.
- Zav'yalov, V. I.; and Severina, E. P. Integrated scheme for the automated (mechanized) unloading of raw materials in plants for making structural ceramics. 64-00910A
- Zav'yalov, V. V.; Sirotkin, O. S.; and Khitrov, M. Yu. Synthesis of SiO_2 - and Al_2O_3 -modified polymer films of phosphate glass using gas-phase reactions. 64-03370A
- Zav'yalova, N. P. See Freidenberg, A. S.
- Zberes, I. See Constantinescu, F.
- Zbigli, K. R.; and Raevskii, S. D. Phase diagram of the system $\text{Bi}_2\text{Se}_3\text{-TiSe}_2$. 64-05143A
- Zbinden, Terry B. Detection of catastrophic failure of dielectric, improper connection, and temperature of a printed circuit assembly via one wire. 64-05448P
- Zborowski, J. Properties of magnesia powders for the hot-welding process. 64-03661A
- Zbuzek, Borivoj See Skvara, Frantisek
- Zedginidze, E. N. See Alibegashvili, T. G.
- Zednec, Walter See Polesing, W.
- Zehl, Otis See Bonney, Rob
- Zelbig, Josef See Rinklake, Manfred
- Zelfman, M. I. See Merkin, A. P.
- Zellinger, Hans; Muhltrater, August; and Stemmler, Bruno Method of producing protective oxide layers [on Ti metal]. 64-00131P
- Zelding, Nelson See Zarka, Vladimir J.
- Zelenskii, S. E. See Belyi, M. U.
- Zelentsov, V. I. See Chertov, V. M.
- Zelentsova, S. A. See Denisov, Yu. V.
- Zelzny, Zdenek See Filek, Vratislav
- Zelinski, Brian J. J.; and Uhlmann, Donald R. Gel technology in ceramics. 64-07334A
- Zeller, Robert J. Method for the production of antimony oxide. 64-07419P
- Zemanova, Dagmar See Novak, Josef
- Zemek, Pavel See Kirsch, Roland
- Zemlicka, Jan See Brozek, Vlastimil
- Zemtsova, Z. N. See Kokhanovskii, V. V.
- Zenbutsu, Tadashi See Chikano, Toshiharu
- Zeng, Shao-xian; Jiang, Dong-liang; and Mao, Zhi-qiong Polarization of calcia-stabilized zirconia. 64-05156A
- Zengel, Hans See Wegerhoff, Arno
- Zen'kovskii, A. G. See Aksekov, A. V.
- Zervas, George See Telfer, Stewart B.
- Zezin, M. A. See Agal'tsov, B. M.
- Zhakov, V. V. See Amosov, A. V.
- Zhang, Cheng-jun See Yang, Nan-run
- Zhang, Dao-biao See Zhang, Shou-qing
- Zhang, Fu-chang; Cheng, Zhu-hai; and Zhang, Zhi-gang Ancient Chinese "Liuli" [translucent ceramic bead ornaments]. 64-00009A
- Zhang, Guo-xin See Shan, Guo-xiang
- Zhang, Lu-hui; Lin, Cheng-tian; and Liu, Hai-run Color centers in doped GGG [Gd-Ga garnet] crystals. 64-07447A
- Zhang, Qing-chun See Lin, Su-zhen
- Zhang, Qing-chun; and Lin, Su-zhen Strength and electromechanical fracture behavior of $\beta\text{-Al}_2\text{O}_3$. 64-07176A; Strength and resistance to slow crack propagation of artificial ceramic joints. 64-05580A
- Zhang, Shi-chang; and Cannon, W. Roger Preparation of silicon nitride from silica. 64-01245A
- Zhang, Shou-qing See Kong, Hua-shuang; Wang, Jin-chang
- Zhang, Shou-qing; Tang, Lian-an; and Wang, Wen EFG [edge-defined film-fed] growth and application of small-diameter sapphire crystals with rod and tubular shapes. 64-07456A
- Zhang, Shou-qing; Zhang, Dao-biao; and Xu, Yu-zeng Growth of LiNdP_2O_7 single crystals for optic communication laser. 64-05104A
- Zhang, Wen-De See Yen, Yi-Hsun
- Zhang, Xin-shan See Shan, Guo-xiang
- Zhang, Zhi-gang See Zhang, Fu-kang
- Zhang, Zhi-ping Chemical method for accurate phase analysis of wolastonite. 64-07026A; See also Li, Guang-ping
- Zhdanov, S. P. Mutual effect of Na and K ions on their diffusion during the leaching of glasses $(20-x)\text{Na}_2\text{O-xK}_2\text{O-80SiO}_2$. 64-01872A
- Zhdanov, S. P.; Bunyeva, L. V.; and Svatovskaya, L. A. Leaching of Na-K silicate glasses of the series $(20-x)\text{Na}_2\text{O-xK}_2\text{O-80SiO}_2$ in HCl. 64-03284A
- Zhdanov, V. G.; Malinovskii, V. K.; and Sokolov, A. P. Dynamic range of photostructural transformations in chalcogenide glasses. 64-03222A
- Zhdanova, V. V. See Petrov, A. A.
- Zhebrunov, S. V. See Grinberg, V. Ya.
- Zhed, V. P. See Gavrilov, Alexei G.
- Zheng, Chuan-xiang; Zhou, Ye-wei; and Yang, Shou-zhi Electrical signal produced by Nd glass laser radiation breakdown of a ceramic thin plate. 64-06554A
- Zheng, Guo-pel Glass-ceramic in the high-boron region in the system $\text{B}_2\text{O}_3\text{-Al}_2\text{O}_3\text{-SiO}_2$. 64-06200A
- Zheng, L. R. See Chen, S. H.
- Zhigun, I. G. See Bobrov, B. S.
- Zhilin, A. A. See Golubkov, V. V.
- Zhilo, N. L. See Kulichin, V. I.
- Zhilyaeva, A. L. See Aksekov, L. N.
- Zhiran, Hao See Blasse, G.
- Zhitkova, T. N. See Galimov, G. G.
- Zhitnikov, P. P. See Neverov, V. V.
- Zhmoldin, G. I. Dependence of the viscosity of $12\text{CaO-7Al}_2\text{O}_3$ melts on high-temperature soaking. 64-03607A
- Zhmur, V. V.; Sharov, V. I.; and Dudorov, I. G. Intensifying the firing of [porcelain] insulators in tunnel kilns. 64-00674A
- Zhmurova, Z. I. See Fedorov, P. P.
- Zho, Kyong-ik; Choo, Woong-ki; and Koh, Kyong-shin Effect of NiO and MnO addition on the dielectric, piezoelectric, and polarization-reversal properties of PLZT. 64-06682A
- Zhong, Bai-qian; Yang, Nan-run; and Wang, Guo-bin Effect of gypsum and alkali on the early hydration of C.A.F. 64-06078A
- Zhong, Qi-ming See Chen, Ken
- Zhong, Wei-zho; and Hua, Su-kun Growth habit and defects of TeO_2 single crystals. 64-05102A
- Zhong, Wei-zhuo; Hua, Su-kun; and Yang, Zong-qing Formation mechanism of structure of basal plane (0001) of synthetic quartz. 64-07331A
- Zhou, Binglin See Shi, Weiyang
- Zhou, Ye-wei See Zheng, Chuan-xiang
- Zhou, Yong-zong; Deng, Pei-chen; and Qiao, Jing-wen Growing of excellent Nd^3+YAG crystals by temperature gradient technique. 64-07336A
- Zhu, B. F. See Clark, David E.
- Zhu, Cong-shan See Hou, Li-song
- Zhu, Ling-Xin See Yen, Yi-Hsun
- Zhu, Pei-nan Relationship between structure and activity of blast-furnace slag. 64-06245A; See also Huang, Wen-hai
- Zhu, Song-lai; and Yin, Zong-min Index profile and imaging of a gradient-index plate. 64-06309A
- Zhu, Xiu-ying See Rao, Dong-sheng
- Zhu, Ya-juan See Sheng, Lian-gen
- Zhu, Ya-juan; Sheng, Lian-gen; and Chen, Xue-xian Temperature dependence of optical absorption edge in near-infrared filter glasses. 64-04831A
- Zhu, Ya-nan Growth features of $[\text{LiNbO}_3]$ crystals grown by pulling method. 64-05925A
- Zhuang, Han-rui; Hua, Dao-quan; and Xu, Su-ying Re-sintering of RBSN [reaction-bonded Si₃N₄]. 64-05571A
- Zhuchenko, O. V. See Shapiro, Ya. Z.
- Zhukov, A. P. See Sorokina, O. V.
- Zhukov, E. G. See Kostyuk, Ya. I.
- Zhukov, E. G.; Mkrchyan, S. A.; and Dovletov, K. System $\text{Cu}_2\text{GeSe}_3\text{-CdSe}$. 64-05826A
- Zhukov, O. K. See Solodukha, A. M.
- Zhukova, A. I. See Bondarenko, S. V.
- Zhukova, Z. D. See Ustichenko, V. A.
- Zhukovskaya, A. E. See Gotsi, G. A.
- Zhukovskaya, A. E.; Kortel, A. A.; and Sherman, E. A. Organosilicon polymers in the production of oxide refractories. 64-04981A
- Zhukovskaya, A. S. See Krasnenko, T. I.
- Zhurakovskii, E. A. See Ivashchenko, V. I.
- Zhurakovskii, E. A.; Bakuma, T. D.; and Garmash, V. Ya. X-ray spectrum and Moessbauer study of nickel ferrites excited by aluminum and chromium ions. 64-02485A
- Zhuravlev, N. L. See Suntsov, N. V.
- Ziadi, A.; Mercurio, J. P.; and Frit, B. Synthesis, crystallographic study, and ionic conductivity of lithium aluminosilicates of the β -spodumene ($\text{LiAlSi}_2\text{O}_6$) type. 64-02835A
- Ziegler, James F. See Cairns, James A.
- Zielinski, Leo J. See Kock, Erhard
- Zielinski, Robert J. See Korzykowski, Lawrence L.
- Ziemer, B. See Schlesinger, K.
- Zigo, Ondrej; and Horvath, Ivan Surface acidity and catalytic activity of montmorillonite. 64-01144A
- Zilko, J. L. See Swaminathan, V.
- Zil'terman, S. M. See Eidel'man, L. Ya.
- Zimina, G. V.; Fedorov, P. P.; and Zamanskaya, A. Yu. Solid-phase interactions in the system $\text{BiF}_3\text{-KF}$. 64-05801A
- Zimmer, James E. See Wallace, Gary A.
- Zimmerman, William B. See Bennett, Terry A.; Claassen, George R.
- Zimmermann, Werner; and Langer, Helmar Material testing apparatus using ultrasonic testing heads. 64-06239P
- Zimova, Maria See Cermak, Antonin
- Zingel, E. M. Variation of thermostability of KMnO_4 during crystallization in an electric field. 64-01594A
- Zinovik, M. A. Simple method for obtaining the dependence of properties on composition in multicomponent solid solutions. 64-05956A

- Zipelli, C.; Bart, J. C. J.; and Petrini, G.
CuCl₂ supported on SiO₂ and Al₂O₃. 64-01194A
- Zipfel, C. L. See Mahajan, S.
- Zivanovic, Branislav M.; and Ranogajec, J.
Obtaining electroporcelain with good mechanical characteristics by analyzing the ternary system K₂O-Al₂O₃-SiO₂. 64-00679A
- Zlatnik, Cesek See Lazan, Michael
- Zlatovskiy, Igor See Nerad, Ivan
- Zlokazov, M. V. See Alexeev, A. N.
- Zlomanov, V. P. See Golovanova, N. S.
- Zobina, L. D.; Semchenko, G. D.; and Belik, Ya. G.
Synthesis of cordierite and the production technology of cordierite-containing refractories. 64-00523A
- Zobina, L. D.; Tarasopol'skaya, R. A.; and Belik, Ya. G.
Effect of mineralizing additives on the properties of cordierite-containing [refractory] ceramics. 64-02105A
- Zoglmeir, Guenter
Oxidation behavior of carbon-containing basic refractories. 64-02164A
- Zografou, Constantine See Naujokat, E.; Von Mallinckrodt, D.
- Zolotar'skii, A. Z. See Khor'kov, P. N.
- Zones, Stacy I.
Zeolite SSZ-16 [SiO₂, GeO₂/Al₂O₃, Ga₂O₃]. 64-05658P
- Zook, J. David See Heaps, J. Don
- Zopata, S.; and Taler, J.
Dynamic properties of instruments for measuring heat flux density. 64-02590A
- Zopf, Norbert See Hellmold, Peter
- Zortea, Michel See Burget, Paul
- Zoz, E. I. See Karaulov, A. G.
- Zoz, E. I.; Eliseeva, G. G.; and Rudyak, I. N.
Phase formation and properties of refractory materials. 64-02170A
- Zoz, E. I.; Lopato, L. M.; and Gul'ko, N. V.
Phase composition and properties of solid solutions in the system ZrO₂-HfO₂-MgO. 64-01436A
- Zozulya, R. A. See Nikiforov, Yu. V.
- Zozulya, V. Yu.; Kuznetsov, L. D.; and Efremov, V. N.
Porosity characteristics of fused mixtures of K aluminate and native clays. 64-00608A
- Zozulya, V. Yu.; Kuznetsov, L. D.; and Podol'skii, I. I.
Electrophysical properties [of refractory clays] in the system K aluminate-natural clays. 64-02110A
- Zsembery, László See Matyasi, Jozsef
- Zubarev, P. V.; Dzhalandinov, D. N.; and Belousenko, A. P.
High-temperature strength and creep of scandium oxide in compression. 64-05928A
- Zubkov, V. I. See Brekhovskikh, S. M.
- Zubov, V. A. See Krinchik, G. S.
- Zucni, Thomas A.; and McIntosh, John D.
Vapor detection tube and method of testing for a vapor. 64-02027P
- Zuev, B. K. See Novikov, N. P.
- Zugelder, Rolf
Versatility of the Eirich intensive mixer and mix pelletizing for the preparation of ceramic bodies. 64-06790A
- Zunner, Georg
Effect of pore-inducing substances on compressive strength of brick. 64-03559A
- Zuppirolli, L. See Bandyopadhyay, A. K.
- Zveinleks, V. A. See Leruma, M. R.
- Zvereva, I. A. See Brach, B. Ya.
- Zverina, Karel; and Kroupa, Petr
Spray-coating material. 64-03176P
- Zvyagintseva, I. F. See Andreev, E. P.
- Zyst'kova, L. R.; Chervavskii, I. Ya.; and Miller, S. N.
Effect of temperature on elastic-strength properties of vitreous-crystalline materials of the system SiO₂-CaO-Al₂O₃-MgO. 64-00173A
- Zykov, A. M. See Aleksandrov, S. E.
- Zykova, T. A.; Moiseev, V. V.; and Permyakova, T. V.
Ion-exchange equilibrium in a system with 3 changeable ions on alkali silicate glasses. 64-03279A

CERAMIC ABSTRACTS

November-December, 1985

Compiled by the American Ceramic Society

SUBJECT INDEX FOR 1985

Cross references are included with the main headings. The abstract number appears at the end of each citation. The letters A, B, or P following the abstract number indicate an entry for (A) a periodical, (B) a book, or (P) a patent. Abstracts are numbered continuously through an entire volume. Subject entries are not in strict alphabetical order. Entries were computer sorted and numbers and capital letters appear before lower case letters.

Abrading apparatus. See *Grinding apparatus.*

Abrasion

resistance, of field-assisted ion-exchanged glass. 64-00139A
resistant coating, WC-based. 64-06147P

Abrasive. See also *Carbides; Diamonds; Grinding apparatus; Polishing; Silicon carbide.*

Al₂O₃, fused grain containing reduced Ti oxide. 64-01647P

BN, hexagonal, mechanochemical activation and synthesis of cubic form. 64-06007A

BN-based tool materials, for precision machining. 64-03048A

Si-surfactant-coated, polishing media. 64-00003P

SiC, grain coated with refractory material, method of making. 64-04606P

articles, containing agglomerates in fibrous matrix. 64-01650P

and metal halogenide binders. 64-03055P

bodies. 64-06040P

cBN. 64-06008P

composite cutting insert. 64-04607P

coated. 64-06012P

on yarn-reinforced flexible webs. 64-00008P

coating, Co spray plasma. 64-06011P

Si oxide (B- or P-doped) lapping. 64-06022P

compacts, diamond and cBN, method of making. 64-06018P

compositions, SiO₂-sol, for polishing Si wafers. 64-00007P

diamond, and BN, sintered, developments. 64-04602A

composite (carbide). 64-06013P

particles, fluorinated, bonded in Al₂O₃, B₂C, or AlB₂

fluorocarbon resin matrix. 64-04605P

tools, with sintered metallic layer. 64-03050A

diphasic, hardness, stiffness, and toughness. 64-06006A

elastic, orbital polisher with. 64-04055P

grade bauxite, Chinese supply. 64-05488A

grain size, effect on transition between abrasive and adhesive wear. 64-03051A

grains, characteristics. 64-01641A

corundum, ceramic-frit-coated. 64-00002P

single-grit scratch test apparatus. 64-01046P

for grinding or honing. 64-06015P

grit, WC, method of making. 64-00005P

machining, crushing as mechanism of material removal during. 64-05360A

machining Cr₂O₃ coatings with. 64-03047A

method of bonding, to metal. 64-03056P

mineral, nonfused Al oxide-based, articles containing. 64-06010P

pumice tufts, industrial applications for. 64-01645A

sliding-gate valve for use with. 64-06843P

super-, lead industry into 21st century. 64-04603A

virgin and reclaimed, method and apparatus for producing. 64-06009P

Absorption. See also *Sorption.*

NH₄⁺, in fluoride glass fibers. 64-01873A

OH, removal for ZnO-B₂O₃-PbO-SiO₂ passivation glasses. 64-03184A

bands, γ-ray-induced, in pure-SiO₂-core fibers. 64-04795A

coeff., of films, expressions for calculating from laser calorimetric data. 64-02310A

of particulate media, in situ determination with pulsed laser. 64-01064P

of thick semiconductor, by photoacoustic spectroscopy. 64-00646A

edge, of films, determination from transmission measurements. 64-01530A

of glass colored with CdSe-CdTe, effect of temp. on. 64-06210A

fundamental, luminescence excitation of activated Na silicate glasses in region of. 64-03290A

γ-ray-induced, in pure SiO₂ core optical fibers. 64-01949A

of glasses, in uv region. 64-03180A

hygroscopicity, of glasses with high water content. 64-00196A

microwave, spectrum of symmetrical molecular systems with dipole instability. 64-03928A

near-ir, of high-purity silicate glasses. 64-03236A

optical, of 3d transition-metal and rare-earth elements in Zr fluoride. 64-00212A

in Bi₂SiO₅ crystals doped with Mn and Cr. 64-05939A

of Cr³⁺ in borosilicate glasses. 64-03313A

of Cu in glass, indexes of. 64-03272A

in Zn phosphate glasses. 64-04812A

edge in near-ir filter glasses, temp. dependence. 64-04831A

of garnet films. 64-00861A

selective, Al-black chrome films with. 64-04835A

spectra, of Pb silicate glasses containing Ni. 64-03182A

spectral, of Ce-doped SiO₂ glass. 64-06256A

of glasses in near-ir region, effect of Ce on. 64-03218A

of telluride in alkali borate glasses. 64-06255A

of vapors, hypergolic, by packed Al₂O₃. 64-04313A

water, by fused pericase. 64-02230A

Acids. See also *specific types.*

H₂SO₄-HI mixture, dissolution of MgO into. 64-02923A

H₃PO₄, containing U, recovery of U concentrate from. 64-06752P

reaction of hydrated ZrO₂ with. 64-01455A

wet process, recovery of U from. 64-00883P

HCl, leaching Na-K silicate glasses in. 64-03284A

HF, radioactive, determination in glass-polishing solutions. 64-04748A

attack on enamels, chemical-resistant. 64-01780A

carboxylic, process for preparing crystalline aluminosilicate zeolites with. 64-05647P

composition, for glass cleaning. 64-01490P

pH, effect on crystal phase of precipitated ZrO₂. 64-01206A

effect on dissolution rate of phase-separated Li borosilicate glass. 64-04729A

measurement of. 64-02603A

sensor, ZrO₂ membrane. 64-02845A

polymethacrylic, and silicates, foams. 64-01497P

treatment, with, to increase chemical resistance of glass surfaces. 64-03469A

Acoustics. See also *Sound.*

SAW device, application of Li tetraborate to. 64-06701P

temp.-compensated orientations of berillate for. 64-06706P

SAW temp. stability, X-cut quartz with. 64-06699A

acousto-optic modulator, PbMoO₄. 64-05271A

depth sounding, bulk material level-measurement device based on. 64-05412A

desensitization of optical fibers, by means of Ni jackets. 64-00337P

emission, apparatus for detecting. 64-05445P

application in glass field. 64-02576A

reveals combustion conditions. 64-01076A

imaging, of combustion noise. 64-04141A

insulating materials, glass-fiber. 64-03627A

photo-, effect, principles and applications. 64-03045B

surface wave device, Si-SiO₂-AlN, with minimal delay time temp. coeff. 64-06651P

ZnO dielectric layer. 64-02419P

bandpass filter. 64-02448P

with elastic substrate and AlN piezoelectric film. 64-05253P

piezoelectric. 64-02447P

temp.-compensated Li borate. 64-02449P

transducer, lead attachment for. 64-00845P

piezoelectric crystal. 64-00841P

surface wave, electrode on e-Al₂O₃ and ZnO piezoelectric substrate. 64-03946P

wave device, environmentally stable LiNbO₃. 64-02440P

ferroelectric Sr-Ba niobate. 64-00843P

wave irradiation, effect on CVD. 64-05533A

Activation.

of BN abrasives, hexagonal. 64-06007A

alkaline, of BF₃ steel, and alloy slags. 64-01697A

of catalysts, Sb-containing metal oxide. 64-05632P

of cells, electrolytic, cryolite-Al₂O₃ for. 64-02904P

centers, in phosphate glasses containing Ag. 64-03186A

hydrothermal, of acid zeolites with Al₂O₃. 64-01315P

of zeolite. 64-05625P; 64-07233P; 64-07412P

nonmonochromatic, kinetics of photochromic processes in glasses under. 64-03282A

parameters, of transfer processes in glasses, thermodynamic aspects. 64-03375A

shock conditioning, defects produced by, an overview. 64-06761A

of substrate surfaces, for currentless metallization, process for. 64-03173P

volumes, in high-temp. regions for AgCl and AgBr. 64-04523A

of zeolite clinoptilolite. 64-05509A

Additives.

3d element oxides, chemical resistivity of enamel surfaces as function of. 64-03149A

Al and SiC, for C-containing refractories, behavior of. 64-04921A

AlN, as sintering aid. 64-01150P

BN, for improved wear-resistance of refractory nozzles. 64-04938A

Ba chloride, effect on formation of Ba monosulfate and hexaaluminate. 64-07371A

Ba or Cr, to MgO coating slurry for Si steel. 64-05876P

BaO and C, hot-pressing of SiC with. 64-07115A

CaCl₂, energy-saving curing of concrete by. 64-04636A

Cl, for controlling electrical conductivity of Ge vanadate glasses. 64-00153A

Fe, magnetic susceptibility of Ge₂Sb₂Se₈ chalcogenide glasses containing. 64-03292A

Flubet, effect on hardening of Portland cement. 64-04645A

K₂O, effect on crystallization of high-Zn-content Li₂ZnO-SiO₂ glass-ceramic. 64-04781A

Li stearate aluminate, for lubricants. 64-07415P

Mg, effect on properties of MgO-C bricks. 64-04945A

MgO, Fe₂O₃, or Al₂O₃, effect on sintering and electric properties of LaCrO₃. 64-05072A

Mn oxide, effect on sintering of natural magnesite. 64-06452A

MnO₂, CuO, ZnO, Li₂CO₃, and Sb₂O₃, enhanced sintering of SnO₂ with. 64-02308A

MnO₂, CuO, ZnO, or Li₂CO₃, sintering Sn oxide with, kinetics. 64-02985A

Na₂CO₃, effect on oxidation of Cr₂O₃ in systems Al₂O₃ and Cr₂O₃. 64-05533A

NaOH, effect on solubility of gypsum. 64-04642A; 64-04643A

NiO, and MnO, effect on properties of PLZT. 64-06682A

effect on phase decomposition in Li aluminosilicate glasses containing TiO₂. 64-03226A

Si, suppression of frothing during synthesis of oxynitride glass by. 64-06266A

Si₃N₄, Al₂O₃, sintering by. 64-04318A

- SiC, effect on properties of mullite-corundum refractory packing. 64-00469A
- SiO₂ + Fe₂O₃, effect on properties of refractory concretes made with high-Al₂O₃ cements. 64-00470A
- and SiO₂, CuCl₂, supported on. 64-01194A
- TiO₂, effect on Cr₂O₃ oxidation in system Al₂O₃-Cr₂O₃. 64-04940A
- effect on properties of opaque glazes. 64-00593A
- V and Mo oxide, effect on thermal transformations of aluminumophosphate binder. 64-04941A
- V₂O₅ and H₂BO₃, additives, effects on sintering of MgO. 64-07092A
- Zn and Cd, effect on radiation-optical properties of alkali borate glasses. 64-03227A
- and ZnO, effect of agglomeration of Al₂O₃ on solid-state reactions between. 64-02758A
- ZnO, effect on property of alite. 64-06099A
- ZrO₂, thermal shock of β -Al₂O₃ with. 64-04358A
- accelerating, effect on hardening of β -C-S. 64-01709A
- active, of rare earths, determination in Ga sesquioxide-type crystals. 64-05407A
- alkali-metal oxide or alkaline-earth metal compound, for MnO₂-containing nonaqueous cells. 64-01492P
- alkaline aluminate, activity enhancement of high-SiO₂ zeolites by. 64-01274P
- aluminumophosphate, effect on hardening and stability of magnesium binders. 64-07343A
- ash, pyritic, for clay, to improve mechanical characteristics. 64-03554A
- volcanic, for preventing black coring in tile. 64-00453A
- basalt, effect on sandstone bodies. 64-06423A
- cement, C-S, effect on hydration. 64-00045A
- coal, effect on brick quality. 64-00436A
- soft brown, for brickmaking clays. 64-03563A
- concrete, handbook on. 64-05997B
- corrosion resistance, for Ti enamels. 64-00094A
- corrosion-inhibiting, for cement compositions. 64-00066P
- densification, for Si₃N₄ powders. 64-04261A
- drying control, in sol-gel processing of Na₂O silicate and borosilicate. 64-05693A
- effect on formation, of TiO₂ particles. 64-07323A
- effect on hardening, of phosphate binders. 64-00472A
- effect on properties, of corundum + ZrO₂ granules. 64-00471A
- of porcelain body of MgO-SiO₂ systems. 64-06517A
- effect on selection of gas media, during firing of wall tiles. 64-06515A
- effect on sintering, of Sn oxide. 64-03771A
- glass, slate foam, from German raw materials and wastes. 64-03484A
- in glass batches, quartz-Na carbonate-calcite-dolomite and dolomite-boric acid, effect on carbonate reactions. 64-03273A
- in glasses, ZnO-B₂O₃-SiO₂, passivation, effect on properties. 64-03239A
- gluconate, lignosulfonate, and glucose, effect on hydration of 4CaO·Al₂O₃·Fe₂O₃ cement. 64-07341A
- grinding, for plaster industry, study. 64-00051A
- to gypsum, glass-fiber-reinforced, effect on strength and workability. 64-06087A
- hardener, for waste glass cements. 64-01776P
- hydraulic, for cements, possibilities for increasing content. 64-04654A
- experience with cements containing high amounts of. 64-04640A
- intergrinding, effect on cement grades. 64-04648A
- inventory control. 64-06793P
- lignite, for brick bodies. 64-03553A
- metal nitride, Si₃N₄, with, fabrication by isostatic hot-pressing. 64-04279A
- mineralizing, effect on properties of cordierite-containing refractories. 64-02105A
- mud, effect on brick clay efflorescences. 64-04896A
- organic, effect on rheology of ceramic raw materials. 64-06758A
- organophilic agents, for clay suspensions. 64-01157P
- oxide, effect on electrical conductivity of Ta₂O₅. 64-03770A
- plasticizing, in refractory concretes. 64-04987A
- polyborates, as modifying agents for nonsintering ceramic bodies. 64-02275A
- pore-inducing, effect on compressive strength of bricks. 64-03559A
- pozzolanic, effect on alkali-SiO₂ expansion in mortars with opaline aggregate. 64-06079A
- rare-earth oxide, effect on dc resistivity of Na silicate glasses. 64-01841A
- oxidation of Si₃N₄ sintered with. 64-07139A
- silicate-containing, cement surface modified with. 64-06135P
- slag, Indian blast-furnace, to accelerate glassmelting and -refining. 64-03454A
- sludges, reduction of efflorescence in brick through. 64-00450A
- transparency, Y₂O₃-Gd₂O₃ scintillators with. 64-00799P; 64-08000P
- triethanolamine, effect on properties of blast-furnace slag cement. 64-04635A
- Adherence.** See *Enamels*.
- Adhesion.**
- of Si₃N₄ parts, method for CaF₂ and kaolin. 64-02873P
- film, testing for, effect of soldering technique and pad geometry. 64-02344A
- ground coat, nature of. 64-03154A
- of gunning materials, refractory. 64-03582A
- of semiconductor, to substrate. 64-06590P
- between sputtered Al₂O₃ and Cu substrate, method for improving. 64-04678A
- of steel, to bioactive glass, method for improving. 64-07142A
- weather-resistant, of coating to glass surface, process for improving. 64-03401P
- Adhesives.**
- Al₂O₃-filled, optical fiber connector with. 64-02012P
- for Si₃N₄. 64-02846P
- organic, and mortar, characteristics of wall tiles fixed with. 64-02262A
- Adsorption.** See also *Diffusion*; *Sorption*.
- of H₂ by YNi₂, effect of partial replacement of Ni or Y by other metals. 64-05726A
- Li montmorillonite, of hydrocarbons, gas chromatographic studies. 64-05714A
- of alkylsulfonates, from aqueous solutions of Al hydroxide gels. 64-07303A
- desorption isotherms, automated instrument for. 64-04086A
- heats, of CO₂ and NH₃ on synthetic zeolites. 64-05663A
- on hydroxyapatite. 64-01626B
- moisture, ion bombardment-induced retarded, in optical films. 64-07387A
- of pyridine, in porous SiO₂-Al₂O₃ pellets. 64-02986A
- vacuum swing, alternate N supply system. 64-07401A
- of vapors, solvent, by zeolites. 64-05513A
- of water, on E-glass fibers, heat of. 64-00192A
- of zeolite structures. 64-05511A
- Agglomerates.**
- Fe oxide, self-reducing. 64-07435P
- TiO₂, soft, process for preparing. 64-01160P
- powder, role in ceramic processing. 64-00927A
- Agglomeration.**
- of Al₂O₃, effect on solid-state reactions between Al₂O₃ and ZnO. 64-02758A
- de-, of porous zeolite crystalline material. 64-04501P
- particle, problems in making high-density Al₂O₃ bodies. 64-07149A
- Aggregates.**
- alkali reactivity, rapid identification of. 64-07373A
- alkali-reactive, microscopic study of. 64-07351A
- disintegration of. 64-04206A
- dolomite, for concrete. 64-05490A
- effects on sintering. 64-01412A
- lightweight, building blocks, method of making. 64-06133P
- natural, processing with diamond tools. 64-05367A
- production, model assuming max entropy. 64-05366A
- refractory, b-n-ding for improved cold strength. 64-00560P
- shale, under compression, physical properties and mechanical behavior. 64-02046A
- silicate, lightweight expanded, preparation from rice hull ash. 64-02967P
- Aging.**
- of PSZ, grain-boundary phase transformations during. 64-05715A
- in WO₃, semiconducting films. 64-00629A
- accelerated, in PZT piezoelectric with quadratic structure. 64-00627A
- crystals, univalent Cu selenide. 64-05050A
- effect on rheology, of smectic clays for oil well drilling. 64-07039A
- ferroelectrics, (Pb,La)(Zr,Ti)O₃. 64-02425A
- mechanism, of PZT. 64-05255A
- in thick-film resistors. 64-00630A
- over-, effect on RT strength of PSZ. 64-04270A
- of slips. 64-02526A
- thermal, of thick-film resistors. 64-00717A
- Air pollution.** See *Pollution*.
- Air.**
- O₂-enriched, burning cement clinker with. 64-03075A
- classifier. 64-06794P
- combustion, target wall jet for controlling. 64-03548P
- cooling, for sheet glass quenching, method and apparatus for supplying. 64-06373P
- excess, effect on glass tank operation. 64-00306A
- fuel ratio, sensor, ThO₂- or ZrO₂-based. 64-02414P
- jet, for controlling combustion air. 64-03539P
- management, for regenerative glassmelting furnaces. 64-04770A
- primary, of rotary kiln, supply unit for. 64-04189P
- seal, for gas turbine engines. 64-01287P
- secondary, in cement rotary kilns, measuring temp. of. 64-01733A
- suction devices, for discharging granulates. 64-05391P
- Aircraft ceramics.** See *Ceramics*; *Spacecraft*.
- Allite.**
- cement. 64-04624A
- Alite.**
- B-bearing, effect in rapid-bearing high-strength cement clinker. 64-04628A
- in clinker, lattice constants. 64-06103A
- portland cement, comparison to C₃S solid solution. 64-06069A
- hydration, early, role of free lime. 64-00057A
- in presence of concrete admixtures. 64-01725A
- properties of, effect of ZnO. 64-06099A
- Alkaline earths.** See also *Specific types*.
- and In, oxides of, electrophysical properties. 64-00662A
- fluoride, crystals, electrostriction tensor components. 64-05917A
- metal oxide cathode. 64-00790P
- metal oxide-based coating, composition. 64-01491P
- zirconates and hafnates of. 64-01489A
- Alkalies.** See also *Specific types*.
- SiO₂ reaction, expansion of, effect of reactive aggregate and alkali compounds on. 64-07342A
- attack on refractories, in system SiO₂-Al₂O₃. 64-06456A
- diffusion, in hardened cement paste containing slag or fly ash. 64-07322A
- reactive aggregates, microscopic study of. 64-07351A
- Alloys.**
- Al, permeable refractories for refining. 64-04985A
- Co-Ni-Zn-P, recording medium comprising. 64-06734P
- Cu or Cu-Cr, process for bonding to ceramics. 64-03174P
- Cu-Sn, protective Sn-P oxide film on. 64-00134P
- Fe-B, solid solution, with high saturation magnetization and low magnetostriction. 64-02868P
- Ge₂(Te₂-Se₂), phase transitions in. 64-05147A
- Ge₂(Te₂-Se₂), physicochemical study. 64-05153A
- (Ge₂)(GaAs)₂, grown by molecular beam epitaxy, phase separation in. 64-00687A
- Ge₂(Sn,Pb)₂-Te, electrical properties. 64-05085A
- GeTe-AgBiTe₂, cross-section, solid-phase transformations and electrophysical properties. 64-05803A
- Hf-Si-O, effect of phase composition on sintering resistance. 64-01399A
- MgO-ZrO₂, decomposed, MgO segregation in. 64-07132A
- Mn, ladle linings for casting. 64-02131A
- Ni-Cu, onto PZT, effect of substrate parameters. 64-00826A
- and piezoceramic system PZT, transitional layer at boundary. 64-00840A
- Ni-based, crystallization, microstructural analysis. 64-01231A
- of PbTe-Ni₂Te₂, physicochemical and thermoelectric properties. 64-05945A
- Pt, interaction with optical glassmelts. 64-06213A
- Se, doped with O, electrophotographic photosensitive. 64-06616P
- WC-based, for hot-working apparatus. 64-01371P
- ZrO₂-5.2 mol% Y₂O₃, modulated structure formed by isothermal aging. 64-07135A
- bonding ceramics to. 64-06138A
- boride, for magnetic head. 64-01277P
- for ceramic-metal applications, metallurgy of. 64-06142A
- chalcogenide, preparation by solution coreduction of mixtures of oxides. 64-02966P
- coating, for cast iron, e.g., glass molds. 64-00937P
- high Hf-carbide-containing, process for producing. 64-02900P
- metal, composites, continuous production. 64-01299P
- ternary, in brazing ceramics. 64-00138P
- Alum.**
- Ca-Al-(SiO₂)₂, recovery of Ca from. 64-01510P
- Alumina.** See *Aluminum oxide*.
- Aluminates.**
- Ba mono- and hexa-, effect of Ba chloride additions on formation. 64-07371A
- Ca fluoro-, synthesis and properties. 64-06127A
- Ca hexa-, formation in solid-phase synthesis. 64-01404A
- La, stabilization conditions of trivalent Pd in. 64-01464A
- Li, crystalline, regeneration. 64-01172P
- Ti stearate, as lubricant additive. 64-07415P
- Na poly-, effect of F⁻, Co²⁺, and Ti⁴⁺ ions on synthesis and properties. 64-01396A
- Y, physicochemical properties. 64-05783A
- alkaline, activity enhancement of high-SiO₂ zeolites by treatment with. 64-01274P
- liquors, process for desilication in production of Al₂O₃. 64-07054P
- oligo-oxo-, Na₂(AlO₄) crystals. 64-01539A
- silico-, synthetic mineral polymer compound. 64-01175P
- yttrium, synthesis by hydroxide coprecipitation. 64-01472A
- Aluminosilicates.**
- gels, formation of zeolite from, factors affecting. 64-01212A
- Aluminum oxide.**
- from Al sulfate, calcined. 64-05486A
- Bayer, effect of calcination atm on sintering. 64-04295A
- C brick, for EF ladle, performance results. 64-04982A
- for desulfurization of torpedo car. 64-02057A
- C-SiC, refractories. 64-02053A
- ¹¹Cr in grain-boundary and lattice diffusion of. 64-07335A
- and Ga₂O₃, fluoride-activated catalyst. 64-04374P
- Na⁺, electrolytes, chemical polishing behavior. 64-00636A
- by spray drying. 64-01257A
- Na⁺, electrolytes, surface characteristics. 64-00710A
- near-stoichiometric, dielectric constant of. 64-03794A
- solid electrolyte based on, formation of microstructure. 64-01213A
- and Nasicon, fast-ion conductors, kinetics of Na deposition in. 64-05558A
- :Si, polycrystalline, creep in. 64-04257A
- SiC-C brick, for pouring pad of torpedo car. 64-02058A
- SiC-whisker-reinforced, toughening behavior in. 64-02837A
- SiO₂, composite, preparation and sintering behavior. 64-05370A
- pellets, porous, liquid-phase diffusion and adsorption of pyridine. 64-02986A
- TiN-based cutting tool, method of making. 64-07213P
- X-irradiated, spectral emission from glow peaks. 64-04344A
- ZrO₂, composite powder, method of making. 64-02893P
- flame spray powder. 64-01283P
- system, rapid solidification in. 64-04325A

- α -, F -type centers in, analysis of electronic processes. 64-07498A
- alkaline-poor, method of making. 64-01354P
- crystals, luminescence and photoconductivity in. 64-07475A
- defect parameters and defect structure. 64-07463A
- dislocations in. 64-07452A
- doped with Si and Na, low-activation-energy conduction in. 64-04547A
- electrical properties. 64-06553A
- electron emission measurements and defect structure. 64-02766A
- in electrochemical porcelain, determination of content. 64-06542A
- hydrothermal crystal growing process. 64-02955P
- migration energies in. 64-07444A
- production and applications of. 64-02814A
- sintering in gas plasmas. 64-06784A
- small concentration of Cr and Fe in, ESR measurement. 64-07135A
- abrasives, fused grain containing reduced Ti oxide. 64-01647P
- acidic properties, determination by Benesi method. 64-01825A
- amorphization, by ion beams. 64-07441A
- amorphous, method for polishing. 64-07248P
- analysis of, by combined TG/XRD. 64-06853A
- annual ceramic mineral resources review. 64-06999A
- are tube, for metal vapor discharge lamps. 64-04376P
- β and β' , ionic and molecular transport in. 64-05557A
- β -, for Na-S batteries. 64-01178A
- and Y_2O_3 -PSZ, interfacial reactions between. 64-07077A
- Zr-doped, material. 64-03847P
- with ZrO_2 . 64-03848P
- with ZrO_2 , additions, thermal shock of. 64-04358A
- electrode noise in. 64-06555A
- electrolyte, Na deposits on. 64-07173A
- electron microscopic study of oxides related to. 64-07460A
- sintering, microstructure and mechanical properties. 64-01255A
- strength and electromechanical fracture behavior. 64-07176A
- structural transformations during sintering and annealing. 64-02831A
- thermal shock of. 64-04357A
- two-dimensional metallic aggregates in. 64-07514A
- typical solid electrolyte. 64-07070A
- based catalyst, hydrocracking. 64-04389P
- method of making. 64-02895P; 64-02896P
- based catalyst carriers, method of making. 64-05630P
- based ceramics, electroconductive. 64-06615P
- based composition, for substrates. 64-02347P
- based slide gates. 64-05032P
- body, from calcined powders, problems of agglomeration. 64-07149A
- for chromatography, method of making. 64-05604P
- preparation of. 64-07212P
- bonding, by monocalcium phosphate. 64-02055A
- bricks, in steel ladles, performance results. 64-04983A
- bubbles, refractory, production and properties. 64-04328A
- catalyst, for alkylating aromatics with olefins. 64-02847P
- characterization. 64-01187A
- small bead, for auto exhaust gases. 64-05657P
- cements, compositions for. 64-01768P
- hydraulicity and strength-retaining capacity relative to TiO_2 content. 64-06451A
- ceramics, subjected to triaxial stresses, fracture criterion. 64-01215A
- chemicals, from Arkansas bauxite, worldwide applications for. 64-07057A
- coating, on metals, mixture for. 64-06155P
- process and apparatus for producing. 64-03172P
- compacts, powder, laser-melted, solidification microstructures. 64-07175A
- concrete, refractory, improvements. 64-00553P
- containing compensating additives, high creep ductility in. 64-07112A
- containing liquids, surface tension of. 64-04570A
- crack healing in. 64-07080A
- crystalline, mfg. process. 64-02894P
- crystals, preparation of corundum articles during growth of. 64-02944A
- for cutting tools. 64-02740A
- density and microstructure, effect of MgO dopant dispersing method. 64-07085A
- deposits, gas purging to prevent nozzle clogging. 64-02054A
- diffusion in, oxygen. 64-07357A
- doped with Si, electrical conductivity of. 64-04537A
- doped with Ti^{4+} , sintering, phase studies of. 64-07365A
- dry, refractory cement mix. 64-00572P
- effect on phase separation, in photochromic glasses. 64-06307A
- envelope, Na vapor lamp with. 64-01310P
- erosion damage in. 64-01844A
- fibers, durability in reheating furnace. 64-04939A
- method of making. 64-05646P
- preparation of. 64-02810A
- production of. 64-01247A
- synthesis of. 64-04354A
- films, anodic, breakdown phenomena during pore filling. 64-02290A
- incorporation of electrolyte anions in. 64-00700A
- mirror structure with. 64-02007P
- rf-sputtered, effect of pO_2 on properties. 64-01205A
- fine-grained, effects of temp. and stress on grain-boundary behavior. 64-07094A
- formation-promoting coating, high-temp. 64-03166P
- freeze- and spray-dried, effect of processing parameters on surface area. 64-01125A
- γ -, SiO_2 -stabilized, catalyst based on. 64-01281P
- fine structure, electron microscopy study. 64-01556A
- spherical particles, ultrafine, electron microscopy of crystal structure and surface morphology. 64-03003A
- grain boundaries. 64-07466A
- solute segregation at. 64-07385A
- grain growth, effect of MgO on. 64-07089A
- grain-growth kinetics, in absence of liquid phase. 64-04282A
- high-, bricks, for steel ladle. 64-02118A
- refractories, for teeming ladles, structural behavior. 64-02217A
- high-purity, development and sintering of. 64-04264A
- from impure Al chloride solutions. 64-02734P
- hot-pressed, relation between hardness, elasticity, and density. 64-01251A
- hydrate, Bayer process production of. 64-05877P
- hydrated, with polyphenylene oxide and polyolefin, flame-resistant thermoplastic blends of. 64-04502P
- insulators, defects in. 64-07451A
- and kyanite, development of high- Al_2O_3 refractories from. 64-02097A
- matrix composite, reinforced with SiC whiskers, creep deformation of. 64-07081A
- mechanical behavior of. 64-07477A
- mechanical properties. 64-07479A
- metallizing, Cu plating process for. 64-05060A
- microstructures, grain-boundary. 64-07467A
- monohydrate, fibrous colloidal of boehmite lattice structure, method of making. 64-04514P
- narrow size distribution, processing of. 64-06781A
- packed, absorbs hypergolic vapors. 64-04313A
- particles, electrical conductivity of CuBr containing. 64-05080A
- particulates, spheroidal, preparation of. 64-07063P
- thick-film resistor inks. 64-02423P
- phase transformation, $\gamma \rightarrow \alpha$, quantitative DTA study. 64-02817A
- pigments. 64-04508P
- plates, mechanical behavior under ballistic impact. 64-02792A
- polycrystalline, Fe-doped, conductivity at high temps. 64-02749A
- high-temp. failure of. 64-02777A; 64-02778A; 64-02779A
- response to diamond grinding. 64-04331A
- understanding defect structure and mass transport in. 64-07516A
- powder, hot isostatic pressing, interface-reaction-controlled kinetics in. 64-05743A
- pigmented, method of making. 64-04510P
- preparation by gas-phase oxidation of tris(acetylacetonato)Al(III). 64-07370A
- pressed pellets of, irreversible dilation on heating. 64-07473A
- spherical, $\gamma \rightarrow \alpha$ transformation in. 64-07333A
- synthesis of. 64-07118A
- prepared from gel, thermal stability. 64-07396A
- production. 64-02737P
- from Al-containing ores with Na_2CO_3 . 64-01167P
- Bayer-type, process reducing NaOH losses. 64-02736P
- desilication of aluminate liquors for. 64-07064P
- process for. 64-07066P
- properties of, electrical and optical. 64-07096A
- radiation damage and nonequilibrium phases in. 64-07496A
- /rare-earth oxide catalyst, for exhaust gas purification. 64-07256P
- raw materials, physicochemical and mineralogical characteristics. 64-01134A
- reacted, process for removal of impurities in. 64-07431P
- reactions with MgO , to form $MgAl_2O_4$. 64-05719A
- recovery, method for. 64-05508P
- refractories based on, thermal endurance. 64-00527A
- refractory balls, in hot blast stove, microstructure variation. 64-05014A
- refractory blocks, for blast furnaces, nondestructive testing of. 64-00493A
- resistive element, arc-limiting, method of making. 64-02389P; 64-02390P
- samples, precipitated, properties of. 64-02718A
- scale, transport properties, determination of. 64-07319A
- shock-modified, XRD line-broadening studies. 64-02844A
- single- and polycrystalline α -, K_2V diagram for. 64-04303A
- single-crystal, effect of surface condition on O_2 self-diffusion coeffs.—comment. 64-02927A
- effect of surface condition on O_2 self-diffusion coeffs.—reply. 64-02928A
- fracture toughness. 64-07465A
- sintered, creep cavity nucleation and growth, neutron scattering study. 64-04342A
- porcelain composition. 64-06535P
- sintering, by addition of Si_3N_4 , study of. 64-04318A
- effect of pretreatment. 64-04294A
- and grain growth. 64-07169A
- microwave plasma. 64-06775A
- sol-gel-derived, IRRS of. 64-05549A
- sols. 64-07405P
- solutions, substrates coated with. 64-01366P
- spray-dried, effect of humidity on pressing characteristics. 64-01124A
- sputtered, on Cu substrate, improved adhesion between. 64-04678A
- strength and microstructure, optimum, hot-pressing conditions for. 64-07116A
- strengthening, by ion implantation. 64-04349A
- stress in, residual, measurement of. 64-04330A
- structure, grain-boundary. 64-07468A
- surface electronic. 64-07505A
- substitution, phase separation of alkali borosilicate glass by. 64-06214A
- on substrate, electrophotographic image-forming member with. 64-00747P
- process for removing from carbonaceous pyropolymers. 64-04515P
- substrates. 64-02285A
- laser-drilled holes in, microstructural study. 64-02795A
- metallizing with Mo-Mn paste, effect of atm composition. 64-05069A
- method of forming. 64-06643P
- support, Ni catalyst on. 64-02887P
- surface. 64-07179A
- structure of. 64-07504A
- surface layers, diffusion of ^{11}Cr in. 64-05687A
- and thick-film glass dielectric. 64-02349P
- tile, lightweight vault door containing. 64-02869P
- translucent, fracture of, temp. dependency and effect of Ca dope. 64-02771A
- sintered body, for vapor lamps. 64-04409P
- transparent. 64-04363A
- Lucalox. 64-02839A
- tubing, for Na vapor lamps, improved fabrication. 64-01221A
- twins in, annealing, crystallography. 64-04259A
- values, method of recovering from $AlCl_3$ and $NaCl$. 64-01156P
- vaporization from. 64-07191A
- wettability, by liquid Al. 64-06146A
- white, with additives, sintering behavior and material properties. 64-04339A
- zeolites with, acid, hydrothermal activation. 64-01315P
- zircon-, mixed, fired properties. 64-02769A
- Aluminum,**
- $Al_{1-x}Ga_x$, $Al_{1-x}As_x$, grown by CVD with Zn or Se, doping of. 64-01395A
- $-Al_2O_3$, stylus arm. 64-05203P
- $AlCl_3$ and $NaCl$, method of recovering Al_2O_3 values from. 64-01156P
- AIN, behavior under fast neutron radiation. 64-04245A
- dense, high thermal conductivity, pressureless sintering of. 64-01357P
- epitaxial layer, growth and optical properties. 64-01218A
- formation by N-ion implantation in Al single crystal. 64-04461A
- high-pressure hot-pressing without additives. 64-04285A
- high-thermal-conductive substrate technology, development of. 64-03763A
- molten method for making. 64-01154P
- oxidation of. 64-04311A
- powder, as sintering additive. 64-01150P
- powder, preparation of. 64-05569A
- precipitation from gas phase. 64-05570A
- sintered, tubular components of. 64-07297P
- substrates for high-power applications. 64-03747A
- transparent ceramics. 64-01269A
- Si carbide, vaporization thermodynamics and enthalpy of formation. 64-01272A
- Si ordering, in trioctahedral micas. 64-06997A
- additives, for C-containing refractories, behavior of. 64-04921A
- aluminizing, protective coating against. 64-04687A
- black chrome films, selective absorption. 64-04835A
- carbonate, basic gels, process for preparing. 64-04514P
- chloride, solutions, making high-purity aluminas from. 64-02734P
- containing, ceramic composite, aluminol. 64-01233A
- containing ore, with Na_2CO_3 , production of Al_2O_3 from. 64-01167P
- coordination, in SiO_2 -rich Na aluminosilicate glasses, Raman studies. 64-03338A
- culinary vessel, enameling bottom face of. 64-04696P
- davanadate, crystal data, ir spectrum, and thermal behavior. 64-01191A
- doping SiC with, resultant properties. 64-00634A
- electrolytic, production with reaction-sintered cermet component. 64-07223P
- films, CVD. 64-04671A
- on fused SiO_2 , ion-beam mixing of. 64-04680A
- garnet, single-crystal material based on. 64-07436P
- hydroxide gels, adsorption of alkylsulfonates from aqueous solutions on. 64-07303A
- liquid, wettability of Al_2O_3 by. 64-06146A
- oxidation, microarc, structure of anode films in. 64-01465A
- oxides, and ethyl silicate, porous ceramics based on. 64-01243A
- and hydroxides, as natural minerals. 64-06998A
- oxyinitride, with improved optical properties, method of making. 64-02848P
- transparent, method of making. 64-07295P

- phosphate, Idaho Chemical Processing Plant, for immobilizing nuclear wastes. 64-05329A
coating, solid C articles with. 64-01559P
refining, permeable refractories for. 64-04985A
-resistant composition, refractory. 64-06473P
silicate catalyst, cracking, with reduced S emissions from coke, method of making. 64-05627P
silicates, hydrothermal decomposition of. 64-04503P
/silicous gel, Zr hydride-modified. 64-01515P
substrate, lithographic, chemical etching of. 64-07409P
porcelainized, for film power resistors. 64-05157A
sulfate, calcined, Al_2O_3 from. 64-05486A
titanate, made in solar furnace. 64-05512A
magnetic recording materials. 64-00867P
titanate-mullite refractories. 64-02235P
vermiculite-coated, delaminated. 64-00119P
- Ammonium**
-tantalum-tungstate, proton-conducting. 64-02286A
uranium phenyl carbonate, coevaporation process for mixed-oxide fuel fabrication. 64-00877A
- Analysis.** See also *Chromatography; Microscopy; Particles; Quality control; Screens and sieves; Spectroscopy; Spectrometry; etc.*
of 11 A tobermorite, in products of hydrothermal processes. 64-00035A
of 2-D contact problem, point finite element in. 64-05948A
AAS, of As and Se. 64-02579A
of Ca and Mg in glass. 64-00145A
²⁷Al and ²⁹Si NMR study, of thermal reactions of kaolinite. 64-07053A
of Al_2O_3 , by combined TG/XRD. 64-06853A
Auger, of PSZ. 64-02742A
of hot-pressed and sintered SiC. 64-04242A
of B, in frits and glasses. 64-04713A
¹¹B NMR, of Zn borate compounds and glasses. 64-03191A
of borate glasses containing TeO_2 . 64-01809A
Brillouin and Raman scattering, of borate glasses. 64-04707A
DTA, and TGA, of nucleation in flux growth of oxides. 64-07355A
of crystal growth in $\text{Na}_2\text{O}-2\text{SiO}_2$ glass. 64-01863A
of effect of melting accelerators on glass batch. 64-06311A
of $\gamma \rightarrow \alpha$ phase transformation in Al_2O_3 . 64-02817A
of nucleation and crystal growth in $\text{Na}_2\text{O}-\text{SiO}_2$ glass. 64-04742A
of nucleation in glass-forming systems. 64-06228A
EPR, of Ba borate glasses containing Fe. 64-01843A
of Mn^{2+} in disordered phosphate glasses. 64-03224A
of Mn^{2+} ions in TeO_2 -PbO glass. 64-01829A
of Mn^{2+} ions in heavy-metal fluoride glasses. 64-06181A
of effect of calcination temp. on Cr^{3+} -impregnated rutile. 64-02924A
of ferric iron concentration in glass. 64-03251A
of glasses and glass-ceramics with Gd_2O_3 . 64-01830A
and magnetic susceptibility, of $x\text{CuO}-(1-x)[\text{ZrO}_2/\text{PbO}]$ glasses. 64-00164A
of structure of Ce-containing phosphate and silicate glasses. 64-03225A
ESR, of Mn^{2+} in As-Se glasses. 64-05067A
and Moessbauer, of ferrite precipitation from silicate glasses. 64-02458A
of Ti^{3+} in Ba borosilicate glass. 64-03312A
of behavior of Fe in X-ray irradiated silicate glass. 64-01810A
of phosphate glasses containing mixed transition-metal ions. 64-00180A
of radiation-induced damage in Fe silicate glasses. 64-03245A
of small concentrations of Cr and Mn in MgO. 64-01020A
of trapped hole centers in irradiated alkali silicate glasses. 64-00181A
EXAFS, of Co oxides and oxide glasses. 64-00165A
of silicate glasses containing U. 64-00166A
of HF, radioactive, in glass-polishing solutions. 64-04748A
IRS, of high-dispersion ZrO_2 -doped SiO_2 gel. 64-04731A
Moessbauer, and DTA, of crystallization of borosilicate glasses. 64-00209A
of Fe^{2+} ions in Li borosilicate glasses. 64-03250A
of $\text{Li}_2\text{O}-\text{B}_2\text{O}_3(\text{Fe}_2\text{O}_3)-\text{SiO}_2$ crystallized glasses. 64-06221A
and NMR, of Ba ferrites with magnetoplumbite structure. 64-05288A
of Zn_2 , Ni_2 , SnFe_2 , Fe_2O_3 ferrites. 64-02472A
of effect of nucleating agents on crystallization of YIG in $\text{Na}_2\text{O}-\text{SiO}_2-\text{Y}_2\text{O}_3-\text{Fe}_2\text{O}_3$. 64-01871A
of kinetics of change of valence of Sn in Na silicate glasses. 64-03302A
of microcrystalline YFeO₃. 64-01466A
of reactive-sputtered $[(\text{Pb}, \text{Sn}, \text{Bi})_2\text{O}_3]$ films. 64-05133A
of solid solutions in system $\alpha\text{-Fe}_2\text{O}_3-\text{SnO}_2$. 64-00863A
NMR, of nonstoichiometric NbC. 64-05937A
of Portland cement hydration. 64-03104A
of problems in kaolinite-mullite reaction sequence. 64-07488A; 64-07489A
of thermal reactions of pyrophyllite. 64-07395A
Raman, of Al coordination in SiO_2 -rich Na aluminosilicate glasses and related minerals. 64-03338A
EPMA, of preforms and optical fibers. 64-03476A
of Na silicate glasses with low phosphate content. 64-01896A
of densified vitreous SiO_2 . 64-01897A
of grain size effects in melting behavior of $15\text{Na}_2\text{CO}_3-10\text{BaCO}_3-75\text{SiO}_2$ batches. 64-01898A
of pressure-densified vitreous SiO_2 . 64-04750A
spectral, of inorganic glasses, vibration structure and sampling rules. 64-01923A
of structure of glasses along the join $\text{SiO}_2-\text{GeO}_2$. 64-03340A
of temp. dependence of boronol ring clusters in $\text{B}_2\text{O}_3-\text{GeO}_2$ and $\text{B}_2\text{O}_3-\text{GeO}_2-\text{SiO}_2$ glasses. 64-06240A
of vitreous SiO_2 vs fictive temp. 64-03339A
Rietveld, of Ca- and Y-containing α -Silons. 64-02821A
SEM, of Triassic, Hungarian, dolomites. 64-05492A
of hydration products in C/S cement. 64-00030A
of kaolinite-muscovite-quartz bodies, fired. 64-02269A
SIMS, of impurities at CMT-CdTe heterostructure interfaces. 64-00705A
of leached $\text{Na}_2\text{O}-\text{CaO}$ glass. 64-06247A
of Sb(III) oxide, in glasses. 64-04712A
²⁹Si NMR, spectroscopic, of binary alkali silicate glasses. 64-03267A
of structure of Pb silicate glasses. 64-00224A
TEM, of asbestos samples, comparison of preparation techniques. 64-02580A
of evolution of implanted O profiles in Si. 64-05752A
of lateral-diffusion couples. 64-05746A
TGA, modern. 64-04094A
X-ray, of Fe_2O_3 in refractory glasses. 64-00465A
of binary oxides of rare-earth elements and Ta. 64-05673A
of boundary phase in PSZ. 64-07192A
of chemical collapse of aluminoborosilicate glass in alkaline media. 64-04764A
image-evaluation system. 64-02577A
of phase boundary of ferroelectric ceramics in $\text{K}_2\text{B}_4\text{O}_7/\text{TiO}_2-\text{Na}_2\text{B}_4\text{O}_7/\text{TiO}_2$. 64-05285A
of weakly absorbing materials, nonfocusing diffractometer for. 64-06881A
X-ray Rietveld, effect of profile step counting on determination of crystal structure. 64-06869A
X-ray absorption, of coordination of divalent Pb in $\text{PbO}-\text{PbCl}_2$ glasses. 64-03214A
X-ray and Moessbauer, of isotropic Ba ferrites. 64-05307A
X-ray and electron microscopy, of single-layer TaS₂ and NbS₂. 64-05201A
X-ray and spectroscopic, of terra-cotta figurines from Myrina. 64-02282A
X-ray electronic, of NiF_2 . 64-05874A
X-ray microprobe, of clay minerals, vermiculite. 64-02626A
X-ray scattering, of spinodal decomposition in $\text{B}_2\text{O}_3-\text{PbO}-\text{Al}_2\text{O}_3$ glass. 64-06250A
X-ray spectral, of glass. 64-01044A
X-ray structural, of activated SiO_2 . 64-01597A
X-ray topographic, of crack-induced dislocations in MgO crystals. 64-04574A
XPS, of effects from silanization on real glass surface. 64-03500A
of oxidation of TiSi₃ films. 64-05759A
XRD, of Ag-Bi titanate. 64-00712A
of $\text{PbO}-\text{PbCl}_2$ glasses. 64-01927A
of corrosion products of aluminoborosilicate E glass fibers in NaOH solutions. 64-01766A
of crystallization of glasses in system $\text{ZrF}_4-\text{BaF}_2-\text{AlF}_3$. 64-03386A
data for Na-Pb niobate. 64-05970A
of illite in sedimentary clays. 64-02698A
line-broadening, of shock rutile and Al_2O_3 . 64-02844A
of micaceous mineral crystallinity. 64-04230A
of structure of $\text{Na}_2\text{O}-\text{CaO}-\text{Ga}_2\text{O}_3-\text{SiO}_2$ glasses. 64-06259A
of phase composition of pericase melting products. 64-04986A
of polymorphic mixes of pure ZrO_2 . 64-01248A
powder data and physical properties of $\text{NdAl}_2(\text{B}_2\text{O}_3)_2\text{O}_3$. 64-05969A
of solid-state transformations in furnaces. 64-06896A
of state of Mg ions in Na-Mg and Na-Ca-Mg silicate glasses. 64-01928A
of structure of Ba fluorozirconate and fluorohafnate glasses. 64-04763A
of structure of Be aluminosilicate glasses and crystals. 64-01929A
of structure of glasses in system Ge-S. 64-03387A
and synchrotron radiation, study of high-pressure phase of UN. 64-06741A
of system $\text{Al}_2\text{O}_3-\text{Cr}_2\text{O}_3$. 64-04287A
of system $\text{CaO}-\text{Y}_2\text{O}_3-\text{TiO}_2$. 64-01598A
XRF, disposable sample cups for. 64-04082A
of first millennium AD glass from Britain. 64-01670A
with glass beads, of silicate-containing samples. 64-01043A
of silicate in thin layers. 64-02627A
theory and instrumentation. 64-02625A
of acid content, in agents for chemical polishing of glasses. 64-00160A
of asbestos, by TEM, accuracy. 64-05398A
chrysotile, standards for. 64-05401A
of batch, glass, conditions for. 64-00280A
of bricks, $\text{MgO}-\text{CaO}$ used at slag line of VOD. 64-03584A
brittleness, by scratching tests. 64-04074A
calorimetry, of stability of CaCl_2 hexahydrate melt. 64-05665A
cathodoluminescence, of carbonate rocks, rapid polishing of sections for. 64-04221A
of phase distributions and deformation structures in ZrO_2 . 64-06860A
chemical, of Cr green $\text{Na}_2\text{O}-\text{CaO}-\text{MgO}-\text{SiO}_2$ glasses. 64-03202A
of medieval and ancient glasses from Central Asia (USSR). 64-03058A
of solids, by XRD. 64-06855A; 64-06856A
chemical and optical, of Ti clinohumite. 64-04198A
chromatographic, of gas compounds in inclusions in minerals, device for. 64-05413A
of glass. 64-06857A
of system $\text{Na}_2\text{O}-\text{In}_2\text{O}_3-\text{P}_2\text{O}_5-\text{H}_2\text{O}$. 64-05676A
of corrosion, nuclear waste glass. 64-00144A
crystal chemical, of morphology of tobermorite. 64-07031A
of crystallites, in fluorozirconate glass. 64-00146A
crystallographic, of $\text{LiAlSi}_2\text{O}_6$. 64-02835A
and morphological, of carbide formation in system Ta-C-Cl. 64-01193A
of system $\text{SrO}-\text{RuO}_4-\text{Al}_2\text{O}_3$. 64-04493A
derivatographic, Na and NH₄, paratungstates. 64-01391A
diffraction, of Silons, β' -Mg. 64-01199A
diffusional creep, of defect structure and mass transport in Al_2O_3 and MgO . 64-07516A
dilatometric, and DTA, of LiNbO_3 . 64-05257A
of initial-stage sintering. 64-01012A
electroluminescence, of SiO_2 films containing Si islands. 64-06556A
electron microscopic, of oxide particles from coalescence of Fe and Fe oxide smoke particles. 64-02935A
elemental, with nuclear particle accelerator. 64-01015A
emanation thermal, of starting materials for ferrites. 64-05294A
emission-spectral, of chemical stability of enamels. 64-00086A
fatigue, of indentation flaws, using exponential-law crack velocity function. 64-01536A
fracture surface, synchrotron X-ray fractography. 64-01036A
furnace. 64-01090P
of glass tanks. 64-06942A
 γ -ray, of melt movement in glassmelting furnaces. 64-01041A
gas chromatographic, of Li montmorillonite adsorption of hydrocarbons. 64-05714A
of glasses, nuclear waste, after 1-yr burial. 64-04703A
grain-size, frequency distributions, optimal configurations and content of sets. 64-01026A
of mica with sediments. 64-07036A
of grain-size measurements, by sieving and settling-tube method. 64-04071A
of gypsum dihydrate content, in natural raw materials. 64-03084A
image, petrographic. 64-06886A
of indentation crack, as wedge-loaded half-penny. 64-04523A
instrumental neutron activation, of ceramic samples from Italy. 64-05419A
ir, of Egyptian siliceous clays. 64-04083A
ir absorption, of O content in Si. 64-01019A
joint thermo-, of clay minerals, carbonates, and sulfates. 64-05495A
kinetic, of ball mill grinding. 64-00911A
of formation of solid-solution- $\text{NaCl}-\text{KCl}$ and $\text{CaO}-\text{SrO}$ systems. 64-01418A
of solid-state reactions between powders. 64-01419A
lanthanoid traces, determination with sensitization of luminescence in crystallophors. 64-05685A
of leaching data, for PNL 76-68 glass. 64-04702A
of light elements, XRF spectrometer for. 64-04070A
of lime release, in hydrated Portland cement. 64-04631A
manipulator, for nondestructive material testing. 64-02629P
mass-spectroscopic, of evaporation of solid solutions of system $\text{ZrO}_2-\text{Lu}_2\text{O}_3$. 64-01423A
mathematical, of dependence of piezoelectric properties on composition in system $\text{PbTiO}_3-\text{PbZrO}_3-\text{Pb}(\text{Zn}_{1-x}\text{Nb}_x)_2\text{O}_7$. 64-05268A
of drying, graphic charts for. 64-04151A
microprobe, of interphase distribution of Ca, Mg, and Al in converter V slag. 64-01394A
microscopic, of electrical domain in $\text{Pb}(\text{Mn}_{1-x}\text{Nb}_x)_2\text{O}_7-\text{PbTiO}_3-\text{PbZrO}_3$. 64-00831A
microspectral, of refractories, localization of laser-induced cracks during. 64-02135A
microstructural, of crystallization in Ni-based alloy. 64-01231A
of phase-separated glasses. 64-01861A
mineralogical, automatic point-counting method for. 64-01115A
neutron scattering, of creep cavity nucleation and growth in sintered Al_2O_3 . 64-04342A
of microcracks in YCrO_3 . 64-02975A
of ultrafine porosity in hydrated cements. 64-06130A
nuclear, of glasses corroded in aqueous solutions. 64-06227A
of leaching of mixed-alkali glasses. 64-06219A
on-line, of light elements in slurries. 64-06882A
operational, of fossil fuel-fired kilns. 64-04156A
optical, of cement clinker. 64-03112A
of electromagnetic surface modes in microcrystals. 64-02990A
optical and EPR, of color instabilities in amber glasses. 64-00213A
particle size. 64-06915P
distribution, of blended solids, by Andreasen pipet method. 64-01027A
particle-bulk. 64-04098A
petrographic, of sedimentary rocks, with SEM. 64-04214A
phase, of aluminas doped with Ti^{3+} . 64-07365A

- of wollastonite, chemical method for. 64-07026A
phase composition, of structural and high-strength gypsum. 64-03065A
- of phase compositions, in systems** V_2O_5 , Fe_2O_3 , Cr_2O_3 , Al_2O_3 , TiO_2 , and SiO_2 . 64-05661A
of phosphate ions, in glass lines. 64-00221A
photoelectron spectroscopic, of energy structure of surface of Pb silicate glasses. 64-01894A
photometric, of Zr(IV) oxide content in silicates. 64-05410A
photovoltage, of electronic properties of Si(III) surfaces annealed in vacuum. 64-05813A
physical and chemical, of ceramics. 64-02608A
physicochemical, of sintered $CdSe$, Te , layers. 64-05780A
of system Cd-Bi-Te. 64-05781A
of system Yb-Sn-Se. 64-05782A
physicochemical, of atomic composition of glass raw materials. 64-06327A
pigment-flux interaction, electron microprobe for. 64-07328A
potentiometric, of fluorides in materials for cement industry. 64-01707A
preparation of thin specimens, device for. 64-06904P
quantitative, of SiO_2 in respirable-size dust samples, by IRS. 64-02611A
of α - Al_2O_3 in electrotechnical porcelain. 64-06542A
image and interferometry, optimize polishing conditions. 64-02612A
of monoclinic-stabilized cubic ZrO_2 . 64-01571A
of oxidation states of Se in silicate glasses. 64-06163A
radiometric, of semiconductor materials, errors in. 64-05416A
of raw materials, red mud. 64-01147A
of regenerator energy performance, with heat balance model. 64-00271A
regression, of Sellmeier expansion. 64-05443A
ring, of cement rotary kilns, algorithm for. 64-00032A
risk, strategic, of raw materials for glass industry. 64-00329A
roller micrometer, of grain shape. 64-04223A
rotational, of hydroxyl vibration-rotation emission bands. 64-04490A
screen, evaluating granular materials by. 64-05363A
search/match, of powder XRD patterns. 64-06891A
semiempirical, of electronic processes of F -type centers in α - Al_2O_3 . 64-07498A
semiquantitative, of metals, preparation of samples. 64-02599A
of service life, of L. D. vessel lining. 64-02204A
sieve, reproducibility, with vibration test and Ba ferrite as media. 64-04010A
spectrographic, of Ca in Na_2O CaO feldspars. 64-04224A
spectrometric, of O self-diffusion in MgO . 64-07380A
XRD, of crystalline solids. 64-01042A
of metals in archeological artifacts. 64-00014A
spectrophotometric, of NiO , Ni_2O_3 , equilibrium in Pb borate glasses containing Ni. 64-03359A
spectroscopic, AAS, new background correction technique. 64-01022A
of AlF₃-based glass doped with Eu. 64-01910A
of Nd-doped $Y_2Ga_2O_7$, waveguide on $Y_2Al_2O_7$ substrate. 64-03355A
of coloring process in Cu ruby glasses. 64-00150A
in situ, of Co-Mo- Al_2O_3 , hydrotreating catalyst. 64-04293A
of near-surface layers of glass modified by ion implantation. 64-03361A
stain, with computer color matching. 64-06898A
statistical and electron microscopic, of industrial quartz glasses. 64-03485A
of stoichiometry and temp. dependence of cation diffusion, in wustite. 64-04525A
stress, of leadless chip carriers and PC boards. 64-03780A
in vitreous enameling systems. 64-00115A
structural, of Pb oxide precursors of PZT. 64-00839A
of glass system Na_2O - CaO - SiO_2 . 64-01911A
by neutron diffraction. 64-04101A
surface, AES applications. 64-01035A
surface-film, with XRF spectrometry, fundamental aspects. 64-02593A
technological, of Chinese porcelain of Yuan dynasty. 64-04612A
temp. field, during cooling of system glass layer-opaque substrate. 64-01189A
theoretical, of ring-on-ring loading disk test. 64-01038A
thermal, of autoclaved cellular concretes. 64-06128A
of dehydration of kaolinites. 64-05866A
of melts in systems molybdates, tungstates, and carbonates of Na and K. 64-05858A
under practice-oriented conditions. 64-04107A
of preparation of $BaTiO_3$ by thermal decomposition of Ba titanate oxalate. 64-07369A
quality assurance of brick clays by. 64-01138A
recent advances in instrumentation. 64-05434A
of state of hydration of $3CaO \cdot Al_2O_3 \cdot 3CaSO_4 \cdot nH_2O$. 64-06129A
of system Al_2O_3 - H_3PO_4 - Cr_2O_3 . 64-02950A
of system laterite-phosphoric acid. 64-07397A
of systems $Na[CO_3]$, MoO_3 , WO_3 , and $K[CO_3]$, MoO_3 , WO_3 . 64-05857A
systems for. 64-05439A
thermo- 64-04106A
emanation. 64-04094A
- thermodynamic, of CVD of SiC from Si-C-Cl-H gas systems. 64-05867A
of reactions in system In-As-Sb-Cl-H. 64-05188A
thermogravimetric, in ceramics. 64-06899A
thermochemical, of brittle refractory systems. 64-06458A
trace element, interlab variability. 64-05422A
vacuum balance, of phosphate-bonded oxide ceramics. 64-07400A
vapor phase dissolution, of ZrO_2 in glasses. 64-04079A
workability, of lime hydrate. 64-04632A
xeroradiographic, of Kourion votive figurines. 64-02273A
of pottery mfg. techniques, test case from Baq'ah Valley, Jordan. 64-02283A
- Analyzers,**
gas, high-speed chromatographic. 64-01018A; 64-02595A
micro-, Raman laser, for studying refractories. 64-02192A
on-line, for combustion control. 64-04097A
particle size distribution. 64-02649P
- Andalusite,**
S. African, purisite. 64-02724A
- Anhydrite,**
construction materials, length variation behavior. 64-00048A
- Anions.** See Ions.
- Anisotropy.** See also Crystals.
of electrical resistance, of pyrolytic graphite intercalates with Cs and Rb. 64-01176A
of fracture toughness, of piezoelectric ceramics. 64-06679A
magnetic, of ferrite-garnet films. 64-05298A
microhardness, of In-Ga-As phosphide, composition dependence. 64-00640A
of thermophysical and elastic properties, effect on thermal stresses in profiled sapphire and LiNbO₃ crystals. 64-04533A
- Annealing,**
O vacancy, in H⁺-implanted SiO_2 . 64-06569A
Si- SiO_2 interface, B segregation during. 64-03751A
ZrO₂, Y₂O₃-doped tetragonal, in water, transformation by. 64-07512A
of β - Al_2O_3 , structural transformations during. 64-02831A
glass fibers, tracing viscosity changes during. 64-03438A
irreversible and reversible, of paramagnetic O vacancies in O-implanted SiO_2 . 64-07472A
laser, of SiC and Si₃N₄ films. 64-01356P
and thermal, of Bi-Ga and La-Ga-substituted garnet films. 64-02465A
lehrs, glass. 64-01989P
mesoterm—equipment for measuring temp. course. 64-05425A
low-temp., crystalline change in Y₂O₃-PSZ by. 64-01192A
magnetic, of Co-substituted Fe oxide particles. 64-02467A
post-deposition, of sputtered ZnO films. 64-00693A
of sapphire, profiled, effect on physical characteristics. 64-04269A
seals, glass-to-metal bead, stresses from. 64-01789A
sheet-glass, mathematical modeling. 64-01956A
of solar cells, GaAs. 64-03846P
steel strip, in molten B₂O₃, SiO₂, Na₂O, NaF glass bath. 64-00243P
temp., effect on strength of SiC-Ni monofilament compositions. 64-04271A
twins, in Al_2O_3 , crystallography. 64-04259A
- Anodes.** See also Electrodes.
ceramic-coated, for cathode protection. 64-02455A
coating, RuO₄, IrO₃, and SnO₂ catalyst for. 64-05600P
collector, conductive oxide-covered, thermionic converter with. 64-00720A
photo-, TiO₂ thick-film, for photoelectrochemical cells, method of making. 64-06650P
- Antimony,**
Sb₂O₃, distribution between microphases in liquidating alkali borosilicate glasses. 64-03220A
Sb₂O₃, formation during thermolysis of Sb₂O₃ hydrate. 64-01403A
Sb₂O₃, method for producing. 64-07419P
Sb(III) oxide, in glasses, determination. 64-04712A
in glasses, silicate, oxidation-reduction behavior. 64-03470A
oxide, self-dispersing sols. 64-02970P
- Apatite,**
Ca-P, method of making. 64-02897P
composites, sintered. 64-04438P; 64-04439P
dental root, artificial. 64-05596P
high-strength, preparation of. 64-02809A
hydroxy-, adsorption and surface chemistry. 64-01626B
crystals, as adsorbent for liquid chromatography. 64-05720A
method of preparing. 64-04417P
in mineral processing, agriculture, teeth, and bones. 64-02741A
- Apparatus.** See Instruments; Testing; and specific types.
- Aqueous.** See Colloids.
- Archeology,**
Roman pottery remains, found in Talavera de la Reina, Spain. 64-06032A
artifacts, determination of metals by mass spectrometry. 64-00014A
beads, ancient Chinese Liuli. 64-00009A
bricks, from Middle Ages in Buda castle, Hungary. 64-00017A
building-wall composition, neutron probe of. 64-03063A
ceramics, Chinese, from XIII century. 64-00013A
Chinese, from XIV-XIX centuries. 64-00012A
history and scholarship. 64-06023A
containers, of classical Greece. 64-05998B
glass, from Britain, 1st millennium AD, XRF analysis of. 64-01670A
ancient, Fe- and S-related colors in. 64-04610A
pot, Spanish. 64-03064A
- Architecture,**
enamels, porcelain, applications for. 64-00075A
fired houses, by Nader Khalili. 64-01674A
- Argon,**
solubility, in vitreous SiO_2 . 64-03356A
- Armor,**
glass-ceramic, method of making. 64-00244P
tiled, portable. 64-01345P
- Arsonic,**
(Al,Ga)As, laser material containing buffer level, photoluminescence of. 64-05149A
As₂S₃, Ir glass fiber, CO laser power delivery with. 64-00633A
determination, by AAS. 64-02579A
inorganic, in glass, EPA reviews regulatory options. 64-01828A
- Art and artwork.** See also Archeology; Decoration; Design; Pottery; Tile.
of Tang and Liao dynasties. 64-06004B
beads, ancient Chinese Liuli. 64-00009A
bottle. 64-04614P
cosmetic. 64-04615P
decorated narrow-neck. 64-01681P
liquor. 64-04613P
bowl, and lid, combined. 64-01684P
snack. 64-04621P
sugar. 64-06052P
celadon, Chinese, properties and structure. 64-00588A
ceramic folklore, of Ryukyu, Japan. 64-01654A; 64-01655A; 64-01656A; 64-01657A; 64-01658A; 64-01659A; 64-01660A; 64-01661A; 64-01662A; 64-01663A; 64-01664A; 64-01665A
ceramics, Chinese, from XIII century. 64-00013A
Chinese, from XIV-XIX centuries. 64-00012A
in France in XVI century. 64-01667A
Islamic. 64-01672A
in Japan. 64-05975A
containers, of classical Greece. 64-05998B
cover, for serving dish. 64-01685P
crystal, cut plate. 64-06051P
cup. 64-01686P
design of. 64-06045P
dish, baking. 64-01679P
faience, Dutch. 64-03059A
Hispano-Moorish. 64-03060A
of Nevers (France). 64-06027A
of Rouen (France) in XVII and XVIII centuries. 64-06028A
figurines, Kourion votive, xeroradiographic study. 64-02273A
terra-cotta, from Myrina, X-ray and spectrographic analysis. 64-02282A
furnaces, thermal gradient test. 64-06034A
glass, at Warrington, UK, 1737-1933. 64-04609A
ancient and medieval from Central Asia (USSR), chemical composition. 64-03058A
champagne. 64-06041P
champagne, bell-shaped. 64-06037P
champagne, conical. 64-06038P
champagne, fluted. 64-06036P
champagne, fluted and fluted. 64-06039P
champagne, fluted stem. 64-06040P
chimney for lamp. 64-06050P
cordial. 64-06044P
cordial, bell-shaped. 64-06042P
cordial, conical. 64-06043P
flower-decorated drinking. 64-06047P
wine. 64-01694P; 64-06057P; 64-06058P
glasses and glazes, dispersed systems of crystalline grains in. 64-04608A
glazes, Cone 6 slip. 64-01668A
approach to making. 64-01651A
green, formation and development in Zhejiang province, China. 64-00015A
for medium and high firing. 64-01671A
slip-ash. 64-06033A
tan and brown, by Hobart Cowles. 64-06030A
goblet, with angular stem. 64-04617P
water, bell-shaped. 64-06054P
water, conical. 64-06055P
history, archaeology, and scholarship. 64-06023A
jewelry, geometric, ceramics in. 64-00011A
kilns, electric, vent for. 64-01652A
fast-firing test. 64-06029A
majolica, Italian. 64-03062A
materials, ceramic, nature and toxic properties. 64-00010A
mixer, dry clay. 64-06026A
mug, beverage. 64-03065P
museum and school, Aviles, Spain. 64-03057A
pitcher, cream. 64-04616P
plate. 64-01688P; 64-01689P
with decorated border. 64-01687P
decoration for. 64-01692P
torte. 64-03070P
platter. 64-04618P

- porcelain, Chinese, of Yuan dynasty, technological study. 64-04612A
- Ding white (Chinese). 64-06024A
- pot, Spanish. 64-03064A
- pottery, Cologne, Germany, Roman, source of clay used in. 64-04611A
- raw materials, used by Italian (Murano) glassmakers in 19th century. 64-00016A
- sculptors, brick. 64-01653A
- slips and glazes, Cone 6 oxidation. 64-01669A
- stoves, 600 BC to present. 64-01666A
- teacup. 64-03069P
- teapot. 64-04622P
- tray, relish. 64-04619P; 64-04620P
- snack. 64-01691P
- tureen. 64-06053P
- Artists.**
- Holden, Andrew, self-reliant potter. 64-03046B
- Lyons, Mitch, clay monoprints. 64-01673A
- pottery, of Montepulciano, Italy. 64-01675A; 64-06031A
- of Nepal. 64-01676A
- traditional, of Incheon, Korea. 64-01678A
- sculptors, brick. 64-01653A
- Asbestos.**
- analysis, of accuracy of TEM microscopy. 64-05398A
- and glass composites, properties of. 64-01892A
- cement, artificial fibers in. 64-00029A
- insulation in laminators, glass marbles substitute for. 64-01941A
- pipe, evaluating. 64-04637A
- chrysotile, standards for analysis of. 64-05401A
- disposal, problems melt away by absorption into glass. 64-01940A
- samples, analysis by TEM, comparison of preparation techniques. 64-02580A
- tailings, green molded product containing. 64-01308P
- wastes, clay bricks with, production technology. 64-06428A
- Ash.**
- Illinois coal, properties of glasses made from. 64-00155A
- combustion, removal from coal-fired tunnel kilns. 64-04164A
- fly, cement from. 64-01715A
- composition and properties. 64-01706A
- concrete containing. 64-06061A
- granulation and drying, mathematical model. 64-01718A
- high-quality mineral wool from. 64-04852P
- lignite, power stations and their effect on properties. 64-03118A
- mechanism of structure formation in structural clay products. 64-00443A
- mineral wool from, method and apparatus. 64-01974P
- power plant, as material resource. 64-01136A
- quenched, apparatus for producing cement from. 64-01767P
- pyritic, as additive to clay, to improve mechanical characteristics. 64-03554A
- rice hull, lightweight expanded silicate aggregate from. 64-02967P
- volcanic, additive for preventing black coring of tile. 64-00453A
- wet, as cement powder component. 64-03136A
- Atmosphere.**
- Pb in, direct collection for AAS. 64-02587A
- ambient, effect on electrical conductivity of Na tungstophosphate glasses. 64-00168A
- composition, effect on metallizing Al_2O_3 substrates with Mo-Mn paste. 64-05069A
- furnace, device for measuring activity of C in. 64-02641P
- heat-treatment, process for reducing O₂ content. 64-02693P
- reactive, choosing refractories for. 64-02078A
- during vitrification of porcelain. 64-02271A
- in glassmelting furnaces, concentration ratios. 64-03207A
- nitriding, transport properties, effect on formation of reaction-bonded Si_3N_4 . 64-07122A; 64-07123A
- plasma gas, sintering with. 64-04194P
- Atomization.** See *Spraying*.
- processes, ultrasonic nozzles take pressure out of. 64-02531A
- Atoms.**
- Ge, in Na_2O-GeO_2 glasses, coordination number. 64-04709A
- O, bridging and nonbridging, in alkali aluminosilicate glasses. 64-07443A
- impurity, low atomic number, in $MgO-H$ and C. 64-07350A
- Attrition.** See *Crushing; Grinding*.
- Augers.** See *Extrusion*.
- Autoclaves.**
- hydration of glasses in, silicate, phosphate, and borate. 64-06204A
- Automation.**
- in brick industry, Czech. 64-02034A
- controllers, programmable. 64-02609A; 64-02610A
- cost of. 64-02533A
- of glassmaking machines, for containers. 64-00296A
- of glazing, hollow ware. 64-06577A
- lab, materials evaluation. 64-0523A
- of labor-intensive processes, in brick industry. 64-06425A
- pick-and-place, examination of. 64-05981A
- robots, in E. German brickworks. 64-00434A
- advanced mfg. with. 64-05973A
- application for processing industry. 64-05974A
- in heavy clay industry. 64-00446A
- in inspection and mfg. of ceramic products. 64-00886A
- for making small-format structural clay products. 64-00442A
- management factors. 64-05978A
- for stacking green sheets in ceramic capacitors. 64-05173A
- of sorption apparatus. 64-05403A
- in structural clay industry, UK. 64-02050A
- unloading equipment, for raw materials in plants for structural ceramics. 64-00910A
- Raddeleyite.**
- corundum, reactions with Dinas refractories. 64-04928A
- refractories, determining melting conditions during mfg. 64-02594A
- melting, in electric-arc furnace. 64-02937A
- in electric-arc furnace of type OKB-955N. 64-02516A
- Balances.** See *Weighing and weights*.
- Ball mills.** See *Mills*.
- Barium titanate.** See also *Dielectric materials*.
- BaO in, solubility. 64-07384A
- BaZrO₃-modified, dielectric properties and temp. dependence of electrical resistivity. 64-03936A
- Bi-containing, multilayer capacitor based on. 64-03853P
- La-doped, defect structure, O activity dependence of. 64-03808A
- Mn-doped, degradation under high dc electric field. 64-03760A
- Nb₂O₅-doped, ferroelectric semiconducting. 64-05136A
- PTC, trap center activation. 64-00628A
- based, semiconductor composition. 64-02413P
- spark plug. 64-06570P
- casting, tape, ultrasonic dispersion of slurries. 64-00934A
- conduction in, electrical. 64-02300A
- crystals, new reversed c-domain patterns and similarity to elastic wave velocity surfaces. 64-02324A
- speed of photorefractive effect in. 64-06578A
- dielectric compositions, ceramic capacitor and. 64-06596P
- doped with Y₂O₃ and Ta₂O₅, phase composition. 64-00685A
- doping, compensation regularities of electron conductivity. 64-00639A
- films, crystallization, electron microscope study. 64-07329A
- with liquid electrolyte for top contact, characterization of. 64-03755A
- firing of, low-temp. 64-06565A
- joint, for Mg titanate waveguide. 64-06727P
- piezoelectric, made from fibrous particles. 64-05256A
- powder, crystal-sized, preparation of. 64-02402P
- preparation, by thermal decomposition of Ba titanate oxalate. 64-07369A
- pure, dispersants for tape casting. 64-00899A
- semiconducting properties, effects of mechanical processing on. 64-06551A
- semiconductor, production of atomic-O negative-ion beam by sputtering of. 64-05161A
- sintering, in presence of LiF. 64-03826A
- tape casting, particle size distribution effects. 64-00924A
- transitions in, ferroelectric, effect of magnetic field. 64-03769A
- Barium.**
- Ba¹³⁷CO₃, from ¹³⁷C-labelled methane. 64-04217A
- Ba₂LnSbO₆ (Ln = Nd, Sm, Eu, Gd, Tb, Dy, Er, Yb), perovskites. 64-01563A
- Ba₂Ti₂O₇, effect of Mn doping on dielectric properties. 64-02299A
- Ba₂WO₄ and Ba₂MoO₄, structure of. 64-07389A
- Ba₂TiNb₂O₁₀, Czochralski growth. 64-01389A
- Ba(Mn_{1/2}Ta_{1/2})O₃, with ultralow loss at microwave frequency. 64-02288A
- BaCl and BaSO₄, interaction at high temps. 64-04470A
- BaFCl:Cu, thin-film transparent X-ray phosphor, preparation of. 64-05788A
- BaFe₂O₇, powder particles, structural transformations in surface layers. 64-05305A
- BaGeO₃, formation and transformation. 64-01402A
- BaLiF, new sintering agent for BaTiO₃-based capacitors. 64-06543A
- new sintering agent for BaTiO₃-based dielectric materials. 64-05055A
- BaMnF₃, Jahn-Teller distorted variant of BaGaF₃. 64-01380A
- Ba₂Nb₂O₇, hexagonal, crystallization of. 64-07313A
- BaO, solubility in BaTiO₃. 64-07384A
- BaO·Al₂O₃·5TiO₂, identification in system BaO·Al₂O₃·TiO₂. 64-03785A
- BaPb₂Bi₂O₇, Josephson tunnel junction arrays, electromagnetic coupling in. 64-02306A
- superconducting, optical detector with. 64-02315A
- BaPb₂Bi₂O₇, superconducting films. 64-02339A
- BaSnO₃, synthesis from coprecipitation products. 64-05184A
- BaTiO₃, Ba₂Ti₂O₇, and Ba₂Ti₂O₉, temp.-dependent, for BaTiO₃, Ba₂Ti₂O₇, and Ba₂Ti₂O₉. 64-03837A
- containing perovskites, O-deficient. 64-02962P
- ferrite, effect of aging coprecipitate on synthesis. 64-06707A
- isotropic, X-ray and Moessbauer study. 64-05307A
- with magnetoprobe structure, Moessbauer and NMR study. 64-02888A
- press-forged, magnetic properties. 64-06714A
- glass, heat-treated. 64-03514P
- hexaferrite, compacts sintered in presence of glass, characterization of. 64-05290A
- formation, effect of ferric oxide properties. 64-00856A
- monocarbonate and hexaaluminate, effect of Ba chloride additions on formation. 64-07371A
- Bauxite.**
- Fe-rich, with TiO₂ and ZrO₂ additions, for nuclear wastes, properties of. 64-05343A
- admixture, effect on sandstone bodies. 64-06423A
- glass, continuous fibers. 64-00281A
- glaze, for facing tiles. 64-00583A
- melts, equilibrium problem for crystallization, algorithm of. 64-05896A
- wool, crystallization of. 64-03416A
- Base exchange.** See *Ions*.
- Batches.**
- 15Na₂CO₃-10BaCO₃-7SSiO₂, melting behavior, Raman study of grain size effects. 64-01898A
- compacted, for glass fiber production. 64-00279A
- composition, refractory, microcomputer-based program for calculating. 64-00489A
- glass, calcumite blast-furnace slag for. 64-03414A
- economics of compaction. 64-00286A
- method for improving formulation. 64-00313A; 64-00313A
- sampling and analysis, conditions for. 64-00280A
- granulated, for Na silicate glass, heat treatment of. 64-00302A
- loose, melting rate of pellets compared to. 64-00312A
- low-heat, for commercial alkali-CaO glasses. 64-04808A
- preheating and liquefying stages, transition apparatus. 64-03551P
- refractory, new system assures product quality. 64-04977A
- Batteries.**
- Li, with MnO₂ and Ca black organic slurry cathodes. 64-01319P
- Li-metal oxide, with nonmetal electrodes, rechargeable. 64-00805P
- Li/Ag-Bi chromate. 64-06563A
- Li₂SO₄, powdered preforms boost interest in corrosion-resistant glass for. 64-03473A
- Na-S, β -Al₂O₃ for. 64-01178A
- Nasicon compound and. 64-06665P
- dry, preparation of active Mn(IV) oxide for. 64-00699A
- liquid Na and β -Al₂O₃ electrolyte. 64-07224P
- positive plate for, Sn oxide-coated. 64-05241P
- solid-state, solid electrolytes and. 64-00706A
- storage, Na-S (α -Al₂O₃). 64-00809P
- Bauxite.**
- Arkansas, Al₂O₃ chemicals made from, worldwide applications. 64-07057A
- Ca in, flame photometric determination. 64-02592A
- Chinese, abrasive-grade. 64-05488A
- Guyana, calcined. 64-02705A
- supplies US. 64-05487A
- annual ceramic mineral resources review. 64-07001A
- treated, hydrocracking with. 64-05624P
- Bearings.**
- bronze-graphite, in glass-rolling machines. 64-00891A
- graphite-metal matrix, method of making. 64-05620P
- sliding, for engines. 64-01284P
- Bending.** See *Deformation*.
- Beneficiation.**
- of bentonite, process for. 64-02733P
- of clays, by froth flotation. 64-07059P
- of dolomite, from USSR deposit, photometric enrichment of. 64-05497A
- of screening, magnesite, from Satkink, USSR, deposit, by gravitation-flotation. 64-01127A
- Bentonite.**
- Texas, for structural clay bricks. 64-06413A
- beneficiation, process for. 64-02733P
- clays, process for preparation. 64-01163P
- processes, structural study. 64-02725A
- crystallization of cristobalite and mullite from. 64-04216A
- organic, control of viscosity of dispersions by salts. 64-02706A
- processing, mechanical. 64-04211A
- Beryl.**
- crystallography, flow, and fracture. 64-04527A
- solubility, in melts of V(V) oxide/Pb(II) oxide. 64-05804A
- Beryllium.**
- BeF₂, electronic structure. 64-04538A
- BeO, crystals, linear electrooptical properties. 64-03791A
- power hybrids on, thick-film material requirements. 64-05193A
- special material for electronic industry. 64-03750A
- BeO-insulated semiconductor device. 64-06667P
- annual ceramic mineral resources review. 64-07002A
- diffusion, interdiffusion, in SiC. 64-01226A
- Binders.**
- Al-Cr phosphate, SiC-containing saggars based on. 64-00500A
- alkali metal silicate. 64-05875P
- aluminophosphate, effect of V and Mo oxides on thermal transformations. 64-04941A
- aluminous, hydraulic, moldable ZrO₂ refractory with. 64-05024P
- based on Cr polymers. 64-05662A
- based on Cr-containing inorganic polymers. 64-05864A
- based on alkali-metal silicate solutions. 64-05878P
- ceramic, for microwave oven quartz lamp. 64-03851P
- chemical, in refractory industry. 64-06461A
- coated sand, foundry. 64-02238P
- colloidal sol, and nitride filler, refractory composition. 64-07281P
- contact, hardening of unfired refractory materials after activation with. 64-02166A

for core, foundry, catalysts for. 64-07207P
for cores and molds, foundry. 64-03694P
curable, process for forming foundry cores and molds with. 64-06497P

with furnace slag and low-burned clinkers, hardening properties. 64-03093A

gypsum, based on phosphogypsum, technology and applications. 64-06088A

high-strength and water-resistant based on phosphogypsum. 64-03094A

improvements for heat-generating units in production of. 64-06094A

methods for calculating composition. 64-01734A

strength of. 64-06126A

gypsum-cement-pozzolan, mixer for making. 64-01736A

hardness and plasticity, in granule compaction. 64-00889A

from lime sludge, for low-strength mortars. 64-02039A

lime- and Na silicate-activated slag, physicochemical processes during hardening. 64-03114A

magnesian, effect of aluminophosphate admixtures on hardening and stability. 64-07343A

metal halogenide, abrasive article and. 64-03055P

mix containing, for foundry molds. 64-06491P

for molds, foundry. 64-00544P

organic, thermal extraction from injection-molded bodies. 64-00926A

pastes, structural and mechanical properties. 64-06787A

phosphate, effect of additives on hardening. 64-00472A

refractory, liquid tar and pitch. 64-04505P

for refractory compositions, calcined dolomite. 64-03693P

vibratable. 64-05034P

resin, for MgO-C bricks. 64-03593A

for sands, foundry. 64-06474P

silicate, with SiO₂ gel. 64-02971P

slag, low-energy-consuming. 64-06105A

structure formation, kinetics of, method for determining. 64-06912P

for whiteness, molded green. 64-03736P

Monoceramics. See also Dental ceramics; Prosthetic ceramics.

applications. 64-07131A

blade, doctor. 64-00957P; 64-04033P

composites, metal fiber-reinforced. 64-00379P

triazin resin/C resin. 64-04365A

compositions, cementitious dental. 64-02850P

dental implant, glass-coated metal. 64-02861P

single-crystal sapphire endosteal, 1-yr. results. 64-01254A

dental root, apatite. 64-05596P

implant, and bone, shear strength between. 64-05576A

filler, Ca phosphate-based, for bones. 64-04386P

glass, and bone tissue, evaluation of reactions between. 64-06162A

covering metal prostheses. 64-01179A

improving adhesion between steel and. 64-07142A

implant. 64-01305P

microcellular, dental veneer, method of making. 64-01333P

surface-active. 64-04353A

Mouth. See *Mica*.

Mouth. See *Refractive*.

Mouth. See *Mica*.

Mouth. See *Mica*.

Mouth. See *Mica*.

Mouth. See *Mica*.

Mouth. See *Mica*.

Mouth. See *Mica*.

Mouth. See *Mica*.

Mouth. See *Mica*.

Mouth. See *Mica*.

diffusion, of ceramics. 64-06764A

diffusion-reaction, of ceramics to metals and to metals. 64-01200A

direct, of Cu₂O foils to oxide-ceramic substrate. 64-04698P

fabric, heat-resistant, to tile. 64-05515A

glass, means and method. 64-06281P

insulation, to metal, test system. 64-01795P

interfacial, in cement-based composite materials. 64-06101A

organic, of refractory materials. 64-02163A

phosphate, of lime, MgO, and clay. 64-07044A

pins to eyelets of conductors on ceramic substrate, method. 64-00127P

reaction, of metal and ceramic. 64-04343A

refractories, to surfaces, process for. 64-02567P

refractory materials. 64-06490P

shafts, metal to ceramic. 64-04000P

solid-state, of ceramic and metal parts. 64-00135P

ceramic-to-ceramic and ceramic-to-metal. 64-02828A

Monomers.

H, in ceramconcrete. 64-00044A

between Ni-Cr alloy and dental porcelain, corrosion-fatigue of. 64-02751A

between W and corundum, reciprocal effect of Y₂O₃, W, and Al₂O₃. 64-00111A

chemical, peroxide-chromite refractories with. 64-00531A

ethylsilicate, conversion and interaction with corundum filler on heating. 64-02930A

evaluation, by acoustic microscopy. 64-05399A

oxide, for Al₂O₃-coated cutting tools. 64-01339P

Borates.

Sr ferrite. 64-03980P; 64-04500P

ores, cyclic solution mining of. 64-01151P

poly-, as modifying agents for nonsintering whiteware. 64-02275A

synthetic, in ceramic industry. 64-02727A

in systems, Na₂O-CdO-B₂O₃-H₂O and Li₂O-CdO-B₂O₃-H₂O, hydrothermal synthesis. 64-01548A

Borides.

with Nd₂Ni₃B₂-type structure. 64-01234A

Ti-Cr di-, exchange interaction with liquid metallic bond. 64-01211A

TiB₂, formation using thermite ignition. 64-05587A

resistance to high-temp. plastic yielding. 64-05573A

Zr, Ti di-, powder preparation of. 64-07426P

alloy, for magnetic head. 64-01277P

catalyst, process for using. 64-05552P

hexa-, composition, resistor. 64-05216P

metal, preparation of. 64-07240P

refractory, method of making. 64-04313P

vaporization of, high-temp. 64-04290A

Borons.

B₂O₃, effect on thermal conductivity of Na silicate glasses. 64-06183A

monomer compounds, induced polymerization of. 64-01411A

B₂C, CVD, mechanical properties. 64-01228A

grinding in ball mills, thermodynamics of contaminant formation. 64-04359A

role of free C in transport and magnetic properties. 64-04332A

BN, X-ray masks with controlled stress. 64-07199P

diamond-like modifications of, method of making. 64-02833P

effect of conditions of shock-wave crystallization on properties. 64-05322A

films, reaction with Ni at high temp. 64-01250A

hexagonal abrasive, activation and synthesis of cubic form. 64-06007A

hexagonal hot-pressed. 64-04384P

hexagonal, electrical resistivity and microwave transmission of. 64-05535A

materials based on dense modification of, frictional properties. 64-07109A

method for coating quartz with. 64-07245P

modifications of, thermophysical properties. 64-01268A

paint for hot-pressing. 64-07200P

shielding for discharge lamp. 64-01311P

sintered abrasives, development of. 64-04602A

sintered tools for cutting. 64-04387P

sintered tools, recent status of. 64-02819A

wurtzite-like, densification kinetics in hot pressing. 64-02753A

wurtzite-sphalerite transformations, structural features of. 64-01258A

BN, based tool materials, in precision machining. 64-03048A

BN-containing materials, refractory, electrically conductive, method of making. 64-07282P

and Si, filters for extreme uv. 64-05516A

SiC-B₂C carbonaceous body. 64-07285P

and Ti-6Al-4V, reaction between. 64-07153A

TiB₂-BN, method for improving high-temp. flexural strength. 64-07267P

annual ceramic mineral resources review. 64-07003A

cBN, abrasive bodies. 64-06008P

composite cutting insert. 64-04607P

phonon spectrum. 64-01028A

prepared by irradiation of hexagonal BN. 64-04341A

sintered body. 64-01352P

-coated filaments, SIC. 64-02851P

-coated foil, speaker diaphragm, method of making. 64-00130P

coordination, in rapidly cooled and in annealed Al borosilicate glass fibers. 64-04706A

diffusion, interdiffusion, in SIC. 64-01226A

-free SiO₂, method for making. 64-05228P

in frits and glasses, determination. 64-04713A

organo-, cocatalyst, Cr on mixed metal phosphate base with. 64-02858P

phase B₂O₃-B₂C, thermoelectric properties. 64-05586A

segregation, at Si-SiO₂ interface during neutral anneals. 64-03751A

Brazing. See *Soldering*.

Brick industry. See also *Structural clay industry*.

In Australia, Whitemans continues expansion. 64-04917A

operations at Midland of Perth. 64-04902A

Belden Brick (Ohio), company profile. 64-06415A

in Belgium. 64-03555A

Bi₂GeO₅ and Bi₂SiO₅, Cr-doped crystals, center of orthorhombic symmetry. 64-07446A

Bi₂SiO₅, crystals doped with Mn and Cr, optical absorption in. 64-05939A

Bi₂GeO₅, heat capacity and thermal conductivity. 64-07469A

in Czechoslovakia, automation and automatic manipulators. 64-02034A

in E. Germany, industrial robots in. 64-00434A

General Shale, company profile. 64-04893A

in Hungary, energy examination of artificial dryers. 64-04891A

thermal energy conservation. 64-04906A

Interstate Brick Company, Utah, USA, process changes improve quality. 64-00448A

red heart at. 64-04908A

Locher Works relies on coal. 64-04886A

in Mexico, development and technological requirements. 64-00447A

O injection, to improve quality. 64-00440A

S. Africa, energy consumption in. 64-06429A

in Soviet Union. 64-03557A

in W. Australia. 64-04916A

98% of homes use brick. 64-04894A

operations at Metro. 64-04889A

Wuerzburg Brick and Tile Training Course 1983. 64-03578A

blanks, apparatus for feeding and positioning. 64-00941P

changes at Robinson Co. increase production 50%. 64-04883A

clay, NaCl-containing, alkaline vapors during firing. 64-04887A

effect of mud additions on efflorescences. 64-04896A

effect of shaping parameters on dilatometric behavior. 64-04890A

quality assurance by thermal analysis. 64-01138A

complaints, proper handling of. 64-03013A; 64-03014A

cutting, wire. 64-04025P

distinctive showrooms. 64-05979A

distributors, role of. 64-02035A

dryer, chamber-type, investment and operating costs. 64-00437A

dryers and kilns, computer-aided instrumentation of. 64-04898A

drying, automatic control system for. 64-06927A

energy cost, of. 64-00432A

energy conservation, during drying. 64-04892A; 64-04905A

possibilities for. 64-03574A

by private generation of electricity and waste heat recovery. 64-03561A

energy consumption, in 1982. 64-03556A

equipment, state-of-the-art, speeds output of lightweight products. 64-02048A

evolution in antitrust laws. 64-05995A

firing, with natural gas. 64-03564A

health hazards, mandatory checkups. 64-04904A

kilns, formation and extraction of landfill gas for. 64-05466A

high-temp. 64-05479P

tunnel, effect of design on energy consumption. 64-03560A

tunnel, operation of. 64-02043A

labor-intensive processes, mechanization of. 64-06425A

manufacturer-distributor partnership. 64-02040A

marketing. 64-04900A

Acme Brick Co. profile. 64-02038A

new techniques. 64-04915A

masonry plant, "Peyres-Possens 2" (Swiss) produces 80,000 t/yr. 64-06424A

modernization, untapped home-improvement market. 64-04903A

nonresidential market, recovery in. 64-04912A

palette plant, turns brickmaker into blockmaker. 64-02044A

plant retrofits, boost production. 64-02030A

prep system, for wet clay. 64-02041A

prepares for growth. 64-04895A

product liability, Brick Institute of America workshop. 64-03013A; 64-03014A

raw materials, suitability of red sandstone in W. Germany. 64-04225A

supply and safeguarding. 64-03576A

residual construction, spurs rebound. 64-04909A

trouble deregulation, offers opportunities. 64-02029A

trouble-shooting. 64-06432A

- Brick.** See also *Building materials; Masonry; Refractories.*
 Al_2O_3 - SiO_2 , high-temp. deformation under heavy load. 64-04935A
 anchor, for plastic refractory linings. 64-04920A
 antique, method and apparatus for making. 64-03580P
 bauxite, fracture energy and thermal stress resistance. 64-06448A
 blocks, for floors with prefabricated joists, test of shape. 64-04913A
 ceramic, combustion of solid fuels in kilns for firing. 64-06418A
 frost resistance of. 64-06421A
 multiple cutting machine for. 64-04006A
 clay, with additions of asbestos wastes, production technology. 64-06428A
 choosing optimum composition. 64-02031A
 construction material. 64-00431A
 soft brown coal as additive for. 64-03563A
 congress held in Essen, Germany, Jan. 1984. 64-04914A
 drying, unit for controlling. 64-06962A
 durability, physical parameters for characterizing. 64-06427A
 efflorescence, reduction through addition of sludges. 64-00450A
 elevated-hole, double extrusion process for. 64-00435A
 lightweight, development of. 64-04888A
 firing, O_2 use during. 64-03572A
 frost resistance, divergent views on. 64-03558A
 graphite, canister for radioactive material transport or storage. 64-01316P
 handmade, simulated. 64-04911A
 hollow, for Turkmen SSR. 64-06422A
 improving production of, by molding. 64-03567A
 insulation, from common clay. 64-06454A
 layering, mechanized unit for. 64-06777A
 lightweight, state-of-the-art equipment speeds production. 64-02048A
 with lignite additions, porosity and strength. 64-03553A
 lime sand, production by VEB Kombinat Bau- und Grobkeramik. 64-03121A
 masonry, with raw density <1.0, experience from production of. 64-00438A
 old-looking, with high fuel efficiency. 64-00444A
 production, re-use of slurries of wool-washing water. 64-06430A
 quality, effect of coal addition. 64-00436A
 experimental design for improving. 64-06420A
 improved through O injection. 64-00440A
 sculptors. 64-01653A
 shale, water absorption, interior fissures, and microstructures. 64-06434A
 shale clay, thermal properties. 64-03577A
 shaped, from Middle Ages in Buda castle, Hungary. 64-00017A
 from sludge, industrial. 64-04884A
 soft mud, mfg. 64-04911A
 strength, compressive, effect of pore-inducing substances. 64-03559A
 structural, from Texas bentonites. 64-06413A
 termalite, pneumoconiosis morbidity and fibrosis-inducing properties of dust. 64-04586A
 -work, panel freezing test for. 64-02045A
Brickmaking equipment. See also *Dryers; Kilns; Materials handling; Presses.*
 automatic machine, high-speed. 64-06437P
 for cutting. 64-04006A
 wire. 64-04025P
 forming press, vacuum. 64-03579P
Bricks,
 ceramic, holder and method of firing. 64-06533P
Brittle materials,
 Al_2O_3 , mechanical behavior. 64-07477A
 Poisson's ratio, effect of microcracking on. 64-04534A
 compact, three indices for characterizing. 64-00931A
 fibers, high molecular, tensile machine for determining strength of. 64-05585A
 fracture, high-speed. 64-07470A
 under thermoelastic stresses. 64-01540A
 reliability, evaluation by thermal stress testing. 64-06871A
 strength, effect of sliding friction forces. 64-02980A
 mechanical, appraising. 64-01008A
 strengthening of, compressive surface. 64-02978A
Brittleness,
 of crystals, ruby, relation to growth orientation. 64-07497A
Bromides,
 of Cs, Ru, K, and Na, interaction of TaBr₅ with. 64-05734A
 of Dy and Ho, interaction of Cs bromide with. 64-05729A
 Ho tri-, interaction with bromides of alkali metals. 64-05731A
Bromine,
 alcohol solution of, etching of CdSe in. 64-05095A
Bubbles,
 garnets, Bi-Si-doped. 64-02454A
 implantation of. 64-05296A
 gas, effect on erosion of basic refractory bricks. 64-02103A
 freely rising, in Na_2O - CaO -silicate glassmelt, velocity of. 64-01972A
 kinetics of dissolution during high-temp. compression of quartz glass. 64-03283A
 in glass, micro-Raman spectroscopic analysis. 64-04739A
 molten, migration during pressing. 64-03437A
 soda-containing, disproportionation of SO_2 in. 64-00163A
 growth, in quartz glass. 64-03294A
 magnetic, memory device. 64-03972P
 pressure barrier, and electrode composite. 64-05204P
 refractory, of Al_2O_3 , production and properties. 64-04328A
 Zr silicate, formation in Simax glassmelt. 64-04951A
Building materials. See also *Brick; Enamel; Insulation, thermal; Structural clay products.*
 CaO-based, method of making. 64-03142P
 Stoklokeramit, new decorative facing. 64-00328A
 adobe, fired houses by Nader Khalili. 64-01674A
 based on gypsum, production of. 64-03120A
 blocks, lightweight aggregate, method of making. 64-06133P
 brick, blocks, for floors with prefabricated joists, test of shape. 64-04913A
 clay. 64-00431A
 cement, paving, new Czech type. 64-03105A
 dilatation, low-temp. 64-05040A
 drying in, ultrasonic checking. 64-05440A
 for finishing, based on gypsum. 64-06086A
 glass, cellular, fabrication. 64-00293A
 double glazing to conserve energy. 64-04839A
 examination for saving thermal energy. 64-04792A
 window panels, fracture mirror-failure stress relations. 64-01849A
 gravel, glass-ceramic. 64-06306A
 industry, in Hungary, state and tasks of. 64-04659A
 methods for conserving energy. 64-05983A
 recuperation of waste heat. 64-06782A
 interior decor, structural clay products for. 64-06416A
 light, self-disintegrating steelworks slag for. 64-06124A
 lime hydrate, workability determination. 64-04632A
 mortars, outdoor insulating, thermal conductivity of. 64-01762A
 panels, double glass, apparatus for making. 64-06342P
 pavers, clay. 64-06436P
 paving supports, compaction of. 64-06509A
 plates, asbestos cement. 64-03110A
 secondary, in E. Germany. 64-04910A
 silicates, F determination. 64-04085A
 structural clay products, new roles. 64-00445A
 tile, paving. 64-03744P
 roofing. 64-00454P
 roofing, with thermal conduction device. 64-00455P
 wall ceramics, radio-polarization method for studying texture. 64-02277A
 wall panels, gypsum fiber, with improved acoustic properties. 64-01720A
Bulbs. See *Glass.*
Barriers. See also *Flames.*
 with O_2 shortage sensor. 64-02680P
 annular, pulverized coal flame, method of igniting. 64-01107P
 assembly, fuel-fired. 64-06974P
 for cement kilns, coal-fired. 64-06929A
 coal, powdery. 64-06989P
 pulverized, nozzle tip for. 64-06986P
 cyclone, for industrial waste gases of low calorific value. 64-02664A
 defibering, for making glass microfibers. 64-06295A
 direct-fired, closed-loop fuel-feed system for. 64-02681P
 distributor tip, premix-type. 64-04188P
 dust, coal. 64-01094P
 electro-. 64-04148A
 fuel dust, two-stage ignition system for. 64-02689P
 for fuel gas, low-Btu. 64-04174P
 furnace, coal-fired. 64-04171P
 head for. 64-06975P
 for pulverized coal. 64-06976P
 gas, clamping means for matrix in. 64-04170P
 system. 64-02684P
 for tunnel kilns. 64-02666A
 for hot-blast stove. 64-00539P
 impulse, refractory materials for. 64-03674A
 ir. 64-04176P
 ir gas, sintered plate. 64-05480P
 liquid fuel. 64-01106P
 vaporizer-equipped. 64-01091P
 low- NO_x , staged fuel and air for. 64-05484P
 mixed electricity fuel. 64-04148A
 monitoring system. 64-06987P
 oil or gas, electrode arrangement for. 64-01100P
 and operating methods. 64-04172P
 oxy-fuel, with furnace blade for high-temp. melting. 64-01109P
 for melting frit. 64-06953A
 plate, fireclay, fiber, and LiO. 64-05060P
 rotary. 64-02695P
 skeleton, Ca aluminate. 64-06475P
 solid-fuel. 64-06993P
 staged combustion, low- NO_x -emitting. 64-02686P
 tip, for suppressing NO_x emissions. 64-05481P
 ultrashort flame, for pulverized fuels in existing furnaces. 64-04162A
 vapor, for liquid fuel. 64-06994P
 variable firing-rate. 64-01113P
 vortex. 64-02679P
 -withdrawing unit, for glassmelting furnaces. 64-01077A
Burning. See also *Calcination; Combustion; Firing; Lime.*
 ability, of cement raw material powders. 64-06083A
 cement, device for. 64-04662P
 method and device for regulating. 64-04182P
 clinker, with O_2 -enriched air. 64-03075A
 application of low-grade fuels. 64-01742A
 method and apparatus for. 64-04665P
 optical microscopy for evaluation of. 64-06858A
 conditions, effect on clinker quality, use of 3500 Mg capacity precipitation kiln. 64-06074A
 equipment, for refractories industry in Japan. 64-03997A
 parameters, effect on hydraulic properties of portland clinkers. 64-06097A
 process, in rotary cement kilns, optimizing. 64-01743A
 raw meal, cement, method and apparatus. 64-03141P
 reduction, in tunnel kilns, coloring of paving clinker by. 64-03079A
 technology, in cement industry, application to refractory lining. 64-01713A
 time, of raw dolomite in dry-process kilns. 64-02066A
Bushings,
 electrical insulator, hybrid. 64-03874P
 porcelain, gas-filled, with electrodes for moderating electric field. 64-06657P
Cadmium,
 Cd telluride, crystal, method of growing. 64-00774P
 Cd(II), uptake by Ca phosphates. 64-00062A
 Cd(II) selenite. 64-07305A
 CdGa₂S₄, crystals, effect of compression on birefringence. 64-03920A
 crystals, effect of temp. on birefringence. 64-05911A
 CdHgTe, ir-sensitive photo diode. 64-03878P
 C₆₀, ab initio energy bands for. 64-03746A
 under low applied stress, sintering of. 64-01033A
 CdS, crystal structure, estimating. 64-05094A
 crystals, spectra of acousto-injection luminescence in. 64-03935A
 film in optical waveguide, temp.-dependent dispersion of. 64-03836A
 films, electrical properties. 64-05187A
 films, formation from CdS + Cr₂O₃, photoelectric properties. 64-05128A
 nonstoichiometric, for solar cells, formation by ion-exchange. 64-05059A
 photoconductive film, preparation and properties. 64-06573A
 photostimulated diffusion of Cu into. 64-05152A
 CdSe, etching in alcohol solution of Br. 64-05095A
 CdTe, boules, for multilayer wafering. 64-02362P
 cathodoluminescence imaging for study of. 64-00631A
 crystals grown by transport reaction, physicochemical properties of near surface layers. 64-05154A
 and Th-containing catalyst, refractory-oxide based. 64-05597P
 -containing catalyst, borosilicate-based. 64-05598P
 release, from glazes, standards for. 64-00617A
 sulfide, solar cell. 64-00730P
Calcina. See *Calcium oxide.*
Calcination. See also *Firing.*
 atm, effect on sintering of Bayer Al_2O_3 . 64-04295A
 gas suspension, of industrial minerals. 64-01717A
 of limestone, in fluidized bed, effect of water vapor. 64-01710A
 of polyorganosiloxane, with talc and kaolin mixtures sintering and phase composition during. 64-01461A
 pre-, extrusion of Loule (Portugal) cement plant with. 64-03087A
 increased production and energy savings with, in cement industry. 64-03097A
 of raw materials, cement, method and device for. 64-00068P
 of salt cake, radioactive, with clay. 64-03987P
 spray, effect of conditions on Synroc-D crystalline phases. 64-05531A
Calciners,
 controlling, system and process for. 64-01112P
 pre-, for cement raw meal. 64-06990P
 rotary, retrofitted to coal firing, method of operating. 64-01108P
Calcining,
 Pb-Fe niobate, dielectric material, reactions during. 64-06576A
 furnace, with planetary cooler. 64-04169P
 lime, method and apparatus for. 64-02732P
 limestone, feeding apparatus for shaft furnaces for. 64-01774P
 of minerals, containing heat-value components. 64-04183P
 pre-, systems for cement kiln lines. 64-03115A
 sand, apparatus and method for. 64-06964P
Calcium oxide. See also *Lime.*
 in Na_2O - CaO feldspars, spectrographic determination. 64-04234A
 -based building materials, method of making. 64-03142P
 bricks, sintered, for VOD vessel, test results. 64-03684A
 clinker, sintered. 64-03127A
 lattice dynamics, of CaO . 64-04546A
 nozzles, sintered, for casting of Al-killed steel. 64-06470A
 silicate, phosphor. 64-04509P
 surface states, photoluminescence from. 64-04562A
 surfaces, segregation of isovalent impurity cations at. 64-04491A
Calcium,
 Ca₂ZrP₂O₇, synthesis and sintering of. 64-07180A
 Ca₂AlSi₂, preparation and structure. 64-07368A
 Ca₂Si₂, disintegrating refractory cores. 64-03698P
 Ca₂[P₂O₇]₂·4H₂O, crystal structure. 64-01523A
 Ca(OH)₂, deposits in coal-fired lime kilns, blends of MgO and Cu oxychloride as inhibitors for. 64-03138P
 interaction of silicic acid xerogels with. 64-05733A

- particles, crystallographic disorder in. 64-04451A
in wet cement, structural and mechanical characterization. 64-01130A
- Ca(V₂O₇), crystalline plates, preparation by Stepanov method. 64-04486A
- CaC₂, molten, process for cooling and comminuting. 64-05644P
- CaCl₂, energy-saving curing of concrete by. 64-04636A
- CaEr₂O₇, preparation and structure. 64-01520A
- CaF₂ and MgO, phase composition of clinkers containing. 64-01740A
- effect on clinker formation. 64-04625A
- shock compression and shock-induced radiation measurements. 64-02995A
- CaSO₄, in arylene sulfide compositions. 64-00064P
- thermal decomposition in air, kinetics. 64-06102A
- CaSiO₃, in systems CaO-FeO-SiO₂ and CaO-Fe₂O₃-SiO₂, calculation of liquidus surfaces. 64-07445A
- CaTiO₃, creep deformation at elevated temps. 64-02843A
- CaTiSiO₄ (sphen), for nuclear wastes, microstructure. 64-05340A
- CaWO₄, structure defectiveness. 64-01526A
- P apatite, method of making. 64-02897P
- aluminate, burner skeleton. 64-06475P
- in bauxite, flame photometric determination. 64-02592A
- determination of. 64-02808A
- dicalcium phosphate dihydrate, with improved monofluorophosphate compatibility. 64-01152P
- fluoroaluminate, synthesis and properties. 64-06127A
- formate, effect on hydration of Portland cement. 64-04634A
- germanate, Gibbs free energy of formation. 64-01406A
- germanate hydrate, tobermorite-like with fibrous morphology. 64-07054A
- hexaaluminate, formation in solid-phase synthesis. 64-01404A
- hydrates, methods for estimating water content. 64-06106A
- montmorillonite, intercalation with dodecylammonium ion and *n*-alcohol. 64-07345A
- orthovanadate, crystals, growth and properties. 64-01544A
- formation of defects in. 64-05706A
- phosphate-based filler, for bones. 64-04386P
- polyphosphate, vitreous, reaction with water. 64-05794A
- segregation, to MgO and *a*-Al₂O₃ surfaces. 64-07307A
- silicate, hydrous, insulation from recycled greenware. 64-06132P
- hydrous, insulation, method of recycling greenware in mfg. of. 64-00388P
- shaped product, method of making. 64-01779P
- synthetic, flowable mixture. 64-01775P
- thermal insulating materials. 64-03076A
- silicocalcareous mass, with high porosity, method of making. 64-01511P
- high-porosity, preparation from high-surface-area SiO₂. 64-01504P
- sulfate, moist precipitates, process for improving fluidity and conceivability. 64-06677P
- sulfate anhydride, of low chloride content, preparation of. 64-03144P
- sulfate dihydrate, effect on cement grinding. 64-06095A
- sulfaluminate, effect of P and F compounds on formation. 64-05698A
- Capacitors,**
Al-Al₂O₃-Te, thin-film. 64-05194A
- BaTiO₃-based, BaLiF₂—new sintering agent for. 64-06543A
- with Ni terminations. 64-02350P
- Pb titanate-based. 64-00743P
- SrTiO₃, microstructure and electrical properties. 64-05132A
- bodies, green, method for cutting and separating. 64-06353P
- ceramic. 64-03852P
- and BaTiO₃, dielectric compositions. 64-06596P
- and Pb or Mg niobate dielectric compositions. 64-06597P
- and dielectric compositions. 64-02351P
- fused. 64-06619P
- hermetically sealed glass-encapsulated, termination of. 64-00811P
- for high-frequency applications. 64-05222P
- integrated circuit package. 64-03864P
- laminated bus bar containing. 64-06629P
- low-fire dielectric compositions for. 64-03883P
- method of making. 64-00775P
- multilayer doped. 64-02398P
- reaction between dielectric and electrode during mfg. 64-06574A
- ceramics for, low-temp. fired with high-dielectric constant. 64-00677A
- composition, temp.-stable. 64-03911P; 64-03912P
- decoupling, method of making. 64-00739P
- dielectric, monolithic, method of making. 64-00784P
- multilayer. 64-00786P
- from dielectric ceramic of BaTiO₃, Li oxide, and Zn fluoride. 64-00742P
- dielectrics, thick-film. 64-02323A
- electrical. 64-06601P
- electrolytic, with glass-to-metal seal. 64-00358P
- film, electrodeposited. 64-00748P
- low-temp. firing, based on Pb-Fe niobate/tungstate. 64-05124A
- film-type, trimmable, and method of adjustment. 64-00788P
- glass, method of making. 64-06598P
- laminated. 64-00761P
- metallized, dual-film. 64-00744P
- monolithic, adjustable. 64-00727P
- method for firing. 64-02690P
- with predetermined capacity, method of making. 64-05235P
- multilayer. 64-00785P; 64-03856P
- Cu/base metal termination for. 64-06606P
- based on Bi-containing BaTiO₃. 64-03853P
- leakage currents in. 64-03790A
- robot for stacking green sheets in. 64-05173A
- power, multilayer. 64-06652P
- solid electrolyte, with oxide dielectric film, method of making. 64-02385P
- surface-mounted. 64-03873P
- system, ZnO-B₂O₃-SiO₂, glass-Si, surface charges in. 64-00711A
- temp.-compensating, dielectric for. 64-05223P
- thick-film, dielectrics. 64-05110A
- with excellent thermal characteristics. 64-06584A
- titanate, with Ni or Cu electrodeless metal electrodes, temp.-compensating. 64-02421P
- trimmer. 64-03858P
- varistor composite element, method of making. 64-00735P
- Carbides.** See also specific types.
Al-Si, vaporization thermodynamics and enthalpy of formation. 64-01272A
- B₂C-B₄C, thermoelectric properties. 64-05586A
- Co-cemented, cutting tool. 64-04378P
- Mo, or V, high specific surface area. 64-07231P
- NbC, and TaC, high-temp. oxidation. 64-04289A
- nonstoichiometric, NMR study. 64-05937A
- Si, Zr oxy-, fibers, continuous production of. 64-07216P
- of Ti, Nb, and Zr, single-crystal, effect of high-temp. heating on physical properties. 64-07120A
- V, in homogeneity region, electrophysical properties. 64-01210A
- W and Mo, catalysts based on. 64-07210P
- WC, reactive process. 64-01370P
- a*-SiC, B₄C, and free C, pore-free sintered. 64-07291P
- cemented. 64-04375P
- apparatus for grinding. 64-06020P
- with high wear strength. 64-04447P
- for watch case. 64-04442P
- coatings, refractory, stopping abrasive wear with. 64-04346A
- formation, in system Ta-C-Cl, crystallographic and morphological study. 64-01193A
- metal, microcomposite, and ceramic particles. 64-07257P
- preparation of. 64-07240P
- recovery. 64-01332P
- recovery by grain size. 64-01331P
- refractory powders, method of making. 64-00570P
- metallic, cutting tools. 64-04323A
- product coated with. 64-04379P
- siliconized, time-dependent strength under stress. 64-05588A
- vaporization of, high-temp. 64-04290A
- wettability problems, when brazing. 64-04278A
- Carbon, fibers.** See *Fibers, carbon*.
- Carbon.** See also *Graphite*.
- C composites, pyrolytic graphite pretreatment for. 64-02905P
- C materials, SiC coatings for. 64-01296P
- SiC/Si₃N₄ coatings for. 64-01297P
- C nosetip, erosion-resistant. 64-07225P
- C reinforcement, for rocket motor exit cone. 64-01280P
- C structures, circumferentially wrapped. 64-07214P
- C substrate, Si, SiC, B composition for coating. 64-01298P
- CO, SnO₂-based catalyst for oxidizing. 64-02876P
- based material, deposition of SiC coatings on. 64-01306P
- oxidation-resistant slurry coating for. 64-04312A
- bonded brick, refractory, wear mechanism. 64-03691A
- bonded refractories, Si-Mg-Al. 64-06476P
- ceramic matrix composite, fiber-reinforced. 64-05618P
- composites, method of making. 64-02878P
- containing bricks, for ladle slag line. 64-02067A
- containing glasses, monolithic, by sol-gel process. 64-00245P
- containing refractories. 64-00536P; 64-03596A; 64-03697P
- basic, oxidation behavior. 64-02164A
- with improved hot strength. 64-03696P
- testing of. 64-02222A
- determination of. 64-02608A
- diamond-like films, under compression, stress-relief forms of. 64-05961A
- electrode, in arc furnaces, disintegration of. 64-06541A
- process for making in situ. 64-06662P
- fibers, acrylic fibers for producing. 64-04370P
- composite turbine wheel. 64-01291P
- metallized, and composite containing. 64-02872P
- method for improving surface properties. 64-02561P
- method of making. 64-01349P; 64-04420P; 64-07255P; 64-07272P
- mfg. process. 64-04422P
- pitch for. 64-01344P; 64-02891P
- pitch-based. 64-04316A
- pitch-based, process of spinning. 64-05653P
- pitch-derived, method of making. 64-01355P
- and products from, method of making. 64-07423P
- starting pitches for. 64-07288P
- vertical carbonizing furnace for. 64-06995P
- forsterite-, refractory. 64-03704P
- free, role in transport and magnetic properties of B₄C. 64-04332A
- in furnace atm, activity of, measuring device for determining. 64-02641P
- or graphite, spherical bodies. 64-02910P
- and graphite refractories, improving lifetime of furnace and runner linings with. 64-03635A
- high-density, method of making. 64-00566P
- impurity atoms, in MgO. 64-07350A
- purity, effect on wear of MgO-C bricks. 64-03639A
- reaction with spinels, MgAl₂O₄. 64-00508A
- refractories containing, basic. 64-02061A; 64-03590A; 64-03591A
- refractory lining, from blast furnace, deposition of Pb in. 64-06444A
- residues, during sintering of ceramics, removal process. 64-00803P
- resistor, method of making. 64-05205P
- solid articles, corrosion- and erosion-resistant, Al phosphate-coated. 64-01359P
- tape, device for depositing polycrystalline Si on. 64-06609P
- Carbonaceous materials,**
SiC-B₄C. 64-07285P
- composite, densification process for making. 64-07275P
- refractory, erosion-resistant properties of. 64-03619A
- Carbinates,**
Sr,Ba₂CO₃, thermal decomposition of. 64-07394A
- alkali, molten, stability of metal-oxide-doped ZnO in. 64-06579A
- dissolution, ion-exchange resins for. 64-04209A
- rocks, from southwestern Badajoz province, Spain, mineralogy and applications for. 64-07043A
- skeletal, reactive surface area during dissolution. 64-07048A
- Carbonation,**
of gypsum-cement materials, effect on properties. 64-06075A
- Carriers,**
for catalysts, oxidation, porous corundum as. 64-07143A
- catalytic, refractory oxide, method of making. 64-05027P
- chip. 64-02352P
- cast leads for surface attachment. 64-03752A
- fixture for solder tinning. 64-02542P
- low-profile contact. 64-03884P
- microwave, with ceramic tubes. 64-02393P
- and mother board, circuit device with easily cleaned region between. 64-03879P
- soldered to printed boards, cycling of. 64-03780A
- systems, and their testability for surface-mounting. 64-03757A
- technique for bonding to metallized substrate. 64-05254P
- technology update. 64-00716A
- conductor dopant, porous SiC. 64-06658P
- porous, crystalline TiO₂ as anatase and/or rutile in, preparation. 64-02965P
- two, (SiO₂- and Si₃N₄-clad) dual injector apparatus. 64-00819P
- Cast iron.** See *Enameling metals; Iron*.
- Casting.** See also *Molding; Refractories*.
process, intensification of. 64-04003A
- slip, and casters. 64-00616A
- Castings,**
BaTiO₃, dispersants for. 64-00899A
- composites, metal matrix, fiber-reinforced. 64-01323P
- continuous, reduction of refractory consumption in. 64-04995A
- dental ceramics. 64-06324A
- enameling of. 64-03151A
- refractory, for steel teeming ladle. 64-02069A
- slip, of PSZ. 64-04340A
- electrophoretic. 64-00959P
- stone, pyroxene porphyrite, improving treatment quality. 64-01953A
- tape, of BaTiO₃, particle size distribution effects. 64-00924A
- fabrication of electromechanical transducer materials by. 64-00904A
- future developments. 64-00929A
- Catalysts,**
Al silicate, cracking, with reduced S emissions from coke, method of making. 64-05627P
- Al₂O₃ and Ga₂O₃, fluoride-activated. 64-04374P
- for alkylating aromatics with olefins. 64-02847P
- characterization. 64-01187A
- small bead, for auto exhaust gases. 64-05657P
- Al₂O₃-SiO₂, spent, extraction of W from. 64-05617P
- Al₂O₃-based, hydrocracking. 64-04389P
- method of making. 64-02895P; 64-02896P
- Al₂O₃-silicate-based, for hydrocarbon conversion. 64-04388P
- Al₂O₃-zeolite composite, for aromatic processing. 64-07197P
- BF₃ or SiF₄ with metal alkoxides, for alkoxylation reactions. 64-02852P
- Co₂O₃ or rare-earth, for oxidation of solid (Nb) materials. 64-07208P
- Co-Al₂O₃, effect of spinel formation on Fischer-Tropsch synthesis. 64-05530A
- Co-Mo-Al₂O₃, hydrotreating, in situ, XRPD study of. 64-04293A
- Cu-alkali metal-Ru/SiO₂, for converting syngas to olefins. 64-04381P
- Fe oxide, La-stabilized Al₂O₃, steam reforming. 64-07289P
- Fe oxide/Cr oxide, method of making. 64-02880P
- Fe supported, for ammonia synthesis, activity of. 64-07309A
- Fe-Se-Te oxide. 64-01317P

- La mixed oxide, complex, for conversion of exhaust gases. 64-02855P
- La nickelate perovskite-type oxide, for anodic O evolution. 64-04390P
- Mg halide hydrates, polymerization. 64-07237P
- Mo-Al₂O₃, thermal behavior. 64-07184A
- Mo-Cr oxide, γ -Al₂O₃-supported, oxidation of cyclohexene with. 64-01422A
- MoO₃, Cr₂O₃, or WO₃-based, for hydrogenation. 64-02898P
- MoO₃-CoO-Al₂O₃, strength of. 64-01230A
- Na-Al hydride, production of. 64-07437P
- NaCl, deposition of Pt on. 64-05872A
- Nb or Ta/halogen-containing. 64-01337P
- Nb(V) halide/oxide-metal oxide, compositions, method of making. 64-02888P
- Ni, on Al₂O₃, support. 64-02887P
- Ni oxide. 64-01430A
- NiMo/Al₂O₃ + zeolite, hydrosulfurizing. 64-04309A
- NiO/SiO₂, surface chemical properties. 64-01430A
- P oxide-coated, for dehydration of carboxylic acids. 64-01338P
- P-V oxide, for maleic anhydride production. 64-07206P
- process for preparing. 64-07270P
- Pd and Al₂O₃, aerogel, method of making. 64-01340P
- Pd-Mn/ γ -Al₂O₃, and Mn/ γ -Al₂O₃, attempt to explain hydrogenation/dehydrogenation of ethylbenzene-ethyl cyclohexane on. 64-05514A
- PdMn/ γ -Al₂O₃, and Pd/ γ -Al₂O₃, styrene hydrogenation on. 64-04352A
- Pt, SiO₂, and Al₂O₃-supported, effect of pretreatment on dispersion and structure. 64-02760A
- Ru carbonyl, supported on CeO₂, for olefin synthesis. 64-05654P
- RuO₂, IrO₂, and SnO₂, for coating anodes, method of making. 64-05600P
- Sb-containing metal oxide, production and activation of. 64-05632P
- Si-Ce-type oxide, with Va-group elements, oxidative dehydrogenation of ethylbenzene to styrene over. 64-01433A
- SiO₂, crystalline. 64-07220P
- fluorinated, for preparation of aromatic/aliphatic nitriles. 64-05619P
- porous amorphous. 64-01282P
- SiO₂ zeolite, crystalline. 64-05611P
- SiO₂(Al₂O₃ + Fe₂O₃), cracking, process for improving. 64-05645P
- SiO₂-Al₂O₃, reaction of phenyl groups from polystyrene in presence of. 64-02767A
- SiO₂-Al₂O₃-rare-earth, co-gel, method of making. 64-04377P
- SnO₂-based, for oxidizing CO. 64-02876P
- V and/or Cr oxide, for decomposition of *t*-butyl hydroperoxide, activity of. 64-01377A
- V₂O₅ and silicates, for oxidation, method of making. 64-02899P
- V₂O₅-TiO₂, oxidation of orthoxylene on. 64-02804A
- V, P, and Al or B mixed oxides. 64-05603P
- V-Cr binary oxide, for cyclohexene oxidation, dependence of structure on method of preparation. 64-01527A
- V-Cr oxide, for oxidation of cyclohexane, activity of. 64-01378A
- V-P mixed-oxide, production of. 64-04429P
- ZSM-45 zeolite, with dimethyldiethylammonium directing agent, method of making. 64-04415P
- Zn,Cu,Cr,Al oxide, process for preparing. 64-07268P
- ZnO carrier, for preparation of methyl methacrylate. 64-07202P
- ZnO-Cr₂O₃, strength of. 64-01229A
- ZrO₂, for O-containing hydrocarbons. 64-05643P
- alkali metal-promoted Zn titanate hydrogel, for dehydrogenation. 64-07196P
- aluminosilicate, Co-substituted, for syngas conversion. 64-04394P
- Co-substituted, for synthesis gas conversion. 64-04371P
- active, method of making. 64-01350P
- synthesis of olefins on. 64-04247A
- aluminosilicate zeolite, activity of. 64-02856P
- method for supporting metal or metal oxide on. 64-07418P
- aluminosilicate-based, method of making. 64-04426P
- based on SiO₂-stabilized γ -Al₂O₃. 64-01281P
- based on W and Mo carbides. 64-07210P
- bauxite or laterite, hydrocracking with. 64-05624P
- for binders, foundry core. 64-07207P
- boride, process for using. 64-05652P
- borosilicate-based, Cd-containing. 64-05598P
- carriers, Al₂O₃-based, method of making. 64-05630P
- cement-containing, structure formation at calcination stage. 64-00058A
- clay-based, P-containing, for cracking process. 64-04408P
- clay-containing, for methanation and steam cracking. 64-07215P
- co-, Cr on mixed metal phosphate base with organoboron. 64-02858P
- composite, zeolite-asbestos. 64-05609P
- compounds, active surface. 64-01181A; 64-01182A
- cracking, aluminosilicate, production of. 64-01360P
- interlayered clay. 64-02743A
- refractory metal oxide matrix zeolite. 64-01334P
- faujasitic-type, synthesis and structure. 64-04360A
- fuel cell, porous LiAlO₂-supported. 64-01307P
- for graphite-diamond conversion, role of. 64-05575A
- heterogeneous, application of laser-induced surface chemistry to. 64-03838A
- strength. 64-01229A; 64-01230A
- high-temp., with La β -Al₂O₃, porous support. 64-05547A
- honeycomb, for exhaust gas conversion, method of making. 64-06650P
- method of making. 64-02875P
- monolithic automotive, with improved thermal properties. 64-02759P
- hydrocarbon, V passivation in. 64-07300P
- hydrocracking, cogelled SiO₂-ThO₂-supported. 64-01313P
- hydrogenation, glasses from gels as carriers for. 64-06201A
- impregnated on SiO₂, for ethylene polymerization. 64-07204P
- metal oxide. 64-07242P
- mixed, for mfg. methacrolein. 64-05601P
- monolithic, Al₂O₃/rare-earth oxide, for exhaust gas purification. 64-07258P
- montmorillonite, surface acidity and activity. 64-01144A
- nucleus, seabed, texture and potential use. 64-05505A
- nonzeolite, for cracking crude oils. 64-05610P
- oxidation, V or P metal and SiO₂. 64-07265P
- exhaust gas, metal-impregnated refractory. 64-01794P
- fluid bed containing V and P, method of making. 64-07244P
- porous corundum as carrier of. 64-07143A
- oxide, SiO₂-Al₂O₃. 64-01239A; 64-01240A
- containing Mo, oxidation of butadiene to maleic anhydride over. 64-01432A
- particles, ultrafine, applications for. 64-02841A
- perovskite-containing (ABO₃), for hydrocarbon treating. 64-07232P
- porous ceramic, method of making. 64-07253P
- for reforming methanol, method of making. 64-05602P
- refractory oxide-based, Cd- and Th-containing. 64-05597P
- slurry, Fe/Co (spinel) Fischer-Tropsch, method of making. 64-07269P
- spectroscopy of, photoacoustic. 64-06854A
- supports, sol-gel derived, for hydrocarbon conversion. 64-07205P
- thermally stable mixed oxide gels. 64-04444P
- zeolite-containing, for denitrogenation of oil. 64-07302P
- surface effect, of ceramic coatings for orbital transfer vehicle. 64-04776A
- titanate, niobate, tantalate, or zirconate, using hydrous metal oxide ion exchanges. 64-05599P
- titanate- and silicate-based, for desulfurization of industrial waste gases. 64-02853P
- transition-metal, Al₂O₃-based aerogel supported, for olefin polymerization. 64-01275P
- transition-metal zeolite, process studies with. 64-04322A
- xerogel, ZrO₂-SiO₂, method of making. 64-02881P
- zeolite, in Al₂O₃ binder, for hydrocracking. 64-02867P
- P-containing clay-derived. 64-01342P
- activity, stability, and selectivity, factors affecting. 64-07136A
- aluminosilicate, activity of. 64-07209P
- high-SiO₂. 64-07201P
- high-SiO₂, transformation of alkylaromatic hydrocarbons over. 64-05574A
- with improved stability. 64-07195P
- modified (Li, Ce, Cr, or Ag) for alkylating toluene. 64-02884P
- modified (Mn, Fe, Cu, or Zn) for alkylating toluene. 64-02885P
- para-selective, treated with S compounds. 64-01341P
- shape selectivity in. 64-07162A
- synthetic, toluene alkylation with methanol on. 64-04360A
- zeolite clinoptilolite, activation and properties. 64-05509A
- zeolite- and clay-based, for carbometallic oil conversion. 64-02866P
- zeolite-Ru-borane, composition. 64-01376P
- zeolite-based, for oxidizing H sulfide. 64-07203P
- zeolite-supported Co, for conversion of synthesis gas to hydrocarbons. 64-04369A
- zeolite-type (borosilicate), method of making. 64-04448P
- zeolite/kaolin-Al₂O₃/SiO₂, cracking. 64-07217P
- zeolitic. 64-02854P
- cracking, mfg. of. 64-07218P
- Cathode-ray screens. See Screens, fluorescent.
- Cathode-ray tubes. See Tubes.
- Cathodes.
- NiO, Li-doped, for molten carbonate fuel cells, fabrication and characterization. 64-06558A
- Sc oxide, impregnated. 64-06627P
- alkaline-earth metal oxide. 64-00790P
- chalcogenide, method for making. 64-05227P
- photo-, transmission mode, GaAs on Al₂O₃-Ga₂As₂, method of forming. 64-00773P
- protection, ceramic-coated anode for. 64-02455A
- Cathodoluminescence. See Luminescence.
- Cations. See Ions.
- Celastine. See Strontium, sulfate.
- Cels.
- Ag oxide, with Cd and Te. 64-06613P
- Bragg, Ga phosphide, performance and optical characterization. 64-00683A
- Li, with sulfide or halide solid electrolyte. 64-00763P
- Li manganese-based, solid-state. 64-05249P
- MnO₂-containing nonaqueous, alkali-metal oxide or alkaline-earth metal compound additive for.
- 64-01492P
- Na[Na'- β -Al₂O₃]dilute Na amalgam. 64-05564A
- Na-S, β -Al₂O₃, electrolytes for. 64-06570A
- Pb acid, method of making PbO₂ electrode for. 64-05233P
- β , working voltage and energy density. 64-05594A
- diamond-window, for ultrahigh pressure. 64-04016A
- electrochemical, glass fiber paper separator for. 64-00365P
- electrolyte, Li-Cu oxide or Li-Cd oxide, organic. 64-02378P
- electrolytic, cryolite-Al₂O₃, for activation of. 64-02904P
- fuel. 64-05709A
- with Li titanate-based body. 64-02365P
- catalyst, LiAlO₂-supported. 64-01307P
- for energy conversion. 64-01405A
- high-temp., O₂ sensor and. 64-00793P
- molten carbonate, method of making ceramic matrix tape for. 64-01326P
- photoelectrochemical, TiO₂ thick-film photoanodes for, method of making. 64-06650P
- photovoltaic, Si₃N₄ antireflection coatings for. 64-02823A
- with Zn phosphide. 64-00794P
- with conductive nitride, carbide, or boride layer. 64-02890P
- solar, amorphous, continuous production system for. 64-06804P
- formation of nonstoichiometric Cu₂S by ion exchange. 64-05059A
- Celastine, from BaCO₃ and kaolin, mechanism of formation. 64-04472A
- Cement industry.
- in Chile, limestone enrichment for expansion of plant. 64-03101A
- in Czechoslovakia, Práchevka kiln line, possibilities for automatic control of. 64-02669A
- new cement type in roadbuilding. 64-03105A
- Fiji Industries converts kiln to semiwet process. 64-06085A
- in France, experience with waste by-products as fuels. 64-01714A
- in Hungary, capacity use of Beremend Works during break-in. 64-04626A
- history of prospecting for raw materials. 64-05493A
- portable device for examining dust collectors. 64-05432A
- secondary fueling in clinker kiln. 64-04641A
- state and tasks of. 64-04659A
- in Japan. 64-00047A
- in Korea. 64-01702A
- in Morocco, technical data on new Casablanca II plant. 64-03132A
- Pb and Zn, reactions of. 64-01748A
- in Poland, environmental aspects of dedusting. 64-06071A
- in Portugal, Scil's new production line. 64-03125A
- extension of Loule plant with precalcination. 64-03087A
- in Puerto Rico, coal conversion at Ponce plant. 64-03131A
- in S. Africa, energy trends in. 64-06081A
- in Saudi Arabia, first preheater plant for SPCC. 64-03089A
- in UK, cyclical recovery. 64-01703A
- in USA, cyclical recovery (1984). 64-03134A
- in Venezuela, demand for new plant. 64-03124A
- analysis system, gas. 64-00905A
- bag, paper, machine for closing. 64-01705A
- blending, beds, operation of. 64-06113A
- feed, for product uniformity. 64-03088A
- raw meal, in controlled flow silo, description of. 64-03083A
- burning, method and device for regulating. 64-04182P
- process, in rotary kilns, optimizing. 64-01743A
- technology, application to refractory lining. 64-01713A
- chemical nomenclature system, comments on. 64-04630A
- classifier, air. 64-03111A
- clinker and slag properties, effect on grinding process. 64-06076A; 64-06077A
- clinker production, considerations and study in low-grade coal for. 64-03080A
- coal-firing systems, at Cyprus Cement. 64-06935A
- coating formation, in kiln feed end region. 64-01726A
- dry material and liquid slurry, apparatus for producing. 64-03137P
- dust, fabric filters solve problem. 64-03077A
- reducing emission of. 64-04644A
- energy conservation. 64-06062A
- filter material, needle fleece, testing. 64-00930A
- filters, gravel bed, for clinker coolers. 64-03092A
- fuels, application of coals with low calorific value. 64-05462A
- conservation possibilities. 64-04655A
- waste tires as. 64-05473A
- grinding, advanced technology. 64-03071A
- clinker, new roller mill for. 64-06112A
- equipment, improving pneumatic separators of. 64-06109A
- media, and energy conservation. 64-01719A
- plant, with MPS roller mill, planning, construction, and operation. 64-01741A
- plant, with MPS roller mills. 64-01730A
- or silo storage, problems with high clinker temp. 64-06115A
- incineration, refuse, operational results. 64-01751A
- kiln line, effect of operating conditions on gaseous emissions. 64-06098A
- kilns, 5 x 75 m, design of. 64-02661A
- algorithm for ring analyses. 64-00032A
- for clinker burning, calculation of surface heat losses. 64-01701A
- coal-fired, burner design for. 64-06929A

- for contaminated raw materials. 64-04154A
dry-process, new way of dedusting. 64-03109A
of lower capacities, pilot-plant proof-testing of precalcination system. 64-03115A
monolithic refractory linings for. 64-01737A
practical operation and lab burnability. 64-04651A
refractory lining of sintering zone, state of. 64-00052A
rotary, estimation of material passage time through. 64-06082A
rotary, installation for recovery of heat lost through steel sheet of. 64-06100A
rotary, new trends in lining. 64-03107A
rotary, problems in outlet zone and cooler bends. 64-06961A
rotary, reactions between solid fuel and batch. 64-00055A
lignite, for clinker mfg. process. 64-06119A
materials flow, radioactive tracer study of. 64-01732A
materials handling. 64-03128A; 64-03129A
mills, ball tube, mathematical method for assembling charge. 64-00049A
gear drive systems for. 64-06072A
recirculating, automatic control at. 64-03990A
tube bearing, 10-yr review. 64-06125A
tubular. 64-06851P
plants, microcomputer system for controlling. 64-04088A
processing, distributed control systems in. 64-03993A
portland, automatic kiln control utilizing fuzzy logic. 64-03658A
portland clinker process, method of attaining heat balance. 64-06111A
precalcination, increased production and energy conservation with. 64-03997A
precipitators, electrostatic, energy-saving control for. 64-03086A
process control, digital simulation. 64-00037A
raw materials, algorithm for proportioning. 64-06059A
blending beds for processing. 64-03073A; 64-03074A
chemical content and proportion of mineral deposit as planning tool. 64-01754A
and coal processing, fluidized bed combustion for. 64-03090A
determination of fluoride content. 64-01707A
magnesian blast-furnace slags. 64-01698A
methylene blue test on. 64-06060A
regulation of recycling mills. 64-01752A
refractories, MgO-Al₂O₃ brick. 64-02136A
monolithic, future trends. 64-02116A
nonshaped. 64-00494A
refractory lining, of sintering zone, present state of. 64-01745A
research, challenges. 64-00031A
progress, 1983. 64-01629B
silicic components, possibilities of mining. 64-04007A
slags, experience with complete emptying of. 64-01739A
from British Gas/Lurgi Gasifier, properties. 64-01704A
unloader, bottom silo. 64-05376P
waste products, Fe₂O₃-containing, application of. 64-03135A
- Cements.** See also *Concrete; Kilns; Mills; Mortars; Plasters; Refractories.*
3CaO·Al₂O₃·3CaSO₃·nH₂O, state of hydration, thermal analysis. 64-06129A
C₂A, doped, hydration. 64-00042A
in solutions containing CaSO₃, kinetics of early hydration. 64-01729A
C₂S, effect of admixtures on hydration. 64-00045A
hydration in presence of colloidal SiO₂. 64-03096A
hydration products viewed by SEM. 64-00030A
structure of Ca-H silicates. 64-00060A; 64-00061A
CA₂F, effect of gypsum and alkali on early hydration. 64-06078A
CA, and CA₂, hydration and properties. 64-01724A
from reaction of Al₂O₃ with CaO-mineralizer systems. 64-01722A
Ca aluminate, assimilation of lime in formation from CaO and Al₂O₃. 64-01699A
for castable refractories, effect of deflocculants. 64-03613A
for refractory concretes. 64-03595A
Ca hydroxylates, synthesis from industrial wastes. 64-01761A
Ca silicates, structure determination by trimethylsilylation. 64-00036A
Ca sulfate, anhydrite, with low chloride content, preparation of. 64-03144P
semihydrate, method of producing in conjunction with desulfurization of flue gases. 64-03143P
CaAl₂O₄, hydration of. 64-06092A
4CaO·Al₂O₃·Fe₂O₃, effect of gluconate, lignosulfonate, and glucose on hydration. 64-07341A
CaO-Al₂O₃-sulfate, coproduction of. 64-04661P
CaSO₃, moist, process for improving fluidity and conveyability. 64-04667P
CaSiO₃, effect of SO₂ on formation. 64-06073A
Ligoplast, new plasticizer, application of. 64-03116A
Mg oxychloride, reactivity of calcined magnesites for. 64-01448A
Na₂Zr(PO₃)₂, nuclear waste forms. 64-05755A
for nuclear wastes, leach resistance. 64-05747A
additive content, hydraulic, possibilities for increasing. 64-04654A
alinite. 64-04624A
alkali lignosulfonate mixed, properties. 64-04657A
aluminate and sulfate aluminate, structural-technical characteristics. 64-01758A
anhydrite, length variation behavior. 64-00048A
asbestos, artificial fibers in. 64-00029A
heat-insulating plates (Marinite-type). 64-03110A
pipe, evaluating. 64-04637A
β-C₂S, early hydration of. 64-06070A
effect of additives on hardening. 64-01709A
hydrated, interlayer line in. 64-04649A
blended, cement-kiln dust in. 64-03078A
comparison of tuff and fly ash in. 64-06067A
with zeolite and limestone fillers. 64-01700A
bonding in, interfacial. 64-06101A
-bonding silicates, rapidly dissolvable. 64-07433P
burning, device for. 64-04662P
chemical nomenclature system, comments on. 64-04630A
clinker, CaF₂ effect on formation. 64-04625A
Cr, magnesite refractories with high resistance to. 64-04925A
application of low-grade fuels for burning. 64-01742A
burning with O₂-enriched air. 64-03075A
containing CaF₂ and MgO, phase composition. 64-01740A
containing alkali-metal aluminate and C₂S, method of making. 64-04668P
correlations between composition, structure, and forming temp. 64-03081A
firing, use of plaster in. 64-00033A
formation and burnability, optical microscopy of. 64-06858A
introduction to mineralogy in. 64-03100A
lattice constants of alite. 64-06103A
lignite use in making. 64-06119A
method and apparatus for burning. 64-04665P
microscopic method for determining grindability. 64-01735A
mineralogy in. 64-03103A
optical measurements of. 64-03112A
paving, coloring by reduction burning in tunnel kilns. 64-03079A
portland, effect of composition and burning on hydraulic properties. 64-06097A
portland, method of attaining heat balance in mfg. process. 64-06111A
production. 64-00074P
production, with low-grade coal. 64-03080A
quality, effect of burning conditions. 64-06074A
rapid-hardening high-strength, effect of F-bearing alite. 64-04628A
sintered CaO. 64-03127A
and slag properties, effect on grinding. 64-06076A
state of Fe with various cooling regimes. 64-00059A
trends in dry material and grinding. 64-01763A
clinker and slag properties, effect on grinding. 64-06077A
clinker/triethanolamine interface, interactions at. 64-04647A
clinkerization, effect of fineness of raw mix. 64-00038A
compositions. 64-03139P
cold set, method of making. 64-01717P
containing set retarders. 64-00065P
corrosion-inhibiting additive for. 64-00066P
hardened. 64-06134P
high-Al₂O₃. 64-01768P
method of making. 64-01770P
with silicate glass. 64-01769P
and concrete, effect of alkali sulfates on properties. 64-03099A
for concretes, refractory, test methods. 64-02085A
-containing catalysts, structure formation at calcination stage. 64-00058A
containing high amounts of hydraulic admixtures, experience with. 64-04640A
containing reactive SiO₂ and pozzolans, immobilization of Cs in. 64-05331A
dicalcium phosphate dihydrate, with improved monofluorophosphate compatibility. 64-01772P
early hydration property, effect of raw materials and burning conditions on. 64-06096A
energy consumption, low. 64-06062A
expansive, factors influencing vol changes. 64-06084A
fast-setting, from P₂O₅-containing materials. 64-04663P
from liquid waste P₂O₅-containing materials. 64-01773P
fly ash, characteristics and strength development. 64-06065A
from flue gas desulfurization, method of making. 64-00073P
mfg., quality, and economy. 64-01715A
quenched, apparatus for producing. 64-01767P
glass-fiber-reinforced, with different alkali-resistant fibers, durability of. 64-04633A
grades, in contact with chloride-containing and sulfate-containing aqueous solutions, corrosion behavior. 64-03082A
interground, intergrinding substances and. 64-04648A
grinding, in compartment mills, increasing effectiveness. 64-04652A
effect of Ca sulfate dihydrate. 64-06095A
ground in roller mill, properties. 64-06117A
grouths, hydrofracture, for radionuclide migration, characterization of. 64-04629A
gypsum-, effect of carbonation on properties. 64-06075A
gypsum-free, hardened pastes, morphology and composition. 64-00050A
heat-resisting, hydraulic, premold made of. 64-00067P
high-strength and rapid-hardening, production from common clinkers. 64-01747A
hydrated, cation-exchange properties. 64-04627A
ultrafine porosity in, neutron scattering analysis. 64-06130A
hydration, effect of slag on heat of. 64-04646A
heat liberation and temp. rises. 64-06090A
review of portland and Al₂O₃ cement. 64-03095A
hydraulic, for 1990s. 64-00043A
from C₂S, method of making. 64-00072P
method and apparatus for making. 64-00070P
sedimentation behavior. 64-03126A
hydrothermal processes, determination of content of 11 Å tobermorite. 64-00035A
lightweight, fly ash and SiO₂ fume. 64-04664P
rapid-set. 64-03145P
material design of. 64-01731A
method for making. 64-00071P
nonexpansive, portland and high-Al₂O₃ rapid-setting. 64-01778P
paste, aspects of electrical properties. 64-03072A
containing slag or fly ash, diffusion of alkali in. 64-07322A
frequency dependence of interelectrode capacity of liquid phase. 64-00040A
hardened, diffusion of I⁻ ion through. 64-07321A
hardened, liquid phase separated from pores of. 64-06104A
relation between rheology and hydration in presence of water. 64-06122A
pastes, superplasticized, change of rheological properties with time. 64-06064A
with superplasticizer, rheological properties. 64-06123A
porosity and, regional variations, Illinois Basin sandstones. 64-01140A
portland, aspects of setting. 64-01716A
clinker, chemical test for periclase content. 64-02578A
clinker, difference between alite and C₂S solid solution. 64-06069A
clinker, doped with Na₂CO₃, Moessbauer study. 64-06110A
and clinoptilolite, kinetics and mechanism of reaction between. 64-04650A
destruction kinetics of glass fibers in liquid phase. 64-00034A
effect of Ca formate on hydration. 64-04634A
effect of phosphogypsum on properties. 64-00039A
energy-saving mfg. in roller mills. 64-01712A
gypsumless, new types. 64-03108A
hydrated, detection of more released lime than free Ca(OH)₂. 64-04631A
hydration, NMR line shape—spin-lattice relaxation correlation study. 64-03104A
raw mixes, isothermal sintering. 64-00046A
reinforced with aluminoborosilicate C₂A glass fibers, corrosion products in NaOH solutions. 64-01766A
relation between gypsum dehydration and strength. 64-01753A
and substitution of limestone for gypsum, hydration study involving. 64-03091A
portland and Al₂O₃, hydration of. 64-03095A
powder, for continuous steel casting. 64-03117A
wet ashes in. 64-03136A
pozzolan and pozzolanic, review. 64-01744A
pozzolan production, pyrolyzed shale from Petrox process for. 64-07056A
pozzolanic, composite material. 64-04660P
pozzolanic action, survey of testing methods. 64-06114A
properties, advance determination of. 64-01696A
affecting mortar lining by centrifugal force. 64-06116A
raw materials, calcination, method and device for. 64-00088P
clinkerization aptitude. 64-06066A
power stations and their effect on properties of lignite fly ash. 64-03118A
reactivity and burning ability. 64-06083A
wear testing method for assessment. 64-01765A
raw meal, method and apparatus for burning. 64-03141P
precalciner for. 64-06990P
refractory, Cr₂O₃-MgO ramming. 64-05017P
Rudokil. 64-03672A
bond of SiO₂, Fe oxide, Si, and Ca. 64-00576P
dry Al₂O₃. 64-00572P
research progress, 1983. 64-01629B
role in immobilization of nuclear wastes. 64-06745A
set, structural and mechanical characterization of Ca(OH)₂, and the effect of additives. 64-03130A
setting, test for, needle apparatus. 64-01738A
silicate/SiO₂, for oil field applications. 64-04669P
slag, effect of triethanolamine on properties and hydration. 64-04635A
from slag and low-burned clinkers, hardening properties of binders. 64-03093A
slag-alkali. 64-04658A
structure and properties. 64-01756A
slurry mixtures, power station ash and carbide, hardening properties. 64-06089A
-solidified wastes, nuclear, transuranic. 64-05312A
nuclear, with high levels of loading, properties of. 64-06743A
steel-slag-blended. 64-01757A
stone, alkali-resistant glass fiber for reinforcing. 64-06292A
storage, 20 years in polyethylene tubes, change of properties. 64-06063A
storage, handling, and dispatch of. 64-03128A; 64-03129A
sulfaluminate, hydration and hardening in subzero environment. 64-00041A
supply-demand trend. 64-01760A
surface, modified with silicate-containing agent. 64-06135P
systems, radioactive waste-portland. 64-00053A; 64-00054A
underwater concreting, composition. 64-03146P
water glass, hardener for. 64-01776P

- water glass-portland CaSiO_3 system, curing under hydrothermal conditions. 64-00033A
- white, rheological and electrochemical properties of suspensions. 64-01755A
- Ceramic industry.**
- 86th Annual Meeting of the American Ceramic Society. 64-0005A
- American Ceramic Society, Programs and Meetings Committee, formats annual meeting, sets sights on growth. 64-04575A
- American Ceramic Society leaders urge change and long-range planning. 64-07518A
- Clean Air Act, rain of confusion. 64-07522A
- in Europe, interview with Mr. Gauthier, VP of Lafarge Coppee (France). 64-03007A
- significance of Westerwald (Germany) clays. 64-05506A
- Fifth International Congress on Production Research. 64-01611A
- HIP equipment, recent trends and applications for. 64-04008A
- in Hungary, history of prospecting for raw materials. 64-05493A
- ISU, shortcomings and remedies. 64-04583A
- in India, education, growth potential. 64-07519A
- Institute of Scientific and Industrial Research, Osaka University, Japan. 64-03022A
- in Italy, Cersaie '83 Trade Fair, challenge to housing crisis. 64-01606A
- Tecnargilla '83 Trade Fair. 64-01621A
- in Japan, Annual Reviews in Electronics, Computer, and Telecommunications. 64-04597B
- National Institute for Research in Inorganic Materials. 64-05987A
- activities of advanced materials. 64-05510A
- art and hobbies. 64-05975A
- development for advanced ceramics. 64-03009A
- education at high school and university level. 64-05977A
- high technology, American impressions in 1983. 64-03018A
- high-technology ceramics, National Materials Advisory Board report on. 64-04584A
- industrial standards and standardization of refractories. 64-03021A
- plans for fine ceramic center. 64-05988A
- plans of Fine Ceramic Association. 64-05989A
- research at universities, colleges, and institutes. 64-04587A
- research, government-sponsored programs. 64-01608A
- summary of innovative industrial materials. 64-04591A
- trends in FY 1982. 64-05994A
- typical lab. 64-01623A
- visit by American Ceramic Society delegation. 64-01600A
- yearbook of overseas advanced ceramics, 1984. 64-04598B
- in Korea. 64-05985A; 64-05986A
1983. 64-01605A
- in S. Africa, energy overview. 64-06952A
- gas tariffs. 64-06943A
- in USA, assessment of advanced materials. 64-01607A
- additives, solid-solution. 64-07383A
- amalgamation of UK Institute of Ceramics and British Ceramic Society, possibility of. 64-05984A
- automation, cost of. 64-02533A
- borates in, synthetic. 64-02727A
- bulk storage, design and maintenance, methods for improving. 64-02512A
- ceramic color mfg., problems. 64-05990A
- ceramic engines. 64-04593A
- combustion, O-enhanced. 64-06954A
- competition, international, role of technology. 64-05991A
- controls, memory-programmable. 64-04099A
- conveying systems, pneumatic, guidelines for selecting. 64-06771A
- conveyor lines, improving setup of. 64-02513A
- conveyors, cross-pit. 64-02538P
- crystal growing, apparatus for. 64-05378P
- data bases, remote, accessing. 64-05972A
- design patent infringements, damages and profits—a lawyer's view. 64-03008A
- drying and firing, energy saving in. 64-04150A
- dust, explosions. 64-05980A
- educational council statistics, 1983-84. 64-01604A
- effluent regulations, complying with. 64-01601A
- developments. 64-01609A
- electrical costs, controlling with energy management. 64-04577A
- energy, cogeneration. 64-01079A
- conservation. 64-01602A
- conservation, without capital investment. 64-03006A
- engineering ceramics, reliability of. 64-05976A
- fans and blowers, performance data for. 64-02507A
- firing, computer-controlled systems. 64-06934A
- decoration, forced-air heating and cooling reduce energy costs. 64-05465A
- flue gases, system for controlling combustibles and O₂ in. 64-04195P
- folklore, of Ryukyu, Japan. 64-01654A; 64-01655A; 64-01656A; 64-01657A; 64-01658A; 64-01659A; 64-01660A; 64-01661A; 64-01662A; 64-01663A; 64-01664A; 64-01665A
- forming processes, advances in. 64-01628B
- fuel consumption, reduction using O₂. 64-02673A
- fuels, coal use in S. Africa. 64-06931A
- natural gas, ample supply at stable prices. 64-04155A
- furnaces, fiber-lined. 64-02683P
- suspended roof construction for. 64-01111P
- walking beam. 64-01114P
- glazing techniques, new. 64-06524A
- grinding, W contamination during. 64-06789A
- health, hazards of low-activity Zr minerals. 64-01612A
- heat, making most of. 64-01084A
- heat exchanger, graphite tube bundle. 64-01369P
- heat loss, and recovery techniques. 64-01619A
- heat recuperator, ceramic core, method of making. 64-05634P
- triple-pass. 64-01368P
- high-technology ceramics, applications for. 64-05546A
- hot-isostatic pressing, applications for. 64-06755A
- inspection and mfg., application of robotics. 64-00886A
- instrumentation, for furnaces, update. 64-04108A
- international, tableware production. 64-04596B
- kiln cars, lightweight "all-fiber". 64-05468A
- kilns, chamber and shuttle, gas-heated, with 2 firing systems. 64-01078A
- double-incline shaft. 64-01099P
- with fiber insulation. 64-01087A
- floor dump linkage system. 64-01103P
- floor system. 64-01104P; 64-04177P; 64-06980P
- history of. 64-03061A
- intermittent, electrically heated. 64-01086A
- rotary, lifter for. 64-01105P
- rotary, method of using. 64-01110P
- level monitoring, new products about. 64-02514A
- materials. 64-03025A
- design, overview. 64-03024A
- handling, loading and unloading from mobile store. 64-06818P
- microcomputer utilization, real cost of. 64-05992A
- microprocessors, applications for. 64-05356A
- mills, hammer, replaceable caps and spider arms of. 64-06840P
- particles, ultrafine, overview of. 64-02530A
- pollutants, dust, sound, and thermal stress. 64-03031A
- pressing, cold isostatic, plant for. 64-06836P
- hot isostatic. 64-02511A
- hot isostatic, in USA. 64-02524A
- process control, temp.-sensitive materials for. 64-04103A
- processing, applications for microcomputer and robotics. 64-05974A
- production cycles, control methods. 64-00919A
- programmable controller applications' roundup. 64-06892A
- red mud, applications. 64-01147A
- research, at Governmental Industrial Research Institute in Nagoya, Japan. 64-03034A
- at US universities, require support. 64-01624A
- activity on advanced ceramics at Government Industrial Research Institute, Kyushu, Japan. 64-03035A
- background study helps gain support for. 64-01603A
- institutional sources in USA. 64-01614A
- sponsored by Japanese Science and Technology Agency. 64-04576A
- robotics, advanced mfg. with. 64-05973A
- robots, management factors. 64-05978A
- pick-and-place, examination of. 64-05981A
- silo discharging, pneumatic, developments in. 64-06763A
- sintering. 64-07500A
- social, economic, and technological evolution. 64-01620A
- special versus ceramic materials, prospects for the future. 64-05993A
- technology, for hazard control. 64-01610A
- testing labs, independent, role of. 64-03036A
- thermal centers, operation of. 64-05469A
- training technicians, at Hocking Technical College, OH. 64-01622A
- unloader, bottom silo. 64-05376P
- wastewater, and public treatment works. 64-01613A
- water management. 64-02532A
- water treatment plants, metal recovery from muds. 64-01617A
- workplace treatment system, high-temp., high-pressure. 64-02544P
- workplace environment, and occupational health and safety ASTM report. 64-03038A
- Ceramic materials.** See also *Materials, raw*, and specific types. advanced, economic and technical assessment. 64-04578A
- calibration of chevron-notched cleave specimens and determination of K_{IC} values. 64-07449A
- changing nature of. 64-07042A
- characterization of, electrical/electrochemical, data acquisition system for. 64-05405A
- damage to. 64-04528A
- for electronics. 64-05089A
- fracture in, toughening mechanisms, machining damage, shock. 64-04595B
- for hobbyists, nature and toxic properties. 64-00010A
- industrial, in Japan, summary of. 64-04591A
- method of consolidating. 64-04185P
- powders, process for preparation of. 64-04517P
- sprayable, thermally. 64-03177P; 64-03178P
- strength, effect of humidity on. 64-04543A
- surface, method for treating at high temps. 64-04506P
- tapes, method of producing. 64-04052P
- testing, slow-stressing-rate. 64-01034A
- slow-stressing-rate—correction. 64-04100A
- versus special materials, prospects for the future. 64-05993A
- Ceramic-metal systems.** See also *Cermets*; *Enamels*. Cr_2O_3 -coated ceramic, joining to metal. 64-03168P
- alloys, metallurgy of. 64-06142A
- soldering and casting, technology of. 64-06145A
- architectural applications. 64-00075A
- article, layered with Ni-P alloy and protective coating. 64-03169P
- blades, of turbomachines, cooling. 64-03163P
- bonding, Cu or Cu-Cr alloy to ceramics. 64-03174P
- ceramics to alloys. 64-06138A
- solid-state. 64-00135P
- bracing, direct metal (via Al_2O_3 substrate) to cermet feed-throughs. 64-01792P
- ignition devices for internal combustion engines. 64-01801P
- bracing ceramics, ternary alloys in. 64-00138P
- catalyst, exhaust gas oxidation. 64-01794P
- catalytic mechanism, for cleaning cooking soils. 64-00076A
- ceramic radome to metal body, attachment method. 64-06148P
- for chemical plants. 64-00093A
- coatings, thermal barrier. 64-03147A
- composite material, fiber-reinforced metal. 64-06149P
- composites, method of making. 64-01797P
- sintered WC-Co, continuity in. 64-06139A
- for cutting tools. 64-03148A
- electrode, for molten salt electrolysis. 64-00132P
- foil, speaker diaphragm, method of making. 64-00130P
- heating elements. 64-00099A
- inhibiting corrosion with cations, method. 64-00129P
- insulation bonding, to metal, test system. 64-01795P
- joining, metal pieces to oxide-ceramic substrates. 64-01798P
- joint, with thermal expansion mismatches, effect of interlayers. 64-01785A
- metal and Cr_2O_3 and SiO_2 , Al_2O_3 mixture. 64-06151P
- mica/metal matrix, load-bearing thermal insulator. 64-06150P
- packages, semiconductor (oxide-coated metal). 64-06158P
- pins to eyelets of conductors on substrate, bonding method. 64-00127P
- pipe, heat, abrasion-resistant. 64-00117P
- porcelain, substrates for electronic circuitry, status report. 64-00114A
- powder material, metal-cored ceramic-surfaced, method and apparatus for making. 64-06152P
- prestressed. 64-03170P
- reinforced packet-type, thermomechanical properties. 64-00116A
- seals, glass-to-metal bead, stresses arising from annealing. 64-01789A
- shaft, ceramic, method of attaching a metal shaft to. 64-01800P
- solderable. 64-04700P
- spray-coating material. 64-03176P
- sprayable ceramics, thermally. 64-03177P; 64-03178P
- strips, hydrated Cr_2O_3 -coated steel, for welded cans. 64-03167P
- residual stresses in. 64-06144A
- substrate, metallization of. 64-06153P
- substrates, Cu, for hybrid circuits. 64-00077A
- support, for ceramic blade of gas turbine. 64-00137P
- thin-film, method and device for relating to. 64-00123P
- vermiculite-coated Al, delaminated. 64-00119P
- Ceramics.**
- Al_2O_3 -ZrO₂, high-pressure sintered, fracture toughness. 64-01217A
- in France, 16th century. 64-01667A
- Islamic. 64-01672A
- Tang and Liao. 64-06004B
- ZnO and Pt-ZnO, gas-sensing characteristics. 64-03783A
- ZrO₂. 64-04599B; 64-04600B; 64-04601B
- ZrO₂-toughened, limitation of max strength. 64-05559A
- advanced, in Japan, 1984 yearbook. 64-04598B
- in Japan, American impressions in 1983. 64-03018A
- Japanese report. 64-03016A
- activity at Government Industrial Research Institute, Kyushu, Japan. 64-03035A
- development in Japan. 64-03009A
- expectations in Japan. 64-03011A
- feasibility study of R & D in Japan. 64-03012A
- fundamental problems, Japanese report. 64-03017A
- high-tech boom in Japan. 64-03023A
- new ceramics [in Japan]. 64-07533B
- new trends in Japan and USA. 64-03027A
- study at Government Industrial Research Institute, Osaka, Japan. 64-03015A
- testing and evaluation, Japanese report. 64-03033A
- trade rivalry and technology development, Japanese report. 64-03037A
- advances in. 64-05996B
- forming processes. 64-01628B
- materials processing in space. 64-03039B
- all-ceramic crowns, transfer molded. 64-07189A
- amorphization, by ion beam. 64-07441A
- analysis, elemental, with nuclear particle accelerator. 64-01015A
- analysis of, thermogravimetric. 64-06899A
- articles, process and apparatus for mfg. 64-04058P
- based on glauconite clays, fusibility of. 64-02704A
- body, method of consolidating. 64-04049P
- rheological behavior during drying. 64-04566A
- sintered, for cutting tools. 64-07239P
- bonded, with SiC surfaces, method of molding. 64-06829P
- cased container, for storage of radioactive materials. 64-02496P
- cellular, extruded, porosity. 64-01242A
- method of making. 64-01330P
- to ceramics, diffusion-reaction bonding. 64-01200A
- in clinical care. 64-07520A
- conductors, possible competitive materials for. 64-03815A
- containers, of classical Greece. 64-05998B
- crack propagation, stability of. 64-07503A

- decor firing on. 64-01080A
dense, gas permeability, apparatus for determining. 64-01066A
dielectric, method of making. 64-00777P
in diesel engines. 64-02745A
dislocations in. 64-07454A
electroconductive, Al_2O_3 -based. 64-06615P
electronic, low-temp. sintered. 64-02317A
engineering. 64-07097A
extrusion of, hot. 64-00906A
fine. 64-05999B
plans for center for, in Japan. 64-05988A
flat, in continuously heating furnaces, device for supporting. 64-06972P
fracture energy of. 64-05921A
fracture mechanics, an overview. 64-05922A
fracture of, nonlinear. 64-05938A
functional, materials design in. 64-01616A
gel technology in. 64-07334A
golden, decorative hard TiN- or ZrN-based. 64-05614P
green, ultrasonic wave propagation characteristics. 64-01040A
head, for internal combustion engine. 64-05607P
high-strength and -toughness. 64-02775A
high-technology. 64-02776A
in Japan, National Materials Advisory Board report on. 64-04584A
investigation methods for, physical and chemical. 64-02608A
lightweight, based on hollow spheres, mechanical properties. 64-07471A
from sintering of hollow spheres, fabrication and properties. 64-07464A
low-density, coated, impact behavior. 64-01220A
magnetic, review of. 64-02479A
mechanical behavior, lecture. 64-04551A; 64-04552A; 64-04553A; 64-04554A
mechanically reliable, understanding and controlling fracture. 64-07526A
metallized, electroless deposition of Au on. 64-00745P
to metals, diffusion-reaction bonding. 64-01200A
microfracture, indentation. 64-05420A
milling bodies, with low firing temp. 64-01184A
ms, temp. dependence of barodiffusion coeff. of water in. 64-05964A
molded, device for slicing. 64-04030P
injection. 64-00893A
injection, machinery for. 64-00913A
porous, mfg. process. 64-00995P
relating capillary viscosity and spiral-length data for mixtures. 64-00925A
neo-, nature and fabrication. 64-03026A
new. 64-06002B
refractories, and kilns. 64-03030A
nonoxide. 64-05566A
nuclear waste, with high ZrO₂ content, phase formation in hot pressing—correction. 64-06738A
optical, introduction. 64-01958A
perovskite-type, sintering kinetics. 64-06698A
plate-like, uneven coloring effects on firing, process for producing. 64-02692P
product, engineering, method of making. 64-02882P
properties, ultrasound for studying. 64-02623A
rotor, turbocharger. 64-02916P
samples, from Italy, instrumental neutron activation analysis of. 64-05419A
sheets, mfg. heat exchangers from. 64-06839P
sintered, vapor-phase process for making. 64-03541P
sintering, process for removing C residues during. 64-00803P
sol-gel process, applications. 64-05358A
spinel, microstructure. 64-05340A
stability, thermal, ultrasonic method for determining. 64-02622A
structural, engine components. 64-07075A; 64-07076A
firing cycles, determined by raw material parameters and thermal technology. 64-06958A
theoretical model of impact damage. 64-01586A
structures, drill bit for. 64-02540P
surface, process for metallizing. 64-06157P
technology of. 64-06005B
testing, Hertzian fracture. 64-05926A
thermomechanical, properties of. 64-07187A; 64-07188A
voids, surface, elimination of. 64-07461A
welding of, absorbable-susceptor. 64-00884A
Cerla. See *Cerium, CeO₂*.
Cerium.
CeF₃, films, stress modification through admixture with fluorides. 64-05808A
CeO₂, Y_2O_3 -doped nonstoichiometric, transport properties and defect structure. 64-07513A
films, optical properties and thicknesses. 64-01962A
CeO₂-based ceramics, containing additives, increase in thermal stability. 64-05552A
-containing silicate and phosphate glasses, EPR study of structure. 64-03225A
in glasses, effect on spectral absorption in near-ir region. 64-03218A
oxalate and oxide, thermodynamic properties. 64-07398A
Cermets. See also *Composites; Ceramic-metal systems*.
Cr carbide-based, TiN-dispersed. 64-07294P
Cu-Pb, Maxwell-Garnett theory extended for. 64-04682A
TiN-based, with high toughness, method of making. 64-07273P
coatings, thermal-shock-resistant heat-insulating. 64-01312P
feedthroughs, direct metal brazing (via Al_2O_3 substrate) to. 64-01792P
heating elements. 64-01186A
reaction-sintered, electrolytic Al production with. 64-07223P
thin-film, method and device relating to. 64-00123P
tools. 64-02746A
Cesium.
Cs₂Ni₂CdF₁₂, crystal structure. 64-01524A
and K tungstates, solid solutions of. 64-05799A
bromide, interaction with bromides of Dy and Ho. 64-05729A
-containing glass, optical. 64-00246P
immobilization, in cement containing reactive SiO_2 and polysilanes. 64-05311A
recovery, from Cs alum. 64-01510P
vaporization losses, from Synroc mineral Ba-Cs hollandite. 64-05314A
Chalcogenides.
alloys, preparation by solution conduction of mixture of oxides. 64-02966P
cathodes, method of making. 64-05227P
diffusion in solid solutions, PbO , SnO , Te . 64-05588A
films, from solution, method for forming. 64-03859P
thickness dependence of photodarkening. 64-05051A
glasses, alternative preparation methods. 64-00142A
dynamic range of photostructural transformations in. 64-03222A
mechanism of formation of EPR centers. 64-03295A
of system As-S-Ti, Tl-205 NMR of. 64-03372A
metal, lubricating compositions and process using. 64-01500P
mono-, of rare-earth elements with variable valence. 64-05753A
photodetector, avalanche. 64-00765P
rare-earth, stability of coordination polyhedra and structural types in. 64-05807A
type A(B)(III)₂(VI), thermal conductivity. 64-05965A
Chalk.
suspensions, rheological and electrochemical properties. 64-01755A
Charge.
space, arising from hot poling of (Pb, La)(Zr, Ti)O₂, ferroelectrics. 64-02425A
surface, in $\text{ZnO-B}_2\text{O}_3\text{-SiO}_2$ glass-Si capacitor system. 64-00711A
Checker brick. See *Refractories*.
Chemical analysis. See *Analysis*.
Chemical properties.
of Hg₂, Cd, Te, on CdTe. 64-01589A
of SiO_2 , condensed forms. 64-01443A
acid resistance, of alkali-free aluminoborosilicate glasses, based on ir reflectance. 64-03183A
of pyroxene-group silicate glasses, based on reflectance spectra tests. 64-00182A
alkali resistance, of glass fibers. 64-06161A
basicity, of glasses. 64-06196A
durability, of Na ultraphosphate glasses. 64-00147A
of Pb glasses. 64-00241A
of borosilicate waste glass. 64-05700A
of fluoride glasses in system $\text{BaF}_2\text{-GdF}_3\text{-ZrF}_4$. 64-01813A
of fluorozirconate glasses. 64-01814A
of glass containers, determination by Na ion selective glass electrodes. 64-01826A
of glass-fiber-reinforced cements. 64-04633A
of mineral fibers in buffer solutions. 64-06180A
electro-, of suspensions of chalk and white cement. 64-01755A
of faujasite, zeolite-type. 64-05522A
photoelectro-, of plasma-deposited TiO₂ films. 64-05148A
resistivity, of enamel surfaces as function of 3d element oxide admixtures. 64-03149A
slag resistance, of aluminosilicate castable refractories. 64-06469A
of refractories. 64-04974A
stability, of F-containing Pb silicate glasses. 64-03204A
of additive cement grades in contact with chloride- and sulfate-containing aqueous solutions. 64-03082A
of glass surfaces, optimization of acid treatment to improve. 64-03469A
of ultraphosphate glass fibers. 64-03203A
water resistance, of industrial sheet glass. 64-00335A
Chemistry. See also *Thermodynamics*.
 $\text{Na}_2(\text{GaO}_2)$ relationship, $\text{KNa}(\text{GaO}_2)$ and $\text{CsK}(\text{GaO}_2)$. 64-01428A
of U, in borosilicate glasses. 64-01815A; 64-01816A
acidic properties, of aluminas, determination by Benesi method. 64-01825A
alkali concentration, dependence of electrical conductivity of Na germanate glasses on. 64-01824A
analytical, comprehensive. 64-03040B
of color. 64-01635B
complexation behavior, of biguanidine with Cu(II) dissolved in silicate glass. 64-01817A
constants, lattice, grain-boundary, surface, and gas-diffusion, in MgO . 64-07349A
crystal, in Nasicon-type phases $\text{Na}_{1-x}\text{Zr}_x\text{Yb}(\text{AsO}_4)_3$. 64-00643A
of magnetic oxides. 64-03950A
dehydration-rehydration, of aluminosilicate gels. 64-01822A
doping, of Al_2O_3 , Ga_2O_3 , As_2O_3 . 64-01395A
effect on properties of Bi_2SiO_5 crystals. 64-01397A
energetics, of polycrystalline aluminosilicate glasses. 64-03247A
fire retardant characteristics, of polymers with chlorinated additives and metal oxides, effect of composition on. 64-07327A
formation, of glass soot by oxidation of gaseous SiCl_4 and GeCl_4 . 64-00148A
glass, absorption spectra of Cr(III)-colored alkaline borosilicate. 64-01806A
acid-base concept applied to melts and the D. I. Mendeleev principle. 64-03184A
calculation of interatomic distances. 64-03193A
effect of electric melting. 64-00304A
short-range ordering in phosphate glasses. 64-03223A
of glasses, photochromic. 64-06169A
inorganic, progress in. 64-01637B
mechanism-, of solids. 64-04489A
metal oxide-Nb(V) hydride/oxide compositions, method of making. 64-01502P
metal oxide-Ta(V) hydride/oxide composition, method of making. 64-01501P
mixed-alkali effect, so-called, in glass. 64-01904A
nomenclature system, for cement, comments on. 64-04630A
oxoanion, KNaZnO_2 . 64-01429A
paramagnetic centers, radiation-induced, in glassy and crystalline La ultraphosphate. 64-03334A
particles, behavior, control with electric force. 64-04450A
reactions, inorganic and organometallic, mechanisms of. 64-03043B; 64-03044B
short-range order, in Fe-doped chalcogenide glasses. 64-03303A
silicocalcareous mass, with high porosity, method of making. 64-01511P
high-porosity, preparation from SiO_2 . 64-01504P
solid-state, predictive character. 64-02942A
preparative, recent developments. 64-02945A
structural, of $(\text{La}, \text{Nd})\text{MgAl}_2\text{O}_7$. 64-01575A
surface, effect on float glass properties. 64-01857A
of hydroxyapatite. 64-01626B
laser-induced, applied to microelectronics and heterogeneous catalysis. 64-03838A
synthesis, self-propagating, intrinsic volume changes of. 64-07346A
thermo-, of Na borosilicate glasses. 64-06272A
of charge-coupled substitutions in silicate glasses. 64-00236A
transport, of GeO_2 . 64-01431A
transport properties, of oxide scales, procedures for determining. 64-07330A
China clay. See *Kaolin*.
Chinaware. See also *Art and artwork; Dinnerware; Porcelain*.
Czech, trademarks of. 64-03735A
bone, unglazed, translucency of. 64-06529A
decalcomania for. 64-06046P
Chlorides.
 NaCl and AlCl_3 , method of recovering Al_2O_3 values from. 64-01156P
of Nd and Y, interactions of oxides of Te(IV) and W(VI) with. 64-05742A
of Ru and Cs, interaction of PdCl₂ with. 64-05732A
Si tetra-, production process of. 64-02969P
Chlorine.
trichlorosilane, production process. 64-07439P
Chlorites.
deposits, of Navarra, Spain—mineralogy. 64-07028A
Chromites.
Li/Ag-Bi, new, reliable battery. 64-06563A
Chromatography.
 Al_2O_3 body for, method of making. 64-05604P
analysis of glass by. 64-06857A
ion-exchange, for determining number of fissions in Th-U dioxide fuels. 64-00876A
liquid, determination of U by. 64-05409A
with hydroxyapatite crystals as adsorbent. 64-05720A
Chromite. See *Chromium; Refractories*.
Chromia. See *Chromium, Cr₂O₃*.
Chromites. See *Refractories*.
Chromium.
-CaO-SiO₂-based pigments. 64-02921A
and Cr oxide layers, galvanized steel sheet protected by. 64-04693P
 Cr_2O_3 , at high pO₂, deviation from stoichiometry—correction. 64-01392A
plasma-sprayed coatings, abrasive machining of. 64-03047A
in systems Al_2O_3 and Cr_2O_3 , effect of Na_2CO_3 additions on oxidation. 64-05553A
 Cr_2O_3 -coated ceramic, joining to metal. 64-03168P
Cr(III), in phosphate and silicate glasses with Li and Be modifiers, fluorescence quantum efficiencies of. 64-04755A
Cr-MgO, Cr-Y₂O₃, Cr-Y, and Cr-Cu condensates, dispersion-strengthened, structure and properties. 64-04690A
Cr-SiO₂-CaO-SiO₂-based pigments. 64-01387A
CrO₂-based enamel. 64-00118P
-bearing materials, containing Si, Nb, Ta, Zr, Ti, and Hf, extraction-photometric determination of trace P in. 64-02591A
chromites, annual ceramic mineral resources review. 64-07004A
compounds, formed in refractories, toxicity. 64-06469A
-containing polymers, binders based on. 64-05864A
emissions, environmental agencies target. 64-07523A
-free sintering, for glass fiber gun roving. 64-00348P
high-temperature refractories, fused-cast. 64-02243P
on mixed metal phosphate base, with organoboron cocatalyst. 64-02858P
oxide, refractories, electrical resistance of. 64-04946A
polymers, binders based on. 64-05662A
reactions and bonding, with Na disilicate glass. 64-03343A

- small concentrations, in MgO, measurement with ESR. 64-01030A
- Ceramics.**
- PCB, glass-bonded mica, ideal material for. 64-02313A
- board, Cu printed, solution for formation of black oxide coating on. 64-05250P
- ceramic. 64-00731P
- method of making. 64-00733P
- multilayer, method of making. 64-02404P
- printed, surface-mount technology for. 64-05174A
- chip carrier-based, testability for surface mounting. 64-03757A
- conductive/resistive, on insulating coating, method of producing. 64-05234P
- demagnetizing, with PTC thermistor. 64-05209P
- electrically conductive, Pb-free frit-based. 64-03897P
- electronic, with aperture through substrate, method of making. 64-06642P
- porcelain enameled substrates for. 64-00114A
- thick-film. 64-00817P
- hybrid, in Japan. 64-05170A
- in UK. 64-05111A
- enameled Cu substrates for. 64-00077A
- integrated, Ga-Al arsenide with Ge. 64-02366P
- coated substrate for. 64-06604P
- decoupled capacitor package. 64-03864P
- developments in France. 64-05134A
- with easily cleaned region between board and chip carriers. 64-03879P
- glass insulating film over interconnects on. 64-02415P
- semiconductor, TiW/N fusible links in. 64-02424P
- substrate support for. 64-05206P
- temp. dependence of failure, modeling. 64-02321A
- for measuring magnetic head flying characteristics. 64-01049P
- micro-, hybrid, automatic layout program for. 64-04111P
- reliability and quality assurance. 64-03821A
- thick-film, method of adding conductive/resistive patterns. 64-05230P
- on opposite surfaces of dielectric, method for conductively interconnecting. 64-00981P
- printed, enamels for metal substrates in. 64-06140A
- hybrid electronic thick-layer. 64-06618P
- testing via 1 wire. 64-05448P
- resistor, thick-film. 64-03913P
- substrates, integrated MLC. 64-00672A
- thick-film, porcelain-stick-substrate, application in Japan. 64-05051A
- Classification.** See *Separation; Separators.*
- of drying methods, for suspensions. 64-00894A
- of ferrospins. 64-04200A
- of finishing materials, based on open-fired glasses. 64-06170A
- of granular materials, vibratory screened for. 64-02541P
- of particles, method and apparatus. 64-00973P
- Classifiers.** See *Beneficiation.*
- air. 64-06794P
- for cement industry. 64-03111A
- size reduction. 64-02525A
- particle. 64-06835P
- adjustable. 64-00936P
- in fluids. 64-06803P
- with rudder control vane. 64-05389P
- Clays.** See also *specific types.*
- Argentinian. 64-07025A
- Arkalyk (USSR), and grog, refractories from, for lining steel-casting ladles. 64-02140A
- Brazilian, containing polygorskite-attapulgite-sepiolite. 64-07023A
- Indian, stoneware from Narsinghpur. 64-00605A
- Italian, Apennine, characteristics. 64-01116A
- experiments on batches for single-fired bodies. 64-00439A
- K aluminate and native, fused mixtures, porosity characteristics. 64-00608A
- MgO-china, compacts, liquid-phase sintering of. 64-02134A
- NaCl-containing, for brick and tile, alkaline vapors during firing. 64-04887A
- Westerwald (Germany), significance for European ceramic industry. 64-05506A
- Woodlands, Australia, sericite mica in clay-like state. 64-07058A
- ball, annual ceramic mineral resources review. 64-07000A
- based bodies, factors affecting modulus of rupture. 64-06518A
- based catalyst, P-containing, for cracking process. 64-04408P
- based compositions, pasty fibrous. 64-00625P
- bearing formations, geological, characteristics, method and apparatus for determining. 64-02642P
- behavior in roller mills. 64-05359A
- beneficiation, by froth flotation. 64-07059P
- benitonic, process for preparation. 64-01163P
- processed, structural study. 64-02725A
- brick, choosing optimum composition. 64-02031A
- as disposal medium for sludges. 64-04884A
- effect of mud additions on efflorescences. 64-04896A
- effect of shaping parameters on dilatometric behavior. 64-04890A
- quality assurance by thermal analysis. 64-01138A
- brickmaking, crushed soft brown coal as additive for. 64-01351A
- casts, porosity and permeability. 64-07494A
- ceramic, role of subsurface mica. 64-01141A
- china, containing sandstone, magnetic removal of Fe. 64-05502A
- complexes, modified organophilic, preparation of. 64-07062P
- containing catalysts, for methanation and steam cracking. 64-07215P
- deposits, winning and materials transport, equipment for. 64-02715A
- dispersions and pastes, rheological curves. 64-04202A
- exchange in, thermodynamics. 64-02729A
- expanded, method and apparatus for producing. 64-04233P
- fire-, mfg. of stove tiles without. 64-05041A
- fired, comments on color of. 64-02264A
- floatation, conditioning with in situ ferrous activator. 64-04234P
- glauconite, fusibility of ceramic bodies based on. 64-02704A
- halloysite, New Zealand, whitest in the world. 64-04229A
- heavy, in production of red floor tiles. 64-00602A
- industry, automatic level control in vacuum extruders. 64-00887A
- interlayered, catalytic cracking with. 64-02743A
- interstratified, as fundamental particles. 64-02709A
- kaolinitic, reducing slurry viscosity. 64-01171P
- low-melting, for ceramics. 64-01131A
- firing conditions of wall tile from. 64-03725A
- minerals, Egyptian siliceous, electron microscopy and its studies. 64-04083A
- X-ray microprobe analysis of. 64-02626A
- expandable, at well sites, determination of. 64-04231P
- oriented, preparation of samples. 64-05500A
- and sediments, coagulation rates. 64-01119A
- monoprints, by Mitch Lyons. 64-01673A
- and mudrocks, cation exchange by methylene blue. 64-07024A
- organophilic, preparation process. 64-01164P
- paste, rheological properties. 64-07049A
- pevers. 64-06436P
- pipe, developing at Naylar, UK. 64-02033A
- poor slips, enameling, properties of. 64-01788A
- for pottery, Cologne, Germany, Roman, source of. 64-04611A
- products, fired, moisture expansion of. 64-06523A
- prospecting for. 64-01137A
- red, Ocmulgee deposit, Georgia, USA. 64-01146A
- refractory, annual ceramic mineral resources review. 64-07014A
- decreasing dust separation during treatment, with 4PU combine. 64-02090A
- in system K aluminate-natural clays, electrophysical properties. 64-02110A
- research, synergistic. 64-04226A
- sedimentary, illite in, XRD characterization of. 64-02698A
- sedimentation, in water, impeding. 64-02956P
- sedimentation balance, remodeling of. 64-04009A
- silicic components, for cement works, possibilities of mining. 64-04007A
- slips, preparation in single-chamber mixer/grinder. 64-02276A
- smectitic, Brazilian, rheological properties after curing. 64-02722A
- for oil well drilling in Paraíba, Brazil, effect of aging. 64-07039A
- for thixotropic fluids for oil well drilling, effect of curing on. 64-02708A
- steam treatment of, physical effects. 64-07045A
- suspending agents, organophilic. 64-01157P
- and tile bodies. 64-06508A
- treatment of, removal of Ti impurity to improve whiteness. 64-04235P
- ware, decorated, method of making. 64-06538P
- like wastes, preparation for ceramic industry. 64-05499A
- water-swelling, H⁺-enriched, with reduced acid demand and stable at low pH. 64-07060P
- wet, prep system. 64-02041A
- whiteware, rapid assessment of fineness by methylene blue hydrochloride dye adsorption. 64-02614A
- for whitewares, from Iraq. 64-01118A
- Cleaners.**
- low-temp., for enameling industry, properties. 64-00110A
- Cleaning.**
- agents, commercial, corrosion of optical glasses by. 64-03418A
- bottles, glass returnable, effect of. 64-04800A
- exhaust gases, from diesel engines, apparatus for. 64-05616P
- glass, acid composition for. 64-01490P
- process, for HIC's with solder paste. 64-02292A
- soils, cooking, with enamelled catalytic mechanism. 64-00076A
- surfaces, glass, method and solutions for. 64-03400P
- system, for porcelain enamel powder, design and construction. 64-00082A
- tiles, detergent for. 64-04498P
- Clackers.** See *Cement; Dolomite; Forsterite; Magnesite.*
- Coagulation.** See *Agglomeration.*
- Coal.** See *Fuels.*
- Coatings.** See also *Electrostatic processes; Enamels; Films; Glazes; Resins.*
- Al phosphate, corrosion- and erosion-resistant solid C articles with. 64-01359P
- Al phosphate-based, for insulation of heated metals. 64-05022P
- Al₂O₃, formation-promoting. 64-03166P
- on metals, mixture for. 64-06155P
- process and apparatus for producing. 64-03172P
- on substrates. 64-01366P
- An composite, electrodeposited. 64-04275A
- BN, on quartz, method of applying. 64-07245P
- Cr₂O₃, abrasive machining of. 64-03047A
- Cr-Ni-hydrated Cr oxide, on Sn-free steel, method of making. 64-04695P
- Cu plating, for metallizing Al₂O₃. 64-05060A
- Hf or Zr carbide or nitride, for metal cutting tool. 64-07301P
- In-Sn oxide, three-step process for depositing. 64-00721A
- MgF₂, onto ambient temp. substrate, ion beam process. 64-03457A
- Ni-SiC mixed, microstructure analysis. 64-00101A
- Pt oxide, devices for preparing substrates with. 64-05382P
- Si, SiC, B composition, for C-C substrate. 64-01298P
- SiC, for C-C materials. 64-01296P
- deposition on C-based materials. 64-01306P
- SiC/Si₃N₄, for C-C materials. 64-01297P
- SiC/ZrO₂, for C-C substrates. 64-04380P
- SiO₂, method for making. 64-00258P
- porous antireflective. 64-01447A
- SiO₂-ZrO₂, deposition on glass fibers by sol-gel method. 64-06296A
- SiO₂-type, protective, for mirrors and glass industry. 64-06332A
- Sn oxide, F-containing, method for forming. 64-03887P
- SnO₂, conductive, ir reflective, transparent, method of depositing. 64-00771P
- on glass windows. 64-01808A
- rust-resistant, on glass containers. 64-00417P
- TiN, and TiC, tribological, for protection of moving machine parts. 64-07296P
- for cutting implements. 64-01290P
- for tools, process. 64-04321A
- TiO₂, and SiC mixture, on electrodes, to prevent oxidation during steelmaking. 64-02859P
- WC-based, abrasion-resistant. 64-06147P
- Zr oxide, nuclear fuel element with. 64-00882P
- ZrO₂, from organometallic solutions. 64-01450A
- prepared by spray pyrolysis. 64-04692A
- ZrO₂-based, forming by hot isostatic compaction. 64-03164P
- abrasive, Co spray (plasma). 64-06011P
- abrasives with. 64-06012P
- alkali-earth metal oxide-based, Ca and Mg, compositions. 64-01491P
- alloy, for cast iron parts, e.g., glass molds. 64-00937P
- anodes, RuO₄, IrO₄, and SnO₂, catalyst for, method of making. 64-05600P
- antireflective, Si₃N₄, for photovoltaic cells. 64-02823A
- for ZnSe. 64-00632A
- binder, on foundry sand grains. 64-02238P
- bioglass, for metal prostheses. 64-01179A
- black oxide, on Cu printed circuit board, solution for formation of. 64-05250P
- carbide, nitride, or carbonitride, product with. 64-04379P
- refractory, preventing abrasive wear with. 64-04346A
- catalytic, optical element with, for oxidation of opaque materials. 64-06394P
- ceramic, for engine parts. 64-07072A
- method of applying on metallic substrate. 64-01799P
- for orbital transfer vehicle, catalytic surface effect of. 64-04776A
- for plastic optical components. 64-05545A
- wear-resistant. 64-07073A
- ceramic (metal), prestressed. 64-03170P
- on ceramics and quartz crucibles, deposited from vapor phase. 64-04697P
- conductive, by pyrolysis in flat glass. 64-01870A
- for containers, glass. 64-03459A
- dielectric, of unequal thickness. 64-05135A
- dual, on optical fibers, device for making. 64-04847P
- enamel, electrical resistance during thermal stability testing. 64-00085A
- with expandable masking bed, method. 64-04699P
- fatty acid emulsion, for glassware. 64-07411P
- ferrite, in aqueous solution, for making magnetic films. 64-02461A
- fibers. 64-00401P
- effect on RT mechanical behavior of ceramic-fiber composites. 64-05529A
- glass, recovery. 64-04422P
- lightguide glass, apparatus for. 64-06338P
- optical. 64-06395P
- optical, apparatus for. 64-04871P
- optical, method for. 64-04859P
- optical, with metallic material, arrangement for. 64-02002P
- fluorescent, intrusion-detecting camouflage, ortho-Zn-silicate-based. 64-02957P
- gel powder. 64-06594P
- glass, apparatus for. 64-00951P
- composition and method. 64-06282P
- envelope, for fluorescent lamps. 64-04867P; 64-04868P
- envelope, for fluorescent lamps, apparatus for. 64-03503P
- fluoride, optical fibers with, method of making. 64-06400P
- metal-recovery treatment process for gas overspray. 64-04877P
- method for isostatic pressing metal or ceramic material with. 64-00970P
- phosphosilicate, method of applying to semiconductor. 64-04858P
- process for improving weather-resistant adhesion of. 64-03401P
- reactor for. 64-06404P
- thermal-control. 64-03496A
- titanoisilicate, structural transformations during heat treatment. 64-03365A
- of glass articles, method. 64-00396P
- for glass containers, evaluating. 64-04791A
- glass-enamel, reinforced packet-type, thermomechanical properties. 64-00116A

glass-metal, properties of. 64-04685A; 64-04686A
 glass-sol, protective, for metallic or ceramic surface.
 64-06257P
 glassy, for protection in electronic industry. 64-05096A
 gloss, dual, method for forming. 64-00386P
 hard film, for cutting tools. 64-02773A
 hydrophilic, composition for. 64-01494P
 hydrophobic colloidal oxide-treated, core material.
 64-01499P
 insulating, method of producing conductive/resistive pat-
 terns on. 64-05234P
 interference, for neutrons. 64-03786A
 two-component, optical properties and applications.
 64-05197A
 lapping, Si oxide (B- or P-doped). 64-06022P
 magnetic, applications for. 64-00858A
 mineral oxide, device for depositing on substrate. 64-05381P
 method of depositing on substrate. 64-00986P
 mirror, photoenhanced migration of Ag atoms in.
 64-05944A
 multilayer, metallic body with. 64-07263P
 multiple, fibers with. 64-01987P
 optical, CVD, microstructure. 64-03801A
 PbTe. 64-03809A
 antireflection evaporated SiO₂-based. 64-03501P
 constants, multiple determination of. 64-03805A
 electrical field distribution and losses in. 64-06191A
 interference, synthesis of. 64-03834A
 uv, materials for. 64-05127A
 optical fiber, mechanical characterization by ultramicro-
 indentation measurements. 64-05424A
 uv absorbers in. 64-00202P
 O-C-H interface. 64-04815A
 synthesis of. 64-04830A
 third topological meeting. 64-01961A
 oxide, for cutting tools. 64-01303P
 from sol-gel process. 64-0479A
 oxidic, deformation-resistant, method of making.
 64-00126P
 plasma, of glass tube inside surface. 64-00410P
 plasma-sprayed, Y₂O₃-PSZ. 64-07193A
 model for thermal conductivity. 64-04684A
 on refractories, thermal shock resistance. 64-02224A
 review of. 64-03157A
 powder-filled, optical fiber protection by. 64-06399P
 protective, against aluminizing. 64-04687A
 aluminized mirrors with, possibilities of making.
 64-06322A
 for dry-heat-stabilizable glassware. 64-06289P
 for optical fibers in hostile environment. 64-00419P
 for refractory linings in blast furnaces. 64-02190A
 radiation-cured, stripable, for optical fibers. 64-01000P
 refractory, SiC abrasive grains with. 64-04606P
 binder, fabric with. 64-05029P
 high-emissivity SiC, graphite-, Al₂O₃-, Si₃N₄-based.
 64-01309P
 residual stress measurement in. 64-06893A
 removal, from glass. 64-06412P
 research, benefits appliance manufacturer. 64-02263A
 selective, of dielectric substrates. 64-02411P
 of metallurgical features of dielectric substrate. 64-03175P
 structured. 64-04691A
 silicate, with SiO₂, gel. 64-02971P
 on spandrel glass substrate. 64-00426P
 slurry, oxidation-resistant, for C-based material. 64-04312A
 sol-gel, on SiC and silicate fibers. 64-05798A
 of glass fibers for cement composites. 64-06294A
 solar collector, black-Zn-coated Al, microstructure.
 64-05140A
 spray, material for. 64-03176P
 substrate, method and apparatus for determining relative
 surface area. 64-04123P
 transparent. 64-03894P
 system, for glass wine containers. 64-06778A
 thermal barrier. 64-01790A; 64-03147A
 Y₂O₃-stabilized ZrO₂. 64-01804P
 oxidation-based model for determining life. 64-00104A
 process for applying to metals. 64-01802P
 thermal-barrier, plasma-sprayed. 64-04681A
 subjected to oxidation, mechanical property measure-
 ments. 64-04683A
 thermally insulating, thermal-shock-resistant cermet.
 64-01312P
 thin-film, determination of optical constants. 64-03762A
 tiles, glazed. 64-05049P
 top-, Si, onto ceramic. 64-05196A
 urethane acrylate and epoxy acrylate and vinyl, for opti-
 cal fibers. 64-01002P
 transparent ir-reflective, on glass, deposition of. 64-03761A
 tungsten, on corundum, reciprocal effect of Y₂O₃, W, and
 Al₂O₃ on bond. 64-00111A
 of turbine blades, simulator aids in determining limiting fac-
 tors for lifetimes. 64-07166A
 uv-cured, optical fibers with. 64-06396P
 wear-resistant, hardening cutting tools by deposition of.
 64-03163P

Colloid

-Al₂O₃, catalysts, effect of spinel formation on Fischer-
 Tropesch synthesis. 64-05530A
 Co₂O₃, synthesis during thermolysis of Co hydroxide and
 binary hydroxides. 64-01469A

CoO, Fe-doped, diffusion and correlation effects in.
 64-07320A
 cation impurity diffusion in. 64-07310A
 films, precipitation from gas phase. 64-01383A
 scales in tension, new technique for studying creep and
 rupture. 64-01023A
 CoV₂O₆, synthesis and structure. 64-01584A
 LnCoO₃ (Ln = Sm, Eu, Gd, Tb, Dy, Ho), thermal stability
 in open air. 64-01481A
 catalysts, zeolite-supported, for conversion of synthetic gas
 to hydrocarbons. 64-04369A
 coating, plasma spray abrasive. 64-06011P
 coloring pigments by. 64-00587A
 oxides, EXAFS studies. 64-00165A
 doped ZrO₂ and ThO₂, thermal behavior. 64-04355A
 Coercivity,
 of films, Os-doped γ-Fe₂O₃. 64-02476A
 Collectors,
 anode, conductive oxide-covered, thermionic converter with.
 64-00720A
 Colloids,
 Al carbonate, process for preparing. 64-04514P
 Al hydroxide, adsorption of alkylsulfonates from aqueous
 solutions on. 64-07303A
 Al₂O₃. 64-07405P
 Al₂O₃ monohydrate, fibrous, method of making. 64-04514P
 Al₂O₃ prepared from, thermal stability. 64-07396A
 Ge silicate, glass, method of making. 64-00387P
 Na and Li superionic. 64-06251A
 Na₂O silicates, processing variables. 64-05789A
 Sb oxide, self-dispersing. 64-02970P
 Si(OC₂H₅)-H₂O-C₂H₅OH, with stabilized viscosity, fiberiz-
 able. 64-01401A
 SiO₂, ZrO₂, IRS study. 64-04731A
 ferric acetate-coated, by anion exchange. 64-01506P
 hydrous, method of making. 64-00260P
 method for modifying properties of. 64-04477A
 microporous, hydrothermal sintering of. 64-04801A
 monodisperse, casting of. 64-00892A
 spherical microporous, method of making. 64-00267P
 synthesis by hypercritical solvent evaporation. 64-00234A
 TiO₂, microstructure and new method for making.
 64-04478A
 Zr hydride-modified Al/silicous, compositions. 64-01515P
 ZrO₂-SiO₂ xerogels, and xerogel catalysts, method of mak-
 ing. 64-02881P
 aluminosilicate, dehydration-rehydration and related
 property changes. 64-01822A
 formation of zeolite A from, factors affecting. 64-01212A
 boehmite, enhanced densification by α-Al₂O₃ seeding.
 64-02929A
 consolidation, microstructure control through. 64-00921A
 diphase zero-, new class of material—comment. 64-04715A
 new class of materials—reply. 64-04716A
 ferrisilica, electrical conduction of. 64-04722A
 filtration, mechanics of. 64-00916A
 heating and melting of, microwave. 64-06759A
 hydrated, layers in nuclear waste glasses, growth of.
 64-04726A
 hydro-, monolithic refractories comprising. 64-06494P
 of magnetic particles, magnetic separation with. 64-06819P
 monolithic, reaction with water during gel-glass conversion.
 64-06242A
 monoliths (20L), organometallic-derived. 64-05758A
 oxide, thermally stable catalyst support. 64-04444P
 porous, experimental sintering of. 64-06768A
 powder, coatings. 64-06594P
 silica (xerogel), calcined, for beer clarification. 64-07407P
 silicic acid xerogels, interaction with Cu(OH)₂. 64-05733A
 sol-gel conversion, in TEOS, factors controlling. 64-00184A
 sol-gel process, applications. 64-05358A
 and ceramic development. 64-06754A
 oxide coatings from. 64-04479A
 systems, B₂O₃-SiO₂ and ZrO₂-SiO₂, dehydration of.
 64-01821A
 technology, in ceramics. 64-07334A
 treatment of. 64-01004P
 Color, measurement. See *Colorimetry*.
 Color. See also *Pigments*; *Stains*.
 Fe- and S-related, in ancient glasses. 64-04610A
 of alkali halides, powders, model for reduced stability of.
 64-05933A
 anomalies, in soda potash crystal glass, estimation of.
 64-03248A
 brightness, of different grades of whitewash, test for deter-
 mining. 64-00775A
 center, induced by γ-irradiation in phosphate and
 fluorophosphate glasses. 64-06231A
 centers, in doped Cd-Ga garnet crystals. 64-07447A
 induced by γ-irradiation in CaO-B₂O₃-Al₂O₃ glasses, for-
 mation and decay. 64-01848A
 in irradiated alkali Al borate glasses, thermal bleaching
 of. 64-01918A
 radiation, in quartz glasses, role of O₂ vacancy-type
 defects in formation of. 64-03351A
 radiation-induced paramagnetic in quartz glasses, forma-
 tion mechanism. 64-03308A
 radiation-induced, in multicomponent ZrF₄-based glass-
 es. 64-03333A
 ceramic, toxicity problems. 64-05990A
 change, in Fe-doped glass, method for detecting γ-radiation

based on. 64-04129P
 of clays, fired, comments on. 64-02264A
 computer matching, stain evaluation with. 64-06898A
 differences, of enamels, determination of. 64-01783A
 in glasses, Se-ruby-type, adjustment of. 64-03187A
 instruments for determining. 64-06862A
 instabilities, in amber glasses, optical and EPR study.
 64-00213A
 physics and chemistry of. 64-01635B
 of pigments, in system NiO-TiO₂-uM₂O₃. 64-01468A
 porcelain, overglaze, numerical color index determination
 of. 64-05430A
 specific, apparatus for detecting. 64-06901P
 tones, of enameled products, control of firing process by
 measuring. 64-01782A
 uneven, on plate-like ceramic during firing, process for
 producing. 64-02692P
 Colorimetry,
 in-process, for control of enamel firing. 64-00081A
 Coloring,
 2-photon, of Na silicate glasses, effect of photodecoloriza-
 tion on. 64-03237A
 of ZrO₂, irradiated with uv and electrons. 64-05899A
 agents, for whiteware, economic considerations during
 production. 64-03719A
 brown, of high-Pb silicate glasses by X-rays. 64-06167A
 clinker, paving, by reduction burning. 64-03079A
 glasses, commercial and art, by combination of colorants.
 64-03419A
 in system P₂O₅-B₂O₃-Na₂O, using Mn. 64-03206A
 Columbian. See *Niobium*.
 Combustion. See also *Burners*; *Firing*; *Flames*; *Furnaces*;
Heat; *Kilns*.
 O-enhanced. 64-06954A
 Ostwald's triangle. 64-04157A
 air, port wall jet for controlling. 64-03539P
 target wall jet for controlling. 64-03548P
 air flow control, for regenerators. 64-06932A
 apparatus, O₂-enriched air ratio control device for.
 64-04134P
 conditions, acoustic emissions reveal. 64-01076A
 control, air/gas ratio. 64-06925A
 apparatus. 64-01050P
 for furnaces. 64-02632P
 method, for furnaces. 64-04184P
 on-line analyzers for. 64-04097A
 roller-hearth kiln with. 64-06968P
 device, with fuel lance. 64-05476P
 engine, method and apparatus for modifying chamber to
 accept ceramic liners. 64-06822P
 equipment, ZrO₂ sensor for. 64-03845A
 fluidized bed, for porcelain enameling industry. 64-00089A
 for raw materials and coal processing in cement indus-
 try. 64-03090A
 fuel and air, staged, for low-NO_x burner. 64-05484P
 gases, reducing NO concentration by NH₃ injection.
 64-05482P
 method for reducing emissions, of NO_x. 64-06970P
 multistage, for inhibiting formation of N oxides. 64-04186P
 noise, acoustic imaging of. 64-04141A
 recovery of fumed SiO₂ from. 64-05890P
 sensor, spark plug with. 64-05251P
 solid fuel gas fires, refractory cavity for. 64-06501P
 system, for coal-fired furnaces. 64-01095P; 64-04171P
 for pulverized fuels. 64-01098P
 zone, apparatus for introducing fine material into.
 64-00943P
 Combustion. See *Crushing*; *Grinding*.
 Compaction. See also *Pressing*.
 of granules, binder hardness and plasticity. 64-00889A
 hydrodynamic, effect of technological factors on prop-
 erties of refractory briquets during. 64-02106A
 impulsive, of particle mass including amorphous material.
 64-02548P
 of paving supports. 64-06509A
 of powders. 64-03993A
 shock, of SiC powder. 64-07164A
 tool, material selection for. 64-00915A
 Compacts,
 Ba hexaferrite, sintered in presence of glass, characteriza-
 tion of. 64-05290A
 MgO-china clay, liquid-phase sintering of. 64-02134A
 Si, nitridation of. 64-07091A
 abrasive, diamond and cBN, method of making. 64-06018P
 glasses, for shale and sandstone. 64-07030A
 for glassmaking, alkali metal silicate for forming. 64-00380P
 powder, laser-melted, solidification microstructures.
 64-07175A
 preparation of SiO₂ glass from. 64-00320A; 64-00321A
 press-molding process for. 64-05394P
 sodalite, kinetics. 64-01384A
 stability of pore channels. 64-04567A
 properties, of refractory ramming material. 64-02080A
 refractory. 64-03699P
 Composites. See also *Carbon*; *Graphite*.
 Al₂O₃ and Y₂O₃-PSZ, hot-pressed, strength and fracture
 toughness. 64-04347A
 Al₂O₃ matrix, reinforced with SiC whiskers, creep deforma-
 tion of. 64-07081A
 Al₂O₃-Al₂SiO₅, reaction sintering of. 64-04326A
 Al₂O₃-SiO₂, fine-grained, preparation and sintering be-
 havior. 64-03700A

- Al₂O₃-diamond, sintered, effects of heat treatment on fracture toughness. 64-04536A
- Al-containing, aluminum. 64-01233A
- AlN-BN, phase characterization and properties. 64-07140A
- C, or ceramic fiber, filter vent for radioactive wastes. 64-04371P
- method of making. 64-02878P
- C-C, prestressed thermal protection panels. 64-04990A
- pyrolytic graphite pretreatment for. 64-02905P
- C-ceramic matrix, fiber-reinforced. 64-05618P
- Compoglas SiC/LAS, mechanical properties. 64-05521A
- MoSi₂ matrix, and SiC whiskers, feasibility of. 64-07101A
- Si₃N₄-TiC, TiN, La aluminate. 64-07286P
- Si₃N₄-cordierite, for diesel engines. 64-04336A
- Si₃N₄/oxynitride, densified, method of making. 64-04404P
- SiC whisker-reinforced, method of making. 64-04396P
- SiC-C, synthesized by pyrolysis of polycarbosilane. 64-07382A
- SiC-Ni monofilament, effect of pretreatment and annealing temp. on strength. 64-04271A
- SiC-rare-earth, sintered. 64-04382P
- SiC/graphite/C, sintered. 64-07287P
- Ti metal-SiC, SiC-coated B, B₂C-coated B, or Si-coated SiC. 64-04445P
- TiB₂-ZrO₂, hot-pressed composites, mechanical properties. 64-04555A
- TiB₂-graphite. 64-01295P
- WC-Co, contiguity in. 64-06139A
- elastic and plastic behavior of. 64-04273A
- Y₂O₃-PSZ/Al₂O₃, high-temp. strength and fracture toughness. 64-04541A
- ZrO₂, Al titanate, cylinder head of piston engine. 64-07221P
- abrasives, carbide, polycrystalline diamond. 64-06013P
- based on fibers, glass. 64-04253A
- bioglass, metal fiber-reinforced. 64-00379P
- brittle, crack extension and arrest within particles under stress in. 64-04255A
- carbonaceous, densification process for making. 64-07275P
- cement, coating of glass fibers for. 64-06294A
- cementitious, pozzolanic. 64-04660P
- ceramic fiber, effect of fiber coatings on mechanical behavior. 64-05529A
- processing via polymer-filler matrices. 64-05520A
- ceramic matrix/fiber, RT mechanical properties. 64-04333A
- electron microscopy of. 64-05536A
- failure mechanisms in. 64-07100A
- frictional stresses in, indentation method for measuring. 64-02782A
- turbomachinery rotor. 64-01372P
- ceramic-ceramic, by CVD. 64-05538A
- feasibility of. 64-07102A
- diamond-Al₂O₃, very-high-pressure sintered, toughening in. 64-02838A
- dielectrics, for electroluminescent displays. 64-02533P
- diphasic, via sol-gel method. 64-00162A
- electrode, bubble pressure barrier. 64-05204P
- fabric-reinforced fiber, refractory curtain. 64-00581P
- fiber, FP/metal-matrix, in reciprocating engines. 64-05540A
- for aerospace structures. 64-01625B
- for automobiles, toughening mechanisms. 64-04361A
- band, piston-cylinder, for diesel engines. 64-01343P
- metallized C. 64-02872P
- fiber-reinforced ceramic, fabrication by chemical vapor infiltration. 64-05539A
- ultrasonic evaluation of. 64-05592A
- fiber-reinforced metal matrix, method of making. 64-05631P
- forsterite-ZrO₂, preparation and strength. 64-04319A
- gasket, heat-resistant wollastonite-layered. 64-02865P
- with refractory sheet material and wire mesh. 64-01293P
- glass, and asbestos, properties of. 64-01892A
- layer/opaque substrate system, analysis of temp. field during cooling. 64-03189A
- glass fiber-reinforced polyester, effect of repeated impact on. 64-05910A
- glass fiber-resin, lightweight, testing of. 64-06313A
- glass matrix, fiber-reinforced molded articles. 64-01335P
- glass-ceramic, SiC fiber-reinforced. 64-02906P
- glass-ceramic-to-metal seals, method of making. 64-01791P
- glass-epoxy laminates, thermoelastic behavior. 64-01971A
- heat- and abrasion-resistant, clay and organic polymer. 64-01292P
- hydroxylapatite, gas sensor from. 64-02772A
- materials. 64-02748A
- mechanics of. 1983. 64-01633B
- phosphate glass, for drug transport. 64-00247P
- metal, fiber-reinforced. 64-06149P
- metal alloy, continuous production. 64-01299P
- metal matrix, fiber-reinforced, method of casting. 64-01323P
- and metal-cored ceramic-surfaced powder material, method for making. 64-05628P
- method of making. 64-01294P
- by preheating reinforcing material. 64-04397P
- metal-ceramic, densification of. 64-00955P
- method for making. 64-01797P
- metallic, with Al₂O₃, coating, process for producing. 64-03172P
- fiber-reinforced. 64-07226P
- and nonmetallic. 64-04381P
- mica-reinforced, thermoplastic, a review. 64-02794A
- micro-, of metal boride and ceramic particles. 64-05638P
- of metal carbide. 64-07257P
- montmorillonite/*n*-naphthylamine, heated under N, oxidation resistivity of. 64-07356A
- mullite- β -spodumene. 64-07261P
- mullite-ZrO₂, microstructure and mechanical properties. 64-02796A; 64-02797A
- and mullite-Al₂O₃-ZrO₂, reaction-sintered, formation of microstructural defects. 64-07105A
- mullite-cordierite, method of making. 64-07262P
- nitrided, superhard, SiC intermediate for preparing. 64-01148P
- oxide-metal, for gas discharge lamp. 64-03162P
- piezoelectric. 64-05274A
- refractory, method of making. 64-03701P
- in system ZrO₂-Y₂O₃-Al₂TiO₂, physicochemical properties. 64-02171A
- safer fibers for, Si₃N₄/SiC. 64-02822A
- seal, refractory sheet. 64-07254P
- and structures technology, international aspects. 64-05555A
- triazin resin-C fiber, new biocompatible implant. 64-04365A
- whisker, SiC. 64-011363P
- zeolite-asbestos, catalysts. 64-05609P
- Compounds.**
- A(I)BiTe, [A(I) = Li, Na, K], electrophysical properties. 64-05092A
- B₂O₃, induced polymerization of. 64-01411A
- III-IV, deposition with alloy as metallic source. 64-05244P
- III-V, preparation by reduction of precursors. 64-00698A
- semiconducting crystals. 64-03888P
- single crystal of, method of making. 64-06649P
- III₂-V₂, single crystal of, method for making. 64-02386P
- MR(E₀)₂-type, estimating formation enthalpies. 64-05703A
- MeO:M₂O₃, formation. 64-01520A
- Mg, possible Czech production. 64-07046A
- Nasicon, and battery. 64-06665P
- P and F, effect on formation of Ca sulfoaluminate. 64-05698A
- Re₂S₂·2H₂O, thermal decomposition of. 64-05860A
- TRTa₂O₃ (R = rare-earth elements). 64-05673A
- Tb₂U₂S₄, magnetic properties. 64-05300A
- TiSi₃, TiSi₂, and Ti₂Si₃, regions of homogeneity. 64-05796A
- YNi₂, effect of partial replacement of Ni or Y by other metals on adsorption of H. 64-05726A
- of Zr, activated C-depositing, sorbent comprising particles of. 64-01512P
- active surface, catalytically. 64-01181A; 64-01182A
- based on In-Ca-As, ion implantation of. 64-03866P
- coordination, thermal stability. 64-05668A
- ferroelectric and photoconductive, crystallization under hydrothermal conditions. 64-00823A
- formation, in systems TeO₂-SeO₂ and TeO₂-SeO₂-H₂O. 64-01385A
- gas, in inclusions in minerals, device for chromatographic determination of. 64-05413A
- graphite with Cu(II) chloride, lamellar, thermal stability. 64-05863A
- high-heat, effect of structural imperfection on reciprocal solubility. 64-01208A
- intercalation, of graphite with alkali metal fluoride and F, and electrically conductive material comprising. 64-06672P
- intermetallic, oxidation products. 64-01558A
- new, in system La₂O₃-Al₂O₃. 64-04476A
- nitrogen, condensed heterocyclic, hydrogenation of. 64-02781A
- nonstoichiometric, critique of current views. 64-05757A
- inorganic. 64-01413A; 64-01414A; 64-01551A; 64-01552A
- oxide of Cd and Sb(III), synthesis and study of. 64-05815A
- oxytitanium-C, spectroscopic and X-ray structural study. 64-05579A
- perovskite-type, electrical properties. 64-05084A
- ferroelectrics or antiferroelectrics, rule of formation. 64-06694A
- with pyrochlore structure, in system PbO-Al₂O₃-ZrO₂-Nb₂O₅. 64-05674A
- refractory, gasless combustion synthesis of. 64-06000B
- semiconductor, bases for controlled defect formation in. 64-05056A
- crystal, method for growing. 64-06823P
- in systems, BaO-RuO₄. 64-05736A
- Ti₂S₂-GeS₂, properties of. 64-05769A
- Compression.**
- PZT ceramics under, properties. 64-05277A
- Sc oxide in, high-temp. strength and creep. 64-05928A
- initiation of *F* centers by, in polycrystalline MgO. 64-01550A
- uniaxial, effect on birefringence of CdGa₂S₄ crystals. 64-03920A
- of zeolite A₄, dependence on molecular size of pressure medium. 64-07079A
- Computers.**
- assisted design, of ceramic kilns. 64-06933A
- in memory module production. 64-05058A
- based controls, experience with at ICL plant in Ireland. 64-06872A
- solve industry needs. 64-06878A
- controlled firing systems. 64-06934A
- for film production. 64-05052A
- flow, developments in. 64-06770A
- micro-, application for processing industry. 64-05974A
- application in process-control systems for glass production. 64-00314A
- system for cement plant control. 64-04088A
- microprocessor, uses in refractory plant. 64-04975A
- personal, for accessing remote data bases. 64-05972A
- process, control, for tunnel kiln. 64-06950A
- for stacking and tunnel kiln operation. 64-06957A
- simulation, of centrifugal separations. 64-02582A
- systems, at FPG Industries. 64-06885A
- utilization, real cost of. 64-05992A
- Concrete.** See also *Cement*; *Masonry*; *Mortars*.
- admixtures, handbook. 64-05997B
- hydration of alite in presence of. 64-01725A
- aerated, relation between composition of hydration products and strength and shrinkage. 64-00056A
- aggregate, dolomite as. 64-05490A
- autoclaved gas, waste reuse by mfg. 64-03133A
- blocks, refractory, for metallurgical furnaces. 64-02199A
- casks, for irradiated fuel in Canada, evaluation. 64-04638A
- cellular, autoclaved, quality and amount of lime for. 64-06120A
- autoclaved, thermal analysis of. 64-06128A
- and cement, effect of alkali sulfates on properties. 64-03099A
- ceramo-, H bonds in. 64-00044A
- curing, energy-saving, using CaCl₂. 64-04636A
- fly ash, bonded. 64-06061A
- forming process, progress in. 64-03122A
- industry, in Poland, reducing cement consumption. 64-06121A
- pavements, ASTM standards. 64-03004A
- refractory, Al₂O₃, improvements. 64-00553P
- with Czech spherical Al₂O₃ as aggregate. 64-02201A
- Dinas. 64-02099A
- cast forsterite, thermomechanical properties. 64-02226A
- cellular. 64-00479A
- effect of Na tripolyphosphate on properties. 64-03678A
- gas-permeable plugs, mfg. of. 64-00561P
- from high-Al₂O₃ cements, effect of SiO₂+Fe₂O₃ on properties. 64-00470A
- high-porosity, industrial parameters and properties. 64-04961A
- industrial wastes for. 64-03638A
- lanes, for molten metal. 64-00555P
- lining of furnaces for firing pyrites. 64-02200A
- magnesian, reaction with Ti-containing metals in liquid glass. 64-02193A
- plasticizing additives in. 64-04987A
- quartzite-corundum. 64-00505A
- torcrete, for repairing blast-furnace shafts. 64-02228A
- ultrasonic quality control, new Soviet standard. 64-00492A
- in units for Al₂O₃ calcination, drying of. 64-04937A
- slag-alkaline, structure and properties. 64-01756A
- underwater, cement composition for. 64-03146P
- workability, effect of fly ash. 64-01706A
- Condensers.** See *Capacitors*.
- Conduction, ionic.**
- low-activation-energy, in α -Al₂O₃, doped with Si and Na. 64-04547A
- Conductivity, electrical.**
- of Al₂O₃, doped with Si. 64-04537A
- of BaTiO₃. 64-02300A
- of CuBr, containing Al₂O₃ particles. 64-05080A
- of Eu sesquioxide. 64-07354A
- of Li₂Ge₂O₇. 64-05079A
- in Ni-Ni oxide mixtures, at phase boundary. 64-00657A
- of RuO₂, thick-film resistors, electrical conduction and strain sensitivity. 64-00656A
- of SiC, self-bonded B-doped. 64-04274A
- of SmMnO₃, Z-type jump in. 64-00865A
- of Ta₂O₅, effect of oxide additions on. 64-03770A
- of TiO₂, H-reduced rutile. 64-06552A
- of Y₂O₃, as function of water vapor pressure. 64-02763A
- of ZrO₂, single crystal and polycrystalline Y₂O₃-stabilized. 64-01209A
- of α -Nb₂O₅, doped with ZrO₂. 64-03773A
- ac, in V₂O₅-P₂O₅ glasses. 64-06160A
- dc, of MgAl₂-Fe₂O₄ spinel ferrite. 64-03951A
- of VO₂ crystals. 64-02295A
- of gallates, Mg-containing K⁺-Al₂O₃-type. 64-02764A
- of garnet, Ca₂-Y₂Mn₂Ge₂O₁₂. 64-05190A
- of gels, ferritic. 64-04722A
- of glasses, Ge vanadate, controlled by Cl admixture. 64-00153A
- Li-Na borate. 64-00207A
- Na germanate, dependence on alkali concentration. 64-01824A
- Na tungstophosphate, effect of atm on. 64-00168A
- Na-Cu germanate. 64-01842A
- Na-Rb SiS₂. 64-04573A
- alkali-doped Zr-Ba-La-Al fluoride. 64-06190A
- of alkali-metal halide glasses based on Ba metaphosphate. 64-03241A
- fluoridized. 64-03242A
- molten, method and equipment for determining. 64-03296A
- photochromic, effect of Al₂O₃ on. 64-06207A
- in system Na₂O-SiO₂-Fe₂O₃. 64-06215A
- temp. dependence. 64-01917A
- of heterojunctions, Si-ZnO *p-n* and *n-n*. 64-02293A
- high-temp., in Al oxynitride spinel. 64-07113A
- of oxides, refractory, in system MgO-Al₂O₃. 64-02108A
- in semiconductors, induced by vibrational-to-electronic energy transfer. 64-00641A
- of silicates, molten. 64-00179A
- of systems, Sc₂O₃-ZrO₂-Al₂O₃. 64-07160A

- Conductivity, electronic,**
of Al_2O_3 , Fe-doped polycrystalline. 64-02749A
in doped BaTiO_3 , compensation regularities. 64-00639A
refractory with, Pr-containing. 64-02175A
tectosilicates. 64-00746P
- Conductivity, ionic,**
of $\text{LiAlSi}_2\text{O}_6$. 64-02835A
in Nasicon-type phases $\text{Na}_{1-x}\text{Zr}_x\text{Yb}(\text{AsO}_4)_3$. 64-00643A
in films, humidity-sensitive SiO_2 , time variability of. 64-06585A
of fluorides, fluorite-type. 64-00201A
in glasses, effect of pressure. 64-01837A
in system $\text{Li}_2\text{O}(\text{LiCl})\text{-B}_2\text{O}_3\text{-Al}_2\text{O}_3$. 64-00187A
of phases, in systems $\text{PbF}_2\text{-SnF}_4$ and $\text{PbF}_2\text{-GeF}_4$. 64-01553A
systems, $\text{ZrO}_2\text{-Yb}_2\text{O}_3\text{-Y}_2\text{O}_3$. 64-05144A
viscous materials with, method of making. 64-04769P
- Conductivity, thermal,**
of $\text{Bi}_2\text{Ge}_2\text{O}_{11}$. 64-07469A
of SiC , containing BeO , effect of impurity and carrier concentrations. 64-03767A
of $\alpha\text{-SiAlON}$. 64-04356A
of blocks, insulating, dynamic test for measuring. 64-02616A
of chalcogenides, type $\text{A}(\text{IB})(\text{III})\text{X}_2(\text{VI})$. 64-05965A
of coatings, plasma-sprayed, model for. 64-04684A
of fibers, refractory, correlation with temp. and density. 64-00461A
of glasses, BeO -containing silicate. 64-06234A
Na silicate, effect of B_2O_3 on. 64-06183A
multicomponent silicate. 64-01919A
pressure dependence of. 64-06323A
of materials, dense, hot-wire method for determining. 64-02397A
measurement method. 64-06920P
of mortars, outdoor insulating, for buildings. 64-01762A
of refractories, application to fast-firing kilns. 64-03686A
evaluating. 64-04947A
lightweight fireclay, temp. and bulk density dependence. 64-02221A
- Conductors, electrical.** See also *Semiconductors; Superconductors.*
Ag-metal oxide alloy. 64-00808P
 Al_2O_3 -based. 64-06615P
attachment, for device transducer. 64-00845P
ceramic, possible competitive materials for. 64-03815A
fiber glass, C-black- and oxide pigment-doped. 64-05211P
film, glass-bonded Ag, microstructure. 64-03800A
on insulators, laser process for producing. 64-03881P
on substrate, electronic measurement of thickness. 64-04125P
glass-bead-fused, conductive paste. 64-03860P
network, Pb-free frit-based. 64-03897P
pastes, applications for. 64-03868P
powders, white colored. 64-05086A
thick-film ink, composition and device with. 64-03861P
through-holes, in dielectric layer, chemical process for forming. 64-03882P
zeolite, solid proton, applications for. 64-04441P
- Conductors, ionic,**
 Al_2O_3 and Nasicon, kinetics of Na deposition in. 64-05558A
Li oxide-based. 64-00256P
 Na_2PO_3 , Zr-doped. 64-00642A
 $\text{Na}_2\text{YSi}_2\text{O}_7$, preparation and characteristics. 64-06572A
glass. 64-00268P
single- or multicrystal, firing computation of impedance and admittance. 64-05541A
glass-ceramic, method of making. 64-05214P
- Conferences,**
8th Annual Conference on Composites and Advanced Ceramic Materials, organized by Ceramic-Metal Division of American Ceramic Society (Japanese report). 64-03019A
ACerS Committee on Programs and Meetings, formats annual meeting, sets sights on growth. 64-04575A
ACerS Executive Committee meeting, at the 87th Annual Meeting and Exposition. 64-07518A
American Ceramic Society, 86th annual meeting. 64-03005A
Eleventh New Ceramic Seminar, in Osaka, Japan. 64-03010A
Fifth International Congress on Production Research in Ceramics Industry. 64-01611A
First International Conference on Refractories. 64-02113A
First International Symposium on Ceramic Components for Engines, proceedings. 64-07535B
GRIN IV, Gradient Optical Imaging Systems, Fourth International Meeting. 64-02598A
Glass Problems Conference. 64-00301A
ICG meeting on glass, in China. 64-00222A
International Magnetics Conference, INTERMAG Digest. 64-03041B
Materials Research Society Symposia Proceedings. 64-07334B
Third OSA Topical Meeting, on optical interference coatings, 1984. 64-01961A; 64-04815A
on bricks, held in Essen, Germany, Jan. 1984. 64-04914A
international, on health aspects of mineral fibers. 64-04590A
proceedings of European Colloquium held at Joint Research Center, The Netherlands, ceramics in advanced energy technologies. 64-04594B
- Contacts,**
Ag-metal oxide alloy. 64-00808P
anodizable metallic, to Hg-Cd telluride. 64-06591P
chip carrier, low-profile. 64-03884P
electric, Ag-Bi oxide. 64-06577A
glaze-to-pin, for high-voltage dc insulator. 64-06621P
material, Ag, CdO, Li, CO, method of making. 64-05248P
- Containers.** See *Glasses.*
- Controls.** See also *Feeding apparatus; Instruments; Temperature.*
 O_2 -enriched air ratio, for combustion apparatus. 64-04134P
air-gas ratio. 64-06925A
arc-gap, for glassmelting furnaces. 64-02631P
automated, for direct melting of fiber glass. 64-03411A
automatic, of Czech kiln line Prachovice. 64-02669A
for brick drying. 64-06927A
for cement kilns. 64-02658A
at cement recirculating mills. 64-03990A
for pressures in a group of furnaces. 64-02674A
burner. 64-06967P
for calciner. 64-01112P
combustion. 64-01050P
air flow, for regenerators. 64-06932A
for furnaces. 64-02632P
computer, for dryers and kilns. 64-06863A
for glass container plant. 64-04328A
and microprocessor, for kilns and dryers. 64-05463A
conveyor, for glass sheet processing. 64-01052P
delivery, for particulate fuels. 64-06988P
distributed, systems in cement processing plants. 64-03995A
for dryers, brick. 64-06962A
electronic, for dryers and tunnel kilns. 64-05415A
produce optimum extrusion velocity. 64-06767A
energy-saving, for electrostatic precipitators. 64-03086A
furnace. 64-01055P
with failure-detecting circuit. 64-04118P
update. 64-04108A
kiln, automatic with ceramic switch. 64-01093P
light-operated, for moving firing press plates. 64-02552P
memory-programmable. 64-04099A
microcomputer, for cement plants. 64-04088A
microprocessor, experience with, at ICL plant in Ireland. 64-06872A
for film production. 64-05052A
for furnaces. 64-04142A
for refractory plant. 64-04975A
solve industry needs. 64-06878A
numerical, makes precision parts. 64-02802A
optical, of CVD film thickness. 64-06914P
power failure detection system, for glassware forming machine. 64-00412P
process, temp.-sensitive materials for. 64-04103A
programmable. 64-02609A; 64-02610A
applications' roundup. 64-06892A
temp. 64-02594A
temp., for extruder. 64-06811P
for glass tempering lines. 64-02503A
update of products in 1983-4. 64-02624A
thickness, for presses. 64-02504A
timing, IS machines with. 64-06780A
for glassware forming machine. 64-01001P
- Conveyors.** See also *Materials handling.*
belts, continuous integrating scales on. 64-00896A
constant discharge, for powders and granular materials. 64-04027P
cross-pit. 64-02538P
drying materials on, method and apparatus. 64-02688P
glass sheet, controller for. 64-01052P
high-pressure, for powdery and granular materials. 64-04038P
hydraulic, for solids in horizontal pipelines, holdup studies. 64-02510A
lines, improving setup of. 64-02513A
monorail, suspended trolley, for refractories. 64-02517A
pneumatic. 64-06837P
for plates, glass-ceramic. 64-04059P
platform, glass sheet positioning apparatus for. 64-04036P
pneumatic, guidelines for selecting. 64-06771A
pneumatic-tube, for fine materials. 64-00992P
roller, for glass sheet. 64-04850P
glass sheet treating furnace with. 64-06977P
for kilns. 64-04190P
for single-layer kilns. 64-04191P
screw, and furnace. 64-05483P
weighing, load cell assembly for. 64-00967P
- Coolers,**
clinker, gravel bed filters for. 64-03092A
planetary, calcining system with. 64-04169P
- Cooling,**
 CaCl_2 . 64-05644P
of SiO_2 , brick hot stove, during blast-furnace relining. 64-04930A
and heating, fluid-induced, in a poured bed of solids, methods for calculating. 64-02675A
arrangement, for molds of glassware forming machine. 64-04053P
blades, ceramic-cased metal, of turbomachines. 64-03163P
blank and plunger, in glassforming machine. 64-06813P
clinkers, influence on state of Fe in. 64-00059A
constant rate, changes in refractive index of glasses during. 64-03200A
controlled, roller-hearth kiln with. 64-06968P
fans and blowers, performance data for. 64-02507A
forced-air, reduces decoration firing costs. 64-05465A
- liquids, effect on grinding and polishing glass with diamond tools. 64-03456A
molds, glass, method of. 64-04863P
glassware, method for. 64-06382P
single-side, of fired toilet bowls. 64-03732A
system glass layer-opaque substrate, analysis of temp. field during. 64-03189A
tower, with interlocking refractory tiles. 64-02241P
multicell tiles for. 64-02886P
zone, for roller kiln. 64-01096P
- Copper,**
and Ag, reaction of glassy As_2Se_3 with. 64-03342A
 Cu_2O , Ag-tracer diffusion in. 64-03825A
diffusion and point defects. 64-03766A
electronic structure and X-ray near-edge core spectra. 64-03775A
foils, direct bonding to oxide-ceramic substrates. 64-04698P
 $\text{Cu}(\text{II})$, dissolved in silicate glass, complexation behavior of biguanidine with. 64-01817A
 $\text{Cu}(\text{II})$ chloride, thermal stability of lamellar compounds of graphite with. 64-05863A
 Cu-PbI_2 , cermet films, effect of surface on optical constants. 64-04297A
 CuAlO_2 , electrooptic properties. 64-03776A
 CuBr , containing Al_2O_3 particles, electrical conductivity. 64-05080A
 CuCl , molten, Cu-alkali ion exchange of alkali aluminosilicate glasses in. 64-00154A
 CuCl_2 , supported on SiO_2 and Al_2O_3 . 64-01194A
 CuCrZrSe_2 and CuCrSnSe_2 , crystals, preparation and properties. 64-00694A
 CuFeTe , semiconductor properties of. 64-05955A
 CuInSe_2 , films, kinetic effects of formation. 64-05120A
 CuInTe , films, growth and electrical transport properties. 64-05101A
-PbI, cermet, Maxwell-Garnett theory extended for. 64-04682A
-PbTe, films, electrophysical properties. 64-05915A
/base metal termination, for ceramic capacitors. 64-06606P
-based conductors, method for producing glass-ceramic structure with. 64-05229P
cupric oxide, for flux dyeing, from recycling chemical industry wastes. 64-03779A
diffusion, into layers of CdS . 64-05152A
film, on ceramic, process for preventing oxidation. 64-00802P
method for inhibiting oxidation. 64-05226P
in glass, indexes of optical absorption. 64-03272A
matrix, electrode, with C fibers. 64-01301P
metallization, for dielectric materials. 64-05208P
multilayer system, in firing of. 64-05116A
production, corrosion and materials problems with refractories. 64-04931A
selenide, Se-doped, in solid and liquid state, electrical conductivity and thermal emf. 64-05078A
crystals, aging of. 64-05050A
states, in Na silicate glasses containing CuO , effect of Na-K exchange on. 64-06182A
thiochromate, preparation and properties. 64-05785A
- Cordierite,**
- Si_3N_4 , composites, for diesel engines. 64-04336A
amorphous, diffusion of D_2 in. 64-02756A
-containing refractories, effect of mineralizing additives on properties. 64-02105A
glass, crystallization mechanism. 64-06173A
heat regenerator, rotary gastight, method of making. 64-02907P
high-, glass, coalescence and crystallization. 64-04777A
honeycomb, method for making. 64-01321P
low-thermal-expansion, method of making. 64-04395P
-mullite, composite, method of making. 64-07262P
mullite and Al_2O_3 inclusion, in effect on mechanical properties. 64-07503A
saggers, material and energy savings with. 64-02142A
synthesis of. 64-00523A
-type glass powders, isothermal sintering of. 64-00309A
- Cores,**
ceramic, system for locating in casting molds. 64-02572P
ferrite, adjustable air gap, method of making. 64-06723P
ferromagnetic, method and holder for making. 64-00980P
foundry, binders for. 64-03694P
catalysts for binders for. 64-07207P
composition for. 64-06482P
from granular refractory. 64-00546P; 64-00547P
process for forming with curable binder. 64-06497P
refractory, dissolving. 64-00543P
sand, plant and method for regenerating. 64-00567P
magnetic, arrangement for forming and transferring coils for insertion into. 64-02537P
material, high-expansion feldspar and MgO , for dentistry. 64-06141A
hydrophobic colloidal oxide-treated. 64-01499P
refractory, disintegrable Ca , silicate. 64-03698P
foundry machinery for. 64-00545P
for lining vessel for molten metal. 64-00542P
sand, foundry. 64-05019P
method of making. 64-00569P
olivine, process for preparing. 64-06496P
preparation process. 64-02251P
- Corrosion,**
of MgO grain, in MgO brick by molten slag. 64-04932A

- of SiC, exposed to basic coal slags. 64-05898A
of SiO₂, in molten Na carbonate. 64-03255A
of Ti enamels, use of additives to increase resistance. 64-00094A
- of ZrO₂, CaO-stabilized solid electrolytes, by molten silicate slags. 64-04254A
aqueous, of inorganic fibers. 64-04774A
of synthetic inorganic fibers. 64-04705A
behavior, of additive cement grades in chloride- and sulfate-containing aqueous solutions. 64-03082A
of bricks, MgO-C, effect of Cr oxide in steelmaking slag. 64-04962A
MgO-C, effect of Fe oxide in steelmaking slag. 64-03641A
cellular, vertical, stability of refractories in. 64-00519A
ceramic, fundamental to process efficiency gains. 64-07074A
chemical, of optical glasses by commercial cleansing agents. 64-03418A
- of refractory materials, by metals and their oxide melts. 64-02077A
of enamels, evaluation by measurement of surface roughness. 64-03152A
environments, Mg chromite and Cr₂O₃ refractories for. 64-02252P
-fatigue, of bond between Ni-Cr alloy and dental porcelain. 64-02751A
gaseous mediums, stability of refractories in, method for determining. 64-02146A
- of glasses. 64-01851A
alkali borosilicate, effects of flow on. 64-04721A
alkali-metal silicate, in salt solutions. 64-03210A
aluminoborosilicate in alkaline media, X-ray study. 64-04764A
in aqueous media. 64-06197A
in aqueous solutions, nuclear analysis. 64-06227A
in aqueous solutions, radioactive tracers for studying. 64-06239A
fluoride, by atm water vapor. 64-06166A
medieval stained, role of P. 64-06164A
nuclear waste, implantation and backscattering analysis. 64-00144A
nuclear waste, in distilled water. 64-06736A
for nuclear wastes, characterization by ultramicrotome sectioning. 64-06861A
high-temp., of reaction-sintered Si₃N₄. 64-04288A
hot, of sintered α-SiC. 64-07114A
hydrothermal, of Li disilicate glasses and glass-ceramics. 64-04727A
-inhibiting, additive, for cement compositions. 64-00066P
ceramic-metal system, using cations. 64-00129P
paint, containing glass powder. 64-06346P
pigments, Mn₂O₃-based. 64-01495P
problems, of ceramic glasses. 64-00590A
of refractories, for Cu production. 64-04931A
MgO-chrome, in cement kilns. 64-06443A
by V₂O₅. 64-02086A
ZrO₂, by molten steel and slag. 64-03604A; 64-03605A
baddeleyite-corundum by alkali borosilicate glassmelts, high-temp. behavior of interface formed by. 64-03629A
in glassmelting furnaces. 64-03666A
in glassmelting furnaces, method for controlling. 64-00485A
- of refractory linings, in slagging gasifiers, model of. 64-06460A
-resistant, SiC refractories. 64-03713P
ceramics, Zr-containing, for chemical apparatus. 64-01189A
electrode, for electrolytic processes. 64-02356P
of steel, by S in exhaust gases, new enamel for preventing. 64-03155A
stress, of glass fibers in acidic environment. 64-01908A
method of protecting optical fiber against. 64-00398P
- Corundum.** See also *Aluminum oxide*; *Refractories*.
Verneuil grown. 64-07506A
ZrO₂ granules, effect of additives on properties. 64-00471A
aggregate, Czech spherical, refractory concretes with. 64-02201A
articles, preparation during growth of Al₂O₃ crystals. 64-02944A
crystals, dependence of structural perfection on growth mechanism. 64-04454A
filler, ethylsilicate bond conversion and interaction with, on heating. 64-02930A
grains, ceramic-frit-abrasive-coated. 64-00002P
-graphite refractories, for steel-casting ladles. 64-04933A
hot-casting technology, ultrasonics in. 64-01270A
mechanical properties, effect of γ-radiation. 64-01203A
as natural mineral. 64-06998A
and periclase, transition-metal-doped, optical and Mossbauer spectra. 64-07485A
porous, behavior in living organism. 64-04243A; 64-04244A
as carrier of oxidation catalysts. 64-07143A
ramming bodies, without kaolinite. 64-02154A
ramming materials, hydraulic-setting, for equipment in vacuum treatment of steel. 64-03633A
refractories, containing glass phase, creep in. 64-00462A
effect of structure on resistance to thermal and mechanical stresses. 64-02125A
lightweight, production by semidry pressing. 64-02182A
thermal damage in. 64-05010A
sintering, in H₂ medium. 64-02826A
possibility of decreasing temp. 64-01244A
strengthening of, surface. 64-07178A
- structure, sesquioxides with, thermal expansion data. 64-02952A
-zircon refractories, phosphate-bonded, strength of. 64-00520A
production and properties. 64-02815A
- Couplers.**
LiNbO₃, photorefractive effect in. 64-03930A
fiber optic. 64-00361P
with Al₂O₃-filled adhesive. 64-02012P
concentric core. 64-00351P
directional. 64-00402P; 64-03511P
method of making. 64-02005P
optical, with ceramic plugs and sleeve. 64-02889P
waveguide-selective. 64-00430P
optical star, method of making. 64-02015P
planar, for fibers. 64-00409P
selective, for guided waves. 64-02021P
- Coupling.**
electromagnetic, in BaPb₂Bi₂O₇, Josephson tunnel junction arrays. 64-02306A
between laser and optical fiber. 64-00354P
self-aligned, of optical fiber to semiconductor laser or LED. 64-00423P
waveguides, dielectric optical. 64-03862P
- Cracking.**
of Al₂O₃, polycrystalline, high-temp. failure. 64-02777A; 64-02778A; 64-02779A
in metal/ceramic systems, for microelectronic packaging. 64-05172A
micro-, effect on Poisson's ratio for brittle materials. 64-04534A
See also *Defects*; *Fracture*.
Hertzian and unloading, in glass, characteristics of acoustic emission signals. 64-03201A
Palmqvist, extension and center-loaded penny crack analogy. 64-04560A
arrestability, ZrO₂-reinforced body with. 64-05605P
behavior, of porous refractory materials. 64-03606A
damage, in lightweight bricks, avoidance during drying. 64-06414A
depth, ultrasonic method and apparatus for determining. 64-00923P
detector, electroacoustic self-scanning. 64-02635P
effect on water sorption, of glass. 64-00169A
extension and arrest, in particle under tensile stresses in brittle composites. 64-04255A
formation, in glass surfaces, resistance to. 64-03480A
in glass, Na₂O-CaO, made by disk cutter, morphology of. 64-03464A
nuclear waste, slow growth of. 64-04753A
resulting from surface-active fluids. 64-01831A
growth, in artificial joints. 64-05580A
in cordierite glass-ceramics, effect of crystallites. 64-04785A
determination of ν-K₁ curves from static bend tests. 64-06865A
environmentally enhanced, in Na₂O-CaO glass. 64-04790A
in glass. 64-01847A
healing, in Al₂O₃ and MgO. 64-07080A
hypotheses, sharp vs blunt, in glass strength. 64-03354A
indentation, in MgO crystals, evidence for energy dissipation at. 64-01045A
dynamic fatigue analysis using exponential-law velocity function. 64-01536A
as wedge-loaded half-penny, analysis of. 64-04524A
indenter, compressed spring analogy for residual stress effects on extension of. 64-01521A
micro-, in YCrO₃, characterization with neutron scattering and elasticity measurements. 64-02975A
effect on temp. dependence of resistance in Ru-based film. 64-00671A
nucleation in ceramics subject to phase transformation. 64-01554A
off-center, effects on applied-moment double-cantilever-beam tests. 64-01017A
propagation, stability of. 64-07503A
reaction products, of alkali-reactive aggregates, microscopic study. 64-07351A
size dependence, of fracture toughness in transformation-toughened ceramics. 64-02752A
subcritical, velocities in TiB₂ under simulated Hall-Heroult cell conditions. 64-01261A
superionic, propagation in brittle materials. 64-07470A
-tip geometry, of SiO₂ glass, observation by electron microscopy—comment. 64-02588A
of SiO₂ glass, observation by electron microscopy—reply. 64-02589A
transient, growth in glass, mathematical description. 64-02987A
transverse, in ceramic coating of composite strength test samples. 64-02999A
in a tube, process for producing. 64-01074P
- Creep.** See also *Fatigue*; *Plasticity*.
in Al₂O₃/Si, polycrystalline. 64-04257A
of CoO scales, in tension, new technique for studying. 64-01023A
in Nb carbide and Nb carbide-based solid solutions, sintered polycrystalline. 64-04258A
of Se oxide, in compression. 64-05928A
deformation, of polycrystalline CaTiO₃, at elevated temps. 64-02843A
- ductility, in Al₂O₃ containing compensating additives. 64-07112A
of fibers, Nicalon and SiC, at high temps. 64-04256A
high-temp., in SiC, kinetics and mechanism. 64-02787A
of materials, liquid-phase-sintered, nucleation of cavities during. 64-02989A
in refractories, corundum, containing glass phase. 64-00462A
mullite-corundum for air heaters of blast furnaces. 64-02087A
periclase and Mg-Al spinel. 64-02088A
rupture, of engineering materials, effect of shear bands. 64-04296A
and sintering damage, effect of voids at 3-grain junctions. 64-02982A
transient, in hot-pressed Si₃N₄, determined by dynamic bending tests. 64-01196A
- Cristobalite.** See also *Silicon dioxide*.
crystallization, from bentonite. 64-04216A
crystallizing, in glass, atypical morphology of. 64-06165A
magnetic, phase produced by thermal decomposition of nontronite. 64-02790A
-type glass network, sizes of voids and alkali ions. 64-04752A
- Crucibles.** See *Refractories*.
Crushing apparatus. See also *Mills*.
centrifugal, method of removing particulate materials from. 64-06831P
mill. 64-05397P
for site reduction. 64-04014A
Crushing. See also *Crushing apparatus*; *Mills*.
equipment. 64-04014A
for refractory making in Japan. 64-03994A
and grading, rules for calculating. 64-04196A
as mechanism of material removal, during abrasive machining. 64-05360A
- Cryolite.**
-Al₂O₃, for activation of electrolytic cell. 64-02904P
and SiC refractories, reaction between. 64-02818A
- Crystalline materials.**
Al₂O₃, mfg. method. 64-02894P
La ultraphosphate, radiation-induced paramagnetic centers in. 64-03334A
Li aluminates, regeneration. 64-01172P
MgO, initiation of F centers by compression. 64-01550A
SiO₂, X-ray-induced luminescence in. 64-00725A
α-quartz, method of making. 64-07427P
aluminophosphate, compositions for. 64-01496P
aluminosilicates, zeolite-like. 64-01302P
analysis of, XRD spectrometric. 64-01042A
dihydrodiphosphates of type KM(III)(H₂O)₂,
M(III) = Al, Ga, Fe, preparation and thermal transformations. 64-05786A
film, HgTe. 64-00433A
glass, method of making. 64-03394P
lattice parameters, determination of. 64-01529A
metal silicate and borosilicate, preparation of. 64-01158P
mixed Te(IV) and Nb(V) oxides, with acentric structure, preparation. 64-05787A
plates, of Ca(V₂O₇)₆ and Bi₂SiO₇, preparation by Stepanov method. 64-04486A
LiNbO₃ and BaSr_{1-x}Nb₂O_{7-x}Ce, preparation by Stepanov method. 64-03932A
rods, internal-hole saw for. 64-06830P
sintered, α-SiC, B₂C, and free C. 64-07291P
stress in, residual, XRD analysis. 64-02640P
zeolites, aluminosilicate, method of making. 64-01328P
- Crystallinity.**
effect on sintering, initial-stage. 64-07457A
Crystals. See also *Crystals*; *Structure*.
in glass, fluorozirconate, characterization. 64-00146A
in glass-ceramics, cordierite, effect on crack growth and strength. 64-04785A
cordierite, effect on thermal shock resistance. 64-01835A
protoenstatite, preferential crystallization of. 64-00621A
Crystallization. See also *Crystals*.
of BaNb₂O₇, hexagonal. 64-07313A
of K₂NbO₇, electric field, variation of thermostability. 64-01594A
of YIG, in system Na₂O-SiO₂-Y₂O₃-Fe₂O₃, effect of nucleating agents. 64-01871A
of basalt wool, characterization. 64-03416A
of cubic ZrO₂, in Ca acetate solution. 64-02922A
of eutectics, in systems based on oxides, carbides, borides, and metals. 64-07314A
of ferroelectric and photoconductive compounds, under hydrothermal conditions. 64-00823A
of fibers, basalt, effect of Fe oxides. 64-03274A
front, in translucent crystals, effect of radiation heat transfer on shape. 64-04457A
of glass fibers, ZnO-Al₂O₃-SiO₂. 64-06175A
of glass-ceramics, Li₂O-K₂O-MgO-Al₂O₃-SiO₂-F, effect on strength and Young's modulus. 64-06184A
by epitaxial growth. 64-00158A
high-Zn-content Li₂O-ZnO-SiO₂. 64-04781A
lepidolite-based, change in microstructure during. 64-06168A
sphenes-based, for immobilization of nuclear wastes. 64-04711A
in glasses, BaO-SiO₂, effects of phase separation on nucleation kinetics. 64-01840A
CaO-Ca₂O-SiO₂. 64-01820A
Mg-Sialon, effect of atm and TiO₂ nucleant. 64-06208A

- MgO-Al₂O₃-SiO₂, with ZrO₂, TiO₂, and CuO. 64-06174A
 Na₂O-SiO₂, DTA study. 64-04742A
 SiO₂, Al₂O₃, MgO, ZnO, role of Zr. 64-06246A
 Ti-containing Li aluminosilicate. 64-00157A
 ZnO-Al₂O₃-SiO₂, relationship of phase separation to. 64-06244A
 activation energy, methods for determining from thermal analysis—comment. 64-03297A
 activation energy, methods for determining from thermal analysis—reply. 64-03298A
 alkali-poor. 64-00211A
 borosilicate, Moessbauer and DTA studies. 64-00209A
 by catalysis, kinetics of. 64-06216A
 electrolyte, effect of water on. 64-06211A
 fluoride. 64-00156A
 fluorozirconate. 64-00159A
 made from Illinois coal ash. 64-00155A
 powdered high-cordierite. 64-04777A
 in system CaO-B₂O₃-Fe₂O₃. 64-06176A
 in system Li₂O-(La₂O₃,Nd₂O₃)-P₂O₅. 64-03212A
 in system Li₂O-SiO₂. 64-06232A
 in system Na₂O-CaO-ZrO₂-SiO₂. 64-01880A
 in system Na₂O-TiO₂-GeO₂. 64-03258A
 in system ZrF₄-BaF₂-AlF₃, XRD study. 64-03386A
 in systems based on K₂O, TiO₂, and GeO₂. 64-03261A
 hydrothermal, of K-La molybdate onto oriented inoculations. 64-05722A
 of kaolin, Spanish, effect on properties. 64-07035A
 of magnetite, in semiconducting glaze frit. 64-06566A
 of materials, high-SiO₂. 64-01819A
 mechanism, of high-cordierite glass. 64-06173A
 of mordenite, with transition-metal complexes. 64-04518P
 preferential, of cristobalite and mullite from bentonite. 64-04216A
 of protoenstatite crystallites. 64-00621A
 process, stability during Stepanov-method growth of tube-profiled crystals. 64-04494A
 properties, of Pb glasses. 64-01388A
 of rare-earth titanates, under hydrothermal conditions. 64-05682A
 re-, of refractory Cr₂O₃. 64-02214A
 zone-melting, of Si on insulator films. 64-00726A
 shock-wave, effect on properties of BN. 64-05532A
 surface, of ternary systems containing molybdates, chlorides, and carbonates of Na and K. 64-05684A
 in systems, Sb₂O₃-Sc₂O₃-K(Cu)F-H₂O. 64-00644A
 of tetrahedrite, in system Cu-Sb-S. 64-05683A
- Crystallography.**
 Si-O bond angle distribution, in vitreous SiO₂. 64-07483A
 of annealing twins, in Al₂O₃. 64-04259A
 of beryl. 64-04527A
 bond angles, in vitreous SiO₂, model for distribution of. 64-07482A
 cation distributions, Rietveld estimation. 64-06894A
 cleave specimens, chevron-notched, compliance calibration of. 64-07449A
 disorder, in particles of Ca(OH)₂, produced by vapor-phase hydration. 64-04451A
 lattice defects, in alkali halides, creation by electronic excitation. 64-04526A
 lattice dynamics, of CaO. 64-04546A
 lattice parameters, determination of. 64-01529A
 orthorhombic symmetry, in Cr-doped Bi₂GeO₉, and Bi₂SiO₉, center of. 64-07446A
 twist boundaries, in MnO, FeO, CoO, and NiO with MgO, comparison of calculated properties. 64-07448A
- Crystals.** See also specific types.
 Ag₂GeO₆, structure. 64-01522A
 Ag₂MnO₄, synthesis and structure. 64-01581A
 AgInS₂, electrooptical properties. 64-05909A
 Al₂Si₂Ge₂As₂, grown by CVD with Zn or Se, doping of. 64-01395A
 Al₂O₃, preparation of corundum articles during growth of. 64-02944A
 BSO, optoelectronic materials. 64-02432A
 Ba niobate, growth striation. 64-05108A
 Ba₂TiNb₂O₁₀, Czochralski growth. 64-01389A
 Ba-Ni niobate, etching pattern. 64-05096A
 growth of. 64-05105A
 Ba-Sr niobate, pyroelectric effect in. 64-00836A
 BaPbO₃, growth of. 64-05764A
 BaTiO₃, new c-domain patterns and similarity to elastic wave velocity. 64-02324A
 speed of photorefractive effect in. 64-06578A
 BaTiO₃-type oxide fluoride, growth with LiF-BaF₂-LiBO₂ flux. 64-07338A
 Be aluminosilicate, XRD study of structure. 64-01929A
 BeO, linear electrooptical properties. 64-03791A
 Bi silicate and titanate, growth and study of structural imperfections. 64-05716A
 Bi₂SiO₉, and Bi₂GeO₉, Cr-doped, center of orthorhombic symmetry. 64-07446A
 doped with Mn and Cr, optical absorption in. 64-05939A
 effect of doping on properties. 64-01397A
 Bi₂GeO₉-Nd³⁺, growth and spectral luminescent properties. 64-01546A
 Bi₂TeO₇, growth, structure, and optical properties. 64-05718A
 Ca orthovanadate, growth and properties. 64-01544A
 Ca vanadates, self-diffusion of "Ca" and "V". 64-01459A
 Ca₃[P₂O₇]₄·4H₂O, structure. 64-01523A
 CaWO₄, structure defectiveness. 64-01526A
 Cd telluride, method of growing. 64-00774P
 CdCr₂Se₄, semiconductors, magnetic conductivity of. 64-07196A
 CdGa₂S₄, effect of compression on birefringence. 64-03920A
 effect of temp. on birefringence. 64-05911A
 CdS, spectra of acoustoinjection luminescence in. 64-03935A
 CdTe, physicochemical properties of near-surface layers. 64-05154A
 Cs₂Ni₂CdF₁₁, structure. 64-01524A
 Cs₂Sb₂Cl₁₁, semiconductor, structure. 64-05943A
 Cu selenide, univalent, aging of. 64-03050A
 Cu thiocromate, preparation and properties. 64-05785A
 CuCrZrSe₄, and CuCrSnSe₄, preparation and characterization. 64-00694A
 CuFeTe₂, semiconductor properties. 64-05955A
 Czochralski process, two-crucible. 64-04015A
 Ga sesquioxide type, determination of rare earth active additives. 64-05407A
 Ga₂In₂As₂, distribution of components and electrophysical parameters. 64-05066A
 GaAs, B-doped, method of making. 64-00781P; 64-06661P
 with selective orientation, growth. 64-00806P
 semi-insulating, mfg. process. 64-02388P
 Gd-Ga garnet, doped, color centers in. 64-07447A
 method of making. 64-02388P
 of III-V compounds, method of making. 64-06649P
 of III₂-V₂ compounds, method for making. 64-02386P
 In-Sb, semiconductor. 64-00759P
 In-Sn oxide, electrical properties. 64-02303A
 InSb, doped with Ge, properties of. 64-05166A
 undoped, proper point defects in. 64-05162A
 K feldspar, ir reflection spectra. 64-01549A
 K hexatitanate, properties. 64-02994A
 K-Gd molybdate, a-KGd(MoO₄), growing. 64-01407A
 K-La molybdate, hydrothermal crystallization onto oriented inoculations. 64-05722A
 KCl-KBr, concentrated, solid solution softening and hardening in. 64-02946A
 KH₂PO₄, structure and morphology. 64-05963A
 KNbO₃, dye laser with, frequency doubling. 64-05927A
 KTiOPO₄, optimum phase match parameters, calculations of. 64-02974A
 La₂-Sr₂Co₂, growth of. 64-04492A
 La₂Ga₂GeO₈-Nd³⁺, laser material, growth and structure. 64-01545A
 La₂ReO₉, preparation and structure. 64-01568A
 LaB₆, electron beam emitter with high brightness. 64-02909P
 with intensity distribution, electron emission from. 64-00807P
 Li niobate and tantalate, of different orientation, pyroelectric effect in. 64-05280A
 LiErP₂O₇, growth, structure, and spectroscopic properties. 64-05681A
 LiF, powdered, for thermoluminescent dosimetry, photoacoustic spectroscopy of. 64-02991A
 LiIO₃, properties of. 64-05667A
 LiNbO₃, cathodoluminescence emission from. 64-06680A
 effect of melt composition on growth and properties. 64-05260A
 ferroelectric, new method for poling. 64-00832A
 grown by pulling. 64-05925A
 high-frequency time modulation of X-ray beam diffracted from. 64-02431A
 ion-bombarded, properties of surface layer. 64-05279A
 LiNdP₂O₇, for optic laser, growth of. 64-05104A
 LiTaO₃, Raman spectra and directional dispersion of phonons in. 64-05952A
 effect of lineage on optical properties. 64-05267A
 MF₃, effect of Pb and Y impurity on decay of excitations. 64-05068A
 MPb₂(GeO₄)₂ (M = Ba, Cd, Zn), with structure of barite, growth of. 64-05717A
 Mg-Al spinel, distribution of cations in. 64-04935A
 MgO, and e-Al₂O₃, luminescence and photoconductivity in. 64-07475A
 X-ray topography evidence for energy dissipation at indentation cracks. 64-01045A
 crack-induced dislocations in, X-ray topography study. 64-04574A
 dislocation motion under plate impact. 64-01535A
 orange luminescence band in. 64-07486A
 Mn-Zn ferrite, pressure dependence of disaccommodation. 64-02478A
 MnSiO₃ and (Mn,Mg)SiO₃, growth by floating-zone method. 64-07337A
 Na₂(AlO₂)₂. 64-01539A
 Na₂CO₃, modification of. 64-01174P
 Na₂UO₂P₂O₇, synthesis and structure. 64-05817A
 Na₂P₂O₇·6H₂O, volume dehydration of. 64-05873A
 Na₂WO₄, compressibilities and high-pressure phase transitions. 64-07450A
 NaBi(MoO₄)₂, centrosymmetric, electrogratation modulator with. 64-06684A
 NaF, luminescence of U(VI) octahedral centers in. 64-04549A
 Nb₂S₆, preparation of. 64-02330A
 NbO₂, threshold switching. 64-00722A
 Nd:YAG, growing by temp. gradient technique. 64-07336A
 NdAl₂(BO₃)₃ and NdAl₂(B₂O₃)₃, thermal decomposition. 64-05859A
 Ni-based with compositions ABO₃ and A₂BO₄, structure and electrical properties. 64-01525A
 NiNb₂O₆, of columbite and rutile type, synthesis and study. 64-01582A
 NiO, T-wall domains. 64-05431A
 thermionic emission for pointing point defects. 64-01588A
 Pb metaniobate, ferroelectric, growth from melts of system PbO-Nb₂O₅-B₂O₃. 64-05265A
 Pb₂CrO₄, structure. 64-04529A
 Pb₂InNbO₆, preparation and properties. 64-00834A
 Pb₂GeO₆, metastable form of. 64-01424A
 Pb(Mn_{1/2}Nb_{1/2})O₃-PbTiO₃-PbZrO₃, microscopic of electrical domain. 64-00831A
 PbGeO₃, modification of. 64-01427A
 PbTe, doping with Bi. 64-05692A
 PbTiO₃, dislocation and domain structure. 64-01534A
 SiC, in MoSi₃ matrix, feasibility of a composite of. 64-07101A
 composites. 64-01363P
 continuous production. 64-01300P
 electron state symmetry. 64-03774A
 method of making. 64-04418P
 phase composition and formation. 64-05568A
 from rice hulls, formation and structure. 64-02770A
 (SiC)₂(AlN)₂, on Al₂O₃ or AlN substrate. 64-02911P
 SnTe, diffusion of components in. 64-05689A
 Sr lampophyllite, structure. 64-05906A
 Sr₂(Si₂La₂)₂O₁₀, structure of. 64-05907A
 Sr₂PtO₆, growth of. 64-04463A
 Sr-Ba niobate, effect of Ce on morphology and optical properties. 64-05266A
 SrTiO₃, La-doped, electrical properties. 64-03921A
 effect of internal displacement fields on dielectric properties. 64-03768A
 Te₂-Co₂Ge₂, effect of impurity in initial melt on electrical resistance. 64-05696A
 TeO₂, growth habit and defects of. 64-05102A
 TiN and TiC, effect of Si on vapor-phase growth. 64-01207A
 V₂TiO₅, phase transition dielectric-metal. 64-01442A
 V₂O₅-Sc₂O₃ and Lu₂O₃-Sc₂O₃, activated with Nd ions, properties of. 64-04487A
 VO₂, dc conductivity. 64-02295A
 dependence of electrical properties on conditions of synthesis. 64-05083A
 dielectric relaxation in. 64-03793A
 thermoelectric power of. 64-02343A
 Y₂Fe₂O₇, with Fe³⁺ ions, dynamics of photoinduced spin reorientation transitions. 64-03953A
 growth by top-seeded method. 64-06722A
 (Y₂Bi₂)(Fe₂Ge₂)O₁₀, flux growth from system PbO-B₂O₃-Bi₂O₃-Y₂O₃-Fe₂O₃-Ga₂O₃. 64-07347A
 YFeO₃, synthesis and Moessbauer characterization. 64-01466A
 ZnGeAs₂, growth and physical properties. 64-01408A
 ZnSe, LPE growth with Sb₂Se₃ as solvent. 64-03792A
 ZrO₂, Y₂O₃-stabilized, electrical conductivity. 64-01209A
 dense, monoclinic, fabrication by pressureless sintering. 64-02768A
 a-form Na metavanadate, structure. 64-05905A
 e-Al₂O₃, or Ga-orthophosphate, hydrothermal growing process. 64-02955P
 e-LiIO₃, pyroelectric properties. 64-02316A
 absorbing, uniaxial, reflectivity of. 64-04564A
 alkali halide, electroluminescent films, properties of. 64-05897A
 with electronic color centers, amplification and laser action. 64-05951A
 alkaline-earth fluoride, electrostriction tensor components of. 64-05917A
 aluminate-spinel, doped with S, electrical properties. 64-05534A
 anisotropic, monoclinic, optical constants. 64-04558A
 β-Ga₂O₃, electron excitations in. 64-03822A
 β-Si₃N₄, method of making, adding NH₃ to N₂. 64-07243P
 β-SiC, fracture toughness. 64-01216A
 based on Al garnet. 64-07436P
 bi-, MgO, boundary structure in. 64-07442A
 blue vitriol, optical constants. 64-05138A
 borate, X-ray spectrometric study. 64-03390A
 corundum, dependence of structural perfection on growth mechanism. 64-04454A
 ferroelectric, Ba-Sr niobate repolarization in. 64-03934A
 pyroelectric detector. 64-03944P
 ferrogarnet, from melts of system BaO-B₂O₃, growth striation. 64-01547A
 filter, monolithic, method of making. 64-02443P
 flux-grown, analytical model for. 64-07304A
 with garnet structure, stimulated radiation in. 64-00678A
 gem-quality, grown in Li vanadomolybdate flux. 64-04458A
 growth, in Na₂O-2SiO₂ glass, DTA study. 64-01863A
 apparatus for. 64-05378P
 and discharging, apparatus and method for. 64-02534P
 experiments, miniaturization for. 64-02617A
 in glasses and semiconductors. 64-00248P
 sealed SiO₂ pressure ampoules for. 64-06328A
 hydroxyapatite, as adsorbent for liquid chromatography. 64-05720A
 laser, b-axis Nd:YAlO₃ and (Nd + Cr):YAlO₃, growth of. 64-00667A
 lattice defect structure, positron annihilation study of. 64-06859A

- liquid, display with low-capacitance ZnO varistor. 64-02377P
- light valve, sputtered CdS structures. 64-06369P
- melting, process. 64-00218A
- method for making. 64-06825P
- modes in, electromagnetic surface, optical study. 64-02990A
- mono-, of solid solutions $Ti_{1-x}Cd_xS$ and $Cd_{1-x}Ti_xS$. 64-05754A
- n-TiO₂, and sintered electrodes, hole diffusion length in. 64-04542A
- phlogopite, in machinable glass-ceramics. 64-03311A
- piezoelectric, acoustic transducer. 64-00841P
- electrodes, method of making. 64-00796P
- poly-, method for producing single crystal from. 64-06824P
- pulling, low-contamination AlN, BN composite, crucible for. 64-06488P
- quartz, effect of convection baffle and Li nitrate dopants on growth rate. 64-02979A
- oscillator. 64-00848P
- resonators, cut angles for. 64-03863P
- temp. sensor with. 64-00849P
- ruby, relation between growth orientation and brittleness. 64-04749A
- sapphire, by Stepanov method. 64-04292A
- Stepanov-grown, sensitivity of cross dimensions. 64-04334A
- profiled-, improving growth process. 64-04466A
- rod and tubular, growth and applications of. 64-07456A
- sapphire and $LiNbO_3$, effect of anisotropy of thermophysical and elastic properties on thermal stresses. 64-04533A
- semiconductor, Al_2O_3 - or BN-reinforced apparatus for making. 64-06963P
- Group III-V compound, method of making. 64-03888P
- photoelectric phenomena during diffraction of X rays in. 64-03811A
- sulfide or selenide. 64-00770P
- single, method for producing from polycrystal. 64-06824P
- from solid solutions, based on Pb stannate. 64-03275A
- in system HfO_2 - Y_2O_3 , preparation and study. 64-01570A
- structure, of CdS, estimating. 64-05094A
- of SiC polytypes. 64-05523A
- determination by X-ray Rietveld analysis, effect of profile step counting. 64-06869A
- surface, formed by reaction of Zr fluoride glass with water. 64-00242A
- systems, As-S and As-Se, X-ray spectrometric study. 64-03391A
- As-Se-Ge and As-Se-Sn, spectroscopic study. 64-03392A
- GeO_2 - CaO , growth by CVD. 64-07312A
- translucent, grown from melt, effect of radiation heat transfer on shape of crystallization front. 64-04457A
- tube-profiled, stability of Stepanov method crystallization process. 64-04494A
- vibrator, tuning fork. 64-00851P
- Curing,**
- cements, water glass-portland $CaSiO_3$ system. 64-00033A
- clays, smectic, for thixotropic fluids, effect of. 64-02708A
- electron beam, of gypsum tile. 64-01711A
- γ -ray, of polycarbosilane precursors of SiC fibers. 64-07110A
- mineral wool, insulation. 64-02677P
- Currents,**
- arcing, in cathode ray tubes, ceramic resistor for suppressing. 64-06549A
- confinement, in semiconductor lasers, method of improving. 64-06645P
- leakage, in multilayer capacitors. 64-03790A
- space-charge-limited, in ferroelectric solids. 64-05282A
- Cutting tools.** See *Tools*.
- Cutting,**
- apparatus, for glass stream. 64-03396P
- bricks, apparatus for. 64-04025P
- machine for. 64-04006A
- capacitor bodies, green, method for. 64-06635P
- ceramics, molded, device for. 64-04030P
- fibers, optical. 64-00414P
- optical, device for. 64-04843P
- optical, method and means for. 64-03522P
- glass, apparatus for. 64-03504P; 64-04020P
- bands and sheets, changes in stresses during. 64-00278A
- gob, apparatus for. 64-03534P
- with hard-alloy rollers. 64-01963A
- sheet, apparatus for. 64-02536P
- sheet, method and apparatus for. 64-00390P
- guide, for fibrous sheets. 64-06760A
- metals, Sialons for. 64-01177A
- tiles, apparatus for. 64-06797P; 64-06805P
- machine for. 64-04065P
- Cyclones.** See *Separators*.
- Decomposition,**
- of $NiSiO_4$, in O potential gradient. 64-07315A
- of dolomite, in fluidized bed reactor. 64-04066A
- evaporative, of solutions, MgO powders by. 64-01449A
- hydrothermal, of Al silicates. 64-04503P
- of kaolinite, kinetics. 64-07041A
- of nitrides of V(A) subgroup metals, temp. dependence of pressure in. 64-01475A
- phase, in Li aluminosilicate glasses containing TiO_2 , effect of NiO additives. 64-03226A
- in glasses of system Li_2O - Al_2O_3 - SiO_2 - TiO_2 . 64-03321A
- in glasses of system Li_2O - Al_2O_3 - SiO_2 - ZrO_2 . 64-03319A
- in system Al_2O_3 - SiO_2 . 64-03320A
- spinodal, in B_2O_3 - PbO - Al_2O_3 glass, X-ray scattering study. 64-06250A
- of Na silicate glasses, growth kinetics of heterogeneity regions. 64-04090A
- in TiO_2 - SnO_2 , electron microscopy study. 64-06257A
- in amorphous systems. 64-02998A
- thermal, of Ba titanate oxalate, preparation of $BaTiO_3$ by. 64-07369A
- of $CaSO_4$ in air, kinetics. 64-06102A
- of $Mg(OH)_2$. 64-01480A
- of $NdAl_2(BO_3)_3$ and $NdAl_2(B_2O_7)_3$ crystals. 64-05859A
- of $Pb(H_2SO_4)PbO$ electrodes. 64-03839A
- of $ReS_2 \cdot 2H_2O$. 64-05860A
- of double carbonates with stoichiometry $Sr,Ba_{1-x}CO_3$. 64-07394A
- of hydrosodalite. 64-01479A
- in system Si - Y - Al - O - N . 64-01265A
- of vermiculites. 64-02951A
- Decorations.** See also *Art and artwork*; *Color*; *Glasses*.
- article, ZrO₂-type black, method of making. 64-04449P
- of building, structural clay products for. 64-06416A
- decal, heat release. 64-00355P
- decalcomania, for chinaware. 64-06046P
- decals, technology. 64-06525A
- finishing material, based on phosphogypsum. 64-03106A
- firing, on ceramics and glass. 64-01080A
- forced-air heating and cooling reduce energy costs. 64-05465A
- glaze. 64-06311A
- colored, dry cord. 64-03429A
- golden ceramics, hard TiN- or ZrN-based. 64-05614P
- of hollow ware. 64-03739P
- new decal technology, and screening competition. 64-04811A
- offset, for tableware industry. 64-05361A
- for plates. 64-01692P
- printing, on cylindrical or conical articles. 64-04057P
- transfer, of floor tile. 64-00626P
- tracing apparatus, flexible membrane. 64-05383P
- stenciling, faience, ceramic dyes for. 64-01381A
- surface, of glazed ceramics. 64-03733A; 64-03734A
- of tiles, wall. 64-03740P
- underglaze and overglaze, from application to firing. 64-06530A
- of whiteware, with paints and glazes containing Pb or Cd. 64-02279A
- Defects.** See also *Cracks*; *Crystals*; *Enameling*; *Enamels*; *Fracture*; *Glass*; *Structure*.
- in Ca orthovanadate, formation of. 64-05706A
- association, in MgO . 64-07316A
- center concentration, of GeO_2 glass, effect of fusion temp. 64-00198A
- centers, in PTC $BaTiO_3$, activation of. 64-00628A
- concurrent flaw subpopulations, maximum likelihood estimation techniques. 64-07476A
- crazing, in earthenware. 64-06511A; 64-06512A
- of crystals, TeO_2 . 64-05102A
- dark spot, in InP-InGaAsP light-emitting diodes, origin of. 64-00681A
- in films, β -SiC. 64-05524A
- formation, controlled, in semiconductor compounds, bases for. 64-05056A
- during mechanical activation of Ti, Sn, and W oxides. 64-00824A
- in glass articles, detection device. 64-02633P
- and glass formation. 64-00282A
- graze marks, on glass, composition for concealing. 64-01493P
- in insulators, MgO and Al_2O_3 . 64-07451A
- intrinsic, of $TiO_2(110)$. 64-04545A
- in fused SiO_2 . 64-00193A
- lattice, in MgO -stabilized ZrO_2 . 64-07127A
- in alkali halides, creation by electronic excitation. 64-04526A
- microstructural, in mullite- ZrO_2 and mullite- Al_2O_3 - ZrO_2 composites. 64-07105A
- in noncrystalline materials. 64-07317A
- optical detection method and apparatus. 64-01071P
- ordered, in metal oxides of perovskite structures. 64-05812A
- in oxides, polarization-depolarization studies. 64-07493A
- parameters, of α - Al_2O_3 , calculated. 64-07463A
- pinholes, surface, methods of highlighting. 64-06913P
- point, in Cu_2O . 64-03766A
- in MgO . 64-07366A
- in NiO . 64-06571A
- in NiO crystals, thermionic emission for studying. 64-01588A
- in crystalline SiO_2 . 64-01565A
- in monoxides of Fe-group metals. 64-05947A
- in neutron-irradiated quartz. 64-06692A
- in undoped InSb crystals. 64-05162A
- produced by shock conditioning, overview. 64-06761A
- radiation-induced, in fluoride glasses. 64-06238A
- red heart, at Interstate Brick Co. 64-04908A
- in rutile, Cr_2O_3 -doped, precipitation and dissolution of. 64-04484A
- in semiconductors, amorphous. 64-06548A
- structural, in Bi silicate and titanate crystals. 64-05716A
- in brittle materials. 64-04528A
- laser-induced, in glassy SiO_2 . 64-01865A
- in phyllosilicates. 64-02726A
- in vitreous SiO_2 , and activated silicate glasses, laser-induced generation of. 64-06217A
- structure, of Y_2O_3 , as function of water vapor pressure. 64-02763A
- subsurface, instruments detect and remove from wafers. 64-06875A
- surface, apparatus for detecting. 64-05459P; 64-05460P
- surface flaws, in sintered SiC, ultrasonic detection of. 64-05441A
- in system, TiO_2 - V_2O_5 . 64-02919A
- voids, in glass foam, dielectric scanning locates. 64-00285A
- water-soluble substances, in whiteware bodies and glazes. 64-05048A
- Deflocculation.** See *Dispersion*.
- Deformation.**
- of bricks, refractory. 64-02092A
- creep, in Al_2O_3 matrix composite reinforced with SiC whiskers. 64-07081A
- of $CaTiO_3$. 64-02843A
- high-temp., of Al_2O_3 - SiO_2 bricks under heavy load. 64-04935A
- of linings, for rotary kilns, effect of technical factors. 64-03614A
- microplastic, of TiB₂ particles during vibrocrushing and pressing. 64-05362A
- of mullite, synthetic, at high temps. 64-02091A
- plastic, of ferromagnetic materials, magnetic determination of. 64-03962A
- processes, in range of Na_2O - CaO - SiO_2 glasses. 64-00318A
- properties, of pastes, optimizing. 64-04212A
- in quartz, lab-shocked. 64-02428A
- of refractories, periclase and Mg-spinel. 64-00528A
- of screens, for printing, arrangement for preventing. 64-04022P
- strain, measurement. 64-01060P
- torsion-induced, in glasses under low stress. 64-03376A
- of viscoelastic materials, relation of microscopy to modeling of. 64-05954A
- Degassing.**
- furnace, rotary hearth vacuum, gunning materials for. 64-02117A
- units, steel, refractories for. 64-02197A
- Dehydration,**
- of gels and glasses, in system B_2O_3 - SiO_2 and ZrO_2 - SiO_2 . 64-01821A
- high-temp., of kaolinites, thermoanalytical study. 64-05866A
- method, and pressing. 64-04050P
- of rare-earth oxides, by controlled-humidity dewatering of precursors. 64-04219A
- rehydration, of aluminosilicate gels. 64-01822A
- thermal, of Mg diphasic crystallohydrates. 64-05861A
- of mono- and divalent montmorillonite cationic derivatives. 64-07052A
- transformation, in polygonite. 64-07033A
- volume, of $Na_2P_2O_7 \cdot 6H_2O$ crystals. 64-05873A
- Dehydroxylation.** See *Decomposition, thermal*.
- Densification,**
- of PZT, sintered, by hot isostatic pressing. 64-00825A
- of carbonaceous materials. 64-07275P
- of composites, metal-ceramic. 64-00955P
- conditions, effects on defect center concentration in Ge-doped SiO_2 , optical fiber preforms. 64-06187A
- kinetics, of wurtzite-like BN in hot pressing. 64-02753A
- of powders, PZT. 64-06959A
- Si_3N_4 , with additives. 64-04261A
- pretextic, in MgF_2 - CaF_2 . 64-04485A
- of sol-gels, boehmite, by α - Al_2O_3 seeding. 64-02929A
- subcutic, in Al_2O_3 - CaO . 64-07390A
- Densitometer,**
- ultrasonic, for liquid slurries. 64-06922P
- Density,**
- of Al_2O_3 , effect of MgO dopant dispersing method. 64-07085A
- hot-pressed, relation to hardness and elasticity. 64-01251A
- of bricks, Dinas, improvements in tests for. 64-02600A
- <0.1 production experience. 64-00438A
- bulk, dependence of thermal conductivity for lightweight fireclay refractories. 64-02221A
- of granular materials, rapid determination by sand-pouring method. 64-01031A
- optimal, of refractory fibrous thermal insulators, determining. 64-02095A
- of particulate materials, measurement of. 64-05452P
- of glasses, Na germanate, calculation of. 64-03196A
- gradient column for measuring. 64-04077A
- grain-boundary, in Y_2O_3 -stabilized ZrO_2 , dependence of grain-boundary resistivity on. 64-01195A
- heat flux, dynamic properties of instruments for measuring. 64-02590A
- measurement, and control, for liquids and slurries. 64-02584A
- real and bulk, solving voids percentage. 64-02619A
- segregation, of particles in filling vessel, mechanism of. 64-02515A
- of silicates, liquid, at high pressures. 64-04204A
- Dental ceramics,**
- bridge, acid-etched "Maryland" metal-ceramic. 64-06136A
- casting method for. 64-06324A
- compositions, biocompatible cementitious. 64-02850P
- contours, anterior. 64-07068A
- copings, nonmetallic, glaze for. 64-02864P

- core materials, high-expansion feldspar porcelain and MgO. 64-06141A
- current status, and future of. 64-07082A
- esthetics applied to, research on. 64-07156A
- frit, porcelain, low-fusing, gel route preparation. 64-00599A
- gypsum composition, for denture investment. 64-06131P
- implant. 64-01305P
- glass-coated metal. 64-04385P
- glass-coated metal with Ca phosphate final layer. 64-02861P
- microcellular, veneer, method of making. 64-01333P
- porcelain, and Ni-Cr alloy, corrosion-fatigue of bond between. 64-02751A
- elastic constants of. 64-07095A
- low-fusing, effects of topical fluorides on. 64-02762A
- procedure for firing on metal. 64-03171P
- saggar furnace for. 64-04192P
- stimulating fluorescent properties of natural dentition. 64-07084A
- restorations, Ca phosphate cement paste. 64-07222P
- castable glass-ceramic compositions for. 64-06343P
- metallurgy of alloys for. 64-06142A
- root, apatite. 64-05596P
- implant, and bone, shear strength between in incisor socket. 64-05576A
- sapphire, endosteal implant. 64-01254A
- Deglossing.**
- 3-step, of In-Sn oxide coatings. 64-00721A
- CVD, of Al films. 64-04671A
- of MgO films. 64-01425A
- of P nitride and related compounds. 64-04252A
- of SiC from Si-C-Cl-H gas systems. 64-05867A
- of SnO₂ films on rutile crystal. 64-06546A
- of ZnSe films. 64-02314A
- with alkoxysubstituted Si-bearing reactant. 64-00950P
- apparatus for. 64-05377P
- of borophosphosilicate glasses for Si devices. 64-00638A
- of ceramic-ceramic composites. 64-05538A
- effect of acoustic wave irradiation. 64-05533A
- of fiber-reinforced ceramic composites. 64-05539A
- of hollow Si₃N₄ articles. 64-04391P
- plasma, of Si oxynitride film waveguides. 64-03795A
- plasma-assisted, for semiconductor applications. 64-05369A
- reactor and susceptor for. 64-06991P
- reactor, distributor tube for. 64-04031P
- of III-IV compounds, with binary alloys as metallic source. 64-05244P
- of Pb, in Cr refractory lining from blast furnace. 64-06444A
- of Pt, on NaCl catalysts. 64-05872A
- angle, effects on short-range order in amorphous Ge. 64-05913A
- automatic, of continuous tows. 64-06838P
- blond plating, electrodes, conditioning substrates for. 64-00952P
- of coatings, SiO₂-ZrO₂, on glass fibers. 64-06296A
- conductive, in reflective, transparent SnO₂. 64-00771P
- mineral oxide on substrate, device for. 64-05381P
- mineral oxide, on substrate. 64-00986P
- optically transparent ir-reflective, on glass. 64-03761A
- electro-, of abrasive layer on grinding wheels. 64-06019P
- of valve metal onto graphite. 64-01805P
- electrodes, of Au on metallized ceramics. 64-00745P
- of films, Ti disilicide. 64-07420P
- on optical elements, physical and chemical aspects. 64-03813A
- of glass layers, silicate, on semiconductors. 64-02004P
- ion beam, of MgF₂ films onto ambient temp. substrate. 64-03457A
- laser-induced, of SiO₂. 64-00676A
- of materials, magnetoplasma dynamic apparatus for. 64-02554P
- mechanism, effect on composition of films on Si. 64-05070A
- metal vapor, of insulating tape, strip preparation method. 64-00984P
- photochemical, of SiO₂ from system Si₃H₄ + O₂. 64-02297A
- physical vapor, apparatus for. 64-06798P
- plasma, of inorganic films. 64-00692A
- plasma-arc, of Ni-Cu alloy onto PZT, effect of substrate parameters. 64-00826A
- of polysilicon, over TiO₂, method for. 64-06636P
- reduced chamber wall, plasma reactor with. 64-05390P
- rf sputtering, of Bi₂TiO₅. 64-05062A
- vapor, of films. 64-04068P
- Design.** See also Art and Artware; Decoration.
- Wedgewood's outlook. 64-05037A
- bathtub. 64-00018P; 64-01680P
- bell, of opaque fused SiO₂. 64-03506P
- bed. 64-00019P
- bottle. 64-04614P
- cosmetic. 64-04615P
- decorated narrow-neck. 64-01681P
- liquor. 64-04613P
- narrow-neck, beer. 64-01683P
- for perfume. 64-01682P; 64-03067P
- bowl, hygienic. 64-06049P
- and lid combination. 64-01684P
- snack. 64-04621P
- sugar. 64-06052P
- of clay materials, texture concepts. 64-06433A
- of components, for adiabatic engines. 64-04263A
- computer-assisted, for ceramic kilns. 64-06933A
- in memory module production. 64-05058A
- cover, for baking dish. 64-03066P
- for serving dish. 64-01685P
- cup. 64-01686P; 64-06045P
- of dilatometers, HIP. 64-06864A
- dish, baking. 64-01679P
- serving. 64-03068P
- disk, grinding. 64-00021P
- engineering, of multizone glassmelting furnaces. 64-01081A
- experimental, for improving quality of bricks. 64-06420A
- of furnaces, transverse-burner recuperative glassmelting. 64-03510P
- glass, flower-decorated drinking. 64-06047P
- fruit-decorated drinking. 64-06048P
- wine. 64-01694P; 64-06057P; 64-06058P
- wine, conical. 64-06056P
- goblet, with angular stem. 64-04617P
- of insulated components, for Cummins/TACOM Adiabatic Engine Program. 64-04262A
- jewelry, geometric, ceramics in. 64-00011A
- of kilns, 5 x 75 m. 64-02661A
- double-chambered. 64-06025A
- efficiency in. 64-06937A
- fast-firing test. 64-06029A
- history of. 64-03061A
- of linings, refractory, for slagging gasifiers. 64-06468A
- material, of cement. 64-01731A
- of ceramics, overview. 64-03024A
- in electronic ceramics. 64-02318A
- in functional ceramics. 64-01616A
- of glasses. 64-01955A
- of porcelain. 64-02274A
- in structural ceramics. 64-02791A
- of melter, slurry-fed, for vitrifying W. Valley, NY, nuclear wastes. 64-05323A
- mug, beverage. 64-03065P
- glass. 64-00022P
- patent, infringements, damages, and profits—a lawyer's view. 64-03008A
- pitcher, cream. 64-04616P
- plate. 64-00023P; 64-01688P; 64-01689P
- cut crystal. 64-06051P
- with decorated border. 64-01687P
- decoration for. 64-01692P
- torte. 64-03070P
- platter. 64-04618P
- of powder plant, for porcelain enameling. 64-00106A
- of refractories. 64-02093A
- safety, of vitrified grinding wheels. 64-03053A
- of seals, super-high-strength glass-ceramic-to-metal. 64-04673A
- solutions, with surface mounts. 64-05182A
- of storage facilities, bulk. 64-02512A
- stoves, ceramic, 600 BC to present. 64-01666A
- teacup. 64-03069P
- teapot. 64-04622P
- tile, roof. 64-01690P
- tooling, for wet-bag isostatic pressing. 64-00932A
- tray, relish. 64-04619P; 64-04620P
- snack. 64-01691P
- tumbler. 64-00024P; 64-00025P
- tureen. 64-06053P
- urinal. 64-00026P
- water closet. 64-00027P; 64-00028P; 64-01693P; 64-04623P
- and seat, combined. 64-00020P
- Detectors.** See also Tubes.
- H₂S, from metal oxide. 64-06626P
- color. 64-06901P
- combustion pressure peak, for internal combustion engine. 64-02439P
- crack, electroelastic self-scanning. 64-02635P
- elastic limit, and reset testing system. 64-02634P
- gas, oxide semiconductor. 64-02367P
- optical, with superconducting Pb_{1-x}Bi_xO₂. 64-02315A
- particle, in suspensions. 64-04114P
- photo-, long wavelength (chalcogenide) avalanche. 64-00765P
- photoacoustic. 64-03045B
- pyroelectric, ferroelectric crystal. 64-03944P
- scintillation, for neutron powder diffractometry. 64-06879A
- surface defect. 64-05459P; 64-05460P
- vapor, tube, and method of testing for vapor. 64-02027P
- Detritus.**
- deuterium groups, in vitreous SiO₂. 64-00161A
- diffusion, in amorphous cordierite. 64-02756A
- ion implantation, in SiO₂, comparison with D₂ doping. 64-04708A
- Devitrification.**
- of SiO₂, effect of trace impurities—correction. 64-00174A
- behavior, of glasses in Na₂O-2SiO₂-BaO-2SiO₂ composition range. 64-01855A
- of glasses, near Na₂O-2SiO₂ composition. 64-03217A
- nonisothermal, of Na₂O-2SiO₂ gel-glass. 64-01876A
- Diagrams.**
- K₁-v, for single- and polycrystalline α-Al₂O₃. 64-04303A
- fusibility, of system CdF₂-YF₃. 64-05710A
- of system Me₂O-La₂O₃-Ta₂O₅ (Me = Li, Na). 64-05711A
- phase, of Co-Mn-O system in air. 64-07363A
- of Ge-rich region of GeO₂-La₂O₃. 64-01850A
- of system Al₂O₃-Nd₂O₃. 64-05660A
- in system BaCO₃-PbO, and crystal growth of BaPbO₃. 64-05764A
- of system Bi₂-Ca. 64-05765A
- of system Cu₂-Se-CdSe. 64-05766A
- of system Ga₂O₃-Bi₂O₃-BaO. 64-01437A
- of system In-Sb-Se. 64-05741A
- of system RbPO₃-Bi(PO₃)₃. 64-05767A
- of system VO₂-ZrO₂-BaO. 64-07362A
- of system ZrC. 64-05664A
- of systems CdF₂ and fluorides of Ho and Er. 64-05768A
- of systems of rare-earth metal oxides. 64-05763A
- phase equilibrium, in system Al₂O₃-Al₂C₃. 64-04345A
- thermal equilibrium, determination of composition of vitrified ceramic bodies from. 64-03215A
- volatility, of gas-solid reactions. 64-04565A
- Diamonds.** See also Grinding apparatus; Grinding (material removal).
- Al₂O₃ composite, sintered, toughening in. 64-02838A
- abrasives, composites, carbide polycrystalline. 64-06013P
- sintered, development of. 64-04602A
- and cBN, abrasive compacts, method of making. 64-06018P
- conversion from graphite, role of catalyst. 64-05575A
- dulling, of glass articles, machine for. 64-00912A
- grinding, response of Al₂O₃ to. 64-04331A
- like modification of BN, method of making. 64-02883P
- melting of. 64-02988A
- method of making. 64-02883P
- particles, bonded in Al₂O₃, B₂C, or AlB₃ fluorocarbon resin matrix. 64-04605P
- synthesis, metal-C films formed during. 64-01555A
- vapor. 64-02842A
- tools. 64-01642A
- effective degree of carat utility. 64-03052A
- in glass industry. 64-03049A
- natural aggregate processing with. 64-05367A
- with sintered metallic and electroplated active layer, surface concentration of diamond in. 64-03054A
- with sintered metallic layer. 64-03050A
- Diatomaceous earth.** See *Diatomites*.
- Diatomites.**
- Argentinean, unconventional raw material. 64-07055A
- industrial, American and French, scanning and TEM. 64-07038A
- Dicalcium silicate.** See *Calcium, di-*.
- Dictionaries.**
- of ceramic science and engineering. 64-01630B
- Dielectric materials.**
- Al₂O₃ and AlP₃O₇ layers, on InP, electrical properties. 64-05081A
- BaTiO₃, Li oxide, and Zn fluoride, capacitor. 64-00742P
- BaTiO₃-based, BaLiF₂—new sintering agent for. 64-05055A
- PLZT, high-density, chemical preparation of. 64-06688A
- Pb and Sr titanate-based. 64-02358P
- Pb or Mg niobate, ceramic capacitors and. 64-06597P
- Pb oxide-based. 64-03865P
- Pb-Fe niobate, fast firing. 64-06686A
- reactions during calcining. 64-06576A
- Pb-Mg niobate, properties—comment. 64-05064A
- properties—reply. 64-05065A
- Si₃N₄, reaction-bonded, permittivity and dielectric loss. 64-04314A
- ZnO, SAW device. 64-02419P
- based on Pb titanates, capacitor with. 64-00743P
- blister-resistant, thick-film glass and Al₂O₃-based. 64-02349P
- capacitor, thick-film. 64-02323A; 64-05110A
- for capacitors. 64-03883P
- multilayer. 64-00677A
- ceramic, method of making. 64-00777P
- coatings, multilayer, of unequal thickness. 64-05135A
- composition. 64-00741P; 64-06612P
- MgTiO₃-free. 64-00736P
- temp.-compensating. 64-00737P
- compositions. 64-02351P
- films, ZrO₂, modification of optical and structural properties. 64-02322A
- birefringence measurements by prism coupler. 64-02289A
- ceramic-polymer-C black, method of making. 64-00740P
- frequency and temp. dependence, and electromechanical parameters of soft piezoelectrics. 64-02429A
- glass, for electrical insulators, method of making. 64-00395P
- or enamel, induction melting device for. 64-01097P
- glasses, Mg-Al-Si, Ca-Al-Si, and Y-Al-Si, properties. 64-04354A
- high-frequency, tantalate compositions. 64-02369P
- layer, chemical process for forming conductive holes through. 64-03882P
- comprising gettering material, method of making. 64-06644P
- method for interconnecting circuits on opposite surfaces. 64-00981P
- pinhole-free metal oxide, method of making. 64-06639P
- process using plasma for forming conductive holes through. 64-00804P
- low-firing, for temp.-compensating capacitors. 64-05223P
- loss, for microwave use. 64-06690A
- metal mirrors, with one-sided light reflection. 64-03799A
- metallization for, Cu. 64-05208P
- microwave, for direct satellite broadcasting. 64-03802A
- nitride-based, method of making. 64-01351P
- particle, BaTiO₃, filter connector with. 64-02364P
- research project, in Japan. 64-03817A
- rod, SiO₂-GeO₂, method of making. 64-04766P

- substrate, selective coating of metallurgical features. 64-03175P
- selective plating of. 64-02411P
- system, SbNbO_3 - SbSbO_3 , properties. 64-05063A
- tantalum, low-loss microwave. 64-02379P
- thin-film, for electroluminescent displays. 64-02353P
- thin-film oxide. 64-06610P
- waveguide, optical, coupling of. 64-03862P
- zirconate composition. 64-06611P
- Dielectric properties.**
- of BaTiO_3 , effect of Mn doping. 64-02299A
- of BaTiO_3 , BaZrO_3 -modified. 64-03936A
- of LiNbO_3 . 64-00827A
- of PLZT, effect of NiO and MnO additions. 64-06682A
- of Pb-Mg niobate, —comment. 64-05064A
- reply. 64-05065A
- of PbTiO_3 , amorphous. 64-05180A
- of Si and Al oxides and B nitrides, during heating. 64-01198A
- constant, of Pb silicate glasses, calculation of. 64-03194A
- of near-stoichiometric Na β - Al_2O_3 . 64-03794A
- of crystals, SrTiO_3 . 64-03768A
- of ferrites, MgAl_2 - Fe_2O_3 spinel. 64-03951A
- of films, LiNbO_3 . 64-06583A
- determination by spectroscopic ellipsometry. 64-05442A
- of glass, Mg-Al-Si, Ca-Al-Si, and Y-Al-Si oxynitride. 64-04284A
- of glasses, in system AsSe_2 - rAsTe_2 . 64-03764A
- in system $\text{In}(\text{Ga})$ - $\text{Ge-Te}(\text{S})$. 64-03765A
- in system $\text{LiF-LiF}_2\text{-O-Al}(\text{PO}_3)_2$. 64-06177A
- in system P_2O_5 - BaO-CuO . 64-06178A
- high constant, piezoelectric ceramics with. 64-05273A
- loss, in glasses, proton-based. 64-01893A
- of reaction-bonded Si_3N_4 . 64-04314A
- mechano-, of PZT niobate transducers. 64-02435A
- of periclase, method for studying. 64-00486A
- of perovskite-type $\text{Pb}(\text{Mg}_{1-x}\text{Nb}_x)\text{O}_3$, effect of processing. 64-03926A
- of porcelain, aluminous electrical talc-doped. 64-02319A
- electrical. 64-06350A
- of powders, very fine Si_3N_4 . 64-07083A
- in systems, $\text{K}_2\text{Nb}_2\text{O}_7$ - $\text{K}_2\text{O-6WO}_3$. 64-00686A
- SbNbO_3 - SbSbO_3 . 64-05063A
- Dies.** See also *Extrusion*.
- extrusion, for honeycomb. 64-00947P; 64-00961P
- Diffraction.** See also *Neutrons*; *Optical properties*; *X rays*.
- X-ray, powder data for Na-Pb niobate. 64-07318A
- in semiconductor crystals, photoelectric phenomena. 64-03811A
- of system Al_2O_3 - Cr_2O_3 . 64-04287A
- electron, peaks of Si films. 64-05895A
- grating, determination of refractive index by. 64-04081A
- neutron, structural studies of condensed matter by. 64-04101A
- from porous crystalline systems, normalization of. 64-04741A
- reaction bonding, of ceramics to ceramics and to metals. 64-01200A
- studies, of β -Mg Silalons. 64-01199A
- Diffraction.**
- nonfocusing, for X-ray studies on weakly absorbing materials. 64-06581A
- Diffraction.**
- powder patterns, XRD, search/match analysis with compact data bases. 64-06891A
- Diffusion.**
- of "Cr, in surface layers of MgO , Al_2O_3 , and spinel. 64-05687A
- of Ag, in glasses, and related variations in electronic polarizability. 64-01860A
- Ag-tracer, in Cu_2O . 64-03825A
- of Cu, into layers of Cds. 64-05152A
- in Cu_2O . 64-03766A
- of D, in amorphous cordierite. 64-02756A
- of F ions, in BiO_3 , F_2 . 64-05690A
- in Y-Fe garnet. 64-03952A
- in Fe-doped CoO . 64-07320A
- of H, in Y-Fe garnet, optical study. 64-02475A
- of γ -irradiated GeO_2 -doped optical fiber. 64-06205A
- of I⁻, through hardened cement paste. 64-07321A
- Na, in Na aluminophosphate glasses. 64-06252A
- in SiO_2 glass, anomalous behavior. 64-03190A
- in NiO . 64-06571A
- O, in MgO and Al_2O_3 . 64-07357A
- in MgO , undoped and Si or Ca impurity-doped. 64-07358A
- O self-, in single-crystal Mn-Zn ferrite. 64-04559A
- O surface, in MgO . 64-07359A
- Ti, into LiNbO_3 , as function of stoichiometry. 64-03939A
- of alkali, in hardened cement paste containing slag or fly ash. 64-07322A
- baro-, coeff. of water in ceramic mix, temp. dependence. 64-05964A
- bonding, of ceramics. 64-06764A
- at boundary of core and shell, during glass fiber drawing. 64-03427A
- cation, in plagioclase feldspar. 64-02696A
- in wustite, analysis of stoichiometry and temp. dependence. 64-04525A
- cation impurity, in CoO and NiO . 64-07310A
- cation self-, in Fe_2O_3 . 64-07311A
- of chalcogenides, in PbO_3 , Sn_2Te solid solutions. 64-05688A
- coeff., of He and Ne in glass, spectroscopic method for determining. 64-03360A
- of components, in SnTe . 64-05689A
- controlled processes, in glass-forming melts. 64-01827A
- deminizing by. 64-04453A
- electro-, of glass matrices for optical planar waveguides. 64-03244A
- grain growth and grain boundary, of O_2 in oxides, diffusion-compensation relation for. 64-04455A
- internode, of B and Be in SiC . 64-01226A
- ion-exchange, low-temp., microhardness of glass layers obtained by. 64-03299A
- laser-induced, of Si atoms from Si_3N_4 films on GaAs. 64-05122A
- liquid phase, and adsorption of pyridine in porous SiO_2 - Al_2O_3 pellets. 64-02986A
- mechanism, in monoxides of Fe-group metals. 64-05947A
- non-Fickian, of water in glass. 64-06226A
- rates, in oxides. 64-07308A
- self-, "Ca and "V in crystals of Ca vanadates. 64-01459A
- O in single and polycrystalline magnesioferrites. 64-02477A
- solid-state, in system Al_2O_3 - Cr_2O_3 . 64-02997A
- into substrates, method for making, and connections to using Si-containing rare-earth hexaboride. 64-02384P
- method of making, and rare-earth boride electrical connections to. 64-02383P
- thermo-, of water, moisture profile of ceramic body during. 64-02938A
- tracer, in Na-Rb SiS₃ glasses. 64-04573A
- water, in SiO_2 glass, effect of stress on—correction. 64-00172A
- in high- SiO_2 glasses at low temp. 64-03219A
- Diffusivity.**
- thermal, of SiAlon. 64-07185A
- by flash method, effect of nonlinearity in measurement. 64-01014A
- laser-flash method for determining. 64-04076A
- of radiating specimens, determining. 64-05411A
- of whiteware mix, determination of. 64-00619A
- Dilatometry.** See also *Expansion*.
- HIP, design and construction of. 64-06864A
- Dilatometry.**
- analysis, of initial-stage sintering. 64-01012A
- behavior of clays, brick, effect of shaping parameters. 64-04890A
- characterization of LiNbO_3 by. 64-05257A
- modern, aspects of. 64-05402A
- Dinnerware.** See also *Art and artware*; *Pottery*; *Whiteware*.
- bowl, sugar. 64-06052P
- ceramic, mfg. and importation in USA. 64-03724A
- champagne glass. 64-06041P
- bell-shaped. 64-06037P
- conical. 64-06038P
- fluted. 64-06036P
- fluted and waisted. 64-06039P
- fluted stem. 64-06040P
- cordial glass. 64-06044P
- bell-shaped. 64-06042P
- conical. 64-06043P
- decorating, developments in pad printing. 64-05362A
- drinking glass, flower-decorated. 64-06047P
- fruit-decorated. 64-06048P
- glass, composition upgrading. 64-06267A
- method for mfg. 64-03543P
- plasma frosting, mat finishing of. 64-01964A
- glaze-decorated, method of making. 64-00624P
- industry, international. 64-04596B
- offset decorating processes. 64-05361A
- microwave- and dishwasher-safe, single-fire underglaze transfers for. 64-05047A
- plate, cut crystal. 64-06051P
- porcelain, high-strength, properties and structure. 64-02265A
- production, optimization of kilns for. 64-05470A
- sheet steel, 2-color applicator for enameling. 64-03153A
- tureen. 64-06053P
- water goblet, bell-shaped. 64-06054P
- conical. 64-06055P
- wine glass. 64-06057P; 64-06058P
- conical. 64-06056P
- Diodes.** See also *Tubes*.
- CdHgTe, i-sensitive photo. 64-03878P
- light-emitting, Ga nitride, method of making. 64-00776P
- InP-InGaAsP, origin of dark spot defects. 64-00681A
- transparent (Si_3N_4) electrode (GaAs), method of making. 64-03916P
- optoelectronic, thermal phenomena. 64-03840A
- photo-, avalanche, chalcogenide InP-based. 64-02348P
- Dilatations.** See also *Creep*; *Defects*.
- in α - Al_2O_3 . 64-07452A
- in MgO . 64-07453A
- in α - SiC , crystals. 64-05526A
- in ceramics. 64-07454A
- crack-induced, in MgO crystals, X-ray topographic study. 64-04574A
- motion, in MgO crystals under plate impact. 64-01535A
- Dispersion.**
- Sellmeier formula, fitting refractive-index data with. 64-04723A
- Si-Y₂O₃, ion-exchange treatment of. 64-05556A
- angular, of optical-phonon frequencies in Raman spectrum of LiNbO_3 . 64-03917A
- clay, rheological curves for. 64-04202A
- directional, of phonons in LiTeO_3 crystals. 64-05952A
- of electrooptical properties, of GaSe. 64-03749A
- in glasses, GeO_2 - SiO_2 . 64-04717A
- of oxide powders, in organic liquids. 64-06765A
- powders in, determination of concentration and surface area. 64-06866A
- temp.-dependent, of Cds film in slab-type optical waveguide. 64-03836A
- ultrasonic, of BaTiO_3 , tape casting slurries. 64-00934A
- Display devices.** See also *Electronic equipment*.
- color CRT, contrast enhancement glass filter for. 64-06280P
- crystal, liquid, with ZnO varistor. 64-02377P
- electroluminescent, composite dielectrics for. 64-02353P
- materials for. 64-02305A
- multicolor, La_2O_3 - TiB_2 -based phosphor for. 64-05626P
- Dissolution.** See *Solutions*.
- Dolomite, plaster.** See *Plasters*.
- Dolomite.** See also *Refractories*.
- from Shchelkovo USSR deposit, photometric enrichment of. 64-05497A
- Triassic, Hungary, SEM study. 64-05492A
- as aggregate, for concrete. 64-05490A
- annual ceramic mineral resources review. 64-07005A
- bodies, for slip casting, effect of grain-size distributions and rheology. 64-02100A
- calcined lining, for increasing converter life. 64-00495A
- decarbonization. 64-00463A
- decomposition, in fluidized bed reactor. 64-00466A
- raw, burning time in dry-process rotary kilns. 64-02066A
- refractories, applications for. 64-04919A
- calcined, binder for. 64-03693P
- compositions for. 64-03702P
- Domains.** See *Ferroelectric materials*; *Ferroelectricity*; *Ferromagnetism*; *Ferromagnetic materials*; *Magnetic properties*.
- Dopants.**
- Al, for SiC, resultant properties. 64-00634A
- B, P, Sb, and As, stable suspensions of. 64-02418P
- Li nitrate, effect on hydrothermal growth rate of quartz crystals. 64-02979A
- Doping.** See *Additives*.
- Drawing.**
- fibers, glass, diffusion at boundary between core and shell. 64-03427A
- high bandwidth. 64-00370P
- means for controlling apparatus. 64-00378P
- optical. 64-00287A
- optical, device for. 64-00356P
- glass, determination of thermal transfer in region of jet. 64-03425A
- laminated polarizing. 64-01983P
- temp., effect on strength of fluoride glass fibers. 64-06310A
- Drilling.**
- of Al_2O_3 , by laser, microstructural study of holes. 64-02795A
- bit, for glass and ceramic structures. 64-02540P
- bricks, for coke ovens. 64-05023P
- fusion, with O lance, break-out in tunnel kiln wall by. 64-04143A
- machine, semiautomatic, for refractory bodies. 64-02207A
- Dry pressing.** See *Pressing*.
- Dryers.**
- artificial, in Hungarian brick industry, energy examination. 64-04891A
- brick, computer-aided instrumentation of. 64-04898A
- unit for controlling. 64-06962A
- chamber, for heavy clayware, individual calorific sources for. 64-06946A
- chamber-type, for bricks, investment and operating costs. 64-00437A
- clayware, heat recovery from. 64-03565A
- control, computer and microprocessor. 64-05463A
- computerized systems for. 64-06863A
- and monitoring system, electronic. 64-05415A
- electrical resistance. 64-04146A
- gypsum. 64-06971P
- industrial, selection of. 64-04165A
- periodic, efficient. 64-06928A
- for pulverulent or particulate products. 64-04042P
- Drying.**
- additive, in sol-gel processing of Na_2O silicate and borosilicate. 64-05693A
- behavior, of ceramic drainpipes, lab test. 64-03569A
- bricks, automatic control system for. 64-06927A
- energy conservation during. 64-04905A
- energy saving during. 64-04892A
- lightweight, avoidance of crack damage during. 64-06414A
- in building ceramics, ultrasonic checking. 64-05440A
- ceramic bodies, rheological behavior. 64-04566A
- charges, for structural clay products. 64-02036A
- charts of, graphic. 64-04151A
- of concrete, in units for calcination of Al_2O_3 . 64-04937A
- economy. 64-05469A
- by electrical resistance. 64-03998A; 64-04146A
- energy saving in. 64-04150A
- equipment, for refractories industry in Japan. 64-03997A
- fly ash, mathematical model. 64-01718A
- fuels, solid, apparatus for. 64-05485P
- for insulators, high-tension. 64-00648A
- linings, refractory, for steel-casting ladles. 64-04938A
- refractory, of tunnel kilns. 64-02101A

- materials, during conveyance, method and apparatus. 64-02688P
refractory, determining optimum duration of. 64-02586A
particles, apparatus and method for. 64-04017P
pulverulent or particulate product, method and apparatus for. 64-04042P
spray. 64-06786A
Na β -Al₂O₃ by. 64-01257A
effect on sintering of Y₂O₃. 64-04272A
method. 64-00999P
suspensions, classification of methods. 64-00894A
tiles, quarry, modern techniques for. 64-06426A
- Ductility**, creep, in Al₂O₃ containing compensating additives. 64-07112A
- Dunite**, cake, Mg silicate refractories based on. 64-00488A
- Dust**. See also *Particulates; Pollution; Powders*. airborne, in ceramic fiber workplaces, sampling and gravimetric determination. 64-01618A
caustic, from waste gases of rotary kilns, for pericase and pericase chromite clinker. 64-02070A
cement, in blended cements. 64-03078A
fabric filters solve problem. 64-03077A
from chemotite production, applications. 64-01135A
coal, burner for. 64-01094P
collection, on enamel smelting furnace with F sorption stage. 64-03150A
collectors, portable device for examining in Hungarian Communist Plant. 64-05432A
dedusting dry-process kilns, new method. 64-03109A
emission, from cement plants, how to reduce. 64-04644A
explosions. 64-05980A
formation, during firing of refractories in tunnel kilns. 64-00467A
magnesite, caustic, from rotary kilns. 64-02071A
caustic, in mfg. sintered magnesite powders. 64-05013A
for pressing into tile, preparation. 64-00609A
samples, SiO₂ in, quantitative determination. 64-02611A
magnetite-containing ore, process for collecting and determining magnetite and P content. 64-02650P
separation, during treatment of refractory clays, decreasing with 4PU combine. 64-02090A
from termalite brick production, pneumoconiosis morbidity and fibrosis-inducing properties. 64-04586A
from waste gases, at Suvorov, USSR, ore-beneficiation plant. 64-01145A
- Dynamics**, of defect creation, by ion implantation in thermal SiO₂. 64-04531A
lattice, of CaO. 64-04546A
of incipient ferroelectric rutile TiO₂. 64-03927A
molecular, of Na₂O-SiO₂ glass containing F. 64-03305A
comparison of AlPO₄ and SiO₂ glass structure by. 64-06171A
- Earthenware**. See also *Archeology; Dinnerware*. Dutch. 64-03059A
Hispano-Moorish. 64-03060A
crazing and moisture expansion in. 64-06511A; 64-06512A
faience, of Nevers (France). 64-06027A
of Rouen (France) in XVII and XVIII centuries. 64-06028A
and talc, fast single firing of. 64-02267A
grinding of, surface. 64-06788A
kilns for, electric shuttle. 64-04147A
porous, ceramic dyes for staining. 64-01381A
- Educations**, Institute of Scientific and Industrial Research, Osaka University, Japan. 64-03022A
Wuerzburg Brick and Tile Training Course 1983. 64-03578A
ceramic, 1983-84 council statistics. 64-01604A
in India. 64-07519A
in Japan. 64-05977A
kiln simulation, as training tool. 64-06947A
museum and school, Aviles, Spain. 64-03057A
phase equilibria, in ceramic systems, introduction to. 64-01632B
training technicians, at Hocking Technical College, OH. 64-01622A
- Elasticity**, of LiNbO₃. 64-00827A
of Mg ferrite, polycrystalline. 64-00854A
of Synroc B, US and Australian. 64-05315A
of composites, WC-Co. 64-04273A
constants, of 2 dental porcelain. 64-07095A
of Na and K germanate glasses. 64-06189A
of vitreous system H₂O-F₂O₂. 64-00178A
of ferrites, Mn-Mg. 64-02460A
limits, anisotropic, of rutile phase TiO₂ under shock compression. 64-01516A
detection and reset testing system. 64-02634P
moduli, of Mo phosphate glasses, effect of Mo⁴⁺ ions. 64-00167A
of machinable glass-ceramic, pressure derivatives of. 64-01969A
photo-, in germanate and silicate glasses. 64-01883A
in phosphate glasses. 64-07492A
properties, of modified spinel β -phase of Mg orthosilicate. 64-02996A
stiffness, of quartz plates, derived from frequency-temp. behavior. 64-07508A
- strength properties, of vitreous-crystalline materials of system SiO₂-CaO-Al₂O₃-MgO, effect of temp. 64-00173A
thermo-, of glass/epoxy composite laminates. 64-01971A
- Electrets**, material, method and apparatus for making. 64-05225P
- Electric resistors**. See *Resistors, electrical*.
- Electrical ceramics**. See *Electronics*.
- Electrical components**, actuators, electrostrictive. 64-03922A
arrestor, lightning, with leakage current detection. 64-05220P
capacitors. 64-06601P
ceramic-insulated, high-reliability. 64-02370P
colls, radiation-resistant encapsulation for. 64-06143A
connections, Si-containing rare-earth hexaboride, to substrate, method of making. 64-02384P
rare-earth boride, to substrate, method of making. 64-02383P
fuse, cylindrical. 64-06608P
hobs, glass. 64-06349P
surge arrestor, ceramic-insulated. 64-03910P
switchgear, high-voltage, development of glass-ceramics for arcing-resistant chute. 64-03216A
vacuum-tubes, high-voltage, experience with glass-ceramics for. 64-03249A
- Electrical conductance**. See *Resistance, electrical*.
- Electrical conductivity**. See *Conductivity, electrical*.
- Electrical properties**, of Al₂O₃ and AlP₂O₃ dielectric layers, on InP. 64-05081A
of LaCrO₃, effect of additives. 64-05072A
of MgO and Al₂O₃. 64-07096A
of Na, in GaAs. 64-05082A
of PZT, effect of impurities on. 64-06683A
of RuO₄, film resistors, effect of glass particle size. 64-02320A
of SrTiO₃, La-doped. 64-03921A
of α -Al₂O₃. 64-06553A
of alloys, Ge₂(Sn,Pb)₂-Te. 64-05085A
breakdown phenomena, of anodic Al₂O₃ films during pore filling. 64-02290A
of capacitors, SrTiO₃. 64-05132A
of ceramics, in system Li₂O-ZnO. 64-02302A
in system ZnMn₂-Ni₂Ti₂O₄. 64-02338A
conductance, of molten silicates. 64-00179A
conduction, in Mg ferrite. 64-03954A
impurity band in p-type Ge, effect of constraint on. 64-04535A
mixed, in ZrO₂-CeO₂-Y₂O₃ solid solutions. 64-03803A
conductivity, of Cu selenide doped with Se. 64-05078A
of Fe³⁺ ions in Li borosilicate glasses. 64-03250A
of alkali-metal halide glasses based on Ba metaphosphate. 64-03241A
of fluorozirconate glasses. 64-02342A
of molten glass, method and equipment for determining. 64-03296A
of slags in system CaO-MgO-SiO₂, effect of alkalis. 64-05725A
of solid electrolytes in system La₂-Se₂Fe₂. 64-03816A
of systems Cu chalcogenides. 64-05077A
of crystals, In₂O₃, doped with metallic donor impurity. 64-02301A
In-Sn oxide. 64-02303A
MPb₂(Ge₂O₇)₂ (M = Ba, Cd, Zn) with structure of barite. 64-05717A
Ni-based with compositions ABO₃ and A₂BO₄. 64-01525A
VO₂, dependence on conditions of synthesis. 64-05083A
aluminate-spinel doped with S. 64-05534A
degradation, of Mn-doped BaTiO₃ under high dc field. 64-03760A
domains, in Pb(Mn_{1/3}Nb_{2/3})O₃-PbTiO₃-PbZrO₃, microscopic studies. 64-00831A
of electrolytes, solid ZrO₂-Y₂O₃-Bi₂O₃. 64-00966A
electrostriction, in PLZT. 64-06685A
field distribution, in optical coatings. 64-06191A
of films, AgGaS₂. 64-05100A
CVD SnO₂. 64-06655A
CdS, temp. and bias effect on. 64-05187A
CuInTe₂. 64-05101A
Fe garnet. 64-05292A
GeO₂. 64-05076A
In₂O₃-Sn and SnO₂-Sb-In₂O₃-Sn. 64-05075A
InSb doped with Te, Se, and S. 64-05158A
Si₃-Ge alloy. 64-05137A
a-Si:H prepared by magnetron sputtering. 64-06697A
Ta₂O₅ on Si. 64-06658A; 64-03818A
photo-CVD Si₃N₄. 64-03830A
in systems TiC-Al₂O₃ and TiB₂-Al₂O₃. 64-01259A
of glasses, Bi-V, effect of heat treatment. 64-03231A
Mo phosphate. 64-06192A
V₂O₅-P₂O₅ and V₂O₅-P₂O₅-TeO₂. 64-06547A
W silicate phosphate and aluminosilicate phosphate. 64-03243A
system GeO₂-TeO₂. 64-03240A
technical, in nuclear reactor VVR-S. 64-01916A
of heterostructures, amorphous SiC/crystalline Si. 64-02329A
high voltage sensitivity, piezoelectric ceramics with. 64-05273A
of materials, image reproduction with. 64-04110P
nonlinearity, current-voltage, of Y-Fe garnet films. 64-03965A
- of pastes, cement. 64-03072A
of perovskite-type compounds. 64-05084A
photo-, of CdS films formed from CdS + Cr₂O₃. 64-05128A
positive charge transients, in SiO₂, high field current induced. 64-00668A
pyro-, of e-LiO, crystals. 64-02316A
of quartz. 64-05278A
relaxation, in K borosilicate glasses, effect of composition. 64-03229A
resistance, of Cr oxide refractories. 64-04946A
of Ru-based film resistors, effect of microcracks on temp. dependence of. 64-00671A
of Te₂-Co₂O₃ crystals, effect of impurities. 64-05969A
resistivity, of AgInSe₂ films. 64-00659A
of SiC ceramics containing BeO, effect of impurity and carrier concentration. 64-03767A
of hexagonal BN. 64-05355A
of monocrySTALLINE and polycrystalline TiB₂. 64-02765A
of resistors, film, on dielectric layers. 64-03819A
response, of semiconducting ferrite, modeling of. 64-06716A
of solid solutions, SrCoO₃. 64-05186A
ferroelectric Pb_{1-x}(NaCo)_xBi₂Ti₂O₁₅, grain orientation effects on. 64-02430A
thermo-, of B-C phase B₁₁-B₁₂. 64-05586A
of alloys of system PbTe-Ni₂Te. 64-05945A
of solid solutions Sb_{1-x}[Te(Lu)]_x. 64-05189A
volt-ampere, of melts of oxide V bronzes of Ag. 64-01486A
- Electrolysis**, costs, controlling by better management. 64-04577A
power failure, detection system for glassware forming machine. 64-00412P
utilities, optical fiber systems explored for. 64-04585A
- Electroceramics**. See *Electronics*.
- Electrochemistry**. See also *Corrosion*. Electrodes. See also *Heating elements*. Ag-Ag oxide, effect of Mn(II) chloride and Mn(IV) oxide on behavior. 64-00469A
 β -Al₂O₃, noise in. 64-06555A
C, in arc furnaces, disintegration of. 64-06541A
process for making in situ. 64-06662P
Cu matrix, with C fibers. 64-01301P
Ni oxide hydride, preparation of. 64-00798P
Pb(H₂SO₄)PbO₂, thermal decomposition mechanism. 64-03839A
Sn, Ti, and Ta oxide, high-durability. 64-02361P
TiO₂, for photoelectrochemical conversion, characteristics. 64-06545A
polycrystalline, photoeffects in. 64-03810A
arc circuit, for glassmelting furnace. 64-06966P
arrangement, for oil or gas burner. 64-01100P
assembly, for melting glass. 64-01101P
cermet metal oxide, for molten salt electrolysis. 64-00132P
composite, bubble pressure barrier and. 64-05204P
for molten salt electrolysis. 64-02395P
containing Ti(III) oxide. 64-03869P
corrosion-resistant, for electrolytic processes. 64-02356P
crystal, piezoelectric, method of making. 64-00796P
in electric furnaces, steelmaking, TiO₂ and SiC coating to prevent oxidation of. 64-02859P
fuel cell, chemisorption of hydrocarbons in presence of water. 64-03754A
for furnaces, glass. 64-05478P
glass, Na ion selective, determination of chemical durability of glass containers by. 64-01826A
flow systems. 64-06617P
glass-bonded, O sensor element. 64-06287P
graphite, method of making. 64-04393P
lead-through, seal for, withstands high pressure. 64-03779A
material, Li-metal oxides. 64-03870P
based on oxide V bronzes. 64-05087A
metal, Ni or Cu electrodes, titanate capacitor with. 64-02421P
n-TiO₂, sintered, hole diffusion length in. 64-04542A
needle coke, from hard coal tar pitch, mfg. of. 64-04304A
nondiffusible, metal oxide varistor with. 64-06633P
nonmetal, rechargeable Li-metal oxide batteries with. 64-00805P
photo-, stacked film using Fe oxide. 64-06580A
photoelectrochemical, highly conductive. 64-06625P
positive, PbO₂, for Pb acid storage cell, method of making. 64-05233P
processes, in system PbSO₄/PbO₂. 64-05088A
sintered, with porous region. 64-03909P
of solar cell, a-SiH₄. 64-00660A
technology. 64-03824A
- Electroluminescence**. See *Luminescence*.
- Electroluminescent materials**. See *Luminescent materials*.
- Electrolysis**, molten salt, composite electrode for. 64-02395P
solar, of water, production of H₂ fuel by. 64-03827A
treatment, for drawing ions out of a ceramic. 64-00250P
- Electrolytes**, Al, production with reaction-sintered cermet. 64-07223P
MnO₂, method of making. 64-00780P
Na β -Al₂O₃, chemical polishing behavior. 64-00636A
Na β -Al₂O₃, surface characteristics. 64-00710A
ZrO₂, for O sensor. 64-05565A
anions, incorporation in Al₂O₃ films. 64-00700A
 β -Al₂O₃, for Na-S cell design. 64-06570A
 β -Al₂O₃, Na deposit on. 64-07173A
battery applications for. 64-07070A
and liquid Na, energy-conversion devices with. 64-07224P

- cell, Li-Cu oxide or Li-Cd oxide, organic. 64-02378P
glass, porous, electrochromic device with. 64-02359P
poly-, flocculation of clay slurries with. 64-03721A
solid, CaO-stabilized ZrO_2 , corrosion by molten silicate
slags. 64-04254A
RbCu₂Cl₃·1.1₇, transfer of Cu(II) ions in. 64-05870A
 ZrO_2 -8.1 mol% MgO, effect of phase composition on O
activity measurements in molten steel. 64-02759A
 ZrO_2 -Y₂O₃-Bi₂O₃, preparation and electrical properties.
64-00696A
and solid-state batteries. 64-00706A
based on Li orthovanadate. 64-05177A
based on Na β -Al₂O₃, formation of microstructures.
64-01213A
condensers with oxide dielectric film, method for mak-
ing. 64-02385P
metal oxide. 64-00810P
sulfide or halide, Li cell with. 64-00763P
in system La_{1-x}Se_xFe_{1-x}, preparation and properties.
64-03816A
in systems Li₂SiO₃-Li₂(Ge,Ti)O₃. 64-05178A
- Electromagnets.** See *Magnets*.
Electromechanical properties. See *Mechanical properties*.
Electron tubes. See *Tubes*.
Electronic equipment. See also *Electronics*.
SAW device, Si-SiO₂-AlN, with minimal delay time temp.
coeff. 64-06651P
Si-on-sapphire device, method for making. 64-03905P
assembly, conductor pattern bonded to substrate. 64-03867P
bus bar, laminated, containing ceramic capacitors.
64-06629P
capacitor. 64-03852P; 64-03856P; 64-03873P
ceramic, method of making. 64-00775P
dielectric, method of making. 64-00784P
fused ceramic. 64-06619P
hermetically sealed glass-encapsulated, termination of.
64-00813P
high-frequency. 64-05222P
monolithic. 64-05235P
multilayer. 64-00785P; 64-00786P
multilayer doped. 64-02396P
multilayer power. 64-06652P
trimmable, film-type. 64-00788P
trimmer. 64-03858P
carrier, microwave chip with ceramic tubes. 64-02393P
chip carriers, leadless and PC boards, analysis of stresses
caused by expansion mismatch. 64-03780A
chip package, high-pin-out LSI. 64-03872P
circuit board, multilayered, process for making. 64-02404P
diode, light-emitting, method of making. 64-03916P
disk, optical information, of Te, Se, and Sb. 64-00789P
electrical machine, porcelain-clad, with vibration-on-
transportation suppression. 64-00797P
electrochromic device, with porous glass electrolyte.
64-02359P
electrode, electrolytic Sn, Ti, and Ta oxide, high-durability.
64-02361P
sintered, with porous region. 64-03909P
electroluminescent device, multilayered, method for form-
ing. 64-02382P
electroluminescent structure, on glass substrate. 64-02360P
element, optical, chalcogenide, fluoride, and oxide.
64-03899P
filter component, leadless monolithic electrically conduct-
ing. 64-06630P
flip-chip devices, thermal stress-free package for. 64-03841A
fuse, cylindrical. 64-06608P
high-current ZnO. 64-06622P
glow plug, ceramic. 64-06599P
head, thermal, with dielectric substrate and Ta₂N heater.
64-00815P
head assembly, magnetic Mn-Zn/Ni-Zn ferrite. 64-05308P
heterostructures, Al_xO₃-As-GaAs, photoluminescence in.
64-05150A
humidity-sensitive element, method of making. 64-05217P
image conversion, X-ray, device made from thermolumines-
cent rare-earth oxyhalide phosphors. 64-02422P
injection screens, radiographic. 64-02407P
laser, AlGaAs/GaAs, Zn-diffused narrow stripe. 64-06678P
W-shaped diffused stripe GaAs/AlGaAs. 64-06677P
light-emitting device, mixed crystal, for optical switching.
64-00762P
lightning arrester, with leakage current detection. 64-05220P
materials, and mfg. equipment. 64-06557A
micro-, thermal contact resistance, at physical junctions.
64-02341A
opto-, thermal phenomena. 64-03840A
packages, leadless, method of making. 64-06600P
photoconductive member, with amorphous Si-C surface lay-
er. 64-02399P
photodetecting device, BaP_{1-x}Bi_xO₃ film with Josephson
junctions. 64-06656P
photoreceptor, containing siloxane on metal oxide layer.
64-00787P
glow discharge, dielectric-controlled. 64-02368P
printing head, glazed thermal. 64-00814P; 64-00816P
glazed thermal, method for forming. 64-02381P
thermal, Cr-Si-SiO₂ resistor. 64-06673P
recording medium, magnetic ferrite. 64-05309P
refractory-resistive Al₂O₃ element, arc-limiting, method of
making. 64-02389P; 64-02390P
scintillators, Y₂O₃-Cd₂O₃, method for sintering. 64-06640P
- Y₂O₃-Gd₂O₃, preparation by sintering and pressing.
64-06659P
Y₂O₃-Gd₂O₃, with transparency additive, preparation.
64-00799P; 64-00800P
semiconducting devices, III-V-based. 64-03875P
semiconducting structure, field-effect, method of making.
64-06634P
sensor coil, for gun muzzle velocimeter. 64-06603P
stylus arm, Al-Al₂O₃. 64-05203P
substrate, with metal plate. 64-03857P
method of making. 64-03889P
surface-mount components. 64-05155A
surge arrester, ceramic-insulated, with gas-filled housing.
64-03910P
thick-film, adhesion testing. 64-02344A
transducer, ultrasonic, university/industry cooperation on.
64-05284A
underwater electroacoustic, fabricating. 64-05097A
voice coil assembly, ceramic. 64-00842P
voltage-limiting device, ZnO-based, method of making.
64-00772P
wave devices, optical guided, GaAs-SiO₂. 64-06653P
- Electronics.** See also *Electronic equipment*.
B(Mn_{1/3}Ta_{2/3})O₃, with ultralow loss at microwave fre-
quency. 64-02288A
BaO-Al₂O₃-TiO₂, identification in system BaO-Al₂O₃-TiO₂.
64-03785A
BaTiO₃ and PZT, low-temp. firing of. 64-06565A
CRT, with SnO₂ coating for suppressing arcing. 64-06592P
CRT article, method of making. 64-00346P
CaO-ZrO₂, sintered, microstructure and phase transfor-
mation. 64-06568A
GaAs, technological dark horse. 64-02312A
Gd-Ga garnet. 64-02311A
IC repeater, in submarine cable, glazed substrate for.
64-00665A
Japan Annual Reviews in Electronics, Computer, and
Telecommunications. 64-04597B
NH₄-tantalum-tungstate, proton-conducting. 64-02286A
Nasicon-type ceramics, well-densified. 64-00724A
PLZT, powder preparation and properties. 64-05259A
Si-BP-Si structure, epitaxial Si layer on. 64-02309A
acoustooptic modulator, PbMoO₄. 64-05271A
amplifier, fiber optic. 64-06352P
boles, encapsulated CdTe, for multiblade wafering.
64-02362P
capacitor, decoupling, method of making. 64-00739P
laminated. 64-00761P
carrier, chip. 64-02352P
ceramic body, low-temp. sintered. 64-02317A
with metallized layer. 64-05207P
ceramics. 64-05089A
functional, material design in. 64-02318A
review. 64-02436A
in thick-film pastes. 64-02291A
circuit board, method of making. 64-00733P
circuits, with aperture through substrate, method of mak-
ing. 64-06642P
hybrid integrated, developments in France. 64-05134A
temp. dependence of failure, modeling. 64-02321A
coatings, uv optical, materials for. 64-05127A
components, Au in. 64-00666A
with Ca silicate-containing polyarylene sulfide encapsu-
lation. 64-02363P
ceramic-insulated high-reliability. 64-02370P
passive, sintering process for. 64-06696A
composite function element, capacitor/varistor, method of
making. 64-00735P
compositions, Ta(V) halide oxide-metal oxide, method of
making. 64-02420P
computer-assisted design, in memory module production.
64-05058A
conductor compositions, thick-film. 64-06675P
contact material, Ag-Bi oxide. 64-06577A
dielectric ceramic, Pb and Sr titanate-based. 64-02358P
dopant carriers, porous SiC conductor. 64-06658P
electret material, method and apparatus for making.
64-05225P
electrochromism, of atmospheric evaporated WO₃ films.
64-02304A
electroluminescent devices, for information display.
64-02305A
element, magnetoresistive. 64-00871P
films, packaging. 64-05061A
gettering method, for Hg-Cd telluride. 64-05213P
glass-ceramic structure, with Cu-based conductors, method
for making. 64-05229P
glow discharge dielectric-controlled, photoreceptor devices
with. 64-02368P
glow plug, for diesel engine, with PTC element. 64-00752P
with surface-ignition element. 64-00753P
head, playback, semiconductor magnetic. 64-06704P
head-cleaning diskette, Fe₂O₃-coated. 64-06729P
- heterostructure, CMT-CdTe, SIMS analysis of impurities
at interfaces. 64-00705A
GaAs, LPE growth. 64-05221P
hybrid, in UK. 64-05111A
package, thick-film hermeticity monitors. 64-05112A
technology in Japan. 64-05170A
thick-film, outlook for 1985-90. 64-05141A
image-forming member, electrophotographic, with Al₂O₃
layer on substrate. 64-00747P
industry, glassy protective coatings for. 64-05098A
inks, in oxide, Ba-Ca borosilicate glass frit resistor.
64-00760P
leads, cast, for surface attachment. 64-03752A
low-loss ceramics, from wollastonite. 64-06564A
magnetic head, composition for. 64-02354P
polycrystalline ferrite. 64-06733P
thin-film, method of making. 64-02491P
magnetic heads, system for monitoring dynamic parameters.
64-02654P
magnetooptical devices, based on garnet films. 64-05302A
materials, BeO. 64-03750A
requirements, for thick-film power hybrids on BeO.
64-05193A
memory, disc. 64-02298A
micro-, for quality improvement of tiles. 64-00920A
microcircuits, reliability and quality assurance. 64-03821A
packaging, Si-on-Si. 64-02337A
multilayer ceramics for. 64-06575A
residual stresses and cracking in metal/ceramic systems
for. 64-05172A
trends in. 64-00723A
packaging elements, process for controlling braze joining
to. 64-06660P
particles for, fine. 64-02345A
phase width, of ZnO, determining. 64-00647A
photodiodes, avalanche, chalcogenide InP-based. 64-02348P
quantum well structures, Al_xO₃-As-GaAs, photolumines-
cence of. 64-05150A
quartz, from fused Volgogradsk, USSR sands. 64-00702A
recording media, magnetic, ferromagnetic-coated, method
for making. 64-02363P
recording medium, Co-Ni-Zn-P alloys. 64-06734P
TiO and alloy powders. 64-06732P
electrophotographic, with Se-Te first layer and Se-As-
containing second layer. 64-02397P
flexible magnetic. 64-06726P
magnetic. 64-00869P
magnetic Al titanate-coated. 64-06728P
magnetic Sn oxide. 64-06730P
magnetic TiO and C black powders. 64-06731P
magnetic multiple-domain particle. 64-02488P
magnetic, method of making. 64-02489P
optical, metal sulfide or oxide-based. 64-03900P
reflow technique, P-glass. 64-03903P
resistor, CrSi-CrSiN. 64-06664P
scintillator, rare-earth. 64-06663P
sealing, glass-to-metal. 64-06620P
semiconductors. 64-02336A
sense and locate device, capacitive controlled. 64-02355P
shock wave-explosive energy converter, of PZT ferroelec-
trics. 64-05281A
stainless steel board, thick film on. 64-05191A
substrate, low-temp. fired multilayer, properties of.
64-05165A
monolithic multicomponent. 64-03929A
surface mount, offers choice of design. 64-05182A
solder materials to attach. 64-00645A
surface mount technology. 64-05174A
problems of. 64-05198A
systems, Sb₂O₃-Se₂O₃/K(Cs)/F-H₂O, crystallization in.
64-00644A
TiAsSe₂-AsSe-TiAsSe₂. 64-05185A
tapes, tape-casting, strength of. 64-06581A
termination, Cu/base metal, for ceramic capacitors.
64-06606P
thermal trends, in component-level packaging. 64-02342A
thermionic converter, with conductive oxide-covered anode
collector. 64-00720A
thermistors, high-temp. Bi- or B-based with SiC. 64-00756P
transmission lines, thick-film, materials and processes in-
fluencing. 64-05126A
trap centers, in BaTiO₃, activation of. 64-00628A
vacuum condenser structure, of ZrO₂-CaO system in
ZrO₂-rich region. 64-05199A
via holes, with sloped walls, ion etch process for forming.
64-02403P
wafers, GaAs-GaAlAs, stresses and photoelastic effects in.
64-06582A
wiring boards. 64-00731P
- Excitations.**
excitations, in β -Ga₂O₃ crystals. 64-03822A
photo-, in Bi₂SiO₅, transport properties. 64-06587A
structure, of chabazite. 64-05158A
- Electrooptic properties.**
of CuAlO₂. 64-03776A
of films, anodic Nb₂O₅. 64-05261A
luminescence, of ZnS:Mn phosphors. 64-02326A
- Electrooptics.**
display devices, electroluminescent. 64-02305A
sensor, for measuring angular orientation. 64-04116P
- Electrophoretic.**
casting, slip. 64-00959P
enameling process. 64-00125P

Electrophysical properties. See *Physical properties*.

Electrostatic processes,

control of particle behavior. 64-04450A

Elements, heating. See *Heating elements*.

Elements

light, XRF spectrometer for analysis of. 64-04070A

in slurries, on-line analysis of. 64-06882A

principal, in Nb and Ta carbonitrides. 64-01201A

rare-earth, aluminum-borate glass glazed with. 64-00143A

trace, analysis, interlab variability. 64-05422A

Enthalpies. See *Beneficiation*.

Enthalpies

Cr, environmental agencies target. 64-07523A

NO_x, burner tip for suppressing. 64-05481P

combustion method for reducing. 64-06970P

incinerator and method of reducing. 64-04039P

acoustic, of Hertzian and unloading cracks in glass, characteristics. 64-03201A

apparatus for detecting. 64-05445P

application in glass field. 64-02576A

during indentation fracture of Na₂O-CaO glass. 64-03406A

reveal combustion conditions. 64-01076A

bands, hydroxyl vibration-rotation, analysis of. 64-04490A

cathodoluminescence, from LiNbO₃ crystals. 64-06680A

electron, shaped, from LaB₆, with intensity distribution. 64-00807P

fracture, from PZT. 64-06687A

gaseous, from cement kiln line, effect of operating conditions. 64-06099A

hot electron, from Si into SiO₂, theory of. 64-01476A

ir, of unactivated glasses excited with He-Ne lasers. 64-03280A

particulate, from amber glass furnaces, control by batch sulfate reduction. 64-04771A

from melting of Pb and borosilicate glasses, electrostatic precipitation of. 64-03434A

photo-, in solid solution (TiFe₂), etc. 64-00862A

properties, of Pb silicate glasses, change under effect of Ar ions. 64-03198A

spectral, from glow peaks in X-irradiated Al₂O₃. 64-04344A

thermionic, for studying point defects in NiO crystals. 64-01583A

Emulsivity,

of materials, heated, method and apparatus for measuring. 64-01067P

Emission,

of tile, high-temp insulating, improving. 64-07117A

Emitters,

electron beam, single-crystal LaB₆. 64-02909P

Enamelled ware, panels. See *Building materials*.

Enamelling apparatus. See *Electrostatic processes; Furnaces; Spraying*.

Enamelling industry,

in Australia, advances in porcelain processing. 64-06137A

in US, environmental protection and cost of energy and raw materials. 64-04689A

in USA, innovations in. 64-00095A

cleaners, low-temp., properties. 64-00110A

colorants for. 64-00078A

combustion, new method on sheet. 64-00079A

different processes, environmental indices of. 64-04676A

double- and multicoat applications, in one firing pass. 64-01784A

firing, in-process control by colorimetry. 64-00081A

furnaces, U-type, effect of geometry on energy requirements. 64-01786A

energy consumption, effect of design on. 64-00092A

with fiber insulation to save fuel. 64-04159A

light construction. 64-05467A

low energy-consuming, with underfloor conveyor. 64-00102A

low thermal mass, development of. 64-04675A

low thermal mass, for integrated circuits. 64-00096A

ground cost, adhesion of, theoretical interpretation. 64-03154A

hot-rolled steel sheet, development of. 64-04674A

pickling, problem with cold-rolled, Al-killed decarburized steel. 64-00105A

spray, microprocessor-controlled. 64-00100A

porcelain, energy conservation. 64-00087A

equipment advances. 64-00088A

fluidized bed combustion applications. 64-00089A

health considerations. 64-00091A

overseas advances. 64-00103A

planning a powder plant. 64-00106A

powder developments. 64-00109A; 64-00113A

sheet, cold-rolled from continuous-cast steel, for conventional and direction processing. 64-01781A

smelting furnace with F sorption stage, dust collection on. 64-03150A

steel production processes, description of. 64-04672A

Enamelling metals,

coating, on metallic substrate, method. 64-01799P

Enamelling,

bottom face of Al culinary vessel. 64-04696P

castings. 64-03151A

ceramics and quartz crucibles, with material electrically transformed into vapor phase. 64-04697P

electrophoretic, method. 64-00125P

hot-rolled sheet steel for, development. 64-04674A

method of. 64-06154P

powder, development in equipment technology. 64-00083A

process, firing, control by measurement of color tones. 64-01762A

one-bake two- and multilayer. 64-01793P

sheet, cold-rolled from continuous-cast steel. 64-01781A

spray, plasma, metal oxides for. 64-01796P

steels, continuous-cast, reactions by. 64-04688A

substrates, method for. 64-00124P

systems, stress analysis in. 64-00115A

tableware, sheet steel, two-color automatic applicator for. 64-01131A

vitreous, steel production processes affecting. 64-04672A

Enamels. See also *Coatings*.

Al₂O₃, sputtered, on Cu substrate, improved adhesion between. 64-04678A

Ni-SiC mixed, microstructure. 64-00101A

Sn-P oxide, on Cu-Sn alloys. 64-00134P

Ti, F-free alkali-resistant, for washing machine tanks. 64-00090A

increasing corrosion resistance with additives. 64-00094A

Ti-O, on Ta, formation and structure. 64-04677A

WC powder, for hardfacing ferrous material. 64-00122P

for chemical plants. 64-00093A

chemical resistivity, as function of 3d element oxide admixtures. 64-03149A

chemical-resistant, acid attack of. 64-01780A

color differences, determination of. 64-01783A

combustion, new method for sheet. 64-00079A

composition, CrO₂-based. 64-00118P

corrosion, evaluation of, by measurement of surface roughness. 64-03152A

deformation-resistant, method of making. 64-00126P

encapsulation, radiation-resistant, for electromagnetic field coils. 64-06143A

flame-spraying, SiO₂-CaO-based low expansive. 64-01803P

frit, and one-bake two- and multilayer process. 64-01793P

for jewelry. 64-00121P

low-melting Pb-free opaque. 64-00120P

quality control during production. 64-04821A

frits, electric melting for. 64-03161A

low-melting. 64-03399P

hot water tank, maturation. 64-00098A

layers, on Ti metal, method of making. 64-00131P

luminosity, effect of particle size distribution of frit. 64-00080A

matte surfaces, problems and solutions. 64-00097A

for metal substrates, in printed circuits. 64-06140A

plasma-sprayed, a review. 64-03157A

porcelain, advances in processing (in Australia). 64-06137A

architectural applications. 64-00075A

frit for aluminized steel. 64-00170A

powder, design and construction of cleaning system for. 64-00082A

powder, progress with. 64-00109A; 64-00113A

powdered, from homogeneous and heterogeneous materials. 64-01787A

for protecting steel, from S corrosion in exhaust gases. 64-03155A

slips, clay-poor, properties of. 64-01788A

rheology. 64-00112A

rheology, effect of clays and electrolyte on. 64-00084A

for special steels, properties of. 64-03159A

stability, chemical, emission-spectral analysis. 64-00086A

substrates, production. 64-00133P

suspensions, rheological properties. 64-03160A

thermal barrier. 64-01790A

Y₂O₃-stabilized ZrO₂. 64-01804P

process for applying to metals. 64-01802P

transparent, for protecting glass against uv rays. 64-03377A

tungsten, on corundum, reciprocal effect of Y₂O₃, W, and Al₂O₃, on bond. 64-00111A

Encapsulation,

Ca silicate-containing polyarylene sulfide, electronic components with. 64-02363P

Energy conservation,

at Castaic Brick Corp. 64-00444A

with artificial dryers, in Hungarian brick industry. 64-04891A

in brick and tile industry, possibilities for. 64-03574A

by private generation of electricity and waste heat recovery. 64-03561A

in brick industry, Hungarian. 64-04906A

drying. 64-04892A

in buildings, with double glazing glass. 64-04839A

without capital investment. 64-03006A

in cement industry. 64-04655A; 64-06062A

in UK. 64-01703A

with precalcination. 64-03097A

in ceramic industry. 64-01084A; 64-01602A

S. African. 64-06952A

firing. 64-06938A

reduced fuel consumption with O₂. 64-02673A

with computer-controlled furnaces, for glassmelting. 64-01957A

by controlling electrical costs. 64-04577A

in curing concrete, with CaCl₂ addition. 64-04636A

in drying, bricks. 64-04905A

chamber-type, for bricks. 64-00437A

efficiently. 64-06928A

and firing. 64-04150A

in enameling industry, effect of furnace design. 64-00092A

furnaces retrofitted with fiber insulation. 64-04159A

porcelain. 64-00087A

through fast firing, in UK pottery industry. 64-05046A

with fibers, refractory. 64-06441A

in furnace operation, glassmelting. 64-04789A

with glass, heat-reflective. 64-03448A

in glass industry. 64-05303A

through more efficient light sources. 64-03436A

and grinding media, in cement industry. 64-01719A

heat loss, and recovery techniques. 64-01619A

during heat treatment, in China, using refractory fibers. 64-03602A

in heat-treatment shops, through cascading. 64-04580A

with kiln furniture, recrystallized SiC. 64-03617A

in kilns, new tunnel, for refractories. 64-02158A

periodic, with fibers. 64-06939A

review. 64-06941A

tunnel. 64-02662A; 64-05464A

tunnel, exhaust gas utilization. 64-02663A

in lime industry, Polish. 64-06080A

in mfg. of Portland cements, in roller mills. 64-01712A

with new forehearth. 64-06951A

pyroelectric, hysteresis loss and temp. sensitivity of ferroelectric. 64-00701A

recycling, furnace flue gases. 64-02672A

with refractories, electrocast. 64-02109A

in refractories industry. 64-02202A

with reheating furnace, by adding preheating device. 64-04149A

with saggers, cordierite. 64-02142A

in structural clay products industry, with better firing techniques. 64-06419A

thermal, with glass architectural structures. 64-04792A

with thermal insulation, in building materials industry. 64-05983A

refractory, in industrial furnaces. 64-03618A

via recuperation, calculation with computer-generated heat curves. 64-04144A

Energy. See also *Enthalpy; Entropy; Kinetics*.

Gibbs free, of formation of Mg and Ca germanate at high temps. 64-01406A

activation, of glass crystallization, methods for determining from thermal analysis—comment. 64-03297A

of glass crystallization, methods for determining from thermal analysis—reply. 64-03298A

audit, in Indian glass industry. 64-00290A

bands, ab initio, for CdO. 64-03746A

cascaides, in heat-treatment shops. 64-04580A

cogeneration, in ceramic industry. 64-01079A

comparison, of technologies for thermal insulation. 64-04788A

consumption, in S. African brick industry. 64-06429A

in brick and tile industry in 1982. 64-03556A

in mineral wool production. 64-01944A

in tunnel kilns, effect of design changes. 64-03560A

conversion, fuel cells for. 64-01405A

using liquid Na and β-Al₂O₃ electrolyte, devices for. 64-07224P

core, ferromagnetic, intensity study. 64-03956A

cost of, in brick industry. 64-00432A

density, of β-cell. 64-05594A

distribution in solids, statistical character. 64-05903A

formation, of germanates in systems CoO-GeO₂ and CuO-GeO₂. 64-04495A

Enthalpy,

formation, of Al-Si carbide. 64-01272A
of compounds of type $MR_2(EO)_3$, estimating. 64-05703A
of silicides in system Sc-Si. 64-05918A

Entropy. See also *Thermodynamics.*

and diffusion rates, in oxides. 64-07308A

Epitaxy. See *Crystallization.***Equations,**

Adam-Gibbs, in analysis of structural relaxation—
correction. 64-00141A
Fulcher's, application to sintering of glass. 64-01807A
algebraic, for differentiation of multicomponent systems.
64-05908A
algorithm, for cement raw material proportioning.
64-06059A
for calculating rate of capillary rise of liquids, in refrac-
tory bricks. 64-03663A
heat-conduction, solution using nodal network. 64-04980A
spinodal, eigensolution of. 64-07458A
transfer, determination of temp. profiles in molten silicates
by inversion of. 64-00283A

Equilibrium studies. See *Phase equilibria.***Equilibrium,**

Cr-Mn redox, in silicate and borate glasses. 64-03205A
 NiO/Ni_2O_3 , in Pb borate glasses containing Ni, spec-
troscopic studies. 64-03359A
between Sn and Na_2O -CaO glass, effect of atm and temp.
on. 64-06300A
ferrous-ferric, in Na aluminate glasses, kinetics and ther-
modynamics. 64-04733A
ion-exchange, in system with 3 changeable ions on alkali
silicate glasses. 64-03279A
of transition metals and Na on illite. 64-02729A
liquid-solid, in systems (Br, ClF, BF₃). 64-05748A
phase, of ferrite, effect of Cl and sulfate ions. 64-06710A
introduction to. 64-01632B
problem for crystallization, of basaltic melts, algorithm of.
64-05896A
redox, in glasses, importance of. 64-04728A
solid-state, in system MoO_3 - TeO_2 - Al_2O_3 . 64-01463A
state, of metal/oxide electrolyte system. 64-01400A
thermodynamic, in chemical precipitation of ZrC.
64-05664A

Equipment. See *Specific types.***Erbium,**

Cr- Er_2O_3 , transformation into B- Er_2O_3 , by reaction with
CaO. 64-01574A

Erosion,

of bricks, MgO-C, effect of gas blowing. 64-04943A
basic refractory, effect of gas bubbling on. 64-02103A
damage, in glass and Al_2O_3 . 64-01844A
-resistant properties, of carbonaceous monolithic refracto-
ries. 64-03619A
test, apparatus for. 64-04117P

Etching,

CdSe, in alcohol solution of Br. 64-05095A
 SiO_2 , in CF_4 -O₂ and NH_3 -Ar plasmas. 64-02287A
acidic, vermiculite activated by porous structure. 64-05950A
chemical, application of techniques for modeling of leached
surfaces. 64-04704A
of glasses, effect on strength. 64-01833A
of lithographic Al substrate. 64-07409P
depth, effect on glass strength. 64-00170A
fibers, optical, procedure for. 64-00359P
films, SiO_2 . 64-05704A
glasses, phosphate. 64-00183A
ion, process for forming via holes having sloped walls.
64-02403P
laser, of vias in glass, with noncontact masking. 64-00374P
light-induced, of InP by aqueous solution of H_2PO_3 .
64-06631P
pattern, of Ba-Na niobate crystals. 64-05096A
phenomena, in Si_3N_4 films. 64-05118A
selective, of SiO_2 , with SF₆/nitriding gas. 64-00783P

Eucryptite,

-mullite refractories, synthesis and properties. 64-00522A

Europium,

Eu-, Gd-O and Eu-, Sm-O, magnetic semiconductor, charge-
carrier scattering and transport phenomena.
64-03756A
phosphor, fluorescent lamp with. 64-07412P
polyphosphates, vitreous, interaction of active ions in.
64-05728A
sesquioxide, nonstoichiometry and electrical conductivity.
64-07354A

Eutectics,

MgF₂-CaF₂, densification of. 64-04485A
PbSn or PbCd, films, laser production of. 64-03890P
films, production using arc lamp for heat. 64-03893P
films, production using line heater. 64-03891P
films, production using quartz lamp for heat. 64-03892P
compositions, of Na borate-silicate system, relation between
 T_g and liquidus temp. 64-03347A
crystallized, of system Si-Zr-Si, temp. dependence of phase
lattice. 64-05853A
in systems, based on oxides, carbides, borides, and metals,
crystallization trends. 64-07314A

Evaporation,

of In orthophosphate, mass-spectrometric study.
64-05705A
of MgO, doped with rare-earth oxides, spectrometric study.
64-00482A

of U_3O_8 and solid solutions based on U, Zr, and Y oxides,
mass-spectrometric study. 64-05339A
of blooming layers, onto optical substrates. 64-01986P
reactive, preparation of amorphous Si:H by. 64-02934A
stability of Mg spinel refractories to. 64-03679A

Expansion. See also *Dilatometers.*

Selmeier, regression analysis of. 64-05443A
alkali- SiO_2 , effect of reactive aggregate and alkali com-
pounds on. 64-07342A
in mortars with opaline aggregate, effect of pozzolanic
additives. 64-06079A
hysteresis, on thermal cycling of Zerodur. 64-00292A
moisture, in earthenware. 64-06511A; 64-06512A
of fired clay products. 64-06523A
of quarry tile, over 20-yr period. 64-00452A
reversibility, of, in structural clay products. 64-06431A
of mortars, MgO- and SiO_2 fume-modified. 64-04639A
negative, glass-ceramics with, for decorative glasses.
64-04768P
of perlite and vermiculite, apparatus for. 64-05507P
thermal, in CuO-doped silicophosphate glass. 64-06270A
of Fe-containing glasses. 64-06269A
of Na borate glasses in T_g range. 64-03381A
of Ru-based film resistors on Al_2O_3 . 64-00718A
of Sialon. 64-07185A
of boehmite. 64-04227A
of building materials. 64-05040A
data. 64-01587A; 64-07510A
data for binary oxides with SiO_2 , structure. 64-04572A
data for sesquioxides with corundum structure.
64-02952A
of glassy melts, relation between coeffs. and preparations
from these glasses. 64-03346A
mismatches, effect of interlayers in ceramic-metal joints
with. 64-01785A
uniformity of materials for large telescope mirrors.
64-03490A

Extraction,

basic, of SiO_2 , production of MgO from Mg silicates by.
64-01168P
solvent, of vanadate and molybdate anions, process for.
64-01162P
thermal, of organic binders from injection-molded bodies.
64-00926A

Extruders,

temp. controller for. 64-06811P
vacuum, automatic clay level control in. 64-00887A

Extrusion,

body parameters affecting. 64-00890A
dies, for honeycomb. 64-00947P; 64-00961P
double, of elevated-hole bricks. 64-00435A
of gypsum-fiber products, increasing efficiency of.
64-01727A
hot process. 64-00906A
of particulate materials. 64-00960P
of porcelain bodies, electrical. 64-00903A
pressure, for ceramic materials, calculation of. 64-02505A;
64-02506A
velocity, electronic controls for. 64-06767A

Faraday effect,

in garnet, paramagnetic $TbGaO_4$. 64-03923A
rotation, in Pr-Ga substituted YIG. 64-02471A
in semiconductors, ferromagnetic. 64-03960A

Fatigue,

of fibers, optical, effect of temp. on. 64-03432A
of glass, crack growth or crack tip sharpening. 64-01847A
static, of glass fibers in different atms. 64-03412A
thermal, under stress, effect on refractory life. 64-02981A

Faujasite,

zeolite-type, chemical nature and texture. 64-05522A

Feeding apparatus,

batch, for fluidized particulates. 64-06807P
for charging furnaces. 64-06828P
charging system, for furnaces. 64-04035P
for clay blanks, in brick molding. 64-00941P
for coal, Pfister Proportioning Rotor Scale DRW.
64-04158A

Feeding apparatus,

for furnaces, shaft. 64-05385P
shaft, for calcining limestone. 64-01774P
glass, gob. 64-00366P
shear mechanism for. 64-00996P
for glass sheets, to furnace. 64-02017P
for glass tubes, to forming machine. 64-06800P
glass-fiber-forming, method of making. 64-06385P
lehr. 64-02551P
for raw material, to arc-melting furnace. 64-00974P
for supplying powder to molds, for continuous casting.
64-04018P

Feldspar,

European, supply and quality enhancement of. 64-02721A
K, combination scattering spectra. 64-01121A
 Na_2O CaO, CaO in, spectrographic determination.
64-04224A
annual ceramic mineral resources review. 64-07006A
liquid, viscosity of. 64-02730A; 64-02731A
plagioclase, cation diffusion in. 64-02696A
raw material, applications for. 64-04215A
rock, as flux for porcelain bodies. 64-04207A

Ferric compounds. See *Iron.***Ferric oxide.** See *Iron, Fe₂O₃.***Ferrimagnetic materials,**

Fe oxide, acicular, mfg. of. 64-01155P

Fe oxides, acicular, preparation of. 64-03975P

Fe-Y ferrogarnets, interactions and relaxation of magnons
in 20-sublattice. 64-06711A

Mn₂Mo₂O₈ and Sm₂In, unusual ferrimagnetism in.
64-02483A

fibers, spinel, method of making. 64-02494P

pastes, thick-film, using Li ferrite. 64-06720A

spinel, production of. 64-00874P

Ferrites,

Ba, effect of aging coprecipitate on synthesis. 64-06707A
isotropic, X-ray and Moessbauer study. 64-05307A
with magnetoplumbite structure, Moessbauer and NMR
study. 64-05288A
press-forged, magnetic properties. 64-06714A

Ba hexa-, compacts sintered in presence of low-melting
glass, characterization of. 64-05290A

formation, effect of Fe₂O₃ properties. 64-00856A
powders, preparation and magnetic properties. 64-06718A

Li, Al- and Ga-doped magnetic properties. 64-02468A
ferrimagnetic pastes with. 64-06720A

Li-Mn, region of homogeneity. 64-05795A

Mg, elastic behavior and internal friction. 64-00854A
electrical conduction in. 64-03954A

MgAl₂-Fe₂O₃ spinel, dc conductivity and dielectric proper-
ties. 64-03951A

Mn-Zn, Co²⁺- and Al³⁺-doped, temp. dependence of perme-
ability. 64-06717A

crystals, pressure dependence of disaccommodation.
64-02478A

formation, effect of ferric oxide properties on. 64-00857A
hot-pressed, brittle and strength properties, by indenta-
tion. 64-00853A

polycrystalline nonstoichiometric, electrophysical proper-
ties. 64-05293A

single-crystal, O self-diffusion in. 64-04559A
valency of ions and electromagnetic properties. 64-05306A

Mn-Zn/Ni-Zn, magnetic head assembly. 64-05308P
MnZnFe(II), effect of tensile stress on permeability.
64-02459A

Ni, excited by Al and Cr ions, X-ray spectrum and Moess-
bauer study. 64-02485A

Ni-Zn, effect of ferric oxide properties on formation.
64-03959A

microstructural dependence of permeability. 64-06715A
Sr, kinetics of sintering. 64-03961A

Sr ferrite borate. 64-04500P
Zn₂, Ni₂, Sn₂Fe₂O₈, Moessbauer study. 64-02472A

ZnFe₂O₄, order-disorder transitions during grinding.
64-03966A

capped inductor, magnetically biased. 64-02490P
-containing fibers and fabrics. 64-00866P

core structure, adjustable air gap, method of making.
64-06723P

film, ferrimagnetic echoes of magnetostatic surface wave
modes. 64-06708A

process for forming. 64-00872P
-garnet films, structure and magnetic anisotropy. 64-05298A

garnets, Tb-Y, angular phases in. 64-03948A
Y-Fe doped with Tb³⁺ and Yb³⁺ ions, magnetic-elastic
properties. 64-03963A

rare earth-rare earth exchange reactions in. 64-03967A
hexa-, substituted W and X, magnetic properties. 64-02469A

hexagonal, spin-wave instability theory. 64-02481A
hot-pressed, for magnetic recording heads. 64-03958A

magnesian, formation in heat-treated Fe-MgO powders.
64-06712A

polycrystalline, O self-diffusion in. 64-02477A
magnetic, recording medium. 64-05309P

of magnetoplumbite structure, wet-process preparation.
64-05310P

mixed Mn-Mg, elastic behavior. 64-02460A
particles, Co and Mn spinel, uniformity of composition.
64-06721A

for magnetic recording, process for making. 64-03977P
phase equilibrium, effect of Cl and sulfate ions on.
64-06710A

plating, in aqueous solution, for making magnetic films.
64-02461A

polycrystalline, computer-controlled measurements of fer-
rimagnetic resonance losses. 64-02456A

magnetic head with. 64-06733P
powder, magnetic carrier, for brush development.
64-02487P

precipitation, from silicate glasses, ESR and Moessbauer
studies. 64-02458A

process for producing. 64-00873P
rare-earth ortho-, electronic structure of Fe³⁺ centers.
64-03955A

semiconducting, modeling of electrical response for.
64-06716A

spinel, magnetic, with predetermined transition temp.,
method of making. 64-02495P

starting materials, emanation thermal analysis of.
64-05294A

textile, composite. 64-06724P
waveguide, dielectric modulator/switch. 64-02486P

Ferroelectric materials,
K trihydrogen selenite, deflection of light by. 64-02427A

application of. 64-03918A
transitions in, phase. 64-05263A

Ferroelectric materials. See also Barium titanate; Dielectric materials; Ferroelectricity.

ABO₃-type, amorphous, preparation and physical properties. 64-03835A
 K₁B₂(TiO₃)-Na₂B₂(TiO₃), X-ray study of phase boundary. 64-05285A
 BaTiO₃, Nb₂O₅-doped semiconducting. 64-05136A
 Bi titanate tungstate, lamellar. 64-00828A
 KTaO₃, hyper-Raman scattering from. 64-03925A
 PLZT, films, deposition and properties. 64-05258A
 transparent, phase transition and properties. 64-05272A
 PZT, shock wave-explosive energy converter of. 64-05281A
 Pb metaniobate, crystals, growth of. 64-05265A
 (Pb,La)(Zr,Ti)O₃, aging of, and space charge arising on hot poling. 64-02425A
 PbNb₂O₇-WO₃, structure and properties. 64-05283A
 Sr-Ba niobate, SAW device. 64-00843P
 anti-, Pb₂SnNbO₆ crystals. 64-00834A
 compounds, crystallization under hydrothermal conditions. 64-00823A
 crystal, pyroelectric detector. 64-03944P
 crystals, Ba-Sr niobate, repolarization in. 64-03934A
 LiNbO₃, new method for poling. 64-00832A
 films, Pb(Zr,Ti)O₃, magnetron sputtering and characterization. 64-00837A
 hysteresis loss and temp. sensitivity, pyroelectric energy conversion. 64-00701A
 mechanical behavior. 64-00830A
 rutile TiO₂, lattice dynamics. 64-03927A
 solid solutions, Pb_{1-x}(Na₂C₂B₂Ti₂O₁₂), grain orientation effects on electrical properties. 64-02430A
 solids, space-charge-limited currents in. 64-05282A
 stack. 64-03941P

Ferroelectricity. See also Barium titanate; Ferroelectric materials.

Ferroelectrics, and antiferroelectrics, in perovskite-type compounds, rule of formation. 64-0694A

Ferromagnetic materials. See also Magnetic materials.

cores, method and apparatus for making. 64-00980P
 deformation of, plastic, magnetic determination. 64-03962A
 energy, core, intensity study. 64-03956A
 grain with binder, recording medium. 64-03885P
 magnetization direction, switching apparatus for changing. 64-04138P
 optical constants, determination from magneto-optic measurements. 64-05291A
 oxides, for magneto-optical recording medium. 64-06725P
 semiconductors, inverse Faraday effect in. 64-03960A
 structural, nondestructive testing of stress in. 64-04131P
 surface properties, nondestructive detection of. 64-01069P
 testing of, ultrasonic. 64-01070P

Ferrous compounds. See Iron.**Fiber optics.** See also Drawing; Fibers; Filaments; Glass fibers; Glass; Joining; Optical materials; Splicing; Waveguides.

Ag halide, Th halide, ir, method of making. 64-04876P
 F-doped, method of making. 64-00259P
 GRIN IV, Gradient Optical Imaging Systems, Fourth International Meeting. 64-00298A
 GeO₂-doped, γ -irradiated, H diffusion and defect center in. 64-06205A
 in Japan. 64-04597B
 PCVD, incorporation of OH and its reduction by F doping. 64-04802A
 SiO₂, 64-01960A
 SiO₂ core, γ -ray-induced absorption in. 64-01949A
 ZrF₄-based, effect of humidity during preparation on transmission loss. 64-00307A
 affixing, to optical device, method. 64-00338P
 aligning, method and apparatus for. 64-03519P
 amplifier. 64-06352P
 arrangement, birefringence. 64-00362P
 buffer-coated, topcoats for. 64-01002P
 buffers, laser sizing method and apparatus. 64-01994P
 and cables. 64-03468A; 64-04814A
 with cladding, fluoride glass, method of making. 64-06400P
 cleaving, tool. 64-00949P
 device for. 64-04843P
 precision. 64-00414P
 coated. 64-06396P
 composition for. 64-03509P
 mechanical characterization by ultramicro-indentation measurements. 64-05434A
 method for joining. 64-00373P
 coating, apparatus for. 64-06338P; 64-04871P
 with metallic materials, arrangement for. 64-02002P
 method for. 64-04859P
 reinstatement. 64-06395P
 stripable radiation-cured. 64-01000P
 uv absorbers in. 64-02025P
 commercial breakthrough. 64-03440A
 connector, with Al₂O₃-filled adhesive. 64-02012P
 connector-mounted, method for optically polishing. 64-03525P
 conveying uv light through. 64-04866P
 coupler. 64-00361P
 concentric core. 64-00351P
 directional. 64-04002P; 64-03511P
 planar, star. 64-00409P
 star, method of making. 64-02015P
 coupling, element, method of making. 64-02005P

to semiconductor laser of LED. 64-00423P
 desensitization, acoustic, by Ni jackets. 64-00337P
 diameter, method and apparatus for monitoring. 64-06378P
 dispersive, information transmission with. 64-00372P
 doped SiO₂-core, effect of low-dose irradiation on. 64-03431A
 drawing, device for. 64-00356P
 dual coating on, device for making. 64-04847P
 element, telecommunication. 64-00406P
 energy sensor, etched, and demodulation system, method of making. 64-00360P
 etch procedure for. 64-00359P
 fabrication, double crucible method. 64-00357P
 method. 64-04872P
 field sensor, magnetic. 64-06905P
 filter, reflective. 64-00404P
 fluoride, low-OH and low-loss, fabrication of. 64-03439A
 for telecommunication. 64-06321A
 glass. 64-00300A
 CVD SiO₂ preform, incorporation of OH groups in. 64-01877A
 drawing. 64-00287A
 junction device, method of making. 64-03535P
 laminated single polarization elliptical, method of forming. 64-03530P
 laminated single polarization, method of forming. 64-03531P
 with lower water content and reduced loss. 64-06224A
 method of making index profile for. 64-00394P
 glasses for, Na borosilicate, reduction of water content. 64-06243A
 heat-formed assembly. 64-06353P
 high bandwidth, method of forming. 64-00370P
 for hostile environments, coating process. 64-00419P
 integrated, testing device. 64-01058P
 ir-transmitting, method of making. 64-06345P; 64-06365P
 junction circulators, for transmission lines. 64-02013P
 with laminated core, method of forming. 64-06383P
 and laser, coupling between. 64-00354P
 light-dispersive, method of making. 64-00376P
 linear birefringence, measurement by thermal method. 64-00311A
 long, tensile strength. 64-04833A
 losses in, scattering. 64-03482A
 measurements of, theory and experiments. 64-03042B
 method for making, including D/H exchange. 64-06375P
 method of making. 64-00392P; 64-00393P; 64-03532P; 64-06397P
 method of protecting, from stress corrosion. 64-00398P
 mfg. of, containerless. 64-03423A
 for mining industry. 64-03409A
 optical finishing of, tool for. 64-03550P
 peak temp. along, method and apparatus for determining. 64-06909P
 polishing of, roof. 64-04825A
 polymer-coated, effect of moist NH₃ on strength. 64-04786A
 polysiloxane-coated, radiation-curable. 64-03518P
 positioning of, precise. 64-00413P
 power tap. 64-00403P
 preform, laser method of making. 64-04855P
 Ge-doped SiO₂, effects of densification on defect center concentration. 64-06187A
 Raman EPMA. 64-03476A
 mfg. of. 64-06398P; 64-04864P; 64-04873P
 process for producing doped vitreous SiO₂ for. 64-03402P
 production, by flame process. 64-04793A
 profiles, refractory, method and apparatus for determining index. 64-01062P
 protection, by powder-filled coatings. 64-06399P
 reinforced, chemically resistant. 64-04878P
 rods, transparent, method for inspecting. 64-03523P
 rotator, micro-Faraday, for ir. 64-05417A
 with seal, hermetic Si and C, method of making. 64-04874P
 sensor, strain. 64-03499A
 severing, method and means for. 64-03522P
 silicone resin-coated, laser scattering pattern for monitoring concentricity. 64-04773A
 single-mode. 64-06408P
 single-polarization. 64-01937P; 64-03546P; 64-06409P
 B₂O₃-P₂O₅-doped jacket. 64-03545P
 sizing, laser, method and apparatus for. 64-00403P
 solar power system, with each fiber fed by respective lens. 64-02022P
 splicing, alignment apparatus for. 64-00342P
 stimulated Brillouin scattering, image reconstruction in presence of phase interference by. 64-06206A
 strength and fatigue behavior, effect of temp. on. 64-03432A
 systems, explored for electric utilities. 64-04585A
 light-emitting and -receiving transistor for (heterogeneous InP). 64-02376P
 for telecommunications. 64-04827A
 temp.-insensitive. 64-02024P
 tool, hand-held cleaving. 64-00369P
 transmission channels in, method and apparatus for multiplexing. 64-05971P
 with trapezoidal refractive index profile. 64-06407P
 very-low-loss, search for. 64-03483A
 waveguide, thermosetting. 64-04881P
 waveguides, method of making. 64-03542P
 welding, machine for. 64-05368A
 winding machine, hydrophobic. 64-06815P

Fibers. See also Composites; Fiber optics; Fibrous materials; Filaments; Glass fibers; Glassmaking equipment; Optical materials.

Al₂O₃, preparation of. 64-02810A
 production of. 64-01247A
 Al₂O₃ and SiO₂, method of making. 64-05646P
 Al₂O₃ and ZrO₂, synthesis of. 64-04354A
 C or graphite, method of making. 64-04420P; 64-07272P
 C-bonded C, insulation for radioisotope space power systems. 64-07071A
 E-glass, tensile properties, effect of acid and post-heat treatment. 64-01839A
 Nicalon SIC, mechanical and structural characterization. 64-04306A
 Nicalon and SIC, creep behavior at high temp. 64-04256A
 Si₃N₄, for safer composites. 64-02822A
 Si, Zr oxy-carbide, continuous production of. 64-07216P
 SiC, composite reinforced with. 64-04396P
 glass-ceramic composites reinforced with. 64-02906P
 mechanical properties. 64-02793A
 and metal plate, electromagnetic wave absorbers of. 64-05615P
 preparation by pyrolysis. 64-04392P
 spiral structure containing. 64-04023P
 SiC and silicate, sol-gel-derived coatings on. 64-05798A
 SiC-Si₃N₄, preparing tri methylsilane monomer for. 64-01222A
 acrylic, for producing C fibers. 64-04370P
 air-laid, method for producing homogeneous batts of. 64-04046P
 artificial, in asbestos cement. 64-00029A
 attenuation, blower for. 64-04023P
 brittle, high molecular, tensile machine for determining strength of. 64-05585A
 carbon, Cu matrix electrode with. 64-01301P
 from acrylic fibers. 64-04370P
 carbonizing furnace for. 64-06995P
 composite turbine wheel. 64-01291P
 metallized, and composite with. 64-02872P
 method for improving surface properties. 64-02561P
 pitch for. 64-01344P; 64-02891P
 pitch-derived, method of making. 64-01355P
 method of making. 64-01349P; 64-04422P; 64-07255P; 64-07423P
 pitch-based. 64-04316A
 pitch-based, process of spinning. 64-05653P
 refractory articles based on, braided preform for making. 64-06802P
 starting pitches for. 64-07288P
 and cement suspension, aqueous, physicochemical aspects of filtration. 64-01444A; 64-01445A
 ceramic, reheating furnaces with. 64-02659A
 -coated tube, for molten metal. 64-00573P
 composites, for aerospace structures. 64-01625B
 ferrite-containing. 64-00866P
 formation, from SiOC(H)₃-H₂O-C₂H₅OH sols. 64-01401A
 glass-ceramic, preparation of. 64-03540P
 graphite, apparatus and process for producing fabric from. 64-01278P
 ferric nitrate treatment for nucleating growth. 64-02954P
 process for growing. 64-04414P
 inorganic, synthetic, aqueous corrosion of. 64-04705A; 64-04774A
 insulation, kilns with. 64-01087A
 for ir, AgBr/AgCl core-clad. 64-01992P
 in kilns, periodic, reduce energy consumption. 64-06939A
 lens-ended, for medical applications. 64-01954A
 linings, refractory, present state. 64-02177A
 metal, bioglass composites reinforced with. 64-00379P
 method of making. 64-00975P
 mineral, method and apparatus for making. 64-00416P
 mixing into a slurry, device for. 64-00991P
 polycarbosilane, as precursor of SiC fibers, γ -ray irradiation curing. 64-07110A
 precursor for, polymer. 64-04513P
 production, from heat-softenable material. 64-00381P
 pure-SiO₂-core, γ -ray-induced absorption bands in. 64-04795A
 refractory. 64-00458A
 Al₂O₃, durability in reheating furnace. 64-04939A
 blanket. 64-00538P
 colloidal SiO₂-impregnated hob. 64-06477P
 correlation of thermal conductivity with temp. and density. 64-00461A
 developments and trends in use of. 64-03611A
 energy saver. 64-06441A
 for furnace walls. 64-03709P
 as insulation in forging industry. 64-03673A
 insulation of domed reactor vessels. 64-02247P
 insulation, composition for. 64-02239P
 in ladle lids and reheat furnaces. 64-02072A
 for ladle preheater sealing rings. 64-03711P
 modular furnace lining with interlocking means. 64-06492P
 -reinforced composite, C-ceramic matrix. 64-05618P
 -reinforced piston, for internal combustion engines. 64-04403P
 spinel, ferrimagnetic, method of making. 64-02494P
 stainless steel, Therman-chaff, reinforcement for refractories. 64-03688A
 staple, formation from silicate melts by blowing. 64-04787A

- steel, factors affecting choice and performance of refractories reinforced with. 64-03620A
testing of, strength. 64-06874A
tows, synthetic, apparatus for controlling titer of. 64-04019P
treatment oven for. 64-06973P
water glass, water-containing. 64-00270P
webs, from melt, method and apparatus for forming. 64-01997P
workplaces, sampling and gravimetric determination of airborne dust. 64-01618A
- Fibrous materials.** See also *Fibers; Glass fibers.*
MgO, method of making. 64-05018P
SiC, insulating, method for forming. 64-02874P
characteristics, method and ultrasonic apparatus for measuring. 64-02643P
refractory, applications. 64-03588A
insulation, fabrication rates. 64-04949A
sheets, cutting guide for. 64-06760A
- Filaments.** See also *Fiber optics; Fibers; Glass fibers.*
SiC, B-coated. 64-02851P
fiber glass, computer-controlled winding machine for. 64-02424A
of glass-ceramic, distribution of nuclei within. 64-03221A
optical, reinforced and chemically resistant. 64-04878P
support, laying optical waveguide onto. 64-02550P
- Filaments.** See also *Fibers.*
- Fibers.**
SiO₂-containing, effect on kinetics of mullite formation. 64-04944A
mineral, light-colored and low-density, from Mg silicate. 64-02958P
nitride, and colloidal sol binder, refractory composition comprising. 64-07281P
zeolite and limestone, for blended cements. 64-01700A
- Films.** See also *Coatings and specific types.*
Ag, glass-bonded conductors, microstructure. 64-03800A
Ag₂Se, electron effective mass in low-temp. phase. 64-02307A
AgGaS₂, growth and electrical properties. 64-05100A
AgInSe₂, growth of. 64-05103A
polycrystalline, electrical resistivity. 64-00659A
Al, CVD. 64-04671A
on fused SiO₂-ion-beam mixing of. 64-04680A
Al₂O₃, on Al substrates, spectrally selective coatings on. 64-04691A
anodic, breakdown phenomena during pore filling. 64-02290A
incorporation of electrolyte anions in. 64-00700A
mirror structure with. 64-02007P
rf-sputtered, effect of pO₂ on properties. 64-01205A
Al-Al₂O₃-Te, capacitors. 64-05194A
Al-black chrome, selective absorption. 64-04835A
AlN, and elastic substrate, surface acoustic wave device with. 64-05253P
growth and optical properties. 64-01218A
Au and piezoelectric, glass-coated oriented, method for making. 64-02442P
BN, reaction with Ni at high temp. 64-01250A
BaP₂·Bi₂O₃, photodetecting device with Josephson junctions. 64-06656P
BaPb₂·Bi₂O₃, superconducting. 64-02339A
BaTiO₃, characterization. 64-03755A
crystallization, electron microscope study. 64-07329A
Bi₂S₃, crystalline, growth of. 64-01409A
Bi₂Ti₂O₇, deposition by rf sputtering. 64-05062A
Bi-Fe garnet, LPE growth of. 64-05295A
Cd Hg telluride, growth by organometallic vapor-phase epitaxial (MOVPE) method. 64-01410A
Cd, Cu, and Te, oxidation under laser irradiation. 64-00923A
CdS, formation from CdS + Cr₂O₃, photoelectric properties. 64-05128A
photostimulated diffusion of Cu into. 64-05152A
temp. and bias effect on electrical properties. 64-05187A
in waveguide, temp.-dependent dispersion of. 64-03836A
Ce and Yb sulfides, formation and structure of oxyarsulfide phases. 64-00663A
CeF₃, stress modification through admixtures with fluorides. 64-05808A
CeO₂, optical properties and thicknesses. 64-01962A
Co-Al₂O₃, coevaporated, optical properties and solar selectivity. 64-03156A
Co-O, magnetic, by evaporation. 64-02474A
CoO, by precipitation from gas phase. 64-01383A
Cr and Cr oxide, galvanized steel sheet protected by. 64-04693P
Cr and MgF₂, effect of substrate temp. on internal stress and structure. 64-05931A
Cu, on ceramic, process for preventing oxidation. 64-00802P
method for inhibiting oxidation. 64-05226P
Cu₂S, for solar cells, reactive sputtering of. 64-05169A
Cu, Ag, Au, Cr, Fe, Co, Ni, and Al, solar optical properties. 64-04826A
Cu-PbI₂, cermet, effect of surface on optical constants. 64-04297A
Cu/PbTe, electrophysical properties. 64-05915A
CuInSe₂, kinetics of formation. 64-05120A
CuInTe₂, growth and electrical transport properties. 64-05101A
Fe garnet, Bi- and Al-substituted, magnetic and magnetooptic properties. 64-02466A
electrical properties. 64-05292A
Fe nitride, preparation by ion plating. 64-05297A
Fe-Fe oxide. 64-02464A
GaAs, preparation from Bi solution-melts. 64-05160A
Ge, amorphous, effects of angle of deposition on short-range order. 64-05913A
Ge oxynitride, structure. 64-01260A
GeO₂, effect of moisture on surface morphology. 64-00650A
GeO₂, electrical properties. 64-05076A
GeSe₂ and GeSe, energy-beam-induced synthesis of. 64-05093A
Hg_{1-x}Cd_xTe, on CdTe, thermochemical properties and vapor growth. 64-01589A
Hg-Cd telluride, method of making. 64-02387P
HgTe, crystalline. 64-00433A
In, on GaAs, growth of heterojunctions during heat treatment of. 64-05106A
joining glass of different expansion coeffs. with. 64-03516P
In orthophosphate, preparation of. 64-05705A
In oxide, low-resistance. 64-05224P
In_{0.5}Ga_{0.5}P/GaAs(III), growth specifics. 64-05107A
In₂O₃:Sn and SnO₂:Sn-In₂O₃:Sn, electrical and optical properties. 64-05075A
In-Sn oxide, transparent and ir-reflecting, optical properties. 64-06586A
InAs_{1-x}Sb_x, preparation of. 64-05188A
InSb, doped with Te, Se, and S, preparation and electrical properties. 64-05158A
LiInS₂, preparation and optical properties. 64-05159A
LiNbO₃, structure and dielectric properties. 64-06583A
MgF₂, vacuum uv loss in. 64-03843A
MgO, CVD. 64-01425A
Nb₂O₅, anodic, electrooptic effect in. 64-05261A
Nb₂Ge, CVD, characteristics of. 64-03753A
NbN, superconducting, effect of quenching immediately after sputtering. 64-00652A
PLZT, ferroelectric, deposition and properties. 64-05258A
[(Pb,Sn)_{1-x}(Sb)_xO]₂, reactive-sputtered, Moessbauer studies. 64-05133A
Pb(Zr,Ti)O₃, ferroelectric, magnetron sputtering and characterization. 64-00837A
PbSn or PbCd eutectics, laser production of. 64-03890P
production using arc lamp for heat. 64-03893P
production using line heater. 64-03891P
production using quartz lamp for heat. 64-03892P
Pt, on NaCl catalysts. 64-05872A
Pt oxide, coating, devices for preparing substrates with. 64-05382P
RC, review of distributed components. 64-00704A
RuO₂, resistors, microstructure and effect of glass particle size on electrical properties. 64-02320A
RuO₂-glass, resistors, kinetics of liquid spreading and penetration. 64-07474A
Si, B doping and posthydrogenation effects on optical gaps and Urbach tails. 64-05057A
CVD, stress in. 64-05960A
additional electron and XRD peaks of. 64-05895A
effect of deposition mechanism on composition. 64-05070A
effect of substrate temp. on optical properties. 64-05930A
zone-melted, on amorphous substrates, control of structure. 64-01386A
Si on insulator, zone-melting recrystallization of. 64-00726A
Si oxynitride, film waveguides, CVD of. 64-03795A
if properties. 64-04299A
Si₃N₄, on GaAs, laser-induced diffusion of Si atoms from. 64-05122A
Ti-containing, method of making. 64-01367P
insulation degradation and etching phenomena. 64-05118A
ion beam synthesis of. 64-07250P
model of conductivity in. 64-05563A
photo-CVD, structural and electrical properties. 64-03830A
plasma-deposited from SiF₄. 64-02806A
Si:H, preparation by reactive evaporation. 64-02934A
sputtered, preparation and properties. 64-00697A
SiC, CVD, recovery of. 64-05245P
and Si₃N₄, CVD laser annealing of. 64-01356P
SiC/crystalline Si heterostructure, preparation and electrical properties. 64-02329A
SiO₂, alkali diffusion-preventing, glass body with. 64-01930P
method for forming. 64-06638P
SiO₂, containing Si islands, electroluminescence studies. 64-06556A
electron trapping/detrapping in tunneling regime. 64-00661A
etch-rate behavior. 64-05704A
humidity-sensitive, time variability of surface ionic conduction. 64-06585A
model for growth of. 64-07353A
off-stoichiometric, charge transport and trapping. 64-00635A
off-stoichiometric, electronic properties. 64-03777A
for semiconductor fabrication. 64-05175A
thermally nitrided, structure of Si LVV and N KLL Auger signals. 64-05920A
SiO₂ and SiN_x, on GaAs and Si, stress in. 64-00708A
Sn-Mo, with high substrate temps., preparation and magnetic properties. 64-03158A
Sn oxide, SnO₂, with CaF₂ structure in. 64-05195A
Sn-P oxide, on Cu-Sn alloys. 64-00134P
SnO₂, CVD, electrical and optical properties. 64-00655A
by hydrolysis of Sn tetrachloride, impurity phases. 64-00670A
SnO₂:F, on glass substrates, properties of. 64-05163A
SnO₂, effect of annealing on properties. 64-05113A
Ta oxide, by ion-beam sputtering, effect of O content on optical properties. 64-05074A
Ta₂O₅, on Si, electrical properties. 64-00658A
on Si, properties. 64-03818A
TaS₂ and NbS₂, X-ray and electron microscopy studies. 64-05201A
TeO₂, for optical disc memory. 64-00714A
Ti and TiN, effect of pN, on properties. 64-05115A
Ti disilicide, fully reacted, method of depositing. 64-07420P
TiN, reactive-sputtered, effect of substrate shape. 64-05114A
TiO₂, and SiO₂, by ion-assisted deposition, properties. 64-05144A
heat-reflecting glass plate coated with. 64-06390P
photoelectrochemical properties. 64-05148A
TlSi₃, oxidation of, XPS study. 64-05759A
TMS, impurity phases in. 64-05723A
W oxide, physical and electrochromic properties. 64-00690A
physical and electrochromic properties. 64-03814A
WO₃, prepared by laser evaporation, structure of. 64-05157A
semiconducting, aging effects in. 64-00629A
WO₃, atmospheric evaporated, electrochromism of. 64-02304A
X-ray phosphor, transparent BaFCl:Cu, preparation of. 64-05788A
Y₂Fe₂O₇, Ca-doped, annealing effects and charge compensation. 64-03949A
Y-Fe garnet, nonlinearity effects in current-voltage characteristic. 64-03965A
YIG:Ca, surface layer contraction of lattice. 64-02340A
Zn black, solar absorber, evaluation of. 64-05139A
Zn₂P₂, by ICB deposition, properties. 64-02331A
ZnO, on Au film on fused quartz, crystalline properties. 64-06681A
highly conducting, effect of O chemisorption. 64-00651A
piezoelectric, synthesis of. 64-02438A
sputtered, post-deposition annealing of. 64-00693A
structure and morphology. 64-05181A
ZnSe, growth by CVD. 64-02314A
refractive index in ir. 64-05171A
ZnTe, optimization of growth conditions. 64-00680A
switching mechanisms in. 64-05183A
ZrO₂, from Zr acetylacetonate, structure of. 64-01579A
absorption coeffs., expressions for calculating from laser calorimetric data. 64-02310A
absorption edge, determination from transmission measurements. 64-01530A
adhesion, testing, effect of soldering techniques and pad geometry. 64-02344A
of alkali-halide crystals, electroluminescent properties. 64-05897A
alloy, Si₃-Ge, optical and electrical properties. 64-05137A
anode, in microarc oxidation of Al, structure of. 64-01465A
β-SiC, defects in. 64-05324A
based on inverse synthesis, determination of optical constants. 64-03762A
capacitor, based on Pb Fe niobate/tungstate. 64-05124A
dielectric. 64-05110A
with excellent thermal characteristics. 64-06584A
trimmable. 64-00788P
ceramic, constrained by rigid substrate, sintering behavior. 64-07499A
chalcofenide, from solution, method for forming. 64-03859P
thickness dependence of photodarkening. 64-05051A
circuits, electronic printed. 64-06618P
porcelain-steel-substrate, application in Japan. 64-05053A
resistor. 64-03913P
composite, humidity-sensitive silicone, surface OH concentration and electrical resistance. 64-00709A
condensates, dispersion-strengthened Cr-MgO, Cr-Y₂O₃, Cr-Y, and Cr-Cu, structure and properties. 64-04690A
conductor compositions. 64-06675P
conductor pastes, frit for glasses in. 64-02291A
deposition of, vapor. 64-04068P
diamond-like C, under compression, stress-relief forms of. 64-05961A
dielectric, birefringence measurements by prism coupler. 64-02289A
ceramic-polymer-C black, method of making. 64-00740P
oxide, solid electrolyte condensers with, method of making. 64-02385P
pinhole-free metal oxide, method of making. 64-06639P
dielectrics, capacitor. 64-02323A
dual-, metallized capacitor. 64-00744P
electrically conductive, on insulators, laser process for producing. 64-03881P
on substrate, electronic measurement of thickness. 64-04125P
electrodeposited, for capacitors. 64-00748P
ferrite, ferrimagnetic echoes of magnetostatic surface wave modes. 64-06708A
process for forming. 64-00872P
ferrite-garnet, structure and magnetic anisotropy. 64-05298A
γ-Fe₂O₃, Os-doped, with high coercivity. 64-02476A

- garnet, Bi,Ga- and La,Ce-substituted, laser and thermal annealing of. 64-02465A
- Bi-Sc-doped bubble. 64-02454A
- bubble, with planar microstructure, ferromagnetic resonance. 64-02462A
- carbidoluminescent. 64-05289A
- with high Curie temps. 64-00844P
- magnetic and magneto-optical properties. 64-05299A
- magnetic, control of birefringence in. 64-02457A
- magnetic, microwave properties. 64-05303A
- magnetic, structural properties. 64-05304A
- magneto-optical devices based on. 64-05302A
- optical absorption. 64-00861A
- glass, Fe-9Cr-2Mn-7P-B-7C metallic, properties of. 64-04756A
- SiO₂ and Al₂O₃-modified phosphate, synthesis using gas-phase reactions. 64-03370A
- alkali borosilicate, effects of flow on formation. 64-04721A
- low-temp. process for obtaining. 64-00767P
- porous, method of making. 64-06376P
- for reverse osmosis. 64-00399P
- hardness, measurement of. 64-05418A
- hybrids, outlook for 1985-90. 64-05141A
- hydrogenated Si, effect of mixing H with silane on electronic and optical properties. 64-05697A
- inhomogeneous, optical constants from transmission measurements. 64-06883A
- ink, conductor composition. 64-03861P
- inorganic, plasma deposition of. 64-00692A
- insulating, smooth glass, over interconnects on integrated circuit. 64-02415P
- insulators, SiO₂-Al₂O₃, method of making. 64-05231P
- interfaces, structural/property relations. 64-03831A
- in reflection-preventing, ZnS on TiO₂. 64-02374P
- light absorptive, antireflecting, on glass. 64-01995P
- magnetic, by ferrite plating in aqueous solution. 64-02461A
- recording heads. 64-03969A
- materials, for microcircuits, in firing studies. 64-05117A
- metal oxide composite, electroluminescent device. 64-00818P
- metal-C, formed during synthesis of diamond, microscopic observations. 64-01555A
- microcircuits, method of adding conductive/resistive patterns. 64-05230P
- model, determination of optical properties. 64-04530A
- monocrystalline, low-defect, method for growing on a mask. 64-02899P
- optical, CVD, microstructure. 64-03801A
- application, physical and chemical aspects. 64-03813A
- constants of, determined from transmittance measurements. 64-06868A
- constants, multiple determination of. 64-03805A
- ion bombardment-induced retarded moisture adsorption in. 64-03787A
- oxide, dielectric materials. 64-06610P
- effect of oxidation-induced stresses on properties. 64-01557A
- method and apparatus for determining thickness. 64-04122P
- refractory, method of making. 64-00988P
- packaging, custom. 64-05061A
- photoconductive, CDS, for ac liquid crystal light valve, preparation and properties. 64-06573A
- photoelectrode, with Fe oxide. 64-06580A
- piezoelectric, for SAW and acoustic microstructure, fabrication and characterization. 64-05262A
- polycrystalline, semiconducting, method of making. 64-00769P
- production, minicomputers and microprocessors in. 64-05052A
- rare-earth-activated ZnS phosphors, electroluminescent, method of making. 64-05882P
- resistor, burst noise, effect of electric field intensity. 64-05071A
- ceramic substrate. 64-01871P
- high-power. 64-06623P
- resistor inks, particulate Al₂O₃. 64-02423P
- resistors. 64-03914P
- aging mechanism and stability. 64-00630A
- on ceramic substrates. 64-03915P
- on dielectric layers, properties of. 64-03819A
- effect of encapsulation, overglaze, and voltage. 64-06561A
- on porcelain-on-steel substrates, low-temp. coeff. of resistance. 64-05123A
- with reduced dimensions, performance. 64-00684A
- thermal aging of. 64-00717A
- uniform fired, apparatus for producing. 64-00939P
- semiconductor, alloys and devices, method of making. 64-06646P
- silicon, and pyrolytic SiO₂ layer, wetting of. 64-07404A
- solid, on substrate, absorbing, optical constants. 64-03807A
- stress and kinetics, of Pt silicide formation on Si. 64-05724A
- stripping, with glass solders imprinted on. 64-06607P
- structure, nondestructive determination. 64-06895A
- surface, formation during heat treatment of Mn-containing glasses. 64-03256A
- in systems, TiC-Al₂O₃ and TiB₂-Al₂O₃, structure and electrical properties. 64-01259A
- technology. 64-03824A
- temp.-sensitive device, glass, Fe, Pd, method of making. 64-06674P
- thick-, electronic circuit. 64-00817P
- in fuel injection system. 64-05192A
- material requirements for power hybrids on BeO. 64-05193A
- printing method, intaglio plate. 64-02573P
- on stainless steel board. 64-05191A
- transmission lines, materials and processes influencing. 64-05126A
- thickness, and dielectric function, determination by spectroscopic ellipsometry. 64-05442A
- measurement with thermal waves. 64-06921P
- measurements, thermal wave detection system. 64-05461P
- method and apparatus for controlling or measuring. 64-05455P
- thin-, process for forming. 64-02492P
- on transparent substrates, Ables method for refractive-index measurement. 64-00197A
- trimming, survey of, laser. 64-03833A
- waveguide, optical slab, calculating refractive index. 64-05967A
- waveguides, PLZT. 64-02434A
- Filters,**
- B and Si, for extreme uv. 64-05516A
- RC thick-film components, distributed, review of. 64-00704A
- apparatus, magnetic. 64-02553P
- application of interferometer to. 64-02638P
- bandpass, surface acoustic wave. 64-02448P
- ceramic, for molten metals. 64-07227P
- component, leadless. 64-06630P
- connector, with discrete BaTiO₃, particle dielectric. 64-02364P
- crystal, monolithic, method of making. 64-02443P
- development of. 64-06762A
- fabric, solve cement dust problem. 64-03077A
- glass, contrast enhancement, for color CRT display devices. 64-06280P
- temp. dependence of optical absorption edge. 64-04831A
- honeycomb, method of making. 64-07256P
- interference, optical multi/demultiplexer with. 64-00405P
- material, fleece, testing of, for cement industry. 64-00930A
- for metals, molten. 64-05959P
- optical, Christiansen-Bragg. 64-03508P
- particulate trap, for diesel engines. 64-01285P
- press. 64-04034P
- press plates, light-controlled apparatus for moving. 64-02552P
- reflective, optical fiber. 64-04004P
- with resonator, ceramic. 64-05286P
- tube pressure, inner assembly. 64-04066P
- outer assembly. 64-04067P
- vent, C or ceramic fiber composite, for radioactive wastes. 64-04373P
- Filtration,**
- colloidal, mechanics of. 64-00916A
- of slips, for heat-insulating refractory inserts. 64-02162A
- of suspensions, fibers and cement, physicochemical aspects. 64-01444A; 64-01445A
- Fine ceramics.** See *Whiteware*.
- Firebrick.** See *Refractories*.
- Fireclay.** See *Refractories*.
- Firing.** See also *Burners; Calcination; Combustion; Flames; Furnaces; Kilns; Ovens; Sintering*.
- atm, effect on ZnAl₂O₄ formation. 64-04456A
- bricks, Dinas, from USSR quartzites, in tunnel kilns. 64-02112A
- O₂ use during. 64-03572A
- capacitors, monolithic. 64-02690P
- of clinker, plaster use in. 64-00063A
- with coal, at Cyprus Cement. 64-06935A
- ultrafine, heat-release rates equivalent to oil or gas. 64-02676A
- computation, of complex impedance and admittance of fast-ion conductors. 64-05541A
- cycles, of structural ceramics, determined by raw material parameters and thermal technology. 64-06958A
- decor, on ceramics and glass. 64-01080A
- electronic elements. 64-06557A
- enamels, control by measurement of color tones. 64-01782A
- double- and multicoat applications in one pass. 64-01784A
- in-process control by colorimetry. 64-00081A
- energy saving in. 64-04150A; 64-06938A
- equipment, ceramic product with metal cars. 64-02682P
- fast, and ceramic glazes. 64-00395A
- of porous tiles for interiors. 64-00598A
- role in saving energy in UK pottery industry. 64-05046A
- of seawater MgO. 64-03621A
- single, of faience with talc. 64-02267A
- green bodies, made from ceramic powder. 64-04047P
- heavy ceramics, kiln for. 64-06981P
- insulators, porcelain, in tunnel kilns. 64-00674A
- ir, of Cu multilayer system. 64-05116A
- of film materials systems for hybrid microcircuits. 64-05117A
- kilns, efficiency in. 64-06937A
- periodic, 1984 state of art. 64-06955A
- low-temp., of BaTiO₃ and PZT. 64-06365A
- with natural gas, in brick and tile industry. 64-03564A
- plate-like ceramics, uneven coloring effects on, process for producing. 64-02692P
- porcelain, decorative, electric kiln for. 64-00594A
- dental, on metal. 64-03171P
- practices, fuel-saving in structural clay products industry. 64-06419A
- rate, of refractory wall tile, acoustic emission method for calculating. 64-02258A
- variable, burner with. 64-01113P
- reduced, of heavy clay products in tunnel kilns. 64-00449A
- refractories, magnesium and Mg-spinel, modernization of tunnel kiln for. 64-02150A
- in tunnel kilns, dust formation during. 64-00467A
- single, of interior tiles. 64-00615A
- single and double, in tile industry, cost of. 64-00603A
- in tile mfg., cost comparison. 64-00620A
- single-row, of Keramizit and porous whiteware. 64-06528A
- with solar energy. 64-01082A
- systems, controlled-temp.-profile. 64-06934A
- tiles, clay, holder and method for. 64-06533P
- quarry, modern techniques for. 64-06426A
- wall, Czech line for. 64-06769A
- wall, effect of additives on gas media. 64-06515A
- wall, from low-melting clays. 64-03725A
- Finion products,**
- short-lived, release from intact and defective UO₂ fuel elements. 64-00880A
- Flames.** See also *Burners; Firing*.
- burner, pulverized coal annular, method of igniting. 64-01107P
- Flaws.** See *Defects*.
- Flocculants,**
- de-, effect on Ca aluminate cement for castable refractories. 64-03613A
- Flocculation,**
- of slurries, clay, with cation polyelectrolytes. 64-03721A
- Flotation.** See also *Separation*.
- clay, conditioning with in situ ferrous activator. 64-04234P
- froth, beneficiation of clays by. 64-07059P
- scheelite, process for. 64-02738P
- Flow,**
- of beryl. 64-04527A
- computers, developments in. 64-06770A
- creeping viscous plane, driven by capillarity. 64-02976A
- fluid, computer modeling of. 64-00895A
- piezoelectric vane for monitoring. 64-03940P
- and fracture, of PSZ, effect of temp. and loading rate. 64-07121A
- glass, into evacuated canister, theoretical predictions for. 64-04834A
- laminar, of glassmelt, elimination of cord development during. 64-04335A
- mass, in Pittsburgh-type glassmelting furnaces, effect of constructional changes. 64-04340A
- meter, magnetic-inductive ceramic tube, for high temps. 64-07238P
- processes, for dissipative solids with imperfections, stability of. 64-05959A
- of refractories, castable, for blast-furnace troughs. 64-04950A
- of slips, whiteware. 64-03726A
- surface-tension-driven flow in, in glassmelts. 64-06330A
- system, glass electrode. 64-06617P
- threshold, in baths of glass tank furnaces. 64-00295A
- velocity, of molten materials, method and apparatus for determining. 64-06910P
- Fluidization,**
- in solid-liquid systems. 64-06783A
- Fluids.** See *Liquids*.
- Fluorescence,**
- coating, intrusion-detecting camouflage, ortho-Zn-silicate-based. 64-02957P
- laser-induced, in minerals. 64-04210A
- line narrowing, in Nd laser glass. 64-03254A
- quantum efficiencies, of Cr(III) in phosphate and silicate glasses with Li and Be modifiers. 64-04755A
- Fluorides,**
- BF₃ or SiF₄ with metal alkoxides, catalyst for alkoxylation reactions. 64-02852P
- BaMnF₃, Jahn-Teller distorted variant of BaGaF₃. 64-01180A
- BaTiO₃-type oxide, crystals, growth with LiF-BaF₃-LiBO₃ flux. 64-07338A
- Be, electronic structure. 64-04538A
- Ca, shock compression and shock-induced radiation measurements. 64-02995A
- MF₃, crystals, effect of Pb and Y impurity on decay of excitations. 64-05068A
- Mg, layers, method of providing. 64-04507P
- MnF₂, MgF₂, and ZnF₂, temp. dependence of optical birefringence. 64-04571A
- NiF₂, X-ray electronic study. 64-05874A
- Th, ultrapur, method of making. 64-06751P
- Zr, glass. 64-00242A
- of alkali metals, molten, interaction with GeO₂. 64-05730A
- alkaline-earth, crystals, electrostriction tensor components. 64-05917A
- content, in materials for cement industry, determination of. 64-01707A
- fluorite-type, ionic conductivity. 64-00201A
- opal, volatilization from melts. 64-04837A
- optical fibers, low-OH and low-loss, fabrication of. 64-03439A
- rare-earth, phosphor. 64-05887P

- topical, effects on low-fusing dental porcelains. 64-02762A
- Fluorine.**
Na₂O-SiO₂ glass containing, molecular dynamics. 64-03305A
absorption, from hot flue gases in refractory industry. 64-04581A
-bearing alite, in cement clinker, effect on properties. 64-04528A
-doped fibers, optical, method of making. 64-00259P
doping, reduction of OH incorporated in optical fibers by. 64-04802A
introduction, into glasses, methods for. 64-06285P
in silicates, for building materials, determination of. 64-04085A
- Fluxes, welding.** See *Welding*.
- Fluxes.**
LiF-BaF₂-LiBO₃, growth of BaTiO₃-type oxide fluoride crystals with. 64-07338A
for glasses, perlitic rock as. 64-03727A
for porcelain, feldspathic rock as. 64-04207A
synthetic, for porcelain, production of. 64-03728A
- Fly ash.** See *Ash, fly*.
- Foamed ceramics.**
glass, dielectric scanning locates voids in. 64-00285A
slate, new additive from German raw materials and wastes. 64-03484A
glass-ceramic, lead-through seals incorporating. 64-03458A
insulating, method of making. 64-02528A
polyurethane, glass fiber-reinforced, compressive properties. 64-03420A
silicates and polymethacrylic acids. 64-01497P
- Folds.**
B-coated, speaker diaphragm, method of making. 64-00130P
Cu₂O, direct bonding to oxide-ceramic substrates. 64-04698P
- Formation.**
of 3Al₂O₃-2GeO₂, alkoxy-derived. 64-04460A
of AlN, by N-ion implantation. 64-04461A
of Ca sulfaluminate, effect of P and F compounds. 64-05698A
of CaSiO₃, effect of SO₂. 64-06073A
of EPR centers, in chalcogenide glasses, mechanism of. 64-03295A
of MoO₃, from mixture of MoO₃ and α -Al₂O₃, kinetics of. 64-01420A
of Ni phosphides, in burning regime. 64-05707A
of Sb₂O₃, during thermolysis of Sb₂O₃ hydrate. 64-01403A
of Si₃N₄, reaction-bonded, effect of transport properties of nitriding atm. 64-07122A; 64-07123A
of SiGeO₄. 64-03781A
of TiB₂, using thermite ignition. 64-05587A
of WC, from molten tungstate-halide phase by gas sparging. 64-02863P
of ZnAl₂O₄, effect of physical nature of powders and firing atm. 64-04456A
of β -tricalcium orthophosphate, by reaction between hydroxyapatite and (NH₄)₂SO₄. 64-04459A
of bubbles, in quartz glass, mechanism of. 64-03294A
of celian, from BaCO₃ and kaolin. 64-04472A
clinker, effect of CaF₂. 64-04625A
optical microscopy for evaluation of. 64-06858A
of color centers, induced by γ -irradiation in CaO-B₂O₃-Al₂O₃ glasses. 64-01848A
complex, in systems of chlorides of Li, Ru, and Rb. 64-05671A
of crystals, SiC. 64-05568A
of defects, in Ca orthovanadates. 64-05706A
of enamels, Ti-O on Ta. 64-04677A
enthalpies, of compounds of type MR(EO)₂. 64-05703A
feathers, in sintered SiC. 64-04315A
of ferroelectrics or antiferroelectrics, in perovskite-type compounds, rule of. 64-06694A
of fibers, from silicate melts, by blowing. 64-04787A
glass, in Na and Li borate and aluminoborate melts. 64-01853A
in chalcogenide systems. 64-01543A
defects and. 64-00282A
in system (As,Yb)₂S₃, interactions in region of. 64-05735A
in system MgO-MoO₃-La₂O₃. 64-03263A
in system Na₂O-TiO₂-GeO₂. 64-03258A
in system PbSiO₃-PbF₂(PbO)-AlF₃(Al₂O₃). 64-03260A
in system Ti-As-Se. 64-03275A
in systems PbB₂O₃-PbSiO₃-Zn₂TiO₄ and PbB₂O₃-PbSiO₃-PbTiO₃. 64-03259A
of glass articles, modeling of heat transfer during. 64-03463A
of glasses, Ca aluminosilicate. 64-04724A
Mg-Si-O-N. 64-00185A
in system P₂O₅-BaO-Nb₂O₅-Al₂O₃. 64-06194A
of glasses, matte. 64-04732A
kinetics, of CuInSe, films. 64-05120A
of magnetite. 64-02936A
by reaction between Fe(III) hydroxide oxide and Fe(II) sulfate. 64-02933A
mechanism, of structure of basal plane of synthetic quartz. 64-07331A
multilayer, effect of SiO₂-containing fillers on kinetics. 64-04944A
from kandes. 64-07332A
nucleus, of Ga phosphide in melt of melt, kinetics. 64-05121A
phase, during heating of MgO, Al₂O₃, and SiO₂ mixture, kinetics and mechanism. 64-05745A
in neolithic and bronze-age subsystems as function of O fugacity. 64-02941A
of phototropic Ag halide phases, in glass, mechanism of. 64-03301A
second-phase, in Al₂O₃-CaO. 64-07390A
of solid solutions, NaCl-KCl and CaO-SrO systems, kinetic analysis. 64-04141A
in systems orthovanadates of Ca and La (Sm and Eu). 64-05708A
of whiskers, SiC, from rice hulls. 64-02770A
- Forming.**
concrete, progress in. 64-03122A
fibers, glass, apparatus for. 64-06339P
glass, by centrifugal force, apparatus for. 64-06340P
glass, method and apparatus. 64-01998P
glass, method for. 64-02000P
glass, with centrifugal force, method for. 64-02001P
glass, contact heat resistance and heat transfer during. 64-03422A
in glass industry. 64-01631B
processes, advances in. 64-01628B
refractory masses, coherent. 64-02242P
webs, fiber, from melt, method and apparatus. 64-01997P
- Forsterite.** See also *Refractories*.
-C refractory. 64-03704P
-ZrO₂ composites, preparation and strength. 64-04319A
bricks, for lining steel-casting ladles. 64-02114A
porcelain, as high-frequency insulator. 64-06560A
solubility of SiO₂ in, cmf measurement study of. 64-00516A
- Fracture.** See also *Cracks*.
of Al₂O₃, translucent, temp. dependency and effect of Ca dopant. 64-02771A
Hertzian, testing of ceramics. 64-05926A
of PSZ, effect of temp. and loading rate. 64-07121A
of Si₃N₄, reaction-bonded, Y₂O₃-doped sintered. 64-07106A
in α -SiC, sintered, phenomenology of. 64-02805A
of beryl. 64-04527A
brittle, of ceramic materials. 64-04528A
of brittle solids, under thermomechanical stresses. 64-01540A
in ceramic materials, toughening mechanisms, machining damage, shock. 64-04595B
concurrent flaw subpopulations, max likelihood estimation techniques. 64-07476A
criticism, for Al₂O₃, subjected to triaxial stresses. 64-01215A
delayed, of Vickers indented glass in deionized water. 64-01823A
electromechanical, of β -Al₂O₃. 64-07176A
energy, of ceramics. 64-05921A
environmentally assisted, application of transition-rate theory to atomistic model. 64-01517A
of glass, near softening limit. 64-03257A
high-temp., of polycrystalline Al₂O₃. 64-02777A; 64-02778A; 64-02779A
impact, of tempered glass helicopter windshields. 64-03452A
indentation, of Na₂O-CaO glass, acoustic emission during. 64-03406A
initiation, of viscoelastic materials, relation of microscopy to modeling of. 64-05954A
mechanics, approach to strength of sintered Si₃N₄. 64-05543A
of ceramics. 64-05922A
mechanism, in ceramic-fiber/ceramic-matrix composites. 64-07100A
map for hot-pressed Si₃N₄. 64-05923A
micro-, indentation, of ceramics, application and problems. 64-05420A
mirror-failure stress relations, in weathered and unweathered window glass panels. 64-01849A
mixed-mode, of hot-pressed Si₃N₄. 64-07481A
nonlinear, of ceramic materials. 64-05938A
of plates, porous, under tension-compression. 64-01016A
processes, in inorganic glasses, interrelation between relaxation and. 64-03277A
of refractory materials, porous. 64-03606A
studies, with 4-point-bend chevron-notched specimens, theory for load-relaxation technique. 64-07509A
-surface analysis, synchrotron X-ray fractography. 64-01036A
tensile, of glass capillaries. 64-01037A
test, hand-held loading device for. 64-02637P
toughness, of Y₂O₃-PSZ/Al₂O₃ composites. 64-04541A
of β -SiC whisker. 64-01216A
of high-pressure sintered Al₂O₃-ZrO₂ ceramics. 64-01217A
of hot-pressed Al₂O₃ and Y₂O₃-PSZ composites. 64-04347A
of single-crystal Al₂O₃. 64-07465A
in transformation-toughened ceramics, crack size dependency of. 64-02752A
understanding and controlling. 64-07526A
- Freezing and thawing.** See *Frost resistance*.
- Friction.**
of PSZ. 64-07108A
of ceramics. 64-07107A
coatings, TiC, TiN, for protecting moving machine parts. 64-07296P
dry, of metal/ceramic couples, important phenomena. 64-04268A
internal, in glass-transition region of Pb borate glasses. 64-03276A
high-temp., in alkali-free borate glasses. 64-03269A
of polycrystalline Mg ferrite. 64-00854A
properties, of materials based on denta modifications of BN. 64-07109A
- sliding, effect on strength of brittle materials. 64-02980A
tribological properties, of glass-ceramics. 64-01593A
of glass-ceramics—correction. 64-03002A
tribology, of Si₃N₄ and Si₃N₄-steel sliding pairs. 64-05590A
- Frits.**
B in, determination. 64-04713A
enamel, Pb-free low-melting. 64-00120P
and one-bake two- and multilayer process. 64-01793P
electric melting for. 64-03161A
low-melting. 64-03399P
quality assurance during production. 64-04821A
glass, with WO₃ or MoO₃, in RuO₂-based resistors. 64-00751P
for jewelry. 64-00121P
for sealing high-pressure Na vapor lamps. 64-00347P
glaze, semiconducting, magnetite crystallization in. 64-06565A
melting, oxy-fuel burners for. 64-06953A
molten, wetting behavior on substrates. 64-06279A
particle size distribution, effect on luminosity of enamels. 64-00080A
porcelain, for aluminized steel. 64-00107A
low-fusing dental, gel route preparation. 64-00599A
- Frost resistance.**
of brick products, divergent views of. 64-03558A
of bricks, ceramic. 64-06421A
of building materials, porous, test for. 64-06880A
of wall ceramics, fly-ash-based, factors affecting. 64-03720A
lab test for. 64-02265A
- Fuel elements.**
nuclear, with Zr oxide composite coating. 64-00882P
- Fuels.** See also *Ash; Combustion; Gases*.
H, from solar electrolysis of water. 64-03827A
cell, with Li titanate-based body. 64-02365P
characteristics, effect on heat recovery from exhaust gases. 64-05471A
coal, in S. African ceramic industry. 64-06931A
and by-products, for kiln industry. 64-06930A
for cement clinker production, study of. 64-03080A
dust, burner for. 64-01094P
feeding, of Pfister Proportioning Rotor Scale DRW for. 64-04158A
future uses in glass industry. 64-04582A
with low calorific value, application for cement burning. 64-05462A
mechanical and process aspects of grinding plant. 64-02668A
powdery, burner for. 64-06989P
pulverized, furnace and burner for. 64-06976P
pulverized, nozzle tip for burner using. 64-06986P
refractory problems in gasifiers for. 64-03675A
rotary calciner retrofitted to burn, method of operation. 64-01108P
ultrafine, with heat-release rates equivalent to oil or gas. 64-02676A
conservation, in cement industry. 64-04655A
dust, two-stage ignition of power burner for. 64-02689P
economics, in glass industry. 64-06303A
fast-reactor, review of thermophysical properties. 64-05347A
feed system, for direct-fired burners. 64-02681P
fine, apparatus for introducing into combustion zone. 64-00943P
fossil, operational analysis of kilns fired with. 64-04156A
gas, burner system for. 64-02684P
ir burner for. 64-05480P
low-Btu, burner for. 64-04174P
prospects for, in UK glass industry. 64-04161A
gas tariffs, applicable to S. African ceramic industry. 64-06943A
gaseous, sintering minerals with. 64-04180P
injection systems, thick films in. 64-05192A
irradiated, in Canada, evaluation of concrete casks for. 64-04638A
landfill gas, formation, extraction, and use in brick kilns. 64-05466A
lignite, in clinker mfg. process. 64-06119A
microprecursor-controlled gasifier for. 64-04901A
liquid, burner for. 64-01091P; 64-01106P
vapor burner for. 64-06994P
low-grade, application for burning clinker. 64-01742A
minerals containing, calcining method. 64-04183P
natural gas, ample supply and stable prices. 64-04155A
firing with, in brick and tile industry. 64-03564A
nuclear, Th-U dioxide, ion-exchange chromatography for determining number of fissions in. 64-00876A
ammonium uranyl picryl carbonate coconversion process for mixed oxide fabrication. 64-00877A
ceramic, method of making. 64-06750P
coated particles, process for separation from graphitic matrix. 64-03988P
high-U rod for light-water reactors. 64-03985P
method for separating graphite matrix from. 64-05352P
method of controlling crystallite size in. 64-03986P
oxide, with controlled microstructure. 64-00879A
sintered oxide, method of making. 64-05353P
particulate, delivery control device. 64-06988P
pulverized, in existing furnaces, using ultrashort flame burners. 64-04162A
firing system for. 64-01098P
saving, via recuperation, calculation from heat curves. 64-04144A
solid, burner for. 64-06993P

- drying and sorting apparatus for. 64-05485P
for firing bricks. 64-06418A
firing tunnel kilns with. 64-06948A
Furnace for. 64-06992P
reaction with batch in cement rotary kiln. 64-00055A
substitute, in lime shaft kilns in Japan. 64-01759A
waste, tires, for cement burning. 64-05473A
waste by-products, in French cement works. 64-01714A
Furnaces. See also *Burners; Fuels; Kilns; Ovens; Refractories.*
BOF, automatic ginning system for. 64-03991A
development of slag blow-coating method for. 64-03610A
Cu melting, performance of refractories in system $\text{Cr}_2\text{O}_3\text{-MgO-CuO-Cu}_2\text{O}$ in. 64-04991A
U-type, for enameling, effect of geometry on energy requirements. 64-01716A
all-electric, for vitrifying radioactive wastes. 64-03981A
amber glass, particulate emission control by batch sulfate reduction. 64-04771A
analytical. 64-01090P
arc, disintegration of C electrodes in. 64-06541A
refractory side walls, service life of. 64-00513A
service life of refractory lining. 64-02209A
arc-melting, method and apparatus for feeding raw material to. 64-00974P
assembly, for bending glass sheets. 64-04048P
atm, activity of C in, measuring device for determining. 64-02641P
insulated refractory fiber. 64-02246P
blast-, alkaline test methods for refractories. 64-05400A
refractory concrete for repairing shafts of. 64-02228A
retining, cooling down and hot idling of SiO_2 brick hot stove during. 64-04930A
bucktail, design. 64-04175P
building industries, problem points. 64-04160A
burner head for. 64-06975P
for burning coal, pulverized. 64-06976P
calcining, with planetary cooler. 64-04169P
carbonizing, vertical, for mfg. C fibers. 64-06995P
carbottom, microprocessor-controlled, stress relieving of weldments in. 64-04166A
chamber, refractory lining for. 64-00549P
charging, method and apparatus for. 64-06828P
charging system. 64-04035P
coal-fired, burner for. 64-04171P
combustion system for. 64-01095P
combustion, method of processing charges in. 64-02691P
continuously heating, device for supporting flat objects in. 64-06972P
controls, with failure-detecting circuit. 64-04118P
method. 64-01055P
microprocessor-based. 64-04142A
update. 64-04108A
cupola, gas-fired, service of refractory nozzle in. 64-02210A
degassing, rotary hearth, gunning materials for. 64-02117A
design, effect on energy consumption in enameling industry. 64-00092A
diffusion, design of SiC cantilever paddles in. 64-04934A
electric, discontinuous, application of refractory insulating fibers in. 64-03587A
refractory fiber insulation for. 64-03703P
electric-arc, Al-Si-C block for spout. 64-04918A
MgO-C brick for sidewall. 64-04968A
MgO-C brick for tap hole. 64-04969A
fibrous heat-insulating materials for lining. 64-04988A
large-size refractories for roof. 64-04967A
melting baddeleyite in. 64-02937A
for melting refractories, model for resistance of baths. 64-00490A
steel-melting, periclase-chromite and periclase refractories for. 64-02169A
type OKB-955N, melting baddeleyite in. 64-02516A
with electrically conducting bottom, production of periclase in. 64-04970A
enamel smelting, with F sorption stage, dust collection on. 64-01350A
enameling, light construction. 64-05467A
low-energy-consuming, with underfloor conveyor. 64-00102A
porcelain, with fiber insulation to save fuel. 64-04159A
end-fired, behavior of cruciform regenerator packing. 64-06440A
existing, pulverized fuel use in. 64-04162A
fiber-insulated, method for building. 64-06982P
fiber-lined. 64-02683P
for firing pyrites, refractory concrete lining for. 64-02200A
flue gas energy, recycling. 64-02672A
forehearth, Mo-lined electric. 64-06949A
demonstrates energy economy and temp. uniformity. 64-06951A
forge, refractory design changes lower fuel costs. 64-03608A
fuel characteristics, primary heat recovery from exhaust gases. 64-05471A
gas, deformation temps. of cones of oxide systems in. 64-01390A
glass, electrodes for. 64-05478P
sheet treating, with roller conveyor. 64-06977P
glassmelting. 64-00413P
Joule-heated, start up with graphite slurry. 64-04828A
NO, control technology. 64-06889A
Pittsburgh-type, effect of constructional changes on mass flow. 64-03430A
air management for. 64-04770A
analysis of. 64-06942A
application of basic refractories as regenerative lattices. 64-00272A
arc, electrodes for. 64-06966P
arc-gap controller for. 64-02631P
burner-withdrawing unit for. 64-01077A
case for chimney block packing. 64-02068A
cogeneration from waste heat recovery. 64-06969P
computer-controlled, saves energy. 64-01957A
concentration ratios of atm. 64-03207A
for containers, extending service life of refractories. 64-00476A
corrosion of refractories in. 64-03666A
effect of excess air on operation. 64-00306A
electric. 64-01984P
electric booster equipment, how to specify. 64-01952A
electric, construction and operation. 64-03421A
electric, with 3-phase heating, for crystal glass. 64-01947A
electric-arc, determining optimum depth of bath. 64-00284A
electrically heated, melting colored glasses in. 64-03455A
energy-saving operation of. 64-04789A
evaluation of refractories for. 64-04948A
field performance of 400 series forehearth. 64-06307A
float, O control in. 64-06884A
flow threshold in baths. 64-00295A
gas/O burner technology. 64-06926A
header brick in lattice structure. 64-02244P
heat exchangers, method for protecting under emergency conditions. 64-01085A
heat recovery. 64-01869A
heat-recovery system for. 64-02685P
homogenizing and intensifying effect of electric boosting. 64-04798A
homogenizing apparatus for. 64-04853P
limitations affecting performance. 64-03460A
melt movement, x-ray study of. 64-01041A
metallic curtains for screening thermal radiation. 64-03465A
method for controlling corrosion of refractories. 64-00485A
method of sealing to prevent air leakage. 64-02006P
modeling of 3-D natural convection in. 64-01948A
modern. 64-04794A
moly-lined electric, at Corning. 64-02660A
multizone, engineering design. 64-01081A
new, energy-efficient regenerative chamber systems. 64-00332A
performance of refractory zirconophosphatic mortar in. 64-03653A
performance of thermoelectric transducers in. 64-00317A
producer gas-fired, evaluation of. 64-03442A
reclamation of Bakor refractory scraps following service in. 64-00532A
recuperative, without internal crown. 64-03445A
refractory linings for, attack by V_2O_5 . 64-03623A
regenerator, construction. 64-02240P
regularities in heat consumption. 64-06325A
sealing and corrosion resistance of bottoms. 64-02206A
for sheet, recent trends. 64-00323A
transducer-based method for determining heat loss through masonry. 64-00475A
transverse-burner recuperative, design of. 64-03510P
for vitrifying defense waste, physical modeling of. 64-04816A
wall wear of, radioactive tracer determination. 64-04783A
with electrically heated forehearth. 64-06350P
group of, system for automatic control of pressures. 64-02674A
heat recuperator, triple-pass. 64-01368P
heat-exchanger elements, process of making. 64-02903P
heat-treatment, process for reducing O_2 content of atm. 64-02693P
for solid, granular, and aggregate materials. 64-05475P
heating, system for detecting damage of refractory materials. 64-05438A
high-temp., for advanced ceramics. 64-06944A
hollow ware, contribution of cruciform checkerwork to efficiency. 64-02084A
hot-blast stove, refractory lining for. 64-00552P
hot-pressing, at high pressure. 64-04173P
induction, ZrO_2 -based refractory ramming material for. 64-05033P
for elongated workpiece. 64-04181P
for glass or enamel. 64-01097P
refractory linings, reaction with slag melts. 64-02194A
for vitrification of radioactive wastes. 64-04153A
industrial, energy reduction with insulating materials. 64-03618A
method for controlling combustion in. 64-04184P
simulation with powder XRD. 64-06896A
suspended roof construction for. 64-01111P
inner wall, apparatus for measuring distance to point on. 64-05446P
installations, method of monitoring. 64-05456P
ir, with atm control. 64-06979P
with controlled environment. 64-01102P
lab, refractory insulation problems in. 64-03687A
lab ir, apparatus for converting to reduction furnaces. 64-01092P
large-vol high-pressure, for diamond and cBN abrasive grain production. 64-04145A
linings, improving lifetime with C and graphite refractories. 64-03635A
multilayer, optimization of construction. 64-02161A
refractory bricks for. 64-06487P
low thermal mass, development of. 64-04675A
for integrated enameling circuits. 64-00096A
in marine boilers, plastic refractory lining for. 64-02172A
melting. 64-06983P
and auxiliary, refractory insulating materials in. 64-03646A
wear mechanism of MgO-C bricks in. 64-05015A
metallurgical, method of monitoring wear of refractory lining. 64-05457P
refractory concrete blocks for. 64-02199A
mini-, for thermomicroscopy and crystal growth experiments. 64-02617A
nose construction, refractory for. 64-00551P
reactive, atm, choosing refractories for. 64-02078A
reduction, apparatus for converting lab air furnace to. 64-01092P
regenerative, cogeneration, in glass industry. 64-01089A
waste heat recovery from. 64-06996P
reheat, refractory fibers in. 64-02072A
reheating, batch-type, of ceramic fiber. 64-02659A
energy saving by adding preheating device. 64-04149A
plastic gunning system application. 64-05357A
roller conveyor, for glass sheet. 64-04849P
sagger, for dental porcelain. 64-04192P
and screw conveyor. 64-05483P
shaft, apparatus for discharging solids from. 64-05474P
for calcining limestone, feeding apparatus for. 64-01774P
feeding apparatus for. 64-05385P
for heat treatment of finely dispersed materials. 64-04193P
lime-burning, process and apparatus for operating. 64-02694P
sight glass for, dark blue with high ir absorption. 64-06347P
solar, Al titanate made in. 64-05512A
for research. 64-04168A
as research facility. 64-06945A
solid fuel. 64-06992P
steel-making, brick lining for. 64-00564P
temp.-gradient, for solidification experiments. 64-04167A
temp.-sensing structure for. 64-06847P
thermal gradient test. 64-06034A
tunnel, redesign for increased capacity and fuel economy. 64-04899A
vacuum, refractory wall arrangement for. 64-02245P
walking beam. 64-01114P
walls, method for repairing. 64-00563P
refractory fiber block for. 64-00548P
Fusion,
devices, ceramics for. 64-02744A
Gadolinium,
 GdSc_{1-x} , phase transformation and processing. 64-00688A
oxyvanadate. 64-05711A
Gages,
glass level. 64-04779A
optical, for measuring glassmelt level. 64-01025A
sight, glass, for high-pressure vessel. 64-06978P
Gallium,
 $\text{Ga}_{1-x}\text{In}_x$ -As, crystals, distribution of components and electrophysical parameters. 64-05066A
 GaAlAs layer, pressure sensor. 64-05242P
 GaAs , B-doped crystal, method of making. 64-06661P
alloying of Au, Au-Ge and Au-Ge-Ni on. 64-04670A
crystals doped with B, method of making. 64-00781P
electrical properties of Na in. 64-05082A
heterostructure, LPE growth. 64-05221P
layers, preparation from Bi solution-melts. 64-05160A
with selective orientation, growth. 64-00806P
semiconductor device, mfg. of. 64-00779P
in situ compounding, As cell stabilization valve for As cell. 64-07406P
substrates, technique for matching superlattices grown on. 64-06632P
 GaAs -based laser, monolithic multielement. 64-03896P
 GaInAsP , semiconductor laser. 64-03907P
 GaP , substrate, reaction of liquid phase of system Al-Ga-P-As with. 64-05168A
Y gallates, physicochemical properties. 64-05783A
 $\beta\text{-Ga}_2\text{O}_3$, crystals, self-localized electron excitations in. 64-03822A
gallates, Mg-containing $\text{K}^+\text{-}\beta\text{-Al}_2\text{O}_3$ -type. 64-02764A
nitride, light-emitting diode, method of making. 64-00776P
orthophosphate, hydrothermal crystal growing process. 64-02955P
phosphide, Bragg cells, performance and optical properties. 64-00683A
nucleus formation in vol of melt, kinetics. 64-05121A
substitution for Al, In, and Fe in molybdates. 64-05744A
Gallvanometric properties. See *Magnetic properties.*
Garnets,
Al, single-crystal material based on. 64-07436P
Bi-Fe, LPE growth of layers. 64-05295A
 $\text{Ca}_{1-x}\text{Y}_x\text{Mn}_2\text{Ge}_2\text{O}_{11}$, thermopower and electrical conductivity. 64-05190A
Fe, Bi- and Al-substituted films, magnetic and magnetooptic properties. 64-02466A
bubble compositions based on. 64-06735P
films, electrical properties. 64-05292A

- Fe-Y ferro-, interactions and relaxation of magnons in 20-sublattice. 64-06711A
- Gd-Ga. 64-02311A
crystals, method for making. 64-02388P
doped crystals, color centers in. 64-07447A
- Ho-Y ferrite, ferromagnetic resonance in. 64-03957A
(La,Sm,Lu,Tm),(Fe,Ga)₂O₃, garnets. 64-02482A
- Nd:YAG, crystals, growing by temp. gradient technique. 64-07336A
- Tb₂Ga₂O₇, paramagnetic, Faraday effect in. 64-03923A
- Tb-Y ferrite, angular phases in. 64-03948A
- Y-Al, translucent. 64-07211P
- Y-Fe, H diffusion in, optical study. 64-02475A
delay line based on liquid phase grown. 64-02480A
diffusion of F ions in. 64-03952A
films, nonlinear effects in current-voltage characteristic. 64-03965A
hot-pressed polycrystalline. 64-06709A
- Y-Fe ferrite, doped with Tb³⁺ and Yb³⁺ ions, magnetic-elastic properties. 64-03963A
- Y-Ga, Cr-doped laser. 64-02357P
- Y-Nd ferrite, magnetostriiction of. 64-03964A
- Y-Sm ferrite, spin-reoriented phase transitions in. 64-06719A
- YAG, laser rods, method of making. 64-05247P; 64-05655P
- YIG, Pr-Ga substituted, magnetization and Faraday rotation. 64-02471A
polycrystalline, relaxation in. 64-02333A
- YIG:Ca films, surface layer contraction of lattice. 64-02340A
- bubble, Bi-Sc-doped. 64-02454A
implantation of. 64-05296A
- ferrite, rare earth-rare earth exchange reactions in. 64-03967A
- ferro-, crystals from melts of system BaO-B₂O₃, growth striation. 64-01547A
film, with high Curie temps. 64-00844P
films, Bi-Ga- and La-Ga-substituted, laser and thermal annealings of. 64-02465A
bubble, ferromagnetic resonance of. 64-02462A
magnetic and magneto-optical properties. 64-05299A
magnetic, control of birefringence in. 64-02457A
magnetic, microwave properties. 64-05303A
magnetic, structural properties. 64-05304A
magneto-optical devices based on. 64-05302A
optical absorption. 64-00861A
polarographic determination of Pt trace amounts. 64-01029A
- layers, cathodoluminescent. 64-05289A
- structure, crystals with, stimulated radiation in. 64-00678A
- hydrogarnet, multiple H occupancy in. 64-07037A
- Gases.** See also *Vapors*.
- O oxide content, alkaline-earth metal Al-containing spinels for reducing. 64-04412P
- S oxide content, alkaline-earth metal Al-containing spinels for reducing. 64-04413P
- analyzer, high-speed chromatographic. 64-01018A; 64-02595A
- analyzer system, for cement plants. 64-00905A
- combustion, in glassmelting, recuperation of heat-absorbent media to preheat. 64-00420P
- detector, oxide semiconductor. 64-02367P
- exhaust, La mixed oxide catalysts for conversion of. 64-02855P
- diesel, cleaning apparatus for. 64-05616P
- honeycomb catalyst for conversion of, method of making. 64-05650P
- flue, limestone-gypsum desulfurization process. 64-01777P
- method of producing Ca sulfate semihydrate during desulfurization of. 64-03143P
- in refractory industry, F absorption from. 64-04581A
- system for controlling combustibles and O₂ in. 64-04195P
- formation, in silicate glasses under high-intensity radiation. 64-00186A
- high-temp., O₂ sensor for. 64-01072P
- industrial waste, desulfurization of, titanate- and silicate-based catalyst for. 64-02853P
- methane, leaks, detecting. 64-02585A
- mixture, O₂ in, method and apparatus for sensing. 64-01063P
- permeability, in dense ceramics, apparatus for determining. 64-01006A
- sensor, metal/ceramic. 64-04694P
- with perovskite-type material. 64-05212P
- sensors, from hydroxylapatite composites. 64-02772A
- solid reactions, graphic displays of thermodynamics. 64-04565A
- sorption, on MgO surfaces. 64-07386A
- waste, at Suvorov, USSR, ore-beneficiation plant, trapped dust from. 64-01145A
- industrial of low calorific value, cyclone burner for. 64-02664A
- Gasification.**
ZnO-char, process. 64-04239P
- coal, refractory problems. 64-03675A
- lignite, microprocessor-controlled. 64-04901A
- Gels.** See *Colloids*.
- Gems.**
ruby, crystal structure, dependence on hydrostatic pressure. 64-01528A
- oxidation of. 64-01237A
- Generators.**
O₂, pressure-swing-adsorption, by zeolite adsorbent. 64-05560A
- optical pulse, InSb. 64-03898P
- Geology.**
formations, clay-bearing, characteristics, method and apparatus for determining. 64-02642P
- kaolin-sillimanite-mica deposits, Australian, profile of. 64-02717A
- prospecting, for clay. 64-01137A
- for sand. 64-01123A
- Germanates.**
Mg and Ca, Gibbs free energies of formation. 64-01406A
- Y₂GeO₇, metastable modification of. 64-05751A
- with structure Ca₂Ga₂Ge₂O₁₄. 64-00664A
- in systems, CoO-GeO₂ and CuP-GeO₂, free energies of formation. 64-04495A
- Germanium.** See *GeO₂*.
- Germanium.**
GeO₂, films, effect of moisture on surface morphology. 64-00650A
- GeO₂, chemical transport. 64-01431A
- films, electrical properties. 64-05076A
- interaction with molten fluorides of alkali metals. 64-05730A
- volatility in presence of WO₃. 64-01485A
- GeSe₂ and GeSe, films, energy-beam-induced synthesis of. 64-05093A
- amorphous, effects of angle of deposition on short-range order. 64-05913A
- atoms, in Na₂O-GeO₂ glasses, coordination number. 64-04709A
- circuit using, Ga-Al arenide integrated. 64-02366P
- crystal growth, from laser-induced melt, interface structure and solute trapping. 64-01415A
- islands, on SiO₂ substrates, residual strain in. 64-02334A
- oxide, media for mfg. H by steam-Fe process, development of. 64-04266A
- water-free, method of making. 64-01508P
- oxynitride, films, structure. 64-01260A
- p-type, effect of uniaxial constraint on impurity band conduction in. 64-04535A
- reaction with Ge tetrachloride, and existence of GeOCl₂ and GeOCl₄ at equilibrium. 64-01454A
- Glass fibers.** See also *Drawing; Fiber optics; Fibers; Fibrous materials; Filaments; Glass; Joining; Optical materials; Splicing; Waveguides*.
- Al borosilicate, rapidly cooled and annealed, B coordination in. 64-04706A
- As₂S₃, CO laser power delivery with. 64-00633A
- C-black- and oxide pigment-doped, electrically conductive articles and sheets. 64-05211P
- E-glass, effects of acid and post-heat treatment on tensile properties. 64-01839A
- heat of adsorption of water. 64-00192A
- in mineral acid solutions, strength loss of. 64-03488A
- ZnO-Al₂O₃-SiO₂, crystallization of. 64-06175A
- alkali resistance. 64-06161A
- alkali-resistant, for reinforcing cement stone. 64-06292A
- aluminosilicate, effect of composition and thermal treatment on structure. 64-03417A
- annealing, tracing of viscosity changes during. 64-03438A
- apparatus for forming, by centrifugal force. 64-06340P
- basalt, continuous. 64-00281A
- effect of Fe oxides on crystallization. 64-03274A
- based on rocks from Georgian SSR. 64-00315A
- batts, homogeneous, method for producing. 64-04046P
- blankets, formation of molded parts from. 64-06354P
- blowable, thermal insulation product. 64-00344P
- bundle, method and apparatus for forming. 64-06820P
- in cement, portland, destruction kinetics. 64-00034A
- for cement composites, coating by sol-gel method. 64-06294A
- cements reinforced with, durability. 64-04633A
- charge for, compacted. 64-00279A
- cloth, prepreg of, method of making. 64-04875P
- coating, multiple. 64-00401P; 64-01987P
- recovery. 64-00422P
- composite based on. 64-04253A
- corrosion of, stress, in acidic environment. 64-01908A
- deposition of SiO₂-ZrO₂ coatings on, by sol-gel method. 64-06296A
- in different atmos., bending strength and static fatigue. 64-03412A
- direct melting, automated control system for. 64-03411A
- drawing, diffusion at boundary between core and shell. 64-03427A
- means for controlling apparatus. 64-00378P
- feeder for, method of making. 64-06385P
- fibrizing apparatus. 64-00363P
- fine wool, mfg. in Hungary. 64-04820A
- fluoride, effect of drawing temp. on strength. 64-06310A
- ir, NH₃ absorption in. 64-01873A
- forming, apparatus for. 64-06339P
- with centrifugal force, method for. 64-02001P
- method. 64-02000P
- method and apparatus for. 64-01998P
- gun roving, Cr-free sizing containing Ti acetyl acetate for. 64-00348P
- heat transfer in. 64-00152A
- insulating materials, for thermal and acoustic applications. 64-03627A
- for ir, AgBr/AgCl core-clad. 64-01992P
- light conductor. 64-00400P
- lightweight, resin composites, testing of. 64-06313A
- mat, continuous, apparatus for producing. 64-03505P
- continuous, method and apparatus for making. 64-00382P; 64-03520P
- method and apparatus for making. 64-06372P
- method and apparatus for making. 64-00383P
- method for making. 64-04861P
- method of making. 64-00397P; 64-06377P; 64-06386P
- micro-, deburring burners for making. 64-06295A
- optical, CVD SiO₂, preform, incorporation of OH groups in. 64-01877A
- with high numerical apertures. 64-00210A
- paper separator, for electrochemical cells. 64-00365P
- preform, devitrification-resistant flame hydrolysis process. 64-01982P
- production and collecting, apparatus for. 64-00339P
- production, from heat-softenable material. 64-00381P
- reclamation from scrap mat, apparatus for. 64-04842P
- refractory, decreasing linear shrinkage of. 64-00464A
- with water-soluble binders, wettability. 64-02233A
- reinforced rigid polyurethane foam, compressive properties. 64-03420A
- reinforced sanitary ware, method of making. 64-03742P
- for reinforcements. 64-03444A
- sizing, method for. 64-00983P
- spinning or twisting machine form. 64-06845P
- splicing, arc-fusion. 64-00273A
- submicron, SEM for evaluating. 64-03410A
- synthetic, aqueous corrosion of. 64-04705A; 64-04774A
- treated, for high-speed bulking, method of making. 64-00418P
- treated with asphalt, chemically modified. 64-06344P
- tubular package, method of making. 64-01005P
- ultraphosphate, chemical stability and vibrational spectra. 64-03203A
- vacuum heat insulator with. 64-02026P
- water-containing. 64-00270P
- webs, from melt, method and apparatus for forming. 64-01997P
- winding, method and apparatus. 64-05387P
- Glass industry.**
400 series forehearth, field performance of. 64-06307A
- ACerS Division. 64-05982A
- As, EPA reviews regulatory options for. 64-01828A
- in Australia, sources and uses. 64-01970A
- in Canada, foreign cullet use. 64-06320A
- in China. 64-01943A
- TV bulb plant built by Corning-Chinese team. 64-04780A
- report on ICG meeting. 64-00222A
- Cr emissions, environmental agencies target. 64-07523A
- Glass Problems Conference report. 64-06305A
- in India, energy audit. 64-00290A
- PPG's operations computer systems. 64-06885A
- in Poland, history of. 64-03450A
- in S. Africa, high-quality laminated products. 64-04799A
- in UK, Bristol, rise and decline of. 64-00275A
- prospects for gas. 64-04161A
- in W. Germany, review of dangerous substances in process of Pb and crystal ware. 64-00324A
- at Warrington, UK, 1757-1933. 64-04609A
- acoustic emission, application of. 64-02376A
- batch, economics of compaction. 64-00286A
- blocks, method for preparing for shipment. 64-03526P
- bottlers revert to glass. 64-06331A
- bottles, apparatus for widening and slowing stream of. 64-04021P
- defect-detecting method for. 64-04113P
- device for detecting flaws in rim. 64-04115P
- method and apparatus for transferring. 64-02558P
- method for making. 64-03533P
- returnable, effect of washing. 64-04800A
- charging, end-port, solving problems of. 64-06329A
- chimney block packing, case for. 64-02068A
- combustion air, port wall jet for controlling. 64-03539P
- target wall jet for controlling. 64-03548P
- competitiveness, effects of legislation on. 64-04579A
- composition control, practical. 64-03329A
- container pusher. 64-00962P
- containers, Packaging Institute reviews programs for. 64-00299A
- coatings for lightweighting and strengthening. 64-03459A
- distributed computer control and monitoring in plant. 64-03428A
- fully automatic machines. 64-00296A
- how Wall Street views industry. 64-07525A
- inspection method. 64-02643P
- marketing trends in UK. 64-00334A
- more competitive. 64-03415A
- orienting apparatus. 64-00352P
- quality assurance in. 64-03475A
- quality assurance in production. 64-01966A; 64-01967A; 64-01968A
- raw material specifications to tighten in. 64-04822A
- recent work on noise measurement. 64-04824A
- recycling key to bottle cost battle. 64-03477A
- recycling, update with commitment to future. 64-07524A
- relationship between internal pressure and resistance to thermal shock. 64-03479A
- returnable, thermal shock resistance of. 64-03492A
- suggestions for improving competitive position. 64-00336A
- suggestions for improving profitability. 64-00305A
- wine, new coating system. 64-06778A

- curtains, metallic, for screening sources of thermal radiation. 64-03463A
- cutting, with hard-alloy rollers. 64-01963A
- decal technology, competes with screening. 64-04811A
- diamond tools in. 64-03049A
- drawing jet, determination of thermal transfer in region of. 64-03423A
- dist-firing technology. 64-06936A
- electric meter, moly-lined, at Corning. 64-02660A
- float process. 64-00294A
- forehearth, electrically heated, and method of controlling molten glass temp. in. 64-06350P
- forming in. 64-01631B
- fuel, economics. 64-06303A
- future uses of coal. 64-04582A
- furnaces. 64-00415P
- NO, control technology. 64-06889A
- Pittsburgh-type, effect of construction changes on mass flow. 64-03439A
- analysis. 64-06942A
- arc-gas controller for. 64-02631P
- computerization, feasibility. 64-01089A
- computer-controlled, saves energy. 64-01957A
- electric. 64-01984P
- electric, construction and operation. 64-03421A
- electrodes for. 64-05478P
- energy-saving operation of. 64-04789A
- gas/O burner technology. 64-06926A
- header brick in regenerator lattice. 64-02244P
- heat recovery. 64-01869A; 64-04797A
- homogenizing and intensifying effect of electric boosting. 64-04798A
- homogenizing apparatus for. 64-04853P
- how to specify electric booster equipment. 64-01952A
- limitations affecting performance. 64-03460A
- method for sealing to prevent air leakage. 64-02006P
- modeling of 3-D convection in. 64-01948A
- modern. 64-04794A
- producer gas-fired, evaluation of. 64-03442A
- regenerative, without internal crown. 64-03445A
- regenerative, air management for. 64-04770A
- regenerator, construction. 64-02240P
- sheet roller conveyor, with gas jet pump heating. 64-04849P
- hand products' competitiveness. 64-04796A
- kilns, insulated, for hollow ware. 64-01083A
- laminated products, mfg. techniques. 64-04799A
- lehrs, recirculating, offer in-plant versatility. 64-02671A
- light sources, energy-saving. 64-03436A
- longer shelf life, meeting requirements for. 64-04738A
- marketing, containers. 64-00297A
- mirrors, economic data. 64-04809A
- molds, cooling wind shut-off valve for. 64-04844P
- new technology, managing basics. 64-06299A
- optical communications, telephony using lightwaves. 64-01959A
- pollutants, dust, sound, and thermal stress. 64-03031A
- pollution hazard, relative to soil. 64-03028A
- problems conference at. 64-03031A
- process management, succeeds at Corning. 64-03032A
- process-control systems, microprocessor applications. 64-03031A
- production cycles, control methods. 64-00919A
- production line, for hollow spheres. 64-00303A
- raw materials. 64-01638B
- in Italy, Murano, in 19th century. 64-00016A
- handling of wet sand. 64-06772A
- strategic risk analysis. 64-00329A
- recuperators, pros and cons of. 64-06298A
- refractories, bonded Al-ZrO₂-SiO₂. 64-04924A
- regenerator energy performance, analysis with heat balance computer model. 64-00271A
- silicates, soluble, mfg. and use. 64-03357A
- slag, blast-furnace, effect on quality. 64-04784A
- sulfate test, lower checker, at Brockway. 64-02598A
- tempering, practices affect product quality. 64-01950A
- tempering lines, temp. controls for. 64-02503A
- winding machine, computer-controlled, for fiber glass filaments. 64-03424A
- Glass-ceramics,**
- with Gd₂O₃, EPR study. 64-01830A
- K fluorrichterite, method of making. 64-00264P
- Li disilicate, hydrothermal corrosion of. 64-04727A
- Li silicate, and SiO₂-based, high expansion. 64-01911P
- Li₂O-K₂O-MgO-Al₂O₃-SiO₂-F, effect of crystallization on strength and Young's modulus. 64-06184A
- Steklokramit, decorative-facings material. 64-00328A
- aluminosilicate, glazed, development of. 64-06513A
- for arc-resistant chute, in high-voltage switchgear, development of. 64-03216A
- ballistic-resistant, method of making. 64-00244P
- composites, SiC fiber-reinforced. 64-02906P
- composition, castable, for dental restorative. 64-06343P
- cordierite, effect of crystallites on crack growth and strength. 64-04785A
- thermal shock resistance, effect of crystallites on. 64-01835A
- crystallization, by epitaxial growth. 64-00158A
- embedding material for. 64-00251P
- for envelopes, high-voltage vacuum-tube, experience with. 64-03249A
- fibers, preparation of. 64-03540P
- filament, distribution of nuclei within. 64-03221A
- fluorophlogopite-fluoromuscovite mica, preparation and characterization of. 64-03474A
- foamed, lead-through seals for incorporating. 64-03458A
- gravel, for building construction. 64-06306A
- in high-B region, in system B₂O₃-Al₂O₃-SiO₂. 64-06200A
- high-Zn-content Li₂O-ZnO-SiO₂, crystallization and effect of K₂O additions. 64-04781A
- hob, with temp. sensor. 64-06360P
- ionic conductor, method of making. 64-05214P
- lepidolite-based, change in microstructure during crystallization. 64-06168A
- machinable, new type of phlogopite crystal in. 64-03311A
- second-order pressure derivatives of elastic moduli. 64-01969A
- magnetic, colloidal Bi as nucleation catalyst for. 64-00149A
- preparation and properties. 64-03330A
- minerals for, mica-type. 64-06316A; 64-06317A
- multilayered, with Cu-based conductors, method for making. 64-05229P
- osumilite-containing. 64-00254P
- phosphate, for bone implants, development of. 64-04267A
- plates, heating element for. 64-06222P
- steel wool-coated roller conveyor for. 64-04059P
- quartz, Zerodur and ULE, effect of thermal cycling on dimensional stability. 64-01945A
- for solar collectors, fluorescent. 64-03512P
- sphene, and sphene-based, radiation effects on. 64-04747A
- sphene-based, SAM of La partitioning. 64-01903A
- for disposal of Canadian nuclear wastes. 64-05686A
- for nuclear wastes, crystallization of. 64-04711A
- systems, MgO-Al₂O₃-SiO₂, role of Sn. 64-03353A
- Na₂O-B₂O₃-CaO, preparation and sintering. 64-01888A
- to-metal seals, super-high-strength, design and fabrication. 64-04673A
- transparent, containing mullite. 64-06291P
- with high negative expansion, for decorative glazes. 64-04768P
- tribological properties. 64-01593A
- correction. 64-03002A
- for tubes, gas laser. 64-03443A
- Glass.** See also *Art and craft; Drawing; Fiber optics; Furnaces; Glass fibers; Glass industry; Glass-ceramics; Glassmaking equipment.*
- 2-phase Na borosilicate, action of acid solutions on plates of. 64-03185A
- (20-x)Na₂O-xK₂O-80SiO₂, leaching, mutual effect of Na and K ions on diffusion during. 64-01872A
- Ag borate, new data on properties. 64-03309A
- preparation and properties. 64-06237A
- Ag halide photochromic, containing Cu impurity, absorption spectra. 64-03278A
- Al₂O₃-SiO₂, for spectacles. 64-04767P
- AlF₃-based, doped with trivalent Eu, structural and spectroscopic study. 64-01910A
- AlPO₄ and SiO₂, structure, comparison using molecular dynamics. 64-06171A
- As₂S₃-As₂Se₃, photoacoustic spectra. 64-01881A
- As₂Se₃, reaction with Ag and Ti. 64-03341A
- reaction with Cu and Ag. 64-03342A
- As₂Se₃ and As₂S₃, structure near T_g, temp. dependence. 64-04832A
- As-Se, ESR study of Mn²⁺. 64-05067A
- Au on, burnishing compositions for. 64-03737P
- Au-ruby. 64-03446A
- B in, determination. 64-04713A
- B₂O₃-GeO₂ and B₂O₃-GeO₂-SiO₂, temp. dependence of boroxol ring clusters, Raman study. 64-06240A
- B₂O₃-PbO-Al₂O₃, spinodal decomposition, X-ray scattering study. 64-06250A
- Ba borate, containing Fe, EPR and dc resistivity studies. 64-01843A
- containing Fe, thermal properties. 64-06271A
- Ba borosilicate, optical absorption and ESR studies on Ti³⁺. 64-03312A
- Ba fluoroaluminophosphate, refraction and specific vol. 64-01900A
- Ba fluorozirconate and fluorohafnate, structure, XRD study. 64-04763A
- Ba germanate, properties and morphology. 64-00219A
- Ba or Sr, heat-treated. 64-03514P
- BaO-SiO₂, crystal nucleation kinetics, effects of amorphous phase separation. 64-01840A
- effect of phase separation on nucleation kinetics. 64-00177A
- Be aluminosilicate, XRD study of structure. 64-01929A
- Bi₂Fe₂O₇. 64-00188A
- Bi-V, effect of heat treatment on electrical properties. 64-03231A
- from Britain, first millennium AD, XRF analysis of. 64-01670A
- C-impregnated, thermometers, preparation of. 64-04744A
- CRT article, method of making. 64-00346P
- Ca aluminosilicate, formation and properties. 64-04724A
- Ca and Mg in, AAS determination. 64-00145A
- Ca borosilicate, photoacoustic spectra of Fe in. 64-01882A
- Ca(PO₃)₂, mol orientation at crystal growth front. 64-06235A
- CaO-B₂O₃-Al₂O₃, formation and decay of color centers induced by γ-irradiation. 64-01848A
- CaO-Ga₂O₃-SiO₂, crystallization. 64-01820A
- C aventurin, F-free, synthesis of. 64-00233A
- Cr green Na₂O-CaO-MgO-SiO₂, chemical analysis. 64-03202A
- Cu halide photochromic, effect of composition and structure on properties. 64-03208A
- optical sensitization of. 64-03317A
- Cu in, indexes of optical absorption. 64-03272A
- Cu ruby, coloring process, spectroscopic study. 64-00150A
- Cu-Ca-phosphate, ir spectra. 64-00200A
- xCuO(1-x)[2B₂O₃·PbO], EPR and magnetic susceptibility studies. 64-00164A
- E-type, leaching. 64-01867A
- variation of vol resistivity with temp. 64-00333A
- F-containing Pb silicate, chemical stability. 64-03204A
- Fe silicate, ESR study of radiation-induced damage. 64-03245A
- Fe-Na borosilicate, structure. 64-06263A
- Fe-containing, thermal expansion characteristics. 64-06269A
- Fe-doped, method for detecting γ-radiation based on. 64-04129P
- French-green, mfg. in Australia. 64-06314A
- with Gd₂O₃, EPR study. 64-01830A
- Ge vanadate, control of electrical conductivity by admixture of Cl. 64-00153A
- Ge₂Sb₂Se₆, chalcogenide containing Fe additives, magnetic susceptibility. 64-03292A
- GeS₂, effect of Au, Ag, Cu impurities on properties. 64-03235A
- GeO₂, effect of fusion temp. on defect center concentration. 64-00198A
- GeO₂-SiO₂, dispersion in. 64-04717A
- GeS₂ and GeSe₂, semiconductor, photoluminescence and its thermal quenching in. 64-03322A
- Ho ion in, absorption spectra. 64-03181A
- from Illinois coal ash, crystallization and properties. 64-00155A
- K borate, interaction of luminescence centers with laser radiation. 64-04730A
- K borogermanate, with high GeO₂ concentration, Raman spectra. 64-01894A
- K borosilicate, effect of composition on electrical relaxation. 64-03229A
- K-Al borate, effect of heat treatment on aggregation of Fe ions. 64-03230A
- La borate, properties and structure. 64-01891A
- La ultraphosphate, radiation-induced paramagnetic centers in. 64-03334A
- La-Ga oxyfluoride, activated with Nd, spectral-luminescent properties. 64-00227A
- Li aluminosilicate, containing TiO₂, effect of NiO additives on phase decomposition. 64-03226A
- Li borosilicate, Fe³⁺ ions in, electrical conductivity and Moessbauer study. 64-03250A
- phase-separated, effect of pH on dissolution rate. 64-04729A
- Li disilicate, hydrothermal corrosion of. 64-04727A
- Li galliosilicate, transformation range behavior. 64-06274A
- Li₂O-based, ionic conductor. 64-00256P
- Li silicate, optical device, method of making. 64-06393P
- Li₂O-2SiO₂, homogeneous vs heterogeneous crystal nucleation in. 64-03271A
- Li₂O-3SiO₂ and Na₂O-3SiO₂, differences in surface behavior of alkali ions. 64-06179A
- Li₂O-B₂O₃(Fe₂O₃)-SiO₂, crystallized, Moessbauer and X-ray studies. 64-06221A
- (Li₂Na) and (Li₂Li) triborate, ⁷Li NMR in. 64-03287A
- Li-Na borate, mixed alkali effect in. 64-00207A
- Mg-Al-Si, Ca-Al-Si, and Y-Al-Si oxyfluoride, high-frequency dielectric properties. 64-04284A
- Mg-Al-Si-O-N, preparation and mechanical properties. 64-01887A
- Mg-Si-O-N, formation and microstructure. 64-00185A
- Mg-Sialon, effect on atm and TiO₂ nucleant on crystallization. 64-06208A
- 2MgO-2Al₂O₃·5SiO₂, powdered, coalescence and crystallization. 64-04777A
- MgO-Al₂O₃-SiO₂, with ZrO₂, TiO₂, and CuO, crystallization of. 64-06174A
- containing TiO₂, vibrational spectra. 64-06275A
- Mn-containing, formation of surface films during heat treatment of. 64-03256A
- Mn-containing oxide, correlations between color, electron spectra, and structure. 64-03209A
- Mo phosphate, effect of Mo⁶⁺ ions on elastic moduli. 64-00167A
- electrical properties. 64-06192A
- Na aluminate, ferrous-feric equilibrium, kinetics and thermodynamics. 64-04733A
- Na aluminogermanate, Raman spectra and structure. 64-04749A
- Na aluminophosphate, Na diffusion in. 64-06252A
- Na aluminosilicate, structure of. 64-01912A
- Na and K germanate, elastic constant and mol vol. 64-06189A
- Na and Li superionic. 64-06251A
- Na borate, in T_g range, viscosity and thermal expansion. 64-03381A
- adsorption spectra of Ni ions in. 64-03192A
- doped, structural interpretation of Pb²⁺, Eu³⁺, and Nd³⁺ optical spectra. 64-06261A
- high-temp. mechanical relaxation in. 64-03268A

- hole-trapped center responsible for thermoluminescence. 64-06203A
- Na borosilicate, containing CaO, ZnO, and CdO, is absorption spectra. 64-00199A
- coordination of Fe ions in. 64-01818A
- for optical fibers, reduction of water content. 64-06243A
- thermochemistry. 64-06272A
- Na disilicate, reactions and bonding with Cr. 64-03434A
- Na germanate, calculation of refractive index and density. 64-03196A
- electrical conductivity, dependence on alkali concentration. 64-01824A
- Na phosphate, optical spectra. 64-03318A
- Na silicate, Raman spectroscopic study of Sc in. 64-03337A
- activated, luminescence excitation in fundamental absorption region. 64-03290A
- chemical strengthening method. 64-01977P
- containing CuO, effect of Na-K ion exchange on Cu states. 64-06182A
- effect of B₂O₃ on thermal conductivity. 64-06183A
- effect of dissolved water on properties. 64-01875A
- effect of photodecolorization on 2-photon coloring. 64-03237A
- effects of γ -radiation and rare-earth additives on dc resistivity. 64-01841A
- heat treatment of granulated charge. 64-00302A
- ion-exchange-treated, spectroscopic study of surface. 64-03388A
- kinetics of change of valence of Sn, Moesbauer data. 64-03302A
- kinetics of heterogeneity regions during spinodal decomposition, X-ray scattering study. 64-04090A
- with low phosphate content, Raman studies. 64-01896A
- pure, polarization of recombination luminescence. 64-03328A
- Na silicate-phosphate, mol vol, refraction, and structure. 64-03304A
- Na tungstophosphate, effect of atm on electrical conductivity. 64-00168A
- Na ultraphosphate, chemical durability. 64-00147A
- water and modifier:former ratio in. 64-06278A
- Na₂O, contaminated, process for vitrification of. 64-04745A
- Na₂O-2SiO₂, kinetics of crystal growth, DTA study. 64-01863A
- Na₂O-2SiO₂ and Na₂O-SiO₂, heat capacity and thermodynamic functions at absolute zero. 64-03266A
- near Na₂O-2SiO₂ composition, devitrification behavior. 64-03217A
- Na₂O-SiO₂, nucleation and crystal growth in, DTA study. 64-04742A
- Na₂O-B₂O₃-SiO₂, structural causation of phase separation. 64-06260A
- Na₂O-CaO, acoustic emission during indentation fracture. 64-03406A
- effects of dealumination treatments on hydrolytic reactivity. 64-06186A
- environmentally enhanced crack growth in. 64-04790A
- equilibrium with molten Sn, effect of atm and temp. 64-06300A
- leached, SIMS analysis. 64-06247A
- morphology of cracks below scratches made by disk cutter. 64-03464A
- solubility of refractory oxides in. 64-00226A
- Na₂O-CaO-SiO₂, effect of heating time on thermal stress resistance. 64-00171A
- plastic processes. 64-00318A
- Na₂O-Ga₂O₃-SiO₂, structural analysis by XRD. 64-06259A
- Na₂O-GeO₂, coordination number of Ge atoms, shift measurement study. 64-04709A
- Na₂O-MO₂-SiO₂, role of TiO₂ and ZrO₂. 64-00223A
- Na₂O-SiO₂, containing F, molecular dynamics. 64-03305A
- structure. 64-03367A
- Na₂O-TiO₂-GeO₂, coordination of Ti⁴⁺ and Ge⁴⁺ ions. 64-06172A
- Na-Ca aluminophosphosilicate, hydrothermal leaching behavior and properties. 64-00195A
- Na-Ca-silicate, melting of, application of basic refractories as regenerative lattices in kilns for. 64-00272A
- Na-Cu germanate, electrical conductivity. 64-01842A
- Na-K silicate, of series (20-x)Na₂O:xK₂O:80SiO₂, leaching in HCl. 64-03284A
- Na-Mg and Na-Ca-Mg silicate, XRD study of state of Mg ions. 64-01928A
- Na-Rb SiS₂, tracer diffusion and electrical conductivity. 64-04573A
- Nd laser, fluorescence line narrowing in. 64-03254A
- P, reflow technique. 64-03903P
- PNL 76-68, analysis of leaching data. 64-04702A
- Pb, crystallization properties. 64-01388A
- effect of moisture on refining. 64-06301A
- mass transport in volatilization from. 64-03293A
- Pb borate, and Pb silicate, physicochemical properties. 64-03364A
- containing Ni, spectrophotometric studies on NiO/Ni₂O₃ equilibrium. 64-03359A
- internal friction in glass-transition region. 64-03276A
- Pb borosilicate, structure of, NMR and IRS study. 64-03306A
- Pb gallate. 64-01933P
- Pb phosphate, for nuclear waste. 64-00204A
- viscosities and durabilities. 64-00241A
- Pb silicate, calculation of dielectric constant. 64-03194A
- change of emission properties under effect of Ar ions. 64-03198A
- containing Ni, absorption spectra. 64-03182A
- energy structure of surface, study of. 64-01884A
- initial stages of leaching by acid solutions, kinetics. 64-01864A
- reduced, surface state change. 64-03199A
- structure, ²⁹Si NMR study. 64-00224A
- viscosity and thermal expansion in T_g range. 64-03382A
- Pb-Fe phosphate, for storing nuclear wastes. 64-03286A
- Pb-containing, for cathode ray tube. 64-06283P
- PbO-PbCl₂, XRD study. 64-01927A
- determination of coordination of divalent Pb. 64-03214A
- Pr phosphate, optical energy gap in. 64-03316A
- SRL waste, time-temp.-transformation kinetics. 64-04760A
- Sb(III) oxide in, determination. 64-04712A
- Se, effect of magnetic field on properties. 64-01832A
- Se-Te, evidence of low activation energies from acoustic measurements. 64-00291A
- Se-ruby-type, adjustment of color in. 64-03187A
- Si-rich, with Nd₂O₃, properties of. 64-03331A
- SiO₂, Ce-doped, spectrum absorption and luminescence properties. 64-06256A
- Ge-doped, thermodynamic stability and incorporation of P into. 64-06273A
- anomalous diffusion of Na in. 64-03190A
- and borosilicate, combined heat transfer in. 64-00151A
- crack-tip geometry, direct observation by electron microscopy—comment. 64-02588A
- crack-tip geometry, observation by electron microscopy—reply. 64-02589A
- effect of stress on water diffusion in—correction. 64-00172A
- fluctuations in cluster models of defect centers. 64-03253A
- laser-induced accumulation of structural defects. 64-01865A
- optical waveguide by liquid-phase doping. 64-00225A
- porous, for storage of nuclear wastes. 64-06742A
- preparation from model powder compacts. 64-00320A; 64-00321A
- preparation of alkaline silicate water solutions by sol-gel method. 64-03355A
- present and future of. 64-04818A
- synthesis by sol-gel method. 64-00232A
- SiO₂, Al₂O₃, MgO, ZnO, role of Zr in nucleation and crystallization. 64-06246A
- SiO₂-Al₂O₃-CaO, powders, vitrification kinetics. 64-03385A
- SiO₂-Al₂O₃-MgO, in basic environment, evolution of surface. 64-06193A
- SiO₂-GeO₂, along the join, Raman study of structure. 64-03340A
- dielectric rod, method of making. 64-04766P
- SiO₂-rich Na aluminosilicate, Raman studies of Al coordination in. 64-03338A
- Simax, toughening by ion exchange. 64-04761A
- Sr-containing, ion distribution in surfaces from interaction with SO₂. 64-01862A
- TV tube, solubility and diffusivity measurements of water in. 64-06254A
- TeO₂, PbO, Mn²⁺ ions in, EPR study. 64-01829A
- Th fluorohafnate, vibrational spectroscopy of structure. 64-03380A
- Ti-containing Li aluminosilicate, crystallization, Raman spectroscopy study. 64-00157A
- TiO₂-SnO₂, spinodal decomposition, electron microscopy study. 64-06257A
- V phosphate, structure and properties. 64-03366A
- V₂O₅-B₂O₃, preparation and properties. 64-01886A
- V₂O₅-P₂O₅, ac conductivity in. 64-06160A
- V₂O₅-P₂O₅ and V₂O₅-P₂O₅-TeO₂, electrical properties. 64-06547A
- Vickers indented, in deionized water, delayed fracture characteristics. 64-01823A
- W phosphate, vibrational spectra. 64-06276A
- W silicate phosphate and aluminosilicate phosphate, electrical properties. 64-03243A
- W-vanadate-phosphate, in spectra and structure. 64-04805A
- Zerodur, expansion hysteresis on thermal cycling. 64-00292A
- Zn borate, ¹¹B NMR studies. 64-03191A
- Zn phosphate, optical absorption in. 64-04812A
- ZnO-Al₂O₃-SiO₂, relationship between phase separation and crystallization. 64-06244A
- ZnO-B₂O₃-PbO-SiO₂, passivation, viscosity points and OH absorption removal. 64-03384A
- Zr fluoride, optical absorption of 3d transition-metal and rare-earth elements. 64-00212A
- surface crystals formed by reaction with water. 64-00242A
- Zr₂O₃ in, determination by vapor phase dissolution. 64-04079A
- Zr-Ba-La-Al fluoride, alkali-doped, electrical conductivity. 64-06190A
- ZrF₄, multicomponent, radiation-induced color centers in. 64-03333A
- ZrF₄-NaF-LaF₃, surface tension. 64-00231A
- ZrO₂-TiO₂-SiO₂, synthesis from Zr(NO₃)₂, Ti(OC₂H₅)₄, and Si(OC₂H₅)₄. 64-06220A
- absorption, in uv region. 64-03180A
- acid treatment, to increase chemical resistance. 64-03469A
- activated with rare-earth ions, magnetic circular dichroism spectra. 64-03291A
- alkali Al borate, irradiated, thermal bleaching of color centers induced in. 64-01918A
- alkali aluminosilicate, Cu-alkali ion exchange in molten
- CuCl. 64-00154A
- bridging and nonbridging O atoms in. 64-07443A
- alkali borate, effect of Zn and Cd on radiation-optical properties. 64-03227A
- spectral absorption of telluride in. 64-06255A
- alkali borate, germanate, and silicate containing Cu⁺ and Cu²⁺, optical and magnetic properties. 64-03314A
- alkali borosilicate, effects of flow on corrosion and surface film formation. 64-04721A
- ion-exchange capacity and phase separation by substituting Al₂O₃. 64-06214A
- liquating, distribution of Sb₂O₃ between microphases. 64-03220A
- for nuclear wastes, burial in granite. 64-05342A
- alkali silicate, ²⁹Si NMR spectroscopic studies. 64-03267A
- ion-exchange equilibrium. 64-03279A
- irradiated, ESR studies of trapped hole centers. 64-00191A
- leaching of. 64-06218A
- alkali-CaO, commercial, low-heat batches for. 64-04808A
- alkali-free aluminoborosilicate, acid resistance based on its reflectance spectra. 64-03183A
- alkali-free borate, high-temp. internal friction in. 64-03269A
- alkali-free borosilicate, mol vol of oxides in. 64-06223A
- alkali-metal halide, based on Ba metaphosphate, electrical conductivity. 64-03241A
- alkali-metal silicate, corrosion in salt solutions. 64-03210A
- alkali-poor, opacification and crystallization. 64-00211A
- alkaline borosilicate, Cr(III)-colored, absorption spectra. 64-01866A
- aluminoborate, glazed with rare-earth elements. 64-00143A
- aluminoborosilicate, chemical collapse in alkaline media, X-ray study. 64-04764A
- aluminoborosilicate E, in NaOH solutions, XRD study of corrosion products. 64-01766A
- aluminoborosilicophosphate, X-ray spectrometric study of Al ions. 64-03389A
- aluminosilicate, model for leaching behavior. 64-00208A
- amber, color instabilities, optical and EPR study. 64-00213A
- particulate emission control from furnaces by batch sulfate. 64-04771A
- analysis of, X-ray spectral. 64-01044A
- chromatographic. 64-06857A
- ancient, Fe and S-related colors in. 64-04610A
- and Al₂O₃, erosion damage in. 64-01844A
- and asbestos composites, properties of. 64-01892A
- oxide melts, acid-base concept applied to, and the D. I. Mendeleev principle on glassy state. 64-03184A
- antireflecting. 64-03408A
- in aqueous solutions, radioactive tracers to study corrosion mechanisms. 64-06239A
- architectural structures, for saving thermal energy, evaluation of. 64-04792A
- articles, coated, method of making. 64-00396P
- device for detecting defects in. 64-02633P
- of different expansion coeffs., joining with In film. 64-03516P
- hot, replaceable finger elements for transporting. 64-00421P
- machine for diamond dulling of. 64-00912A
- method of making. 64-03527P
- modeling of heat transfer during formation. 64-03463A
- water-soluble, for treating ruminant animals. 64-01938P
- backing, on semiconductor wafer, method of removing. 64-00782P
- bands and sheets, changes in stresses during cutting. 64-00278A
- base, effect on temp. dependence of darkening of photochromic glasses. 64-03228A
- based articles, using coated phosphors. 64-00349P
- basicity, theoretical basis. 64-06196A
- batch, conditions for sampling and analysis. 64-00280A
- effect of melting accelerators, DTA. 64-06311A
- material, from calcumite blast-furnace slag. 64-03414A
- quartz-Na carbonate-calcite-dolomite and dolomite-boric acid, effect of additives on carbonate reactions in. 64-03273A
- recuperation of heat-absorbent media to preheat batch. 64-00430P
- transition between preheating and liquefying stages, apparatus. 64-03551P
- bath, molten B₂O₃, SiO₂, Na₂O, NaF, annealing steel strip with. 64-00243P
- beads, rounded vitreous, method and apparatus for mfg. 64-01999P
- biocompatible, and bone tissue, evaluation of reactions between. 64-06162A
- blade, calculation of boundary stresses. 64-03413A
- blocks, method of preparing for shipment. 64-03526P
- body, with alkali diffusion-preventing SiO₂ layer. 64-01930P
- drill bit for. 64-02540P
- light-transmitting, method of making. 64-00353P
- bonded mica, ideal material for PCB. 64-02313A
- bonding, means and method. 64-06281P
- borate, Brillouin and Raman scattering study. 64-04707A
- X-ray spectrometric study. 64-03390A
- containing TeO₂, ¹¹B NMR studies. 64-01809A
- boric oxide, tensile strength in vacuum and at low humidities. 64-04757A
- borophosphosilicate, CVD, applications for Si device. 64-00638A

- borosilicate, and Pb, electrostatic precipitation of emissions from melting of. 64-03434A
- Pyrex-type, reaction with water in autoclave. 64-05241A
- behavior of boric oxide during melting. 64-01811A
- chemistry of U in. 64-01815A; 64-01816A
- crowns, optical absorption of Cr^{3+} in. 64-03313A
- crystallization, Moessbauer and DTA study. 64-00209A
- vitricification from simulated W. Valley, NY, wastes. 64-04836A
- bottles, apparatus for aligning. 64-04024P
- automatic optical inspection apparatus for. 64-05447P
- method of making. 64-03533P
- orienting apparatus for. 64-00948P
- recycling key to cost battle. 64-03477A
- returnable, effect of washing. 64-04800A
- broken, for glazes. 64-03716A
- bubbles in, micro-Raman spectroscopic analysis. 64-04739A
- bulb, TV. 64-02023P
- capacitor, method of making. 64-06598P
- capillaries, tensile fracture. 64-01037A
- capped, heating unit for still. 64-03513P
- cellular, structural, fabrication. 64-00293A
- and ceramics, technology of. 64-06005B
- chalcofenide, Fe-doped, Moessbauer spectra and short-range order. 64-03303A
- alternative preparation methods. 64-00142A
- dynamic range of photostructural transformations in. 64-03222A
- mechanism of formation of intrinsic EPR centers. 64-03295A
- photoluminescence in Se and. 64-05151A
- semiconductor, effect of synthesis condition and composition on O and C contents. 64-03238A
- semiconductors, structural states. 64-03784A
- of system As-S-Tl, Tl-205 NMR of. 64-03372A
- chemical etching techniques, for modeling of leached surfaces, application of. 64-04704A
- chemistry, 100-year-old thermometer problem and the "mixed-alkali effect". 64-03179A
- acid-base concept applied to melts and the D. I. Mendeleev principle. 64-03184A
- dependence of vitreous state angles on electronic structure. 64-03213A
- effect of electric melting. 64-00304A
- chimney, for lamps. 64-06050P
- cleaning, acidic composition for. 64-01490P
- coating, apparatus for. 64-00951P
- composition and method. 64-06282P
- dual gloss, method for forming. 64-00386P
- method for isostatic pressing metal or ceramic material with. 64-00970P
- optical, new synthesis method for. 64-03310A
- optically transparent ir-reflective, deposition. 64-03761A
- for orbital transfer vehicle, catalytic surface effect of. 64-04776A
- process for treating overspray gas from. 64-04877P
- protective, for electronic industry. 64-05098A
- reactor for. 64-06404P
- thermal-control. 64-03496A
- treatment for removal of. 64-06412P
- collector, heat pipe evacuated-tube solar. 64-00367P
- color, instruments for determining. 64-06862A
- colored, with CdSe-CdTe, effect of temp. on optical absorption edge. 64-06210A
- melting in electrically heated furnaces. 64-03455A
- commercial and art, coloring by combination of colorants. 64-03419A
- components, under continuous loading, permissible bending stress in. 64-03471A
- composites, diphasic, via sol-gel method. 64-00162A
- composition, effect on crystal growth kinetics of heavy-metal fluoride glasses. 64-06209A
- mixed silicates of alkali metal and other modifier metals for making. 64-03393P
- practical control of. 64-03329A
- statistically designed optimization of. 64-01907A
- conductivity in, fast ion, effect of pressure on. 64-01837A
- containers, $\text{Na}_2\text{O}-\text{CaO}$, increasing resistance to alkali extraction by contents. 64-04738A
- apparatus for heat-shrinking thermoplastic sleeve on. 64-01975P
- chemical durability, determination by Na ion selective glass electrodes. 64-01826A
- coatings on, rust-resistant SnO_2 , process for forming. 64-00417P
- damage to surface at high temp. 64-04782A
- evaluating new coatings for. 64-04791A
- immobilization of radwastes in. 64-06749P
- inspection method. 64-02643P
- marketing view. 64-00297A
- mold arrangement for. 64-02008P
- sealed, apparatus for aseptic and antiparticle open-ing. 64-00940P
- thermal resistance of. 64-03491A
- treatment of radioactive substances in. 64-02502P
- during cooling at constant rate, changes in refractive index. 64-03200A
- corrosion. 64-01851A
- in aqueous media. 64-06197A
- in aqueous solutions, nuclear analysis of. 64-06227A
- corrosion-resistant, for Li/SO_2 batteries, powdered pre-forms boost interest in. 64-03473A
- absence of mixed-alkali effect in leaching. 64-06159A
- cover, for baking dish. 64-03066P
- crack growth in, transient, mathematical description. 64-02987A
- cracks in, Hertzian and unloading, characteristics of acoustic emission signals. 64-03201A
- cristobalite forms crystallizing in, morphology. 64-06165A
- crystal, electrical melting in furnaces with 3-phase heating. 64-01947A
- soda potash, estimation of color anomalies. 64-03248A
- crystal growth in, and amorphous semiconductors. 64-00348P
- crystalline, grains in. 64-04608A
- method of making. 64-03394P
- crystallization, activation energy, methods for determining from thermal analysis—comment. 64-03297A
- activation energy, methods for determining from thermal analysis—reply. 64-03298A
- catalytic, kinetics of. 64-06216A
- cullet, foreign, use in Canada. 64-06320A
- safety of kiln floors when using. 64-00325A
- cutting, apparatus for. 64-03504P
- with hard-alloy rollers. 64-01963A
- with lasers. 64-00985P
- method and device for. 64-00978P
- decor firing on. 64-01080A
- deformation, torsion-induced, under low stress. 64-03376A
- density, gradient column for measuring. 64-04077A
- determination of composition, from thermal equilibrium diagram. 64-03215A
- dielectric loss in, proton-based model. 64-01893A
- dielectric material, method of making. 64-00395P
- dish, serving. 64-03068P
- double glazing, for energy conservation in buildings. 64-04839A
- drawing ions out of, electrolysis treatment. 64-00250P
- electrical conductivity, temp. dependence of. 64-01917A
- electrode, flow system. 64-06617P
- electrolyte, effect of water on crystallization. 64-06211A
- electrovacuum, predicting physical properties from least squares. 64-00216A
- enamels for, transparent, with protection against uv rays. 64-03377A
- encapsulation, for stabilizing radioactive wastes. 64-00265P
- envelopes, of fluorescent lamps, apparatus for coating. 64-03503P
- of fluorescent lamps, methods for coating. 64-04867P
- fatigue of, by crack growth or crack tip sharpening. 64-01847A
- ferric ion concentration, EPR determination. 64-03251A
- filament, mat, method and apparatus for making. 64-00382P; 64-06372P
- filaments, method and apparatus for forming bundle of. 64-06820P
- fillers, coordination states of cation-modifiers at surface. 64-04710A
- film, insulating, over interconnects on integrated circuit. 64-02415P
- low-temp. process for obtaining. 64-00767P
- method of making. 64-06376P
- filter, contrast enhancement, for color CRT display devices. 64-06280P
- near-ir, temp. dependence of optical absorption edge. 64-04831A
- flakes, equipment for making. 64-06351P
- flat, conductive coatings made by pyrolysis in. 64-01870A
- float, effect of stress gradients on relationship fracture stress and mirror size. 64-03008A
- effect of surface chemistry on properties. 64-01857A
- ribbon monitor enhancement and apparatus. 64-01988P
- flow, into evacuated canister, theoretical predictions for. 64-04834A
- fluoride, behavior in aqueous media. 64-06166A
- cladding, optical fibers with, method of making. 64-06400P
- crystallization in. 64-00156A
- ir-transparent, stability in humid air, AES study. 64-00326A
- radiation damage in, optical absorption study. 64-06230A
- radiation-induced defects in. 64-06238A
- in systems $\text{AF}-\text{BF}-\text{MF}$, and $\text{MeO}-\text{MeF}-\text{B}_2\text{O}_3$ ($\text{R}=\text{Li}, \text{Na}, \text{K}$ and $\text{Me}=\text{Ca}, \text{Sr}, \text{Ba}$). 64-00190A
- fluorozirconate, Raman spectra. 64-03336A
- chemical durability. 64-01814A
- crystallites in, characterization of. 64-00146A
- crystallization of. 64-00159A
- electrical conductivity. 64-03242A
- transformation range viscosity. 64-00237A
- foam, dielectric scanning locates voids. 64-00285A
- slate, new additive from German raw materials and wastes. 64-03484A
- formation, defects and. 64-00282A
- in multicomponent systems, empirical model of. 64-07484A
- forming, contact heat resistance and heat transfer. 64-03422A
- melts, temp. dependence of viscosity. 64-04762A
- forming melts, diffusion-controlled processes in. 64-01827A
- fracture, high-speed. 64-07470A
- near softening interval. 64-03257A
- frangible, shipping container for. 64-04840P
- frits, with WO_3 or MoO_3 in RuO_4 -based resistors. 64-00751P
- furnace sight, dark blue with high ir absorption. 64-06347P
- fusion process, directed-flow, thin-layer. 64-06297A
- gallate-germanate, in ir region, effect of technological parameters on light-transmittance. 64-03232A
- gel, Ge silicate. 64-00387P
- $\text{Na}_2\text{O}-2\text{SiO}_2$, nonisothermal devitrification of. 64-01876A
- as carriers for hydrogenation catalyst. 64-06201A
- germanate and silicate, photolabile effect and structural rearrangement. 64-01883A
- gob, feeding device for. 64-00366P
- grating, optical, method of making. 64-02014P
- graze marks on, composition for concealing. 64-01493P
- heat-reflective, energy conservation with. 64-03448A
- heater, for cooker panel assembly. 64-03537P
- heavy-metal fluoride, EPR of Mn^{2+} ions. 64-06181A
- effect of composition on crystal growth kinetics. 64-06209A
- reaction with atm water, surface -OH profile. 64-07391A
- with high water content, hygroscopicity. 64-00196A
- high-Pb silicate, brown coloration by X-ray irradiation. 64-06167A
- high- SiO_2 , crystallization behavior. 64-01819A
- diffusion of water at low temp. 64-03219A
- variation of vol resistivity with temp. 64-00333A
- high-cordierite, crystallization mechanism. 64-06173A
- high-performance, bright future. 64-06364A
- hobs, electric. 64-06349P
- homogeneity, by Shelyubskii's method, apparatus for measurement. 64-01007A
- house refractories, Indian, selection of. 64-03677A
- immobilization of wastes in, radioactive. 64-02496A
- for immobilizing Hanford high-level wastes, hot isostatic pressing of. 64-05328A
- inhomogeneity, by Shelyubskii method. 64-06198A
- inorganic, broadening of spectral lines of rare-earth elements in. 64-03378A
- interrelation between relaxation and failure processes. 64-03277A
- vibration spectral structure and sampling rule in Raman study. 64-01923A
- insulating assembly, gas-filled, method of making. 64-00310A
- hermetically sealed. 64-04851P
- intact, effect of chemical etching on strength. 64-01833A
- interatomic distances, calculation of. 64-03193A
- interdiffusion of Ag in, and related variations in electronic polarizability. 64-01860A
- introducing F into, methods of. 64-06285P
- inverted, electronic spectra for 3d transitional ions. 64-03246A
- ion exchange in, effect of applied stresses on kinetics. 64-07340A
- ion-exchanged, abrasion resistance of. 64-00139A
- ions in, Pr, absorption spectra. 64-00140A
- ir, low-dispersion. 64-03398P
- ir-polarizing. 64-01932P
- ir-transmitting, viscosity measurement on. 64-06333A
- by irradiation of SiO_2 , fast neutron. 64-01846A
- laminated, mfg. techniques. 64-04799A
- process and apparatus for cutting. 64-00993P
- lanthanide borate, structure-property relations. 64-06264A
- laser beam, interferometric measurement of wavefront distortions. 64-05414A
- laser-induced damage, at different wavelengths. 64-04806A
- layers, from low-temp. ion-exchange diffusion, microhardness. 64-03299A
- porous, for optical waveguides, CO_2 -laser processing of. 64-04775A
- leached, electron microscopy study. 64-06876A
- leaching, effects of divalent cations on kinetics. 64-01946A
- theories. 64-03285A
- lens, precision, molding process. 64-02019P
- level, control of. 64-04779A
- level vials, method of making. 64-06387P
- light recording medium, SiO_2 and In. 64-00375P
- lightweight, avoidance of crack damage during drying. 64-06414A
- linen, determination of phosphate ions in mfg. 64-00221A
- liquids and solids, packing structures and transitions in. 64-01879A
- with low softening points, in systems $\text{Na}_2\text{O}-\text{BaO}-\text{B}_2\text{O}_3$, $\text{NaF}-\text{BaO}-\text{B}_2\text{O}_3$, and $\text{BaO}-\text{B}_2\text{O}_3-\text{V}_2\text{O}_5$. 64-03264A
- making, at Warrington, UK, 1757-1933. 64-04609A
- effect of blast-furnace slag. 64-04784A
- evolution of process, statistical model. 64-03487A
- uniformity of materials for. 64-03497A
- making process, evolution of, statistical model. 64-03486A
- marbles, in vacuum solar laminators substitutes for asbestos insulation. 64-01941A
- material design of. 64-01955A
- matrix, fixation of toxic materials in, by ion exchange. 64-00252P
- for waveguides, electrodiffusion of. 64-03244A
- mechanical properties, effect of surface-active fluids on. 64-01831A
- in medicine, nontraditional applications. 64-03467A
- medieval and ancient, from Central Asia (USSR), chemical composition. 64-03058A

- melt, Na_2O -CaO silicates, velocity of rising gas bubbles in. 64-01972A
 PbO - SiO_2 , viscosity of. 64-06334A
 Simax, formation of bubbles on Zr silicate refractory in. 64-04951A
 containing radioactive waste, device for producing glass drops from. 64-06348P
 dissolution of quartz grain in, mathematical modeling. 64-04735A
 elimination of cord development during laminar flow. 64-03435A
 heat transfer to mold, effect of lubricants. 64-04804A
 level in baths, optical measuring gauge. 64-01023A
 surface-tension-driven flow in. 64-06330A
 melting, batch-free time vs crucible vol and soda type. 64-00274A
 dual-depth. 64-00288A
 in electric-arc furnaces, determining optimum depth of bath. 64-00284A
 electrode assembly for. 64-01101P
 mullite refractories for. 64-02153A
 and refining, Indian blast-furnace slag for accelerating. 64-03454A
 regularities in heat consumption. 64-06325A
 vaporization of simple substances during. 64-00239A
 -melts, optical, interaction of Pt alloys with. 64-06213A
 member, curved, conductively coated, method of making. 64-02018P
 membrane, for reverse osmosis. 64-00399P
 -metal coatings, properties of. 64-04685A; 64-04686A
 -metal electrical components, vacuum injection molding of. 64-00935A
 -to-metal seal, forming method. 64-00128P
 metallic, Fe-8Cr-2Mn-7P-1B-7C, properties of films of. 64-04756A
 amorphous—crystalline phase transformations in. 64-04701A
 in system Pd-Ni-P, properties of. 64-02816A
 metaphosphate, free vol at transition temp. 64-06195A
 microstructure of. 64-04740A
 minerals for, mica-type. 64-06316A; 64-06317A
 mirror, with Al_2O_3 film. 64-02007P
 mixed-alkali, leaching analyzed by nuclear technique. 64-06219A
 mixed-alkali effect, so-called. 64-01904A
 modified, by ion implantation, spectroscopic study of near-surface layers. 64-03361A
 mold, controlling temp. of. 64-03457P
 cylinder apparatus. 64-06801P
 stability, methods for increasing. 64-00918A
 molten, apparatus for producing. 64-06341P
 electrical conductivity, method and equipment for determining. 64-03296A
 forehearth for. 64-04848P
 heating metallic materials in. 64-03449A
 method for controlling surface level of. 64-00385P
 migration of bubbles during pressing. 64-03437A
 physicochemical properties. 64-01634B
 in molten salts, surface changes. 64-01913A
 monolithic, C-containing, by sol-gel process. 64-00245P
 multicomponent silicate, thermal conductivity of. 64-01919A
 natural. 64-01874A
 natural, medieval, and nuclear waste, durability, thermodynamic model. 64-01921A
 in near-ir region, effect of Ce on spectral absorption. 64-03218A
 networks, high-cristobalite-type, sizes of voids and alkali ions. 64-04752A
 new class, for optical fibers. 64-00210A
 nuclear waste, from Stripa, Sweden, 6-mo burial data. 64-06739A
 analysis of 1-yr burial. 64-04703A
 borosilicate, effect of oxidation potential on durability. 64-05700A
 corroded, surface layer formation on. 64-01914A
 corrosion in distilled water. 64-06736A
 corrosion, analysis of. 64-00144A
 diffusion-based leaching models for. 64-04714A
 effect of γ -radiolysis of brine on leaching. 64-04720A
 effect of composition and radiation on Hertzian indentation. 64-04719A
 effect of flow rate on leaching. 64-03326A
 growth of hydrated gel layers in. 64-04726A
 indentation testing of. 64-02497A
 leaching studies in brines. 64-0351A
 leaching, mechanistic approach to modeling. 64-04737A
 mechanical properties. 64-04736A
 simulated, long-term leaching of. 64-04734A
 slow crack growth in. 64-04753A
 statistically designed optimization of. 64-01907A
 stressed, hydration of. 64-00194A
 surface reactions in solutions containing bentonite, granite, and stainless steel corrosion products. 64-05350A
 synthetic monazite-coated. 64-02501P
 thermal shock resistance under water quenching conditions. 64-01845A
 opacified, finishing materials based on, classification. 64-06170A
 new finishing materials based on. 64-06318A
 opal, easily meltable dense. 64-00249P
 opal borosilicate, method of making. 64-06284P
 optical. 64-01934P
 Cs-containing. 64-00246P
 TiO_2 -free highly refractive. 64-00255P
 Ti-containing composition. 64-03404P; 64-03405P
 chemical corrosion by commercial cleansing agents. 64-03418A
 formation and measurement of refractive index gradient. 64-06302A
 halide-oxide, hot-press-forging of body. 64-06363P
 introduction. 64-01958A
 lightweight. 64-06286P
 moldable fluoroborate. 64-00261P
 for multifocal corrective lenses. 64-04765P
 phosphate. 64-00263P
 photosensitive device, method of making. 64-06366P
 product, method of making. 64-06288P
 optical device, photosensitive, method of making. 64-06346P
 optics, ion-beam-deposited SiC on. 64-02786A
 oxide, EXAFS studies. 64-00165A
 by low-temp. polymerization. 64-01878A
 oxynitride, Sc-containing. 64-07161A
 melting problems. 64-01890A
 suppression of frothing by Si addition during synthesis. 64-06266A
 pane, automobile rear window. 64-01990P
 device for repairing. 64-04029P
 panels, double, apparatus for making. 64-06342P
 window, fracture mirror-failure stress relations. 64-01849A
 parison, method and apparatus for making. 64-06379P
 particles, apparatus for heat processing. 64-00340P
 gel-like, from tetraethoxysilane as carrier for immobilizing enzymes. 64-01889A
 passivation, ZnO - B_2O_3 - SiO_2 , effects of additives. 64-03239A
 semiconductor device, mfg. of. 64-00778P
 paste, and cellulose nitrate for. 64-06370P
 pentasilicate, single- and mixed-alkali, vibrational spectra. 64-01924A
 phase-separated, leached, stress in. 64-06258A
 microstructural characterization, comparative study. 64-01861A
 phlogopite mica, phase transformations in. 64-04743A
 phosphate, EPR spectra of Gd^{3+} ion and short-range ordering in. 64-03223A
 N-doped, preparation and properties. 64-06236A
 SiO_2 - and Al_2O_3 -modified films, synthesis using gas-phase reactions. 64-03707A
 analysis of shape of EPR spectra of Mo^{5+} and W^{5+} ions. 64-03188A
 composite materials, for drug transport. 64-00247P
 containing Ag, activator centers as function of conditions of synthesis. 64-03186A
 containing transition-metal ions, ESR in. 64-00180A
 disordered, EPR study of Mn^{2+} . 64-03224A
 dissolution in aqueous solutions. 64-00214A
 etching of. 64-00183A
 fine structure of Fe^{3+} . 64-03252A
 photoelastic effects in. 64-07492A
 reduced, reversible optical change of amorphous red P in. 64-03350A
 phosphate Nd, for lasers. 64-00262P
 phosphate and borate, hydration at high temps. and pressures. 64-01858A
 phosphate and fluorophosphate, Cr^{3+} in, laser-excited fluorescence spectra. 64-00202A
 color center induced by γ -ray irradiation. 64-06231A
 phosphate and silicate, Ce-containing, EPR study of structure. 64-03225A
 with Li and Be modifiers, fluorescence quantum efficiencies of $\text{Cr}(\text{III})$. 64-04755A
 phosphosilicate, method for coating semiconductor with. 64-04858P
 method for reflow of. 64-00389P
 photochromic, Ag halide, electronic structure of Cu^{+} ion in light-sensitive phase. 64-03195A
 Fermi level stabilization. 64-01906A
 X-ray scattering, study of. 64-06233A
 bibliography on. 64-01812A
 chemistry and photochemistry. 64-06169A
 effect of Al_2O_3 on phase separation and electrical conduction. 64-06207A
 effect of base glass on temp. dependence of darkening. 64-03228A
 effect of heat treatment on state of light-sensitive centers. 64-06185A
 processes in, kinetics under nonmonochromatic activation conditions. 64-03282A
 for photomask. 64-03395P
 photosensitive, metal patterns on. 64-06371P
 phototropic, brown tinted in irradiated state. 64-01935P
 photoacoustic measurements on. 64-03472A
 with refractive index $\chi_{1.59}$. 64-01936P
 phototropic Ag halide phases in, mechanism of formation, model study. 64-03301A
 pipe, breakdown in air heaters of boilers, causes. 64-00277A
 heat exchanger. 64-06357P
 plate, applications and improvements in production technology. 64-06308A
 gradient-index, index profile and imaging. 64-06309A
 heat-reflecting, coated with TiO_2 film, method of making. 64-06390P
 repair apparatus and method. 64-03538P
 thermal strengthening of. 64-03493A
 unirradiated and He ion-bombarded, stress relaxation in. 64-01909A
 polarizing, laminated, drawing. 64-01983P
 polished, new production technology of bodies from. 64-00316A
 polishing, with bonded-ceria agent. 64-03462A
 chemical, determination of acid content in agents, with F-selective electrode. 64-00160A
 with diamond tools, effect of cooling liquids. 64-03456A
 -polishing solutions, radioactive HF determination in. 64-04748A
 polyalkaline aluminosilicate, energetics based on viscosity and ultrasound velocity. 64-03247A
 porous, application. 64-01939A
 high- SiO_2 , for storing nuclear wastes. 64-01885A
 high- SiO_2 , precipitation of colloidal SiO_2 , and pore size distribution. 64-01965A
 integral optical device, method of making. 64-01993P
 optical imaging device with. 64-03515P
 powder, corrosion-inhibiting paint composition containing. 64-06346P
 welding by hot isostatic pressing with. 64-02028P
 pressing, surface tension in. 64-03489A
 process for obtaining, model for evaluating evolution of. 64-00327A
 processing, glass-sample-tube breaker. 64-01951A
 product, ground with diamond tools, chemical polishing of. 64-06293A
 with gradient of refractive index, method of making. 64-06402P
 properties of, theoretical calculation. 64-06268A
 pyroxene-group silicate, acid resistance based on reflectance spectra tests. 64-00182A
 quartz, with Fe and Al, ir-absorbing. 64-03397P
 industrial types, statistical and electron microscopic studies. 64-03485A
 kinetics of dissolution of bubbles during high-temp. compression. 64-03283A
 mechanism of formation and growth of bubbles. 64-03294A
 optical characteristic of active elements made of. 64-04813A
 radiation processes, role of H and Cl impurities. 64-01902A
 with radiation-induced color, photostimulated thermoluminescence of. 64-03323A
 radiation-induced paramagnetic color centers in, formation mechanism. 64-03308A
 role of O, vacancy-type defects in formation of radiation color centers. 64-03351A
 sintering, effect of chemical modification of surface on. 64-01834A
 spin-exchange interaction of E' , centers on surface. 64-03362A
 quartzoid, waveguide mediums based on. 64-03265A
 quartzary, effects of temp. and dopings on electromechanical properties. 64-06188A
 quenched, in system $\text{LiF-Li}_2\text{O-Al}(\text{PO}_3)_3$. 64-04746A
 radwaste, stability, thermodynamic approach to predicting. 64-04759A
 rare-earth fluoride, polarized Raman scattering in. 64-04817A
 rare-earth phosphate, containing alkaline modifiers, radical ions in. 64-03335A
 raw materials, physicochemical analysis of oxide composition. 64-03327A
 reaction with aqueous solution, geochemical modeling of. 64-04725A
 redox equilibria, importance of. 64-04728A
 refractive index, of gradient layers, effect of stresses on. 64-01838A
 gradient, during heat treatment, formation mechanism. 64-03441A
 refractive-index, data, fitting with Sellmeier dispersion formula. 64-04723A
 region of formation, in system $(\text{As}, \text{Yb})_2\text{S}_3$, interactions in. 64-05735A
 relaxation, structural. 64-06262A
 structural, Adam-Gibbs equation in analysis of—correction. 64-00141A
 rod lens, comprising light-wave conductors. 64-06361P
 role in immobilization of nuclear wastes. 64-06745A
 -sample-tube breaker. 64-01951A
 sand. 64-01128A
 sandwich. 64-04879P
 science. 64-06003B
 state of. 64-00229A
 and technology, in Japan. 64-00189A
 seal, gas panel. 64-00253P
 sealing, and method of making willemite filler for. 64-06290P
 security, laminated, mean drop height for. 64-06315A
 semiconductor, LaS_2 - 2CaO , quenching and Nd^{3+} luminescence. 64-03758A
 semitransparent, heat transfer in. 64-00152A
 variation of thermophysical constants with temp. and heat transfer. 64-00240A
 shaped, method and apparatus for quench-tempering. 64-06380P
 shaping, by suction fluid flow, cooling vacuum holder for. 64-01979P

- vacuum holder with helical coil springs for. 64-01981P
sheet, annealing process, mathematical modeling of. 64-01956A
- apparatus for severing edges of. 64-02536P
conveyor controller for processing equipment. 64-01052P
device for feeding to furnace. 64-02017P
device for marking and dividing. 64-06806P
method and apparatus for cutting holes in. 64-02556P
method and apparatus for severing. 64-00390P
method and apparatus for shaping. 64-06406P
method and apparatus for supplying cooling air during quenching. 64-06373P
method and apparatus for vacuum-shaping. 64-06381P
process for shaping. 64-00425P
recent trends in furnaces for. 64-00323A
reinforced cast, strength of. 64-00330A
tempered thermally polished, strength of. 64-00331A
tempering system, blasthead and quench station of. 64-00350P
transparent, process and apparatus for detecting flaws in. 64-04137P
treating furnace with roller conveyor. 64-06977P
vacuum holder for shaping. 64-02011P
vacuum mold for shaping. 64-06852P
viscous-plastic, effect of gas substrate on geometry. 64-00289A
water resistance. 64-00335A
- sight gauge, for high-pressure vessel. 64-06978P
silicate, BaO-containing, physical properties. 64-06234A
CVD on semiconductors. 64-02004P
Moessbauer spectra. 64-06248A
SIMS study, interpretation of. 64-06312A
U-containing, EXAFS studies. 64-00166A
X-ray irradiated, behavior and effect of Fe. 64-01810A
behavior of biguanidine with Cu(II) dissolved in. 64-01817A
and borate, Cr-Mn redox equilibrium. 64-03205A
borate, and phosphate, hydration in autoclave. 64-06230A
calculation of melting temp. 64-00276A
cement compositions with. 64-01769P
containing PbO, Rayleigh scattering loss. 64-01899A
containing TiO₂, physical properties in relation to structure. 64-03324A
electron-bombarded, stress relaxation in. 64-03363A
ferrite precipitation from. ESR and Moessbauer studies. 64-02458A
gas formation under high-intensity radiation. 64-00186A
high-purity, effect of oxidative conditions during synthesis on Fe²⁺/Fe³⁺ ratio. 64-03236A
laser, doped with Nd₂O₃, with protective coatings against solarization. 64-06249A
oxidation states of Se in, quantitative determination. 64-06163A
oxidation-reduction of Sb in. 64-03470A
photoelastic effects in. 64-00215A
rapidly dissolvable, applications. 64-00266P
relation between stability of pulsed γ -neutron irradiation and composition. 64-03349A
surface layers of. 64-01915A
surface phenomena. 64-03368A
thermochemistry of charge-coupled substitutions. 64-00236A
silicophosphate, CuO-doped, thermal expansion of. 64-06270A
with Fe₂O₃ additions, thermal expansion based on EPR and dilatometric studies. 64-03374A
silvering, sensitizing function of SnCl₂. 64-04751A
sintered, vapor-phase process for making. 64-03541P
sintering, application of Fulcher's equation. 64-01807A
soda-containing, disproportionation of SO₂ in bubbles. 64-00163A
soda-silicate, crystalline phase separation of Sr titanates in. 64-03211A
softening point, Littleton, nongraphical evaluation of. 64-05429A
-sol, method for coating metals or ceramics. 64-00257P
sol-gel, applications for process. 64-03358A
conversion, in TEOS, factors controlling. 64-00184A
mechanism. 64-06253A
for solar collectors, fluorescent. 64-03512P
progress in materials science of. 64-04819A
solder, Sb₂O₃, B₂O₃, V₂O₅, and electrical device with. 64-06410P
and electrical device with. 64-03403P
fused SiO₂ to Sb₂O₃-B₂O₃, and electrical device with. 64-03547P
imprinted on stripping films. 64-06607P
soot, formation by oxidation of gaseous SiCl₄ and GeCl₄. 64-00148A
sources and uses, in Australia. 64-01970A
spandrel. 64-00368P
spectra, Raman, law of conservation of momentum and rule of mutual exclusion for vibrational excitations. 64-00203A
spine and spine-based, radiation effects on. 64-04747A
stained, medieval, role of P in atm corrosion. 64-06164A
stones in, from refractories. 64-04999A
stopcock, nonstick. 64-04870P
strand, liquid, cutting device for. 64-00954P
stream, cutting apparatus for. 64-03396P
strength, effect of etched depth on. 64-00170A
sharp vs blunt crack hypotheses. 64-03354A
strengthening, practical aspects. 64-00319A
structure, and properties, changes during production. 64-01942A
substrate, electroluminescent. 64-01985P
light absorptive film on. 64-01995P
with scratch-resistant lubricated surface. 64-00341P
spandrel with silicate coating. 64-00426P
superionic, (AgI)/(Ag₂O·BO₂), inelastic light scattering in. 64-04803A
conductive. 64-00268P
surface, damage at high temp. 64-04782A
effects of silanization, XPS study. 64-03500A
heater assembly for. 64-01991P
method and solutions for cleaning. 64-03400P
method of reducing light reflection from. 64-04863P
process for improving weather-resistant adhesion of coating to. 64-03401P
resistance to crack formation. 64-03480A
systems, AgI-AgF-AlF₃, in transmission and glass formation. 64-06212A
Al₂O₃-SiO₂, phase decomposition in. 64-03320A
Al₂O₃-TiO₂-SiO₂, liquation in. 64-03289A
As-S and As-Se, X-ray spectrometric study. 64-03391A
As-Se-Ge and As-Se-Sn, X-ray spectroscopic study. 64-03392A
As-Se-Te and As-Se-Sb, photoluminescence of. 64-01812A
As₂Se₃, -As₂Te₃, dielectric study. 64-03764A
B₂O₃-SiO₂ and ZrO₂-SiO₂, dehydration of. 64-01821A
B₂O₃-SiO₂, microstructure. 64-03300A
B₂O₃-ZnO-CaO-P₂O₅, 64-00206A
Ba(PO₃)₂-PbF₂-AlF₃(AlO₂), vibration spectra. 64-03379A
BaF₂-GdF₃-ZrF₄, chemical durability. 64-01813A
BaO-Al₂O₃-TiO₂, identification of BaO-Al₂O₃-5TiO₂ in—comment. 64-03785A
BaO-B₂O₃-Fe₂O₃, Moessbauer studies. 64-06222A
CaO-B₂O₃-Fe₂O₃, crystallization process in. 64-06176A
Ga₂O₃-CaO, formation and properties. 64-01852A
Ge-S, structure of, XRD study. 64-03387A
GeO₂-La₂O₃, diagram of Ge-rich region. 64-01850A
GeO₂-TeO₂, electrical and optical properties. 64-03240A
H₂O-P₂O₅, elastic constants and structure. 64-00178A
In(Ga)-Ge-Ge(Si), dielectric study. 64-03765A
K₂O-B₂O₃-TeO₂, Raman study. 64-01895A
Li₂O-(La₂O₃, Nd₂O₃)-P₂O₅, crystallization of. 64-03212A
Li₂O-(LiCl)-B₂O₃-Al₂O₃, formation, structure, and ionic conductivity. 64-00187A
Li₂O-Al₂O₃(Ga₂O₃)-SiO₂, immiscibility region. 64-01859A
Li₂O-Al₂O₃-SiO₂-TiO₂, phase decomposition processes in. 64-03321A
Li₂O-Al₂O₃-SiO₂-ZrO₂, phase decomposition in. 64-03319A
Li₂O-SiO₂, phase separation and crystallization. 64-06232A
LiF-LiF₂-Al(PO₃)₂, dielectric properties. 64-06177A
M_{1-x}Al_xO₂-SiO₂ (M=Li, Na, K, Rb, Cs, Mg, Ca, Sr, Ba, Pb), thermochemistry of charge-coupled substitutions. 64-00236A
(Mg,Pb)O-Zn(PO₃)₂-Al₂O₃, formation, structure and properties. 64-01854A
MgO-P₂O₅-BaO-P₂O₅, physicochemical properties. 64-03325A
MgO-P₂O₅-BaO-P₂O₅-Al₂O₃·3P₂O₅, properties. 64-03322A
MgO-MoO₃-La₂O₃, glass-formation region. 64-03263A
Na borate silicate, relation between T_g and liquidus temp. for eutectic compositions. 64-03347A
Na borosilicate, viscosity of melts in. 64-03498A
Na₂O-2SiO₂-BaO-2SiO₂, T_g temp. and devitrification behavior. 64-01855A
Na₂O-CaO-SiO₂, interactions with zircon-containing refractory mortars. 64-02129A
Na₂O-CaO-SiO₂, temp.-concentration dependence of O activity in. 64-03371A
Na₂O-CaO-ZrO₂-SiO₂, nucleation and crystallization. 64-01880A
Na₂O-Ga₂O₃-SiO₂, structural study. 64-01911A
Na₂O-H₂O-SiO₂, Na transport in. 64-04754A
Na₂O-Rb₂O-SiO₂, reactions in. 64-03344A
Na₂O-SiO₂-Fe₂O₃, Fe environment and electrical conductivity. 64-06215A
Na₂O-SiO₂-Y₂O₃-Fe₂O₃, effect of nucleating agents on crystallization of YIG, Moessbauer study. 64-01871A
Na₂O-TiO₂-GeO₂, glass formation and crystallization. 64-03258A
Na₂O-TiO₂-GeO₂, nature of reactions of HCl solutions with. 64-03307A
Na₂O-V₂O₅-P₂O₅, ir spectra and structure. 64-03281A
Na₂O-Yb₂O₃-B₂O₃-SiO₂ and K₂O-Yb₂O₃-B₂O₃-SiO₂, liquid immiscibility. 64-00205A
P₂O₅-B₂O₃-Na₂O, coloring of, using Mn. 64-03206A
P₂O₅-BaO-CuO, dielectric properties. 64-06178A
P₂O₅-BaO-Nb₂O₅-Al₂O₃, formation and properties. 64-06194A
PbB₂O₃-PbSiO₃-ZnTiO₃ and PbB₂O₃-PbSiO₃-PbTiO₃. 64-03259A
PbF₂-ZnF₂, preparation and properties. 64-00217A
PbO-B₂O₃, with divalent metal oxide additions, structure and properties. 64-06265A
PbSiO₃-PbF₂(PbO)-AlF₃(AlO₂), 64-03260A
S-Se, mol vol. 64-03804A
Sb-Ge-Se and Sb-Ga-Se, effect of Fe on properties. 64-03233A
Sb-Ge-Se, effect of Mn on properties. 64-03234A
SiO₂-B₂O₃-Na₂O, gel-derived, light scattering in. 64-01868A
SiO₂-CaO-Al₂O₃-MgO, effect of temp. on elastic-strength properties of vitreous crystalline materials. 64-00173A
SiO₂-R₂O-R₂O, relation of chemical composition to optical properties. 64-03348A
Ti-As-Se, interaction between components and glass formation. 64-03275A
TIS, and TIS₂, physicochemical properties. 64-03327A
V₂O₅-GeO₂, thermal properties. 64-04758A
ZrF₄-BaF₂-AlF₃, crystallization, XRD study. 64-03386A
ZrO₂-SiO₂, preparation by sol-gel process from metal alkoxides. 64-06199A
based on K₂O, TiO₂, and GeO₂, crystallization of. 64-03261A
calculation of viscosity of suspensions based on. 64-03197A
chalcofenide, formation and structure. 64-01543A
demixing, stable long-period composition variations. 64-00228A
porous noncrystalline, normalization of diffraction from. 64-04741A
tableware, composition upgrading. 64-06267A
technical, electrical properties in nuclear reactor VVR-S. 64-01916A
tellurite, and W tellurite, optical absorption in. 64-06229A
tellurite-halide with Ba and Cd halides, optical constants and structure. 64-03315A
tempered, helicopter windshields, impact fracture of. 64-03452A
tempering, effectiveness of. 64-03433A
practices affect product quality. 64-01950A
thermal, process for. 64-06403P
thermal characteristics, based on laser heating. 64-03373A
thermal conductivity, pressure dependence of. 64-06323A
thermal dilatation, sources of error in determining. 64-03436A
thermally treated, anomalous growth of double refraction. 64-03407A
titanosilicate, coatings, structural transformations during heat treatment. 64-03365A
thin layers, spectral characteristics. 64-03358A
toughened, thermally. 64-03549P; 64-04880P
toughening, thermal, method and apparatus. 64-03529P
transfer processes in, thermodynamic aspects of activation parameters. 64-03375A
transition, cluster model approach. 64-01856A
transition range, relations between refractive index and holding temp. distribution profiles. 64-01901A
transition temps., at rapid heating rates. 64-03262A
transparent, from Svetloreshensk, USSR, deposit quartz. 64-01139A
transparent conductive coatings on, for buildings and industry. 64-01808A
treatment, by laser. 64-03494A; 64-03495A
triboluminescence. 64-00238A
tubes, appliance for feeding to processing machine. 64-06800P
checks in, method and apparatus for detecting. 64-01996P
equipment for automatic sorting. 64-00901A
fiber preform, method and apparatus for straightening. 64-00391P
gas laser. 64-03443A
hydrodynamics of down-draw forming. 64-03451A
plasma method for coating inside surface. 64-00410P
transmission of ultrasonic waves through. 64-01922A
unactivated, excited with He-Ne lasers, ir emission. 64-03280A
with uv transmission. 64-06202A
vials and ampules, method of making. 64-06387P
vias in, laser etching with noncontact masking. 64-00374P
views. 64-05982A
viscosity, at low stress levels. 64-03383A
relation to thermal properties. 64-04778A
vitreous SiO₂, and activated silicate, laser-induced generation of structural defects. 64-06217A
-ware, dry-heat-sterilizable, protective coating for. 64-06289P
fatty acid emulsion coating for. 64-07411P
gauging system. 64-01056P
hollow, insulated kiln for. 64-01083A
and water. 64-06277A
water in, non-Fickian diffusion of. 64-06226A
water sorption, effect of cracks on. 64-00169A
wettability, reversing. 64-06326A
windows, in microwave heating devices, mechanical reliability. 64-03797A; 64-03798A
windshield, method for differentiated hardening. 64-04862P
windshield subassembly, vacuum mold for making. 64-03552P
wool, mfg. in Hungary. 64-04820A
molding with wrinkle-free surface. 64-04869P
workpiece, method for ablating coded marking into. 64-06374P
method of making coded marking in. 64-06384P

- xerogels, diphasic, new class of materials—comment. 64-04715A
 diphasic, new class of materials—reply. 64-04716A
- Glassmaking equipment.**
 for alignment of bottles. 64-04024P
 for automatic bottle inspection. 64-05447P
 for bending sheets, method and furnace assembly. 64-04048P
 for blank and plunger cooling. 64-06813P
 for bottles. 64-04856P
 upright, controlling stream of. 64-04021P
 container pusher. 64-00962P
 conveyor, for glass sheet processing equipment, controller for. 64-01052P
 cooling vacuum holder, for shaping by suction fluid flow. 64-01979P
 for cutting. 64-04020P
 flat product. 64-04056P
 laminates. 64-00993P
 for detecting flaws, in bottle rims. 64-04115P
 in bottles. 64-04113P
 in transparent sheets. 64-04137P
 feeder, shear mechanism for. 64-00996P
 tube support. 64-06356P
 fiberizing apparatus, for fibers. 64-00363P
 finger elements, replaceable, for transporting hot articles. 64-00421P
 for float ribbon monitor enhancement. 64-01988P
 forehearth, method of using. 64-04848P
 forming machine, apparatus and method for controlling shears. 64-00938P
 baffle moving and alignment means. 64-00946P
 bottle, take-out arm for. 64-04064P
 bottom plate retainer for. 64-00345P
 container, bottom plate mechanism for mold of. 64-03507P
 controlled interceptors for. 64-04854P
 dead plate arrangement for. 64-04845P
 delivery drive for. 64-05379P
 delivery system for. 64-05380P
 mold cooling arrangement for. 64-04053P
 parison screening in. 64-06401P
 power failure detection system for. 64-00412P
 solenoid-actuated valve for. 64-00997P
 timing control system for. 64-01001P
 gatherer, mechanical. 64-03461A
 glassware-forming machine, take-out mechanism for. 64-06411P
 gob feeder. 64-00366P
 gob shearer. 64-03534P
 heat baffle, feeder. 64-00364P
 for holding panes and slabs. 64-00964P
 lehr, annealing. 64-01989P
 loader apparatus. 64-02551P
 recirculating, offer in-plant versatility. 64-02671A
 for lubricating delivery equipment and molds. 64-06826P
 machines, automatic, for large containers. 64-00296A
 transfer station for. 64-06850P
 mold, blow. 64-01976P
 for containers. 64-02008P; 64-06833P
 method of cooling. 64-06382P
 quadruple cavity, operating apparatus. 64-02020P
 sheet bending, storing of. 64-06846P
 sheet-shaping, gas heater for. 64-02016P
 molding machine, mold and baffle system for. 64-00408P
 orienting apparatus, for containers. 64-00352P
 for orienting bottles. 64-00948P
 plug positioning device, for repairing panes. 64-04029P
 for position sheet, on conveyor platform. 64-04036P
 roller conveyor. 64-04850P
 rolling machines, bronze-graphite bearings in. 64-00891A
 for shaping sheets, vacuum holder for. 64-02011P
 for sheets, bending. 64-03502P; 64-03528P; 64-04857P; 64-06335P; 64-06336P
 bent, removing from mold. 64-02003P
 chamfering. 64-04026P
 cutting. 64-00390P; 64-04028P
 cutting holes in. 64-02556P
 deformable vacuum holder. 64-04846P
 feeding to furnace. 64-02017P
 handling. 64-06358P
 marking and dividing. 64-06806P
 movable alignment stops for shaping. 64-02010P
 quenching. 64-06359P
 severing. 64-02536P
 shaping. 64-00425P; 64-00427P; 64-03521P; 64-04882P; 64-06406P
 tempering system, blasthead and quench station of. 64-00350P
 sleeves for containers, thermoplastic, apparatus for heat-shrinkage. 64-01975P
 spandrel. 64-00368P
 stream cutting apparatus. 64-03396P
 vacuum holder, with helical coil springs for shaping. 64-01981P
 for vacuum shaping. 64-06381P
- Glassmaking, furnaces.** See *Furnaces*.
- Glaucosite.**
 clays, fusibility of ceramic bodies based on. 64-02704A
- Glasses.** See also *Decorations*.
 Albany, Hobart Cowles'. 64-06519A
 Cone 3-6 data bank. 64-06510A
 Pb- or Cd-containing, for decoration. 64-02279A
- Sung Tenmoku, liquid-phase separation in. 64-05044A
 basalt, for tiles. 64-00583A
 ceramic, fast firing and. 64-00595A
 with low thermal expansion coeffs., for refractory tiles. 64-02073A
 perlite rock as flux for. 64-03727A
 properties of internal layers. 64-00220A
 state of the art in E. Europe. 64-02260A; 64-02261A
 colored, dry cord. 64-03429A
 for copings, nonmetallic dental. 64-02864P
 crystalline grains in. 64-04608A
 -decorated dinnerware, method of making. 64-00624P
 decoration with, unlimited. 64-06531A
 decorative, transparent glass-ceramics with negative expansion for. 64-04768P
 enamel and ceramic, behavior of fusion-cast refractories in contact with. 64-02065A
 fired at low temp., characteristics of slurries from. 64-01117A
 -free, glazes, developments in. 64-06514A
 green, in China, Zhejiang province, formation and development. 64-00015A
 liquation, Zn-free, for porcelain. 64-02284A
 -making, approach to. 64-01651A
 matte, formation kinetics and mechanism. 64-04732A
 for medium and high firing. 64-01671A
 metal effect, for whiteware. 64-03741P
 opaque, effect of TiO₂ additives. 64-00593A
 over-, porcelain, numerical color index determination of. 64-05430A
 oxidation, Cone 6. 64-01669A
 porcelain, Chalganovsk quartz sand as raw material for. 64-02697A
 celestite for. 64-00584A
 local raw materials for. 64-00604A
 semiconducting, high-voltage suspension insulators with. 64-00669A
 slip, Cone 6. 64-01668A
 slip-ash. 64-06033A
 stirred, boroflux low-cost. 64-06506A
 tan and brown, by Hobart Cowles. 64-06030A
 techniques, new. 64-06524A
 tile, from industrial wastes. 64-03723A
 single-fired wall. 64-00600A
 slag-containing. 64-00191A
 under-, transfers, for microwave- and dishwasher-safe tableware. 64-05047A
 whiteware, broken glass in. 64-03716A
 corrosion problems. 64-00590A
 opacified, state of the art in E. Europe. 64-03717A
 pigments in system SiO₂-ZrO₂-Fe₂O₃ for. 64-03715A
- Glazing.**
 glass, heat-reflective. 64-03448A
 hollow ware, automatic. 64-06757A
 printing area, method for. 64-00982P
 self-, porcelain. 64-06527A
- Gold.**
 Au-Ge and Au-Ge-Ni, alloying behavior on GaAs. 64-04670A
 and piezoelectric films, glass-coated oriented, method of making. 64-02442P
 on ceramics, metallized, electroless deposition of. 64-00745P
 composite coatings, electrodeposited. 64-04275A
 in electronic components. 64-00666A
 on glass, burnishing compositions for. 64-03737P
- Grading machines.** See *Machinery and equipment*.
- Grain boundaries.**
 in Al₂O₃, fine-grained, effects of temp. and stress on behavior. 64-07094A
 solute segregation at. 64-07385A
 in MgO and Al₂O₃. 64-07466A
 in NiO, structure, electron diffraction microscopy study. 64-07459A
 of SiO₂/N₂, electron microscopic study. 64-05544A
 microstructures, in Al₂O₃. 64-07467A
 in oxides, rock-salt-structured, properties. 64-07495A
 precipitation, in hot-pressed MgPS₂. 64-04281A
 resistivity, in Y₂O₃-stabilized ZrO₂, dependence on grain-boundary density. 64-01195A
 structure, in Al₂O₃. 64-07468A
 twist, in rock-salt-structured oxides, general structure for. 64-01541A
- Grain growth.**
 in Al₂O₃, effect of MgO on. 64-07089A
 in Al₂O₃ and MgO. 64-07169A
 in ZrO₂, CaO-stabilized, in presence of liquid phase. 64-05099A
 kinetics, for Al₂O₃, in absence of liquid phase. 64-04282A
- Grains.** See *Particles*.
- Granular materials.** See also *Powders*.
 MgO, porous. 64-00497A; 64-00498A
 classifying, dual frequency vibratory screen for. 64-02541P
 compaction, binder hardness and plasticity in. 64-00889A
 conveyor for, constant discharge. 64-04027P
 high-pressure. 64-04038P
 density, bulk, rapid determination of. 64-01031A
 discharging, pneumatic suction devices for. 64-05391P
 evaluating, and quality of screening products. 64-05363A
 heat treatment of, method and apparatus. 64-04179P
 properties, nomogram solution for. 64-02619A
 valve for, discharge. 64-00956P
- Granulation.** See *Crushing; Grinding*.
- Granulometry.** See *Particles, size*.
- Graphite.** See also *Carbon; Composites; Refractories*.
 or C, spherical bodies. 64-02910P
 annual ceramic mineral resources review. 64-07008A
 applications for, SbCl₃, intercalation compounds as monochromators. 64-07144A
 bricks, canister for radioactive material transport or storage. 64-01316P
 bronze-, bearings in glass-rolling machines. 64-00891A
 compounds with Cu(II) chloride, lamellar, thermal stability. 64-05863A
 -containing nozzles, spalling test methods for. 64-05437A
 -containing refractories. 64-00536P
 conversion to diamond, role of catalyst. 64-05575A
 electrode, method of making. 64-04393P
 mfg. from hard coal tar pitch. 64-04304A
 fabric, apparatus and process for producing woven, non-linear shapes from. 64-01278P
 fibers, ferric nitrate treatment for nucleating growth. 64-02954P
 method of making. 64-04420P; 64-07272P
 process for growing. 64-04414P
 flake, and MgO clinker, behavior in MgO-C reaction. 64-02064A
 intercalation compound, with alkali metal fluoride and F₂, electrically conductive material. 64-06672P
 matrix, heat-aided method for separating from nuclear fuel. 64-05352P
 -metal matrix bearings, method of making. 64-05620P
 nipples, threaded, production line for. 64-05396P
 nuclear. 64-07264P
 physical properties, relation to texture. 64-01252A
 pipe, for tapping furnaces. 64-00562P
 polymers containing, old and new problems solved by. 64-04310A
 procedures, after thermomechanical treatment, radiation change in. 64-01249A
 purifying, process for. 64-04421P
 pyrolytic, intercalates with Cs and Rb, anisotropy of electrical resistance. 64-01176A
 pretreatment for C-C composites. 64-02905P
 refractory, thirty years of. 64-05011A
 refractory properties. 64-02187A
 sleeve, induction-heated casting channel with. 64-00554P
 slurry, start up of Joule-heated glassmelter with. 64-04828A
 valve, metal electrodeposition onto. 64-01805P
- Grindability.**
 of clinker, microscopic method for determining. 64-01735A
 determination of. 64-00898A
 of materials, extremely dissimilar. 64-01639A
- Grinding (comminution).** See also *Crushing apparatus; Grinding; Mills*.
 B₂C and SiC, in ball mills, thermodynamics of contaminant formation. 64-04359A
 CaC₂. 64-05644P
 W contamination during. 64-06789A
 additives, for plaster industry, study. 64-00051A
 ball mill, kinetic analysis. 64-00911A
 balling circuits, improved monitoring technique. 64-00909A
 cement, in compartment mills, increasing effectiveness. 64-04652A
 effect of Ca sulfate dihydrate. 64-06095A
 effect of clinker and slag properties. 64-06076A; 64-06077A
 improving pneumatic separators of equipment for. 64-06109A
 problems with high clinker temp. 64-06115A
 clinker, new roller mill for. 64-06112A
 in lab, technology. 64-03992A
 machine for. 64-00968P
 media, Cr-alloyed white cast iron, wear behavior of. 64-06791A
 mill, jet-type. 64-05374P; 64-06816P
 tubular, ball, division head for. 64-04032P
 technology, in cement industry. 64-03071A
 wear, abrasive, of balls, lab test for. 64-04004A
 wet, roller and hammer mills. 64-06792A
- Grinding (material removal).** See also *Abrasives; Diamonds; Polishing*.
 diamond, response of polycrystalline Al₂O₃ to. 64-04331A
 effect on strength, flexural, of Sialon. 64-07086A
 machine, for optical lenses. 64-06814P
 refractory slabs, effect of roughness on slide gate quality during grinding. 64-03612A
 surface, of earthenware. 64-06788A
- Grinding apparatus.** See also *Abrasives*.
 Al arsenide, integrated circuit structure using Ge. 64-02366P
 GaAs, Al₂O₃-coated, photoluminescence changes under excitation, relevance to facet coating procedures. 64-00689A
 on Al₂Ge₂-As, transmission mode photocathode, method of forming. 64-00773P
 circular wafer, method of making. 64-02405P
 field-effect transistors, method of making. 64-02392P
 semi-insulating crystal, mfg. process. 64-02380P
 solar cells, accelerated annealing of. 64-03846P
 static induction transistor. 64-00750P
 technological dark horse. 64-02312A
 undoped n-type LPE, space-charge scattering in. 64-00707A
 GaAs-AlAs, semiconductor superlattices, interface structure. 64-00675A
 GaInAsP-InP, double-heterostructure laser. 64-00749P

- body, for honing and abrading. 64-06015P
disk, cBN, method of tuning. 64-0006P
coated, method of making. 64-06016P
design of. 64-00021P
elements, resin-bonded, with diamond grit. 64-06020P
wheels, behavior during machining. 64-01639A; 64-01640A
cBN, method of dressing. 64-0004P
composite, method of making. 64-06017P
containing cBN. 64-06014P
device for dressing. 64-01646P
electrodeposition of abrasive layer on. 64-06019P
for electrolytic and mechanical applications. 64-01648P
evaluation in grinding of steels. 64-01643A
resinoid, containing Ni-coated cBN. 64-06021P
strength of, fracture-statistical approach. 64-01644A
vitrified, mechanical design safety of. 64-03053A
- Grinding.**
clinker, trends in dry raw material. 64-01763A
cost, mechanical and process aspects of plant for. 64-02658A
contour, of technical ceramics. 64-00900A
edge-, multifaceted lenses, method for. 64-04860P
effect on properties, of Zn sulfide phosphors. 64-01398A
kinetics. 64-00898A
magnetic and chromite, in tubular mills, intensification by adding surfactants. 64-02128A
mechanical, polymorphic transformation of TiO₂ by. 64-01586A
media, and energy conservation, in cement industry. 64-01719A
- Grp.**
refractory, from firing kaolin in rotary kiln. 64-00504A
- Growth.**
hydrofracture, for radionuclide migration, characterization of. 64-0429A
- Gum.**
aluminosilicate, properties during early stages of hardening. 64-00503A
lime-containing, for high-capacity converters. 64-02133A
lining, method for flame spraying. 64-02560P
linings, thermal field of. 64-02223A
- Gunning.**
flame-, properties of refractory layer produced by. 64-03639A
materials, for rotary hearth vacuum degasser. 64-02117A
system, automatic, for BOF. 64-03991A
plastic refractory. 64-03624A
for reheating furnaces. 64-05357A
- Gum.** See *Electrostatic processes; Spraying apparatus.*
- Gypsum.** See also *Plasters.*
from Inderk (USSR) mine, potential uses. 64-04656A
and alkali, effect on early hydration of C.A.F. 64-06078A
binders, based on phosphogypsum, technology and applications. 64-06088A
improvements for heat-generating units in production of. 64-06094A
methods for calculating composition. 64-01734A
strength of. 64-06126A
building materials, production of. 64-03120A
-cement-pozzolan binders, mixer for making. 64-01736A
composition, for denture investment. 64-06131P
conversion, to K or Na sulfate. 64-05879P
crystals, monoclinic anisotropic, optical constants. 64-04538A
dehydrated phases, and their hydration. 64-06068A
dehydration, relation to strength development in portland cement. 64-01753A
dihydrate, in natural raw materials, content determination. 64-03084A
from phosphoric acid and desulfowastes, hardened, preparation of. 64-01764A
drying, device for. 64-06971P
fiber, extrusions, increasing mfg. efficiency. 64-01727A
wall panels, with improved acoustic properties. 64-01720A
finishing materials based on. 64-06086A
flue gas, moist finely divided, processing of. 64-01746A
glass-fiber-reinforced, effect of admixtures. 64-06087A
effect of humidity on. 64-01708A
-less cements, portland, new types. 64-03108A
marble-like, production of facing tiles from. 64-03729A
materials, industry wastes for improving grade of. 64-03094A
from phosphate ores, treated with HNO₃ and NH₃ sulfate. 64-01721A
phospho-, activation of nepheline slurry with. 64-01695A
desulfurization of. 64-03140P
effect on properties of portland cement. 64-00039A
high-strength and water-resistant gypsum binders based on. 64-03094A
new decorative finishing material based on. 64-03106A
pelletization of. 64-04653A
wollastonite synthesized from, for tiles. 64-00622A
plaster, relation between properties and particle size. 64-03123A
solubility, factors affecting. 64-04642A; 64-04643A
structural and high-strength, determining phase composition of. 64-03085A
supply-demand trend. 64-01760A
tile, electron beam curing of. 64-01711A
facing, production of. 64-03113A
- Hafnia.** See *Hafnium, HfO₂.*
- Hafnium.**
HfO₂, ceramics with high electrical resistance. 64-05623P
-carbide-containing alloys, process for producing. 64-02900P
hafnates, of alkali-earth elements. 64-01489A
- Halides.**
alkali, crystals with electronic color centers, amplification and laser action. 64-05951A
lattice defects by electronic excitation. 64-04526A
molten, light scattering from. 64-05932A
powders, model for reduced stability of coloration. 64-05933A
alkali with alkaline-earth, molten mixtures, thermodynamics and structure. 64-01590A
alkaline-earth and rare earth, superionic solid solutions, Raman spectroscopy. 64-04563A
anhydrous nonmetal and metalloid, production with aid of Mg halide. 64-07410P
- Hall effect.**
apparatus, high-temp. 64-06873A
in films, low-temp. Ag₂Se. 64-02307A
- Halloysite.**
clay, New Zealand, whitest in the world. 64-04229A
- Hardening.**
of β -C₂S, effect of accelerating admixture. 64-01709A
of binders, lime-Na silicate-activated slag, physicochemical processes. 64-03114A
magnesian, effect of aluminophosphatic admixtures. 64-07343A
phosphate, effect of additives. 64-00472A
of cements, sulfoaluminate, in subzero environment. 64-00041A
cutting tools, by deposition of wear-resistant material. 64-03165P
differentiated, of glass windshields, method for. 64-04862P
early stages, properties of aluminosilicate gunting mass during. 64-00503A
method, for cutting tool. 64-01303P
molds, sand, apparatus for. 64-02237P
of pastes, portland cement, effect of Flubet additives. 64-04645A
properties, of binders with furnace slag and low-burned clinkers. 64-03093A
of refractories, castable. 64-03625A
castable, effect of temp. increase. 64-03676A
of refractory materials, unfired, after activation with contact binders. 64-02166A
of slurry mixtures, power station ash and carbide. 64-06089A
- Hardness.**
of α - and β -Si₃N₄, dense. 64-07111A
of abrasive materials, diaphic. 64-06006A
of films, measurement. 64-05418A
hot, of CVD Si₃N₄. 64-02780A
measuring probe. 64-05450P
micro-, anisotropy of In-Ga-As phosphide, composition dependence. 64-00640A
of glass layers by low-temp. ion-exchange diffusion. 64-03299A
microindentation, testing. 64-04093A
- Health.** See also *Dusts; Pollution; Safety.*
Clean Air Act, rain of confusion. 64-07522A
aspects, of low-activity Zr minerals. 64-01612A
of man-made mineral fibers, discussion. 64-04590A
clinical care, ceramics in. 64-07520A
considerations, in porcelain enameling industry. 64-00091A
dangerous substances, for production of Pb glass and crystal ware, in W. Germany. 64-00324A
dust, airborne, in fiber workplaces, gravimetric determination. 64-01618A
hazards, of Pb oxides, method for reducing. 64-01615A
pigments, for porcelain enamels, identification and regulations. 64-00108A
mandatory checkups, in Italian brick industry. 64-04904A
pneumoconiosis morbidity and fibrosis-inducing properties of dust, during terralite brick production. 64-04586A
standards, for Pb and Cd release from glazes. 64-00617A
toxic materials, fixation by ion exchange in glass matrix. 64-00252P
toxicity, of Cr compounds formed in refractories. 64-06469A
of ceramic materials for artists and hobbyists. 64-00010A
problems in ceramic color mfg. 64-05990A
wastes, hazardous refractory, recycling. 64-07532A
workplace environment, ASTM standards. 64-03038A
- Heat.** See also *Conductivity; Thermal; Enthalpy; Entropy; Temperature.*
adsorption, of CO₂ and NH₃, on synthetic zeolites. 64-05663A
of water on E-glass fibers. 64-00192A
baffle, glass feeder. 64-00364P
balance, in portland cement clinker process, method of attaining. 64-06111A
capacities, of nitrides of metals of IVA subgroup, calculation of. 64-01180A
capacity, of Bi₂GeO₅. 64-07469A
of Na₂O·2SiO₂ and Na₂O·SiO₂, glasses relative to structure of Na silicate glasses. 64-03266A
of cement hydration, effect of slag on. 64-04646A
in ceramic production, making most of. 64-01084A
- conduction equation, solution using nodal network. 64-04980A
consumption, during glassmelting in tank furnaces. 64-06325A
curves, computer-generated, calculation of fuel saving via recuperation by. 64-04144A
engines, ceramic technology for. 64-04251A
international perspective on engineering materials for. 64-04302A
exchanger, apparatus and method for evaluating performance. 64-02630P
apparatus with, for treating solid, granular, and aggregate materials. 64-05475P
ceramic rotor for. 64-07246P
from ceramic sheets, method of making. 64-06839P
checker brick. 64-06484P
element, process of making. 64-02903P
gas-gas, SIC. 64-02800A
glass pipe. 64-06357P
of glassmelting furnaces, method for protecting under emergency conditions. 64-01085A
graphite tube bundle. 64-01369P
with immersion pipe, for cement kiln. 64-05477P
method of sealing wall structure. 64-04407P
extraction, from solar collector tubes, water-in-glass manifolds for. 64-04838A
high-temp., effect on physical properties of carbides of Ti, Nb, and Zr. 64-07120A
liberation, in cement hydration. 64-06090A
loss, and recovery techniques, in ceramic industry. 64-01619A
determination by thermal imaging. 64-04105A
through masonry of glassmelting furnace, transducer-based method for determining. 64-00475A
losses, in rotary kilns, by convection and radiation. 64-06959A
surface, from kilns for burning clinker or lime, calculation of. 64-01701A
primary, recovery as function of furnace fuel characteristics. 64-05471A
processing, glass or glass-forming particulate materials. 64-00340P
recovery, from air of heavy clayware dryers. 64-03565A
in building materials industry. 64-06782A
in glassmelting furnaces. 64-01869A; 64-04797A
to preheat combustion gases and glass batch. 64-00420P
from regenerative furnaces. 64-06996P
sintering, nonpolluting, method and apparatus. 64-04187P
from steel sheet of clinker rotary kiln, installation for. 64-06100A
system for glassmelting furnaces. 64-02685P
and use. 64-04994A
recuperator, ceramic core. 64-05621P
with ceramic core, method of making. 64-05634P
combustion air flow control for. 64-06932A
for glass industry, pros and cons of. 64-06298A
rotary cordierite, method of making. 64-02907P
triple-pass. 64-01368P
recuperators, for MHD electric power plants. 64-04163A
-reflecting glass plate, coated with TiO₂ film, method of making. 64-06390P
release, decal. 64-03355P
resistance, of optical blanks, determination of. 64-03447A
-shrinkage sleeves, thermoplastic, on glass containers, method and apparatus. 64-01975P
-storage blocks, phosphate-bonded refractory. 64-06485P
storage material, SrO and Ca-based. 64-01498P
time, effect on thermal stress resistance of Na₂O-CaO-SiO₂ glass. 64-00171A
transfer, combined, in SiO₂ and borosilicate glass. 64-00151A
design and industrial practice. 64-02670A
effect on shape of crystallization front and temp. of distribution in translucent crystals grown from melt. 64-04457A
from glassmelt to mold, effect of lubricants. 64-04804A
between refractories and metal during steel melting. 64-00478A
in region of glass drawing jet, determination of. 64-03425A
-transfer processes, during formation of glass articles. 64-03463A
treatment, of K-Al glasses, effect on degree of aggregation of Fe ions. 64-03230A
effect on aluminosilicate ceramic fibers. 64-03417A
effect on electrical properties of Bi-V glasses. 64-03231A
effect on fracture toughness of Al₂O₃-diamond composites. 64-04536A
effect on state of light-sensitive centers in photochromic glasses. 64-06185A
energy cascades in shops. 64-04580A
of fine-grained lime, method and apparatus for. 64-04666P
of fine-grained materials. 64-04179P
of fine-grained materials, apparatus for. 64-02678P; 64-06965P
of glass, effectiveness. 64-03433A
of glass, formation mechanism of refractive index gradient during. 64-03441A
of granulated Na silicate charge. 64-00302A
of thin-film sheet, process for. 64-02492P

- waste, from glassmelting furnaces, cogeneration with. 64-0696P
- wave shielding lamination, SiO_2 , In_2O_3 , and SnO_2 . 64-05215P
- Heaters.**
- MoSi_2 and Si_3N_4 . 64-02857P
- Ta_3N_5 , thermal head with. 64-00815P
- air, of blast furnaces, creep of mullite-corundum refractories for. 64-02087A
- of boilers, causes for glass pipe breakdown. 64-00277A
- high-temp., mullite-corundum refractory packing for. 64-00491A
- ceramic. 64-03854P; 64-03855P
- for engines. 64-00732P
- ceramic body, O sensor with. 64-06654P
- electrical, retained in porous ceramic structure. 64-06614P
- gas, for glass sheet-shaping molds. 64-02016P
- glass, cooker panel assembly. 64-03537P
- for glass surface. 64-01991P
- glow plug, ceramic. 64-06599P
- for diesel engine, with PTC element. 64-00752P
- with surface-ignition element. 64-00753P
- microwave, mechanical reliability of ceramic windows in. 64-03797A; 64-03798A
- pre-, application to quicklime production. 64-03119A
- for press, hot isostatic. 64-00963P; 64-04037P
- quartz lamp, ceramic-capped, for microwave ovens. 64-02194P
- sensor with, O₂. 64-03902P; 64-05236P; 64-05237P; 64-05239P
- thermistors, positive-temp.-coeff. 64-02401P
- Heating elements.** See *Electrodes*.
- cermet. 64-01186A
- metalloceramic. 64-00099A
- radiant, for glass-ceramic plates. 64-05622P
- Heating.**
- and cooling, fluid-induced, in a poured bed of solids, methods for calculating. 64-02675A
- forced-air, reduces decoration firing costs. 64-05465A
- induction, of elongated workpiece, method and apparatus. 64-04181P
- laser, thermal characteristics of glasses based on. 64-03373A
- metallic materials, in molten glass. 64-03449A
- method for. 64-06985P
- microwave, of gels. 64-06759A
- particles, perlite, method and apparatus for. 64-06984P
- pellets, Al_2O_3 powder, irreversible dilation on. 64-07473A
- rapid, effects on blast-furnace refractories. 64-02107A
- rates, of crystallization, effect on solid-phase transformation. 64-05695A
- rapid, glass transition temps. at. 64-03262A
- of stacked ware in tunnel kilns. 64-03570A
- substrates, apparatus for. 64-00944P
- transfer, and contact resistance, during glass forming. 64-03422A
- unit, glass-captivated, for still. 64-03513P
- Heavy clay products.** See *Structural clay products*.
- Hellum.**
- diffusion coeff. and solubility, in glass, spectroscopic method for determining. 64-03360A
- implantation, in SiC. 64-07125A; 64-07126A
- impurities, thermal properties of vitreous SiO_2 with. 64-01920A
- ions, in SiC, simulation of range and damage distributions. 64-05901A
- Hematite.** See *Iron, FeO*.
- Holmium.**
- Ho_2O_3 and Lu_2O_3 , reactions with W and WO_3 . 64-05868A
- tribromide, interaction with bromides of alkali metals. 64-05731A
- Holograms.**
- Fourier, method for improving image quality. 64-05426A
- Holography.**
- interferometer, Twyman-Green. 64-02596A
- Homogeneity.**
- of glass, by Shelyubskii's method, apparatus for measurement. 64-01007A
- in-, of glasses, measurement by Shelyubskii method. 64-06198A
- region, of Li-Mn ferrites. 64-05795A
- properties of TiN, in. 64-01569A
- Honeycomb.**
- catalyst, for exhaust gas conversion, method of making. 64-05650P
- method of making. 64-02875P
- catalytic converter, automotive, with improved thermal properties. 64-07259P
- cordierite, method for making. 64-01321P
- dies for, extrusion. 64-00961P
- laminated extrusion. 64-00947P
- filter, method of making. 64-07256P
- Hot tops.** See *Refractories*.
- Humidity.** See also *Moisture; Water*.
- effect on pressing, of spray-dried Al_2O_3 . 64-01124A
- effect on strength, of ceramic bodies. 64-04543A
- environmental, effect on glass-fiber-reinforced gypsum. 64-01708A
- during preparation, effect on transmission loss for ZrF_4 -based optical fibers. 64-00307A
- sensitive element, method of making. 64-05217P
- sensor, ZnO and other metal oxides. 64-00758P
- ZrCr_2O_7 - Li_2ZnVO_4 , ceramics for. 64-02346A
- capacitive glass substrate. 64-03849P
- metal oxides with perovskite structure. 64-02372P
- Hydrates.**
- Al_2O_3 , Bayer process production of. 64-05877P
- Ca, methods for estimating water content. 64-06106A
- Mg diphosphate crystallo-, thermal dehydration. 64-05861A
- Na triphosphate peroxi-, thermal transformations of. 64-05865A
- crystallo-, effect of heating rate on solid-phase transformation. 64-05695A
- dicalcium phosphate di-, with improved monofluorophosphate compatibility. 64-01772P
- gypsum di-, hardened bodies, from phosphoric acid and desulfowastes. 64-01764A
- Hydrations.**
- of C/S, effect of admixtures. 64-00045A
- in presence of colloidal SiO_2 . 64-03096A
- of CA and CA₂. 64-01724A
- of $\text{CaO-Al}_2\text{O}_3$, temp. dependence. 64-00526A
- of Mg oxides, in presence of water vapor. 64-04465A
- of silite, in presence of concrete admixtures. 64-01725A
- role of free lime. 64-00057A
- of cements, $3\text{CaO} \cdot \text{Al}_2\text{O}_3 \cdot 3\text{CaSO}_4 \cdot n\text{H}_2\text{O}$. 64-06129A
- CaAl_2O_6 . 64-06092A
- $4\text{CaO} \cdot \text{Al}_2\text{O}_3 \cdot \text{Fe}_2\text{O}_3$, effect of gluconate, lignosulfonate, and glucose. 64-07341A
- blast-furnace slag, effect of triethanolamine. 64-04635A
- doped C/A. 64-00042A
- effect of raw materials and burning conditions on. 64-06096A
- heat liberation and temp. rises. 64-06090A
- portland, NMR line shape—spin-lattice relaxation correlation study. 64-03104A
- portland, effect of Ca formate. 64-04634A
- in presence of water, relation of rheology of paste to. 64-06122A
- review of portland and Al_2O_3 cement. 64-03095A
- sulfoaluminate, in subzero environment. 64-00041A
- early, of C/A, in solutions containing CaSO_4 , kinetics. 64-01729A
- of C/A, effect of gypsum and alkali. 64-06078A
- of β -C/S. 64-06070A
- of glasses, phosphate and borate, at high temps. and pressures. 64-01858A
- silicate, phosphate, and borate, in autoclave. 64-06204A
- stressed nuclear waste. 64-00194A
- of gypsum. 64-06068A
- products, in C/S, viewed by SEM. 64-00030A
- metakaolin-lime. 64-03102A
- rate, of Na triphosphate, effect of temp. and moisture. 64-05699A
- of refractory materials, low-Fe-MgO. 64-02121A
- slag-cement, kinetics and mechanisms. 64-01728A
- of slags, nonferrous. 64-06091A
- synthesized. 64-06093A
- tests, involving portland cement and substitution of limestone for gypsum. 64-03091A
- Hydrides.**
- SiH_4 , preparation of. 64-04512P
- U-Th, nuclear fuel. 64-03989P
- Hydrocarbons.**
- chemisorption, by fuel cell electrodes in presence of water. 64-03754A
- conversion, Al_2O_3 -silicate-based catalyst for. 64-04388P
- methane, ^{13}C -labelled, preparation of $\text{Ba}^{13}\text{CO}_3$ from. 64-04217A
- methanol, catalyst for reforming. 64-05602P
- Hydrocylones.** See *Separators*.
- Hydrogen.**
- H_2 , metal oxide detector for. 64-06626P
- absorption, by YNi_2 , effect of partial replacement of Ni or Y by other metals. 64-05726A
- bonds, in ceramconcrete. 64-00044A
- diffusion, in Y-Fe garnet, optical study. 64-02475A
- in γ -irradiated GeO_2 -doped optical fiber. 64-06205A
- impurity atoms, in MgO . 64-07350A
- medium, sintering corundum in. 64-02826A
- occupancy, hydrogarnet, multi-site, in garnet structure. 64-07037A
- production, by steam-Fe process, development of Ge oxide media for. 64-04266A
- solar, fuel of the future. 64-03827A
- sulfide, zeolite-based catalyst for oxidizing. 64-07203P
- treatment, of Ni^{2+} and Cu^{2+} -exchanged montmorillonites. 64-02706A
- vaporization of MgO in. 64-07402A
- zeolite for producing, molecular sieve. 64-01336P
- Hydrolysis.**
- Zr alkoxide, $\text{ZrO}_2 \cdot \text{Al}_2\text{O}_3$ powders by. 64-04320A
- flame process, devitrification-resistant, glass fiber preform. 64-01982P
- Hydroxides.**
- Co and binary, synthesis of Co_2N_2 , during thermolysis of. 64-01469A
- Fe meta-, porous structure of products of thermal transformation. 64-04483A
- Mg, m.f.g. of. 64-04232P
- production of sintered magnesite from. 64-04236P
- incorporation in optical fibers, reduction by F doping. 64-04802A
- Hygrometer.**
- capacitive, method of making. 64-02406P
- Hystreroids.**
- expansion, on thermal cycling of Zerodur. 64-00292A
- Ilites.** See also *Clays*.
- in clays, sedimentary, XRD characterization. 64-02698A
- degradation, IRS study. 64-07032A
- Immiscibility.**
- liquid, in alkali-free $\text{CaO-FeO-MgO-Al}_2\text{O}_3\text{-SiO}_2\text{-TiO}_2$ melt, vector presentation. 64-07517A
- in systems $\text{Na}_2\text{O-Y}_2\text{O}_3\text{-B}_2\text{O}_3\text{-SiO}_2$ and $\text{K}_2\text{O-Yb}_2\text{O}_3\text{-B}_2\text{O}_3\text{-SiO}_2$. 64-00205A
- region, in systems $\text{Li}_2\text{O-Al}_2\text{O}_3(\text{Ga}_2\text{O}_3)\text{-SiO}_2$. 64-01859A
- Impact.**
- Charpy, of sintered SiC. 64-04276A
- ballistic, mechanical behavior of Al_2O_3 plates under. 64-02792A
- behavior, of coated low-density bodies. 64-01220A
- damage, in structural ceramics, theoretical model. 64-01586A
- fracture, of tempered glass helicopter windshields. 64-03452A
- repeated, effect on glass fiber-reinforced polyester composites. 64-05910A
- Impurities.**
- in Al_2O_3 , reacted, process for removing. 64-07431P
- Au, Ag, Cu, effect on photoluminescence of Ge_2S_3 glass. 64-03235A
- Cu, absorption spectra of Ag halide photochromic glasses containing. 64-03278A
- H and Cl, role in radiation processes in quartz glass. 64-01902A
- He, thermal properties of vitreous SiO_2 with. 64-01920A
- in Nb and Ta carbonitrides, distribution. 64-01201A
- in PZT, effect on properties. 64-06683A
- Pb and Y, effect on decay of excitations in MF₂ crystals. 64-05068A
- Ti, in clay, removal to improve whiteness. 64-04235P
- effect on morphology, of SiC whiskers. 64-07087A
- metallic donor, electrical properties of In_2O_3 crystals doped with. 64-02301A
- in perclase, effect on electrical resistance. 64-02104A
- rare-earth, effects on photochromism of rare-earth orthoniobates. 64-00653A
- reduction technique, for Hg-Cd telluride. 64-05218P
- states, in SiO_2 . 64-04467A
- trace, effect on devitrification of vitreous SiO_2 —correction. 64-00174A
- effect on viscosity of vitreous SiO_2 —correction. 64-00175A
- Indemission.**
- Hertzian, of nuclear waste glasses, effect of composition and radiation. 64-04719A
- contact damage, in ZnS . 64-01010A
- crack, as wedge-loaded half-penny, analysis of. 64-04524A
- flaws, compressed-spring analogy for residual stress effects on extension of. 64-01521A
- dynamic fatigue analysis using exponential-law crack velocity function. 64-01536A
- microfracture, of ceramics. 64-05420A
- Index of refraction.** See *Refractive index*.
- Indium.**
- $\text{In}_{0.9}\text{Ga}_{0.1}\text{As}_{0.1}\text{P}_{0.9}$, composition dependence of microhardness anisotropy. 64-00640A
- $\text{In}_{0.9}\text{Ga}_{0.1}\text{P}/\text{GaAs}(\text{III})$, layers, growth specifics. 64-05107A
- In_2O_3 , crystals doped with metallic donor impurity, electrical properties. 64-02301A
- In-Sb, crystal semiconductor. 64-00759P
- InGaAsP, feedback semiconductor laser. 64-05210P
- InP, electrical properties of Al_2O_3 and AlP_2O_7 dielectric layers on. 64-05081A
- etching by aqueous solution of $\text{H}_2\text{P}_2\text{O}_7$. 64-06631P
- light-emitting and -receiving transistor. 64-02376P
- simultaneous-doped layers for semiconductor devices. 64-06669P
- surface, effect of ionic-plasma treatment on state. 64-05073A
- InP-InGaAsP, aged light-emitting diodes, origin of dark spot defects. 64-00681A
- InP-Fe, photoconducting device. 64-02373P
- InSb, crystals, undoped, proper point defects in. 64-05162A
- doped with Ge, properties of. 64-05166A
- films doped with Te, Se, and S, preparation and electrical properties. 64-05158A
- interactions with InSe, In₂Se₃, and Sb₂Se₃. 64-05741A
- optical pulse generator. 64-03898P
- solubility of Ti in. 64-05805A
- InTbBO₃-based phosphor, white luminescent, for cathode ray tube. 64-05893P
- Sn oxide, coatings, 3-step process for depositing. 64-00721A
- and alkaline earth oxides, electrophysical properties. 64-00662A
- films, on GaAs, growth of heterojunctions during heat treatment. 64-05106A
- joining glass of different expansion coeffs. with. 64-03516P
- orthothiophosphate, evaporation rate and preparation of films. 64-05705A
- oxide, Ba-Ca borosilicate glass fiber resistor inks. 64-00760P
- low-resistance films. 64-05224P
- Infrared techniques.** See also *Absorption; Radiation; Spectra*.
- Infrared.**
- absorption, quartz glass with Fe and Al. 64-03397P

- absorption, and Pb pollution. 64-02601A
burner. 64-04176P
-emitting, ZnS:TMg-based phosphor. 64-04504P
fibers for transmitting Ag halide, Th halide, method of making. 64-04876P
fluoride glass NH_4^+ absorption in. 64-01873A
method of making. 64-06365P
firing, of Ca multilayer system. 64-05116A
of film materials systems for hybrid microcircuits. 64-05117A
furnace, with atm control. 64-06979P
with controlled environment. 64-01102P
glass, low-dispersion. 64-03398P
lens, multispectral computerized evaluation station for. 64-02647P
micro-Paraflex rotor for, fiber-embedded. 64-05417A
optical properties, of Si oxynitride films. 64-04299A
polarizing glasses. 64-01932P
radiation, pyrometer. 64-01059P
reflection-preventing film, ZnS on TiO_2 . 64-02374P
-reflective coatings, transparent, deposition on glass. 64-03761A
-sensitive diode, CdHgTe photo. 64-03878P
spectra, of K feldspar crystals. 64-01549A
thermometer, light beam sighting system for. 64-04119P
for meter control. 64-04087A
transducer-transmitter, for noncontact temp. measurement. 64-06906P
- Inhibitors.**
MgO and Cu-oxychloride blends, for $\text{Ca}(\text{OH})_2$ deposits in coal-fired lime kilns. 64-01338P
- Inspection.** See *Quality control*.
- Instability.** See *Stability*.
- Instruments.** See also *specific types*.
for analysis, XRF. 64-02625A
attenuation meter, pulse-coded optical. 64-06918P
for bulk material level measurements, based on acoustic depth sounding. 64-05412A
calibrator, optical fiber test. 64-04133P
conductivitymeter, thermal, for nonmetallic solids. 64-01039A
consistometer, for high temps. and pressures. 64-01051P
for detecting and removing subsurface damage, in wafers. 64-06875A
for determining color, of glasses. 64-06862A
dilatometer, HIP, design and construction. 64-06864A
extensometer. 64-01054P
flow meter, ceramic tube, magnetic-inductive, for high temps. 64-07238P
gauge, optical, for measuring glassmelt level. 64-01025A
hygrometers, capacitive, method of making. 64-02406P
interferometer, holographic Twyman-Green. 64-02596A
pencil beam. 64-04135P
for isotherms, adsorption-desorption. 64-04086A
for level monitoring, new products abound. 64-02514A
measuring, for X-ray structure determination of liquid or amorphous materials. 64-01061P
for measuring density, heat flux, dynamic properties of. 64-02590A
mesoterm, for measuring temp. in annealing lehrs. 64-05425A
microscope, reflection acoustic, for differential phase imaging. 64-05458P
for particle size evaluation. 64-05427A
permeometer. 64-04136P
porosimeter. 64-06916P
with detection by capacity variation. 64-06917P
self-cleaning. 64-06919P
reflectance-measuring, with integrating sphere. 64-02651P
refractometer, with limiting angle method. 64-02652P
rheometer, compensated. 64-04112P
torque, for determining critical powder vol concentration in plastic forming. 64-00917A
spectrometer, for monitoring melt composition. 64-04078A
for thermal analysis, recent advances in. 64-05434A
thermocouple. 64-02655P
thermometer, ultrasonic. 64-02657P
tomography device, plane reconstruction ultrasound. 64-01073P
transducer, ultrasonic, university/industry cooperation on. 64-05284A
triaxial, for testing particulate materials. 64-04139P
velocimeter, gun muzzle, ceramic-coated sensor coil for. 64-06603P
- Insulation, thermal.** See also *Glass fibers*; *Mineral wool*; *Refractories*.
Ca silicate. 64-03076A
hydrous, from recycled greenware. 64-06132P
hydrous, method of recycling greenware in mfg. of. 64-00388P
blocks, apparatus for measuring thermal conductivity. 64-02616A
boards, method of attaching to mold. 64-00565P
bonded to metal, impacting device for testing. 64-01057P
bricks, from common clay. 64-06454A
building materials, applications for. 64-05983A
coating. 64-01790A
Al phosphate-based, for heated metals. 64-05022P
 Y_2O_3 -stabilized ZrO_2 . 64-01804P
enamel. 64-03147A
plasma-sprayed. 64-04681A
process for applying to metals. 64-01802P
thermal-shock. 64-03496A
- thermal-shock-resistant cermet. 64-01312P
curtains, metallic, for screening glassmelting furnaces. 64-03463A
fabric, bonding to tile. 64-05515A
fibers, C-bonded C, for radioisotope space power systems. 64-07071A
application in electric discontinuous furnaces. 64-03587A
blanket, coating to harden surface of. 64-03700P
blowable glass. 64-00344P
for conserving energy during heat treatment, in China. 64-03602A
for electric furnaces. 64-03703P
for forging industry. 64-03673A
glass. 64-03627A
refractory. 64-03645A
refractory, for atm furnaces. 64-02246P
refractory, insulation of domed reactor vessels. 64-02247P
fibrous, SiC , method for forming. 64-02874P
effect on heat yield of kilns. 64-03640A
fabrication rates. 64-04949A
furnace with, means and method for building. 64-06982P
for lining electric-arc furnaces. 64-04988A
mineral, apparatus for curing. 64-02677P
foam, method for making. 64-02528A
glass, assembly, hermetically sealed. 64-04851P
gas-filled, method of making. 64-00310A
lamination, SiO_2 , In_2O_3 , and SnO_2 . 64-05215P
lining, for automotive exhaust duct. 64-07293P
mineral wool, basaltic. 64-03466A
method for increasing durability. 64-03453A
panels, prestressed refractory. 64-04990A
for pipe, method and system for inspecting. 64-02646P
production technologies, energy comparison for. 64-04788A
refractory. 64-03707P
in E. Germany. 64-03626A
MgO-faced slabs. 64-03710P
 ZrO_2 -based porous concrete. 64-02119A
alkali titanate and Si resin. 64-03705P
fiber modules, minimodel for filling gaps between. 64-02249P
fiber, composition for. 64-02239P
in furnaces. 64-03646A
on hot tanks, proper thickness. 64-03632A
in industrial furnaces, energy reduction with. 64-03618A
for ladies. 64-03708P
liner. 64-02255P
magnesite. 64-02138A
reusable. 64-05002A
rock wool as. 64-03481A
in solar-arc laminators, glass marbles substitute for asbestos cement. 64-01941A
of suspended arches, in tunnel kilns for refractory industry. 64-02667A
tile, in Space Shuttle. 64-02836A
improved emittance of. 64-07117A
tiles, for Space Shuttle. 64-04362A
vacuum, with glass fibers. 64-02026P
- Insulators, electrical.**
MgO, and Al_2O_3 , defects in. 64-07451A
sintered, effect of composition on properties. 64-02126A
 SiO_2 - Al_2O_3 , thin-film, method of making. 64-05231P
assemblage, high-voltage. 64-06624P
bushing, hybrid. 64-03874P
coating, method of producing conductive/resistive patterns on. 64-05234P
dielectric material for, glass, method of making. 64-00395P
high-tension, drying for. 64-06048A
high-voltage dc, glaze-to-pin connection for. 64-06621P
porcelain, forsterite. 64-06560A
high-voltage glazed. 64-00757P
intensifying filter in tunnel kilns. 64-00674A
strength under dynamic and cyclic loads. 64-03829A
for sparkplugs, methods for determining mechanical properties. 64-05131A
suspension, high-voltage, with semiconductor glaze. 64-00669A
tape, strip preparation in metal vapor deposition of. 64-00984P
thin gate, thermal nitridation of Si and SiO_2 for. 64-00719A
- Insulators, thermal.**
load-bearing, mica/metal matrix. 64-06150P
refractory, fibrous, determining optimal bulk density. 64-02095A
micro- and macroporous, comparison of. 64-02082A
- Interfaces.**
 Si-SiO_2 , B segregation during anneals. 64-03751A
techniques for improving. 64-00715A
 Si-YSZ , thermal oxidation of. 64-05109A
clinker/triethanolamine, interactions at. 64-04647A
corrosion, between baddeleyite-corundum refractories and alkali borosilicate glassmelts, high-temp. behavior. 64-03629A
crystalline properties, optical technique for determining. 64-04130P
film, structural/property relationships. 64-03831A
heterostructure, CMT-CdTe, SIMS analysis of impurities at. 64-00705A
metal/oxide electrolyte, equilibria state. 64-01400A
semiconductor/insulator, implanting Y and O ions at. 64-03876P
- Interferometers.**
Twyman-Green, holographic. 64-02596A
- loop, hybrid optical junction for. 64-00371P
pencil beam. 64-04135P
with tunable resonator, for filtering and spectrography. 64-02638P
- Interferometry.**
to optimize polishing conditions. 64-02612A
for surface topography. 64-04127P
- Ions.** See also *specific types*.
"Ca and "V, self-diffusion in Ca vanadate crystals. 64-01455A
3d transitional, in inverted vitreous molds, electronic spectra. 64-03246A
3d², distribution in systems $\text{Na}_2\text{B}_2\text{O}_7$ and 95TeO_2 -5PbO. 64-07455A
Al, in aluminoborosilicophosphate glasses, X-ray spectroscopic study. 64-03389A
Ar, change in emission properties of Pb silicate glasses under effect of. 64-03198A
Cd(II) and Cu(II), uptake by Ca phosphates. 64-00062A
Cl and sulfate, effect on phase equilibrium of ferrite. 64-06710A
"Cr, grain-boundary and lattice diffusion in Al_2O_3 and spinel. 64-07335A
Cr and Fe, in α - Al_2O_3 , ESR measurement. 64-07130A
Cr³⁺, in borosilicate crowns, optical absorption. 64-03313A
in phosphate and fluorophosphate glasses, laser-excited. 64-00202A
Cu⁺, in Ag halide photochromic glass, calculation of electronic structure. 64-03195A
Cu(II), transfer in solid electrolyte $\text{RbCu}_2\text{Cl}_{3.1.1.1.1}$. 64-05870A
Cu-alkali, exchange of alkali aluminosilicate glasses in molten CuCl. 64-00154A
D⁺, implantation in SiO_2 , comparison with D₂ doping. 64-04708A
Eu²⁺ and Ce³⁺ in glass, recombination luminescence spectra. 64-03345A
F, diffusion in BiO_2 -F₂. 64-05690A
F⁻, Co²⁺, and Ti⁴⁺, effect on synthesis and properties of Na polyaluminate. 64-01396A
Fe, coordination in Na borosilicate glasses. 64-01818A
Fe²⁺, in Li borosilicate glasses, Moessbauer study. 64-03250A
in phosphate glasses, fine structure. 64-03252A
Gd³⁺, in phosphate glasses, EPR spectra. 64-03223A
He, in SiC , simulation of range and damage distributions. 64-05901A
implantation in SiC. 64-07125A; 64-07126A
Ho, in glasses, absorption spectra. 64-03181A
I⁺, diffusion through hardened cement paste. 64-07321A
Mg, in Na-Mg and Na-Ca-Mg silicate glasses, XRD study. 64-01928A
Mn²⁺, in As-Se glasses, ESR study. 64-05067A
in TeO_2 -PbO glass, EPR study. 64-01829A
in disordered phosphate glasses, EPR study. 64-03224A
in heavy-metal fluoride glasses, EPR study of. 64-06181A
Mo⁶⁺, effect on elastic moduli of Mo phosphate glasses. 64-00167A
Mo⁶⁺ and W⁶⁺, in phosphate glasses, analysis of shape of EPR spectra. 64-03188A
N, formation of AlN by implantation in Al crystal. 64-04461A
N³⁺, nitridation of Fe by. 64-04679A
Na and K, mutual effect on diffusion during leaching of glasses (20-x)Na₂O-xK₂O-80SiO₂. 64-01872A
Na⁺, Zr-doped Na₂PO₃ conductor for. 64-00642A
Na-K exchange, effect on Cu states in Na silicate glasses containing CuO. 64-06182A
Nd, properties of V₂O₅-Sc₂O₃ and Lu₂O₃-Sc₂O₃ crystals activated with. 64-04487A
Ni, in Na borate glasses and acid solutions, absorption spectra. 64-03192A
Pb²⁺, Eu²⁺, and Nd³⁺, in doped Na borate glasses, optical spectra. 64-06261A
Pr, in glasses, absorption spectra. 64-00140A
Ti⁴⁺ and Ge⁴⁺, coordination in Na₂O-TiO₂-GeO₂ glasses. 64-06172A
Ti³⁺, in Ba borosilicate glass, optical absorption and ESR studies. 64-03312A
and Fe³⁺, occurrence in mullite. 64-02159A
Tm³⁺-Hn³⁺, in Lu₂Al₂O₇:Cr³⁺:Tm³⁺, Ho³⁺, stimulated radiation of. 64-01190A
V, in V-containing stains, valences of. 64-02281A
Y and O, implanting at semiconductor/insulator interface. 64-03876P
active, in vitreous Eu polyphosphates. 64-05728A
alkali, in Li₂O-3SiO₂ and Na₂O-3SiO₂ glasses, differences in surface behavior. 64-06179A
in cristobalite-type glass, size of. 64-04752A
anion constitution, of tetrabutylammonium silicates. 64-01379A
anions, vanadate and molybdate, process for solvent extraction. 64-01162P
beam, amorphization of ceramics by. 64-07441A
mixing, of Al films on SiO₂. 64-04680A
bombardment, formation kinetics of Nb and Mo silicides induced by. 64-02932A
cation, derivatives, of mono- and divalent montmorillonite, thermal dehydration. 64-07052A
diffusion in plagioclase feldspar. 64-02696A
distribution in Fe₂O₃-FeAl₂O₃. 64-05721A

- distribution in Mg-Al spinel crystals. 64-04935A
distributions, Rietveld estimation. 64-06894A
divalent, effect on leaching kinetics of glass. 64-01946A
exchange properties, of hydrated cements. 64-04627A
exchange, in clays and mudrocks. 64-07024A
isovalent impurity, segregation at surfaces of MgO and CaO. 64-04491A
modifiers, at surface of glass fillers, coordination states. 64-04710A
decylammonium, and n-alkanol, intercalation with Ca montmorillonite. 64-07345A
etch process, for forming via holes having sloped walls. 64-02403P
exchange, equilibria, of clays, thermodynamics of. 64-02729A
field-assisted, in type III SiO₂. 64-02931A
in glass, effect of applied stresses on. 64-07340A
hydrous metal oxide, catalysts using. 64-05599P
intermediate-stage, in Na zeolites, role of cation valency. 64-02785A
toughening Simax glass by. 64-04761A
treatment of Si-Y₂O₃ dispersions. 64-05556A
fast, conductors, firing computation of. 64-05541A
ferric, in glass, EPR determination. 64-03251A
in ferrites, Mn-Zn, valency. 64-05306A
fluorine, diffusion in Y-Fe garnet. 64-03952A
in glass, electrolysis treatment for drawing out. 64-00250P
implantation, of compounds based on In-Ga-As. 64-03866P
fabrication of integrated SiO₂ substrate optical waveguide by. 64-06367P
strengthening Al₂O₃ by. 64-04349A
in thermal SiO₂, dynamics of defect creation by. 64-04531A
-implanted SiO₂, mechanisms of damage recovery. 64-06567A
low-energy, electrophysical properties of ZnO surface during bombardment by. 64-01484A
phosphate, in glass linen, rapid determination method. 64-00221A
plating, preparation of Fe nitride films by. 64-05297A
radical, in glassy rare-earth phosphates containing different alkaline modifiers. 64-03335A
rare-earth, magnetic circular dichroism spectra of glasses activated with. 64-03291A
substitutions, in modified PZT. 64-06689A
transition-metal, ESR in phosphate glasses containing. 64-00180A
in different states of oxidation, oxide systems with. 64-01559A
- Iron.** See also *Enameling; Steels.*
-B alloys, solid solution, with high saturation magnetization and low magnetostriction. 64-02868P
-Fe oxide, layer films. 64-02464A
-Fe₂O₃, Os-doped films, high coercivity. 64-02476A
and abrasive, magnetic recording medium. 64-00868P
cation self-diffusion and isotope effect in. 64-07311A
magnetic recording medium. 64-03970P
in refractory clays, X-ray determination. 64-00465A
Fe₂O₃-containing wastes, application in cement industry. 64-03135A
Fe₂O₃, magnetic head-cleaning diskette coated with. 64-06729P
Fe₂O₃-FeAl₂O₃, cation distribution in. 64-05721A
Fe₂O₃, with nonstoichiometry, variation of magnetic properties. 64-02484A
Fe(II), air oxidation in presence of Cu(II) and Fe(III) oxide hydrate. 64-02920A
-MgO powders, heat-treated, magnesioferrite formation in. 64-06712A
and Ti, complexometric determination by indirect titration with EDTA. 64-01013A
-bearing inclusions, in sintered Si₃N₄, causes and effects. 64-01183A
in clays, china, containing sandstone, magnetic removal of. 64-05502A
environment, in glasses in system Na₂O-SiO₂-Fe₂O₃. 64-06215A
ferric oxide, effect of properties on Ni-Zn ferrite formation. 64-03959A
in glasses, Ca borosiluminate, photoacoustic spectra of. 64-01882A
X-ray irradiated silicate, behavior and effect of. 64-01810A
systems Sb-Ge-Se and Sb-Ga-Se, effect on properties. 64-03233A
glasses containing, Ba borate, EPR and dc resistivity studies. 64-01843A
ions, in K-Al borate glasses, effect of heat treatment on aggregation. 64-03230A
coordination in Na borosilicate glasses. 64-01818A
metahydroxides, porous structure of products of thermal transformation. 64-04483A
nitride, films, preparation by ion plating. 64-05297A
oxide, B₂O₃-containing thermostable pigments. 64-02927P
Co-containing magnetic powder, method of making. 64-02493P
Co-containing powder, mfg. method. 64-03978P
Co-substituted acicular particles, magnetic annealing and relaxation. 64-02467A
La-stabilized Al₂O₃ catalyst, steam reforming. 64-07289P
effect on crystallization of basalt fibers. 64-03274A
ferrimagnetic, acicular mfg. of. 64-01155P
self-reducing agglomerates. 64-07435P
- in steelmaking slag, effect on corrosion of MgO-C bricks. 64-03641A
thin-film photoelectrode using. 64-06580A
oxide/Cr oxide catalyst, method of making. 64-02880P
pentavalent, stabilized in sixfold coordination in oxide. 64-01562A
state of, in clinkers with various cooling regimes. 64-00059A
-supported catalyst, for ammonia synthesis, prepared by acid-modifier γ -Al₂O₃ method. 64-07309A
surface-hardened sinter, part, method of making alkali silicate-impregnate. 64-05881P
surfaces, ion beam nitriding of. 64-04679A
Irradiation. See *Radiation* and specific types.
Isotherms.
adsorption-desorption, automated instrument for. 64-04086A
Isotopes. See also *Radioactive tracers.*
effect, in Fe₂O₃. 64-07311A
- Jewelry.** See *Art and artwork.*
Joining. See also *Coupling; Splicing.*
Cr₂O₃-coated ceramic, to metal. 64-03168P
Si₃N₄, to metals. 64-07236P
SiC, and Al, interfacial reactions during. 64-01225A
bodies. 64-07235P
brass, ceramic package to electronic elements. 64-06660P
of fibers, optical. 64-00373P
optical, to optical device. 64-00338P
glass, of different expansion coeffs. with in film. 64-03516P
inserts, for internal combustion engines. 64-04428P
metal pieces, to oxide-ceramic substrates. 64-01798P
metal-to-ceramic, device for. 64-07241P
shafts, metal to ceramic. 64-04400P
Joints. See also *Joining; Seals and sealing; Splicing.*
BaTiO₃, for Mg titanate waveguide. 64-06727P
Si₃N₄, high-temp. chemical phenomena affecting. 64-01219A
ceramic-metal, with thermal expansion mismatches, effect of interlayers. 64-01785A
nonoxide (Si₃N₄, SiC), made with Cu₂Ti₂ and Ni₂Ti₂. 64-02801A
filler metals. 64-02801A
solder, integrity, key to temp. cycling resistance in surface-mount assemblies. 64-05176A
- Junctions.**
3-grain, voids at, effects on sintering and creep damage. 64-02982A
Josephson, BaPb_{1-x}Bi_xO₃, film photodetecting device with. 64-06656P
arrays, BaPb_{1-x}Bi_xO₃, Josephson, electromagnetic coupling effects in. 64-02306A
circulators, for optical glass fiber transmission lines. 64-02013P
compensation, of a plurality of thermocouples, method for. 64-02644P
fiber glass, optical, method of making. 64-03335P
hetero-, Si-ZnO p-n and n-n, conductivity of. 64-02293A
buried laser device. 64-02398P
growth during heat treatment of In films on GaAs. 64-05105A
optical, hybrid, for loop interferometer. 64-00371P
physical, thermal contact resistance in microelectronic equipment at. 64-02341A
- Kaolin.**
and BaCO₃, formation of celian from. 64-04472A
Korean, synthesis of β -Sialon from. 64-07182A
synthesis of zeolite A from. 64-07375A
Spanish, effect of crystallization on properties. 64-07035A
W. German, change in rheology of. 64-04197A
deposits, of type of hydrothermal altered tuffs in China. 64-07040A
fired in rotary kiln, properties of refractory grg made from. 64-00504A
physical properties, effect on high-Al₂O₃ porcelain. 64-06516A
in polyorganosiloxane + talc mixtures, sintering and phase composition during calcination. 64-01461A
reactions with SiO₂, effect of mineralizers. 64-07378A
sedimentation balance, remodeling of analytical M-A-3 to. 64-04009A
- Kaolinite.** See also *Kaolin.*
dehydration of, high-temp., thermoanalytical study. 64-05866A
dehydroxylation, kinetics and compensation effect. 64-07041A
rapid, structural changes from. 64-07387A
-mullite reaction sequence, problems in, NMR study. 64-07488A; 64-07489A
-muscovite-quartz bodies, fired. 64-02269A
physical properties, correlation of quartz with. 64-02702A
suspension structure, effect of ammonium salt anions on. 64-05694A
swelling, in water. 64-05814A
thermal reactions, NMR study. 64-07053A
- Keramzit.**
firing of, single-row. 64-06528A
- Kieselguhr.** See *Diatomite.*
- Kiln furniture.**
SiC, methods of determining aging condition. 64-02147A
nondestructive testing of thermal shock resistance. 64-04978A
recrystallized, energy reduction with. 64-03617A
car. 64-06486P
- lightweight "all-fiber". 64-05468A
low-mass, bring productivity gains. 64-06455A
modules for. 64-03558P
superstructure for. 64-02256P
highly stressed, recycled SiC for. 64-02195A
low-density. 64-05020P
- Kilns.** See also *Burners; Furnaces; Ovens.*
5x75 m, design developments. 64-02661A
block, magnetic holding apparatus for. 64-04178P
brick, combustion of solid fuels in. 64-06418A
computer-aided instrumentation. 64-04898A
formation and extraction of landfill gas for. 64-05466A
high-temp. 64-05479P
building and firing, efficiency in. 64-06937A
car, lightweight "all-fiber". 64-05468A
low-mass, bring productivity gains. 64-06455A
car module. 64-06486P
carr, at Oregon portland plant, automatic control using fuzzy logic. 64-02658A
automatic controls for, in Czechoslovakia. 64-02669A
for clinker burning, calculation of surface heat losses. 64-01701A
coal-fired, burner design for. 64-06929A
coating formation in feed end region. 64-01726A
corrosion of MgO-chrome refractory in. 64-06443A
heat exchanger with immersion pipe. 64-05477P
increased stability of refractory linings of. 64-03637A
of lower capacities, precalcining system for. 64-03115A
operation and lab burnability. 64-04651A
refractory lining of sintering zone, state of. 64-00052A
state of basic refractory lining of sintering zone. 64-01745A
uses for waste linings from. 64-02174A
ceramic, history of. 64-03061A
chamber and shuttle, gas-heated, with 2 different firing systems. 64-01078A
control, automatic with ceramic switch. 64-01093P
computer and microprocessor. 64-05463A
systems for, computerized. 64-06863A
design, computer-aided. 64-06933A
double-chambered, for artwork. 64-06025A
dry-process cement, new way of dedusting. 64-03109A
electric, vent for. 64-01652A
fast-firing, refractories for. 64-05472A
with fiber insulation. 64-01087A
finding draft loss, across tube bundles. 64-02665A
floor, safety when using glass cullet. 64-00325A
floor system. 64-01104P; 64-04177P; 64-06980P
dump linkage. 64-01103P
fossil fuel-fired, operational analysis. 64-04156A
fuel saving in. 64-06941A
heat yield, effect of fibrous refractory linings on. 64-03640A
for heavy ceramics. 64-06981P
industry, coal and by-products as alternative fuel. 64-06930A
insulated, for hollow glassware. 64-01083A
intermittent, electrically heated. 64-01086A
lime, coal-fired, blends of MgO and Cu-oxychloride as Ca(OH)₂ deposit inhibitors. 64-03138P
microprocessors for. 64-05356A
periodic, fibers reduce energy consumption. 64-06939A
firing, 1984 state of art. 64-06955A
refractories for. 64-03030A
refractory linings, service life. 64-05005A
temp. variations on inner surfaces of. 64-05009A
roller, cooling zone for. 64-01096P
hearth, up roof tile capacity at Interlocking Co. 64-02042A
hearth, with controlled combustion and cooling. 64-06968P
rotary, and method of using. 64-01110P
caustic magnesite dust from. 64-02071A
cement, computer algorithm for ring analysis. 64-00032A
cement, effect of operating procedures on performance of basic bricks. 64-02124A
cement, estimation of material passage time through. 64-06082A
cement, measuring temp. of secondary air. 64-01733A
cement, monolithic refractory linings for. 64-01737A
cement, optimizing burning process. 64-01743A
cement, reactions between solid fuel and batch. 64-00035A
clinker, installation for heat recovery through steel sheet of. 64-06100A
dry-process, burning time of raw dolomite in. 64-02066A
effect of technical factors on liner deformation. 64-03614A
heat losses by convection and radiation. 64-06959A
interior, diagnosis method of. 64-05449P
new trends in lining of. 64-03107A
phosphate nodulizing, simulation study. 64-01088A
primary air supply unit of. 64-04189P
problems in outlet zone and cooler bends. 64-06961A
selection, in firing tiles. 64-06940A
shaft, double-incline. 64-01099P
lime, substitute fuels for in Japan. 64-01759A
shuttle, electric, for earthenware. 64-04147A
simulation, as training tool. 64-06947A
single-layer, roller conveyor for. 64-04190P
roller table for. 64-04191P
support, refractory. 64-06499P
systems, for difficult raw materials and fuels. 64-04154A
for tableware, optimization of. 64-05470A

- test, fast-firing. 64-06029A
thermal centers, operation of. 64-05469A
tunnel, brick, application of radiation pyrometers in. 64-06956A
calculating heating rates of stacked ware in. 64-03570A
coal-fired, removal of combustion residues from. 64-04164A
drying and heating of refractory linings of. 64-02101A
effect of design on energy consumption. 64-03560A
electronic control and monitoring system for. 64-05415A
energy conservation in. 64-02662A; 64-05464A
example of exhaust gas utilization. 64-02663A
for firing magnesium and Mg-spinel refractories, modernization of. 64-02159A
firing with solid fuel. 64-06948A
gas burners with indirect injection for. 64-02666A
new refractories for. 64-02157A
process control computer for. 64-06950A; 64-06957A
for production of clay bricks, operation of. 64-02043A
redesign for increased capacity and fuel economy. 64-04899A
for refractories, cuts gas consumption 80%. 64-02158A
for refractory industry, heat insulation of suspended arches. 64-02667A
wall, breakout by fusion drilling with O lance. 64-04143A
- Kinetics.**
calcination, of dispersed limestone. 64-07306A
of catalytic crystallization, of glass. 64-06216A
compaction, of sodalite powders. 64-01384A
of creep, high-temp., in SiC. 64-02787A
crystal growth, of heavy-metal fluoride glasses, effect of glass composition on. 64-06209A
crystal nucleation, in BaO-SiO₂, effects of amorphous phase separation. 64-01840A
of dehydroxylation, in kaolinite. 64-07041A
destruction, of glass fibers in liquid phase of portland cement. 64-00034A
dissolution, of gas bubbles during high-temp. compression of quartz glass. 64-03283A
of magnetoplumbite. 64-05527A
of solids, application to refractories. 64-06445A
formation, of MoO₃, from mixture of MoO₃ and α -Al₂O₃. 64-01420A
of Nb and Mo silicides induced by ion bombardment. 64-02932A
of cesium from BaCO₃ and kaolin. 64-04472A
of matte glasses. 64-04732A
grain-growth, for Al₂O₃ in absence of liquid phase. 64-04282A
grinding, of C, A in solutions containing CaSO₄. 64-01729A
slag-cement. 64-01728A
interface-reaction-controlled, in hot isostatic pressing of Al₂O₃ powder. 64-05743A
of ion exchange, in glass, effect of applied stresses on. 64-07340A
nucleation, in BaO-SiO₂ glasses, effects of amorphous phase separation. 64-00177A
of nucleus formation, of Ga phosphide in vol of melt. 64-05121A
of photochromic processes, in glasses under nonmonochromatic activation conditions. 64-03282A
precipitation, of dilute solid solution. 64-04473A
of reaction, between portland cement and clinoptilolite. 64-04650A
sintering, of Sr ferrites. 64-03961A
of structure formation, in binders, method for determining. 64-06912P
of thermal behavior, of hot-pressed Si₃N₄. 64-02788A
of thermal decomposition, of CaSO₄ in air. 64-06102A
time-temp.-transformation, in SRL waste glass. 64-04760A
vitrification, of ternary SiO₂-Al₂O₃-CaO glass powders. 64-03385A
- Kyanite.**
and Al₂O₃, development of high-Al₂O₃ refractories from. 64-02097A
annual ceramic mineral resources review. 64-07009A
refractories, hot transverse strength. 64-06450A
- Ladles.** See *Refractories.*
- Laminates.**
glass, polarizing, drawing. 64-01983P
security, mean drop height for. 64-06315A
glass fiber-reinforced polyester, effect of repeated impact on. 64-05910A
glass/epoxy, thick, thermoelastic behavior. 64-01971A
- Lamps.** See also *Glass; Glassmaking equipment.*
Na vapor, Al₂O₃ envelope for. 64-01310P
Na reaction with materials for. 64-05577A
high-pressure, frit for sealing. 64-00347P
improved fabrication of Al₂O₃ tubing for. 64-01221A
chimney, glass. 64-06050P
discharge, Al₂O₃ arc tube for. 64-04376P
with BN shielding. 64-01311P
with ceramic-glass seal. 64-00755P
fluorescent, Eu phosphor. 64-07412P
methods for coating glass envelope for. 64-04867P; 64-04868P
gas discharge, oxide/metal body for. 64-03162P
incandescent, with ceramic base. 64-03877P
with metal oxide film. 64-06343P; 64-06364P
- quartz, microwave oven, ceramic binders for. 64-03851P
safety, with ZnS-Cu- and CaS-Bi-containing lens holder. 64-02410P
screen for, luminescent Me₂Eu, Al₂O₃-Cr₂O₃, where Me = Sr or Ba and A = Al + Cu. 64-07416P
tubing, Pb glass, progress in technology and environmental protection. 64-03426A
vapor, translucent Al₂O₃ sintered body for. 64-04409P
- Lanthanum.** See *Rare earths.*
- Lanthanum.**
La β -Al₂O₃ porous support, high-temp. catalysts with. 64-05547A
(La_{1-x}Nd_x)Ga₂SiO₇, nonlinearly active. 64-04557A
La₂-Sr₂CoO₆, martensitic transformation. 64-04550A
La₂-Sr₂CoO₆, crystals, growth of. 64-04492A
La₂Cu₂Ni₂O₁₀, solid solutions, synthesis of. 64-01585A
La₂O₃, binary system. 64-04474A
La₂ReO₆, preparation and crystal structure. 64-01568A
LaB₆, crystal electron beam emitter with high brightness. 64-02909P
crystals, shaped electron emission from. 64-00807P
LaCrO₃, effect of MgO, Fe₂O₃, or Al₂O₃ additive on sintering and electrical properties. 64-05072A
LaMgAl₂O₆, thermally stimulated phenomena. 64-01591A
LaMnO₃, phase, limiting pO₂. 64-01421A
in SrZrO₃, solubility limit. 64-02437A
aluminate, stabilization conditions of trivalent Pd in. 64-01464A
lanthanoid traces, determination with sensitization of luminescence in crystallophors. 64-05685A
mixed oxide, catalysts, for conversion of exhaust gases. 64-02855P
partitioning, in sphere-based glass-ceramics, SAM study. 64-01903A
- Lasers.**
AlGaAs/GaAs, Zn-diffused narrow stripe. 64-06678P
CO₂ power delivery with As₂S₃ in glass fiber. 64-00633A
CO₂, for processing glass layers of optical waveguides. 64-04775A
wavelengths, reflectivity of minerals at. 64-05953A
GaAs/AlGaAs, W-shaped diffused stripe. 64-06677P
GaInAsP-InP, double-heterostructure. 64-00749P
He-Ne, emission of unactivated glasses excited with. 64-03280A
Nd, glass, electrical signal produced by radiation breakdown of ceramic plate. 64-06354A
passive, Q switch with color centers for. 64-00682A
Y-Ga garnet, Cr-doped. 64-02357P
action, in alkali-halide crystals. 64-05951A
and optical fiber, coupling between. 64-00354P
b-axis Nd:YAlO₃ and (Nd + Cr):YAlO₃ crystals, growth of. 64-00667A
beams, shielding against. 64-07163A
buried, double heterojunction device. 64-02398P
calorimetric data, expressions for calculating thin-film absorption coeffs. from. 64-02310A
cutting, of glass. 64-00985P
drilled holes, in Al₂O₃ substrates, microstructural study. 64-02795A
dye, frequency doubling with KNbO₃ crystals. 64-05927A
free-space, coupled waveguide. 64-01980P
glass, Nd, fluorescence line narrowing in. 64-03254A
interferometric measurement of wavefront distortions of beam. 64-05414A
phosphate Nd. 64-00262P
silicate, doped with Nd₂O₃, with protective coverings against solarization. 64-06249A
induced damage, in SiO₂. 64-01866A
crater, localization during microspectral analysis of refractories. 64-02135A
in glasses at different wavelengths. 64-04806A
introduction to. 64-04089A
in optical materials—13th ASTM Symposium. 64-03789A
in optical materials—14th ASTM symposium. 64-03788A
structural defects, glassy SiO₂. 64-01865A
induced deposition, of SiO₂. 64-00676A
induced fluorescence, in minerals. 64-04210A
injection (heterojunction chalogenide), with inverted waveguiding rib. 64-02357P
irradiation, oxidation of Cd, Cu, and Te films under. 64-00923A
material, (Al,Ga)As containing buffer level, photoluminescence of. 64-05149A
La₂Ga₂GeO₁₀-Nd³⁺, growth and crystal structure. 64-01545A
multilaminate, GaAs-based. 64-03896P
optic, growth of LiNdP₂O₇, crystals for. 64-05104A
production, of electrically conductive surfaces on insulators. 64-03881P
of optical fiber preforms with. 64-04855P
rods, Nd:glass, thermally induced active birefringence in. 64-00235A
YAG garnet, method of making. 64-05655P
segmented YAG. 64-05247P
scattering, particulate sensor. 64-02636P
pattern, for monitoring concentricity of optical fibers. 64-04773A
semiconductor, InGaAsP. 64-03907P
InGaAsP feedback. 64-05210P
InP/InGaAsP, method of making. 64-03895P
method of improving current confinement. 64-06645P
- sizing, for fiber optic buffers, method and apparatus. 64-01994P
spark discharge devices, fabrication of. 64-06559A
spot glazing, of whiteware. 64-06520A
system, He/Ne, for detecting methane leaks. 64-02585A
systems, Cr-doped Be-Al silicate. 64-01288P
treatment of glass by. 64-03494A; 64-03495A
trimming, in thick-film industry, survey. 64-03833A
- Laserite.**
treated, hydrocracking with. 64-05624P
- Lattice.** See *Crystals.*
- Leaching.**
of actinide-host phases, effects of self-radiation damage on. 64-05701A
behavior, of aluminosilicate glasses for nuclear wastes. 64-00208A
of cement, with radioactive waste forms Sr powellite and I sodalite. 64-05335A
of ceramics, for nuclear wastes. 64-05550A
glasses, (20-x)Na₂O·xK₂O·80SiO₂, mutual effect of Na and K ions on diffusion. 64-01872A
E-type. 64-01867A
Na₂O-CaO, SIMS analysis. 64-06247A
Na-K silicate, in HCl. 64-03284A
PNL 76-68, analysis using asymptotic expansion. 64-04702A
Pb silicate, by acid solutions, kinetics of initial stages. 64-01864A
alkali silicate. 64-06218A
corrosion-resistant, absence of mixed-alkali effect. 64-06159A
effects of divalent cations on kinetics. 64-01946A
mixed-alkali, nuclear analysis. 64-06219A
nuclear waste, effect of γ -radiolysis of brines. 64-04720A
nuclear waste, effect of flow rate on. 64-05326A
nuclear waste, effect of ion bombardment. 64-05935A
nuclear waste, in brines. 64-05351A
nuclear waste, mechanistic approach to modeling. 64-04737A
theories of. 64-03285A
hydrothermal, of Na-Ca aluminophosphosilicate glasses. 64-00195A
long-term, of 2 simulated waste glasses. 64-04734A
models, diffusion-based, for glassy waste forms. 64-04714A
of nuclear waste forms, NaZr₂(PO₄)₂. 64-05747A
systems, SrO-RuO₃-Al₂O₃, study of. 64-04493A
test, for vitrified nuclear wastes. 64-06744A
of tiles, red clay loaded with nuclear waste, effect of radiation and temp. 64-05912A
- Lead.** See also *Glass; Glazes; Health.*
PLTZ, birefringence, measurements of temp. dependence of. 64-05269A
chemical preparation of. 64-06688A
development of. 64-05259A
effect of NiO and MnO, additions on properties. 64-06682A
electrochromism in. 64-06685A
ferroelectric films, deposition and properties. 64-05258A
formation from coprecipitates. 64-05264A
thin-film waveguides. 64-02434A
transparent, phase transition and properties. 64-05272A
transparent, preparation of active powder for. 64-05276A
PZT, aging mechanism. 64-05255A
composite transducer. 64-06702P
direct precipitation of. 64-03919A
effect of impurities on properties. 64-06683A
fractocommission from. 64-06687A
low-temp. firing of. 64-05656A
modified, ionic substitutions in. 64-06689A
plate, electrical signal produced by Nd glass laser radiation breakdown. 64-06554A
properties under compressive stress. 64-05277A
with quadratic structure, accelerated aging in. 64-00627A
shock wave-explosive energy converter of. 64-05281A
sintered, densification by hot isostatic pressing. 64-00825A
sintering and properties. 64-06695A
structure study of Pb oxides as precursors. 64-00839A
Pb₂CrO₄, crystal structure. 64-04529A
photovoltaic effect in. 64-02328A
Pb₂InNbO₆, preparation and properties. 64-00834A
Pb₂Ge₂O₁₁, metastable form. 64-01424A
polarization screening in. 64-03828A
Pb(H₂SO₄)PbO₂, electrodes, thermal decomposition mechanism. 64-03839A
Pb(Mg_{1-x}Nb_x)O₃, perovskite-type, effect of processing on dielectric properties. 64-03926A
Pb(Se_{1-x}Te_x)O₃, electron microscopy of ordered domains in. 64-00855A
Pb(Zr,Ti)O₃, ferroelectric films, sputtering and characterization. 64-00837A
(Pb,Ba)(Ti,Sr)O₃, piezoelectric properties. 64-00833A
PbGeO₃, modification of. 64-01427A
PbMoO₄, acoustooptic modulator. 64-05271A
PbO, Rayleigh scattering loss in silicate glasses containing. 64-01899A
PbO₂, positive electrode for storage cell, method of making. 64-05233P
PbO-PbCl₂, XRD study. 64-01927A
PbSn or PbCd eutectics, film, laser production of. 64-03890P
film, production using line heater. 64-03891P

- film, production using quartz lamp for heat. 64-03892P
PbSn or PbSd eutectics, film, production using arc lamp
for heat. 64-03893P
- PbTe, with Ga admixture, phase transition in. 64-05778A
crystals, doping with Bi. 64-05692A
optical coatings. 64-03809A
- PbTiO₃, crystals, dislocation and domain structure.
64-01534A
properties of. 64-05180A
and Ru oxide-based paste, for electrical resistors. 64-03906P
and Zn, reactions in cement mfg. 64-01748A
in atm, direct collection by impaction, for AAS. 64-02587A
chromate-based pigments, treated, method of making.
64-04519P
deposition, in C refractory lining from blast furnace.
64-06444A
divalent, in PbO-PbCl₂ glasses, determination of coordi-
nation of. 64-03214A
-free, enamel. 64-00120P
-free glasses, developments in. 64-06514A
gallate, glasses. 64-01933P
magnetoplumbite, dissolution kinetics. 64-05527A
rare-earth, structural chemistry. 64-01575A
metaniobate, ferroelectric crystals, growth from melts of
system PbO-Nb₂O₅-B₂O₃. 64-05265A
orthovanadate, electrophysical properties. 64-05916A
oxide, method and apparatus for producing. 64-07061P
solutions to problems with Slond. 64-01615A
oxide-based, dielectric materials. 64-03865P
pollution, and ir absorption. 64-02601A
products, annual ceramic mineral resources review.
64-07022A
release, from glazes, standards for. 64-00617A
stannate, making crystals from solid solutions based on.
64-05275A
systems, PZT and alloy of Ni with Cu, transitional layer
at boundary. 64-00840A
titanates, dielectric material for capacitors. 64-00743P
- Lehrs.** See *Glassmaking equipment.*
- Lenses.** See *Glass, optical.*
- Lepidolite.** See *Mica.*
- Light,**
blue-green-emitting halophosphate phosphor. 64-04499P
conductor, fiber. 64-00400P
-controlled apparatus, for moving filter press plates.
64-02522P
deflection, by ferroelastic K trihydrogen selenite. 64-0247A
-emitting device, for optical switching. 64-00762P
information recording medium, SiO₂ and In, and reading
method. 64-00375P
intraoptical, beam sighting system for ir thermometer.
64-01191P
laser, shielding against. 64-07163A
-pipes, optical, method of making. 64-00376P
propagation, in axial gradient index lens. 64-04807A
reflection, from glass surfaces, method of reducing.
64-04865P
scattering, by B₂O₃ melts. 64-03288A
in gel-derived glasses in system SiO₂-B₂O₃-Na₂O.
64-01868A
from molten halides. 64-05932A
scintillators, Y₂O₃-Gd₂O₃, method for sintering. 64-01322P
Y₂O₃-Gd₂O₃, preparation by sintering and pressing.
64-06659P
rare-earth. 64-06663P
transmittance, of gallate-germanate glasses in ir region, ef-
fect of technological parameters. 64-03232A
-transmitting glass body, method of making. 64-00353P
uv, method of conveying through optical fibers. 64-04866P
- Lime.** See also *Calcium oxide; Glass.*
assimilation, in formation of Ca aluminate from CaO and
Al₂O₃. 64-01699A
-based compound, for refractory ladle covering. 64-00559P
burning, calculation of surface heat losses of kiln system.
64-01701A
shaft furnace for, process and apparatus for operating.
64-02694P
calcining, method and apparatus for. 64-02732P
for cellular concrete production, quality and amount.
64-06120A
-containing gunite, for converters. 64-02133A
fine-grained, method and apparatus for heat treatment.
64-04666P
free, role in early hydration of alite. 64-00057A
hydrated, production parameters affecting properties.
64-01723A
industry, Polish, energy saving in. 64-06080A
Polish, milling of lime and limestone. 64-06107A;
64-06108A
interlayer, in hydrated B-C-S. 64-04649A
kilns, coal-fired, blends of MgO and Cu-oxychloride as
Ca(OH)₂ deposit inhibitors. 64-03138P
substitute fuels in Japan. 64-01759A
lime hydrate, workability determination. 64-04632A
metakaolin-, hydration products. 64-03102A
powdered, closing of paper bags for. 64-01705A
quick-, production, application of preheater technology.
64-03119A
slaking process. 64-01170P
reactivity of. 64-01750A
released, in hydrated portland cement, detection of.
64-04631A
- sandstone varieties, production by VEB Kombinat Bau- und
Grobkeramik. 64-03121P
slaked, and Mg(OH)₂, method of making. 64-01166P
sludge, from glass polishing, as binder for mortars.
64-02039A
supply-demand trend. 64-01760A
- Limestone,**
calcination, feeding apparatus for shaft furnaces for.
64-01774P
in fluidized bed, effect of water vapor. 64-01710A
decarbonization. 64-00463A
dispersed, calcination kinetics and surface area. 64-07306A
filler, for blended cement. 64-01700A
-gypsum, flue gas desulfurization process. 64-01777P
particles, process and apparatus for separating. 64-00994P
resources, in mountains of Hungary. 64-01130A
- Linings.** See *Refractories.*
- Liquation,**
in systems, Al₂O₃-TiO₂-SiO₂. 64-03289A
- Liquids,**
Al₂O₃-containing, surface tensions of. 64-04570A
density measurement for. 64-02584A
in montmorillonite, determination by light refraction.
64-04080A
rate of capillary rise, in refractory bricks, equation for cal-
culating. 64-03663A
structure, measuring instrument for X-ray determination.
64-01061P
- Lithia.** See *Lithium, Li₂O.*
- Lithium,**
Li stearate aluminate, as lubricant additive. 64-07415P
Li₂GeO₄, electrical conductivity. 64-05079A
LiAlO₂, support for fuel cell catalyst. 64-01307P
LiAlSi₄O₈, synthesis, crystallographic study, and ionic con-
ductivity. 64-02835A
LiBr, interactions with calcite and CaO powders. 64-04471A
LiErP₂O₇, crystal growth, structure, and spectroscopic
properties. 64-05681A
LiF, effect on formation of ZnAl₂O₄. 64-01202A
powdered crystals for thermoluminescent dosimetry, pho-
toacoustic spectroscopy. 64-02991A
sintering BaTiO₃ in presence of. 64-03826A
LiIO₃, crystals, characteristics of. 64-05667A
crystals, pyroelectric properties. 64-02316A
pressure-induced phase transition in. 64-03933A
LiInS₂, films, preparation and optical properties. 64-05159A
LiNbO₃, and Ba₂Sr₂Nb₂O₇:Ce, crystalline plates, prepara-
tion by Stepanov method. 64-03932A
Raman spectrum, dispersion of optical-phonon frequen-
cies. 64-03917A
Ti diffusion in, as function of stoichiometry. 64-03939A
acoustic wave device, environmentally stable. 64-02440P
acousto-optic transducer. 64-06700P
bands, growth by Stepanov method. 64-03924A
characterization by dilatometry and DTA. 64-05257A
couplers, photorefractive effect in. 64-03930A
crystalline, TEM study. 64-07399A
crystals, cathodoluminescence emission from. 64-06680A
crystals, effect of melt composition on growth and
properties. 64-05260A
crystals, grown by pulling. 64-05925A
crystals, high-frequency time modulation of X-ray beam
diffracted from. 64-02431A
crystals, ion-bombarded, properties of surface layer.
64-05279A
damage-resistant waveguides. 64-02294A
elastic, piezoelectric, and dielectric properties. 64-00827A
ferroelectric crystals, new method for poling. 64-00832A
films, structure and dielectric properties. 64-06583A
refractive indices, temp. dependence of. 64-03937A
subsolidus solubility in Na niobate. 64-05810A
switches, reversing optical damage in. 64-06693A
and tantalate, crystals of different orientation, pyroelec-
tric effect in. 64-05280A
z-cut optical waveguide. 64-01519A
LiNdP₂O₇, crystals for optic laser, growth of. 64-05104A
LiReO₄, perhenates. 64-01435A
LiTaO₃, crystals, effect of lineage on optical properties.
64-05267A
and Na gels and glasses, superionic. 64-06251A
annual ceramic mineral resources review. 64-07010A
batteries, with MnO₂ and Ca black organic slurry cathodes.
64-01319P
borate, surface acoustic wave device. 64-02449P
cell, with sulfide or halide solid electrolyte. 64-00763P
chloride, delamination tests of Brazilian vermiculite treat-
ed with. 64-07034A
compounds, as precursors for Li₂O in 20L gels. 64-05758A
ferrite, Al- and Ga-doped magnetic properties. 64-02468A
manganate, solid-state cell. 64-05249P
-metal oxide, electrode material. 64-03870P
rechargeable batteries. 64-00805P
mobility, radiation-induced, in α-quartz. 64-01452A
montmorillonite, adsorption of hydrocarbons, gas chro-
matographic studies. 64-05714A
orthovanadate, solid electrolytes based on. 64-05177A
tantalate, flexural mode vibrator formed of. 64-06703P
tetraborate, application to SAW devices. 64-06701P
titanate-based body, fuel cell with. 64-02365P
- Lubricants,**
additive, Li stearate aluminate. 64-07415P
compositions, and process with complex metal chal-
cogenides. 64-01500P
- mold, effect on heat transfer from glassmelt. 64-04804A
- Luminescence,**
Nd³⁺, in γ-La₂S₃ crystals and La₂S₃:2CaO₂ glasses.
64-03758A
of U(VI) center, in NaF crystal. 64-04549A
X-ray-induced, in crystalline SiO₂. 64-00725A
of ZrO₂, Y₂O₃-stabilized doped with Bi₂O₃. 64-02789A
acoustoinjection, in CdS crystals, spectra. 64-03935A
cathodo-, imaging, for study of CdTe. 64-00631A
centers, in K borate glass, interaction with laser radiation.
64-04730A
in crystallophors, determination of lanthanoid traces with
sensitization of. 64-05685A
in crystals, MgO and α-Al₂O₃. 64-07475A
decay, in natural and Ag-doped quartz after X-ray excita-
tion. 64-03759A
electro-, device, multilayered, method for forming.
64-02382P
devices for information display. 64-02305A
of films of alkali-halide crystals, brightness-current curves
and brightness waves. 64-05897A
glass substrate. 64-01985P
and photo-, of ZnS:Mn coprecipitated phosphors.
64-02326A
structure, on glass substrate. 64-02360P
thin-film device. 64-00818P
excitation, of activated Na silicate glasses in fundamental
absorption region. 64-03290A
in glasses, Ce-doped SiO₂. 64-06256A
orange band, in MgO crystals. 64-07486A
photo-, of Al₂O₃:As-CaAs quantum well structures.
64-05150A
of (Al,Ga)As heterostructure laser material containing
buffer layer. 64-05149A
of GeS₂ glasses, effect of Au, Ag, and Cu impurities on.
64-03235A
in Se and chalcogenide glass. 64-05151A
changes of Al₂O₃-coated GaAs, under high-intensity ex-
citation. 64-00689A
in semiconductor glasses GeS₂ and GeSe₂. 64-03322A
of semiconductor glasses of systems As-Se-Te and As-
Se-Sb. 64-03812A
from surface states in MgO and CaO. 64-04562A
recombination, of pure Na silicate glasses, polarization of.
64-03328A
spectra of Eu³⁺ and Ce³⁺ in glass. 64-03345A
shock-induced, from x-cut quartz, spectral and spatial
characteristics. 64-00838A
spectral-, of Bi₂Ge₂O₇-Nd³⁺ crystals. 64-01546A
thermo-, in Na borate glasses, hole-trapped center respon-
sible for. 64-06203A
photo-stimulated, of quartz glasses with radiation-induced
color. 64-03323A
property of ThO₂. 64-03000A
tribo-, of glasses and quartz. 64-00238A
- Luminescent materials,**
cathodo-, garnet layers. 64-05289A
- Luminaephors.** See *Phosphors.*
- Latetium,**
Lu₂O₃ and Ho₂O₃, reactions with W and WO₃. 64-05868A
Lu₂Al₂O₇:Cr³⁺:Tm³⁺, Ho³⁺, cross-cascade generation of
stimulated radiation of ions Tm³⁺-Hn⁺. 64-01190A
- Machining,**
abrasive, crushing as mechanism of material removal dur-
ing. 64-05360A
precision, of engineering materials. 64-02808A; 64-07147A
extra-hard tool materials in. 64-03048A
- Magnesia.** See *Magnesium, oxide; Refractories.*
- Magnesite.** See also *Refractories.*
Kigiteisk, USSR, deposit, mining technology. 64-05494A
annual ceramic mineral resources review. 64-07011A
calcined, for Mg oxychloride cements, reactivity, potentio-
metric study. 64-01448A
for chemical processing, pretreatment of. 64-07047A
-chrome, refractories, with high resistance to cement clinker.
64-04926A
and chromite, combined grinding, intensification by adding
surfactants. 64-02128A
decarbonization. 64-00463A
deposits, in China. 64-04199A
dust, caustic, sintered magnesite powders from. 64-05013A
from rotary kilns. 64-02071A
floatation concentration, high-density MgO sinter from.
64-04954A
mining, underground, effectiveness in USSR. 64-01126A
natural, activated sintering of. 64-06438A
effect of Mn oxide additions on sintering. 64-06452A
refractory, with high heat-insulating parameters. 64-02138A
screenings, from Satkink, USSR, deposit, enrichment by
gravitation, flotation. 64-01127A
sintered, production from Mg hydroxide. 64-04236P
- Magnesium oxide,**
-Al₂O₃ brick, refractory, for cement industry. 64-02136A
-C bricks, characterization of. 64-02075A; 64-02076A;
64-03600A
effect of gas blowing on erosion. 64-04943A
effect of properties on lining durability of L. D. convert-
ers. 64-03643A
for electric-arc furnace sidewall. 64-04968A
performance in L. D. converter. 64-03654A
for refining ladles. 64-02137A
wear mechanism. 64-04973A

- C refractories, for L. D. converters. 64-06464A
control of oxidation-reduction in. 64-04929A
C-bearing, mechanical properties. 64-00483A; 64-00484A
refractories, mechanical properties. 64-02143A
-Cr clinker, fused, characteristics of. 64-03598A
-PSZ, commercial, microstructure evolution and ordering.
64-02799A
transformation-induced toughening in, effects of particle
distribution. 64-02761A
ZrO₂-toughened, critical factors in production of.
64-07194A
and CaF₂, phase composition of clinkers containing.
64-01740A
annual ceramic mineral resources review. 64-07011A
bicrystals, boundary structure. 64-07442A
blocks, refractory, oil-flamegun-formed, properties of.
64-02189A
causticity, comparative measurements. 64-02081A
-chromite composition, reaction mechanisms in. 64-07376A
clinker, for MgO and MgO-C refractory bricks, properties
of, in Greece. 64-03660A
effect on properties of unburned MgO-C bricks.
64-03642A
coating slurry, for Si steel, Ba and Cr additives to.
64-05876P
constants in, lattice, grain-boundary, surface, and gas-
diffusion. 64-07349A
crack healing in. 64-07080A
crystals, X-ray topography evidence for energy dissipation
at indentation. 64-01045A
crack-induced dislocation in, X-ray topography study of.
64-04574A
dislocation motion under plate impact. 64-01535A
luminescence and photoconduction in. 64-07475A
orange luminescence band in. 64-07486A
defect, association in. 64-07316A
point. 64-07366A
diffusion in, oxygen. 64-07377A
dislocations in. 64-07453A
dissolution, into H₂SO₄-HI acid mixture. 64-02923A
dolomite C bricks, physical and chemical properties.
64-03657A
effect on grain growth, in Al₂O₃. 64-07089A
effect on nitridation, of Si compact. 64-07090A
energies in, migration. 64-07444A
equation-of-state calculations, parameter-free. 64-07490A
fibrous, method of making. 64-05018P
films, CVD. 64-01425A
grain boundaries in. 64-07466A
grains, porous. 64-00497A; 64-00498A
impurity atoms in, low atomic number—H and C.
64-07350A
insulators, defects in. 64-07451A
interstitials and vacancies, migration energies. 64-07480A
layers, during mechanical treatment. 64-01592A
mechanical properties. 64-07479A
polycrystalline, grain boundary segregation of Fe, Cr, and
Sc in. 64-04462A
initiation of F centers by compression. 64-01550A
understanding defect structure and mass transport in.
64-07516A
powder, O surface diffusion and surface layer thickness.
64-07359A
by evaporative decomposition of solutions. 64-01449A
powders, for hot-welding, properties of. 64-03661A
production, from Mg silicates by basic extraction of SiO₂.
64-01168P
properties of, electrical and optical. 64-07096A
pure, method of making. 64-05884P
pretreatment of magnesites for production of. 64-07047A
reactions with Al₂O₃ or boehmite, to form MgAl₂O₄.
64-05719A
refractories, sintered, effect of contaminations on micro-
structure. 64-04942A
from sulfate waste liquor concentrates. 64-02083A
refractory, sinterability. 64-00514A
seawater, fast firing of. 64-03662A
hot-pressing of. 64-06773A
segregation, in decomposed MgO-ZrO₂ alloys. 64-07132A
single-crystal, O self-diffusion in, spectrometric analysis.
64-07380A
sintered, effect of composition on electrical insulating be-
havior. 64-02126A
from magnesite flotation concentration. 64-04954A
sintering, effect of Mg bis (dihydrogen orthophosphate) di-
hydrate. 64-07324A
effect of Mg chloride. 64-07325A
effects of V₂O₅ and H₂BO₃ additives. 64-07092A
final-stage. 64-07104A
and grain growth. 64-07169A
initial, in several water-vapor pressures. 64-07124A
slurry, for coating Si steel. 64-00136P
small concentration of Cr and Mn in, measurement with
ESR. 64-01020A
structure of, surface electronic. 64-07505A
surface. 64-07179A
layers, diffusion of ⁵¹Cr in. 64-05687A
segregation of isovalent impurity cations at. 64-04491A
sorption of gases on. 64-07386A
states, photoluminescence from. 64-04562A
structure of. 64-07504A
- undoped and Si or Ca impurity-doped, O diffusion in.
64-07358A
vaporization. 64-07191A
in H. 64-07402A
effect on sintering of MgO-Al₂O₃ spinel. 64-07119A
and water, model of interactions between. 64-07352A
water suspensions, rheological properties. 64-04012A;
64-05371A
- Magnesium,**
Mg(OH)₂, and MgO, effect of precipitation temp. on pow-
der properties. 64-05491A
and slaked lime, method of making. 64-01166P
mfg. of. 64-04232P
production of sintered magnesite from. 64-04236P
thermal decomposition. 64-01480A
MgCr₂O₄-based refractories, Frenkel effect for obtaining.
64-02115A
MgF₂, coating on ambient temp. substrate, ion beam process
for applying. 64-03457A
films, vacuum uv loss in. 64-03843A
layers, method of providing. 64-04507P
MgPSZ, grain-grain boundary precipitation and mechani-
cal properties. 64-04281A
MgTiO₃-free composition, dielectric composition.
64-00736P
additives, effects on properties of MgO-C bricks. 64-04945A
aluminate, production from system
MgSO₄-Al(OH)₃-Na₂CO₃-H₂O. 64-05584A
chloride, effect on sintering of MgO. 64-07325A
molten, in preparation of crystalline powder. 64-04475A
chromite, synthetic, production of dense magnesiopinel
refractories with. 64-05011A
compounds, possible Czech production. 64-07046A
diphosphate crystallohydrates, thermal dehydration of.
64-05861A
ferrite, electrical conduction in. 64-03954A
fluoride, refractive properties. 64-03820A
germanate, Gibbs free energy of formation. 64-01406A
halide, hydrates, polymerization catalysis prepared from.
64-07237P
for production of anhydrous nonmetal and metalloid
halides. 64-07410P
metavanadate, solid solutions based on. 64-05749A
orthosilicate, single-crystal elastic properties of spinel phase.
64-02996A
oxides, hydration in presence of water vapor. 64-04465A
segregation, to surface of doped sapphire. 64-07381A
silicate, light-colored and low-density mineral filler from.
64-02958P
refractories, based on dunite cake. 64-00488A
slags, fused refractories based on. 64-04952A
- Magnetic materials.** See also Ferrites; Ferromagnetic
materials.
Fe_{1-x}Cr_xO₃, interacting phase transitions in. 64-02463A
Fe₂O₃, powder, Co-containing, mfg. method. 64-03978P
International Magnetics Conference INTERMAG Digest.
64-03041B
Mn-Zn ferrite, formation, effect of ferric oxide properties
on. 64-00857A
Ni-Zn ferrite, effect of ferric oxide properties on forma-
tion. 64-03959A
Pb(Sc₂,Ta₂,I₂)O₁₂, electron microscopy of ordered domains
in. 64-00855A
Sr ferrite borate. 64-03980P
Ti and V monoxides, after thermobaric treatment, magnetic
susceptibility. 64-00860A
Y_{1-x}Gd_xFe₂O₇, by citrate process, magnetic behavior and
microstructure. 64-06713A
Y₂Fe₂O₇, with Fe³⁺ ions, dynamics of photoinduced spin-
reorientation transitions. 64-03953A
Y-Sm ferrite garnets, spin-reoriented phase transitions in.
64-06719A
YIG, hot-pressed. 64-06709A
bubble compositions, Fe garnet-based. 64-06735P
ceramics, review of. 64-02479A
coatings, applications for. 64-00858A
composition, with high permittivity. 64-00734P
core, arrangement for forming and transferring coils for
insertion into. 64-02377P
core energy, ferromagnetic. 64-03956A
cristobalite, new phase produced by thermal decomposition
of nontronite. 64-02790A
dry, method and apparatus for separating. 64-00977P
element, magnetoresistive. 64-00871P
ferrites, hexagonal, spin-wave instability theory for.
64-02481A
hot-pressed, for recording heads. 64-03958A
mixed Mn-Mg, elastic behavior. 64-02460A
particles, for magnetic recording, process for making.
64-03977P
process for producing. 64-00873P
spinel, with predetermined transition temp., method of
making. 64-02495P
films, garnet, microwave properties. 64-05303A
garnet, structural properties. 64-05304A
perpendicular Co-O, by evaporation. 64-02474A
filtering apparatus. 64-02553P
glass-ceramic, colloidal Bi as nucleation catalyst for.
64-00149A
preparation and properties of. 64-03330A
head, assembly, Mn-Zn/Ni-Zn ferrite. 64-05308P
boride alloy for. 64-01277P
- circuitry for measuring flying characteristics. 64-01049P
composition for nonmagnetic parts of. 64-02354P
system for monitoring dynamic parameters. 64-02654P
thin-film, method of making. 64-02491P
thin-films. 64-03969A
head-cleaning diskette, Fe₂O₃-coated. 64-06729P
holding device, for refractory lining. 64-06489P
inductor, magnetically biased ferrite-capped. 64-02490P
magnetite, acicular, process for producing. 64-03976P
memory device, bubble. 64-03972P
modulator/switch, dielectric waveguide ferrite. 64-02486P
oxides, crystal chemistry. 64-03950A
muon spin rotation in. 64-02473A
oxidized metal, recording medium. 64-03971P
particles, for tape recording, technical trends in. 64-03968A
powder, Co-containing Fe oxide. 64-02493P
ferrite carrier, for brush development. 64-02487P
γ-Fe₂O₃, recording medium. 64-03970P
with high dispersibility, production of. 64-03979P
rare-earth germanide, magnetooptical recording medium.
64-03973P
recording media, ferromagnetic-coated, method of making.
64-02567P
with polystyrene-polyurethane binder and Cr₂O₃ pigment.
64-06726P
recording medium, Al titanate. 64-00867P
Al titanate-coated. 64-06728P
of Co-Ni-Zn-P alloys. 64-06734P
TiO and C black. 64-06731P
TiO and alloy powders. 64-06732P
abrasive and α-Fe₂O₃. 64-00868P
ferromagnetic grain with binder. 64-03885P
fine ceramic. 64-00869P
magnetooptical, ferromagnetic oxides for. 64-06725P
method of making. 64-02489P
multiple-domain particle. 64-02488P
systems, ZnFe₂, Mn₂CrO₄, properties. 64-02470A
testing of, nondestructive. 64-04124P
textile, composite ferrite. 64-06724P
transducer, with glass member reinforcing coils. 64-00870P
- Magnetic properties.** See also Anisotropy; Resonance.
of B₂C, role of free C. 64-04332A
of Ba ferrite, press-forged. 64-06714A
of Fe₂O₃, with nonstoichiometry, variation of. 64-02484A
of Li ferrite, Al- and Ga-doped. 64-02468A
of Se, liquid and glassy. 64-01832A
of Tb₂Y₂Si₂. 64-05300A
of Y_{1-x}Gd_xFe₂O₇. 64-06713A
conductivity, of CdCr₂Se₄ crystal semiconductors.
64-03796A
elasto-, of Y-Fe ferrite garnets doped with Tb³⁺ and Yb³⁺
ions. 64-03963A
electro-, of Mn-Zn ferrites. 64-05306A
ferromagnetism, unusual, in Mn₂Mo₂O₈ and Sm₂In.
64-02483A
of films, Bi- and Al-substituted Fe garnet. 64-02466A
Sm-Co. 64-03158A
of garnets, (La,Sm,Lu,Tm)(Fe,Ga)₂O₇ and
(La,Sm,Lu,Tm,Ca)(Fe,Ga)₂O₇. 64-02482A
of glasses, alkali borate, germanate, and silicate contain-
ing Cu⁺ and Cu²⁺. 64-03314A
of hexaferrites, substituted W and X. 64-02469A
high permittivity, ceramic composition with. 64-00754P
of materials, image reproduction with. 64-04110P
of mixed sulfides of U and IVa-group elements. 64-05750A
muon spin rotation, in magnetic oxides. 64-02473A
of powders, Ba hexaferrite. 64-06718A
of solid solutions, spinel Ni₂Mg₂-CoO₄. 64-00859A
in system Pr₂US. 64-05301A
susceptibility, of Ge₂Sb₂Se₄ chalcogenide glasses contain-
ing Fe additives. 64-03292A
of Ti and V monoxides after thermobaric treatment.
64-00860A
systems, WO₃-TiO₂. 64-07388A
ZnFe₂, Mn₂CrO₄. 64-02470A
- Magnetism,**
from NE Transbaikalia, USSR. 64-02710A
field, method and apparatus for measuring. 64-04126P
holding apparatus, for kiln block. 64-04178P
- Magnetite,**
acicular, method of making. 64-03976P
content, in ore dust samples, process for determining.
64-02650P
crystallization, in semiconducting glaze frit. 64-06566A
formation, and its surface reaction in aqueous solution.
64-02936A
by reaction between Fe(III) hydroxide oxide and Fe(II)
sulfate. 64-02933A
- Magnetization,**
of garnets, Pb-Ca substituted YIG. 64-02471A
- Magnetooptical properties,**
of KRS-5, at individual CO₂ laser lines. 64-02325A
of films, Bi- and Al-substituted Fe garnet. 64-02466A
garnet. 64-05299A
- Magnetooptics,**
devices, based on garnet films. 64-05302A
recording medium, rare-earth germanide. 64-03973P
- Magnetoresistance.** See Resistivity, electrical.
- Magnetostriiction,**
of garnets, Y-Nd. 64-03964A
sensor, with closed domain structure and electrode biasing.
64-04120P

Magnets,

- permanent, plastic composite, method of making. 64-03974P
switching apparatus for changing value and direction of. 64-04138P

Majolica. See also *Art and artware; Dinnerware.***Management,**

- marketing, in brick industry. 64-04900A
new technology, in glass industry. 64-06299A
process, succeeds at Corning. 64-03032A
production cycles, in ceramic and glass industries, control methods. 64-00919A
public vs private, of mineral inventories. 64-02719A

Manganese,

- MnO₂-based pigments, corrosion-inhibitive. 64-01495P
Mn(II) chloride and Mn(IV) oxide, effect on behavior of Ag-Ag₂O electrode. 64-00649A
Mn(II) sulfate, preparation of Mn(IV) oxide for dry batteries by decomposition of. 64-00699A
Mn(IV) oxide, active, preparation for dry batteries. 64-00699A
MnO, electrolytic, method of making. 64-00780P
method of making. 64-01153P
MnO₂-containing nonaqueous cells, alkali-metal oxide or alkaline-earth metal compound additive for. 64-01492P

- MnSiO₃ and (Mn,Mg)SiO₃, crystals, growth by floating-zone method. 64-07373A
SnMnO₃, Z-type jump in electrical conductivity. 64-00865A
alloys, ladle linings for coating. 64-02131A
for coloring glasses, in system P₂O₅-B₂O₃-Na₂O. 64-03206A
-containing glasses, formation of surface films during heat treatment of. 64-03256A
-containing oxide glasses, correlations between color, electron spectra, and structure. 64-03209A

- doping, effect on dielectric properties of Ba₂Ti₃O₁₂. 64-02299A
in glasses, system Sb-Ge-Se, effect on properties. 64-03234A
silicates, determination of major constituents by AAS. 64-04205A

- small concentrations, in MgO, ESR measurement. 64-01020A

Masks and masking,

- X-ray, BN, with controlled stress. 64-07199P
conforming to substrate metallization pattern. 64-00976P
expandable bed, plating method using. 64-04699P
layer on, low-defect monocrystalline, method for growing. 64-02959P

- noncontact, laser etching of vias in glass with. 64-00374P
photo-, glass for. 64-03395P

Masonry,

- bricks, with raw density <1.0, experience from production of. 64-00438A
test for, panel freezing. 64-02045A
water and air penetration through. 64-06435A

Materials handling. See also *Conveyors; Feeding apparatus.*

- apparatus for advancing pallets, in tile-making machine. 64-06796P
apparatus for discharging solids, from shaft furnace. 64-05474P

- blending, solids, method and apparatus. 64-00971P; 64-00972P

- bulk storage, design and maintenance, methods for improving. 64-02512A
cement and lime, closing of paper bags for. 64-01705A
conveyability, of moist CaSO₄ precipitates, process for improving. 64-04667P

- conveyor, belts, continuous integrating scales on. 64-00896A
pneumatic. 64-06837P
screw, and furnace. 64-05483P

- system, pneumatic, guidelines for selecting. 64-06771A
delivery system. 64-06793P

- device for extracting powders, from bottom of silo. 64-06810P

- filling, containers, apparatus for. 64-00942P
loading and unloading, ceramic articles from mobile store. 64-06818P

- mechanized unit, for layering bricks, modernization of. 64-06777A

- mixing silo, method of operation. 64-00953P
particles, method and apparatus for distributing. 64-02557P
powders, automatic dispensing methods and apparatus. 64-00945P

- dispensing container, flame-spraying torch. 64-05392P
dispensing method. 64-02559P

- dry, metering apparatus for. 64-00958P
sheets, device for. 64-02539P

- shipping container, for fragile glass units. 64-04840P
silo discharging, pneumatic, developments in. 64-06763A
silos, cement, experience with complete emptying of. 64-01739A

- solids, in horizontal pipelines, holdup studies in hydraulic conveying. 64-02510A

- sorting, solid fuels, apparatus for. 64-05485P
stacking, and packaging, tiles. 64-06849P

- process computer for. 64-06957A
storage and dispatch of cement. 64-03128A; 64-03129A
suction device, pneumatic, for discharging granulates. 64-05391P

- transfer bins, for loading ground refractory materials into mixtures. 64-02529A
unloader, bottom silo. 64-05376P

Materials, engineering.

- Al₂O₃, MgO, and related ceramics, crack healing in. 64-07080A

- alkaline-poor, method of making. 64-01354P
for chromatography, method of making. 64-05604P

- high-purity, development and sintering of. 64-04264A
production and applications of. 64-02814A
transparent. 64-04363A

- transparent Lucalox. 64-02839A

- Al₂O₃-C, raw materials. 64-02739A

- 2Al₂C₃/SiC, new intermediate phase in system Al-Si-C. 64-07067A

- AlN, sintered tubular components. 64-07297P

- BN, hexagonal hot-pressed. 64-04384P

- C-C, nozzles, erosion-resistant. 64-07225P

- rocket motor exit cone reinforcement. 64-01280P

- CeO₂-based, containing additives, increase in thermal stability of. 64-05552A

- First International Symposium on Ceramic Components for Engines, proceedings. 64-07535B

- HIP equipment, recent trends and applications for. 64-04008A

- in Japan, 1984 yearbook. 64-04598B

- National Materials Advisory Board report on. 64-04584A

- activities. 64-05510A

- development. 64-03009A

- Li aluminate/Zr, for tritium production. 64-01318P

- N ceramics, development. 64-01197A

- O'-phase SiAlon, method of making. 64-05639P

- PSZ, from Australia, breaks into US market. 64-07069A

- rhombohedral phase in. 64-07158A

- sintering aids. 64-07167A

- R & D. 64-03025A

- and international cooperation, feasibility study in Japan. 64-03012A

- Si₃N₄. 64-01327P

- and SiC, joint made with Cu₂Ti₁₀ and Ni₂, Ti₁₁, filler metals. 64-02801A

- anisotropic. 64-05633P

- articles for sintering, method of preparing. 64-01329P

- bodies. 64-04435P

- crystalline, method of making. 64-07252P

- dense, developments in processing techniques. 64-07155A

- ground hot isostatically pressed, residual strength of. 64-07157A

- hot-pressed containing MgO, oxidation behavior. 64-05567A

- hot-pressed, mechanical properties. 64-05548A

- with lower-density outer layer, method of making. 64-04432P

- method of making. 64-05629P

- molded articles, method of making. 64-04406P; 64-04427P

- plasma-deposited, preparation and properties. 64-00695A

- process for producing. 64-02902P

- reaction-bonded, re-sintering of. 64-05571A

- rotary component, method for connecting to metallic rotor. 64-04402P

- sintered body, method of making. 64-05651P

- sintered products with high corrosion resistance, method of making. 64-04436P

- sintered, method of making. 64-01320P; 64-05656P; 64-07280P

- Si₃N₄-Y₂O₃-SiO₂, hot-pressed, structural evolution during oxidation of. 64-04280A

- SiC, AlN solution, sintered articles, method of making. 64-04433P

- B₂C, and free C, method of making. 64-07291P

- B-doped, electrical conductivity. 64-04274A

- applications for. 64-05554A

- bodies, method of making. 64-01358P; 64-02870P; 64-04399P; 64-05636P

- crystalline, method of making. 64-05635P

- crystals, relaxation phenomena in. 64-05572A

- high thermal conductivity/high insulating, developments and application of. 64-02755A

- high-density sintered. 64-02877P

- hydroxyl-modified polycarbosilane precursors for. 64-01314P

- for low-P fusion metal. 64-02908P

- polycrystalline shaped body, method of making. 64-02892P

- reaction-bonded. 64-01361P

- recrystallized, production technology and properties of bodies. 64-07151A

- sintered, method of making. 64-07279P

- sintering of. 64-04286A

- thermal-shock-resistant molded bodies, method of making. 64-07251P

- SiC-whisker-reinforced, development of. 64-04265A

- SiO₂, high-purity, method of making. 64-01236A

- e-Sialon, Ca- and Y-containing, Rietveld refinements for. 64-02821A

- with discrete particles, method of producing. 64-04419P

- grain and powder composition, preparation of. 64-04410P

- method of making. 64-05649P

- Sialon-based, method of making. 64-05637P

- Ti carbonitride-containing body, sintered. 64-04440P

- Ti-BN, method for improving high-temp. flexural strength. 64-07267P

- TiN- and TiC-, and TiNC-coated blade, for fluid-flow engine, method of making. 64-04372P

- Y aluminate phosphor, Ce-activated, method of making. 64-02960P

- Y₂Al₂O₇, translucent. 64-05589A

- Zr fluoride oxide, MgO-containing sinterable. 64-01364P

- Zr-containing, corrosion-resistant, for chemical apparatus. 64-01189A

- ZrO₂. 64-04599B; 64-04600B; 64-04601B

- Al titanate composite, cylinder head of piston engine. 64-07221P

- and/or HfO₂, with high electrical resistance. 64-05623P

- applications for. 64-04241A

- properties and applications. 64-04307A

- transformation-toughened. 64-07190A

- ZrO₂-reinforced, with high crack arrestability. 64-05605P

- for adiabatic engines, Cummins/TACOM. 64-04260A

- for adiabatic engines, Cummins/TACOM, design of. 64-04262A

- designing with. 64-04263A

- advanced, assessment of US industry. 64-01607A

- aerospace structures, advances in. 64-01625B

- age of, new ceramics in Japan. 64-07533B

- all-ceramic crowns, transfer molded. 64-07189A

- aluminosilicate, crystalline, method of making. 64-02860P

- apatite, high-strength, preparation of. 64-02809A

- in mineral processing, agriculture, teeth, and bones. 64-02741A

- process for preparing. 64-04417P

- applications for. 64-05546A

- attachment device, metal-to-ceramic. 64-07241P

- for automobiles, toughening mechanisms. 64-04361A

- bearings, sliding, for engines. 64-01284P

- boehmite, body, method of making. 64-05648P

- cBN, sintered. 64-01352P

- carbide, cemented. 64-04375P

- cemented, for watch case. 64-04442P

- nitride, or carbonitride, coated product with oxide wear layer. 64-04379P

- cellular, body, method of making. 64-01330P

- extruded, porosity in. 64-01242A

- ceramic corrosion, fundamental to process efficiency gains. 64-07074A

- ceramic matrix/ceramic fiber, turbomachinery rotor. 64-01372P

- ceramics. 64-07097A

- to advanced ceramics, Japanese report. 64-03016A

- cermet, Cr carbide-based, TiN-dispersed. 64-07294P

- clay, interlayered, catalytic cracking with. 64-02743A

- coatings, Au composite, electrodeposited. 64-04275A

- for engine parts. 64-07072A

- in war on wear. 64-07073A

- components, for AGT101 gas turbine engine. 64-04248A

- for engines. 64-07075A; 64-07076A

- for gas turbine engines. 64-04249A

- composite band, fiber, piston-cylinder for diesel engines. 64-01343P

- composites. 64-02748A

- Compigas SiC/LAS, mechanical properties. 64-05521A

- Si₃N₄-TiC, TiN, La aluminate. 64-07286P

- SiC/graphite/C. 64-07287P

- Ti metal-SiC, SiC-coated B, B₂C-coated B, or Si-coated SiC. 64-04445P

- TiB₂-graphite. 64-01295P

- WC-Co, elastic and plastic behavior. 64-04273A

- based on glass fibers. 64-04253A

- ceramic-ceramic, by CVD. 64-05538A

- ceramic-fiber, processing via polymer-filler matrices. 64-05530A

- fiber FP/metal-matrix, in reciprocating engines. 64-05540A

- fiber-reinforced ceramic, CVD. 64-05539A

- fiber-reinforced ceramic, ultrasonic evaluation of. 64-05592A

- fiber-reinforced ceramic-matrix, RT mechanical properties. 64-04333A

- fiber-reinforced metal matrix. 64-05631P

- fiber-reinforced metal matrix, method of casting. 64-01323P

- fiber-reinforced metallic. 64-07226P

- heat- and abrasion-resistant, of clay and organic polymer. 64-01292P

- matrix metal and metal-cored ceramic-surface powder. 64-05628P

- mechanics of, 1983. 64-01633B

- metal matrix, by preheating reinforcing material. 64-04397P

- metal matrix, method of making. 64-01294P

- metallic and nonmetallic. 64-04381P

- micro-, of metal boride and ceramic particles. 64-05638P

- molded fiber-reinforced glass matrix. 64-01335P

- mullite-β-spodumene. 64-07261P

- refractory gasket. 64-01293P

- sintered apatite. 64-04438P; 64-04439P

- and structures technology, international aspects. 64-05555A

- superhard nitrided, SiC intermediate for preparing. 64-01348P

- construction. 64-05518A

- containing BN, refractory, electrically conductive, method of making. 64-07282P

- cordierite, low-thermal-expansion, method of making. 64-04395P

- couples, metal/ceramic, dry friction of. 64-04268A

- reaction, plasma-sprayed. 64-02807A

- for crucible, lab, cuts costs by 50%. 64-01235A
crystals, sapphire grown by Stepanov method, sensitivity
to cross dimensions. 64-04334A
dense, possibility of preparing from zirconates of alkaline-
earth metals. 64-07367A
dental contours, anterior. 64-07068A
for dentistry, current status and future of. 64-07082A
diesel technology, advances in. 64-04240A
economic and technical assessment of. 64-04578A
for electronics. 64-02318A
for engines. 64-04593A
diesel, of industrial vehicles. 64-02745A
diesel, testing. 64-04104A
heat, international perspective. 64-04302A
heat, technology. 64-04251A
high-performance. 64-01185A
workshop studies on. 64-04368A
expectations for, in Japan. 64-03011A
fabrication, reliability of. 64-02830A
fibers, C-bonded C, insulation for radioisotope space power
systems. 64-07071A
pitch-based C. 64-04316A
for fine ceramics. 64-05999B
flowable composition, ceramic, carbide and refractory,
adapted for sintering, method of making. 64-02862P
friction and wear of. 64-07107A
fundamental problems, Japanese report. 64-03017A
furnaces for, high-temp. 64-06944A
for fusion devices. 64-02744A
gasket, heat-resistant wollastonite-layered. 64-02865P
graphite, applications for—SiC, intercalation compounds
as monochromators. 64-07144A
process for purifying. 64-04421P
radiation change in procedures after thermomechanical
treatment. 64-01249A
hard metal free of WC, wear-resistant MoC and B, BN,
and B₄C. 64-02918P
head, ceramic, for internal combustion engine. 64-05607P
high technology, in Japan, American impressions in 1983.
64-03018A
high-strength and -toughness. 64-02775A
high-tech, boom in Japan. 64-03023A
high-technology. 64-02776A
insert, for internal combustion engines, process of joining.
64-04428P
international cooperation, improvement, development, and
technical problems. 64-02984A
liner, method and apparatus for modifying combustion
chamber of engine to accept. 64-06822P
linings, tile duct. 64-01286P
liquid-phase-sintered, nucleation of cavities during creep.
64-03989A
machining, of precision. 64-02808A; 64-07147A
malajolica, with excellent physical-technological properties.
64-01132A
metal borides, carbides, nitrides, silicides, and oxides,
method of preparation. 64-07240P
metal carbides, recovery. 64-01332P
recovery by grain size. 64-01331P
metallic body, coated. 64-07263P
mineral bodies, highly porous, method of making.
64-07376P
molded product, green, containing asbestos tailings suitable
for firing. 64-01308P
new. 64-06002B
new trends in Japan and USA. 64-03027A
nonoxide. 64-05566A
CVD, mechanical properties. 64-01228A
oxides, transparent polycrystalline, sintering and formation
of microstructure. 64-07168A
parts, precision, by numerical control. 64-02802A
piston head, ceramic. 64-05640P
polymers, preceramic organosilazane. 64-02964P
porous, applications for. 64-05519A
based on Al oxides and ethyl silicate. 64-01243A
powders, SiC, method of making. 64-07228P
ZrO₂ and Y-doped ZrO₂, processing and characterization.
64-07158A
ZrO₂-Al₂O₃, distribution of ZrO₂ and Al₂O₃ in.
64-02757A
oxide. 64-07145A
precision doping of. 64-07146A
processing. 64-04250A
pressing and grinding of. 64-00900A
process for making. 64-02523A; 64-02813A
product, method of making. 64-02882P
proppant, for well fractures, method of making. 64-04430P
refractory. 64-02219A
reliability of. 64-05976A
understanding and controlling fracture. 64-07526A
requirements, for Dept. of Defense strategic defense initiative.
64-07129A
research and development, in Japan. 64-04350A
sponsored by Japan's MITI. 64-04329A
research at Defense Advance Research Project Agency.
64-07521A
rotor, blade, and stator vane. 64-07283P
blade, with ceramic jacket, for gas turbine. 64-02915P
for regenerator heat exchange apparatus. 64-07246P
for turbocharger, and shaft assembly. 64-02916P
rupture, creep, effect of shear bands. 64-04296A
seal, refractory oxide/metal, for vehicle exhaust systems.
64-07234P
stress-relieved metal/ceramic abrasible. 64-07290P
semiconductor, advanced III-V, assessment. 64-01627B
siliconized carbide, under stress, time-dependent strength
of. 64-05588A
sintered, bodies, of e-SiC, B₄C, and C. 64-04317A
powdered composition for making. 64-02963P
sintering for, high-pressure self-combustion. 64-02774A
spindles, alkaline-earth metal, Al-containing. 64-07266P
alkaline-earth metal, Al-containing, method of making.
64-01347P
containing SiC fibers. 64-05608P
strength of, time-dependent. 64-03001A
structural, material design in. 64-02791A
structure, circumferentially wrapped C-C. 64-07214P
study at Government Industrial Research Institute, Osaka,
Japan. 64-03015A
substrate. 64-03832A
switching, ZnO-based. 64-00729P
systems, metal-C and metal-C-B, constitution and properties.
64-02750A
tape, ceramic matrix, for molten carbonate fuel cell, method
of making. 64-01326P
technology, important points in 1985, in Japan. 64-05551A
testing and evaluation. 64-04324A
in Japan. 64-03033A
thermomechanical, properties of. 64-07187A; 64-07188A
tiles, for Space Shuttle. 64-04362A
for tools, conventional. 64-05582A
toughened by ZrO₂, critical factors. 64-07194A
trade rivalry and technology development, Japanese report.
64-03037A
translucent, Y-Al garnet. 64-07211P
trends and development of. 64-04364A
tubesheets, plugging microleaks with material leached from.
64-05642P
for turbines, US technology, evolution of. 64-04277A
automotive gas, development trends. 64-02840A
development of parts. 64-02754A
ultrastructural processing of. 64-07536B
zeolite, SSZ-16 (SiO₂, GeO₂/Al₂O₃, Ga₂O₃). 64-05658P
Si-substituted, method of making. 64-04437P
Y, with improved crystallinity. 64-01373P
ZK 5, method of making. 64-04425P
aluminosilicate, preparation from SiO₂ and Al(OH)₃.
64-01346P
for encapsulating. 64-01374P
low-Na, mfg. of. 64-02871P
method of making. 64-07277P; 64-07278P
molecular sieve, for producing H₂. 64-01336P
restoration. 64-01375P
synthetic, method of making. 64-04424P
zirconyl phosphate, low-thermal-expansion. 64-07128A
Materials, raw.
Al₂O₃, -C. 64-02739A
method for recovery of. 64-05508P
physicochemical and mineralogical characteristics.
64-01134A
process for production. 64-07066P
production. 64-07277P
AlN, molten method for making. 64-01154P
in Hungary, history of prospecting for. 64-05493A
MnO₂, method of making. 64-01153P
Pb oxide, method and apparatus for producing. 64-07061P
SiO₂, pure, preparation process. 64-01165P
pure, with high mechanical strength, method of making.
64-01159P
aggregates, disintegration of. 64-04206A
andalusite, S. African, purisite. 64-02724A
apparatus for feeding, to arc-melting furnace. 64-00974P
bauxite, Guyana supplies US. 64-05487A
abrasive-grade, Chinese supply. 64-05488A
calcined, Guyana (S. America). 64-02705A
bentonites, mechanical processing of. 64-04211A
for brick and tile industry, supply and safeguarding.
64-03576A
cement, algorithm for proportioning. 64-06059A
blending beds for processing. 64-03073A; 64-03074A
calcination, method and device for. 64-00068P
chemical content and proportion of mineral deposit as
planning tool. 64-01754A
clinkerization aptitude. 64-06066A
effect of fineness on clinkerization. 64-00038A
magnesian blast-furnace slags. 64-01698A
methylene blue test on. 64-06060A
regulation of recycling mills. 64-01752A
wear testing method for assessment. 64-01765A
for cement industry, determination of fluoride content.
64-01707A
chamotte, Iwate lightweight, for castable refractories.
64-03647A
clay, Argentinian. 64-07025A
H-enriched water-swellable, stable at low pH. 64-07060P
from Italian Apennines, characteristics. 64-01116A
low-melting-point. 64-01131A
minerals, carbonates, and sulfates, joint determination
by thermogravimetry. 64-05495A
modified organophilic, preparation of. 64-07062P
organophilic, preparation. 64-01164P
red, from Ocmulgee deposit, Georgia, USA. 64-01146A
in clay deposits, winning and transport, optimizing. 64-02715A
clay-like wastes, preparation of. 64-05499A
coal-beneficiation wastes, for structural clay products.
64-06417A
complex, for silicate industry. 64-05489A
concentrates, TiO₂, process for making. 64-07065P
consumption, in mineral wool production. 64-01944A
contaminated, kiln system for. 64-04154A
crushing and grading, calculation rules for. 64-04196A
dolomite, from Shchelkovo USSR deposit, photometric enrichment
of. 64-05497A
dry, and clinker grinding, trends in. 64-01763A
dust, from chamotte production. 64-01135A
feldspar, European, supply and quality enhancement of.
64-02721A
applications for. 64-04215A
ferrospinel, classification of. 64-04200A
flow, in cement plants, studied by radioactive tracers.
64-01732A
fluorspar, annual ceramic mineral resources review.
64-07007A
fly ash, composition and properties. 64-01706A
lignite, for cement, power stations and their effect on
properties. 64-03118A
for glass, analysis of oxide composition. 64-06327A
in glass industry. 64-01638B
handling wet sand. 64-06772A
strategic risk analysis. 64-00329A
glassmaking, in Italy, Murano, in 19th century. 64-00016A
alkali metal silicate for forming compacted bodies of.
64-00380P
uniformity. 64-03497A
gypsum, from Inderk (USSR) mine, potential uses.
64-04656A
high-aluminous, for refractories, behavior of TiO₂ in.
64-03592A
kaolin-sillimanite-mica deposits, Australian, profile of.
64-02717A
lignin, for mfg. wall tiles. 64-06521A
limestone, resources in mountains of Hungary. 64-01130A
local, for porcelain glazes. 64-06004A
loess, chemical processes during production of porous ceramics
based on. 64-07027A
magnesite, from NE Transbaikalia, USSR. 64-02710A
man-made, power plant fly ash. 64-01136A
minerals, industrial, in Canada. 64-02707A
inventories, public vs private management of. 64-02719A
samples, color SEM imaging of. 64-01120A
natural, determination of gypsum dihydrate content.
64-03084A
perlite, Japanese. 64-04213A
expanded, properties and uses. 64-04220A
for pigments, in system ZrO₂-SiO₂-Fe₂O₃. 64-03730A
powders, Ca sulfite hemihydrate, from flue gas desulfurization,
for fly ash cement. 64-00073P
pyrophyllite and talc, polytypism. 64-05498A
quicklime, slaking process. 64-01170P
randallite, for refractories. 64-05501A
rare earths, attract attention. 64-02720A
red mud, analysis and applications. 64-01147A
red sandstone, in W. Germany, suitability for brickmaking.
64-04225A
refractory, in China, survey. 64-04222A
SiC. 64-04335A
quartzite as. 64-03662A
strength of, method for determining. 64-02712A
rheological properties, changes made by organic additives.
64-06758A
rice hulls, SiC and Si₃N₄ from. 64-07165A
pyrolysis and combustion. 64-07152A
rocks, sedimentary, preparing doubly polished sections of.
64-04218A
sand, Chalganovsk quartz, for porcelain glazes. 64-02697A
slags, from British Gas/Lurgi Gasifier, cementitious properties.
64-01704A
soda ash, crystal modification. 64-01174P
specifications, to tighten in glass container industry.
64-04822A
for structural ceramics, automated unloading. 64-00910A
talc, versatility of. 64-05504A
thermal behavior. 64-02728A
unconventional, Argentinian diatomites. 64-07055A
for whiteware, rapid substitution of. 64-00614A
wollastonite, properties and applications. 64-01148A
Materials, electronic.
BeO, for electronic industry. 64-03750A
Materials Research Society Symposia Proceedings. 64-07534B
P₂O₅-containing, fast-setting cements from. 64-04663P
R & D. 64-03025A
SiO₂, amorphous, applications for. 64-04772A
abrasive, sliding-gate valve for use with. 64-06843P
advanced structural and electronic, ultrastructure processing
of. 64-07536B
amorphous, measuring instrument for X-ray structural determinations.
64-01061P
backing, for piezoelectric broadband transducers. 64-02444P
bulk, conveyor weighing of, load cell assembly. 64-00967P
cement, tests for pozzolanic activity. 64-06114A
cementitious, CaO-Al₂O₃-sulfate, coproduction of. 64-04661P
ceramic, calculation of extrusion pressure for. 64-02505A;
64-02506A
changing nature of. 64-07042A

- time-dependent strength of. 64-03001A
competitive, for ceramic conductors. 64-03815A
composite, cementitious pozzolanic. 64-04660P
fiber-reinforced metal. 64-06149P
method and apparatus for forming articles from. 64-06795P
process for draping layers of. 64-02568P
contact, Ag, CdO, Li₂CO₃, method of making. 64-05248P
electrical, Ag-metal oxide alloy. 64-00808P
demonstrating, under chemical potential gradients. 64-04453A
dense, thermal conductivity, hot-wire method for determining. 64-02597A
design, of cement. 64-01731A
in functional ceramics. 64-01616A
overview. 64-03024A
of porcelain. 64-02274A
in structural ceramics. 64-02791A
drying, during conveyance, method and apparatus. 64-02688P
electrically conductive, intercalation compound of graphite and alkali metal fluoride and F. 64-06672P
electronic, processing. 64-06557A
embedding, for glass-ceramics. 64-00251P
evaluation lab, automation of. 64-05423A
fabrics, ferrite-containing. 64-00866P
fine, apparatus for introducing into combustion zone. 64-00943P
pneumatic-tube conveyor for. 64-00992P
fine-grained, apparatus for heat treatment of. 64-02678P
apparatus for heat-treating. 64-06965P
finishing, based on gypsum. 64-06086A
based on opacified glasses. 64-06318A
based on opacified glasses, classification of. 64-06170A
fluorescent, electron-excited ZnO-Zn-based, for display tube. 64-00766P
gel, treatment of. 64-01004P
gettering, dielectric layer comprising, method of making. 64-06644P
gypsum-cement, effect of carbonation on properties. 64-06075A
heat-softenable, method and apparatus for making fibers from. 64-00381P
heated, method and apparatus for measuring surface temp. and emissivity. 64-01067P
high-SiO₂, crystallization behavior. 64-01819A
homogeneous and heterogeneous, powdered enamels from. 64-01787A
industrial, in Japan, summary of. 64-04591A
inorganic, Japanese National Institute for Research in. 64-05987A
lime, MgO, and clay, phosphate bonding of. 64-07044A
loose, apparatus for filling containers with. 64-00942P
jet milling of. 64-06774A
low-expansion, test for thermal expansion coeffs., applications to Zerodur. 64-02618A
metallizable, method and apparatus for fiberizing. 64-00975P
metal oxide-Nb(V) hydride/oxide compositions, method of making. 64-01502P
metal oxide-Ta(V) hydride/oxide compositions, method of making. 64-01501P
metallic, or ceramic, method of consolidating. 64-04185P
heating in molten glass. 64-03449A
method of dewatering, and press for. 64-04050P
microwave, permittivity and permeability, measurement of. 64-05433P
molten, method and apparatus for determining flow velocity. 64-06910P
method for controlling level of. 64-00385P
neoceramic, nature and fabrication. 64-03026A
noncrystalline, defects in. 64-07317A
nonlinearly active, (La₂Ni₂)Ga₂Si₂O₁₂. 64-04537A
for nuclear waste management, regulatory research on. 64-05345A
optoelectronic. 64-02432A
particulate, extrusion of. 64-00960P
measurement of bulk density. 64-05452P
method and apparatus for mixing. 64-06821P
method of removing from centrifugal crusher. 64-06831P
triaxial apparatus for testing. 64-04139P
passage time, through cement rotary kilns. 64-06082A
photoelectric, system for thermal testing. 64-04102A
physicochemical properties, photoacoustic and electroacoustic spectroscopy study of. 64-05946A
processing, in space. 64-03039B
pulverized, method for measuring specific surface. 64-01066P
radioactive, ceramic-cased container for storing. 64-02498P
refractory, Y₂O₃ application. 64-00456A
anchoring to lining. 64-00533P
bonding parts made of. 64-06490P
particle-size composition, certification of methods for determining. 64-02074A
plate-like, from grog, clay, SiC, and Al₂O₃. 64-00496A
research, National Science Foundation's program and outlook. 64-07527A
at US Bureau of Mines. 64-07530A
by US Dept. of Energy. 64-07531A
at University of Chemical Technology, Prague, Czechoslovakia. 64-07528A; 64-07529A
science, monographs. 64-06001B
semiconductor, autoradiographic quality control of. 64-05054A
errors in radiometric analysis of. 64-05416A
shock-conditioned, sintering of. 64-06785A
solid, granular, and aggregate, apparatus with heat exchange for treating. 64-05475P
sorber, immobilization of V₂O₅ deposited on, during treatment of carboxymethylated oils. 64-05880P
spinel, alkaline-earth metal, Al-containing, preparation of. 64-01507P
starting, for ferrites, emanation thermal analysis of. 64-05294A
structural, nondestructive testing with ultrasonics. 64-04132P
tableting performance, three indices for. 64-00931A
temp-sensitive, for process control. 64-04103A
testing, nondestructive, analysis manipulator for. 64-02629P
with ultrasonic heads. 64-02639P
toxic, fixation by ion exchange in glass matrix. 64-00252P
trichlorosilane, production process. 64-07439P
viscoelastic, deformation and fracture, relation of microscopy to modeling for. 64-05954A
weakly absorbing, determination of optical constants. 64-06867A
diffractometer for X-ray studies on. 64-06881A
webs of, apparatus for treating. 64-05372P
Measurement.
ESR, of small concentration of Cr and Fe in α -Al₂O₃. 64-07130A
ISU, shortcomings and remedies. 64-04583A
O activity, in molten steel, effect of phase composition in solid electrolyte ZrO₂-8.1 mol% MgO on. 64-02759A
acoustic, evidence of low activation energies in Se-Te glasses from. 64-00291A
birefringence, of dielectric films, by prism coupler method. 64-02289A
bulk density, of particulate materials. 64-05452P
of bulk material level, device based on acoustic depth sounding. 64-05412A
of color differences, of enamels. 64-01783A
comparative, of causticity of MgO. 64-02081A
computer-controlled, of ferrimagnetic resonance losses in ferrites. 64-02456A
contactless, of physical properties. 64-02583A
of deformation, strain. 64-01060P
density, and control, for liquids and slurries. 64-02584A
of diameter, of optical fibers during drawing, method and apparatus for. 64-06378P
of diffusivity, thermal, by flash method, effect of nonlinearity. 64-01014A
of distance to point on hot furnace inner wall, apparatus for. 64-05446P
electron emission, of α -Al₂O₃. 64-02766A
emf, solid-state, solubility of SiO₂ in forsterite studied by. 64-00516A
of glass homogeneity, by Shelyubskii's method, apparatus for. 64-01007A
of glass inhomogeneity, Shelyubskii method. 64-06198A
grain-size, analysis by sieving and settling-tube method. 64-04071A
hardness, of thin films. 64-05418A
heat flux density, dynamic properties of instruments for. 64-02590A
interferometric, of wavefront distortions of glass laser beam. 64-05414A
light refraction, determination of liquid in montmorillonite by. 64-04080A
luminescence, homogeneity of vitreous SiO₂ and degree of order in amorphous SiO₂, by. 64-03270A
magnetic head flying characteristics, circuitry for. 64-01049P
magneto-optic, determination. 64-05291A
mechanical property, of thermal-barrier coatings subjected to oxidation. 64-04683A
metric system, progress in USA. 64-03020A
microfinishing, apparatus and technique. 64-01068P
noise, in glass container industry. 64-04824A
nonstandard, in refractory industry, metrological characteristics. 64-00487A
optical, of cement clinker. 64-01121A
of optical fibers and devices. 64-03042B
of optical refractive index profiles. 64-06907P
of pH. 64-02603A
permeability, on porous bodies, apparatus and procedure. 64-05444P
permittivity, and permeability, on microwave materials. 64-05453P
of semiconductors at microwave frequency. 64-01009A
photoacoustic, on phototropic glasses. 64-03472A
of refractive index gradient, in optical glass. 64-06302A
of refractive index profile. 64-06908P
refractive-index, of absorbing condensed media. 64-01032A
for nonabsorbing film on transparent substrates, Ables method. 64-00197A
residual stress, in Al₂O₃ and SiC. 64-04330A
scanning laser microscope, of semiconductor and device properties. 64-05435A
of sealing length, of CRT envelopes, apparatus for. 64-05373P
size of particles. 64-04121P
solubility and diffusivity, of water in TV tube glass. 64-06254A
strength, diametrical compression. 64-04096A
of stresses, surface, by indentation fracture. 64-04091A
temp., in flowing gas-solid suspension, with thermocouple. 64-02604A
temp. dependence, of birefringence in PLZT. 64-05269A
thermal conductivity, method for. 64-06920P
of thermal conductivity coeff., under conditions of nonstationary heat passage. 64-04092A
thickness, of films, thermal wave system for. 64-05461P
transmission, determination of absorption edge of films from. 64-01530A
in situ, optical constants of inhomogeneous films from. 64-06883A
ultramicro-indentation, testing of optical-fiber coatings by. 64-05424A
viscosity, arrangement for. 64-01048P
of liquidfeldspar. 64-02730A
on ir-transmitting glasses. 64-06333A
 ζ -potential, of sedimentary particles, by microelectrophoretic method. 64-02628A
Mechanical properties.
of Al₂O₃. 64-07477A
plates, under ballistic impact. 64-02792A
sintered. 64-01255A
of Ca(OH)₂, in set cement. 64-03130A
of MgO, and Al₂O₃. 64-07479A
C-bearing. 64-00483A; 64-00484A
of MgPSZ, hot-pressed. 64-04281A
at RT, of fiber-reinforced ceramic-matrix composites. 64-04333A
of Si₃N₄, hot-pressed. 64-05548A
of SiC, improvements by TIC particle addition. 64-01223A
of TiN, in region of homogeneity. 64-01569A
of Y-PSZ, effect of Y₂O₃ content. 64-04298A
of ZrO₂, and its structural applications. 64-04307A
of aggregates, light shale, under unidirectional compression. 64-02046A
of ceramics, lecture. 64-04551A; 64-04552A; 64-04553A; 64-04554A
of clay, effect of additions of pyritic ash. 64-03554A
of coatings, plasma-sprayed thermal-barrier subjected to oxidation. 64-04683A
of composites, Al₂O₃-Al₂O₃. 64-04326A
ceramic-fiber, effect of fiber coatings on. 64-05529A
hot-pressed TiB₂-ZrO₂. 64-04555A
mullite-ZrO₂. 64-02796A; 64-02797A
of corundum, effect of γ -radiation on. 64-01203A
electro-, of quaternary glasses, effects of temp. and dopings on. 64-06188A
of soft piezoelectric materials. 64-02429A
of ferroelectric ceramics. 64-00830A
of fibers, Nicalon SiC. 64-04306A
SiC. 64-02793A
fracture, of ceramics. 64-05922A
of glasses, Mg-Al-Si-O-N. 64-01887A
effect of surface-active fluids on. 64-01831A
for radioactive waste management. 64-04736A
of insulation, for sparkplugs. 64-05131A
of lightweight ceramics, based on hollow spheres. 64-07478A
made from sintering hollow spheres. 64-07464A
of mullite, nonstoichiometric. 64-04338A
of nonoxide ceramics, CVD. 64-01228A
of pastes, binder. 64-06787A
of perlite, expanded. 64-02711A
physico-, of electrical porcelain. 64-06550A
problems in evaluation. 64-05433A
of refractories, C-bearing MgO. 64-02143A
mullite-corundum. 64-02225A
pericase and Mg-spinel. 64-00528A
strength, of brittle materials. 64-01008A
of certain piezoceramics. 64-05270A
thermo-, of cast forsterite refractory concrete. 64-02226A
of mullite-corundum refractories. 64-00529A
of refractory linings for slagging gasifiers. 64-06468A
of reinforced packet-type glass-enamel coatings. 64-00116A
of sintered Si₃N₄. 64-01267A
of systems metal-C-N and metal-C-B. 64-02750A
of zeolites, granular, effect of ionizing radiation. 64-05909A
Mechanics.
of composite materials. 1983. 64-01633B
fracture, of hot-pressed Si₃N₄. 64-05923A
Melting.
accelerators, effect on glass batch, DTA. 64-06311A
baddeleyite, in electric-arc furnace. 64-02516A; 64-02937A
batches, 15Na₂CO₃-10BaCO₃-75SiO₂, Raman study of grain size effects. 64-01898A
crystal, process. 64-00218A
diamond. 64-02988A
direct, of fiber glass, automated control system for. 64-03411A
electric, of crystal glass in furnaces with 3-phase heating. 64-01947A
effect on glass chemistry. 64-00304A
for enamel frits. 64-03161A
frit, oxy-fuel burners for. 64-06953A
furnaces. 64-06983P
glass, apparatus for. 64-06341P
batch-free time vs crucible vol and soda type. 64-00274A
borosilicate and Pb, electrostatic precipitation of particulate emissions from. 64-03434A
borosilicate, behavior of boric oxide during. 64-01811A
colored, in electrically heated furnaces. 64-03455A
directed-flow, thin-layer process. 64-06297A
dual-depth. 64-00288A
electrode assembly for. 64-01101P
oxynitride, problems with. 64-01890A

- high-temp., oxy-fuel burner with furnace blade for. 64-01199P
induction, of oxides in cold crucibles, equipment for. 64-00902A
microwave, of gels. 64-06759A
plasma. 64-02518A
powders, V_2O_5 , 64-04051P
process, for making hydraulic cements. 64-00070P
rate, of pellets compared to loose batch, for glassmaking. 64-00312A
of refractories, baddeleyite-corundum, determining conditions during mfg. 64-02094A
in electric-arc furnaces, model for resistance of baths. 64-00490A
silicates, graphical representation. 64-05924A
temp., of silicate glasses, calculation of. 64-00276A
- Metals.**
 B_2O_3 , light scattering by. 64-03288A
Bi solution, preparation of GaAs layers from. 64-05160A
 $CaCl_2$ hexahydrate, stability of, calorimetry study. 64-05665
 $12CaO \cdot 7Al_2O_3$, dependence of viscosity on high-temp. soaking. 64-03607A
 $CaO \cdot FeO \cdot MgO \cdot Al_2O_3 \cdot SiO_2$, alkali-free, vector presentation of liquid immiscibility in. 64-07517A
Cochran process, two crucible. 64-04015A
Fe-Ni, sorption-removal of O using refractory materials. 64-05986A
 $MgO \cdot Al_2O_3 \cdot CaF_2$, physicochemical properties. 64-03326A
Na and Li borate and aluminoborate, glass formation and transition temps. 64-01853A
Pb borate and Pb silicate, density, enthalpy, and viscosity in T_g range. 64-03364A
 $PbO \cdot SiO_2$, pO_2 dependence of Pb ion transport. 64-05761A
viscosity of. 64-06334A
V(V) oxide/ $Pb(II)$ oxide, solubility of beryl in. 64-05804A
Zn, interaction with aluminosilicate rammed material. 64-04964A
basaltic, equilibrium problem for crystallization, algorithm of. 64-05895A
composition, continuous monitoring of. 64-04078A
effect on growth and properties of $LiNbO_3$ crystals. 64-05260A
device for making powder by dividing. 64-06809P
feldspar-type, model for estimating viscosities. 64-02731A
fluoride opal, volatilization from. 64-04837A
glass, optical, interaction of Pt alloys with. 64-06213A
relation between coeffs. of thermal expansion and preparations from these glasses. 64-03346A
of system $Na_2O \cdot CaO \cdot SiO_2$, temp.-concentration dependence of O activity. 64-03371A
glass-forming, diffusion-controlled processes in. 64-01827A
viscosity, temp. dependence of. 64-04762A
ionic, current-induced segregation in. 64-04452A
level sensing system. 64-05454P
mineral-wool, stability of Cr-Al-Zr refractories in. 64-02216A
movement, in glassmelting furnaces, γ -ray study. 64-01041A
oxide V bromides of Ag, volt-ampere characteristics. 64-01486A
silicate, formation of fibers by blowing. 64-04787A
surface phenomena. 64-03368A
slag, reaction with refractory lining of induction furnace. 64-02194A
solution-, dissociation of certain metallic oxides in. 64-05691A
systems, $CaO \cdot SiO_2 \cdot 15\%Al_2O_3 \cdot MgO \cdot CaF_2$, surface tension of. 64-03300A
 $Mg \cdot B(IV) [B(IV) \cdot Si, Ge, Sn, Pb]$, structure based on phase equilibria. 64-05762A
Na borosilicate, viscosity of. 64-03498A
 $Na_2CO_3 \cdot Na_2SiO_3$, dissolution of SiO_2 in. 64-04718A
 $SiO_2 \cdot MgO \cdot Al_2O_3$, activity of components. 64-05659A
molybdates, tungstates, and carbonates of Na and K. 64-05858A
- Monomers.**
disc, with ceramic materials. 64-02298A
optical disc, TeO_2 films for. 64-00714A
- Mercury.**
Cd telluride, films, method of making. 64-02387P
 $Hg_2 \cdot CdTe$, on $CdTe$, thermochemical properties and vapor growth. 64-01589A
 $Hg(II)$ selenite. 64-07305A
 $HgTe$, reaction with certain metals. 64-05167A
thin layers, crystalline. 64-04033A
porosimetry, using spline function, optimization of experimental results by. 64-02607A
- Metallization.**
of Al_2O_3 , Cu plating process for. 64-05060A
Cu, for dielectric materials. 64-05208P
currentless, process for activating substrate surface for. 64-03173P
plant. 64-02555P
of substrates, Al_2O_3 with Mo-Mn paste, effect of atm composition. 64-05069A
ceramic. 64-06153P
of surfaces, ceramic. 64-06157P
- Metallizing.** See *Coatings*.
Metallurgical competitions. See *Cermets*.
Metallurgy.
of alloys, for ceramic-metal systems. 64-06142A
powder, precision doping. 64-07146A
training technicians, at Hocking Technical College, OH. 64-01622A
- Metals.** See also *Enameling*; *Rare earths*; *Refractories*.
3d transition, optical absorption in Zr fluoride glasses. 64-00212A
 Al, In , and Fe , in molybdates, substitution of Ga for. 64-05744A
 Au, Ag, Cu , impurities, effect on photoluminescence of GeS_2 glasses. 64-03235A
-C films, formed during synthesis of diamond, microscopic observations. 64-01555A
 Ca, Mg , and Al , in converter V slag, interphase distribution. 64-01394A
and Mg , in glass, AAS analysis. 64-00145A
 Fe, Cr , and Sc , grain boundary segregation in MgO . 64-04462A
molten, wetting of refractories by. 64-02234A
Fe-group, point defects and diffusion mechanism in monoxides of. 64-05947A
 Pb, Cd, Hg, Co, Ni , and Cu , electrochemical and spectrophotometric tests for. 64-02602A
 Si and Y , particles, method of forming stable slip containing. 64-01324P
 Ti, Sn , and W , defect formation during mechanical activation of oxides. 64-00824A
alkali, double or mixed silicates, for making glass compositions. 64-03393P
interaction of Ho tribromide with bromides of. 64-05731A
alkaline, oxothorates of. 64-01434A; 64-01434A
analysis of, sample preparation. 64-02599A
and oxide melts, chemical corrosion of refractory materials by. 64-02077A
article, layered with Ni-P alloy and protective coating. 64-03169P
in artifacts, archeological, determination by mass spectrometry. 64-00014A
bodies, method of consolidating. 64-04049P
boride, refractory, method of making. 64-04431P
and ceramic, solid-state reaction bonding of. 64-04343A
coatings on Al_2O_3 , mixture for. 64-06155P
cutting, Sialons for. 64-01177A
extraneous, method for removing from substrates. 64-05891P
films, solar optical properties. 64-04826A
-free strips, in metal vapor deposition of insulating tape, preparation method. 64-00984P
-glass electrical components, vacuum injection molding of. 64-00935A
glass-coated, dental implant. 64-04385P
hard, ceramic glass. 64-03148A
free of WC, wear-resistant MoC and B, BN, and B₂C. 64-02918P
heated, insulation of, Al phosphate-based coating. 64-05022P
hot-, pretreatment, development of refractory bricks for. 64-02096A
joining Si, N , to. 64-07236P
liquid, Cu and Ni, diffusion of Ti, Cr , and B . 64-01211A
low-P fusion, SiC material for. 64-02908P
molten, ceramic filters for. 64-07227P
porous ceramic for filtration of. 64-05595P
refractory cup for sampling. 64-06493P
refractory runner for. 64-05030P
noble, in glass industry. 64-06319A
oxide, solid electrolyte. 64-00810P
oxidized, magnetic recording medium. 64-03971P
rare-earth aloxide, method of making. 64-05888P
reaction of $HgTe$ with. 64-05167A
recovery, from glass coating operation. 64-04877P
from muds of ceramic water treatment plants. 64-01617A
-semiconductor ribbon, for transfer printing. 64-00768P
shaft, method of attaching to ceramic shaft. 64-01800P
substrates, insulated SiO_2 or Al_2O_3 . 64-06628P
surface, method for treating at high temps. 64-04506P
transition, catalysts, Al_2O_3 -based aerogel supported, for olefin polymerization. 64-01275P
treatment of, service life of refractories. 64-05004A
valve, electrodeposition onto graphite. 64-01805P
- Metaphosphates.** See *Phosphates*.
Metaphosphates. See *Refractories*; *Vermiculite*.
Mica.
analysis of, grain size. 64-07036A
crystallinity of, XRD study. 64-04230A
fluorophlogopite-fluoromuscovite, glass-ceramics, preparation and characterization of. 64-03744A
glass-bonded, ideal material for PCB. 64-02313A
-metal matrix thermal insulator, load-bearing. 64-06150P
minerals, active centers on surface of. 64-05894A
-reinforced composites, thermoplastic, a review. 64-02794A
sericite, in clay-like state, Woodlands, Australia clay. 64-07053A
sublieve, role in ceramic glazes. 64-01141A
triocahedral, Al-Si ordering in. 64-06997A
- Microhardness.** See *Hardness*.
Microscopy. See also *Structure, micro*.
SAM, of La partitioning in sphere-based glass-ceramics. 64-01903A
SEM, for evaluating submicron glass fibers. 64-03410A
petrographic examination of sedimentary rocks. 64-04214A
study of Triassic, Hungary, dolomites. 64-05492A
TEM, accuracy for asbestos analysis. 64-05398A
of crystalline $LiNbO_3$. 64-07399A
of lateral-diffusion couples. 64-05746A
morphology of ceramics by. 64-04095A
acoustic, nondestructive tool for bond evaluation. 64-05399A
piezoelectric films for, fabrication and characterization. 64-05262A
electron, of ceramic fiber/ceramic matrix composites. 64-05336A
of crystallization in $BaTiO_3$ films. 64-07329A
diffraction, of structure of grain boundaries in NiO . 64-07459A
of fine structure of $\gamma-Al_2O_3$. 64-01556A
of grain boundaries in SiO_2/N_2 . 64-05544A
of leached glasses. 64-06876A
microstructure of Synroc C and E by. 64-04556A
observation of crack-tip geometry in SiO_2 glass by—comment. 64-02588A
observation of crack-tip geometry in SiO_2 glass by—reply. 64-02589A
of ordered domains in $Pb(Se, Te, Pb, O)_2$. 64-00855A
of oxides related to $\beta-Al_2O_3$. 64-07460A
of spinodal decomposition in $TiO_2 \cdot SnO_2$. 64-06257A
study of Egyptian siliceous clay mineral. 64-04083A
new scopes, SEM and TEM, look at IC's and wafers. 64-02605A
optical, of mix burnability and clinker formation. 64-06858A
photoacoustic, of ceramic turbine blades. 64-06887A
reflection acoustic, for differential phase imaging. 64-05458P
scanning, and TEM, of industrial diatomites, American and French. 64-07038A
laser, of semiconductor and device properties. 64-05435A
thermo-, minifurnace for. 64-02617A
- Microstructure.** See *Structure, micro*.
Microwaves. See *Waves, micro*.
Migrations.
energies, of interstitials and vacancies in MgO . 64-07480A
photoenhanced, of Ag atoms in heat mirror coatings. 64-05944A
radioactive, characterization of hydrofracture grouts for. 64-04629A
- Milling.** See also *Crushing*; *Grinding*.
bodies, ceramics for, with low firing temp. 64-01184A
jet, of loose materials. 64-06774A
lime and limestone, in Polish lime industry. 64-06107A; 64-06108A
- Mills.** See also *Crushing apparatus*; *Grinding apparatus*.
attrition, for fine pure Si and Si_3N_4 powders. 64-00897A
ball, Fortran modeling. 64-03996A
kinetics of grinding. 64-00911A
balling circuits, improved monitoring technique. 64-00909A
cement, gear drive systems for. 64-06072A
recirculating, automatic control at. 64-03990A
centrifugal, multipurpose. 64-04054P
comminuting. 64-00968P
compartment, increasing effectiveness of cement grinding in. 64-04652A
hammer, with capped disc rotor. 64-05384P
replaceable caps and spider arms of. 64-06840P
jet, for comminution. 64-05374P
for grinding. 64-06816P
size reduction. 64-02525A
pulverizing. 64-05397P
raw materials recycling, regulation of. 64-01752A
roller, MPS, cement grinding plant with. 64-01741A
MPS, grinding plants for cement industry. 64-01730A
behavior of clays in. 64-05359A
for cement clinker grinding. 64-06112A
energy-saving mfg. of cements in. 64-01712A
and hammer, for wet grinding. 64-06792A
properties of cement ground in. 64-06117A
sand, rotor discs. 64-06841P
stirring device for. 64-04063P
show bearing, 10-yr review of. 64-06125A
tube. 64-06851P
for grinding, division head for. 64-04032P
mathematical method for ball charge assembling. 64-00049A
- Mineral fibers.** See *Mineral wool*.
Mineral wool. See also *Glass fibers*.
basalt, characterization of crystallization. 64-03416A
basaltic, thermal insulation made from. 64-03466A
durability, in buffer solutions. 64-06180A
method for increasing. 64-04553A
fine, mfg. in Hungary. 64-04820A
from fly ash, method and apparatus. 64-01974P
fly-ash-derived, high-quality. 64-04852P
forming, with gas injection. 64-06355P
health aspects, discussion of. 64-04590A
as heat-insulating material. 64-03481A
insulation, apparatus for curing. 64-02677P
method and apparatus for making. 64-00416P; 64-06391P
molding with wrinkle-free surface. 64-04869P
production, economy of fuel, energy, raw material consumption, and labor. 64-01944A
energy comparison of technologies. 64-04788A
shot-free, apparatus and method of making. 64-04841P

Mineralizers. See also *Fluxes*.
effect on reactions, of SrCO₃ with kaolin. 64-07378A

Minerology.
Commission on New Minerals and Mineral Names, International Mineralogical Association. 64-01142A
analysis, automatic point-counting method for. 64-01115A
in cement clinker. 64-03103A
introduction to. 64-03100A
of chlorite deposits, of Navarra, Spain. 64-07028A
of kaolin, Spanish. 64-07035A
of rocks, carbonate, from southwestern Badajoz province, Spain. 64-07043A
samples, color SEM imaging of. 64-01120A; 64-04201A
survey costs, subsoil, reduced by radar. 64-02613A

Minerals. See also *Materials*, *raw*; *Rocks*; and specific types.
Commission on New Minerals and Mineral Names, International Mineralogical Association. 64-01142A
SiO₂ and Al₂O₃, low-cost, synthesis of zeolites from. 64-07339A
abrasive, nonfused Al oxide-based, articles containing. 64-06010P
annual ceramic mineral resources review, Al₂O₃. 64-06999A
BeO. 64-07002A
Li. 64-07010A
MgO/magnesite. 64-07011A
Na₂CO₃. 64-07017A
Pb products. 64-07022A
SiC. 64-07016A
SiO₂. 64-07015A
ZnO. 64-07020A
ball clay. 64-07000A
bauxite. 64-07001A
boron. 64-07003A
chromite. 64-07004A
dolomite. 64-07005A
feldspar. 64-07006A
fluorspar. 64-07007A
graphite. 64-07008A
kyanite. 64-07009A
nepheline syenite. 64-07012A
pyrophyllite. 64-07013A
refractory clays. 64-07014A
tal. 64-07018A
wollastonite. 64-07019A
zircon. 64-07021A
bodies, porous, of polymorph structure, method of making. 64-07276P
celadite, for low-temp. porcelain glazes. 64-00584A
chabazite, electron structure. 64-01518A
clay, X-ray microprobe analysis of. 64-02626A
and natural sediments, conglutination rates. 64-01119A
carbonates, and sulfates, joint determination by thermogravimetry. 64-0495A
content of rocks compared with methylene blue value. 64-07029A
expandable, at well sites, determination of. 64-04231P
hornte, Brazilian clay containing. 64-07023A
containing heat-value components, calcining method. 64-04183P
fluorescence in, laser-induced. 64-04210A
illite, kaolinite, and montmorillonite, settling velocity, diam., and density of floccs. 64-07050A
inclusions, chromatographic determination of gas compounds in, device for. 64-05413A
industrial, in Canada. 64-02707A
gas suspension calcination of. 64-01717A
inventories, public vs private management of. 64-02719A
kandites, formation of mullite from. 64-07332A
kaolin deposits, of type of hydrothermal altered tuffs in China. 64-07040A
kaolinite-sillimanite-mica deposits, Australian, profile of. 64-02717A
magnesite deposits, in China. 64-04199A
mica, active centers on surface. 64-05894A
mica-type, for production of glass and glass-ceramics. 64-06316A; 64-06317A
micaceous, XRD crystallinity study. 64-04230A
natural, Al oxides and hydroxides as. 64-06998A
osumilite, glass-ceramic articles containing. 64-00254P
polygorskite, dehydration transformation in. 64-07033A
polygorskite-attapulgite-sepiolite, Brazilian clay containing. 64-07023A
perlite and vermiculite, apparatus for expansion of. 64-05507P
polymer, of silicoaluminate, synthesis. 64-01175P
powdered and natural, reflectivity at CO₂ laser wavelengths. 64-05953A
scheelite, flotation process. 64-02738P
silicate, SIMS study, interpretation of. 64-06312A
sillimanite, mullite from. 64-02713A
sintering, with gaseous fuel, method and apparatus. 64-04180P
vermiculite, effect of heat treatment on surface morphology. 64-02703A

Mines and mining.
cyclic solution, of borate ores. 64-01151P
fiber optics in. 64-03409A
research, in US Bureau of Mines. 64-07530A
of silicic components, for cement works. 64-04007A
solids, attending flow through porous media, precipitation and dissolution of. 64-02716A
solution, of iron or nalcobite ore with NaOH and HCl solvents. 64-04238P

technology, at Kirgiteisk, USSR, magnesite deposit. 64-05494A
underground, of Russian magnesite, effectiveness. 64-01126A

Mirrors.
Al, Al₂O₃, Cr, Au. 64-01276P
SiO₂-type layers for, protective. 64-06332A
aluminized, with protective layer, possibilities of making. 64-06322A
glass, new production techniques for polishing. 64-00316A
industry, economic data. 64-04809A
metal-dielectric, with one-side light reflection. 64-03799A
multilayer, Mo-Si, for extreme uv. 64-04810A
structure, with Al₂O₃ film. 64-02007P
telescope, thermal expansion uniformity of materials for. 64-03490A
transparent heat, photoenhanced migration of Ag atoms in coatings for. 64-05944A
vitreous on high-SiO₂, for astronomical purposes. 64-00377P

Missiles. See *Spacecraft*.

Mixers.
Eirich, versatility of. 64-06790A
for binders, gypsum-cement-pozzolan. 64-01736A
for blending fibers, into slurry. 64-00991P
dry clay. 64-06026A
-grinder, single-chamber, preparation of clay slips in. 64-02276A
pan-type. 64-05388P
positive- and negative-pressure air, characteristics of. 64-06776A

Mixing.
beds, for cement raw material production. 64-03073A; 64-03074A
single-component cement, operation of. 64-06113A
equipment, for refractories in Japan. 64-04005A
feed, for product uniformity in cement industry. 64-03088A
particulate materials, method and apparatus for. 64-04044P; 64-06821P
raw meal, in controlled flow silo, description of. 64-03083A
silo, and method of operation. 64-00953P
slurry, distributed control in. 64-06766A
solids, method and apparatus for. 64-00971P; 64-00972P
suspensions, flocced. 64-00922A

Mobility.
ionic, in ZrO₂. 64-04351A
radiation-induced, of Li and Na in α -quartz. 64-01452A

Models.
of aggregate production, assuming mass entropy. 64-05366A
analytical, for crystals grown by flux method. 64-07304A
atomistic, of environmentally assisted fracture, transition-rate theory. 64-01517A
ball-mill, documented Fortran programs for. 64-03996A
cluster, approach to glass transition. 64-01856A
of defect centers in glassy SiO₂, fluctuations in. 64-03253A
computational, for O potentials of mixed U-Pu oxide. 64-00875A
computer, of fluid flow. 64-00895A
for distribution of bond angles, in vitreous SiO₂. 64-07482A
electrical response, for semiconducting ferrite. 64-06716A
empirical, of glass formation in multicomponent systems. 64-07484A
film, determination of optical properties. 64-04530A
geochemical, of reaction between glass and aqueous solution. 64-04725A
for growth of SiO₂ layers. 64-07353A
heat balance, analysis of regenerator energy performance with. 64-00271A
impact damage, in structural ceramics. 64-01586A
of interactions, between MgO and water. 64-07352A
leaching, of aluminosilicate glasses for nuclear wastes. 64-00208A
for glassy waste forms. 64-04714A
mathematical, of 3-D convection in glassmelting furnaces. 64-01948A
of dissolution of quartz grain in flowing glassmelt. 64-04735A
for granulation and drying of fly ash. 64-01718A
of phosphate nodulizing rotary kiln. 64-01088A
of sheet-glass annealing process. 64-01956A
oxidation-based, for thermal barrier coating film. 64-00104A
proton-based, of dielectric loss in glasses. 64-01893A
statistical, for evaluating evolution of glassmaking processes. 64-03486A; 64-03487A
for evolution of process for obtaining glass. 64-00327A
of refractory performance. 64-06465A
structural, of amorphous SiO₂. 64-00230A
thermal, of refractories in melt-shop applications. 64-06467A
thermal conductivity, of plasma-sprayed coatings. 64-04684A
thermodynamic, of natural, medieval, and nuclear waste glass durability. 64-01921A

Modulators.
electrogyration, with NaBi(MoO₃). 64-06684A

Modulus of elasticity. See *Elasticity*.

Modulus of rupture. See *Rupture*.

Moisture. See also *Humidity*; *Steam*; *Water*.
adsorption, in optical films. 64-03787A
body, of dense floor tiles, effect on properties. 64-05038A
content, of refractories, system for stabilizing. 64-00524A
effect on refining, of Pb glass. 64-06301A
expansion, of fired clay products. 64-06523A

of quarry tile, over 20-yr period. 64-00452A
reversibility, in structural clay products. 64-06431A
-measuring device, piezoelectric. 64-02445P
profile, in ceramic body during thermomodification of water. 64-02938A
surface-, monitoring technique. 64-02621A
and temp., effect on hydration rate of Na triphosphate. 64-05699A

Molding.
SiC, thermal-shock-resistant. 64-07251P
bonded parts, with SiC surfaces. 64-06829P
bricks, apparatus for feeding and position blanks. 64-00941P
improving production by. 64-03567A
ceramics, porous, process for. 64-00995P
dry-press. 64-00990P
equipment, for refractory industry in Japan. 64-04005A
injection, of SiC sintered without pressure. 64-02784A
of ceramic components. 64-00893A
of glass-metal electrical components. 64-00935A
machinery for. 64-00913A
tooling for. 64-00933A
method for. 64-04045P
mixes, relating capillary viscosity and spiral-length data. 64-00925A
from pourable compounds, method and apparatus. 64-02564P
properties, of synthetic charges based on structural ceramics. 64-03571A
tiles, automation and control of. 64-00888A
whiteware, one-piece. 64-03743P

Moldings.
Si₃N₄, method of making. 64-04427P

Molds. See also *Glassmaking equipment*; *Refractories*; *Slips*.
blow, for glass. 64-01976P
casting, intensification of process. 64-04003A
system for locating cores in. 64-02572P
for continuous casting, apparatus to control powder supply to. 64-04018P
foundry, binders for. 64-00544P; 64-03694P
coated, method of making. 64-00540P
composition for. 64-06482P
from granular refractory. 64-00546P; 64-00547P
from mix containing binder. 64-06491P
process for forming with curable binder. 64-06497P
sand. 64-05019P
sand from, plant and method for regenerating. 64-00567P
sand, method of making. 64-00989P
glass. 64-06833P
cast iron, alloy coating for. 64-00937P
for containers. 64-02008P
controlling temp. of. 64-06345P
cooling arrangement for. 64-04053P
cooling method. 64-04863P
cylinder apparatus. 64-06801P
method for lubricating. 64-06826P
quadruple cavity, operating apparatus. 64-02020P
stability, methods for increasing. 64-00918A
glass sheet-shaping, gas heater for. 64-02016P
glass-forming, cooling wind shut-off valve for. 64-04844P
glassware, container forming machine, bottom plate mechanism. 64-03507P
method of cooling. 64-06382P
for hollow porcelain bodies. 64-06834P
lining, refractory, for centrifugal casting. 64-00537P
parison, for glassmolding machine. 64-00408P
plaster, extended-life. 64-06832P
pre-, made of hydraulic heat-resistant cements. 64-00067P
press-bending, apparatus for removing glass sheets from. 64-02003P
refractory. 64-02254P
containerless sand, apparatus for making. 64-00534P
method of attaching insulation boards to. 64-00565P
from sol-gel material. 64-05028P
unbonded. 64-06478P
sand, for metal castings, apparatus for hardening. 64-02237P
method of making. 64-00569P
olive, process for preparing. 64-06496P
preparation process. 64-02251P
sheet glass bending, storing. 64-06846P
throwing. 64-06848P
vacuum, for shaping glass sheets. 64-06852P
for windshield subassembly. 64-03552P

Molecules.
sieve, AMS-1B borosilicate with low Na content, method of making. 64-07247P
titanoborosilicate, method of making. 64-07429P
sieves, Ti-containing AlPO₄. 64-04446P

Molybdates.
K-Gd molybdate α -K₂Gd(MoO₄), single crystals, growing. 64-01407A
K-La, hydrothermal crystallization onto oriented inoculations. 64-05722A
anions, process for solvent extraction. 64-01162P
substitution of Ga for Al, In, and Fe in. 64-05744A

Molybdenum.
-Al₂O₃ catalyst, shell, thermal behavior. 64-07184A
Mo(V) hydroxide, by reduction of Mo(VI) in aqueous medium. 64-01451A
MoO₃, process for purifying. 64-07428P
MoO₃, kinetics of formation from mixture of MoO₃ and α -Al₂O₃. 64-01420A

- e-MoPO₄**, vibrational spectra. 64-01595A
MoSi₂, and **Si₃N₄**, heater. 64-02857P
-SO₂, catalyst, structure and properties. 64-01182A
-Si mirrors, for extreme uv. 64-04810A
 fabrication, state of art. 64-06960A
-lined electric forehearts. 64-06949A
 oxide, method of recovering. 64-05885P
 oxycarbonyl compositions, method of making. 64-01503P
- Muscovite**,
 Ca, intercalation with decylammonium ion and n-alcohol. 64-07345A
 Ni²⁺ and Cu²⁺-exchanged, H treatment of. 64-02706A
 /e-naphthylamine, complex heated under N, oxidation reactivity of. 64-07356A
 catalytic activity, surface acidity and. 64-01144A
 cationic derivatives, mono- and divalent, thermal dehydration of. 64-07052A
 liquid in, determination by light refraction measurements. 64-04080A
 organo-, synthesis by intercalation reaction, kinetic study. 64-07393A
 -polyacrylonitrile intercalation compound, synthesis of β -Sialon from. 64-02834A
 reaction with cysteamine. 64-07377A
- Muscovite**,
 preparation of, with transition-metal complexes during crystallization. 64-04518P
- Morphology**,
 of SiC, epitaxial, grown from vapor phase. 64-01232A
 whiskers, effect of impurities on. 64-07087A
 atypical, of cristobalite forms crystallizing in glass. 64-06165A
 of ceramics, by TEM. 64-04095A
 of cracks, in Na₂O-CaO glass below scratches made by disk cutter. 64-03464A
 of crystals, KH₂PO₄. 64-05963A
 Sr-Ba niobate, effect of Ce. 64-05266A
 dimorphism, of SrTa₂O₇. 64-01532A
 fibrous, tobermorite-like Ca germanate hydrate with. 64-07054A
 of films, ZnO. 64-05181A
 of glasses, Ba germanate. 64-00219A
 of pastes, hardened gypsum-free cement. 64-00050A
 poly-, of SiO₂. 64-05784A
 surface, of GeO films, effect of moisture on. 64-00650A
 of ultrathin spherical particles of γ -Al₂O₃, microscopy. 64-09003A
 of vermiculite minerals, effect of heat treatment on. 64-02703A
 of tobermorite, crystal chemical studies. 64-07031A
- Mortars**. See also **Cements**; **Concretes**.
 MgO- and SiO₂ fume-modified, expansion and physical properties. 64-04639A
 and organic adhesive, characteristics of wall tiles fixed with. 64-02262A
 expansive, superplasticized, properties of. 64-06118A
 lining by centrifugal force, properties of cement affecting. 64-06116A
 low-strength, lime sludge as binder for. 64-02039A
 with opaline aggregate, effect of pozzolanic additives on alkali-SiO₂ expansion. 64-06079A
 outdoor insulating, for buildings, thermal conductivity of. 64-01762A
 refractory, phosphate-bonded aluminate-silicate, thermophysical properties. 64-02227A
 zircon-containing, interactions with glasses in system Na₂O-CaO-SiO₂. 64-02129A
 zirconophosphatic, performance in glassmelting furnaces. 64-03653A
 tile. 64-03745P
- Mullite**. See also **Refractories**.
 Ti³⁺ and Fe³⁺, occurrence. 64-02159A
 β -spodumene composite. 64-07261P
 compounds, in refractory system Al₂O₃-SiO₂. 64-03651A
 -containing refractories, change in thermal stability. 64-04925A
 -containing suspensions, production of granular refractories from. 64-02180A
 -cordierite composite, method of making. 64-07262P
 -corundum and corundum ramming bodies, without kaolinite. 64-02154A
 -corundum refractories, with electrocorundum added, for ladles. 64-02155A
 packaging for air heaters. 64-00491A
 thermomechanical properties. 64-00529A; 64-02225A
 crystallization, from bentonite. 64-04216A
 formation, effect of SiO₂-containing fillers on kinetics. 64-04944A
 from kandelids. 64-07332A
 fused, effect of TiO₂, Fe₂O₃, and Na₂O on structural changes. 64-02102A
 glass-ceramic containing, transparent. 64-06291P
 from minerals, sillimanite. 64-02713A
 nonstoichiometric, sintering and mechanical properties. 64-04338A
 plate, ZrO₂ cylinder head. 64-07260P
 pure, synthesis and sintering. 64-07392A
 refractories, for glassmelting. 64-02153A
 synthetic, deformation characteristics at high temps. 64-02091A
- Muscovite**. See **Mica**.
- Neodymium**,
 NdAl₂(B₂O₃)₂O₃, XRD powder data and physical properties. 64-05969A
 glass, laser, fluorescence line narrowing in. 64-03254A
 lasers, switch with color centers for. 64-00682A
- Nepheline**,
 diffusion coeff. and solubility, in glass, spectroscopic method for determining. 64-03360A
- Nepheline**,
 slurry, activation with phosphogypsum. 64-01695A
 syenite, annual ceramic mineral resources review. 64-07012A
- Neutrons**,
 absorbers, burnable sintered B-compound. 64-06748P
 coatings for, interference. 64-03786A
- Nickel**,
 -Ni oxide mixtures, electrical conductivity at phase boundary. 64-00657A
 Ni₂SiO₄, decomposition in O potential gradient. 64-07315A
 NiF₂, X-ray electronic study. 64-05874A
 NiMo/Al₂O₃ + zeolite, hydrodesulfurizing catalyst. 64-04309A
 NiNb₂O₆, crystals of columbite and rutile type, synthesis and study. 64-01582A
 NiO, Li-doped cathodes, fabrication and characterization. 64-06558A
 cation impurity diffusion in. 64-07310A
 crystals, observation of T-wall domains by double-diffraction method. 64-05431A
 crystals, thermionic emission for studying point defects. 64-01588A
 mixed catalysts. 64-01430A
 point defects and diffusion in. 64-06571A
 structure of grain boundaries, microscopy of. 64-07459A
 Nicalon, fibers, creep at high temp. 64-04256A
 -based crystals, with compositions ABO₃ and A₂BO₄. 64-01525A
 catalyst, on Al₂O₃ support. 64-02887P
 ferrites, excited by Al and Cr ions, X-ray spectrum and Moessbauer study. 64-02485A
 jackets, acoustic desensitization of optical fibers by. 64-00337P
 -oxide hydroxide, electrode, preparation of. 64-00798P
 phosphides, formation in burning regime. 64-05707A
 reaction of BN films with, at high temp. 64-01250A
 slag, high-MgO, reactivity of. 64-01749A
 terminations, ceramic capacitor with. 64-02350P
- Niobates**,
 Ba, crystals, growth striation of. 64-05108A
 Ba-Na, crystals, etching pattern. 64-05096A
 crystals, growth of. 64-05105A
 Ba-Sr, crystals, pyroelectric effect in. 64-00836A
 ferroelectric crystals, repolarization in. 64-03934A
 KNbO₃, electron structure of impurity centers Nb(IV). 64-01538A
 Li. 64-03917A
 bands, growth by Stepanov method. 64-03924A
 LiNbO₃, and Ba₂Sr_{1-x}Nb₂O₇:Ce, crystalline plates, preparation by Stepanov method. 64-03932A
 crystalline, TEM study. 64-07399A
 Na-Pb, XRD data for. 64-05970A
 powder XRD data for. 64-07318A
 Pb-Fe, dielectric ceramic, reactions during calcining. 64-06576A
 fast-firing dielectric ceramic. 64-06686A
 Pb-Mg, dielectric properties—comment. 64-05064A
 dielectric properties—reply. 64-05065A
 Sr-Ba, crystals, effect of Ce on morphology and optical properties. 64-05266A
 ferroelectric SAW device. 64-00843P
 rare-earth ortho-, effects of rare-earth impurities on photochromism. 64-00653A
 z-cut LiNbO₃, proton-exchange slab optical waveguides. 64-01519A
- Niobium**,
 Nb₂O₅, anodic films, electrooptic effect in. 64-05261A
 doped with ZrO₂, electrical conduction in. 64-03773A
 Nb₂Ge, films, characteristics of. 64-07353A
 Nb₂S₄, crystals, preparation of. 64-02330A
 Nb(V) halide/oxide-metal oxide compositions, for catalysts, method of making. 64-02888P
 NbC, nonstoichiometric, NMR study. 64-05937A
 NbN, superconducting films, effect of quenching immediately after. 64-00652A
 NbO₂, threshold switching. 64-00722A
 e-NbPO₄, vibrational spectra. 64-01595A
 or Ta/halogen-containing catalyst. 64-01337P
 carbide, sintered, creep in. 64-04258A
 nitrides, dissociation pressures and phase boundaries. 64-01393A
- Nitrides**,
 ferric, treatment for nucleating graphite fiber growth. 64-02954P
- Nitridation**,
 of Fe, by N₂ ions. 64-04679A
 of Si, compact, effect of MgO on. 64-07090A
 and its compacts. 64-07078A
 compacts of coarse particles. 64-07091A
 thermal, of Si and SiO₂ for gate insulators. 64-00719A
- Nitrides**. See also **Silicon nitride**.
 Al oxy-, transparent, method of making. 64-07295P
 B, dielectric properties during heating. 64-01198A
- Mo oxycarbo-, compositions, method of making. 64-01503P
 Mo, V, high specific surface area. 64-07231P
 Nb, dissociation pressures and phase boundaries. 64-01393A
 Nb and Ta carbo-, synthesized under high pressure and temp., distribution of elements and impurities. 64-01201A
 Si-Al oxy-, cutting tools. 64-01289P
 Ta₂N, phase transformations in. 64-05777A
 of V(A) subgroup metals, temp. dependence of pressure in decomposition. 64-01475A
 VN₂, thermodynamic properties. 64-05966A
 Y-Si oxy-, method of making. 64-04405P
 Zr, stoichiometric and N-deficient, calculation of electron spectra. 64-05517A
 -based dielectrics, method of making. 64-01351P
 metal, IVA subgroup, calculating thermal capacities from α absorption spectra and elasticity constants. 64-01180A
 preparation of. 64-07240P
 metallic, powder, method of making. 64-02901P
 phosphorus, CVD of. 64-04252A
 product coated with. 64-04379P
 substituted, effect of microstructure on strength. 64-07471A
 vaporization of, high-temp. 64-04290A
- Nitrites**,
 Na, crystalline, electronic absorption spectra. 64-04548A
- Nitrogen**,
 pN₂, effect on mfg. of reaction-bonded Si₃N₄. 64-07088A
 NO, in combustion gases, reducing concentration by NH₃ injection. 64-05482P
 NO₂, ambient, solid-sorbent test for. 64-02606A
 NO₂, burner tip for suppressing emissions of. 64-05481P
 combustion method for reducing emission of. 64-06970P
 emissions, incinerator and method for reducing. 64-04039P
 ceramics, development. 64-01197A
 effect of Si activity on liquid-phase sintering. 64-07326A
 compounds, condensed heterocyclic, hydrodenitrogenation of. 64-02781A
 content, of intergranular glass phase in Sialon. 64-07137A
 -doped phosphate glasses, preparation and properties. 64-06236A
 oxides, combustion method for inhibiting formation of. 64-04186P
 pressure, effect on properties of dc-sputtered Ti and TiN films. 64-05115A
 production, by vacuum swing adsorption technique. 64-07401A
- Noise**,
 burst, of film resistors, effect of electric field intensity. 64-05071A
 combustion, acoustic imaging of. 64-04141A
 electrode, in β -Al₂O₃. 64-06555A
 in glass container industry, recent work in measuring. 64-04824A
- Noise cones**. See **Spacecraft**.
- Nozzles**. See **Refractories**; **Spacecraft**.
- Nuclear materials**,
 Cs, immobilization in cement. 64-05331A
 Th fluoride, ultrapur, method of making. 64-06751P
 Th or Pu oxides, hard-to-dissolve, method for dissolving. 64-07417P
 (Th,U)O₂, fuels, number of fissions in, ion-exchange chromatography for determining. 64-00876A
 powders, by bulk microwave denitration. 64-00881A
 ThO₂, quality control during mfg. 64-03984A
 U, in borosilicate glasses, chemistry. 64-01815A; 64-01816A
 determination by liquid chromatography. 64-05409A
 recovery from wet process H₂PO₄. 64-00883P
 U nitride, XRD study of high-pressure phase. 64-06741A
 U₂O₃, powder, production process. 64-02500P
 and solid solutions based on U, Zr, and Y oxides, mass-spectrometric study of evaporation processes. 64-05339A
 U³⁺ center in NaF, nature of luminescent transitions. 64-00878A
 U-Pu oxide, mixed, O potentials, model for. 64-00875A
 U-Th hydride, nuclear fuel. 64-03989P
 U-containing concentrate, recovery from wet-process phosphoric acid containing U. 64-06752P
 UMO₂, thermodynamic stability. 64-06747A
 UO₂, development of density and structure during sintering. 64-03982A
 UO₂-ThO₂, microstructural heterogeneities. 64-06740A
 core debris, Three-Mile Island, PA, immobilization of. 64-05330A
 fuel, U-Th hydride. 64-03989P
 bodies, oxidic sintered, method of making. 64-05353P
 ceramic, method of making. 64-06750P
 coated particles, separation from graphitic matrix, process for. 64-03988P
 elements, intact and defective UO₂, release of short-lived fission products. 64-00880A
 elements, with Zr oxide composite coating. 64-00882P
 fast-reactor, review of thermophysical properties. 64-05347A
 heat-aided method for separating from graphitic matrix. 64-05352P
 irradiated, in Canada, evaluation of concrete casks for. 64-04638A
 method of controlling crystallite size in. 64-03986P

- mixed-oxide, ammonium uranyl plutonyl carbonate coconversion process for. 64-00877A
oxide, with controlled microstructure. 64-00879A
rod, high-U, for light-water reactors. 64-03985P
graphite. 64-07264P
high-level waste supernatant, at W. Valley, NY, characterization. 64-05316A
neutron absorbers, burnable sintered B-compound. 64-06748P
nuclear, disposal at W. Valley, NY, overview. 64-05341A
radiation-imageable compositions, containing hollow microspheres. 64-05355P
radioactive, graphite brick canister for transport or storage. 64-01316P
treatment in ceramic or glass container. 64-02502P
radioactive waste-portland cement systems. 64-00053A; 64-00054A
radwaste, ceramics for disposal of. 64-05313A
salt cake, treating by calcining with clay. 64-03987P
sulfides of U and IVA-group elements, magnetic properties. 64-05750A
systems, U-Mo-O, thermodynamic study. 64-01483A
wastes, Canadian, development of sphen-based glass-ceramics for disposal of. 64-05686A
Fe-rich basalt with TiO₂ and ZrO₂ additions, properties of. 64-05343A
Hanford, hot isostatically pressed ceramic and glass forms for. 64-05328A
Idaho Chemical Processing Plant Al phosphate ceramic forms for. 64-05329A
NaZr₂(PO₄)₂ cement forms for. 64-05755A
Pb phosphate glass for disposal of. 64-00204A
Pb-Fe phosphate glass for storing. 64-03286A
Ti phosphate forms for. 64-05869A
W. Valley, NY. 64-05327A
W. Valley, NY, design for vitrification of. 64-05318A
W. Valley, NY, design of slurry-fed melter for vitrifying. 64-05323A
W. Valley, NY, glassmelter tests with alkoxide/hydroxide slurry feeds. 64-05348A
W. Valley, NY, in situ characterization of. 64-05334A
W. Valley, NY, remote features for slurry-fed melter. 64-05346A
W. Valley, NY, vitrification using slurry-fed melter. 64-05320A
bored tunnel storage of. 64-05311A
cement-solidified, with high levels of loading, properties of. 64-06743A
ceramic, crystalline-phase formation in hot pressing of—correction. 64-06738A
ceramic-cased container for storing. 64-02498P
commercial, management in US. 64-05337A
defense, management in US. 64-05338A
design of multicomponent systems tests on. 64-05322A
device for producing glass drops from melt containing. 64-06348P
economic optimization of management. 64-05325A
effect of flow rate on leaching of glass for. 64-05326A
effects of self-radiation damage on leachability of actinide-host phases. 64-05701A
form RSC-S29, combines best features of earlier SRP. 64-05324A
forms, crystalline titanate, leaching and radiation damage. 64-06737A
glass encapsulation for stabilization. 64-00265P
glass for, surface reactions in solutions containing bentonite, granite, and stainless steel corrosion products. 64-05350A
glass, characterization of corrosion by ultramicrotome sectioning. 64-06861A
glass, corrosion mechanisms in distilled water. 64-06736A
glass, from Stripa, Sweden, 6-mo burial data. 64-06739A
glass-filled container for, suction tube removal method. 64-00979P
glass-metal interactions in brines. 64-05351A
with high ZrO₂ content, crystalline-phase formation by hot-isostatic pressing. 64-05321A
high-level, economic comparison of crystalline ceramic and glass forms for. 64-05528A
hydrothermal dissolution of ceramics for. 64-05550A
immobilization in Synroc. 64-05332A
immobilization in glass containers. 64-06749P
immobilization in glasses and ceramics, current world efforts. 64-02496A
improved feed composition for slurry-fed melters. 64-05333A
in situ vitrified soil, characterization. 64-05317A
indentation testing of glasses for. 64-02497A
induction furnaces for vitrification of. 64-04153A
leach resistance of form NaZr₂(PO₄)₂. 64-05747A
leaching of cement with Sr powellite and I sodalite. 64-05335A
liquid, process for vitrifying. 64-06753P
management, regulatory research on materials for. 64-05345A
method of preparing for transportation and storage. 64-02499P
model for furnace for vitrifying. 64-04816A
modeling of ion-bombardment effects on glass leaching. 64-05935A
porous glasses of high SiO₂ content for storing. 64-06742A
preliminary report on burial of glass in granite. 64-05342A
process for removing radioactivity from salt solution. 64-05319A
red clay tiles loaded with, effect of radiation on leachability. 64-05912A
role of ceramics, cement, and glass in immobilization of. 64-06745A
solidified, long-term radioactivity release from. 64-05336A
sphen ceramic for, microstructural characterization. 64-05340A
stability of glasses, for, thermodynamic approach. 64-04759A
stability testing of. 64-05349A
statistically designed optimization of glass composition for. 64-01907A
status of Australian Synroc Project. 64-06746A
storage of, in porous high-SiO₂ glasses. 64-01885A
surface layer formation on corroded glasses for. 64-01914A
synthetic monazite-coated glass containing. 64-02501P
thermal shock resistance of glass for, under water quenching conditions. 64-01845A
transuranic, cementation of. 64-05312A
vitrification, all-electric furnaces for. 64-03981A
vitrification, double-compartment. 64-03983A
vitrified, leaching test for. 64-06744A
- Nucleation,**
of cavities, during creep of liquid-phase-sintered materials. 64-02989A
creep cavity, in sintered Al₂O₃, neutron scattering study. 64-04342A
crystal, in BaO-SiO₂ glasses, effects of phase separation on kinetics. 64-00177A
in flux growth, of oxides. 64-07355A
in glass-forming systems, DTA study. 64-06228A
of glasses, Na₂O-SiO₂, DTA study. 64-04742A
SiO₂, Al₂O₃, MgO, ZnO, role of Zr. 64-06246A
in system Na₂O-CaO-ZrO₂-SiO₂. 64-01880A
homogeneous vs heterogeneous crystal, in Li₂O-2SiO₂. 64-03271A
microcrack, in ceramics subject to phase transformation. 64-01554A
- Opacification.** See *Enamels; Glass; Glasses.*
Opacifiers. See *Additives.*
Opacity,
opacifier, zircon, industrial production of. 64-04208A
Optical devices. See also *Fiber optics.*
Japan Annual reviews in Electronics, Computer, and Telecommunications. 64-04597B
Li silicate glass, method of making. 64-06393P
SiO₂ and In, information recording medium and reading method. 64-00375P
affixing optical fiber to. 64-00338P
attenuation meter, pulse-coded. 64-06918P
connector, with ceramic plugs and sleeve. 64-02889P
coupler, wavelength-selective. 64-00430P
demodulation system, fiber optic. 64-00360P
detector, with superconducting BaPb_{0.8}Bi_{0.2}O₇. 64-02315A
disk, information, of Te, Se, and Sb. 64-00789P
-electronic components, and thermal phenomena. 64-03840A
element, chalcogenide, fluoride, and oxide. 64-03899P
telecommunication. 64-04006P
filter, Christiansen-Bragg. 64-03508P
glass, photosensitive, method of making. 64-06346P; 64-06366P
porous, method of making. 64-01993P
imaging, method of making. 64-05336P
porous glass with reactive index lens system. 64-03515P
systems, GRIN IV. 64-00298A
junction, hybrid, application in loop interferometer. 64-00371P
lens, ophthalmic, colored photochromic, method of making. 64-03524P
light valve sputtered CdS structures, liquid crystal. 64-06369P
lightpipe, for distributing electromagnetic radiation. 64-03517P
light-dispersive, method of making. 64-00376P
measurements of, theory and experiments. 64-03042B
multi/demultiplexer, using interference filters. 64-00405P
power tap, fiber. 64-00403P
transducers, integrated. 64-06368P
waveguide, beam-deflecting. 64-00343P
dielectric-clad, method of making. 64-00429P
nonlinear and bistable. 64-06392P
polarization-retaining. 64-00411P
terminating apparatus. 64-00407P
- Optical materials.** See also *Fiber optics; Waveguides.*
KRS-5, properties at individual CO₂ laser lines, magnetooptic effect. 64-02325A
Twyman effect, applications for. 64-07515A
blanks, heat resistance determination of. 64-03447A
ceramic, introduction. 64-01958A
coatings, PbTe. 64-03809A
antireflection evaporated SiO₂-based. 64-03501P
interference. 64-04815A
interference, synthesis of. 64-03834A; 64-04830A
new synthesis method for. 64-03310A
uv, materials for. 64-05127A
damage in, laser-induced, an introduction. 64-04089A
laser-induced—13th ASTM Symposium. 64-03789A
laser-induced—14th ASTM symposium. 64-03788A
element with catalytic coating, for oxidation of optically opaque substances. 64-06394P
fibers, SiO₂. 64-01960A
lens-ended, for medical applications. 64-01954A
filament, reinforced and chemically resistant. 64-04878P
films, application of, physical and chemical aspects. 64-03813A
generator, optical pulse InSb. 64-03898P
glass. 64-01934P; 64-01959A
Al₂O₃-SiO₂, for spectacles. 64-04767P
Cu-containing. 64-00246P
Cs halide photochromic, optical sensitization of. 64-03317A
Ti-containing composition. 64-03404P; 64-03405P
chemical corrosion by commercial cleaning agents. 64-03418A
highly refractive, ThO₂-free. 64-00255P
lightweight. 64-06286P
moldable fluoroborate. 64-00261P
for multifocal lenses. 64-04765P
new class, for fibers. 64-00210A
phosphate. 64-00263P
phototropic with brown tint in irradiated state. 64-01935P
phototropic with refractive index <1.59. 64-01936P
product, method of making. 64-06288P
grating, method of making. 64-02014P
halide-oxide, hot-press-forging of. 64-06363P
lens, apparatus for measuring refractive properties. 64-06902P
axial gradient, light propagation in. 64-04807A
finishing apparatus for. 64-05386P
glass, molding process. 64-02019P
grinding and polishing machine for. 64-06814P
multifaceted, method for edge-grinding. 64-04860P
rod, comprising light-wave conductors. 64-06361P
lightguide soot forms, method of making. 64-00269P
plastic, ceramic coating processes for. 64-05545A
recording, metal sulfide or oxide-based. 64-03900P
substrates, evaporation of blooming layers onto. 64-01980P
window purge arrangement. 64-06987P
- Optical properties,**
of AlN, epitaxial layer. 64-01218A
of Bragg cells, wideband Ga phosphide. 64-00683A
of KRS-5, at CO₂ laser lines, magnetooptic effects. 64-02325A
of (La_{1-x}Nb_x)₂Si₂O₇, nonlinearly active. 64-04557A
of MgO and Al₂O₃. 64-07096A
of Ti clinohumite. 64-04198A
Twyman effect, applications for. 64-07515A
absorption, in Zn phosphate glasses. 64-04812A
of garnet films. 64-00861A
in tellurite and W-tellurite glasses. 64-06229A
absorption edge, of glass colored with CdSe-CdTe, effect of temp. on. 64-06210A
acousto-, interactions in photoconductive piezoelectric semiconductors. 64-03806A
birefringence, of MnF₂, MgF₂, and ZnF₂, temp. dependence. 64-04571A
linear, in fibers, measurement by thermal method. 64-00311A
thermally induced active, in Nd:glass laser rods. 64-00235A
of coatings. 64-06191A
interference. 64-05197A
coloring, of Na silicate glasses, effect of photodecolorization. 64-03237A
constant, for weakly absorbing materials, determination of. 64-06867A
constants, of Cu-PbI₂ cermet films, surface effects. 64-04297A
of absorbing solid films on substrate. 64-03807A
far-infrared-ray, of sapphire, temp. dependence. 64-07507A
of ferromagnets, determination from magnetooptic measurements. 64-05291A
of films, determination from transmittance measurements. 64-06868A
of films, multiple determination of. 64-03805A
for inhomogeneous films, from in situ transmission measurements. 64-06883A
of monoclinic anisotropic crystals. 64-04558A
of powders, reflection method for obtaining. 64-04072A
of tellurite-halide glasses with Ba and Cd halides. 64-03315A
of thin-film coating materials based on inverse synthesis. 64-03762A
of triclinic anisotropic crystals—blue vitriol. 64-05138A
of crystals, Bi₂SiO₅, effect of doping. 64-01397A
Bi₂TeO₆. 64-05718A
LiIO₃. 64-05667A
LiTaO₃, effect of lineage on. 64-05267A
Sr-Ba niobate, effect of Ce. 64-05266A
V₂O₅-Sc₂O₃ and Lu₂O₃-Sc₂O₃ activated with Nd ions. 64-04487A
electro-, of AgInS₂ crystals. 64-05090A
of BeO crystals. 64-03791A
of GaSe, dispersion of. 64-03749A
energy gap, in Pr phosphate glasses. 64-03316A
in film model, determination of. 64-04530A
of films, CVD SnO₂. 64-00655A
CeO₂. 64-01962A
In₂O₃:Sn and SnO₂:Sb-In₂O₃:Sn. 64-05075A

- In-Sa oxide, transparent and ir-reflecting. 64-06586A
 LiInS₂. 64-05159A
 Si₃N₄-Ge₂ alloy, magnetron-sputtered. 64-05137A
 Si₃N₄ effect of substrate temp. 64-05930A
 SiO₂:F on glass substrates. 64-05163A
 Ta oxide deposited by ion-beam sputtering, effect of O content. 64-05074A
 coevaporated Co-Al₂O₃. 64-03156A
 dielectric ZrO₂, modification of. 64-03222A
 hydrogencatal. effect of mixing H with silane. 64-05997A
 gaps, on Si films: B doping and posthydrogenation effects on. 64-03057A
 of glasses, alkali borate, germanate, and silicate containing Ca²⁺ and Cu²⁺ relative to boric oxide and germanate anomalies. 64-03314A
 quartz microporous. 64-04813A
 system GeO₂-TeO₂. 64-03240A
 in system SiO₂-R₂O-R₂O, relation to chemical composition. 64-03348A
 improved, Al oxynitride with, method of making. 64-02848P
 ir, of Si oxynitride films. 64-04299A
 luminescence, of La-Ga oxysulfide glasses activated with Nd. 64-00227A
 photodarkening, of chalcogenide films, anomaly of thickness dependence. 64-05051A
 photoelastic effects, in phosphate glasses. 64-07492A
 in silicate glasses. 64-00215A
 radiation-, of alkali borate glasses, effect of Zn and Cd. 64-03227A
 of rare-earth sulfides. 64-07502A
 reflectivity, of uniaxial absorbing crystals. 64-04564A
 refraction, of MgF₂. 64-0320A
 reversible change, of red P in reduced phosphate glasses. 64-03350A
 solar, of metallic films. 64-04826A
 selectivity, of coevaporated Co-Al₂O₃ composite films. 64-03156A
 of solid solutions, (Ti,Fe)₂O₃. 64-00862A
 spectra, of Na phosphate glasses. 64-03318A
 transmission loss, for ZrF₄-based fibers, effect of humidity during preparation. 64-00307A
- Optics**
 ellipsometry, multiple-angle, of Si-SiO₂ polycrystalline Si system. 64-05428A
 glass, ion-beam-deposited SiC on. 64-02786A
- Ores**
 Al-containing, with Na₂CO₃, production of Al₂O₃ from. 64-01167P
 borate, cyclic solution mining. 64-01151P
 dust samples, magnetite-containing, process for determining magnetite and P content. 64-02650P
 phosphate, treated with HNO₃ and NH₄ sulfate, gypsum from. 64-01721A
 production, at Kirgizsk, USSR, magnesite deposit. 64-05494A
 sulfide, color SEM imaging of. 64-01120A; 64-04201A
 trona or nahcolite, solution mining with NaOH and HCl solvents. 64-04238P
- Oxidation**
 angular, electrooptic sensor for measuring. 64-04116P
 growth, of ruby crystals, relation of brittleness to. 64-07497A
 molecular, at crystal growth front in Ca(PO₃)₂ glass. 64-06235A
 selective, GaAs crystals with, growth. 64-00806P
 temp.-compensated, of berillite for SAW devices. 64-06706P
- Orthopyroxenes**. See *Pyroxenes*.
- Orthosilicates**. See *Silicates, ortho-*.
- Oxide films**
 crystal, rectangular thickness quartz. 64-00848P
- Ovens**. See also *Furnaces; Kilns*.
 Tandoori, mfg. of. 64-06534P
 coke, mechanical strength of brickwork in. 64-04972A
 method for drilling top bricks. 64-05023P
 repair of walls by ceramic welding. 64-03656A
 cooking, refractory construction. 64-00541P
 fiber treatment. 64-06973P
 microwave, quartz lamp heaters for. 64-02394P
- Oxalates**
 Na, removal from Bayer spent liquor, process for. 64-04237P
- Oxidation**
 of AlN, sintered. 64-04311A
 of Cr₂O₃, in system Al₂O₃-Cr₂O₃, effect of TiO₂ additives. 64-04940A
 in systems Al₂O₃ and Cr₂O₃, effect of Na₂CO₃ additions. 64-05553A
 of Pd, in presence of Ag. 64-05142A
 of Fe, in silicate glasses, quantitative determination. 64-06163A
 of Si₃N₄, hot-pressed containing minor amounts of MgO. 64-05567A
 sintered with rare-earth oxide additions. 64-07139A
 of Si₃N₄-Y₂O₃-SiO₂, factors influencing structural evolution. 64-04280A
 of SiCl₄ and GeCl₄, formation of glass soot by. 64-00148A
 air, of Fe(II) in presence of Cu(II) and Fe(III) oxide hydrate. 64-02920A
 behavior, of Si-infiltrated SiC. 64-02803A
 catalyst, V or P oxide and SiO₂. 64-07265P
- V₂O₅ and silicates. 64-02899P
 fluid bed catalyst V and P, method of making. 64-07244P
 of electrodes, in steelmaking furnaces, TiO₂ and SiC coating to prevent. 64-02859P
 of films, Cd, Cu, and Te, under laser irradiation. 64-00923A
 Cu on ceramic, process for preventing. 64-00802P
 Cu, method of inhibiting. 64-05226P
 TiSi₃, XPS study. 64-05759A
 high-temp., of NbC and TaC at low pO₂. 64-04289A
 local, of Si substrate using LPCVD Si₃N₄. 64-00764P
 microarc, of Al, structure of anode films in. 64-01465A
 of orthopyroxene, on V₂O₅-TiO₂ catalysts. 64-02804A
 potential, effect on durability of borosilicate waste glass. 64-05700A
 products, of intermetallic compounds. 64-01558A
 rate, of ZnS, effect of time factors. 64-03772A
 reduction, in MgO-C refractories, control of. 64-04929A
 of Sb in silicate glasses. 64-03470A
 behavior, of La-doped SrTiO₃. 64-02433A
 of refractories, C-containing basic. 64-02164A
 -resistant coating, slurry, for C-based material. 64-04312A
 resistivity, of montmorillonite-*n*-naphthylamine complex heated under N₂. 64-07356A
 of ruby. 64-01237A
 of solid (Nb) materials, Ce₂O₃ or rare-earth catalyst for. 64-07208P
 state, of V, and role of TiO₂, as support for catalytic reduction of NO with NH₃. 64-01238A
 thermal, of Si, chemisorption and linear rate constant. 64-04497A
 of Si-YZ interface. 64-05109A
- Oxides**. See also *Rare earths* and *specific types*.
 3Al₂O₃:2GeO₂, alkoxide-derived, formation of. 64-04460A
 ABO₃, of cubic perovskite structure, method of making from organics. 64-02391P
 Ag-Bi, electric contact material. 64-06577A
 B and Fe²⁺, high-temp.-stable ignition powder. 64-02371P
 Bi-containing, with perovskite structure, in oxidation of acrylic hydrocarbons. 64-01279P
 (Ca,Mg)₂(Ti,Nb)₂O₇, with pyrochlore and lamellar perovskite structure. 64-05792A
 of Cd and Sb, synthesis and study of. 64-05815A
 Fe, ferrimagnetic, acicular, preparation of. 64-03975P
 Fe-Se-Te, catalysts. 64-01317P
 Ge, media, for mfg. H by steam-Fe process, development of. 64-04266A
 MgO and NiO, properties of grain boundaries in. 64-07495A
 MgO, Al₂O₃, and SiO₂, mixture, phase formation during heating of. 64-05745A
 MgO, CaCO₃, and V₂O₅, sequence of phase transformations in mixtures of. 64-05797A
 MnO, FeO, CoO, and NiO with MgO, twist boundaries, comparison of calculated properties. 64-07448A
 Mo tri-, process for purifying. 64-07428P
 Mo-Cr, γ-Al₂O₃-supported catalyst for oxidation of cyclohexene. 64-01422A
 MoO₃, CrO₃, or WO₃, hydrogenation catalysts based on. 64-02898P
 NO_x, burner tip for suppressing emissions of. 64-05481P
 P-V, catalyst for production of maleic anhydride. 64-07206P
 mixed, catalysts, process for preparing. 64-04429P; 64-07270P
 Si and Al, dielectric properties during heating. 64-01198A
 Si or Ge, water-free, method of making. 64-01508P
 Si-Ce-type catalysts, with Va-group elements, dehydrogenation of ethylbenzene to styrene over. 64-01433A
 Ta, high-purity, recovery process. 64-02735P
 Ta(V) halide oxide-metal oxide, composition, method of making. 64-02420P
 of Te(IV) and W(VI), interactions with chlorides of Nd and Y. 64-05742A
 Th or Pu, method for dissolving. 64-07417P
 (Th,U)O₂, powders, prepared via bulk microwave denitration. 64-00881A
 Ti and V mono-, after thermobaric treatment, magnetic susceptibility. 64-00860A
 Ti, Sn, and W, defect formation during mechanical activation. 64-00824A
 UO₂-ThO₂, microstructural heterogeneities. 64-06740A
 V and/or Cr, catalyst for decomposition of *i*-butyl hydroperoxide, activity of. 64-01377A
 V bronzes of Ag, volt-ampere characteristics of melts. 64-01486A
 V-Cr binary, catalyst for oxidation of cyclohexene. 64-01378A
 Y₂O₃, thermodynamic properties. 64-01266A
 Zn,Cu,Cr,Al, catalyst, process for preparing. 64-07268P
 Zr fluorite, MgO-containing, sinterable ceramics. 64-01364P
 binary, of In and alkaline-earth, electrophysical properties. 64-00662A
 thermal expansion data. 64-01587A; 64-07510A
 boric, vaporization during glassmelting. 64-00239A
 catalysts, SiO₂-Al₂O₃. 64-01239A; 64-01240A
 containing Mo, oxidation of butadiene to maleic anhydride over. 64-01432A
 coatings, from sol-gel process. 64-04479A
 contamination, removal from SiC powders. 64-01253A
 coreduction of, preparation of chalcogenide alloys by. 64-02966P
 defects in, polarization-depolarization studies. 64-07493A
 deposits, process for chemical dissolution. 64-02968P
 diffusion of O, in, grain growth and grain-boundary, diffusion-compensation relation for. 64-04455A
 entropies and diffusion rates, calculations of. 64-07308A
 ferric, properties, effect on Ba hexaferrite formation. 64-00856A
 properties, effect on Mn-Zn ferrite formation. 64-00857A
 ferromagnetic, for magnetotactical recording medium. 64-06725P
 films, effect of oxidation-induced stresses on properties. 64-01557A
 method and apparatus for determining thickness. 64-04122P
 refractory, method of making. 64-00988P
 flux growth, nucleation in. 64-07355A
 of formula type A(TiO₂). 64-01560A
 gels, thermally stable catalyst support. 64-04444P
 in glasses, alkali-free borosiluminosilicate, mol vol of. 64-06223A
 by low-temp. polymerization. 64-01878A
 melting of, induction, in cold crucibles. 64-00902A
 metal, catalyst. 64-07242P
 of perovskite structures, superstructures, ordered defects, and nonstoichiometry in. 64-05812A
 for plasma spraying. 64-01796P
 metal oxide-Nb(V) hydride/oxide compositions, method of making. 64-01502P
 metal oxide-Ta(V) hydride/oxide compositions, method of making. 64-01501P
 metallic, dissociation in solution-melts. 64-05691A
 mineral, coating, method of depositing on substrate. 64-00986P
 mixed Te(IV) and Nb(V), crystalline with acentric structure, preparation of. 64-05787A
 mixed metal, catalyst containing. 64-05603P
 catalyst for mfg. methacrolein. 64-05601P
 mon-, of Fe-group metals, point defects and diffusion mechanism in. 64-05947A
 multicomponent, refractory, high-temp. vaporization of. 64-02120A
 particles, from coalescence of Fe and Fe oxide smoke particles, electron microscopic study. 64-02935A
 perovskite, correlation between catalytic activities and physicochemical properties. 64-05904A
 phosphate-bonded, vacuum balance studies of. 64-07400A
 powders, Al₂O₃, ThO₂, ZrO₂, forming properties. 64-07145A
 dispersions in organic liquids, for making capacitors. 64-06765A
 rare-earth, mechanism of anatase-rutile phase transformation. 64-04469A
 sinterable, production by dewatering of precursors. 64-04219A
 rare-earth metal, systems, periodicity of phase diagrams. 64-05763A
 rare-earth metal alkoxide, method of making. 64-05888P
 rare-earth metallic, reclamation process. 64-01161P
 reduction of, method. 64-04398P
 refractory, immobilization of organic species on. 64-07234P
 reactive sputter synthesis of. 64-04060A
 solubility in Na₂O-CaO glass. 64-00226A
 in system MgO-Al₂O₃, electrical conductivity. 64-02108A
 related to γ-Al₂O₃, electron microscopic study. 64-07460A
 rock-aust-structured, properties of grain boundaries in. 64-07495A
 structure for coincidence twist grain boundaries. 64-01541A
 scales, transport properties, procedure for determining. 64-07330A
 solid solutions, internal relaxations in. 64-01416A
 with stabilized pentavalent Fe, in sixfold coordination. 64-01562A
 systems, in gas furnaces, deformation temps. of cones. 64-01390A
 with transition-metal ions in different states of oxidation. 64-01559A
 transparent, sintering and formation of microstructure. 64-07168A
- Oxygen**
 activity, dependence of defect structure of La-doped BaTiO₃ on. 64-03808A
 in glassmelts of system Na₂O-CaO-SiO₂, temp.-concentration dependence of. 64-03371A
 in molten steel, effect of phase composition in solid electrolyte ZrO₂-8.1 mol% MgO on measurement of. 64-02759A
 atoms, bridging and nonbridging, in alkali aluminosilicate glasses. 64-07443A
 chemisorption, effect on highly conducting ZnO films. 64-00651A
 concentration, method and apparatus for. 64-04041P
 content, in Si, ir absorption method for measuring. 64-01019A
 in atm of heat-treatment furnaces, process for reducing. 64-02693P
 control, in float glass tank. 64-06884A
 defects, vacancy-type, role in formation of radiation color centers in quartz glass. 64-03351A
 -deficient, Ba-containing perovskites. 64-02962P
 diffusion, in undoped and Si or Ca impurity-doped MgO. 64-07358A
 diffusion in oxides, grain growth and grain-boundary, diffusion-compensation relation for. 64-04455A
 -enhanced combustion. 64-06954A

- during firing of bricks. 64-03572A
generator, by zeolite adsorbent. 64-05560A
implanted, in Si, model for evolution of. 64-05752A
injection, to improve brick quality. 64-04404A
ions, implanting at semiconductor/insulator interface. 64-03876P
 pO_2 of LaMnO₃ phase, limiting. 64-01421A
dependence of Pb ion transport in PbO-SiO₂ melts on. 64-05761A
potential gradient, decomposition of Ni₃SiO₄ in. 64-07315A
potentials, of mixed U-Pu oxide, computational model for. 64-00875A
to reduce fuel consumption, in ceramic industry. 64-02673A
self-diffusion, in MgO, spectrometric analysis. 64-07380A
in MgO-stabilized ZrO₂. 64-07127A
coeffs. for crushed MgO-Al₂O₃ spinels, effect of ratio of surface area to vol—comment. 64-02925A
coeffs. for crushed MgO-Al₂O₃ spinels, effect of ratio of surface area to vol—reply. 64-02926A
coeffs. in single-crystal Al₂O₃, effect of surface condition—comment. 64-02927A
coeffs. in single-crystal Al₂O₃, effect of surface condition—reply. 64-02928A
in magnesio-ferrites. 64-02477A
in single-crystal Mn-Zn ferrite. 64-04559A
sensing device, with solid electrolyte cell and means of supplying current. 64-00791P
sensing element, with barrier layer between substrate and solid electrolyte. 64-00792P
sensor. 64-01063P; 64-05238P
ZrO₂-based electrolyte for, fabrication of. 64-05565A
with ceramic body heater. 64-06654P
diffusion-based solid-state. 64-03901P
element, TiO₂, CVD of. 64-05232P
with heater. 64-03902P; 64-05236P; 64-05237P; 64-05239P
and high-temp. fuel cells. 64-00793P
for high-temp. gases. 64-01072P
high-temp., SiO₂, unusual applications of. 64-06588A
planar ZrO₂ pumping. 64-02400P
rutile/TiO₂-based film. 64-00738P
shortage, burner with. 64-02680P
sorption-removal, from Fe-Ni melts using refractories. 64-05006A
vacancies, in O-implanted SiO₂, annealing of. 64-07472A
- PLZT.** See *Lead, PLZT.*
- Packing.**
Si-on-Si. 64-02337A
ceramic, for semiconductor devices. 64-06602P
chip, high-pin-out LSI. 64-03872P
component-level, thermal trends in. 64-02342A
custom, thick-film. 64-05061A
electronic, surface-mount components. 64-05155A
trends in. 64-00723A
glass, Glass Packing Institute reviews programs. 64-00299A
hybrid, thick-film hermeticity monitors. 64-05112A
leadless, method of making. 64-06600P
microelectronic, estimating strength of glass-to-metal seals in. 64-03778A
metal/ceramic systems, residual stresses and cracking in. 64-05172A
multilayer ceramics for. 64-06575A
semiconductor, device, nonoxide, high thermal conductivity. 64-06595P
hermetic sealing of enclosures. 64-02408P
standards, ASTM. 64-03029A
surface mounts, offer choice of design. 64-05182A
thermal stress-free, for flip-chip devices. 64-03841A
types. 64-06349P
- Palladium.**
on Al₂O₃, aerogel catalyst, method of making. 64-01340P
Pd/ γ -Al₂O₃ and PdMn/ γ -Al₂O₃, styrene hydrogenation on. 64-04352A
PdCl₂, interaction with chlorides of Ru and Cs. 64-05732A
in presence of Ag, oxidation and reduction. 64-05142A
trivalent, in La aluminate, stabilization conditions. 64-01464A
- Palletizing.**
plant, turns brickmaker into blockmaker. 64-02044A
- Pellets.** See *Materials handling.*
- Panels.** See *Building materials; Glass.*
- Permeability.** See also *Colloids; Permeability; Porosity.*
BN, cubic, prepared by irradiation of hexagonal BN. 64-04341A
Ca(OH)₂, submicrometer, crystallographic disorder in. 64-04451A
Fe oxide, Co-substituted, magnetic annealing and relaxation. 64-02467A
Si and Y, method of forming stable slip containing. 64-01324P
TiB₂, microplastic deformation during vibrocrushing and pressing. 64-05562A
TiC, for improving mechanical properties of SiC. 64-01223A
TiO₂, effect of additives on formation by vapor phase reaction. 64-07323A
ZrO₂ and Al₂O₃, composite powder, method of making. 64-02893P
abrasive, cutting tools containing. 64-01649P
absorption coeff., in situ determination with pulsed laser. 64-01064P
alkali-metal aluminosilicate, for dye soaping. 64-04520P
behavior, control with electric force. 64-04450A
in brittle composites, under thermoelastic stresses, crack extension and arrest within. 64-04255A
-bulk analysis. 64-04098A
-bulk density, measurement of. 64-05452P
classifier. 64-06835P
adjustable. 64-00936P
apparatus, with ruler control vane. 64-05389P
classifying, method and apparatus for. 64-00973P
clusters, in concentrated suspensions. 64-05940A; 64-05941A; 64-05942A
continuously fed, apparatus for weighing. 64-02535P
cyclone performance, effect of recycle on. 64-02509A
dialytic SiO₂. 64-05886P
dielectric, BaTiO₃, filter connector with. 64-02364P
distribution, effect on transformation-induced toughening of MgO-PSZ. 64-02761A
drying, apparatus and method for. 64-04017P
method and apparatus for. 64-04042P
feed material, method for weighing. 64-02562P
ferrite, Co and Mn spinel, uniformity of composition. 64-06721A
for magnetic recording, process for making. 64-03977P
of magnetoplumbite structure, wet-process preparation. 64-05310P
in filling vessels, mechanism of density segregation. 64-02515A
fine, for electronics. 64-02345A
surface treatment of. 64-02527A
fluidizable, device for controlled batch feeding of. 64-06807P
in fluids, classifying means for. 64-06803P
fundamental, interstratified clays as. 64-02709A
glass, gel-like, from tetraethoxysilane as carrier for immobilizing enzymes. 64-01889A
or glass-forming, apparatus for heat processing. 64-00340P
grain size, analysis, optimal configurations and content of sets of frequency distributions. 64-01026A
limestone, process and apparatus for separation. 64-00994P
mass, including amorphous material, impulsive consolidation of. 64-02548P
mixing, method and apparatus for. 64-04044P; 64-06821P
nuclear, accelerator, elemental analysis of ceramics with. 64-01015A
oxide, from coalescence of Fe and Fe oxide smoke particles, electron microscopic study. 64-02935A
perlite, method and apparatus for heating. 64-06984P
powdered, method and apparatus for distributing. 64-02557P
rotation, in early sintering. 64-01560A
sampling, confidence limits. 64-05902A
sensing, ultrasonic. 64-06924P
sensor, forward-scattering laser. 64-02636P
size, analysis. 64-06915P
composition, for refractory materials, certification of methods for determining. 64-02074A
distribution analyzer. 64-02649P
distribution, effects on tape casting BaTiO₃. 64-00924A
distribution, in calcined powders. 64-07491A
and/or distribution, method for determining. 64-01065P
distribution, of blended solids, analysis by Andreasen pipet method. 64-01027A
evaluation, modern instrument techniques. 64-05427A
measurement of. 64-04121P
reduction, maintenance needs. 64-06779A
in suspensions, method for detecting. 64-04114P
-size compositions, of electrotechnical grade periclase. 64-02165A
small, collision in homogeneous and isotropic turbulence. 64-02977A
solid, apparatus for separation from liquid. 64-06799P
speed through steady-state temp. field, apparatus for determining. 64-02575A
spherical, of activated C depositing Zr compound, sorbent. 64-01512P
porosity estimation for random packings. 64-05949A
submicron, sizing by dynamic light scattering. 64-02615A
for tape recording, technical trends in. 64-03968A
technology, shape indices. 64-04561A
thrown by vibrating sieves, laws of motion. 64-03364A
thrown vertically in air and aqueous media, laws of motion for. 64-03365A
trap, and filter support for diesel engines. 64-01285P
ultrafine, application for catalysts. 64-02841A
from liquid phase. 64-02521A
overview of. 64-02530A
by plasma techniques. 64-02519A
by vapor phase techniques. 64-02520A
- Pastes.**
Pb and Ru oxide-based, for resistors. 64-03906P
binder, structural and mechanical properties. 64-06787A
cement, Ca phosphate dental restorative. 64-07222P
electrical properties. 64-03072A
frequency dependence of interelectrode capacity of liquid based. 64-00040A
hardened, liquid phase separated from pores of. 64-06104A
portland, effect of flubet additives on hardening. 64-04645A
superplasticized, change of rheological properties with time. 64-06064A
superplasticized, rheological properties. 64-06123A
- clay, rheological curves for. 64-04202A
rheological properties. 64-07049A
deformation properties, optimizing. 64-04212A
electroconductive, applications for. 64-03868P
body made from. 64-03860P
extrusion, plasticity, application of Pfefferkorn method. 64-06756A
ferromagnetic, thick-film using Li ferrite. 64-06720A
glass, and cellulose nitrate for. 64-06370P
hardened, of gypsum-free cements, morphology and composition. 64-00050A
solder, for attaching surface-mounted electronic devices. 64-00645A
cleaning processes for HIC's with. 64-02292A
thick-film, ceramics in. 64-02291A
- Patents.**
ZrO₂, trends of. 64-03842A
design, infringements, damages, and profits—a lawyer's view. 64-03008A
- Pelletization.**
of phosphogypsum. 64-04653A
- Pellets.**
Ni-NiO, electrical conductivity. 64-00657A
melting rate, compared to loose batch, for glassmaking. 64-00312A
- Periclase.**
-C refractories. 64-02168A
and Mg-silicate refractories, thermomechanical and deformation properties. 64-00528A
-chrome spinel refractories, wear resistant, for arch of glass-melting furnaces. 64-02186A
-chromite and periclase, refractory linings for steel-melting electric arc furnace. 64-02169A
-chromite refractories, with chemical bond. 64-00531A
-chromite tyeure blocks, for Pb-Zn production, service life. 64-02208A
clinker, dust from waste gases of rotary kilns for. 64-02070A
content, of portland cement clinker, chemical test for. 64-02578A
and corundum, transition-metal-doped, optical and Moessbauer spectra. 64-07485A
dielectric properties, method for studying. 64-00486A
electrical resistance, effect of impurities on. 64-02104A
electrochemical grade, particle-size compositions. 64-02165A
fused, water absorption by. 64-02230A
layers, during mechanosynthesizing treatment. 64-01592A
melting products, phase composition studied by XRD. 64-04986A
plates, for slide gases. 64-00512A
powders, for steel casting, Soviet standard. 64-00517A
properties, electrophysical, sample preparation to determine. 64-02176A
refractories, creep of. 64-02088A
production in furnaces with electrically conducting bottom. 64-04970A
structure and properties. 64-05007A
-spinel refractories, composition, structure, and properties. 64-02149A
interaction with dust during smelting of arc-lime melt. 64-04965A
with low SiO₂ content, in-service characteristics. 64-02123A
- Perlite.**
Japanese. 64-04213A
expanded, mechanical properties. 64-02711A
properties and uses. 64-04220A
expansion, apparatus for. 64-05507P
particles, method and apparatus for heating. 64-06984P
- Permeability.** See also *Porosity.*
in Mn-Zn ferrites, Co²⁺ and Al³⁺-doped, temp. dependence. 64-06717A
of Ni-Zn ferrites, dependence on microstructure. 64-06715A
of clay casts. 64-07494A
of ferrites, MnZnFe(II), effect of tensile stress. 64-02459A
gas, of dense ceramics, apparatus for determining. 64-01006A
of unshaped refractories. 64-03622A
of materials, microwave, measurement of. 64-05453P
permeometer. 64-04136P
of porous bodies, apparatus and procedure for measuring. 64-05444P
of refractories, acid-resistant, effect of additives. 64-00473A
- Permittivity.** See *Dielectric properties.*
- Perovskites.**
Ba_{1-x}La_xSrO₃ (Ln = Nd, Sm, Eu, Gd, Tb, Dy, Er, Yb). 64-01563A
Ba-containing, O-deficient. 64-02962P
Bi-containing, cation-reordered. 64-03850P
Na₂WO₄, compressibilities and high-pressure phase transitions. 64-07450A
-containing catalysts, hydrocarbon treating. 64-07232P
oxides, correlation between catalytic activities and physicochemical properties. 64-05904A
structure, cubic, method of making ABO₃ with. 64-02391P
-type Pb(Mg_{1-x}Nb_x)O₃, effect of processing on dielectric properties. 64-03926A
-type ceramics, sintering kinetics. 64-06698A
-type compounds, ferroelectrics or antiferroelectrics, rule of formation. 64-06694A
- Permethanes.**
LiReO₄. 64-01435A

- Petrography,**
analysis, image. 64-06886A
of sandstones and shales, backscattered electron imaging
for. 64-04223A
- Petrology,**
grain shape, roller micrometer analysis of. 64-04223A
- Phase diagrams.** See *Phase equilibria.*
- Phase equilibria.** See also *Systems; Transitions.*
BaO-P₂O₅-H₂O. 64-05822A
of BaTiO₃, doped with Y₂O₃ and Ta₂O₅. 64-00685A
CdSe-La₂Se₃. 64-05824A
composition, of clinkers containing CaF₂ and MgO.
64-01740A
description of, quantitative. 64-07372A
diagram, in system Al₂O₃-Al₂C₃. 64-04345A
system Bi₂Se₃-Ti₂Se₃. 64-05143A
relations, solid-state, in system CeO₂-ZrO₂-Y₂O₃. 64-05578A
in system Al₂O₃-SiO₂-H₂O. 64-01441A
in system Ca-Ti-Al-O. 64-07364A
in system Cs₂-V₂O₅ and enthalpy of formation of Cs vanadates. 64-01440A
in system Si₃N₄-AlN-CaO. 64-07141A
in system V₂O₅-Cr₂O₃. 64-05776A
in systems rare-earth metals and p-elements of III-IV groups. 64-01458A
systems, 2CaO-SiO₂-2CaO-Al₂O₃-SiO₂-CaO-SiO₂.
64-05862A
As₂Se₃(Sb₂Se₃)-CoSe. 64-05820A
As₂Se₃-YbSe. 64-05821A
BaO-La₂O₃. 64-05756A
BaO-La₂O₃-Al₂O₃. 64-05849A
Bi₂SiO₅-Bi₂GeO₅, study of. 64-07348A
Bi₂O₃-Bi₂TeO₃, cross sections in. 64-05678A
Bi₂Se₃-FeSe. 64-05823A
BiF₃-KF, solid-phase interactions in. 64-05801A
(Br₂ClF₂)-BF₃, liquid-solid equilibria. 64-05748A
CaO-Al₂O₃. 64-05702A
CaO-P₂O₅-MgO, whitlockite phase. 64-01487A
CaO-SiO₂-Nb₂O₅. 64-00713A
Cd-Ti-Te. 64-05145A
CdS + PbS ↔ CdSe + PbS. 64-05854A
CaF₂-K₂PO₄. 64-05825A
Cr(W)-Ni-P. 64-05856A
Cu₂GeSe₂-CdSe. 64-05826A
Cu₂Se-Pr₂Se. 64-05827A
Cu₂Se-ZnS. 64-05828A
Dy(Er)-Co-B. 64-01264A
Dy-Bi-Te, cross-sections DyTe-Bi and Dy-Bi₂Te.
64-05800A
Eu₂O₃-TiO₂. 64-01473A
FeAs-Na₂S. 64-05829A
Ga₂O₃-Bi₂Se₃-"Bi₂"O₃. 64-01437A
Ga₂S₃-Ga₂O₃. 64-05830A
Ga-Bi-CuAs. 64-05778A
Gd-Ni-Si. 64-01474A
GeO₂-La₂O₃, diagram of Ge-rich region. 64-01850A
GeS₂-CoSe. 64-05831A
HgSe + Ti₂Te ↔ HgTe + Ti₂Se. 64-05855A
In-As-Be and In-P-Bi. 64-05773A
In-Sb-Se, interaction of InSb with InSe, In₂Se₃, and
Sb₂Se₃. 64-05741A
K₂NbF₆-K₂TiF₆-KCl. 64-05832A
KCl-NiCl₂. 64-05833A
KCl-PdCl₂-ZnCl₂. 64-05834A
KCl-RbCl-SiO₂, quasibinary cross section. 64-05790A
KNbW₂O₇-K₂O-6WO₃, dielectric properties. 64-00686A
Li₂O-Ga₂O₃-B₂O₃. 64-05835A
Li₂O-FeO. 64-05836A
Li₂O-La₂O₃-MoO₃. 64-05837A
Li₂O-MoO₃-SiO₂. 64-05771A
Li₂O-Na₂O-Al₂O₃-SiO₂. 64-04481A
Li₂TiO₃-LiNbO₃, Li₂TiO₃-LiTaO₃, and Li₂TiO₃-
LiNbO₃-LiTaO₃. 64-04480A
LiAlSiO₄-NaAlSiO₄-SiO₂. 64-04482A
LiBO₂-Nb₂O₅. 64-05838A
Lu₂O₃-TiO₂. 64-05839A
Mg-Bi(IV) [Bi(IV) = Si, Ge, Sn, Pb], structure of melts.
64-05762A
MgO-CaTiO₃-Ca silicates. 64-02939A; 64-02940A
MgO-chromite. 64-07376A
MnF₂-LnF₃. 64-05850A
MoO₃-TeO₂-Al₂O₃. 64-01463A
Na₂MoO₄-K₂MoO₄-CaMoO₄-BaMoO₄. 64-05840A
Na₂Zr₂Si₂PO₈-Na₂ZrSi₂PO₈. 64-05841A
Na₂CO₃, MoO₃, WO₃, and K₂CO₃, MoO₃, WO₃, thermal
analysis. 64-0587A
(NaF)₂-CaF₂-BaMoO₄. 64-05819A
Nb(V)-Ga-C. 64-05774A
PbCl₂-MoO₃-TeO₂. 64-05842A
PbNb₂O₆-"PbW₂O₆" (PbWO₄ + MO₃ mixture; M = Ti,
Zr, and Sn). 64-05775A
PbO-B₂O₃-Bi₂O₃-Y₂O₃-Fe₂O₃-Ga₂O₃, for (Y,Bi)(Fe,Ga)₂O₃
crystal growth from flux. 64-07347A
PbO-Bi₂O₃-B₂O₃, cross-sections PbO-2B₂O₃-Bi₂O₃-
4B₂O₃(3Bi₂O₃-5B₂O₃). 64-05791A
PbTe-InSe. 64-05843A
Pd-Bi-Cu-Se, cross-section PdBi-CuSe. 64-05679A
PdCl₂-LiCl(NbCl₅). 64-05851A
Sb₂Te₃-GeTe and Sb₂Te₃-TbTe. 64-05852A
Se₂O₃-WO₃. 64-04496A
Si, Al, Ca/N, O, subcellular relationships. 64-05809A
Si-Y-Al-O-N, thermal decomposition. 64-01265A
Si-ZrSi₂, temp. dependence of phase lattice of crystallized
eutectic of. 64-05853A
SiO₂-e-Al₂O₃. 64-04589A
SnTe-FeSe. 64-05844A
SnTe-ZnSe. 64-05845A
Ti₂S-GeS₂, properties of compounds. 64-05769A
TiAs₂-TiAs₂(Se₂Te₂) and TiAs₂-TiAs₂Te₂. 64-05727A
TiSe-TiAs₂-Ti₂Se. 64-05846A
U-Mo-O₂, thermodynamic study. 64-01483A
Y₂O₃-Er₂O₃. 64-05847A
Y₂O₃-Nb₂O₅ and Ho₂O₃-Nb₂O₅, cubic solid-solution
region. 64-01488A
Y-Fe-O. 64-01439A
Yb-Ga-Te. 64-05848A
Zn-Bi-Te. 64-05772A
ZrO₂-HfO₂-MgO. 64-01436A
ZrO₂-SiO₂-TiO₂. 64-01438A
ZrO₂-Y₂O₃. 64-01241A
ZrO₂-YO₂·x-CrO₃. 64-02832A
ZrO₂-Yb₂O₃-Y₂O₃, and ionic conductivity. 64-05144A
e-RuCl₂-NaCl-LiCl. 64-05818A
ceramic, introduction to. 64-01632B
chemical reacting, min.-max. formulation. 64-01426A
illite-kaolinite-quartz. 64-02280A
ternary with intermediate phases of variable composition,
regularities of triangulation. 64-01457A
- Phase transformations.** See *Phase equilibria.*
- Phases,**
Sialon, NMR structural studies of. 64-01227A
V oxynitride. 64-01271A
actinide-host, effects of self-radiation damage on leacha-
bility. 64-05701A
angular, in Tb-Y ferrite garnets. 64-03948A
boundaries, in Nb nitrides. 64-01393A
characterization, of AlN-BN composites. 64-07140A
of PSZ, by Raman spectroscopy. 64-07361A
compatible, in system ZnO-CuO-Cu₂Cr₂O₄. 64-05670A
composition, effect on sinter formation resistance of alloys
of system Hf-Si-O. 64-01399A
of structural and high-strength gypsum, determining.
64-03085A
crystal, of ZrO₂, precipitated and calcined, effect of pH on.
64-01206A
crystalline, of Synroc-D, effect of spray calcination condi-
tions. 64-05531A
in Y₂O₃-PSZ, change by low-temp. annealing. 64-01192A
dehydrated, of gypsum. 64-06068A
formation, in neolithic and bronze-age subsystems as func-
tion of O fugacity. 64-02941A
of refractory materials. 64-02170A
glass, intergranular, in Sialon, N content. 64-07137A
impurity, in SnO₂ films. 64-00670A
match parameters, for KTiOPo₄ crystals, calculation of.
64-02974A
micro-, in liquid alkali borosilicate glasses, distribution
of Sb₂O₃ between. 64-03220A
nonequilibrium, in Al₂O₃. 64-07496A
ordered, separation from nonstoichiometric TaC.
64-01188A
oxynitride, in Ce and Yb sulfide films, formation and struc-
ture. 64-00663A
phototropic Ag halide, in glass, model study of mechan-
ism of formation. 64-03301A
rhombohedral, in PSZ. 64-07158A
spinel, of Mg orthosilicate, single-crystal elastic properties.
64-02996A
in system PbO-SiO₂, synthesis and study of. 64-05816A
in systems, PbF₂-SnF₂ and PbF₂-GeF₄, ionic conductivity.
64-01551A
ternary, in system MgO-Al₂O₃-ZrO₂. 64-04464A
whitlockite, in system CaO-P₂O₅-MgO. 64-01487A
- Photophysics.** See *Mica.*
- Photons,**
extraordinary, in LiTaO₃ crystals, Raman spectra and direc-
tional dispersion. 64-05952A
spectrum, of cBN. 64-01028A
- Photophysics.** See also *Glass and specific types.*
Ca, uptake of Cd(II) and Cu(II) by. 64-00662A
Ca poly-, vitreous, reaction with water. 64-05794A
Eu poly-, interaction of active ions in. 64-05728A
KCaLa₂-Ce₂Tb₂(PO₄)₃, energy transfer mechanisms in.
64-04539A
Na-In, condensed. 64-05676A
Na-Zr silico-, method of making. 64-05883P
V(III) and Cr(III), electronic spectra. 64-01533A
aluminosilicate, crystalline, compositions for. 64-01496P
β-tricalcium ortho-, by reaction between hydroxyapatite and
(NH₄)₂SO₄. 64-04459A
-bonded oxides, vacuum balance studies. 64-07400A
bonding, of lime, MgO, and clay. 64-07044A
di-, M₂(P₂O₇)₃ with M = V, Cr, and electronic spectra of
V(III) and Cr(III) phosphates. 64-01533A
dicalcium dihydrate, with improved monofluorophosphate
compatibility. 64-01152P
dihydroxyl-, crystalline, of type KM(III)(H₂P₂O₇)₂,
(M(III) = Al, Ga, Fe), preparation and thermal trans-
formations of. 64-05786A
glass, Nd, for laser use. 64-00262P
optical. 64-00263P
glass-ceramics, for bone implants, development of.
64-04267A
monosilicon, Al₂O₃ bonding by. 64-02055A
- nodulizing, rotary kiln for, simulation study. 64-01088A
organic, thermal behavior. 64-01477A
vitreous, polymer, effect of water vapors on gas-phase syn-
thesis. 64-00176A
zirconolite, polycrystalline low-thermal-expansion. 64-07128A
- Phosphides,**
Ni, formation in burning regime. 64-05707A
- Phosphors,**
BaFCl₂-Cu, thin-film transparent X-ray, preparation.
64-05788A
CaO silicate. 64-04509P
InTbBO₃-based, white luminescent, for cathode ray tube.
64-05893P
La₂O₃:Sb³⁺-based, for multicolored displays. 64-05626P
X-ray, Tb-activated Cd oxysulfide. 64-05892P
Y aluminate, Ce-activated, method of making. 64-02960P
Zn sulfide, effect of grinding on properties. 64-01398A
Zn-Y silicate, cathode ray tube with. 64-07408P
ZnS:Mn coprecipitated, photo- and electroluminescence of.
64-02326A
ZnS:TmAg-based, ir-emitting. 64-04504P
coated, glass-based articles using. 64-00349P
halophosphate, blue-green-emitting. 64-04499P
layered, radiographic image conversion screens. 64-02407P
preparation process. 64-01509P
rare-earth fluorides. 64-05887P
rare-earth metallic oxysulfide, reclamation process.
64-01161P
rare-earth oxysulfide-Ba fluoride-halide. 64-07434P
rare-earth oxysulfide, X-ray image converter with.
64-04521P; 64-04522P
thermoluminescent coactivated, and X-ray image convert-
ers made from. 64-02422P
rare-earth-activated ZnS, electroluminescent film, method
of making. 64-05882P
screen, radiation-excited input, method of making.
64-07421P
radiographic image conversion. 64-05889P
- Photophysics,**
P₂O₅-containing materials, fast-setting cements from.
64-04663P
P₂O₅-containing wastes, fast-setting cements from.
64-01773P
PCl₅, reaction with SiO₂ in inert atm. 64-01453A
content, in magnetite-containing ore dust samples, process
for determining. 64-02650P
nitride, and related compounds, CVD of. 64-04252A
oxide-coated catalyst, for dehydrogenation of carboxylic
acids. 64-01338P
red, amorphous, in reduced phosphor glasses, reversible
optical change of. 64-03350A
role in corrosion, of medieval stained glass. 64-06164A
slag, wall tile from. 64-00586A
trace, in Cr-bearing materials containing Si, Nb, Ta, Zr,
Ti, and Hf, extraction-photometric determination.
64-02591A
- Photocurable materials,**
glasses, Cu halide, effect of composition and structure on
properties. 64-03208A
Cu halide, sensitization of. 64-03317A
Fermi level stabilization. 64-01906A
bibliography on. 64-01812A
chemistry and photochemistry. 64-06169A
effect of base glass on temp. dependence of darkening.
64-01228A
effect of heat treatment on state of light-sensitive centers.
64-06185A
lenses, ophthalmic, colored, method of making. 64-03524P
- Photocurable properties,**
of Ag oxides, complex. 64-02327A
of glasses, Cu halide, effect of composition and structure.
64-03208A
of rare-earth orthosilicates, effect of rare-earth impurities
on. 64-00653A
- Photoconductivity,**
InP:Fe device. 64-02373P
film, CdS, preparation and properties. 64-06573A
member, with amorphous Si-C surface layer. 64-02399P
- Photocatalysis.** See *Conductors, electrical.*
- Photoelasticity.** See *Elasticity.*
- Photoelectric cells.** See *Cells.*
- Photoelectric effect,**
in electrodes, TiO₂. 64-03810A
in wafers, GaAs-GaAlAs. 64-06582A
- Photography,**
electro-, multicolor process, using TiO₂. 64-07425P
recording material, with Se-Ti first layer and Se-As-
containing second layer. 64-02397P
- Photometry.** See also *Spectrophotometry.*
enrichment, of dolomite from USSR deposit. 64-05497A
- Photosensitive materials,**
Se or Se alloy, doped with O. 64-06616P
glasses, bibliography on. 64-01812A
metal patterns on. 64-06371P
receptor, siloxane-containing, on metal oxide layer.
64-00787P
- Photovoltaic effect,**
in Pb₂CrO₄. 64-02328A
cell, with conductive nitride, carbide, or boride layer.
64-02890P
cells, with Zn phosphide. 64-00794P

Phyllosilicates.

defects in, structural. 64-02726A
Physical chemistry. See *Chemistry*.

Physical properties.

of Al_2O_3 , hot-pressed. 64-01251A
of $NdAl_2(B_2O_3)_2O_{10}$. 64-05969A
of Si suspensions, and cast bodies. 64-01030A
of SiO_2 , condensed fumes. 64-01443A
of TiB₂-based materials, produced by reaction of ferrotitanium and B powders. 64-05581A
of ZnGeAs₂. 64-01408A
of aggregates, light shale, under unidirectional compression. 64-03046A

of aluminas, from $NaAlO_2$ and $Al(NO_3)_3$. 64-02718A
of bricks, with lignite additions. 64-03553A
of carbides, Ti, Nb, and Zr, effect of high-temp. heating. 64-07120A

of cements, alkali lignosulfonate mixed. 64-04657A
steel-slag-blended. 64-01757A

of clay, treated with steam. 64-07045A
of composites, AlN-BN. 64-07140A

of crystals, $MPb_2(GeO_3)_2$ (M = Ba, Cd, Zn) with structure of barite. 64-05717A

electro-, of Cu/PbTe films. 64-05915A
of InSb doped with Ge. 64-05166A

of Mn-Zn ferrites. 64-05293A
of Pb orthovanadate. 64-05916A

of Sr orthovanadate. 64-05914A
of Ti-P-S. 64-05091A

of V carbide in homogeneity region. 64-01210A
of ZnO surface during bombardment by low-energy ions. 64-01484A

of alloys of cross-section GeTe-AgBiTe. 64-05803A
of binary oxides of In and alkaline-earth. 64-00662A

of compounds $A(BiTe)_2$ (A(I) = Li, Na, K). 64-05092A
in crystals $Ga_{1-x}In_xAs$. 64-05066A

of periclase, sample preparation to determine. 64-02176A
of refractory clays in system K aluminate-natural clays. 64-02110A

of solid solutions (Ti,Fe₂)₂O₃. 64-00862A
of solid solutions based on GeTe at cross-section GeTe-AgSbTe. 64-05146A

of ferroelectrics, amorphous ABO_3 -type. 64-00835A
of films, W oxide. 64-03814A

rf-sputtered W oxide. 64-00690A
of flocs, illite, kaolinite, and montmorillonite. 64-07050A

flow, of castable refractories for blast-furnace troughs. 64-04950A

of glasses, Ag borate. 64-06237A
BaO-containing silicate. 64-06234A

changes during production. 64-01942A
electrovacuum, predicting from least squares. 64-00216A

silicate, containing TiO₂. 64-03324A
of graphite, relation of texture to. 64-01252A

of kaolinite, correlation of quartz with. 64-02702A
of kaolins, effect on properties of high- Al_2O_3 porcelains. 64-06516A

measurement of, contactless. 64-02583A
modulus of rupture, hot, of aluminosilicate castable refractories. 64-06449A

of mortars, MgO- and SiO_2 fume-modified. 64-04639A
of porcelain, changes in. 64-05045A

of quartz. 64-05278A
of refractories, based on CeO₂ and its solid solutions. 64-05008A

of sapphire, profiled, effect of growth and annealing conditions. 64-04269A

of solids, relation to structure and chemical bonding. 64-02942A

strength, evaluation and statistical treatment of. 64-05919A
of superlattices, compositional, in semiconductors. 64-03823A

of ternary sulfides. 64-05779A
thermo-, of fast-reactor fuel. 64-05347A

of modifications of BN. 64-01268A
of phosphate-bonded aluminate-silicate refractory mortars. 64-02227A

of solids. 64-03040B
of whiteware. 64-00607A

of zircon- Al_2O_3 mixes, fired. 64-02769A

Physicochemical properties.

of Al decavanadate. 64-01191A
of BN, effect of conditions of shock-wave crystallization. 64-05532A

of Ca fluorapatite. 64-06127A
of CdSeTe_{1-x} sintered layers. 64-05780A

of MgO and $\alpha-Al_2O_3$. 64-07444A
of SiC, epitaxial layer grown from vapor phase. 64-01232A

of WCl₆. 64-01583A
of Y aluminates and gallates. 64-05783A

of alloys, Ge_{1-x}(Te_{1-x}Se_x). 64-05153A
of system PbTe-Ni₂Te. 64-05945A

of bricks, MgO dolomite C. 64-03657A
of cements, advance determination of. 64-01696A

aluminate and sulfate-aluminate. 64-01758A
portland, effect of phosphogypsum. 64-00039A

stored 20 yrs in polyethylene tubes. 64-00603A
of ceramics, ultrasound for studying. 64-02623A

of coatings, glass-metal. 64-04685A; 64-04686A
color, electron spectra, and structure, of Mn-containing oxide glasses. 64-03209A

of composites, refractory, in system ZrO_2 - Y_2O_3 - Al_2O_3 . 64-02171A

of crystals, Ca orthovanadate. 64-01544A
Cu thiochromate. 64-05785A

CuCrZrSe₂ and CuCrSnSe₂. 64-00694A
of films, metallic glass. 64-04756A

of glasses, Ag borate, new data on. 64-03309A
Ba germanate. 64-00219A

Ca aluminosilicate. 64-04724A
La borate. 64-01891A

N-doped phosphate. 64-06236A
Na silicate, effect of dissolved water. 64-01875A

Pb borate and Pb silicate. 64-03364A
Si-rich with Nd₂O₃. 64-03331A

V phosphate. 64-03366A
V₂O₅-B₂O₃. 64-01886A

metallic, in system Pd-Ni-P. 64-02816A
in system Ge₂O₃-CaO. 64-01852A

in system MgO-P₂O₅-BaO-P₂O₅. 64-03325A
in system MgO-P₂O₅-BaO-P₂O₅-Al₂O₃-P₂O₅. 64-03332A

in system P₂O₅-BaO-Nb₂O₅-Al₂O₃. 64-06194A
in system PbF₂-ZnF₂. 64-00217A

system Sb-Ge-Se, effect of Mn. 64-03334A
in system TiS₂ and TiSe₂. 64-03327A

in systems (Mg,Pb)O-Zn(PO₃)₂-Al₂O₃. 64-01854A
in systems PbB₂O₃-PbSiO₃-Zn₂TiO₇ and PbB₂O₃-PbSiO₃-PbTiO₃. 64-03259A

in systems Sb-Ge-Se and Sb-Ga-Se, effect of Fe. 64-03233A

theoretical calculation. 64-06268A
of internal layers, of glasses. 64-00220A

of materials, by acoustic and electroacoustic spectroscopy. 64-05946A

refractory. 64-02170A
of melts, MgO-Al₂O₃-CaF₂. 64-03326A

of mortars, superplasticized expansive. 64-06118A
of near-surface layers, of CdTe crystals. 64-05154A

of perovskite oxides, correlation to catalytic activities. 64-05904A

of raw materials, Al₂O₃. 64-01134A
of refractories, MgO-CaO brick. 64-03599A

dense corundum-zircon. 64-02815A
flame gunned. 64-03659A

fused SiO_2 . 64-03615A
low-density, of group ASTM 26. 64-04976A

perforated. 64-00518A
of shale, Petrosix process pyrolyzed, after firing. 64-02047A

of slags and glasses, molten. 64-01634B
of solid solutions, in multicomponent systems, method for determining dependence on composition. 64-05956A

in system $YO_{1.5}$ - PrO_3 -CaO. 64-00691A
of systems, Cd-Bi-Te. 64-05781A

of tiles, self-glazing. 64-00612A
of wollastonite. 64-01148A

Physics.

Schottky barriers, in semiconductors. 64-04544A
Weibull modulus, estimation of, for sintered Si_3N_4 . 64-02983A

Weibull parameters, estimation by omission of data in sample. 64-04540A

advanced ceramics, improvement, development, and technical problems in international cooperation. 64-02984A

atomic-O negative-ion beam, production by sputtering of semiconductor BaTiO₃. 64-05161A

bend-test data, estimating damage laws from. 64-07462A
collision rate, of small particles in homogeneous and isotropic turbulence. 64-02977A

of color. 64-01635B
confidence limits, of particulate samples. 64-05902A

crack extension, Palmqvist, and center-loaded penny crack analogy. 64-04560A

delay line, based on liquid phase grown Y-Fe garnet. 64-02480A

electronic processes, of F-type centers in $\alpha-Al_2O_3$. 64-07498A
energy bands, ab initio, for CdO. 64-03746A

impurity states, in SiO_2 . 64-04467A
laws of motion, of particles thrown by vibrating sieves. 64-05364A

of particles thrown vertically in air and aqueous media. 64-05365A

mechanical properties, problems in evaluating. 64-05433A
mechanically activated treatment, periclase layers during. 64-01592A

particle clusters, in concentrated suspensions. 64-05940A;
64-05941A; 64-05942A

point finite element, in analysis of 2-D contact problem. 64-05948A

of solids, amorphous. 64-01636B
spin-wave instability theory, for hexagonal ferrites. 64-02481A

thermostimulation, in LaMgAl₁₁O₁₉. 64-01591A
two equal cylinders, coalescence of. 64-02976A

viscoplasticity, modified theory of. 64-05936A

Piezoelectric materials.

K_{12} , anisotropy of. 64-06679A
BaTiO₃, made from fibrous particles. 64-05256A

FET, force sensor with. 64-02441P
PZT, with quadratic structure, aging in. 64-00627A

(Pb,Ba)(Ti,Sn)O₃, properties. 64-00833A
ZnO, vibrator device. 64-00795P

acoustic wave device, surface. 64-02447P

actuators, electrostrictive. 64-03922A
and Au films, glass-coated oriented, method of making. 64-02447P

chip, resonator, and trimming method for. 64-00847P
composite. 64-05274A

compositions. 64-05287P
crystal, acoustical transducer. 64-00841P

electrodes, method of making. 64-00796P
detector, combustion pressure peak, for internal combustion engine. 64-02439P

disintegrator, ultrasonic. 64-02452P
film, AlN, and elastic substrate, surface acoustic wave device with. 64-05253P

for SAW and acoustic microscopy, fabrication and characterization. 64-05262A
ZnO, synthesis of. 64-02438A

with high voltage sensitivity and high dielectric constant. 64-05273A

infinite, generalized thermoelastic wave propagation in. 64-01542A

moisture-measuring device. 64-02445P
plate, for electroacoustic transducers. 64-03947P

polarizing of. 64-05240P
resonator, Y-shaped support for. 64-02453P

grooved, with 2 poling directions. 64-03942P
three-electrode. 64-02450P

review. 64-02436A
semiconductors, photoconductive, acoustooptical interactions in. 64-03806A

sensor, knocking. 64-03943P
soft, electromechanical parameters. 64-02429A

strength of, mechanical. 64-05270A
systems, PZT and alloy of Ni with Cu, transitional layer at boundary. 64-00840A

PZT, effect of substrate on deposition of Ni-Cu alloy onto. 64-00826A

PbTiO₃-PbZrO₃-Pb(Zn_{1-x}Nb_x)₂O₇, dependence of properties on composition, mathematical analysis. 64-05268A

transducer. 64-00846P
broadband, backing material for. 64-02444P

pressure-sensitive. 64-03904P
ultrasonic characteristics, noncontact. 64-06691A

ultrasonic waves, application. 64-02426A
vane, for monitoring flow of fluids. 64-03940P

wafers, surface contour, apparatus and method for determining. 64-04109P

Piezoelectric properties.

of LiNbO₃. 64-00827A
of PLZT, effect of NiO and MnO, additions. 64-06682A

of (Pb,Ba)(Ti,Sn)O₃. 64-00833A
coeffs., nonlinear, for quartz. 64-00829A

resistivity, of SmSe. 64-03931A

Pigments.

See also *Color*; *Stains*.
Cr-CaO-SiO₂-based. 64-02921A

Cr-SnO₂-CaO-SiO₂-based. 64-01387A
Fe oxide, B₂O₃-containing, thermostable. 64-02972P

MnO₂-based, corrosion-inhibitive. 64-01495P
Pb chromate-based, treated, method of making. 64-04519P

Zn-containing, based on stanniferous sphere. 64-01149A
blue, Zr₂-V₂SiO₃, preparation. 64-02943A

ceramic. 64-02953P
improved. 64-07414P

coloring, by Co. 64-00587A
for enameling industry. 64-00078A

-flux interaction analysis, electron probe for. 64-07328A
hazardous, for porcelain enamels, identification and regulations. 64-00108A

hornblende, Ditrau, Romania, in red floor tile sandstone. 64-03718A

method of protecting, with transparent zircon. 64-02961P
nacreous, TiO₂, SiO₂, and Al₂O₃, preparation and use. 64-04508P

for stenciling, on porous faience. 64-01381A
in system SiO₂-ZrO₂-Fe₂O₃, raw materials for. 64-03730A

for whiteware glazes. 64-03715A
in systems, NiO-TiO₂-uM₂O₃, synthesis and study of color. 64-01468A

zircon-based. 64-00623A

Pipe.

See also *Tile*.
asbestos-cement, evaluating. 64-04637A

cast-stone, production technology. 64-00322A
clay, developing at Naylar, UK. 64-02033A

face stiff competition. 64-04885A
drain-, lab testing for drying behavior. 64-03569A

for drainage systems, improving. 64-03566A
glass, breakdown in air heaters of boilers, causes. 64-00277A

heat exchanger. 64-06357P
heat, abrasion-resistant, ceramic-oxide-coated. 64-00117P

insulation for, thermal, method and system for inspecting. 64-02646P

sewage, crystalline schists from Kursk Magnetic Anomaly, USSR, for. 64-01122A

sewer, application of robots for loading. 64-00446A
made by Dickey Co. 64-02049A

production technology. 64-00441A

Pistons.

fiber composite band, for diesel engines. 64-01343P
fiber-reinforced, for internal combustion engines. 64-04403P

head, ceramic. 64-05640P

Plasma.

CF₄O₂ and NH₃-Ar, anisotropic etching of SiO₂ in. 64-02287A

- deposition, of inorganic films. 64-0692A
for forming conductive holes, through dielectric layer. 64-06864P
- froniting, of table glassware. 64-01964A
gas, sintering of β - Al_2O_3 in. 64-06784A
ionic, effect on state of InP surface. 64-05073A
melting. 64-02518A
spray powder, Si₃N₄. 64-05641P
sprayed coatings, thermal barrier. 64-04681A
techniques, for ultrafine particles. 64-02519A
- Plaster of Paris.** See *Gypsum; Plasters.*
- Plasters, molds.** See *Molds.*
- Plasters.** See also *Gypsum.*
in firing clinker. 64-00063A
gypsum, relation between properties and particle size. 64-01212A
industry, grinding aid use. 64-00051A
mold, extended-life. 64-06832P
- Plasticity.**
of pastes, extrusion, application of Pfefferkorn method. 64-06756A
visco-, modified theory of. 64-05936A
- Plasticizers.**
Ligoplast, application of. 64-03116A
- Plastics.**
optical, ceramic coating processes for. 64-05545A
thermo-, blends of polyphenylene oxide, polyolefin, and hydrated Al_2O_3 . 64-04502P
- Plating.** See *Coatings.*
- Platinum.**
catalysts, SiO_2 and Al_2O_3 -supported, effect of pretreatment on dispersion and structure. 64-02760A
deposition of, on NaCl, to be used on model catalysts. 64-05872A
oxides, binary and ternary, structural and electronic properties. 64-04569A
trace amounts, in thin layers of garnets, polarographic determination. 64-01029A
- Platinumium.**
oxides, method for dissolving. 64-07417P
- Potassium's rate.**
for brittle materials, effect of microcracking on. 64-04534A
- Polarization.**
of ZrO_2 , CaO-stabilized. 64-05156A
depolarization, studies of defects in oxides. 64-07493A
of piezoelectric materials. 64-05240P
re-, in Ba-Sr niobate ferroelectric crystals. 64-03934A
of recombination luminescence, of pure Na silicate glasses. 64-03328A
retaining waveguide, optical. 64-00411P
screening, in Pb_2GeO_4 . 64-03828A
- Polarography.**
mineral, silicoaluminate, synthesis. 64-01175P
- Polishing apparatus.** See also *Abrasives; Diamonds.*
orbital, with elastic abrasive. 64-04055P
- Polishing.** See also *Abrasives; Diamonds.*
 Al_2O_3 , amorphous. 64-07248P
chemical, of Na β' - Al_2O_3 electrolytes. 64-00636A
of small glass products ground with diamond tools. 64-06293A
compositions, for Au on glass. 64-03737P
conditions, quantitative image analysis and interferometry to optimize. 64-02612A
glass, with bonded-ceria agent. 64-03462A
determination of acid content in agents for. 64-00160A
with diamond tools, effect of cooling liquids. 64-03456A
radioactive HF in solutions for, determination. 64-04748A
lens, apparatus for. 64-05386P
machine. 64-00960P
for optical lenses. 64-06814P
with rotating plate. 64-02566P
media, fixed abrasive Si-surfactant-coated. 64-00003P
optically, connector-mounted optical fibers. 64-03525P
pumice tufts, industrial applications for. 64-01645A
rapid, of sections of carbonate rocks for cathodoluminescent study. 64-04221A
rocks, temp.-sensitive sedimentary. 64-04218A
roof, of optical fibers. 64-04825A
surface, process for SiC-reinforced substrate. 64-07292P
wafer, Si, SiO_2 -sol compositions for. 64-00007P
- Pollution.**
Clean Air Act, rain of confusion. 64-07522A
Cr emissions, environmental agencies target. 64-07523A
N oxides, combustion method for inhibiting formation of. 64-04186P
NO concentration, in combustion gases, reducing by NH_3 injection. 64-05482P
NO_x control technology for glass furnaces. 64-06889A
emissions, incinerator and method of reducing. 64-04039P
emissions, combustion method for reducing. 64-06970P
Pb, and its absorption. 64-02601A
controls, in US enamel industry. 64-00095A
dedusting, in Polish cement industry, environmental aspects. 64-06071A
dust, airborne, in fiber workplaces, gravimetric determination. 64-01618A
emission, from cement plants, how to reduce. 64-04644A
sound, and thermal stress, in glass and ceramic industries. 64-03031A
effluent regulations, complying with. 64-01601A
developments. 64-01609A
emissions, gaseous, from cement kiln line, effect of oper-
- ating conditions. 64-06098A
environmental control equipment, in refractory industry in Japan. 64-04000A
environmental cost, for 7 enameling methods. 64-04676A
environmental protection, in development of Pb glass tubing for lamps. 64-04264A
in enamel industry. 64-04689A
soil, and silicate industries. 64-03028A
waste water, industrial, effect on treatment works. 64-01613A
- Polyelectrolytes.** See *Electrolytes.*
- Polymerization.**
induced, of monomer compounds of B_2O_3 , for modifying properties of ceramics. 64-01411A
low-temp., oxide glasses by. 64-01878A
- Polymers.**
of Cr compounds, binders based on. 64-05662A
Cr-containing inorganic, binders based on. 64-05864A
Si, reactive. 64-04488A
with chlorinated additives and metal oxides, effect of composition on fire retardant characteristics. 64-07327A
containing graphite, old and new problems solved by. 64-04310A
-filler matrices, ceramic-fiber composite processing via. 64-05320A
organosilazane, preceramic. 64-02964P
organosilicon, in production of oxide refractories. 64-04961A
precursor, for producing fibers. 64-04513P
pyro-, carbonaceous, process for removing Al_2O_3 or SiO_2 substrate from. 64-04515P
- Polymerphases.**
of SrTa_2O_7 . 64-01446A
- Phosphates.** See *Phosphates.*
- Porcelain, art.** See *Art and artwork.*
- Porcelain.** See also *Dinnerware.*
Chinese, of Yuan dynasty, technological study. 64-04612A
Ding white, Chinese. 64-06024A
blackening, during firing in SiC saggers. 64-03714A
body, property changes in. 64-05045A
of system MgO-SiO_2 . 64-06526A
of system MgO-SiO_2 , effect of additives. 64-06517A
bushing, gas-filled, with electrodes for moderating electric field. 64-06657P
china, Czech, trademarks of. 64-03735A
-clad electrical machine, with vibration-on-transportation suppression. 64-00797P
commercial, for high-voltage insulators, strength under dynamic and cyclic loads. 64-03829A
composition, sintered Al_2O_3 . 64-06535P
decorative, electric kiln for firing. 64-00594A
dental, elastic constants. 64-07095A
low-fusing, effects of topical fluorides on. 64-02762A
procedure for firing on metal. 64-03171P
sagger furnace for. 64-04192P
simulating fluorescent properties of natural dentition. 64-07084A
dinnerware, with high strength, properties and structure. 64-02265A
electrical, aluminous talc-doped, microstructure and properties. 64-02319A
dielectric and physicochemical properties. 64-06550A
extrusion of. 64-00903A
electro-, from system $\text{K}_2\text{O-Al}_2\text{O}_3\text{-SiO}_2$. 64-00679A
electrotechnical, determination of α - Al_2O_3 . 64-06542A
firing, in SiC saggers, blackening during, causes and prevention. 64-02259A
fluorinated, spark plug. 64-06671P
flux, feldspathic rock as. 64-04207A
synthetic, production and applications. 64-03728A
forsterite, as high-frequency insulator. 64-06560A
glazes, Zn-free ligation. 64-02284A
local raw materials for. 64-00604A
high- Al_2O_3 , effect of kaolins on properties. 64-06516A
hollow goods, mold for. 64-06834P
industry, in Hungary, history of Herend factory, 1944-48. 64-05039A
insulators, high-voltage glazed. 64-00757P
intensifying firing in tunnel kilns. 64-00674A
ivory-white, microstructure. 64-05043A
material design. 64-02274A
overglaze colors, numerical color index determination of. 64-05430A
self-glazing. 64-06527A
vitrification, furnace gas atm during. 64-02271A
- Pores.** See also *Porosity.*
of cement paste, hardened, liquid phase separated from. 64-05104A
channels, in powder compacts, stability of. 64-04567A
micro-, vol and micropore surface area, method for estimating. 64-01021A
-size distribution, bimodal, viscous sintering of. 64-01973A
volume, static exclusion method for determining. 64-02620A
- Porosimetry.**
Hg, using spline function, optimization of experimental results by. 64-02607A
- Porosity.** See also *Permeability.*
of ZrO_2 , metallized, method for improving. 64-04398P
and cement, regional variations, Illinois Basin. 64-01140A
in ceramics, extruded cellular. 64-01242A
of clay casts. 64-07494A
of clays, fused mixtures of K aluminate and native.
- 64-00608A
from combustible materials, effect on strength of structural clay products. 64-03568A
estimation, for random packings of spherical particles. 64-05949A
methods of assessing. 64-06916P
secondary, role in interpreting sandstone composition. 64-07051A
in sandstones, contributions of Chepikov and Savkevich. 64-01143A
size distribution, in unshaped refractories. 64-03622A
ultrafine, in hydrated cements, neutron scattering analysis. 64-06130A
- Porous materials.** See also *Cements; Concretes; Insulation, thermal.*
 ZnO and Pt-ZnO , gas-sensing characteristics. 64-03783A
applications for. 64-05519A
based on Al oxides and ethyl silicate. 64-01243A
catalyst, method of making. 64-07253P
corundum, behavior in living organism. 64-04243A; 64-04244A
film, glass, method of making. 64-06376P
for filtration of metals, molten. 64-05595P
gels, experimental sintering of. 64-06768A
glass, application. 64-01939A
molding, process for. 64-00995P
permeability measurements, apparatus and procedure for. 64-05444P
plates, fracture, under tension-compression. 64-01016A
production of, based on loess raw materials, chemical processes during. 64-07027A
refractory, mfg. of. 64-05021P
seabed nodules, texture and potential use as catalysts. 64-05505A
silicocalcareous mass, method of making. 64-01511P
preparation from high-surface-area SiO_2 . 64-01504P
solids, volume instability of. 64-01926A
sorption-desorption of water on. 64-06897A
zeolite, deagglomeration of. 64-04501P
- Portland cement.** See *Cements, portland.*
- Potash feldspar.** See *Feldspar.*
- Potassium.** See also *Alkalies.*
 KH_2PO_4 , crystals, structure and morphology. 64-05963A
and Cs tungstates, solid solutions of. 64-05799A
 K_2NaTaO_6 . 64-01434A
 $\text{KCaLa}_{1-x}\text{Ce}_x\text{Ta}(\text{PO}_4)_3$, energy transfer mechanisms. 64-04539A
 KCl-KBr crystals, concentrated, solid solution softening and hardening in. 64-02946A
 $\text{KLi}(\text{Si}_2\text{GeO}_6)$ and KLiTiO_6 . 64-01560A
 KMnO_4 , during crystallization in electric field, variation of thermostability. 64-01594A
 KNaZnO_3 , new oxazincate. 64-01429A
 KNO_3 , electron structure of impurity centers Nb(IV) . 64-01538A
 KTaO_3 , ferroelectric, hyper-Raman scattering from. 64-03925A
 KTiOPO_3 , crystals, optimum phase match parameters, calculation of. 64-02974A
feldspar, crystals, in reflection spectra. 64-01549A
fluorichterite, glass-ceramic, method of making. 64-00264P
hexanitrate, crystals, properties of. 64-02994A
sulfate, conversion of gypsum to. 64-05879P
- Potentiometers.** See *Resistors, electrical.*
- Potters.** See *Artists.*
- Pottery industry.**
in Incheon, Korea. 64-01678A
of Montenoite, France, 1805-12. 64-01677A
in Tennessee, John Dunn's pottery in Smithville. 64-06035A
in UK, role of single- and fast-firing in energy savings. 64-05046A
mfg. techniques, xeroradiographic study, test case from Ba'q'h Valley, Jordan. 64-02283A
- Pottery.** See also *Archeology; Art and artwork; Design; Dinnerware; Stoneware; Whiteware.*
from Montepulciano, Italy. 64-01675A
of Montenoite, France, 1805-12. 64-01677A
Roman, Cologne, Germany, source of clay used for. 64-04611A
in Talavera de la Reina, Spain. 64-06032A
majolica, France. 64-03062A
with excellent physical-technological properties. 64-01132A
potters, of Montepulciano, Italy. 64-06031A
- Powders.** See also *Granular materials and specific types.*
 Al_2O_3 , hot isostatic pressing of. 64-05743A
pigmented, method of making. 64-04510P
preparation by oxidation of tri(acetylacetonato)Al(III). 64-07370A
pressed pellets, irreversible dilation on heating. 64-07473A
spherical, $\gamma \rightarrow \alpha$ transformation in. 64-07333A
 $\text{Al}_2\text{O}_3\text{-ZrO}_2$, flame spray. 64-01283P
 AlN , preparation. 64-05569A
as sintering additive. 64-01150P
 BN , wurtzite-like, densification kinetics in hot pressing. 64-02753A
Ba hexaferrite, preparation and magnetic properties. 64-06718A
Ba or Sr titanate, crystal-sized, preparation of. 64-02402P
 BaFe_2O_7 , structural transformations in surface layers. 64-05305A
 $\text{Bi}_2\text{Ti}_2\text{O}_7$, fused salt synthesis of. 64-03782A

- Fe oxide, Co-containing magnetic, method of making. 64-02491P
magnetic, Co-containing, mfg. process. 64-03978P
Fe-MgO, heat-treated, magnesioferrite formation. 64-06712A
Mg(OH)₂ and calcined MgO, effects of precipitation temp. on properties. 64-05491A
MgO, and CaO, photoluminescence from surface states. 64-04562A
by evaporative decomposition of solutions. 64-01449A
Si, sintering. 64-07501A
Si₃N₄, and Si, attrition mill for producing. 64-00897A
densification with additives. 64-04261A
determination of dielectric properties. 64-07083A
explosive loading of. 64-07099A
grinding prior to heating to produce crystalline powder. 64-07229P
plasma spray. 64-05641P
process for preparing. 64-07271P
sinterable, method of making. 64-04416P
synthetic, surface of. 64-02833A
SiC, 2H-type, method of making. 64-07228P
removal of oxide contamination from. 64-01253A
shock compaction of. 64-07164A
sintering, with B and C as aids. 64-01256A
synthesis. 64-01263A
β-Sialon, carbothermal reduction processes in. 64-04327A
SnO₂, P-doped. 64-06655P
(Th,U)O₂, prepared via bulk microwave denitration. 64-00881A
TiB₂, preparation of. 64-04411P
TiO₂-Al₂O₃, preparation by vapor-phase reaction of TiCl₄-AlBr₃-O₂ system. 64-01246A
UO₂, production process. 64-02500P
UO₂, method of making. 64-05354P
V₂O₅, method of fusing. 64-04051P
WC, for hardfacing ferrous material. 64-00122P
Y₂O₃-stabilized ZrO₂, role of Al₂O₃ in sintering. 64-07159A
Zr₂Ti diboride, preparation of. 64-07426P
ZrO₂, CaO-stabilized, prepared by spray-pyrolysis, sinterability of. 64-02825A
and Y-doped ZrO₂, processing and characterization. 64-07150A
tetragonal, metastability of. 64-05561A
ZrO₂-Al₂O₃, by Zr alkoxide hydrolysis. 64-04320A
distribution of ZrO₂ and Al₂O₃ in. 64-02757A
e-Si₃N₄, synthesis from SiO₂. 64-05583A; 64-07181A
active, for PLTZ transparent ceramics, preparation of. 64-05276A
agglomerates, role in ceramic processing. 64-00927A
alkali halide, microcrystalline, model for reduced stability of coloration. 64-05933A
apparatus for controlled supply, to mold for continuous casting. 64-04018P
in bottom of silo, device for extracting. 64-06810P
calcined, particle size distributions in. 64-07491A
calcite and CaO, interactions with LiBr. 64-04471A
cement, reactivity and burning ability. 64-06083A
ceramic, and cermet composite, interaction and transformation in particles during flame spraying. 64-04301A
high-purity, industrial synthesis of. 64-07118A
hot isostatic pressing of. 64-04152A
process for preparation of. 64-04517P
processing. 64-04250A
for ceramic raw materials. 64-07145A
characterization, by mean size determination. 64-06890A
coating, basic tundish. 64-06439A
compact, press-molding process for. 64-05394P
compaction of. 64-03993A
composite, of ZrO₂ and Al₂O₃, particles, method of making. 64-02893P
composition, for making sintered ceramics. 64-02963P
continuously fed, apparatus for weighing. 64-02535P
conveyor for, constant discharge. 64-04027P
high-pressure. 64-04038P
critical volume, in plastic forming, method for determining. 64-00917A
crystalline, molten Mg chloride in preparation of. 64-04475A
device for making, by dividing a melt. 64-06809P
diffractometry, neutron, scintillation detector for. 64-06879A
dispensing, automatic dispensing methods and apparatus. 64-00945P
container, for flame-spraying torch. 64-05392P
distributing, method and apparatus for. 64-02557P
dry, metering apparatus. 64-00958P
drying, method and apparatus for. 64-04042P
electrically conductive, white colored. 64-05086A
enamel, porcelain, design and construction of cleaning system for. 64-00082A
porcelain, progress with. 64-00109A; 64-00113A
ferrite, magnetic carrier, for brush development. 64-02487P
fine, dispensing method. 64-02559P
pneumatic-tube conveyor for. 64-00992P
gel, coatings. 64-06594P
glass, SiO₂-Al₂O₃-CaO, vitrification kinetics. 64-03385A
cordierite-type, isothermal sintering of. 64-00309A
corrosion-inhibiting paint composition containing. 64-06346P
heat treatment of, method and apparatus. 64-04179P
shaft furnace for. 64-04193P
high-purity, Al₂O₃ and ZrO₂, industrial synthesis of. 64-07118A
ignition, B and Fe³⁺ oxide, high-temp.-stable. 64-02371P
magnesite, sintered, from caustic magnesite dust. 64-05013A
magnetic, with high dispersibility, production of. 64-03979P
metal titanate, method of making. 64-07422P
metal-cored ceramic-surfaced, method and apparatus for making. 64-06152P
metallic nitride, method of making. 64-02901P
method of shaping green body from. 64-04047P
optical constants, reflection method for obtaining. 64-04072A
oxide, dispersions in inorganic liquids, for making capacitors. 64-06765A
periclase and periclase-lime, for steel casting, Soviet standard. 64-00517A
processing, advanced technology. 64-00885A
rare-earth oxide, sinterable, production by dewatering of precursors. 64-04219A
reactions between, solid-state, kinetics analysis. 64-01419A
refractory, metal carbide, method of making. 64-00570P
simple and complex, precision doping of. 64-07146A
sodalite, compaction kinetics. 64-01384A
specific surface, method for measuring. 64-01066P
spinel, production. 64-01169P
spray chamber. 64-05393P
spray-dried, for red body single firing. 64-04045A
surface area and concentration, in dispersion, determination using light transmission. 64-06866A
varistor, TiO₂, process for mass production. 64-00654A
from wastes, quartzite, for ladle linings. 64-04099A
Power, See Energy.
Pozzolans. See Cements; Mortars.
Praseodymium.
-containing refractories, with electron conductivity. 64-02175A
Precipitates.
of illite, kaolinite, and montmorillonite, settling velocity, diam., and density of flocs. 64-07050A
Precipitation.
of AlN, from gas phase. 64-05570A
co-, synthesis of Sr metaniobate by. 64-01471A
of colloidal SiO₂, in high-SiO₂ porous glass. 64-01965A
of defects, in Cr₂O₃-doped rutile. 64-04484A
direct, of PZT. 64-03919A
electrostatic, of particulate emissions from melting of borosilicate and Pb glasses. 64-03434A
of films, CoO, from gas phase. 64-01383A
procedure, effect on sinterability of Y₂O₃, prepared from hydroxide. 64-04468A
of silicas, with high structure. 64-04511P
from solid solution, dilute, kinetics of. 64-04473A
of solids, attending flow through porous media. 64-02716A
temp., effect on powder properties of Mg(OH)₂, and calcined MgO. 64-05491A
Precipitators.
electrostatic, energy-saving controls for. 64-03086A
Presses.
for dewatering, ceramic materials. 64-04050P
filter, operation of. 64-04034P
isostatic, heater for. 64-00963P
hot. 64-00965P
-molding process, for powder compact. 64-05394P
thickness control system for, automatic. 64-02504A
vacuum, for brick forming. 64-03579P
Pressing.
Al₂O₃, spray-dried, effect of humidity. 64-01124A
automatic, of continuous tows. 64-06838P
dry. 64-00990P
dust, into tiles. 64-06069A
electrohydraulic, of refractory bodies. 64-02183A
glass, surface tension in. 64-03489A
high-pressure hot-, of AlN without additives. 64-04285A
hot isostatic. 64-00907A; 64-00908A
of Al₂O₃ powder. 64-05743A
of SiC. 64-04283A
of Si₃N₄, with metal nitride additives. 64-04279A
in USA. 64-02524A
of Y₂O₃-PSZ. 64-04291A
apparatus. 64-02545P; 64-02546P
applications for. 64-06755A
in ceramic industry. 64-02511A
of ceramic powders. 64-04152A
densification of sintered PZT by. 64-00825A
effect on reaction-bonded Si₃N₄. 64-01204A
forming ZrO₂-based coatings by. 64-03164P
with glass powder, welding by. 64-02028P
heater for. 64-04037P
method of. 64-00987P
system. 64-00965P
hot-, BN paint for. 64-07200P
of SiC with BaO and C additions. 64-07115A
α-SiC. 64-01304P
furnace for. 64-04173P
reactive Si₃N₄ materials. 64-02879P
of seawater MgO materials. 64-06773A
hot-isostatic, crystalline-phase formation in nuclear wastes with high ZrO₂ content by. 64-05321A
isostatic, cold, plant. 64-06836P
dry-bag, and contour grinding of technical ceramics. 64-00990A
of metallic or ceramic material with glass coating. 64-00970P
wet-bag, tooling design for. 64-00932A
materials, refractory, in hydrodynamic machines. 64-02178A
parameters, effect on surface area of freeze- and spray-dried Al₂O₃. 64-01125A
refractories, lightweight corundum. 64-02182A
Pressure.
pN₂, effect on mfg. of reaction-bonded Si₃N₄. 64-07088A
pO₂, of LaMnO₃, phase, limiting. 64-01421A
effect on properties of Al₂O₃ films. 64-01205A
cohesive, in zeolite-H₂O system. 64-05669A
combustion, peak, detector (piezoelectric) for. 64-02439P
in decomposition, of nitrides of V(A) subgroup metals, temp. decrease. 64-01475A
dependence, of disaccommodation in Mn-Zn ferrite crystals. 64-02478A
of thermal conductivity of glasses. 64-06323A
dissociation, of Nb nitrides. 64-01393A
effect on fast ion conductivity, in glasses. 64-01837A
extrusion, calculation of extrusion pressure for. 64-02506A
for ceramic materials, calculation of. 64-02505A
in a group of furnaces, system for automatic control of. 64-02674A
high, consistometer for. 64-01051P
hydrostatic, dependence of crystal structure of ruby on. 64-01528A
internal, in glass containers, relation of shock resistance to. 64-03479A
second-order, derivatives of elastic moduli of machinable glass-ceramic. 64-01969A
sensor, GaAlAs layer. 64-05242P
vibrating quartz diaphragm. 64-00852P
shaping, effect on properties of floor tiles. 64-05038A
and temp., method and apparatus for measuring. 64-04128P
transducer, glass-supported semiconductor. 64-06405P
semiconductor bonded glass-metal. 64-03945P
ultrahigh, equipment for. 64-04016A
vapor, in system In-Sb-As. 64-05200A
water-vapor, effect on initial sintering of MgO. 64-07124A
Printing.
area, method for glazing. 64-00982P
on cylindrical or conical articles. 64-04057P
flexible membrane apparatus, for decorating machine. 64-05383P
head, glazed thermal, method for forming. 64-02381P
thermal Cr-Si-SiO₂ resistor. 64-06673P
thermal glazed. 64-00814P
thermal, with dielectric substrate and Ta₂N heater. 64-00815P
thermal, with glazed layer. 64-00816P
inks, in oxide, Ba-Ca borosilicate glass frit resistor. 64-00760P
particulate Al₂O₃, thick film resistor. 64-02423P
intaglio plate, thick-film method. 64-02573P
machines, combine offset system with direct screening. 64-02522A
flat silk-screen. 64-06812P
hot-melt screen. 64-02547P
pad, plate holder for. 64-02565P
pad, for decorating tableware, developments in. 64-05362A
screen, arrangement for preventing deformation of. 64-04022P
machine and drive system for. 64-04060P
machine doctor blades. 64-05395P
silk screen, of cylindrical ware, machine for. 64-04061P
ink-dispensing system for. 64-02549P
machine with conveyor. 64-04062P
techniques, and flexibility to designs. 64-02522A
transfer, floor tile. 64-00626P
metal-semiconductor (metal silicide or chalcogenide) resistive ribbon for. 64-00768P
process. 64-01003P
Probes.
electron, for pigment-flux interaction analysis. 64-07328A
hardness measuring. 64-05450P
Production processes and equipment.
Czochralski process, two-crucible. 64-04015A
HIP equipment, recent trends and application to ceramics. 64-04008A
IS machines, with electronic timing, performance improvement of. 64-06780A
Pfefferkorn method, application to controlled plasticity of extrusion pastes. 64-06756A
additive inventory control, batching, and delivery system. 64-06793P
atomizing, ultrasonic nozzles take pressure out of. 64-02531A
automation, cost of. 64-02533A
bottles, method and apparatus for transferring. 64-02588P
casting, tape, future developments. 64-00929A
composite materials, draping layers of. 64-02568P
crystal growing, apparatus for. 64-05378P
cyclone performance, effect of recycle on. 64-02509A
deposition, CVD, apparatus for. 64-05377P
automatic, of continuous tows. 64-06838P
physical vapor, apparatus for. 64-06798P
drying, spray. 64-06786A
for drying and burning, of refractories, in Japan. 64-03997A
for enameling, powder porcelain. 64-00083A
for enameling industry, porcelain. 64-00088A
extrusion, body parameters affecting. 64-00890A
fans and blowers, performance data for. 64-02507A
filtering apparatus, magnetic. 64-02553P

- firing equipment, ceramic product with metal cars. 64-02682P
- flame process, for optical fibers. 64-04793A
- fluidized bed combustion, for porcelain enameling industry. 64-00089A
- forming, apparatus and method for. 64-06795P
- and transferring coils, for insertion into slotted magnetic core. 64-02537P
- growing and discharging crystals, apparatus and method of. 64-02534P
- for handling sheets. 64-02539P
- holding device, for glass panes, marble slabs, and like bodies. 64-00964P
- hydrodynamic machines, pressability of refractory materials in. 64-02178A
- ink-dispensing system, for silk-screen printing. 64-02549P
- level monitoring, new products around. 64-02514A
- liquid phase technique, for making ultrafine particles. 64-02521A
- machine, for diamond dulling of glass. 64-00912A
- for injection molding. 64-00913A
- for lapping or polishing. 64-00966P
- magnetoplasma dynamic apparatus, for separation and deposition of materials. 64-02554P
- microprocessors, applications for. 64-05356A
- mill, centrifugal. 64-04054P
- hammer, with capped disc rotor. 64-05384P
- mixer, Eirich, versatility of. 64-06790A
- pan-type. 64-05388P
- positive- and negative-pressure air, characteristics of. 64-06776A
- for mixing and molding, of refractories, in Japan. 64-04005A
- molding, method for. 64-04045P
- from pourable compounds, method and apparatus. 64-02564P
- molds, throwing. 64-06848P
- for monolithic refractories, in Japan. 64-04001A
- for orienting bottles, apparatus. 64-00948P
- pickling, spray, microprocessor-controlled. 64-00100A
- polishing machines, with rotating plate. 64-02566P
- powder dispensing container, for flame-spraying torch. 64-05392P
- pressing, hot isostatic. 64-00907A; 64-00908A; 64-02545P; 64-02546P
- hot isostatic, method of. 64-00987P
- printing machine, doctor blades. 64-05395P
- flat silk-screen. 64-06812P
- hot-melt screen. 64-02547P
- pad, plate holder for. 64-02565P
- screen, and drive system for. 64-04060P
- silk screen, with conveyor and registration device. 64-04062P
- silk screen, with cylindrical ware. 64-04061P
- printing techniques, and flexibility to designs. 64-02522A
- production line, for threaded graphite nipples. 64-05396P
- screen, double-frequency classifier-vibrating. 64-02508A
- screening, device for. 64-06842P
- screens and screening. 64-04013A
- sintering. 64-07500A
- rapid-rate, of multiphase ceramics. 64-02570P
- sol-gel processing, and ceramic development. 64-06754A
- spinning machine, for glass fibers. 64-06845P
- spray-drying, method. 64-00999P
- treatment apparatus, high-temp., high-pressure. 64-02687P
- vapor phase techniques, for making ultrafine particles. 64-02526A
- webs, apparatus for treating. 64-05372P
- winding apparatus, for glass fibers. 64-05387P
- winding machine, fiber optic. 64-06815P
- workpiece treatment system, high-temp., high-pressure. 64-02544P
- Frustic ceramics,**
- applications. 64-07131A
- blade, doctor. 64-04033P
- bone implants, development of phosphate glass-ceramics for. 64-04267A
- corundum, porous. 64-04243A; 64-04244A
- glass, nontraditional applications. 64-03467A
- implants, triazin resin/C fiber composites. 64-04365A
- joint, strength and resistance to slow crack propagation. 64-05580A
- metal, bioglass covering. 64-01179A
- surface-active. 64-04353A
- Protons,**
- conductors, NH₄-tantalate-tungstate. 64-02286A
- Pulverizing.** See *Crushing; Grinding.*
- Pyrolysis.** See *Temperature measuring instruments.*
- Pyrite,**
- firing, concrete lining of furnaces for. 64-02200A
- Pyroelectricity,**
- in Ba-Sr niobate. 64-00836A
- in crystals, Li niobate and tantalate. 64-05280A
- of transducers, PZT niobate. 64-02435A
- Pyrolysis,**
- in glass, flat, conductive coatings made by. 64-01870A
- spray, ZrO₂ coatings prepared by. 64-04692A
- Pyrometers.** See *Temperature measuring instruments.*
- Pyrophyllite,**
- Korean, synthesis of β -SiAlon from. 64-07183A
- annual ceramic mineral resources review. 64-07013A
- polytypism of. 64-05498A
- thermal reactions of, ²⁷Al and ²⁹Si NMR spectroscopy. 64-07395A
- Pyroxenes,**
- porphyrite stone castings, improving quality of treatment of. 64-01953A
- Quality control,**
- in USSR Dinas plant. 64-02191A
- autoradiographic, of semiconductor materials. 64-05054A
- in container production, glass. 64-03475A
- effect of processing parameters, on properties of red stone-wa tiles. 64-04897A
- of frits, enamel. 64-04821A
- in glass container production, possibilities and limitations. 64-01966A; 64-01967A; 64-01968A
- inspection method, glass containers. 64-02643P
- metrological, in production of refractories. 64-02148A
- in microcircuit production. 64-03821A
- during production, of ThO₂. 64-03984A
- of refractories, dolomite. 64-04919A
- in refractory industry, with new batching system. 64-04977A
- reliability, of engineering ceramics. 64-05976A
- in tile industry, with microelectronics. 64-00920A
- ultrasonic, of refractory concrete, new Soviet standard. 64-04492A
- Quarrying,**
- rock, rupture theories for. 64-04203A
- Quartz.** See also *Glass; Refractories; Silicon dioxide.*
- X-cut, for improved SAW temp. stability. 64-06699A
- X-cut, shock-induced luminescence from, spectral and spatial characteristics. 64-00838A
- $\alpha \rightarrow \beta$ transition, intermediate phase in, theoretical consideration. 64-02949A
- α , fine-crystalline, method of making. 64-07427P
- radiation-induced mobility of Li and Na in. 64-01452A
- crucibles, for semiconductor production. 64-06480P
- crystal, effect of convection baffle and Li nitrate dopants on growth rate. 64-02979A
- oscillator, rectangular thickness shear. 64-00848P
- resonators, cut angles for. 64-03863P
- temp. sensor with. 64-00849P
- determination of, and correlation with physical properties of kaolinite. 64-02702A
- fused, ZnO film on Au film on, crystalline properties. 64-06681A
- glass, with Fe and Al, ir-absorbing. 64-03397P
- industrial types, statistical and electron microscopic studies. 64-03485A
- microporous, optical characteristics of active elements made of. 64-04813A
- radiation processes, role of H and Cl impurities. 64-01902A
- with radiation-induced color, photostimulated thermoluminescence of. 64-03323A
- radiation-induced paramagnetic color centers in, formation mechanism. 64-03308A
- semiconductor handling tray. 64-00424P
- sintering, effect of chemical modification of surface on. 64-01834A
- spin-exchange interaction of E_i centers on surface. 64-03362A
- transparent, from Svetloreshensk, USSR, deposit. 64-01139A
- grain, dissolution in flowing glassmelt, mathematical modeling. 64-04735A
- lab-shocked, deformation in. 64-02428A
- method for coating, with BN. 64-07245P
- natural and Ag-doped, after X-ray excitation, decay of luminescence. 64-03759A
- neutron-irradiated, point defects in. 64-06692A
- piezoelectric coeffs. for, nonlinear. 64-00829A
- plates, elastic stiffness derived from frequency-temp. behavior. 64-07508A
- properties of. 64-05278A
- resonator, stress-compensated. 64-02446P
- thermally generated frequency excursions in. 64-03938A
- tuning fork flexural. 64-00850P
- from sands, fused Volnogorsk, USSR. 64-00702A
- synthesis, hydrothermal, in Japan. 64-05503A
- synthetic, formation mechanism of structure of basal plane. 64-07331A
- recent progress in. 64-04823A
- transformation, into cristobalite, effect of mode of SiO₂ addition. 64-01836A
- triboluminescence. 64-00238A
- tubes, flange connection for. 64-02543P
- vibrating, diaphragm pressure sensor. 64-00852P
- ware, nonsintered, method for making. 64-00069P
- Quartzite,**
- Jenikov (Czech), for Dinas bricks, convertibility of. 64-02701A
- corundum, refractory concretes. 64-00505A
- as raw material, refractory. 64-03662A
- Quenching,**
- concentration, in semiconductor γ -La₂S₃ crystals and La₂S₃:2Ga₂O₃ glasses. 64-03758A
- glass, shaped, method and apparatus for. 64-06380P; 64-06380P
- sheet, apparatus for. 64-06359P
- sheet, method and apparatus for supplying cooling air. 64-06373P
- immediately after sputtering, effect on superconducting NbN films. 64-00652A
- thermal, in semiconductor glasses GeS₂ and GeSe₂. 64-03322A
- Quicklime.** See *Lime.*
- Radiation,**
- Nd glass laser, electrical signal produced by breakdown in PZT plate. 64-06554A
- X-ray, brown coloration of high-Pb silicate glasses by. 64-06167A
- acoustic wave, effect on CVD. 64-05533A
- behavior, of refractories, influencing. 64-02127A
- change, in procedures of graphite after thermomechanical treatment. 64-01249A
- damage, in Al₂O₃. 64-07496A
- in fluoride glasses, optical absorption study. 64-06230A
- effects on glasses, sphen and sphen-based. 64-04747A
- electromagnetic, lightpipe with optical devices for distributing. 64-03517P
- electron, of hexagonal BN, preparation of cubic BN particles by. 64-04341A
- fast neutron, behavior of AlN under. 64-04245A
- γ , of brines, effect on leaching of waste glass. 64-04720A
- effect on mechanical properties of corundum. 64-01203A
- method of detecting. 64-04129P
- in phosphate and fluorophosphate glasses, paramagnetic color center induced by. 64-06231A
- high-intensity, gas formation in silicate glasses under. 64-00186A
- imageable compositions, containing hollow microspheres. 64-05355P
- induced damage, in Fe silicate glasses, ESR study. 64-03245A
- induced defects, in fluoride glasses. 64-06238A
- induced electron traps, in SiO₂. 64-00703A
- ionizing, effect on mechanical and sorption properties of granular zeolites. 64-05909A
- ir, pyrometer. 64-01059P
- laser, interaction with luminescence centers in K borate glass. 64-04730A
- low dose rate, effect on doped SiO₂-core optical fibers. 64-03431A
- of nuclear waste glasses, effect on Hertzian indentation behavior. 64-04719A
- pulsed γ -neutron, in silicate glasses, relation of stability to chemical composition. 64-03349A
- reduction, in nuclear reactor water using Ti oxide adsorbent. 64-05344A
- shock-induced, measurements on CaF₂. 64-02995A
- stimulated, in crystals with garnet structure. 64-00678A
- of ions Tm³⁺-Hn³⁺ in Lu₂Al₂O₇:Cr³⁺-Tm³⁺, Ho³⁺. 64-01190A
- synchrotron, as intense X-ray source. 64-04592A
- transfer, in semitransparent media. 64-01572A
- Radiolabelled materials.** See *Isotopes; Wastes.*
- Radiolabelled tracers.** See also *Isotopes.*
- for determining wall wear, of glassmelting kilns. 64-04783A
- for flow of materials, in cement plants. 64-01732A
- for studying corrosion mechanisms, of glasses in aqueous solutions. 64-06239A
- Radiography,**
- image conversion screens, layered phosphor. 64-02407P
- phosphor. 64-05889P
- Radiolabelled isotopes.** See *Isotopes.*
- Rare earths (lanthanoids).** See also specific types.
- RCoO₂ (R = Sm, Eu, Gd), solid-phase synthesis of. 64-05802A
- additives, determination in Ga sesquioxide-type crystals. 64-05407A
- attract attention. 64-02720A
- chalcogenides, stability of coordination polyhedra and structural types in. 64-05807A
- dititanates of, crystallization under hydrothermal conditions. 64-05682A
- germanide, magnetooptical recording medium. 64-03973P
- glasses, uniform broadening of spectral lines. 64-03378A
- in, on aluminoborate glass. 64-00143A
- magnetoplumbites, structural chemistry. 64-01575A
- metal alkoxide, process for producing. 64-05888P
- metallic oxides and oxysulfide phosphors, reclamation process. 64-01161P
- optical absorption, in Zr fluoride glasses. 64-00212A
- orthoferrites, electronic structure of Fe³⁺ centers. 64-03955A
- orthotitanates, model for structure of β -modification. 64-05934A
- oxides, mechanism of anatase-rutile phase transformation. 64-04469A
- scintillator. 64-06663P
- sulfides, spectroscopic properties and industrial application. 64-07502A
- with variable valence, monochalcogenides of. 64-05753A
- Raw materials.** See *Cements; Materials, raw; Rocks; Sands.*

Reactions.

- of As_2Se_3 , glassy, with Ag and Ti. 64-03341A
 glassy, with Cu and Ag. 64-03342A
 of BaCl_2 and BaSO_4 , at elevated temps. 64-04470A
 of Ca bromide, with bromides of Dy and Ho. 64-05729A
 between Fe(III) hydroxide oxide and Fe(II) sulfate, formation of magnetite by. 64-02933A
 of Ge with Ge tetrachloride, and existence of GeOCl_2 and GeOCl_4 at equilibrium. 64-01454A
 of GeO_2 , with molten fluorides of alkali metals. 64-05730A
 of HCl solutions, with glasses in system $\text{Na}_2\text{O-TiO}_2\text{-GeO}_2$. 64-03307A
 of HgTe, with certain metals. 64-05167A
 of Ho tribromide, with bromides of alkali metals. 64-05731A
 of LiBr, with calcite and CaO powders. 64-04471A
 MgO-C, behavior of flake graphites and MgO clinkers in. 64-02064A
 of Na, with materials for Na lamp. 64-05577A
 between Na_2CO_3 and SiO_2 sand. 64-07374A
 of PCl_5 , with SiO_2 in inert atm. 64-01453A
 of PdCl_2 , with chlorides of Ru and Cs. 64-05732A
 between Si_3N_4 and metal surface. 64-04300A
 between SiC refractories, and alkali-metal silicate melts. 64-04963A
 of SiO_2 sols, with NH₄ buffer solution of Mn chloride. 64-01456A
 of SrCO_3 , with kaolin, effect of mineralizers. 64-07378A
 of TaBr₅, with bromides of Cs, Ru, K, and Na. 64-05734A
 between Ti-containing metals, and magnesium refractory concretes in liquid glass. 64-02193A
 of V trichloride oxide vapor, with surface silanol groups of SiO_2 . 64-07344A
 between Zn melt, and aluminosilicate rammed material. 64-04964A
 alkali, in refractory castables. 64-05383A
 alkali- SiO_2 , expansion, effect of reactive aggregate and alkali compounds on. 64-07342A
 between baddeleyite-corundum and Dinas refractories. 64-04928A
 between dielectric and electrode, during mfg. of capacitors. 64-06574A
 between biocompatible glass and bone tissue, analytical methods for evaluating. 64-06162A
 carbonate, in glass batches quartz-Na carbonate-calcite-dolomite and dolomite-boric acid, effect of additives. 64-03273A
 at clinker/triethanolamine interface. 64-04647A
 couples, plasma-sprayed. 64-02807A
 along cross-section GaTe-FeTe and GaTe-Fe , in system Ga-Fe-Te. 64-05737A
 between cryolite, and SiC refractories. 64-02818A
 exchange, of Ti-Cr diboride with liquid metallic bond. 64-01211A
 in solid solutions $\text{Sr}_2\text{Co}_2\text{Mg}_{1-x}\text{WO}_6$ and $\text{Sr}_2\text{Ni}_2\text{Mg}_{1-x}\text{WO}_6$. 64-05900A
 of films, BN, with Ni at high temp. 64-01250A
 gas-solid, displays of thermodynamics, application to oxidation of metals and evaporation of oxides. 64-04565A
 of gels, monolithic, with water during gel-glass conversion. 64-06242A
 in glass-forming systems, $\text{Na}_2\text{O-Rb}_2\text{O-SiO}_2$. 64-03344A
 of heavy-metal fluoride glass with atm water, surface-OH profile. 64-07391A
 heterogeneous, of Al_2O_3 , with CaO-mineralizer systems to form CA. 64-01722A
 of hydrated ZrO_2 , with phosphorus acid. 64-01455A
 hydrothermal, of $\beta\text{-Ca}_2\text{S}$. 64-06070A
 between hydroxyapatite and $(\text{NH}_4)_2\text{SO}_4$, formation of solid β -tricalcium orthophosphate by. 64-04459A
 inorganic and organometallic, mechanisms of. 64-03043B; 64-03044B
 interfacial, between SiC and Al during joining. 64-01225A
 with $\beta\text{-Al}_2\text{O}_3$ and Y_2O_3 -PSZ. 64-07077A
 internal, in oxide solid solutions. 64-01416A
 kaolinite-mullite, outstanding problems in, NMR study. 64-07488A; 64-07489A
 mechanisms, in MgO-Cermet composition. 64-07376A
 of montmorillonite, with cysteamine. 64-07377A
 of oxides of Te(IV) and W(VI), with chlorides of Nd and Y. 64-05742A
 of periclase and chromite, with calcareo-aluminiferous melt. 64-0507A
 peritectic, in system $\text{ZrO}_2\text{-Al}_2\text{O}_3\text{-SiO}_2$. 64-07360A
 pozzolanic, of nonferrous slags. 64-06091A
 rare earth-rare earth exchange, in ferrite garnets. 64-03967A
 of refractories, zircon, with molten steel. 64-06463A
 in region of glass formation, in system $(\text{As},\text{Yb})_2\text{Si}_2\text{S}_5$. 64-05735A
 of silic acid xerogels, with $\text{Ca}(\text{OH})_2$. 64-05733A
 solid-phase, in system $\text{BiF}_3\text{-KF}$. 64-05801A
 solid-state, between Al_2O_3 and ZnO, effect of agglomeration of Al_2O_3 on. 64-02758A
 between powders, kinetic analysis. 64-01419A
 of spinels, MgAl_2O_4 , with C. 64-00508A
 surface, of magnetite in aqueous solution. 64-02936A
 in systems, $\text{Al}_2\text{O}_3\text{-Cr}_2\text{O}_3$. 64-00506A
 BaO-RuO₄. 64-05736A
 (Dy,Gd)₂Si₂-Cr₂S₃. 64-05739A
 PbTe-TiSe. 64-05738A
 SnSe-Fe(Co,Ni)Se. 64-05740A
 SnTe-Ni₂Te. 64-05666A
 thermal, of kaolinite, NMR study. 64-07053A
 of pyrophyllite, ²⁷Al and ²⁹Si NMR study. 64-07395A
 thermoactivated, of ZrO_2 , with SiO_2 . 64-01482A
Reactivity.
 of SiC, ion-implanted. 64-07154A
 alkali, of aggregates, rapid identification of. 64-07373A
 hydrolytic, of $\text{Na}_2\text{O-CaO}$ glass, effects of dealcalization treatments on. 64-06186A
 of lime. 64-01750A
 of magnesites, calcined, for Mg oxychloride cements, potentiometric study. 64-01448A
 of powders, of cement raw materials. 64-06083A
 of slag, blast-furnace, and structure. 64-05677A
 high-MgO Ni. 64-01749A
 of solids, and mechanochemistry. 64-04489A
Reactors.
 CVD, distributor tube for. 64-04031P
 for coating glass. 64-06404P
 fluidized bed, dolomite decomposition in. 64-00466A
 high-temp., multiple thermocouple system for. 64-02648P
 light-water, high-U fuel rod for. 64-03985P
 nuclear, radiation reduction in water using TiO_2 adsorbent. 64-05344A
 nuclear, VVR-S, electrical properties of technical glasses in. 64-01916A
 plasma, with reduced chamber wall deposition. 64-05390P
 and susceptor, for CVD. 64-06991P
Reagents. See specific types.
Reclamation.
 of Ta oxide, high-purity, process for. 64-02735P
Recrystallization. See Crystallization.
Recuperators. See Furnaces; Kilns; Refractories.
Reduction.
 of Mo(VI), in aqueous medium, Mo(V) hydroxide by. 64-01451A
 of Pd, in presence of Ag. 64-05142A
 carbothermal, in production of α -Sialon powders. 64-04327A
 furnace, apparatus for converting lab air furnace to. 64-01092P
 of precursors, preparation of III-V compounds by. 64-00698A
Reflection.
 of crystals, uniaxial absorbing. 64-04564A
 of minerals, natural and powdered, at CO₂ laser wavelengths. 64-05953A
Reflectivity. See Reflection.
Reflectometers.
 with integrating sphere. 64-02651P
 optical time domain, for fiber testing, calibrator for. 64-04133P
Refraction.
 in PLZT, measurements of temp. dependence. 64-05269A
 of crystals, CdGa₂S₄, effect of compression on. 64-03920A
 CdGa₂S₄, effect of temp. on. 64-05911A
 double, of thermally treated glasses, anomalous growth of. 64-03407A
 in films, LPE-grown magnetic garnet. 64-02457A
 of fluorides, MnF₂, MgF₂, and ZnF₂, temp. dependence. 64-04571A
 of glasses, Ba fluoroaluminophosphate. 64-01900A
 Na silicate-phosphate. 64-03304A
 photo-, in BaTiO₃ crystals, speed of. 64-06578A
 in LiNbO₃ couplers. 64-03930A
 refractometer, with limiting angle method. 64-02652P
Refractive index.
 of Li niobate, temp. dependence. 64-03937A
 of MgF₂. 64-03820A
 of Zn sulfide. 64-02332A
 determination of, by diffraction grating. 64-04081A
 of films, ZnSe in the ir. 64-05171A
 optical slab waveguide, calculating methods. 64-05967A
 thin. 64-03478A
 of glasses, Na germanate, calculation of. 64-03196A
 during cooling at constant rate, changes in. 64-03200A
 fitting with Sellmeier dispersion formula. 64-04723A
 gradient, of glass during heat treatment, formation mechanism. 64-03441A
 glass product with, method of making. 64-06402P
 in optical glass, formation and measurement of. 64-06302A
 of lenses, apparatus for measuring. 64-06902P
 profile, measurement of. 64-06907P; 64-06908P
 profiling, of gradient-index plate. 64-06309A
 trapezoidal profile, lightweight fiber with. 64-06407P
Refractories industry.
 A. P. Green, company profile. 64-02051A
 Al₂O₃ deposits, gas purging to prevent nozzle clogging. 64-02054A
 in China, raw materials for, survey. 64-04222A
 Corhart plant, makes both glass and metallurgical products. 64-02218A
 in Europe, trends in steel industry. 64-04996A
 in Japan, and USA. 64-00510A
 crushing and sieving equipment. 64-03994A
 discussion with steel industry leaders. 64-05003A
 drying and burning equipment. 64-03997A
 environmental pollution control equipment. 64-04000A
 equipment for monolithic products. 64-04001A
 international competitive power. 64-04997A
 mixing and molding equipment. 64-04005A
 recent trends in technology. 64-04993A
 research and development equipment. 64-04011A
 standards. 64-03021A
 survey of equipment and installations. 64-03682A
 technology leading the way. 64-02130A
 trend in FY 1983. 64-04998A
 trends. 64-00481A
 in UK, merger report of Monopolies and Mergers Commission. 64-02145A
 in USSR, Magnit plant. 64-02139A
 computer-controlled production equipment. 64-00459A
 new body types. 64-02156A
 quality control and raw material use in Dinas plant. 64-02191A
 recent trends in production improvements. 64-04992A
 anchoring, for monolithics. 64-02056A
 batching system, assures product quality. 64-04977A
 binders, chemical. 64-06461A
 boiling phenomenon, of hot-casting products. 64-04923A
 casting process, for steel teeming ladle. 64-02069A
 economics, of accelerated production of high-grade refractories. 64-00468A
 energy savings. 64-02202A
 equipment, survey. 64-04002A
 flue gases, F absorption from. 64-04581A
 of glasses, with ion-exchanged gradient layers, effect of stresses on. 64-01838A
 health, hazards of low-activity Zr minerals. 64-01612A
 kilns, tunnel, heat insulation of suspended arches. 64-02667A
 linings, for cement rotary kilns, new trends in. 64-03107A
 for steel-casting ladles, mechanized production of. 64-02144A
 magnesite and chromite, combined grinding, intensification by adding surfactants. 64-02128A
 measurement, of absorbing condensed media. 64-01032A
 for nonabsorbing film on transparent substrates, Abeles method. 64-00197A
 microprocessor uses. 64-04975A
 molds, from Kh13 steels, production technology. 64-02185A
 monolithics, mfg. of. 64-02152A
 nonstandard measurement methods, metrological characteristics of. 64-00487A
 pressing, electrohydraulic, preceded by vibroforming. 64-02183A
 problems, in coal gasifiers. 64-03675A
 product, manufacturers still seeking ideal. 64-04971A
 production, metrological control in. 64-02148A
 raw materials, SiC. 64-04335A
 quartzite as. 64-03662A
 randallite. 64-05501A
 strength of, method for determining. 64-02712A
 recycling. 64-07532A
 soaking pit performance, at Bhilai, India, improving. 64-02122A
 specialty plant, modernization cuts labor 30%. 64-02151A
 standardization, international. 64-06453A
 suspended trolley, for material handling. 64-02517A
 systems approach, for double-duty plant. 64-02218A
 technological forecasting, effect on demand. 64-06446A
 tunnel kiln, new, cuts gas consumption 80%. 64-02158A
 unshaped products, demand for. 64-03692A
Refractories, blast-furnace.
 MgO-C, for L. D. converters. 64-06464A
 SiC, theory, applications, results. 64-02213A
 alkali attack on, mechanism. 64-06456A; 64-06457A
 blocks, high-Al₂O₃, nondestructive testing of. 64-00493A
 bubbling test, through sliding nozzle using water model. 64-03594A
 castable, for troughs, constituents and characterization. 64-06442A
 for troughs, flow properties. 64-04950A
 coating, air-entraining-type insulating, development of. 64-03609A
 coating powder, tundish. 64-06439A
 encrustation, in slide sluice gates. 64-03616A
 gunning materials, hot-testing methods for. 64-03631A
 linings, C, deposition of Pb in. 64-06444A
 brick. 64-00564P
 cast, for tundish covers. 64-04956A
 for ladles. 64-00511A
 for ladles, hot-air curing of. 64-03630A
 main trough, German plant experience. 64-02160A
 permanent, for teeming ladle. 64-04984A
 protective coating for. 64-02190A
 tundish. 64-05012A
 melt-shop applications, thermal modeling in. 64-06467A
 nozzles, clogging by MgO-Al₂O₃ in tundish. 64-03652A
 improvement of wear-resistance by addition of BN. 64-04958A
 tundish, clogging and countermeasures. 64-03690A
 plate, nontar C-bonded sliding, for tundish nozzle. 64-03586A
 periclase, for slide gates. 64-00512A
 plug, porous, for ladles. 64-06462A
 rapid heating, effects of. 64-02107A
 tap hole mixes, investigation of. 64-04966A
 workability testing. 64-03685A
 test methods for, alkaline. 64-05400A
 trough and liner combination. 64-03695P
 tundish, improvement of. 64-03634A; 64-04959A
 vibrating process, for tundish. 64-04936A
 zircon bottom, for teeming ladles, improved stability in structure. 64-04957A

Refractories, brick. See also *Refractories, blast-furnace; Refractories* and specific types.

- Al₂O₃-C, for EF ladle, performance results. 64-04982A
for desulfurization of torpedo car. 64-02057A
Al₂O₃-SiC-C, for ladles. 64-03667A
for pouring pad of torpedo car. 64-02058A
Al₂O₃-SiO₂, deformation under heavy load. 64-04955A
C-bonded, wear mechanism. 64-03691A
C-containing, for ladle slag line. 64-02067A
CaO, sintered, for VOD vessel, test results. 64-03684A
Dinas, from USSR quartzites, firing in tunnel kilns. 64-02112A
convertibility of Jenikov (Czech) quartzites for. 64-02781A
improvements in method for determining density. 64-02600A
MgO and chrome-spinel, for furnaces. 64-02062A
MgO dolomite C, physical and chemical properties. 64-03657A
MgO-Al₂O₃, as lining material for cement industry. 64-02136A
MgO-C, characterization of. 64-02075A; 64-02076A; 64-03660A
effect of C purity on wear. 64-03639A
effect of Cr oxide in slag on corrosion. 64-04962A
effect of Fe oxide in steelmaking slag on corrosion. 64-03641A
effect of gas blowing on erosion. 64-04943A
effect of properties on lining durability of L. D. converters. 64-03643A
effects of Mg additions on properties. 64-04945A
for electric-arc furnace sidewall. 64-04968A
performance in L. D. converter. 64-03654A
properties of MgO clinkers for, in Greece. 64-03660A
for refining ladles. 64-02137A
resin binder for. 64-03593A
for topchase in electric-arc furnace. 64-04969A
and unburned high-Al₂O₃, in ladle refining furnace. 64-03585A
unburned, effect of MgO clinker on properties. 64-03642A
wear mechanism. 64-04973A
wear mechanism in melting furnaces. 64-05015A
MgO-CaO, characteristics of. 64-03599A
for slag line of VOD, analysis of. 64-03584A
MgO-Cr, for degassing vessels, change in. 64-03597A
Roxski, high-silicous, for teeming ladle, performance. 64-03655A
for steelmaking. 64-02215A
SiO₂, cooling down and idling of hot stove blast-furnace during refining. 64-04930A
basic, effect of gas bubbling on erosion. 64-02103A
evaluation of thermal shock resistance. 64-02111A
for coke ovens, method for drilling. 64-05023P
deformation properties. 64-02092A
in degassing vessel, structural change of. 64-03681A
forsterite, for lining steel-casting ladles. 64-02114A
header, in regenerator lattice of glassmelting furnaces. 64-02244P
high-Al₂O₃, for steel ladle. 64-02118A
in steel ladles, performance results. 64-04983A
high-graphite MgO-C, wear of. 64-02232A
for hot-metal pretreatment, development of. 64-02096A
linings, furnace. 64-06487P
magdolo C, experimental results. 64-03649A
octagonal. 64-00574P
performance, in rotary cement kilns, effect of operating procedures. 64-02124A
rate of capillary rise of liquids in, equation for calculating. 64-03663A
silicate, air-jet or steam pressure technology. 64-02052A
zircon, unburned, for ladles. 64-02229A
- Refractories, coatings.** See *Coatings*.
- Refractories, concrete.** See *Concrete*.
- Refractories, electrocast.** See *Refractories, fused cast*.
- Refractories, magnesite.**
- Cr, with high resistance to cement clinker. 64-04926A
- Refractories.** See also *Insulation, thermal; Kiln furniture; Silica carbide; Spacecraft* and specific types.
- Al titanate-mullite. 64-02235P
Al₂O₃, balls in hot blast stove, microstructure variation. 64-05014A
dry cement mix. 64-00572P
Al₂O₃-C-SiC. 64-02053A
Al-Si-C block, for spout in electric-arc furnaces. 64-04918A
Al-ZrO₂-SiO₂, bonded, for glass processing. 64-04924A
C, and SiC, alkali attack on. 64-06457A
and graphite, improving lifetime of furnace and runner linings with. 64-03635A
high-density, method of making. 64-00566P
C-containing. 64-00536P; 64-03596A; 64-03697P
basic. 64-02061A; 64-03590A; 64-03591A
basic, oxidation behavior. 64-02164A
behavior of SiC and Al additions. 64-04921A
with improved hot strength. 64-03696P
testing of. 64-02222A
CaO-Al₂O₃, temp. dependence of hydration. 64-00526A
Co₂-based, structure and properties. 64-05008A
Cr compounds formed in, toxicity. 64-04669A
Cr oxide, electrical resistance of. 64-04946A
Cr₂O₃, sintering and recrystallization. 64-02214A
Cr-Al-Zr, stability in mineral-wool melts. 64-02216A

- Dinas, reactions with Bakor. 64-04928A
First International Conference on Refractories. 64-02113A
Mg chromite and Cr₂O₃, for corrosive environments. 64-02252P
Mg silicate, based on dunite cake. 64-00488A
Mg spinel, stability to evaporation. 64-03679A
Mg-Al spinel, creep. 64-02088A
MgCr₂O₄-based, thermally stable, Frenkel effect for obtaining. 64-02115A
MgO, C-bearing, mechanical properties. 64-00483A; 64-00484A; 64-02143A
corrosion by molten slag. 64-04932A
doped with rare-earth oxides, evaporation of, spectroscopic study. 64-00482A
sinter, from magnesite flotation concentration. 64-04954A
sinterability. 64-00514A
sintered, effect of contaminations on microstructure. 64-04942A
from sulfite-waste liquor concentrates. 64-02083A
MgO-C, control of oxidation-reduction in. 64-04929A
MgO-Cr clinker, fused, characteristics of. 64-03598A
MgO-chrome, in portland cement kilns, corrosion mechanisms of chrome ore. 64-06443A
MgO-faced, heat-insulating slabs. 64-03710P
Roxski, behavior with repeated high-temp. treatment. 64-02063A
for steelmaking ladle brick. 64-02215A
Si-Mg-Al, C-bonded. 64-06476P
SiC, corrosion-resistant. 64-03713P
interaction with melts of alkali-metal silicates. 64-04963A
kiln furniture, methods for determining aging condition. 64-02147A
for paddles in diffusion furnaces. 64-04934A
reaction with cryolite. 64-02818A
recrystallized. 64-00509A
recycled, for highly stressed kiln furniture. 64-02195A
SiC-containing, high-Al₂O₃, stability at high temp. 64-03680A
with improved properties. 64-02212A
SiO₂, fused. 64-04953A
fused shapes. 64-06483P
fused, elastic modulus, hardness, and thermal expansion coeff. 64-03615A
TiC and TiO₂, vacancies and energy spectrum. 64-04366A
Y chromites, structure and valency of Cr and O content. 64-00521A
Zr silicate, in Simax glassmelt, formation of bubbles on. 64-04951A
ZrO₂, corrosion and penetration by molten steel and slag. 64-03604A; 64-03605A
ZrO₂-Al₂O₃-SiO₂, microstructure. 64-06459A
acid-resistant, effect of shrinkage stress on permeability. 64-00473A
aggregates, bonding for improved cold strength. 64-00560P
alkali titanate and Si resin, heat-insulating. 64-03705P
analysis of, microspectroscopy, localization of laser-induced centers. 64-02135A
anchor, for monolithics. 64-02253P
and weld insert. 64-06503P
and structural failures, at Bhillai, India. 64-02122A
application of dissolution kinetics of solids to. 64-06445A
for arc furnace, service life of. 64-02209A
arch, breakdown from mechanical stresses. 64-00480A
articles, C fiber-based, braided preform for. 64-06802P
ZrO₂-containing, method of making. 64-06498P
with β-SiC, flaky. 64-00571P
beddeleyite-corundum, determining melting conditions during mfg. 64-02094A
high-temp. behavior of corrosion interface with alkali borosilicate glassmelts. 64-03629A
basic, application as regenerative lattices in kilns melting Na-Ca-silicate glasses. 64-00272A
effect of melt equilibria in system MgO-Ca₂SiO₄-Ca₂Fe₂O₇-MgFe₂O₄ on properties. 64-03650A
shaped building material from molten grain. 64-02062A
batch composition, microcomputer-based program for calculating. 64-00489A
binder, liquid tar and pitch. 64-04505P
-binder fabric, coated. 64-05029P
block, castable, for pouring pad of ladle bottom. 64-02059A
blocks, MgO, oil-flamegun-formed, properties of. 64-02189A
or bricks, for 2-shell tile stove. 64-00535P
concrete, for metallurgical furnaces. 64-02199A
perlase-chromite tuyere, for Pb-Zn production, service life. 64-02208A
bodies, coherent, forming. 64-02182P
production by vibroforming and pressing. 64-02183A
semiautomatic machine for drilling holes in. 64-02207A
brickwork, in coke oven, mechanical strength. 64-04972A
briquets, effect of technological factors on properties. 64-02106A
brittle, methodology for thermomechanical analysis. 64-06458A
bubbles, of Al₂O₃, production and properties. 64-04328A
burner, for hot-blast stove. 64-00539P
carbonaceous monolithic, erosion-resistant properties. 64-03619A
cast, cementless 70% ZrSiO₄, for ladles, hot-air curing of. 64-03630A

- castable, for BF lining, construction test with. 64-04927A
SiO₂. 64-05031P
basic, for steel ladle. 64-02060A
effect of defloculants on Ca aluminate cement for. 64-03613A
hardening property and inspection of. 64-03625A
high-strength and low-cement. 64-03628A
relation between temp.-increasing and hardening character. 64-03676A
sintered porous. 64-03712P
castables, Iwate lightweight chamotte for. 64-03647A
alkali reaction in, and results of use. 64-03583A
aluminosilicate, hot MOR and slag attack resistance. 64-06449A
cavity, simulated solid fuel gas fires in. 64-06501P
cement, Cr₂O₃-MgO ramming. 64-05017P
Rudokit. 64-03672A
bond of SiO₂, Fe oxide, Si, and Ca. 64-00576P
high-Al₂O₃, hydraulicity and strength-retaining capacity relative to TiO₂ content. 64-06451A
channel, with graphite sleeve, induction-heated. 64-00554P
checker brick, heat exchange structure. 64-06484P
checker failure, Brockway's sulfate test. 64-00457A
checkerwork, cruciform, contribution to efficiency of hollow-ware furnace. 64-02084A
chrome-dolomite. 64-02079A
clays, decreasing dust separation with 4PU combine during treatment. 64-02090A
determining Fe₂O₃ content by X-ray analysis. 64-00465A
in system K aluminate-natural clays, electrophysical properties. 64-02110A
clinker, periclase and periclase chromite, dust from waste gases of rotary kiln for. 64-02070A
coating, Al₂O₃ formation-promoting. 64-03166P
high-emissivity SiC-, graphite-, Al₂O₃-, Si₃N₄-based. 64-01309P
nondestructive residual stress measurement in. 64-06893A
plasma-sprayed, thermal shock resistance. 64-02224A
compact. 64-03699P
MgO-china clay, liquid-phase sintering of. 64-02134A
composite, method of making. 64-03701P
in system ZrO₂-Y₂O₃-Al₂TiO₄, physicochemical properties. 64-02171A
composition, Al-resistant. 64-06473P
comprising nitride filler and colloidal sol binder. 64-07281P
dolomite. 64-03702P
compounds, gasless combustion synthesis of. 64-06000B
concrete, Shandong, China, magnesite-dolomite, factors affecting sinterability. 64-06447A
concrete, Al₂O₃, improvements. 64-00553P
Ca aluminate cements for. 64-03595A
with Czech spherical Al₂O₃, as aggregate. 64-02201A
Dinas. 64-02099A
cast forsterite, thermomechanical properties. 64-02226A
cellular. 64-00479A
cements for, test methods. 64-02085A
effect of Na tripolyphosphate on properties. 64-03678A
gas-permeable plugs, mfg. of. 64-00561P
from high-Al₂O₃ cement, effect of SiO₂ + Fe₂O₃ on thermal properties. 64-00470A
high-porosity, industrial parameters and properties. 64-04961A
industrial wastes for. 64-03638A
lances, for molten metal. 64-00555P
lining of furnaces for firing pyrites. 64-02200A
magnesian, reaction with Ti-containing metals in liquid glass. 64-02193A
plasticizing additives in. 64-04987A
quartzite-corundum. 64-00505A
torcrete, for repairing blast-furnace shafts. 64-02228A
ultrasonic quality control, new Soviet standard. 64-00492A
in units for calcination of Al₂O₃, drying of. 64-04937A
continuous-casting, characteristics and applicability. 64-03603A
reduction of consumption in. 64-04995A
for converters, in steel production. 64-06465A
cordierite for, synthesis of. 64-00523A
cordierite-containing, effect of mineralizing additives on properties. 64-02105A
core, foundry machinery for. 64-00545P
foundry, dissolving. 64-00543P
for lining vessel for molten metal. 64-00542P
cores, disintegrable Ca-silicate. 64-03698P
corrosion, by V₂O₅. 64-02086A
during melting of C.R.T. glass. 64-04999A
corundum, containing glass phase, creep in. 64-00462A
effect of structure on resistance to thermal and mechanical stresses. 64-02125A
thermal damage in. 64-05010A
corundum-graphite, for steel-casting ladles. 64-04933A
corundum-zircon, dense, production and properties. 64-02815A
phosphate-bonded, strength of. 64-00520A
covering, ladle, lime-based compound for. 64-00559P
crucible. 64-06479P
AlN, BN composite, low-contamination, for crystal pulling. 64-06488P
lab, new material cuts costs by 50%. 64-01235A
quartz, for semiconductor production. 64-06480P

- cruciform regenerator packing, for end-fired furnace, behavior of. 64-06404A
- cup, for molten metal sampling. 64-06493P
- curtain, fabric-reinforced fiber composite. 64-00581P
- for degassing units. 64-02197A
- design. 64-02093A
- dolomite, application possibilities and quality control. 64-04919A
- calcined, binder for. 64-03693P
- effect of grain-size distributions and rheology on slip casting. 64-02100A
- electrocast, and energy savings. 64-02109A
- equipment survey of special. 64-04002A
- eucryptite-mullite, synthesis and properties. 64-00522A
- evolution of, technical. 64-02219A
- fiber blanket. 64-00538P
- coating to harden surface of. 64-03700P
- fiber block, for furnace wall. 64-00548P
- fibers. 64-00458A
- Al_2O_3 , durability in reheating furnace. 64-04939A
- Al_2O_3 , production of. 64-01247A
- atm furnace insulated with. 64-02246P
- for conserving energy during heat treatment, in China. 64-03602A
- correlation of thermal conductivity with temp. and density. 64-00461A
- developments and trends in use of. 64-03611A
- energy saver. 64-06441A
- glass, with water-soluble binders, wettability. 64-02233A
- insulating, for electric discontinuous furnaces. 64-03587A
- as insulation in forging industry. 64-03673A
- insulation of domed reactor vessels. 64-02247P
- insulation, composition for. 64-02239P
- for ladle lids and reheat furnaces. 64-02072A
- for ladle preheater sealing rings. 64-03711P
- reheating furnace with. 64-02659A
- for thermal insulation. 64-03645A
- fibrous, MgO, method of making. 64-05018P
- applications. 64-03588A
- heat insulation for electric-arc furnaces. 64-04988A
- film, oxide, method of making. 64-00988P
- fireclay, lightweight, temp. and bulk density dependence of thermal conductivity. 64-02221A
- firing, in tunnel kilns, dust formation during. 64-00467A
- firing carriage, including rack structure. 64-06481P
- flake graphite and MgO clinker, behavior in MgO-C reaction. 64-02064A
- forge furnace, design modification lowers fuel costs. 64-03608A
- forsterite-C. 64-03704P
- for furnaces, glassmelting. 64-02240P
- fused, Zr-rich, glass resistance of. 64-00477A
- based on Mg slags. 64-04952A
- fusion-cast, behavior in contact with enamel and ceramic glazes. 64-02065A
- gasket, vermiculite/fiber. 64-00550P
- glass-contact, for waste glassmelters, evaluation of. 64-04948A
- glass-fiber, decreasing linear shrinkage. 64-00464A
- glasshouse, Indian, selection of. 64-03677A
- for glassmaking, reflections on corrosion. 64-03666A
- for glassmelting furnaces, bottoms, sealing and corrosion resistance of. 64-02206A
- extending service life of. 64-00476A
- method for controlling corrosion. 64-00485A
- grains, porous MgO. 64-00497A; 64-00498A
- granular, corundum + ZrO_2 , effect of additives and mode of preparation on properties. 64-00471A
- foundry molds and cores from. 64-00546P; 64-00547P
- from mullite-containing suspensions, production and properties. 64-02180A
- graphite, properties. 64-02187A
- thirty years of. 64-05011A
- grog, from firing kaolin in rotary kiln. 64-00504A
- from grog and USSR clays, for lining steel-casting ladles. 64-02140A
- group ASTM 26, low-density, characteristics and applications. 64-04976A
- gun mix. 64-00577P
- gunniting mass, aluminosilicate, properties during early stages of hardening. 64-00503A
- gunning, automatic shaving equipment for. 64-03589A
- material, adhesion of. 64-03582A
- material, for rotary hearth vacuum degasser. 64-02117A
- for reheating furnaces. 64-05357A
- heat transfer, to metal, during steel melting. 64-00478A
- for heat utilization, recuperative. 64-04994A
- in heating furnace, system for detecting damage of. 64-05438A
- high- Al_2O_3 , from technical Al_2O_3 and kyanite. 64-02097A
- for teeming ladles, structural behavior. 64-02217A
- high-chrome, fused-cast, method for making. 64-02243P
- high-grade, economics and accelerated production. 64-00468A
- high-technology. 64-02219A
- hob, colloidal SiO_2 -impregnated fiber. 64-06477P
- hot-casting, boiling phenomena of. 64-04923A
- ideal, industry still seeking. 64-04971A
- impregnant, metallic oxide, knitted wire mesh exhaust coupling seal with. 64-00557P
- injection repairing, of rotary hearth degassing vessel. 64-03644A
- inserts, heat-insulating, filtration of slips for. 64-02162A
- insulating. 64-03707P
- insulation, Al phosphate-based coating, for heated metallic materials. 64-05022P
- fibrous composite, fabrication rates. 64-04949A
- in industrial furnaces, energy reduction with. 64-03618A
- against laser beams. 64-07163A
- thermal, ZrO_2 -based porous concrete. 64-02119A
- insulators, thermal, micro- and macroporous, comparison of. 64-02082A
- iron and steel industry, process developments. 64-02179A
- kiln car, superstructure for. 64-02256P
- kiln furniture, low-density. 64-05020P
- for kilns. 64-03030A
- fast-firing. 64-05472A
- ladles, insulation of. 64-03708P
- lance, for desulfurization of molten steel. 64-02132A
- for molten steel. 64-03648A
- for repairing lining of steelmaking vessels. 64-04040P
- large-size, for electric-arc furnace roof. 64-04967A
- layer, flame-gunned, properties. 64-03659A
- life, effect of thermal fatigue under stress. 64-02981A
- lightweight, corundum, low-density, production by semi-dry pressing. 64-02182A
- high-strength, production technology. 64-02184A
- limestone, dolomite, magnesite, decarbonization. 64-00463A
- lining, thermal field during gunniting. 64-02223A
- linings, for L. D. converters. 64-02089A
- of L. D. vessel, analysis of service life. 64-02204A
- for arc furnace, service life of. 64-00513A
- basic, of sintering zone in cement kilns, present state of. 64-01745A
- calcined dolomite, for increasing converter life. 64-00495A
- for casting mold. 64-00537P
- of cement kilns, increased stability of. 64-03637A
- fiber module, with interlocking means. 64-06492P
- fiber, present state. 64-02177A
- fibrous, effect on heat yield of kilns. 64-03640A
- for furnace chamber. 64-00549P
- for glassmelting furnaces, attack by V_2O_5 . 64-03623A
- heat-insulating. 64-02255P
- for hot-blast stove. 64-00552P
- of induction furnaces, reactions with slag melts. 64-02194A
- insulating, for automotive exhaust duct. 64-07293P
- for ladle cars. 64-04989A
- ladle, drying of. 64-04938A
- ladle, for casting Mn alloys. 64-02131A
- ladle, from quartzite waste powders. 64-00499A
- ladle, reduction in consumption of. 64-03665A
- ladle, steel-casting, mechanized production of. 64-02144A
- ladle, tear-down equipment for. 64-03683A
- ladle, technical-economic considerations. 64-02220A
- low-density, anchor for. 64-02236P
- magnetic holding device for. 64-06489P
- of metallurgical furnaces, method of monitoring wear. 64-05457P
- monolithic, for cement rotary kilns. 64-01737A
- multilayer, for furnaces, optimization of construction. 64-02161A
- plastic, anchor bricks for. 64-04920A
- rammed, for 2300-ton steel-casting ladles. 64-02181A
- of rotary kilns in 1982, service life. 64-05005A
- for rotary kilns, effect of technical factors on deformation. 64-03614A
- of rotary kilns, temp. variations on inner surfaces. 64-05009A
- of sintering zone of cement kilns, state of. 64-00052A
- for slagging gasifiers, behavior and design. 64-06468A
- for slagging gasifiers, model of long-term corrosion. 64-06460A
- for tunnel kilns, drying and heating of. 64-02101A
- of vacuum-treatment devices, increasing stability of. 64-03636A
- waste, from cement kilns, uses. 64-02174A
- low-Fe-MgO, hydration behavior. 64-02121A
- magnesian and Mg-spinel, modernization of tunnel kiln for firing. 64-02150A
- magnesiopinel, with synthetic Mg chromite, production. 64-00501A
- magnesite, with high heat-insulating parameters. 64-02138A
- materials, Pr-containing with electron conductivity. 64-02175A
- Y_2O_3 , application. 64-00456A
- adhesively bonding parts made of. 64-06490P
- anchoring to refractory lining. 64-00533P
- chemical corrosion by metals and their oxide melts. 64-02077A
- fused Al-Mg spinel-based. 64-00502A
- highly porous, mfg. of. 64-05021P
- for impulse burners. 64-03674A
- optimum duration of drying, determining. 64-02586A
- organic-bonded. 64-02163A
- particle-size composition, certification of methods for determining. 64-02074A
- phase formation and properties. 64-02170A
- pressability in hydrodynamic machines. 64-02178A
- stability in vertical cellular corrosion. 64-00519A
- unfired, hardening after activation with contact binders. 64-02166A
- melt-shop, thermal modeling of. 64-06467A
- melts, $12CaO \cdot 7Al_2O_3$, dependence of viscosity on high-temp. soaking. 64-03607A
- metal boride, method of making. 64-04431P
- mix, vibratable, and binder for. 64-05034P
- modules, fiber insulation, minimodule for filling gaps between. 64-02249P
- moisture content, system for stabilizing. 64-00524A
- mold. 64-02254P
- casting, from sol-gel material. 64-05028P
- coated foundry, method of making. 64-00540P
- containerless sand, apparatus for making. 64-00534P
- foundry, binder for. 64-00544P
- unbonded. 64-06478P
- moldable, based on ZrO_2 and aluminous binder. 64-05024P
- monitoring, acoustic emission, in mid-stack of No. 1 Ravenscroft works. 64-02574A
- monoblock, pouring stopper. 64-03706P
- monolithic. 64-02152A
- anchor for. 64-02056A; 64-02253P
- in cement industry, future trends. 64-02116A
- comprising a hydrocolloid. 64-06494P
- equipment for producing, in Japan. 64-04001A
- steel fiber-reinforced, factors affecting choice and performance. 64-03620A
- for steel ladles, wear mechanism. 64-02231A
- mortars, phosphate-bonded aluminate-silicate, thermophysical properties. 64-02227A
- zircon-containing, interactions with glasses in system $Na_2O \cdot CaO \cdot SiO_2$. 64-02129A
- zirconophosphate, performance in glassmelting furnaces. 64-03653A
- mullite, deformation characteristics at high temps. 64-02091A
- fused, effect of TiO_2 , Fe_2O_3 , and Na_2O on structural changes. 64-02102A
- for glassmelting. 64-02153A
- mullite-containing, change in thermal stability. 64-04925A
- mullite-corundum, for air heaters of blast furnaces, creep of. 64-02087A
- with electrocorundum added, for ladles. 64-02155A
- thermomechanical properties. 64-00529A; 64-02225A
- new, for tunnel kilns. 64-02157A
- new body types, Soviet standards. 64-02156A
- nonshaped, in cement industry. 64-00494A
- nose construction, furnace. 64-00551P
- nozzle. 64-02250P
- in gas-fired cupola, service of. 64-02210A
- sintered CaO , use in casting of Al-killed steel. 64-06470A
- for steelmaking vessels. 64-04979A
- oven, cooking. 64-00541P
- an overview. 64-03668A; 64-03669A; 64-03670A; 64-03671A
- oxides, catalytic carrier, method of making. 64-05027P
- immobilization of organic species on. 64-07234P
- multicomponent, high-temp. vaporization of. 64-02120A
- organosilicon polymers in. 64-04981A
- reactive sputter synthesis of. 64-00460A
- in system $MgO \cdot Al_2O_3$, electrical conductivity of. 64-02108A
- wetting by molten steel. 64-06471A
- packing, chimney block, case for, in glassmelting furnaces. 64-02068A
- mullite-corundum, effect of SiC addition on properties. 64-00469A
- mullite-corundum, for air heaters. 64-00491A
- regenerator checker, with enhanced flow. 64-06500P
- paddle, for wafer boats. 64-06593P
- panels, prestressed thermal protection. 64-04990A
- perforated, spectral-radiation characteristics. 64-00518A
- performance, statistical modeling of. 64-06465A
- periclase, dielectric properties, method for studying. 64-00486A
- electrotechnical grade, particle-size composition. 64-02165A
- fused, water absorption by. 64-02230A
- melting products, phase composition studied by XRD. 64-04986A
- production in furnaces with electrically conducting bottom. 64-04970A
- sample preparation to determine electrophysical properties. 64-02176A
- structure and properties. 64-05007A
- periclase-C. 64-02168A
- periclase-chrome spinel, for arch of glassmelting furnaces, production technology. 64-02186A
- periclase-chromite, with chemical bond. 64-00531A
- and periclase, lining of electric arc furnace. 64-02169A
- reaction with calcareo-aluminiferous melt. 64-00507A
- periclase-spinel, composition, structure, and properties. 64-02149A
- interaction with dust during smelting of arc-lime melt. 64-04965A
- with low SiO_2 content, in-service characterization. 64-02123A
- thermomechanical and deformation properties. 64-00528A
- permeable, for refining Al and its alloys. 64-04985A
- phosphate-bonded, cold setting properties. 64-03601A
- heat-storage blocks. 64-06485P
- pipe, graphite, for furnace tapping. 64-00562P
- plastic, with chemical bond. 64-03658A
- gunning system. 64-03624A
- for lining marine boiler furnaces. 64-02172A
- plate-like, from grog, clay, SiC, and Al_2O_3 . 64-00496A

plugs, porous, for gas purging. 64-02173A
polyphased, Al_2O_3 -based, thermal endurance. 64-00527A
porous, crack and fracture behavior. 64-03606A
powders, MgO , for hot-welding, properties of. 64-03661A
metal carbide, method of making. 64-00570P
transfer bins for loading into mixtures. 64-02529A
process for bonding, to surfaces. 64-02567P
radiation behavior, influencing. 64-02127A
rammed, aluminosilicate, interaction of Zn melt with. 64-04964A
ramming, compaction properties. 64-02080A
material, based on ZrO_2 , for induction furnaces. 64-05033P
material, corundum, hydraulic-setting, for vacuum treatment of steel. 64-03633A
mullite-corundum and corundum bodies without kaolinite. 64-02154A
raw materials for, natural high-aluminous, behavior of TiO_2 in. 64-03592A
for reactive furnace atm., choosing. 64-02078A
regenerator matrix. 64-00579P
reinforcement, Therman-chaff for. 64-03688A
refining, steelworks converters. 64-02203A
repairing machine, for tap hole of converter. 64-05000A
repairing method, for hot stove shell. 64-05001A
repairs, for L. D. converters. 64-02089A
research, for steel industry. 64-02198A
roof and floor, for furnace chamber. 64-05025P
for rotary hearth degasser, improvements in. 64-04960A
runner, for molten metal. 64-05030P
rammed. 64-00573P
for slag and hot metal. 64-05020P
saggers, SiC, blackening of porcelain during firing in. 64-03714A
SiC, blackening of porcelain during firing, causes and prevention. 64-02259A
SiC-containing, based on AlCr phosphate binder. 64-00580A
cordierite, material and energy savings with. 64-02142A
sand, foundry, reclamation system. 64-02248P; 64-02257P; 64-05016P
scraps, Bakor, reclamation following service in glassmelting furnaces. 64-00532A
service life, during treatment of metals. 64-05004A
sheet, high-temp. composite seal. 64-07254P
shielding of. 64-02211A
sillimanite and kyanite, phosphate-bonded, hot transverse strength. 64-06450A
siphon drain, mfg. by semidry techniques. 64-02141A
slabs, in slide gates during diamond grinding, effect of roughness on quality. 64-03612A
slag, from ferrochrome production in USSR. 64-00515A
slag blow-coating, for BOF, development of. 64-03610A
slag resistance, method for determining. 64-04974A
slide gates, Al_2O_3 -based. 64-05032P
sorption-removal of O from Fe-Ni melts using. 64-05006A
spent, recycling. 64-07332A
spinel, $MgAl_2O_4$, reaction with C. 64-00508A
alkaline-earth, Al-containing, method of making. 64-02556P
stability, in corrosive gaseous mediums, method for determining. 64-02146A
for steelmaking, in USA, current practice and future trends. 64-02196A
developments. 64-02098A
recent progress in. 64-03664A
trends. 64-03689A
stones, in glass. 64-04999A
stopper, ladle. 64-00558P
structures, SiO_2 , repairing. 64-06472P
study of, with Raman laser microanalyzer. 64-02192A
support, for kiln. 64-06499P
systems, Al_2O_3 - Cr_2O_3 , effect of TiO_2 additives on Cr_2O_3 oxidation. 64-04940A
 Al_2O_3 - Cr_2O_3 , reactions in. 64-00506A
 Al_2O_3 - SiO_2 , mullite and mullite-like compounds in. 64-03631A
 Cr_2O_3 - MgO - CuO - Cu_2O , performance in Cu melting furnaces. 64-04991A
Mg cordierite-Co cordierite. 64-00525A
 MgO - $CaSiO_3$ - $Ca_2Fe_2O_7$ - $MgFe_2O_4$, melt equilibria. 64-03650A
 MgO - Cr_2O_3 , chemically synthesized. 64-04922A
 SiO_2 - Al_2O_3 , alkali attack on. 64-06456A
periclase-dunite-chromite, ground-together mixtures, properties of. 64-02188A
thermal barrier, reusable. 64-05002A
thermal conductivity and spalling resistance, application to fast-firing kilns. 64-03686A
evaluating. 64-04947A
thermal insulation, in E. Germany. 64-03626A
fiber, for electric furnaces. 64-03703P
in furnaces. 64-03646A
on hot tanks, proper thickness. 64-03632A
for lab furnaces. 64-03687A
thermal insulators, fibrous, determining optimal bulk density. 64-02095A
tile, interlocking, cooling tower with. 64-02241P
wall, acoustic emission test for firing rate. 64-02258A
tube. 64-00578P
for casting steel. 64-06495P
fiber-coated, for molten metal. 64-00573P

reinforced, in electrolyte production of metals. 64-00580P
tundish, continuous-casting technology. 64-02205A
for tuyeres, in Cu production, corrosion and materials problems. 64-04931A
unshaped, demand for. 64-03692A
gas permeability and pore size distribution. 64-03622A
walls, ceramic fiber furnace, method of installing. 64-03709P
coke oven, repair by ceramic welding. 64-03656A
method for repairing. 64-00563P
multiple layer, method of making. 64-05026P
for vacuum furnaces. 64-02245P
wear mechanisms, slag studies of. 64-00530A
well blocks, for VOD vessel, high- Al_2O_3 cement vs other types. 64-02167A
wetting, by molten Fe. 64-02234A
zircon, corundum, periclase, and spinel, thermal stability based on breakdown. 64-00474A
reactions with molten steel. 64-06463A
Regenerators. See *Refractories*.
Relaxation,
in YIG, polycrystalline. 64-02333A
and failure processes, in inorganic glasses, interrelation between. 64-03277A
in crystals, β -SiC. 64-05572A
dielectric, in lightly doped VO, crystals. 64-03793A
electrical, in K borosilicate glasses, effect of composition. 64-03229A
of magnons, in 20-sublattice ferrimagnetic Fe-Y ferromagnets. 64-06711A
mechanical, in Na borate glasses. 64-03268A
of particles, Co-substituted Fe oxide. 64-02467A
in spinels, chalcogenide Cr, EPR spectra. 64-04532A
stress, in electron-bombarded silicate glasses. 64-03363A
in unirradiated and He ion-bombarded glass plates. 64-01909A
structural, Adam-Gibbs equation in analysis of—correction. 64-00141A
in glass. 64-06262A
Research,
First International Symposium on Ceramic Components for Engines, proceedings. 64-07535B
at Governmental Industrial Research Institute in Nagoya, Japan. 64-03034A
Institute of Scientific and Industrial Research, Osaka University, Japan. 64-03022A
in Japan, government-sponsored programs. 64-01608A
Materials Research Society Symposia Proceedings. 64-07534B
on advanced ceramics, at Government Industrial Research Institute, Kyushu, Japan. 64-03035A
feasibility study in Japan. 64-03012A
study at Government Industrial Research Institute, Osaka, Japan. 64-03015A
on applications for SiC. 64-05554A
at Defense Advance Research Projects Agency. 64-07521A
cement, challenges. 64-00031A
progress, 1983. 64-01629B
ceramic, in Japanese universities, colleges, and institutes. 64-04587A
in US Bureau of Mines. 64-07530A
by US Dept. of Energy. 64-07531A
at University of Chemical Technology, Prague, Czechoslovakia. 64-07528A; 64-07529A
construction of large-vol high-pressure apparatus. 64-04145A
institutional sources in USA. 64-01614A
in space. 64-04588A
sponsored by Japanese Science and Technology Agency. 64-04576A
in chemistry, inorganic. 64-01637B
coating, benefits appliance manufacturer. 64-02263A
and development, on engineering materials in Japan. 64-04350A
on engineering materials, requirements for Dept. of Defense strategic defense initiative. 64-07129A
on engineering materials, sponsored by Japan's MITI. 64-04329A
developments, at US universities, require massive support. 64-01624A
equipment, for refractory industry in Japan. 64-04011A
on esthetics, related to dental ceramics. 64-07156A
on functional ceramics, in Japan. 64-03817A
furnaces for, solar. 64-04168A; 64-06945A
on inorganic materials, at National Institute in Japan. 64-05987A
materials, National Science Foundation's program and outlook. 64-07527A
microgravity, in space. 64-03039B
refractory, for steel industry. 64-02198A
regulatory, on materials for nuclear waste management. 64-05345A
in structural clay industry, UK. 64-02050A
support for, background studies help gain. 64-01603A
synergistic, on clays. 64-04226A
typical lab, in Japan. 64-01623A
Resins,
ion-exchange, dealumination of faujasite-type zeolites with. 64-05613P
for dissolution of carbonates. 64-04209A
Resistance, electrical. See also *Conductivity, electrical*; *Electrical properties*.
of MgO , sintered, effect of composition on. 64-02126A
of coatings, enamel, during thermal stability testing. 64-00085A
of molten baths, in electric-arc furnaces, model for resistance of baths. 64-00490A
of periclase, effect of impurities. 64-02104A
of pyrolytic graphite intercalates with Cs and Rb, anisotropy of. 64-01176A
specially chosen series, high-voltage insulator with. 64-06624P
Resistance,
corrosion, of glassmelting furnace bottoms. 64-02206A
electrical, drying by. 64-03998A; 64-04146A
of humidity-sensitive silicone composite films. 64-00709A
high electrical, ZrO_2 and/or HfO_2 ceramics with. 64-05623P
water, of industrial sheet glass. 64-00335A
Reactivity, electrical,
of $BaTiO_3$, $BaZrO_3$ -modified, temp. dependence. 64-03936A
of TiB₂, mono- and polycrystalline. 64-02765A
dc, of Ba borate glasses. 64-01843A
of glasses, Na silicate, effect of γ -radiation and rare-earth additives. 64-01841A
piezo-, of SmSe. 64-03931A
Resistors, electrical,
C, method of making. 64-05205P
CrSi-CrSiN. 64-06664P
Ru oxide-based, stain-resistant. 64-00812P
RuO₂-based, glass frits containing WO₃ or MoO₃ in. 64-00751P
ZnO-based, voltage-dependent. 64-00821P
circuits, thick-film. 64-03913P
composite, for suppression of arcing currents in cathode ray tubes. 64-06549A
composition, glass, C, ZnO, B₂C, SiC, TiB₂, and TiN, for spark plugs. 64-05246P
hexaboride. 64-05216P
film. 64-03914P
Ru-based on Al_2O_3 , dielectric, thermal expansion and laser trim stability. 64-00718A
Ru-based, effect of microcracks on temp. dependence of resistance. 64-00671A
RuO₂, electrical conduction and strain sensitivity. 64-00656A
RuO₂-glass, kinetics of liquid spreading and penetration. 64-07474A
aging mechanisms and stability. 64-00630A
on ceramic substrate. 64-03915P
on dielectric layers, properties of. 64-03819A
effect of electric field intensity on burst noise. 64-05071A
on porcelain-on-steel substrates, low-temp. coeff. of resistance. 64-05123A
substrate. 64-03871P
integrated, of Nb oxide passivating ring, Au corrosion barrier, and Ti resistive layer. 64-05219P
nonlinear, ZnO. 64-00822P
paste for, Pb and Ru oxide-based. 64-03906P
power, film, porcelainized Al substrates for. 64-05157A
thermistor, PTC demagnetizing circuit with. 64-05209P
high-temp. Bi- or B-based with SiC. 64-00756P
thermistors, heating device. 64-02401P
thick-film, apparatus and method for producing. 64-00939P
effect of encapsulation, overglaze, and voltage. 64-06561A
high-power. 64-06623P
liquid-phase sintering. 64-06562A
with reduced dimensions, performance. 64-00684A
thermal aging of. 64-00717A
varistor, TiO_2 powder, process for mass production. 64-00654A
ZnO. 64-00820P
ZnO containing Li. 64-03886P
ZnO, liquid crystal display with. 64-02377P
ZnO-based substrate. 64-05252P
doped ZnO. 64-06676P
metal oxide with nondiffusible electrodes. 64-06633P
solid-state ZnO-Bi₂O₃ system. 64-05129A
Resonance,
¹Li NMR, in (Li,Na) and (⁶Li,⁷Li) triborate glasses. 64-03287A
NMR, study of structure of Na₂O-SiO₂ glasses. 64-03367A
chalcogenide, of system As-S-Ti, Ti-20S NMR of. 64-03372A
ferromagnetic, in Ho-Y ferrite garnets in Ising model. 64-03957A
of bubble garnet films. 64-02462A
losses, ferrimagnetic, in ferrites, measurements of. 64-02456A
Resonators,
ceramic, and filler with. 64-05286P
chip, piezoelectric, and method for trimming. 64-00847P
crystal, quartz, cut angles for. 64-03863P
dielectric, for microwave broadcasting. 64-03802A
piezoelectric, Y-shaped support for. 64-02453P
grooved, with 2 poling directions. 64-03942P
three-electrode. 64-02450P
quartz, stress-compensated. 64-02446P
thermally generated excursions in. 64-03938A
tuning fork flexural. 64-00850P
Rhenium,
Re₂S₇·2H₂O, thermal decomposition of. 64-05860A

Rheology,

of cement pastes, relation to hydration in presence of water. 64-06122A

of ceramic bodies, during drying. 64-04566A

of ceramic raw materials, changed by organic additives. 64-06758A

of clays, smectitic, after curing in climate and humidity chambers. 64-02722A

smectitic, effect of aging on. 64-07039A

curves, for clay dispersions and pastes. 64-04202A

effect on slip-casting properties, of dolomite bodies. 64-02100A

grain shape, effect of. 64-03999A

of kaolin, W. German. 64-04197A

of pastes, cement with superplasticizer. 64-06123A

cements, changing with time. 64-06064A

clay. 64-07049A

rheometer, compensated. 64-04112P

of slips, enamel. 64-00112A

enameling, effect of clays and electrolyte. 64-00084A

of suspensions, MgO water. 64-04012A; 64-05371A

based on β -Silicon. 64-02820A

chalk and white cement. 64-01755A

colloidal. 64-00585A

enamel. 64-03160A

Rock wool. See *Mineral wool.*

Rockets. See *Spacecraft.*

Rocks. See also *Phosphates; Silicates.*

from Georgian SSR, glass fibers based on. 64-00315A

carbonate, cathodoluminescence study, rapid preparation of polished sections for. 64-04221A

from southwestern Badajoz province, Spain, mineralogy and applications for. 64-07043A

clay mineral content, from methylene blue test value. 64-07029A

mud-, cation exchange by methylene blue. 64-07024A

perlitic, as flux for ceramic glazes. 64-03727A

quarrying, rupture theories for. 64-04203A

sedimentary, petrographic examination with SEM. 64-04214A

temp.-sensitive, preparing doubly polished sections of. 64-04218A

standards, need for. 64-01133A

Roughness. See *Surface.*

Rubidium,

RbCu₂Cl₃, solid electrolyte, transfer of Cu(II) ions in. 64-05870A

Ruby. See *Garnets; Lasers.*

Rupture,

of CoO scales, in tension, new technique for studying. 64-01023A

of clay-based bodies, factors affecting. 64-06518A

creep, of engineering materials, effect of shear bands. 64-04296A

theories, for hard rock quarrying. 64-04203A

Ruthenium,

RuO₄, film resistors, microstructure and effect of glass size on electrical properties. 64-02320A

thick-film resistors, electrical conduction and strain sensitivity. 64-00656A

-based film resistors, on Al₂O₃, thermal expansion. 64-00718A

carbonyl, catalyst supported on CeO₂, for olefin synthesis. 64-05654P

oxide-based resistors, stain-resistant. 64-00812P

Rutile. See also *Titanium dioxide.*

Cr³⁺-impregnated, effect of calcination temp., EPR study. 64-02924A

Cr₂O₃-doped, precipitation and dissolution of defects in. 64-04484A

/TiO₂-based film, O sensing element, method of making. 64-00738P

and/or anatase, crystalline TiO₂, as, in porous carriers, preparation. 64-02965P

shock-modified, XRD line-broadening studies. 64-02844A

Safety,

dangerous substances, for production of Pb glass and crystal ware, in W. Germany. 64-00324A

design, of grinding wheels. 64-03053A

dust, explosions. 64-05980A

of hazardous pigments, for porcelain enamels, identification and regulations. 64-00108A

lamp, with ZnS-Cu- and CaS-Bi-containing lens holder. 64-02410P

occupational, ASTM standards. 64-03038A

of kiln floors, when using glass cullet. 64-00325A

technology, control. 64-01610A

Saggers. See *Kiln furniture.*

Salts,

binary systems of, computation and construction of liquidus. 64-05675A

cake, radioactive, treatment by clay calcining. 64-03987P

inorganic, for controlling viscosity of bentonite dispersions. 64-02700A

molten, electrolysis, composite electrode for. 64-02395P

surface changes in glass in. 64-01913A

solution, corrosion of alkali-metal silicate glasses in. 64-03210A

design of process for removing radioactivity from. 64-05319A

Samarium,

-Co films, with high substrate temps., preparation and magnetic properties. 64-03158A

SmSe, piezoresistivity of. 64-03931A

manganite, Z-type jump in electrical conductivity. 64-00865A

Sampling,

asbestos, for TEM analysis, comparison of techniques. 64-02580A

batch, glass, conditions for. 64-00280A

clay minerals, oriented. 64-05500A

cups, disposal, for XRF analysis. 64-04082A

metals, for analysis. 64-02599A

molten, refractory cup for. 64-06493P

omission of data, estimation of Weibull parameters by. 64-04540A

particulates, confidence limits. 64-05902A

rules, in Raman spectra of inorganic glasses. 64-01923A

sections, polished. 64-06888A

short rod specimen, chevron-notched. 64-07449A

studies, method and apparatus. 64-02653P

thin specimens, device for preparing. 64-06904P

Sands,

SiO₂, N. American. 64-02714A

competition in tight market. 64-02723A

foundry, silicate treatment of. 64-01173P

reaction with Na₂CO₃. 64-07374A

Volnogradsk, USSR, fused, quartz ceramics from. 64-00702A

calcining, apparatus and method for. 64-06964P

cores and molds, method of making. 64-00569P

plant and method for regenerating. 64-00567P

preparation process. 64-02251P

foundry, apparatus for reclaiming. 64-05016P

binder-coated. 64-02238P

binders for. 64-06474P

method of making. 64-00989P

for mold and core. 64-05019P

reclamation system. 64-02248P; 64-02257P

glass. 64-01128A

mill, rotor discs. 64-06841P

stirring device for. 64-04063P

olive, cores and molds, process for preparing. 64-06496P

prospecting for, economic geological. 64-01123A

quartz, Chalganovsk, as raw material for porcelain glazes. 64-02697A

siliceous. 64-01128A

wet, for glass industry, handling of. 64-06772A

Sandstone,

bodies, effect of basalt admixture on. 64-06423A

compaction curves for. 64-07030A

composition, role of interpreting sandstone composition. 64-07051A

petrography, application of electron imaging for. 64-04228A

porosity, in secondary, contributions of Chepikov and Savkevich. 64-01143A

red, in W. Germany, suitability for brickmaking. 64-04225A

floor tile, Ditrav, Romania, hornblende as pigment in. 64-03718A

Sandstone. See *Feldspar.*

Sanitary ware,

bathtub, design. 64-00018P; 64-01680P

bidet. 64-00019P

bowl, hygienic. 64-06049P

casting, slip recipes for. 64-06507A

clips, and casters. 64-00616A

commode, with independent water supply, conversion to tank model. 64-06539P

fiberglass-reinforced, method of making. 64-03742P

toilet bowls, fired, single-side cooling of. 64-03732A

urinal. 64-00026P

water closet. 64-00027P; 64-00028P; 64-01693P; 64-04623P

and seat, combined. 64-00020P

Sapphire. See also *Aluminum oxide.*

Si-on-, device, method of making. 64-03905P

crystals, Stepanov-grown. 64-04292A

Stepanov-grown, sensitivity of cross dimensions. 64-04334A

rod and tubular, growth and application of. 64-07456A

doped, segregation of Mg to surface of. 64-07381A

implant, endosteal dental. 64-01254A

optical constants, far-infrared-ray, temp. dependence of. 64-07507A

profiled, crystals, improving growth process of. 64-04466A

effect of growth and annealing on physical characteristics. 64-04269A

wafer, method of fabricating MOS device on. 64-06641P

Saws,

internal-hole, for crystalline rods. 64-06830P

Scandium,

in glasses, Na silicate, Raman spectroscopic study. 64-03337A

oxynitride. 64-07161A

oxide, high-temp. strength and creep in compression. 64-05928A

impregnated cathode. 64-06627P

sorption, on chemically modified SiO₂. 64-05806A

viscous, model for distribution of bond angles. 64-07482A

nature of Si-O bond angle distribution. 64-07483A

Scattering,

Raman, in rare-earth fluoride glasses. 64-04817A

study of borate glasses. 64-04707A

study of temp. dependence of boroxol ring clusters in B₂O₃-GeO₂ and B₂O₃-GeO₂-SiO₂ glasses. 64-06240A

Rayleigh, loss in silicate glasses containing PbO. 64-01899A

X-ray, photochromic glasses studied by. 64-06233A

charge-carrier, in magnetic Eu₂Gd₂O and Eu₂Sm₂O.

64-03756A

hyper-Raman, from incipient ferroelectric KTaO₃.

64-03925A

light, by B₂O₃ melts. 64-03288A

in glasses in system SiO₂-B₂O₃-Na₂O. 64-01868A

inelastic, in superionic glasses (AgI), (Ag₂O-BO₂), ...

64-04807A

from molten alkali halides. 64-05932A

submicron particle sizing by. 64-02615A

losses, in optical fiber materials. 64-03482A

space-charge, in GaAs. 64-00707A

spectra, of K feldspars. 64-01121A

stimulated Brillouin, in optical fiber, image reconstruction in presence of phase interference by. 64-06206A

Schists,

crystalline, from Kursk Magnetic Anomaly, USSR, for sewage pipe. 64-01122A

Schools. See *Education.*

Science,

National Science Foundation's program and outlook.

64-07527A

of ZrO₂. 64-05996B

ceramic, dictionary. 64-01630B

glass, in Japan. 64-00189A

and amorphous materials. 64-06003B

state of. 64-00229A

materials, of all-glass evacuated collectors. 64-04819A

monographs. 64-06001B

Screen process printing. See *Decoration.*

Screening and sieving,

parison, in glassware-forming machine. 64-06401P

screening apparatus, vibratory. 64-04069P

Screens (fluorescent),

phosphor, radiation-excited input, method of making. 64-07421P

Screens (luminescent),

image conversion, radiographic phosphor. 64-05889P

lamp, Me₂Eu₂Al₂Cr₂O₁₂, where Me=Sr or Ba and A=Al+Ga. 64-07416P

Screens and sieves,

analyses, reproducibility, with vibration test and Ba ferrite as media. 64-04010A

classifier-vibrating, double-frequency. 64-02508A

molecular, AMS-1B borosilicate with low Na content, method of making. 64-07247P

Ti-containing AlPO₄. 64-04446P

titanoborosilicate, process for making. 64-07429P

and screening. 64-04013A

screening device. 64-06842P

vibrating, dual frequency, for classifying granular materials. 64-02541P

laws of motion of particles thrown by. 64-05364A

Sculpture. See *Art and architecture.*

Seals and sealing. See also *Bonding; Soldering.*

Dumet-glass, stress in. 64-04829A

abradable, stress-relieved metal/ceramic. 64-07290P

air, for gas turbine engines. 64-01287P

cap, for integrated-circuit-carrying substrates, method of making. 64-06647P

ceramic, valve with. 64-07299P

ceramic-glass, discharge lamp with. 64-00755P

composite, refractory sheet. 64-07254P

disk, valve with. 64-07298P

electronic, glass-to-metal. 64-06620P

exhaust coupling, with refractory metallic oxide impregnant. 64-00557P

feedthrough, for high-pressure vessel. 64-03779A

- Selenite**,
Cd(II) and Hg(II). 64-07305A
K trihydrogen, ferroelastic, deflection of light by. 64-02472A
- Selenosulfide**,
O-doped, electrophotographic photosensitive. 64-06616P
in atm aerosol samples, determination by AAS. 64-05408A
and chalcogenide glass, photoluminescence process in. 64-05131A
determination, by AAE. 64-02579A
liquid and glassy, effect of magnetic field on properties. 64-01832A
in silicate glasses, quantitative determination of oxidation states. 64-06163A
- Semiconductors**,
BaTiO₃, effect of mechanical processing on properties. 64-06531A
CVD, of plasma-assisted. 64-05369A
GaAs, by two-species ion implantation. 64-00779P
GaAs-AlAs, interface structure. 64-00675A
III-V-based devices, method for making. 64-03875P
MOS, characteristics of CVD cubic SiC. 64-05130A
on sapphire wafer, method of fabricating. 64-06641P
Schottky barriers in, internal. 64-04544A
Si₃N₄, self-aligned, method of making. 64-06668P
SiC, amorphous. 64-00728P
cubic, method of making. 64-05125A
SrTiO₃, development. 64-02296A
advanced III-V, materials technology assessment. 64-01627B
amorphous, crystal growth in. 64-00248P
defects in. 64-06348A
bonded glass-metal, pressure transducer. 64-03945P
ceramic, adhesion to substrate. 64-06590P
chalcogenide, glassy, structural states. 64-03784A
circuits, integrated, TiW/N fusible links in. 64-02424P
composition, BaTiO₃-based. 64-02413P
SrTiO₃, method of making. 64-06666P
compound, crystal, method for growing. 64-06823P
conductivity in, induced by vibrational-to-electronic energy transfer. 64-06641A
crystal, Al₂O₃- or BN-reinforced apparatus for making. 64-06963P
CdCr₂Se₄, magnetic conductivity. 64-03796A
La-Sb. 64-00759P
sulfide or selenide, method of making. 64-00770P
crystals, of Ca₂Sb₂Cl₄, structure. 64-05943A
CuFeTe₂, properties of. 64-05955A
γ-La₂S₃, quenching and Na⁺ luminescence. 64-03758A
photoelectric phenomena during diffraction of X rays in. 64-03811A
defect formation, controlled, bases for. 64-05056A
device, BeO-insulated. 64-06667P
InP layers for. 64-06669P
ceramic package for. 64-06602P
glass passivation, method of making. 64-00778P
method for coating with phosphosilicate glass. 64-04858P
with patterns in Si₃N₄ layer, method of making. 64-06648P
fabrication, SiO₂ films for. 64-05175A
ferroelectric, Nb₂O₅-doped BaTiO₃. 64-05136A
ferromagnetic, inverse Faraday effect in. 64-03960A
field-effect, method of making. 64-06634P
films, WO₃, aging effects in. 64-00629A
alloys and devices, method of making. 64-06646P
method of making. 64-00769P
glass layers on, sapphire, by CVD. 64-02004P
glasses, chalcogenide, effect of synthesis condition and composition on O and C content. 64-03238A
of systems As₂Se₃-Te and As₂Se₃-Sb, photoluminescence. 64-03812A
glaze, high-voltage suspension insulators with. 64-00669A
insulator structures, optical guided, GaAs-SiO₂, wave devices with. 64-06653P
laser, InGaAsP. 64-03907P
InGaAsP feedback. 64-05210P
InP/InGaAsP, method of making. 64-03895P
method of improving current confinement. 64-06645P
layer, method for fabricating on Si₃N₄. 64-06637P
magnetic, Eu₂O₃, CdO, and Eu₂Sm₂O₇, charge-carrier scattering and transport phenomena. 64-03756A
magnetoelectric-piezoelectric-metal oxide, playback head. 64-06704P
materials, errors in radiometric analysis of. 64-05416A
metal-, resistive ribbon for transfer printing. 64-00768P
oxide, gas detector. 64-02367P
package, ceramic substrate for, method of making. 64-00734P
device. 64-06595P
enclosures, hermetic sealing of. 64-02408P
oxide-coated metal. 64-06158P
permittivity, at microwave frequency, measurements of. 64-01009A
piezoelectric, photoconductive, acoustooptical interactions in. 64-03806A
production, quartz crucibles for. 64-06480P
from zeolite-assisted ultrapurification of monosilane gas. 64-05591A
properties, scanning laser microscope measurements of. 64-05435A
quality control of, autoradiographic. 64-05054A
research project, in Japan. 64-03817A
- substrates, Group III-V compound containing P, LPE growth on. 64-03880P
protection of, during growth processes. 64-02569P
quartz glass handling tray. 64-00424P
superlattices, compositional. 64-03823A
survey. 64-02336A
thick, determining absorption coeffs. with photoacoustic spectroscopy. 64-00646A
titanate, materials with voltage-dependent nonlinear resistance, method of making. 64-02412P
wafer, method of removing glass backing from. 64-00782P
- Sensors**,
H₂S, made of metal oxide. 64-06626P
O₂. 64-01063P; 64-05238P
SiO₂, unusual applications of. 64-06588A
TiO₂, element for, method of making. 64-05232P
ZrO₂-based electrolyte for, fabrication. 64-05565A
with barrier layer between substrate and solid electrolyte. 64-00792P
with ceramic body heater. 64-06654P
glass-bonded electrode element for. 64-06287P
with heater. 64-03902P; 64-05236P; 64-05237P; 64-05239P
and high-temp. fuel cells. 64-00793P
for high-temp. gases. 64-01072P
rutile/TiO₂-based film. 64-00738P
shortage, burner with. 64-02680P
with solid electrolyte cell and means of supplying current. 64-00791P
solid-state. 64-03901P
ZnO and Pt-ZnO, porous. 64-03783A
ZrO₂, application for making steel. 64-03748A
for automobiles. 64-03844A
for combustion equipment. 64-03845A
ceramic, and transducers. 64-06544A
combustion, spark plug with. 64-05251P
sparkplug with. 64-06605P
continuous, capacitive controlled. 64-02355P
electrooptic, for measuring angular orientation. 64-04116P
force, with piezoelectric FET. 64-02441P
gas, from hydroxylapatite composites. 64-02772A
metal/ceramic. 64-04694P
with perovskite-type material. 64-05212P
humidity, ZnCr₂O₄-LiZnVO₄ ceramics for. 64-02346A
ZnO and other metal oxides. 64-00758P
capacitive glass substrate. 64-03849P
metal oxides with perovskite structure. 64-02372P
ir/fuel ratio, THO₂- or ZrO₂-based. 64-02414P
knocking, with piezoelectric element. 64-03943P
magnetic field, fiber optic. 64-06905P
magnetoresistive, with closed domain structure and electrode biasing. 64-04120P
melt level. 64-05454P
moisture, piezoelectric. 64-02445P
for sealed hybrid package. 64-05112A
pH, ZrO₂ membrane. 64-02845A
particulate, forward-scattering laser (gas carried). 64-02636P
pressure, GaAlAs layer. 64-05242P
vibrating quartz diaphragm. 64-00852P
pumping, planar ZrO₂ oxygen. 64-02400P
strain, wide-range fiber-optic. 64-03499A
technology. 64-03824A
temp., glass-ceramic hob with. 64-06360P
with quartz crystal. 64-00849P
ultrasonic, for particles. 64-06924P
- Separation, electrostatic**. See *Electrostatic processes*.
- Separation**. See also *Beneficiation*; *Classification*; *Flotation*.
centrifugal, computer simulation of. 64-02582A
liquid-phase, in Sung Tenmoku glaze. 64-05044A
magnetic, of Fe from china clay containing sandstone. 64-05502A
with colloid of magnetic particles. 64-06819P
device for. 64-06808P
of ordered phases, from nonstoichiometric TaC. 64-01188A
of particles, coated nuclear fuel, from graphitic matrix. 64-03988P
limestone, process and apparatus. 64-00994P
phase, in (Ge₂)₃Al₂Si₂, grown by molecular beam epitaxy. 64-00687A
in Na₂O-B₂O₃-SiO₂ glasses, structural causation. 64-06260A
of Sr titanates in soda-silicate matrix. 64-03211A
of ZnO-Al₂O₃-SiO₂ glass, relationship of crystallization to. 64-06244A
of alkali borosilicate glass by substituting Al₂O₃. 64-06214A
in glasses of system Li₂O-SiO₂. 64-06232A
in plasma-dissociated zircon. 64-01905A
solid, via hydrocyclones. 64-00928A
- Separators**,
air, method for operating. 64-06827P
cyclone, effect of recycle on performance. 64-02509A
development of. 64-06762A
magnetic. 64-00969P; 64-06808P
for magnetic materials, dry. 64-00977P
magnetoplasmadynamic. 64-02554P
paper, glass fiber, for electrochemical cells. 64-00365P
particle, maintenance needs. 64-06779A
pneumatic, of cement grinding equipment, solutions for improving. 64-06109A
for solid particles, in a liquid. 64-06799P
solids. 64-06844P
- Setting**. See also *Binders*.
cement, test for, needle apparatus. 64-01738A
of cements, portland. 64-01716A
cold, cement composition. 64-01771P
properties of phosphate-bonded refractories. 64-03601A
retarders, cement compositions containing. 64-00065P
- Settling**. See *Sedimentation*.
- Sewer pipes**. See *Pipe*.
- Shales**,
General Shale, company profile. 64-04893A
aggregates, under compression, physical properties and mechanical behavior. 64-02046A
brick, water absorption, interior fissures, and microstructures. 64-06434A
compaction curves for. 64-07030A
expanded, method and apparatus for producing. 64-04233P
oil, Petrosix process pyrolyzed for pozzolan production. 64-07056A
Petrosix process pyrolyzed, properties after firing. 64-02047A
petrography, application of backscattered electron imaging for. 64-04228A
- Shock resistance**,
of containers, glass, relation to internal pressure. 64-03479A
thermal, of SiC kiln furniture, nondestructive testing of. 64-04978A
of basic refractory brick, evaluation. 64-02111A
of nuclear waste glass under water quenching conditions. 64-01845A
of returnable glass containers. 64-03492A
- Shock**,
compression, in CaF₂. 64-02995A
explosive, loading of α-Si₃N₄ powder. 64-07099A
-induced luminescence, from α-cut quartz. 64-00838A
thermal, of β-Al₂O₃. 64-04357A
of β-Al₂O₃ with ZrO₂ additions. 64-04358A
spalling of flat plates by. 64-05958A
- Shrinkage**,
of concrete, aerated, relation to composition of hydration products. 64-00056A
pore, and sintering stress. 64-01567A
of refractories, glass-fiber, decreasing during service. 64-00464A
- Sialons**,
O'-phase, method of making. 64-05639P
α-, Ca- and Y-containing, Rietveld refinements for. 64-02821A
thermal conductivity. 64-04356A
β-, with discrete particles, method of producing. 64-04419P
powders, carbothermal reduction processes in. 64-04327A
β'-Mg, diffraction studies. 64-01199A
β-, method of making. 64-05649P
rheological and technological properties of suspensions based on. 64-02820A
synthesis from Korean pink kaolin. 64-07182A
synthesis from Korean pyrophyllite. 64-07183A
synthesis from montmorillonite-polyacrylonitrile intercalation compound. 64-02834A
-based materials, method of making. 64-05637P
coating, on fused-SiO₂ shapes. 64-06483P
composition, of grain and powder, preparation. 64-04410P
for cutting, metals, application. 64-01177A
for engines, high-performance. 64-01185A
glass phase, intergranular, N content. 64-07137A
liquid, Si use in. 64-02917P
phases, NMR structural studies of. 64-01227A
strength, flexural, effect of grinding on. 64-07086A
thermal diffusivity and expansion of. 64-07185A
- Sieves**. See *Screens and sieves*.
- Silica**. See *Silicon dioxide*.
- Silicates**,
Al, hydrothermal decomposition of. 64-04503P
Ba-Al, Cr-doped, laser systems. 64-01288P
C-S, method of making hydraulic cement from. 64-00072P
Ca, hydrous, insulation products from recycled greenware. 64-06132P
hydrous, insulation, method of recycling greenware in mfg. of. 64-00388P
shaped product, method of making. 64-01779P
synthetic, flowable mixture. 64-01775P
thermal insulating materials. 64-03076A
Ca hydro-, synthesis from industrial wastes. 64-01761A
Ca-H, structure. 64-00060A; 64-00061A
CaO, phosphor. 64-04509P
Mg, mineral filler from. 64-02958P
production of MgO from, by basic extraction of SiO₂. 64-01168P
Mn, determination of major constituents by AAS. 64-04205A
MnSiO₃ and (Mn,Mg)SiO₃, crystals, growth by floating-zone method. 64-07337A
Na₂O, sol-gel-derived, processing variables. 64-05789A
Na₂O boron-, and Na₂O silicate, drying additive in sol-gel processing. 64-05693A
-SiO₂ cement, for oil field applications. 64-04669P
Zr phosphor-, amorphous, methods for preparing. 64-07424P
Zr(IV) oxide content, photometric determination. 64-05410A
/ZrO₂ coatings, for C-C substrates. 64-04380P
aggregate, lightweight expanded, preparation from rice hull ash. 64-02967P

- alkali, impregnate, method of making surface-hardened sinter-iron part. 64-05881P
- alkali metal, binder based on. 64-05878P
- binder compositions. 64-05875P
- for forming compacted bodies of glassmaking materials. 64-00380P
- hollow spherical bodies. 64-06362P
- interaction of SiC refractories with melts of. 64-04963A
- for making glass compositions. 64-03393P
- alkali-metal alumino-, fine-particulate, for dye soaping. 64-04520P
- alumino-, Co-substituted catalyst, for syngas conversion. 64-04371P; 64-04394P
- catalysts based on. 64-04426P
- catalytic synthesis of olefins on. 64-04247A
- catalytically active, method of making. 64-01350P
- cracking catalyst, production of. 64-01360P
- crystalline, method of making. 64-02860P
- zeolite, preparation from SiO₂ and Al(OH)₃. 64-01346P
- zeolite-like. 64-01302P
- binders and coatings, with SiO₂ gel. 64-02971P
- boro-, with pentasil-type framework, structures in. 64-07487A
- for building materials, F determination of. 64-04085A
- cement-bonding, rapidly dissolvable, methods of using. 64-07433P
- coating, on spandrel (glass substrate). 64-00426P
- ethyl-, bond conversion and interaction with corundum filler on heating. 64-02930A
- industries, origin and effect of pollution hazard relative to soil. 64-03028A
- industry, complex raw materials for. 64-05489A
- liquid, densities at high pressures. 64-04204A
- melting, graphical representation of. 64-05924A
- metal and boro-, crystalline, preparation of. 64-01158P
- molten, determination of temp. profiles by inversion of transfer equation. 64-00283A
- electrical conduction, free vol theory. 64-00179A
- phospho-, glass, method for reflow of. 64-00389P
- phylo-, structural defects in. 64-02726A
- and polymethacrylic acids, foams. 64-01497P
- rapidly dissolvable, applications. 64-00266P
- samples containing, XRF analysis with glass beads. 64-01043A
- soluble, mfg. and use. 64-03357A
- tecto-, electronically conductive. 64-00746P
- tetrabutylammonium, anion constitution and aqueous solutions. 64-01379A
- in thin layers, XRF analysis of. 64-02627A
- titanoboro-, molecular sieve, method of making. 64-07429P
- treatment, of foundry sands. 64-01173P
- Silicides**
- Nb and Mo, formation kinetics induced by ion bombardment. 64-02932A
- metal, preparation of. 64-07240P
- in systems, Sc-Si, enthalpy of formation. 64-05918A
- Silicon carbide**. See also *Refractories*.
- and Al, interfacial reactions during joining. 64-01225A
- AIN solution, sintered articles, method of making. 64-04433P
- B and Be in, interdiffusion. 64-01226A
- B₂C, carbonaceous body. 64-07285P
- with BaO and C additions, hot-pressing of. 64-07115A
- C composite, synthesized by pyrolysis of polycarbosilane. 64-07382A
- CVD, from Si-C-Cl-H gas systems, thermodynamic analysis. 64-04283A
- mechanical properties. 64-01228A
- HIP of. 64-04283A
- He in, ion implantation. 64-07125A
- He ions in, simulation of range and damage distributions. 64-05901A
- Nicalon fiber, mechanical and structural properties. 64-04306A
- Si₃N₄, coatings, for C-C materials. 64-01297P
- fiber, preparing tris methylsilane monomer for. 64-01222A
- Si-infiltrated, oxidation behavior. 64-02803A
- SiC and C-SiC composites, feasibility of. 64-07102A
- α-, B₂C, and C, pore-free sintered bodies of. 64-04317A
- dense shaped articles by hot-pressing. 64-01304P
- pressureless sintering of. 64-02812A
- single crystal, dislocations in. 64-05526A
- sintered, hot corrosion of. 64-07114A
- sintered, phenomenology of fracture in. 64-02805A
- sintered, ultrasonic detection of surface flaws. 64-05441A
- sintering, statistical evaluation. 64-07098A
- abrasive grains, coated with refractory material, method of making. 64-04606P
- additions, to C-containing refractories, behavior of. 64-04921A
- additive, effect on properties of mullite-corundum refractory packing. 64-00469A
- amorphization, by ion beams. 64-07441A
- amorphous, semiconducting. 64-00728P
- annual ceramic mineral resources review. 64-07016A
- applications for. 64-05554A
- alkalis, method of making. 64-05636P
- β-α transformation, variation of real structure during. 64-01273A
- β-, Al-doped, normal sintering of. 64-07138A
- crystals, relaxation phenomena. 64-05572A
- films, defects in. 64-05524A
- flaky, refractories with. 64-00571P
- from organic Si polymer, method of making. 64-01325P
- whisker, fracture toughness. 64-01216A
- base parts, binderless weld-bonding into solid bodies. 64-02849P
- bodies, joining. 64-07235P
- method of making. 64-01358P; 64-02870P
- reaction-bonded, production of. 64-01361P
- sintered, method of making. 64-07279P
- thermal-shock-resistant molded, method of making. 64-07251P
- brazing, with Si-Co solder. 64-04401P
- to stainless steel. 64-04246A
- ceramics containing, pressureless sintering of. 64-07172A
- coatings, for C-C materials. 64-01296P
- deposition on C-based materials. 64-01306P
- composites, whisker. 64-01363P
- containing BeO, effect of impurity and carrier concentrations on properties. 64-03767A
- containing refractory, with improved properties. 64-02212A
- containing saggars, based on Al-Cr phosphate binder. 64-00300A
- creep in, high-temp., kinetics and mechanism. 64-02787A
- crystalline, method of making. 64-05635P
- crystalline Si heterostructure, preparation and electrical properties. 64-02329A
- crystals, electron state symmetry. 64-03774A
- phase composition and formation. 64-05568A
- cubic, MOS characteristics. 64-05130A
- cutting insert, with sintered diamond envelope. 64-04434P
- doped, with Al, resultant properties. 64-00634A
- epitaxial, grown from vapor phase, morphology and properties. 64-01232A
- fibers, creep at high temps. 64-04256A
- γ-ray irradiation curing on polycarbosilane fibers as precursors. 64-07101A
- glass-ceramic composites reinforced with. 64-02906P
- mechanical properties. 64-02793A
- and metal plate, electromagnetic wave absorbers of. 64-05615P
- preparation by pyrolysis. 64-04392P
- spinel structure containing. 64-05608P
- fibrous, insulation, method for forming. 64-02874P
- filaments, B-coated. 64-02851P
- films, laser annealing of. 64-01356P
- grinding, in ball mills, formation of contaminants, thermodynamics. 64-04359A
- heat exchanger, gas-gas. 64-02800A
- high thermal conductivity/high insulating, developments and applications of. 64-02755A
- intermediate, for preparing nitrided superhard composite materials. 64-01348P
- ion-beam-deposited, on glass optics and replica gratings. 64-02786A
- ion-implanted, reactivity of. 64-07154A
- kiln furniture, methods of determining aging condition. 64-02147A
- nondestructive testing of thermal shock resistance. 64-04978A
- layers, CVD, recovery of. 64-05245P
- for low-P fusion metal. 64-02908P
- mechanical properties, improvements by TiC particle addition. 64-01223A
- paddles, in semiconductor diffusion furnaces, design of. 64-04934A
- polycrystalline, body, method of making. 64-04399P
- shaped body, method of making. 64-02892P
- polytypes, crystal structure. 64-05523A
- powders, 2H-type, method of making. 64-07228P
- removal of oxide contamination from. 64-01253A
- shock compaction of. 64-07164A
- sinterable, synthesis of. 64-01263A
- sintering, with B and C as aids. 64-01256A
- precursors, hydrosilyl-modified polycarbosilane. 64-01314P
- rare-earth composites, sintered. 64-04382P
- recrystallized, kiln furniture, energy reduction with. 64-03617A
- production technology and properties. 64-07151A
- refractory. 64-00509A
- recycled, for highly stressed kiln furniture. 64-02195A
- refractories, in blast furnaces, theory, applications, results. 64-02213A
- corrosion-resistant. 64-03713P
- interaction with melts of alkali-metal silicates. 64-04963A
- raw materials for. 64-04335A
- reaction with cryolite. 64-02818A
- reinforced substrate, surface finishing process for. 64-07292P
- from rice hulls. 64-07165A
- effect of presence of Fe. 64-07152A
- saggars, blackening of porcelain during firing in. 64-03714A
- blackening of porcelain during firing in, causes and prevention. 64-02259A
- self-bonded, B-doped, electrical conductivity. 64-04274A
- semiconductors, method of making. 64-05125A
- and silicate fibers, sol-gel-derived coatings on. 64-05798A
- sintered, Charpy impact, of high-temp.-instrumented. 64-04276A
- effects of surface finishing and grain size on strength. 64-07093A
- exposed to basic coal slags, corrosion mechanisms. 64-05898A
- high-density, method of making. 64-02877P
- hot-pressed, Auger analysis of. 64-04242A
- with metallic surface, method of making. 64-01365P
- phase transformations β-α. 64-04315A
- without pressure, injection molding of. 64-02784A
- sintering. 64-07171A
- high-pressure self-combustion. 64-04286A
- strength, degradation by exposure to coal slags. 64-02829A
- time-dependent, under stress. 64-05588A
- stress in, residual, measurement of. 64-04330A
- substrate, method of making. 64-03908P
- welding, feasibility study. 64-07103A
- whisker-reinforced Al₂O₃, toughening behavior in. 64-02837A
- whisker-reinforced ceramics, development of. 64-04265A
- whisker-reinforced composite, method of making. 64-04396P
- whiskers, in MoSi₃ matrix, feasibility of a composite of. 64-07101A
- continuous production. 64-01300P
- effect of impurities on morphology. 64-07087A
- method of making. 64-04418P
- from rice hulls, formation and structure. 64-02770A
- Silicon dioxide**. See also *Colloids*; *Cristobalite*; *Glass*; *Quartz*; *Quartzite*; *Refractories*; *Sands*.
- Al₂O₃, catalyst, reaction of phenyl groups from polystyrene in presence of. 64-02767A
- insulators, thin-film, method of making. 64-05231P
- pellets, porous, liquid-phase diffusion and adsorption of pyridine in. 64-02986A
- B-free, method for making. 64-05228P
- CVD preform, optical fiber, incorporation of OH groups in. 64-01877A
- D⁺ ion implantation, comparison with thermal D₂ doping. 64-04708A
- H⁺-implanted, O vacancy annealing in. 64-05699A
- Mo oxide, catalyst, structure and properties. 64-01182A
- in Na carbonate, molten, formation of solid reaction products in dissolution of. 64-03255A
- Si interface, techniques for improving characterization. 64-00715A
- Si₃N₄, preparation. 64-01245A
- ThO₂-supported catalyst, hydrocracking. 64-01313P
- activated, X-ray structural analysis. 64-01597A
- addition, effect of mode on transformation of quartz into cristobalite. 64-01836A
- amorphous, O-implanted, annealing of paramagnetic O vacancies. 64-07472A
- applications for. 64-04772A
- degree of order, by luminescence measurements. 64-03270A
- interaction of surface silanol groups with V trichloride oxide vapor. 64-07344A
- structural model. 64-00230A
- and Al₂O₃, CuCl₂, supported on. 64-01194A
- and Si₃N₄-clad dual injector apparatus, two-carrier. 64-00819P
- and SiN_x films, on GaAs and Si, stress in. 64-00708A
- annual ceramic mineral resources review. 64-07015A
- bulk damage in, laser-induced. 64-01866A
- catalyst, fluorinated, for preparation of aromatic/aliphatic nitriles. 64-05619P
- catalyst impregnated on, for ethylene polymerization. 64-07204P
- chemically modified, sorption of Sc on. 64-05806A
- coating, method for making. 64-00258P
- porous antireflective. 64-01447A
- colloidal, hydration of C₂S in presence of. 64-03096A
- monodisperse, casting of. 64-00892A
- precipitation in high-SiO₂ porous glass. 64-01965A
- core, optical fibers, γ-ray-induced absorption in. 64-01949A
- crystalline, X-ray-induced luminescence in. 64-00725A
- catalysts. 64-07220P
- point defects in. 64-01565A
- current in, temp. dependence in tunneling regime. 64-03835A
- deposition of, laser-induced. 64-00676A
- photochemical, from system Si₃H₈ + O₂. 64-02297A
- dialytic, particulate. 64-05886P
- dissolution, in melts of Na₂CO₃-Na₂SiO₃ system. 64-04718A
- in dust samples, IRS determination. 64-02611A
- electron traps in, radiation-induced. 64-00703A
- etching, anisotropic, in CF₄-O₂ and NH₃-Ar plasmas. 64-02287A
- selectively, with SF₆/nitriding gas. 64-00783P
- fabric, C-coated substrate for Si bodies, method of making. 64-04423P
- ferri-, gels, electrical conduction of. 64-04722A
- fiber preforms, Ge-doped SiO₂, optical, effects of densification on defect center concentration. 64-06187A
- fibers, method of making. 64-05646P
- films, containing Si islands, electroluminescence studies. 64-06556A
- electron trapping/detrapping in tunneling regime. 64-00661A
- etch-rate behavior. 64-05704A
- humidity-sensitive, time variability of surface ionic conduction. 64-06585A
- off-stoichiometric, charge transport and trapping. 64-00635A
- properties. 64-05164A
- for semiconductor fabrication. 64-05175A
- thermally nitrided, structure of Si LVV and N KLL Auger signals. 64-05920A

- fumed, from combustion, recovery of. 64-05890P
fumes, condensed, physical and chemical characterization. 64-0143A
- surface-area stabilization of. 64-01513P
fused, high-temp. intrinsic defects in. 64-00193A
method for reducing striations in. 64-07249P
opaque, bell of. 64-05506P
- refractories, physicochemical properties. 64-03615A
gel, doped with ZrO_2 , IR study. 64-04731A
hydrothermal sintering of. 64-04801A
hydrous, method of making. 64-00260P
method for modifying properties of. 64-04477A
spherical microporous, method of making. 64-00267P
glass, Ce-doped, thermodynamic stability and incorporation of P into. 64-06273A
preparation from powder compacts. 64-00320A; 64-00321A
preparation of alkaline silicate water solutions by sol-gel method. 64-03355A
present and future of. 64-04818A
- glassy, fluctuations in cluster models of defect centers. 64-03253A
laser-induced accumulation of structural defects. 64-01865A
high-purity, method of making. 64-01236A
hot electron emission into, from Si, theory of. 64-01476A
impurity states in. 64-04467A
ion-implanted, mechanisms of damage recovery. 64-06567A
layers, method for growth of. 64-07353A
minerals, naturally occurring. 64-05496A
off-stoichiometric, films, electronic properties. 64-03777A
pigments. 64-04508P
polymorphism of. 64-05784A
porous amorphous, catalyst. 64-01282P
positive charge transients in, high field current induced. 64-00668A
precipitated, with high structure, method of making. 64-04511P
pressure ampoules, sealed, for crystal growth. 64-06328A
production statistics, in Japan. 64-05303A
pure, with high mechanical strength, method of making. 64-01159P
method of making. 64-01165P
pure-core fibers, γ -ray-induced absorption bands in. 64-04795A
pyrolytically produced, process for hydrophobization of. 64-04516P
reaction, thermooxidized, with ZrO_2 . 64-01482A
reaction of PCl_5 , with, in inert atm. 64-01453A
refractories, castable. 64-05031P
fused. 64-04953A; 64-06483P
refractory structures, repairing. 64-06472P
sand, N. American. 64-02714A
competition in tight matrix. 64-02723A
foundry, silicate treatment of. 64-01173P
sol, ferric acetate-coated, by selective anion exchange. 64-01506P
reaction with NH_3 , buffer solution of Mn chloride. 64-01456A
solubility, in forsterite, emf measurement study of. 64-00516A
substrate, process for removing from carbonaceous pyrolytic. 64-04515P
synthesis of α - Si_3N_4 , powder from. 64-05583A
thermal, dynamics of defect creation by ion implantation. 64-04531A
tile, waterproofing agents for. 64-07403A
tubes, mfg. of. 64-03544P
type III, field-assisted ion exchange in. 64-02931A
viscous, with He impurities, thermal properties. 64-01920A
densified, Raman study. 64-01897A
deuterium groups in. 64-00161A
effect of trace impurities on devitrification—correction. 64-00174A
effect of trace impurities on viscosity—correction. 64-00175A
fast-neutron-irradiated, by positron annihilation. 64-01846A
homogeneity. 64-03270A
for optical fiber preform, method of making. 64-03402P
pressure-densified, Raman study of. 64-04750A
slabs with low bubble content, method and apparatus for making. 64-00384P
solubility of Ar in. 64-03356A
vs fictive temp., Raman studies. 64-03339A
xerogel, calcined, for beer clarification. 64-07407P
zeolite-containing catalyst, crystalline. 64-05611P
zeolites, transformations of piperylene over. 64-05871A
- Silicon nitride.** See also *Refractories*.
CVD, articles, mfg. of. 64-04391P
hot hardness of. 64-02780A
mechanical properties. 64-01228A
LPCVD, local oxidation of Si substrate using. 64-00764P
-SiC fibers, for safer composites. 64-02822A
from SiO_2 , preparation. 64-01245A
-TiC, TiN, La aluminate composite. 64-07286P
Weibull modulus, estimation of. 64-02983A
 α -, and β -hardness of. 64-07111A
powder, explosive shock loading of. 64-07099A
powders, synthesis of. 64-07181A
adhesives for. 64-02846P
- amorphous, with added calcined Y_2O_3 , microstructure and sinterability. 64-02798A
and $MoSi_2$, heater. 64-02857P
anisotropic, method of making. 64-05633P
articles, process for sintering. 64-01353P
for sintering, method of preparing. 64-01329P
 β -, whiskers, method of making (NH_3 added to N_2). 64-07243P
-based body, sintered, method of making. 64-05651P
bodies. 64-04435P
method of making. 64-05629P
sintered, method of making. 64-07280P
coatings, antireflection, for photovoltaic cells. 64-02823A
containing MgO , hot-pressed, oxidation behavior. 64-05567A
-cordierite composites, for diesel engines. 64-04336A
crystalline, method of making. 64-07252P
dense, developments in processing techniques. 64-07155A
densification of. 64-07078A
films, Ti-containing, method of making. 64-01367P
insulation degradation and etching phenomena. 64-05118A
ion beam synthesis of. 64-07250P
laser annealing of. 64-01356P
model of conductivity in. 64-05563A
photo-CVD, structural and electrical properties. 64-03830A
plasma-deposited from SiF₄. 64-02806A
hot isostatically pressed, ground, residual strength. 64-07157A
hot-pressed, fabrication with metal nitride additives. 64-04279A
fracture mechanism. 64-05923A
mechanical properties. 64-05548A
mixed-mode fracture. 64-07481A
thermal behavior, kinetics of. 64-02788A
transient creep parameters by dynamic bending tests. 64-01196A
joining to metals. 64-07236P
joints, high-temp. chemical phenomena affecting. 64-01219A
layer, insulating, method for fabricating semiconductor layer on. 64-06637P
semiconductor device with patterns formed in. 64-06648P
with lower-density outer layer, method of making. 64-04322P
and metal surface, interaction between. 64-04300A
mill, for fine Si and Si_3N_4 , powders. 64-00897A
molded articles, method of making. 64-04406P
moldings, method of making. 64-04427P
objects, method of making. 64-01327P
-oxynitride composite, densified, method of making. 64-04404P
parts, method for (CaF₂ and kaolin) adhesion of. 64-02873P
plasma-deposited, preparation and characterization. 64-00695A
powder, densification with additives. 64-04261A
with good sintering property, method of making. 64-04416P
grinding prior to heating to produce crystalline powder. 64-07229P
plasma spray. 64-05641P
process for preparing. 64-07271P
powders, very fine, determination of dielectric properties. 64-07083A
synthetic, surface of. 64-02833A
pressureless, size effect on strength. 64-02827A
process for producing. 64-02902P
reaction-bonded, Y_2O_3 -doped sintered, fracture of. 64-07106A
consolidated by HIP, microstructure. 64-07134A
effect of pN, on mfg. 64-07088A
effect of hot isostatic pressing on. 64-01204A
effect of transport properties of nitriding atm on formation. 64-07122A; 64-07123A
permittivity and dielectric loss. 64-04314A
re-sintering of. 64-05571A
reaction-sintered, high-temp. corrosion of. 64-04288A
reactive materials, method of hot-pressing. 64-02879P
from rice hulls. 64-07165A
rotary component, method for connecting to metallic rotor. 64-04402P
during rubbing in water, material removing mechanism. 64-04305A
semiconductor device, self-aligned, method of making. 64-06668P
sintered, Fe-bearing inclusions in, causes and effects. 64-01183A
fabrication of. 64-05656P
fracture mechanics. 64-05543A
liquid, use of Si in. 64-02917P
method for making. 64-01320P
products with high corrosion resistance, method of making. 64-04436P
with rare-earth oxide additions, oxidation of. 64-07139A
with rare-earth-oxide additions, strength and microstructure. 64-04348A
thermomechanical properties. 64-01267A
sintering. 64-02813A; 64-07171A
to high density. 64-04337A
pressureless, with Al_2O_3 - Y_2O_3 , as aid. 64-07148A
-steel, sliding parts, tribology. 64-05590A
- strength, degradation by exposure to coal slags. 64-02829A
tools, cutting. 64-02824A
tribology. 64-05590A
- Silicones.**
 Al_2O_3 doped, with electrical conductivity. 64-04537A
-C surface layer, photoconductive member with. 64-02399P
O, content, in absorption method for measuring. 64-01019A
profiles in, implanted, model for evolution. 64-05752A
Pt silicide formation on, film stress and kinetics, in situ study. 64-05724A
Si(III) surfaces, annealed in vacuum, photovoltage study of electronic properties. 64-05813A
Si-H, preparation by reactive evaporation. 64-02934A
solar cell, electrodes of. 64-00660A
sputtered films, preparation and properties. 64-00697A
SiF₄, plasma-deposited Si_3N_4 , films from. 64-02806A
SiH₄, preparation of. 64-04512P
SiO, on Al-coated mirrors. 64-06332A
alkali diffusion-preventing layer, glass body with. 64-01930P
films, method for forming. 64-06638P
and SiO₂, thermal nitridation for thin gate insulators. 64-00719A
-SiO₂ interface, B segregation during anneals. 64-03751A
techniques for improving characteristics. 64-00715A
-SiO₂, polycrystalline Si system, multiple-angle ellipsometry of. 64-05428A
SiO₂N₂, electron microscopic study of grain boundaries. 64-05544A
-Y₂O₃ dispersions, ion-exchange treatment of. 64-05556A
-YSZ interface, thermal oxidation of. 64-05109A
-ZnO heterojunctions, conductivity of. 64-02293A
activity, effect on liquid-phase sintering of N ceramics. 64-07326A
amorphous, integrated-type solar cell. 64-00673A
post-hydrogenation B-doped CVD, electronic properties. 64-05337A
atoms, laser-induced diffusion from Si_3N_4 , films on GaAs. 64-05122A
-bearing reactant, alkoxo-substituted, CVD coating process with. 64-00950P
compact, of coarse particles, effective nitridation of. 64-07091A
effect of MgO on nitridation. 64-07090A
crystal growth, from laser-induced melt, interface structure and solute trapping. 64-01415A
device, application of CVD borophosphosilicate glasses for. 64-00638A
effect on vapor-phase growth, of TiN and TiC whiskers. 64-01207A
film, effect of deposition mechanism on composition. 64-05070A
films, CVD, B doping and posthydrogenation effects on optical gaps and Urbach tails. 64-05057A
CVD, stress in. 64-05960A
additional electron and XRD peaks of. 64-05895A
effect of mixing H with silane on electronic and optical properties. 64-05697A
effect of substrate temp. on optical properties. 64-05930A
zone-melted, control of structure. 64-01386A
-glass-Si transducer, capacitive pressure. 64-00428P
hot electron emission from, into SiO_2 , theory of. 64-01476A
-infiltrated, SiC, oxidation behavior. 64-02803A
on insulator films, zone-melting recrystallization of. 64-00726A
layer, epitaxial, of Si-BP-Si structure. 64-02309A
for liquid-sintered Si_3N_4 and Sialons. 64-02917P
metal, and its compacts, characterization for nitridation. 64-07078A
-on-Si packaging. 64-02337A
oxidation, thermal, chemisorption and linear rate constant. 64-04497A
oxide, water-free, method of making. 64-01508P
oxynitride, film waveguides, CVD of. 64-03795A
films, in optical properties. 64-04299A
poly-, method for depositing over TiO₂. 64-06636P
polycrystalline, device for depositing on C Tape. 64-06609P
polymer, organic, method of making flaky β -SiC from. 64-01325P
reactive. 64-04488A
powder, attrition mill for producing. 64-00897A
sintering. 64-07501A
-on-sapphire device, method for making. 64-03905P
silicocarbonaceous mass, with high porosity, method of making. 64-01511P
silicon layer, and pyrolytic SiO_2 layer, wetting of. 64-07404A
substrate, C-coated SiO_2 , fabric. 64-04423P
local oxidation of, using LPCVD Si_3N_4 . 64-00764P
suspensions, properties. 64-01030A
tetrachloride, production process of. 64-02969P
top-coating, onto ceramic. 64-05196A
wafers, SiO_2 -sol compositions for polishing. 64-00007P
stress rate and proof testing. 64-04568A
- Silicones.**
films, humidity-sensitive, surface OH concentration and electrical resistance. 64-00709A
- Siliminate.** See also *Refractories*.
minerals, mullite from. 64-02713A
refractories, hot transverse strength. 64-06450A
- Siloxanes.**
on metal oxide layer, photoreceptor containing. 64-00787P

- polyorgano-, with talc and kaolin mixtures, sintering and phase composition during calcination. 64-01461A
- Silver,**
- Ag oxide electrode, effect of Mn(II) chloride and Mn(IV) oxide on behavior. 64-00649A
 - Ag₂GeO₃, crystal structure. 64-01522A
 - Ag₂MnO₃, synthesis and crystal structure. 64-01581A
 - Ag₂Se, films, electron effective mass in low-temp. phase. 64-02307A
 - AgBr, activation vols in high-temp. region. 64-04523A
 - AgCl, activation vols in high-temp. region. 64-04523A
 - AgGaS₂, films, growth and electrical properties. 64-05100A
 - AgInS₂, crystals, electrooptical properties. 64-05090A
 - AgInSe₂, films, electrical resistivity. 64-00659A
 - films, growth of. 64-05103A
 - and Cu, reaction of glassy As₂Se₃ with. 64-03342A
 - Pd in presence of, oxidation and reduction. 64-05142A
 - Ti, reaction of glassy As₂Se₃ with. 64-03341A
 - atoms, in heat mirror coatings, photoenhanced migration of. 64-05944A
 - interdiffusion, in glasses, and related variations in electronic polarizability. 64-01860A
 - metal oxide alloy, electrical contact materials. 64-00808P
 - oxide, complex, photochromic properties. 64-02327A
 - divalent, cell including Cd and Te. 64-06613P
 - silvering, glass, sensitizing function of SnCl₄. 64-04751A
 - tracer diffusion, in Cu₂O. 64-03825A
 - two-dimensional metallic, in β-Al₂O₃. 64-07514A
- Silvering.** See *Glass*.
- Single crystals.** See *Crystals* and specific types.
- Sintering.**
- Al₂O₃, Bayer, effect of calcination atm. 64-04295A
 - by addition of Si₃N₄, study of. 64-04318A
 - effect of pretreatment. 64-04294A
 - in gas plasmas. 64-06784A
 - high-purity. 64-04264A
 - narrow size distribution. 64-06781A
 - structural transformations during. 64-02831A
 - white, with additives. 64-04339A
 - BaTiO₃, in presence of LiF. 64-03826A
 - BaTiO₃-based dielectric materials, BaLiF₃—new agent for. 64-05055A
 - Ca₂ZrP₂O₁₁, low thermal expansion material. 64-07180A
 - CoO, under low applied stress. 64-01033A
 - Cr₂O₃, refractory. 64-02214A
 - of LaCrO₃, effect of MgO, Fe₂O₃, or Al₂O₃ additives. 64-05072A
 - of MgO, and Al₂O₃. 64-07169A
 - effect of Mg bis (dihydrogen orthophosphate) dihydrate. 64-07324A
 - effect of Mg chloride. 64-07325A
 - effects of V₂O₅ and H₂O, additives. 64-07092A
 - initial, in several water-vapor pressures. 64-07124A
 - of MgO-Al₂O₃ spinel, effect of MgO vaporization. 64-07119A
 - PZT, at near-theoretical density. 64-06695A
 - Si₃N₄. 64-02813A
 - amorphous with added calcined Y₂O₃. 64-02798A
 - to high density. 64-04337A
 - process for. 64-01353P
 - α-SiC, statistical evaluation of. 64-07098A
 - Sn oxide, with MnO₂, CuO, ZnO, or Li₂CO₃ additives, kinetics. 64-02985A
 - effect of additives. 64-03771A
 - of SnO₂, with additives. 64-02308A
 - Sr ferrite, kinetics of. 64-03961A
 - UO₂, development of density and structure during. 64-03982A
 - Y₂O₃, effect of precipitation procedure. 64-04468A
 - effect of spray drying. 64-04272A
 - powder, microstructural development during. 64-04308A
 - ZrO₂, effect of thermal cycling on. 64-02783A
 - activated, of natural magnesite. 64-06438A
 - additive for, AlN powder. 64-01150P
 - aids, for PSZ. 64-07167A
 - aluminas, doped with Ti⁴⁺, phase studies. 64-07365A
 - ceramics. 64-07500A
 - process for removing C residues. 64-00803P
 - composites, Al₂O₃-SiO₂. 64-05370A
 - WC-Co, contiguity in. 64-06139A
 - composition, Ti boride-based. 64-02914P
 - corundum, in H medium. 64-02826A
 - possibility of decreasing temp. 64-01244A
 - and creep damage, effect of voids at 3-grain junctions. 64-02982A
 - early, particle rotation in. 64-01560A
 - effect of aggregates on. 64-01412A
 - electronic components, passive. 64-06696A
 - experimental, of porous gels. 64-06768A
 - films, constrained by rigid substrate. 64-07499A
 - final-stage, of MgO. 64-07104A
 - flowable composition for, (ceramic, carbide, refractory). 64-02862P
 - fuel bodies, nuclear. 64-05353P
 - glass, application of Fulcher's equation. 64-01807A
 - quartz, effect of chemical modification of surface on. 64-01834A
 - of glass-ceramics, porous, in system Na₂O-B₂O₃-Ga₂O₃. 64-01888A
 - glasses and ceramics, vapor-phase process. 64-03541P
 - heat-recursive, nonpolluting, method and apparatus. 64-04187P
 - hydrothermal, of microporous SiO₂ gel. 64-04801A
 - initial-stage, dilatometric analysis. 64-01012A
 - effects of crystallinity in. 64-07457A
 - isothermal, of cordierite-type glass powders. 64-00309A
 - of Portland cement raw mixes. 64-00046A
 - kinetics, of perovskite-type ceramics. 64-06698A
 - liquid-phase, of MgO-china clay compacts. 64-02134A
 - of N ceramics, effect of Si activity. 64-07326A
 - of thick-film resistors. 64-06562A
 - magnesite, effect of Mn oxide additions. 64-06452A
 - materials, based on SiC and Si₃N₄. 64-07171A
 - microwave plasma, of Al₂O₃. 64-06775A
 - minerals, with gaseous fuel, method and apparatus. 64-04180P
 - mullite, nonstoichiometric. 64-04338A
 - pure. 64-07392A
 - normal, of Al-doped β-SiC. 64-07138A
 - oxides, transparent. 64-07168A
 - with plasma gas atm. 64-04194P
 - powders, CaO-stabilized ZrO₂. 64-02825A
 - SiC, with B and C as aids. 64-01256A
 - Y₂O₃-stabilized ZrO₂, role of Al₂O₃. 64-07159A
 - ultrafine Si. 64-07501A
 - pressureless, of Si₃N₄, with Al₂O₃-Y₂O₃ as aid. 64-07148A
 - of α-SiC. 64-02812A
 - of ceramics containing SiC. 64-07172A
 - fabrication of dense, monoclinic ZrO₂ polycrystals by. 64-02768A
 - to make dense, high thermal conductivity AlN. 64-01357P
 - rapid-rate, of multiphase ceramics. 64-02570P
 - re-, of reaction-bonded Si₃N₄. 64-05571A
 - reaction, of Al₂O₃-AlOH composites. 64-04326A
 - refractories, Shandong, China, magnesite-dolomite concentrate prepared by flotation, factors affecting. 64-06447A
 - scintillators, Y₂O₃-Gd₂O₃. 64-06640P
 - self-combustion, of SiC. 64-04286A
 - high-pressure, for ceramics. 64-02774A
 - shock-conditioned materials. 64-06785A
 - solid solutions, 16 CaO-84 mol% ZrO₂. 64-07170A
 - solid-state, attainment of high density. 64-07174A
 - principles of. 64-02992A; 64-02993A
 - stress, pore shrinkage and. 64-01567A
 - theory and technology. 64-05957A
 - viscous, of bimodal pore-size distribution. 64-01973A
 - on rigid substrate. 64-05968A
- Sizing.**
- Cr-free, containing Ti acetyl acetate, for glass fiber gun roving. 64-00348P
 - fibers, glass, method for. 64-00983P
 - laser, for fiber optic buffers, method and apparatus. 64-01994P
 - of optical fibers, method and apparatus. 64-04043P
- Slags.**
- BF, as raw material for cement. 64-01698A
 - steel, and alloy, alkaline activation of. 64-01697A
 - from British Gas/Lurgi Gasifier, cementitious properties. 64-01704A
 - Mg, fused refractories based on. 64-04952A
 - Ni, high-MgO, reactivity of. 64-01749A
 - alkali cements. 64-04658A
 - binder, low-energy-consuming. 64-06105A
 - blast-furnace, Indian, as additive to accelerate glassmelting. 64-03454A
 - calumite, as glass batch material. 64-03414A
 - effect on glassmaking. 64-04784A
 - relationship between structure and activity. 64-06245A
 - structure and reactivity. 64-05677A
 - cement hydration, kinetics and mechanisms. 64-01728A
 - coal, basic, corrosion of sintered SiC exposed to. 64-05898A
 - strength degradation in SiC and Si₃N₄ exposed to. 64-02829A
 - converter V, distribution specificities of Ca, Mg, and Al between phases. 64-01394A
 - effect on heat of cement hydration. 64-04646A
 - ferroalloy, in ceramic-tile compositions. 64-02268A
 - from ferrochrome production, in USSR, for refractories. 64-00515A
 - furnace, for tile. 64-07322A
 - liquid, in system CaO-FeO-Fe₂O₃-SiO₂, viscosity measurements. 64-01925A
 - molten, corrosion of MgO grain in MgO brick by. 64-04932A
 - physicochemical properties. 64-01634B
 - nonferrous, hydration and pozzolanic activity. 64-06091A
 - penetration of refractories by, ZrO₂. 64-03604A; 64-03605A
 - phosphorus, wall tiles from. 64-00586A
 - resistance of refractories, method for determining. 64-04974A
 - runner system for, refractory. 64-06502P
 - self-disintegrating steelworks, for light building materials. 64-06124A
 - silicate, molten, corrosion of CaO-stabilized ZrO₂ solid electrolytes by. 64-04254A
 - steelmaking, Cr oxide in, effect on corrosion of MgO-Cr bricks. 64-04962A
 - studies, understanding wear mechanisms of refractories through. 64-00530A
 - synthesized, hydration of—heat liberation and mortar strength. 64-06093A
 - systems, CaO-MgO-SiO₂, effect of alkalis on surface tension and electrical conductivity. 64-05725A
- Slaking.** See *Lime*, hydration of.
- Slips.** See also *Suspensions*.
- casting, of PSZ. 64-04340A
 - and casters. 64-00616A
 - electrophoretic. 64-00959P
 - for large-size sanitary articles. 64-06507A
 - volume of H₂O extracted by mold. 64-07494A
 - clay, preparation in single-chamber mixer/grinder. 64-02276A
 - containing Si and Y particles, method of forming. 64-01324P
 - enamel, clay-poor, properties of. 64-01788A
 - rheology. 64-00112A
 - enameling, rheology, effect of clays and electrolyte on. 64-00084A
 - oxidation, Cone 6. 64-01669A
 - refractory, for heat-insulating inserts, optimum filtration parameters. 64-02162A
 - stabilization and aging of. 64-02526A
 - tape-casting, viscosity of. 64-06589A
 - whiteware, control of properties. 64-00589A
 - effect of waters from different sources. 64-02272A
 - peculiarity of flow behavior. 64-03726A
- Smelting.**
- MgO, for coating Si steel. 64-00136P
 - for coating Si steel, Ba and Cr additives to. 64-05876P
 - blending, distributed control in. 64-06766A
 - blending fibers into, mixer for. 64-00991P
 - casting, tape, BaTiO₃, ultrasonic dispersion of. 64-00934A
 - catalyst, Fe/Co (spinel) Fischer-Tropsch, method of making. 64-07269P
 - clay, flocculation with cation polyelectrolytes. 64-03721A
 - coating, oxidation-resistant, for C-based material. 64-04312A
 - density measurement for. 64-02584A
 - from glazes, fired at low temp., characteristics. 64-01117A
 - graphite, start up of Joule-heated glassmelter with. 64-04328A
 - light elements in, on-line analysis. 64-06882A
 - liquid, apparatus for producing. 64-03137P
 - ultrasonic densimeter for. 64-06922P
 - nepheline, activation with phosphorus. 64-01695A
 - power station ash and carbide, hardening properties. 64-06089A
 - sampler for. 64-02653P
 - viscosity, of kaolinitic clays, reducing. 64-01171P
 - of wool-washing water, re-use in brick production. 64-06430A
- Smectites.**
- clays, Brazilian, effect of curing on properties. 64-02708A
 - rheological properties after curing. 64-02722A
- Smelting.** See *Metallurgy*.
- Sonapstone.** See *Talc*.
- Soda ash.** See *Sodium, carbonate*.
- Soda.** See *Sodium, carbonate*.
- Sodanites.**
- hydro-, thermal decomposition of. 64-01479A
 - powders, compaction kinetics. 64-01384A
- Sodium.** See also *Alkalies*.
- Al hydride, catalysts, production of. 64-07437P
 - in GaAs, electrical properties. 64-05082A
 - In phosphates, condensed. 64-05676A
 - and Li gels and glasses, superionic. 64-06251A
 - Na₂(Al₂O₃), crystals. 64-01539A
 - Na₂Zr₂Yb(AsO₄), crystal chemistry and ionic conductivity. 64-00643A
 - Na₂CO₃, annual ceramic mineral resources review. 64-07017A
 - reaction with SiO₂ sand. 64-07374A
 - Na₂O, contaminated, process for vitrification of. 64-04745A
 - Na₂Si₂O₇·10H₂O, synthesis of. 64-01470A
 - Na₂P₂O₇·6H₂O, crystals, volume dehydration of. 64-05873A
 - Na₂PO₃, Zr-doped, new Na⁺ ion conductor. 64-00642A
 - Na₂(GaO₄) relationship, KNa₂(GaO₄) and CaK₂(GaO₄). 64-01428A
 - Na₂YSi₂O₇, superionic conductor, preparation and characteristics. 64-06572A
 - Na(OH), losses of Bayer-type Al₂O₃ production, process for reducing. 64-02736P
 - Na-Pb niobate, XRD data for. 64-05970A
 - NaBi(MoO₄)₂, crystal, electrogratation modulator with. 64-06684A
 - NaF, crystals, luminescence of U(VI) octahedral centers. 64-04549A
 - nature of luminescent transitions of main U⁴⁺ center. 64-00878A
 - NaNO₃, electronic absorption spectra. 64-04548A
 - Nasicon-type ceramics, well-densified, by sol-gel process and low temp. sintering. 64-00724A
 - S storage battery. 64-00809P
 - Zr silico-phosphate, method of making. 64-05883P
 - carbonate, Moebbauer study of Portland cement clinker doped with. 64-06110A
 - molten, formation of solid reaction products in dissolution of SiO₂ in. 64-03255A
 - soda ash, crystal modification. 64-01174P
 - deposit, on β-Al₂O₃ electrolyte. 64-07173A
 - deposition, in Al₂O₃ and Nasicon fast-ion conductors. 64-05558A
 - diffusion, in Na aluminophosphate glasses. 64-06252A
 - in SiO₂ glass, anomalous behavior. 64-03190A
 - disilicate, melting kinetics. 64-00218A
 - metavanadate, of α-form, crystal structure. 64-05905A
 - mobility, radiation-induced, in α-quartz. 64-01452A

- niobate, subsolidus solubility of Li niobate in. 64-05810A
oxalate, removal from Bayer spent liquor, process for. 64-04217P
reaction, with Na lamp materials. 64-05577A
sulfate, conversion of gypsum to. 64-05879P
transport, in $\text{Na}_2\text{O}-\text{H}_2\text{O}-\text{SiO}_2$ glass system. 64-04754A
triphenylphosphite, effect of temp. and moisture on hydration rate. 64-05699A
triphenylphosphite peroxide, thermal transformations of. 64-05865A
tripolyphosphate, effect on properties of refractory concretes. 64-03678A
vanadate, molten, spectroscopic study of Y_2O_3 -stabilized ZrO_2 , attack by. 64-01224A
zeolites, intermediate-stage ion exchange in, role of cation valency. 64-02785A
- Solids.**
cooking, catalytic mechanism for cleaning. 64-00076A
pollution, and silicate industries. 64-03028A
standards, need for. 64-01133A
sub-, radar cuts survey costs. 64-02613A
- Solar batteries.** See *Cells, photovoltaic.*
Solar cells. See *Cells, photovoltaic.*
Solar collectors.
Al, black-Zn-coated, optimization and microstructural analysis. 64-05140A
CdS. 64-00730P
formation of nonstoichiometric Cu_2S by ion-exchange. 64-05059A
GaAs, accelerated annealing of. 64-03846P
Si, integrated-type. 64-00673A
 α -SiH₄, electrode of. 64-00660A
all-glass, evacuated, materials science of. 64-04819A
amorphous, continuous production system for. 64-06804P
evacuated-tube, glass heat pipe. 64-00367P
films for Cu_2S , reactive sputtering of. 64-05169A
fluorescent, glass or glass-ceramics for. 64-03512P
selective, black Zn, optimization and evaluation of. 64-05139A
tubes, water-in-glass manifolds for heat extraction from. 64-04838A
- Solar furnaces.** See *Furnaces.*
Soldering. See also *Solder and sealing.*
ignition devices, for internal combustion engines. 64-01801P
metal, to ceramic feedthroughs (via Al_2O_3 substrate). 64-01792P
- Solders.**
Si-Co, brazing SiC parts with. 64-04401P
alloys, for ceramic-metal systems, technology of. 64-06145A
glass. SnO_2 , B_2O_3 , V_2O_5 , and electrical device with. 64-05410P
and electrical device with. 64-03403P
fused SiO_2 to SnO_2 - B_2O_3 , and electrical device with. 64-03547P
and stripping films with. 64-06607P
joint integrity, key to temp. cycling resistance in surface-mount assemblies. 64-05176A
leads, for surface attachment. 64-03752A
metal oxide, layer system. 64-04700P
paste, for attaching surface-mounted electronic devices. 64-00645A
cleaning processes for HIC's with. 64-02292A
tinning, chip carriers, fixture for. 64-02542P
- Solid solutions.** See *Solutions, solid.*
Solid state.
bonding, ceramic-to-ceramic and ceramic-to-metal. 64-02828A
chemistry, predictive character. 64-02942A
preparative, recent developments. 64-02945A
diffusion, in system Al_2O_3 - Cr_2O_3 . 64-02997A
reactions, between powdered reactants, kinetic analysis. 64-01419A
sintering, principles of. 64-02992A; 64-02993A
in varistor system, ZnO - Bi_2O_3 , mechanism. 64-05129A
- Solidification.**
experiments, temp.-gradient furnaces for. 64-04167A
rapid, in Al_2O_3 - ZrO_2 system. 64-04325A
- Solids.**
amorphous, physics of. 64-01636B
attending flow through porous media, precipitation and dissolution of. 64-02716A
blended, particle size distribution analysis by Andreasen pipet method. 64-01027A
blending, method and apparatus for. 64-00971P; 64-00972P
chemical analysis of, XRD quantitative. 64-06855A; 64-06856A
crystalline, XRD spectrometric study. 64-01042A
discharging apparatus, for shaft furnace. 64-05474P
dissipative, with imperfections, stability of flow processes. 64-05959A
dissolution kinetics of, application to refractories. 64-06445A
distribution of energy in, statistical character. 64-05903A
ferroelectric, space-charge-limited currents in. 64-05282A
nonmetallic, thermal conductometer for. 64-01039A
physical properties, relation to structure and chemical bonding. 64-02942A
piezoelectric, thermoelectric wave propagation in. 64-01542A
porous, volume instability. 64-01926A
poured bed of, methods for calculating fluid-induced heating and cooling. 64-02675A
- reactivity of, and mechanochemistry. 64-04489A
separation, via hydrocyclones. 64-00928A
separator for. 64-06844P
thermophysical properties. 64-03040B
wet or granular, nomogram solution for properties. 64-02619A
- Sols.** See *Colloids.*
Solubility.
of Ar, in vitreous SiO_2 . 64-03356A
of BaO , in BaTiO_3 . 64-07384A
of SiO_2 , in forsterite. 64-00516A
of gypsum, factors affecting. 64-04642A; 64-04643A
limit, of La in SrZrO_3 . 64-02437A
of oxides, refractory, in Na_2O - CaO glass. 64-00226A
reciprocal, of high-heat compounds, effect of structural imperfection. 64-01208A
subsolidus, of Li niobate in Na niobate. 64-05810A
of whiteware fragments, in acid or lye. 64-00610A
- Solutions, solid.** See also *Phase equilibria.*
 $3\text{Al}_2\text{O}_3$ - 2GeO_2 , alkoxide-derived, formation of. 64-04460A
(Ba,Pb)(Zr,Ti) O_3 , synthesis of. 64-06697A
C.S., comparison of alite in portland cement clinker to. 64-06069A
 16CaO - $84\text{mol}\%$ ZrO_2 , sintering behavior. 64-07170A
 $\text{CdSe},\text{Te},\dots$, sintered, physicochemical study. 64-05780A
of K and Ca tungstates. 64-05799A
 $\text{La},\text{Cu},\text{Ni},\text{O}_x$, synthesis of. 64-01585A
 NaCl-KCl and CaO-SrO systems, kinetic analysis of formation. 64-01418A
Nb carbide-based, sintered, creep in. 64-04258A
Pb stannate-based, preparation and study of crystals and ceramics from. 64-05275A
 $\text{Pb}_{0.1}\text{La}_{0.9}(\text{Zr}_{0.1}\text{Ti}_{0.9})_{1-x}\text{O}_3$, formation from coprecipitates. 64-05264A
 $\text{PbO},\text{Sn},\text{Te}$, diffusion of chalcogenides in. 64-05688A
 $\text{Sb}_{0.1}(\text{Ti},\text{La})_{0.9}$, thermoelectric properties. 64-05189A
 $\text{Sr},\text{Co},\text{Mg},\text{WO}_3$, and $\text{Sr},\text{Ni},\text{Mg},\text{WO}_3$, exchange interactions in, computation of parameters. 64-05900A
 SrCeO_3 , properties of ceramics based on. 64-05186A
 $(\text{Ti},\text{Fe},\text{O})_2\text{O}_3$, optical, electrophysical, and photoemission properties. 64-00862A
 Ti_2O_3 - CdS and Cd,TiS , monocrystals of. 64-05754A
 ZrO_2 - CeO_2 - Y_2O_3 , mixed conduction and defect structure. 64-03803A
additives, in ceramic processing. 64-07383A
alkaline-earth and rare-earth halides, superionic, Raman spectroscopy. 64-04563A
alloys, Fe-B, with high saturation magnetization and low magnetization. 64-02868P
based on GeTe, phase transitions and electrophysical properties at cross-section GeTe-AgSbTe . 64-05146A
based on Mg metavanadate. 64-05749A
crystals of, in system HfO_2 - Y_2O_3 , preparation and study. 64-01570A
demixing, under chemical potential gradients. 64-04453A
dilute, kinetics of precipitation from. 64-04473A
ferroelectric, $\text{Pb}_{1-x}(\text{NaCe})_x\text{Bi}_2\text{Ti}_2\text{O}_{10}$, grain orientation effects on electrical properties. 64-02430A
formation, in systems orthovanadates of Ca and La (Sm and Eu). 64-05708A
multicomponent, method for determining dependence of properties on composition. 64-05956A
oxide, internal reactions in. 64-01416A
relations, in system ZrO_2 - SiO_2 - TiO_2 . 64-01438A
sintering, attainment of high density. 64-07174A
softening and hardening, in concentrated KCl-KBr model crystals. 64-02946A
spinel, $\text{Ni},\text{Mg},\text{CeO}_3$, magnetic properties. 64-00859A
in system Mg-V-Fe-O , structural parameters. 64-01576A
in system Mn-V-Fe-O , structural parameters. 64-01577A
of systems $\text{Zn},\text{Ga},\text{Cr},\text{Se}$, X-ray and IRS studies. 64-01596A
of systems, BaPbO_3 - BaBiO_3 . 64-05800A
 La_2O_3 - $\text{NiO-Fe}_2\text{O}_3$, synthesis of. 64-00864A
 $\text{Nb-C}(\text{Ti},\text{Zr},\text{W})$, formation during reaction between oxides and C. 64-01214A
 PrS-US , magnetic properties. 64-05301A
 $\text{YO}_{1.5}$ - PrO_3 - CaO , physicochemical properties. 64-00691A
 ZnSe-GaAs , acid-base properties of surface. 64-05119A
 ZrO_2 - HfO_2 - MgO , phase composition and properties. 64-01436A
 ZrO_2 - Lu_2O_3 , mass-spectroscopic study of evaporation. 64-01423A
 ZrO_2 - MgO , ZrO_2 - CaO , and ZrO_2 - Y_2O_3 , structure and properties. 64-02947A
 α - Fe_2O_3 - SnO_2 , Moesbauer study. 64-00863A
oxides with tetragonal K-W bronze-type structure. 64-01462A
- Solutions.**
Al chloride, high-purity aluminas from. 64-02734P
Al oxides, substrates coated with. 64-01366P
Ca acetate, crystallization of cubic ZrO_2 in. 64-02922A
HCl, reactions with glasses in system $\text{Na}_2\text{O-TiO}_2\text{-GeO}_2$. 64-03307A
of MgO , into H_2SO_4 -HI mixture. 64-02923A
NH₄ buffer, of Mn chloride, reaction of SiO_2 sols with. 64-01456A
acid, action on plates of 2-phase Na borosilicate glasses. 64-03185A
- kinetics of initial leaching of Pb silicate glasses by. 64-01864A
alkaline silicate water, SiO_2 glass preparation by sol-gel method. 64-03355A
aqueous, of H_2PO_4 , etching of InP by. 64-06631P
phosphate glass dissolution in. 64-00214A
surface reaction of magnetite in. 64-02936A
of tetrabutylammonium silicates. 64-01379A
buffer, durability of mineral fibers in. 64-06180A
of carbonates, ion-exchange resins for. 64-04209A
skeletal, reactive surface area during. 64-07048A
chemical, of oxide deposits, process for. 64-02968P
for formation of black oxide, coating on Cu printed circuit board. 64-05250P
of glasses, phase-separated Li borosilicate, effect of pH on rate. 64-04729A
kinetics, of magnetoplumbite. 64-05527A
melts, dissociation of certain metallic oxides in. 64-05691A
of mineral acids, strength loss in E-glass fibers treated in. 64-03488A
organometallic, amorphous ZrO_2 , coatings from. 64-01450A
reactions in, inorganic and organometallic. 64-03043B; 64-03044B
salt, design of process for removing radioactivity from. 64-05319A
- Solvents.**
HCl, solution mining of trona or nahcolite ore with. 64-04238P
- Sorel cement.** See *Cements, magnesium oxychloride.*
Sorption. See also *Absorption; Adsorption.*
of Se, on chemically modified SiO_2 . 64-05806A
apparatus, automation of. 64-05403A
chemi-, of hydrocarbons by fuel cell electrodes. 64-03754A
in surface of MgO . 64-07366A
of gases, on MgO surface. 64-07386A
sorbs, based on hydrated TiO_3 , effect of hydrothermal treatment temp. on porous structure and strength. 64-01537A
particles of activated C depositing Zr compound, method of making. 64-01512P
sorbents, based on hydrated TiO_3 , stability of. 64-01573A
water, of glass, effect of cracks on. 64-00169A
of zeolites, granular, effect of ionizing radiation. 64-05909A
- Sound.**
ultra-, apparatus for testing transducers. 64-01047P
application of waves to piezoelectric ceramics. 64-02426A
characteristics, of piezoelectric ceramics. 64-06691A
nondestructive test apparatus. 64-04140P
for nondestructive testing of structural materials. 64-04132P
nozzles take pressure out of atomizing processes. 64-02531A
piezoelectric disintegrator. 64-02452P
thermometer. 64-02657P
tomography device. 64-01075P
tomography device, plane reconstruction. 64-01073P
transducer, piezoelectric apodized. 64-06705P
voice coil assembly. 64-00842P
- Space.**
research in, ceramic. 64-04588A
- Spacecraft.**
shuttle, thermal insulation system in. 64-02836A
- Spalling.** See *Refractories.*
Spark plugs.
 BaTiO_3 -based. 64-06670P
glass rod lightguide, with combustion process sensor. 64-06605P
and glass rod optical combustion sensor. 64-05251P
of high dielectric constant. 64-00811P
insulating materials, methods for determining mechanical characteristics. 64-05131A
with measuring means. 64-02416P
new. 64-02417P
porcelain, fluorinated. 64-06671P
resistor composition, glass, C, ZnO, B₂C, SiC, TiB, and TiN. 64-05246P
resistor-incorporated, glass frit-based resistor composition for. 64-02409P
- Specific gravity.** See *Density.*
Specific heat. See *Heat, specific.*
Spectra. See also *Optical properties.*
EPR, of Gd^{3+} ion and short-range ordering in phosphate glasses. 64-03223A
of Mo^{4+} and W^{6+} ions in phosphate glasses, analysis of shape. 64-03188A
of relaxation in chalcogenide Cr spinels. 64-04532A
Moesbauer, in Fe-doped chalcogenide glasses. 64-03303A
of silicate glasses, shape comparison. 64-06248A
Raman, of Ba fluorozirconate glasses. 64-03336A
of K borogermanate glasses with high GeO_2 concentrations. 64-01894A
in LiNbO_3 , dispersion of optical-phonon frequencies. 64-03917A
of Na aluminogermanate glasses. 64-04749A
of PbTiO_3 . 64-05180A
of glasses, law of conservation of momentum and rule of mutual exclusion for vibrational excitations. 64-00303A
of glasses, sampling rules. 64-01923A
of phonons in LiTaO_3 crystal. 64-05952A
of pressure-densified vitreous SiO_2 . 64-04750A
of rare-earth fluoride glasses. 64-04817A

- X-ray, of Ni ferrites excited by Al and Cr ions. 64-02485A
near-edge core, of Cu_2O . 64-03775A
XPS, of TiN, vacancy effects in. 64-04367A
absorption, of Ag halide photochromic glasses containing Cu impurity. 64-03278A
of Cr(III)-colored alkaline borosilicate glasses. 64-01806A
of Ho ion in glasses. 64-03181A
of La-Ga oxyfluoride glasses activated with Nd. 64-00227A
of Pb silicate glasses containing Ni. 64-03182A
of Pr ion in glasses. 64-00140A
of divalent Ni ions in Na borate glasses and acid solutions. 64-03192A
characteristics, of thin layers of titanate glasses. 64-03358A
electron, of stoichiometric and N-deficient Zr nitrides. 64-05517A
electronic, for 3d transitional ions in inverted vitreous molds. 64-03246A
of V(III) and Cr(III) phosphates. 64-01533A
absorption, of crystalline NaNO_2 . 64-04548A
emission, from glow peaks of X-irradiated Al_2O_3 . 64-04344A
energy, of refractory TiC and TiO. 64-04366A
fluorescence, of Cr^{3+} in phosphate and fluorophosphate glasses. 64-00202A
impedance and admittance, in system $\text{Na}_2\text{Zr}_2\text{O}_7\text{-Yb}_2\text{Si}_2\text{O}_7\text{-P}_2\text{O}_5$. 64-05929A
ir, of Al decavanadate. 64-01191A
of Cu-Ca-phosphate glasses. 64-00200A
of W-vanadate-phosphate glasses. 64-04805A
of glasses in system $\text{Na}_2\text{O-V}_2\text{O}_5\text{-P}_2\text{O}_5$. 64-03281A
ir absorption, of Na borosilicate glasses containing CaO, ZnO, and CdO. 64-00199A
calculation of thermal capacities of nitrides of metals of IVA subgroup from. 64-01180A
ir reflection, of K feldspar crystals. 64-01549A
acid resistance of alkali-free aluminoborosilicate glasses based on. 64-03183A
lines of rare-earth elements, in inorganic glasses, uniform broadening of. 64-03378A
luminescence, in CDS. 64-03935A
magnetic circular dichroism, of glasses activated with rare-earth ions. 64-03291A
microwave absorption, of symmetrical molecular systems with dipole instability. 64-03928A
modes, in diffusion waveguide planes, role of stresses in formation of. 64-03352A
optical, and Moesbauer, of transition-metal-doped corundum and periclase. 64-07485A
of Na phosphate glasses. 64-03318A
of Pb^{2+} , Eu^{3+} , and Nd^{3+} in Na borate glasses, structural interpretation. 64-06261A
permeability, of Ni-Zn ferrites, dependence on microstructure. 64-06715A
phonon, of cBN. 64-01028A
photoacoustic, of $\text{As}_2\text{S}_3\text{-As}_2\text{Se}_3$ glasses. 64-01881A
of Fe in Ca borosilicate glasses. 64-01882A
recombination luminescence, of Eu^{3+} and Ce^{3+} in glass. 64-03345A
scattering, combination, of K feldspars. 64-01121A
uv region, absorption of glasses in. 64-03180A
vibrational, of $\text{MgO-Al}_2\text{O}_3\text{-SiO}_2$ glasses containing TiO_2 . 64-06275A
of $\text{W}_2\text{O}_7(\text{PO}_4)_3$ and W phosphate glasses. 64-06276A
of $\alpha\text{-MoPO}_4$ and $\alpha\text{-NbPO}_4$. 64-01595A
of glasses in system $\text{Ba}(\text{PO}_3)_2\text{-PbF}_2\text{-AlF}_3(\text{AlO}_3)_2$. 64-03379A
of single- and mixed-alkali pentasilicate glasses. 64-01924A
of ultraphosphate glass fibers. 64-03203A
- Spectrography**, application of interferometer to. 64-02638P
- Spectrometers**, XRF, for analysis of light elements. 64-04070A
- Spectrometry**, X-ray, of Al ions in aluminoborosilicophosphate glasses. 64-03389A
of borate glasses and crystals. 64-03390A
of crystals and glasses of systems As-S and As-Se. 64-03391A
XRF, fundamental aspects of surface-film analysis with. 64-02593A
atomic absorption, determination of As and Se by. 64-02579A
direct collection of Pb in atm for analysis by. 64-02587A
graphite furnace, determination of Te and Se by. 64-05408A
ion scattering, chemical information from. 64-05404A
mass, study of evaporation of MgO doped with rare-earth oxides. 64-00482A
secondary-ion mass, interpretation of analysis of silicate glasses by. 64-06312A
- Spectrophotometers**. See also *Photometers*.
- Spectrophotometry**, ir, of degradation in illites. 64-07032A
laser Raman, system and adjustments for. 64-05451P
tests, for Pb, Cd, Hg, Co, Ni, and Cu. 64-02602A
- Spectroscopy**, AES, of stability of ir-transparent fluoride glasses in humid air. 64-00326A
for surface analysis. 64-01035A
EPR, of coloring process in Cu ruby glasses. 64-00150A
Fourier transform, electronic. 64-06870A
- IRRS, of sol-gel-derived Al_2O_3 . 64-05549A
IRS, of ZrO_2 -doped SiO_2 gel. 64-04731A
Moessbauer, of $\text{ReO}_3\text{-B}_2\text{O}_3\text{-Fe}_2\text{O}_3$ glass systems. 64-06222A
of Portland cement clinker doped with Na_2CO_3 . 64-06110A
NMR and IRS, of structure of Pb borosilicate glasses. 64-03306A
Raman, of Se in Na silicate glasses. 64-03337A
of crystallization in Ti-containing Li aluminosilicate glasses. 64-00157A
of glasses in system $\text{K}_2\text{O-B}_2\text{O}_3\text{-TeO}_2$. 64-01895A
in situ, study of Y_2O_3 -stabilized ZrO_2 attack by molten Na vanadate. 64-01224A
micro-, technique for analyzing bubbles in glass. 64-04739A
phase characterization of PSZ by. 64-07361A
of superionic solid solutions of alkaline-earth and rare-earth halides. 64-04563A
 ^{29}Si NMR, of binary alkali silicate glasses. 64-03267A
X-ray, of crystals and glasses in systems As-Se-Ge and As-Se-Sn. 64-03392A
XPS, in situ, of Co-Mo- Al_2O_3 hydrotreating catalyst. 64-04293A
XRPS, of surface of ion-exchanged Na silicate glass. 64-03388A
atomic absorption, background correction, new technique for. 64-01022A
determination of major constituents in Mn silicates by. 64-04205A
of oxytitanium-C. 64-05579A
photoacoustic. 64-03045B
of catalysts. 64-06854A
determination of absorption coeffs. of thick semiconductors with. 64-00646A
and electroacoustic, of physicochemical properties of materials. 64-05946A
of powdered LiF crystals for thermoluminescent dosimetry. 64-02991A
vibrational, of structure of binary Th fluorohafnate glasses. 64-03380A
- Spheres**, Al_2O_3 , particulates, preparation of. 64-07063P
C or graphite. 64-02910P
hollow, glass, production line. 64-00303A
mechanical properties of lightweight ceramics based on. 64-07478A
mechanical properties of lightweight ceramics produced by sintering. 64-07464A
micro-, radiation-imageable compositions containing. 64-05355P
- Spinel**, See also *Refractories* and specific types.
Al oxynitride, high-temp. electrical conductivity in. 64-07113A
Al-Mg, fused, refractory materials based on. 64-00502A
Co and Mn, ferrite particles, uniformity of composition. 64-06721A
 ^{51}Cr in, grain-boundary and lattice diffusion of. 64-07335A
Mg-Al, distribution of cations in. 64-04935A
 $\text{MgO-Al}_2\text{O}_3$, effect of MgO vaporization on sintering of. 64-07119A
effect of ratio of surface area to vol on O₂ self-diffusion coeffs.—comment. 64-02925A
effect of ratio of surface area to vol on O₂ self-diffusion coeffs.—reply. 64-02926A
 $\text{Ni}_3\text{Mg}_2\text{-GeO}_3$, solid solutions, magnetic properties. 64-00859A
alkali-earth, Al-containing, for reducing S oxide content in gases. 64-04413P
alkaline-earth metal, Al-containing, method of making. 64-00568P; 64-01347P; 64-07266P
preparation of. 64-01507P
alkaline-earth, Al-containing, for reducing S oxide content in gases. 64-04412P
aluminates, crystals doped with S, electrical properties. 64-05534A
chalcogenide Cr, EPR spectra of relaxation. 64-04532A
chemistry of, crystal. 64-03950A
ferrimagnetic, microcrystalline, production of. 64-00874P
ferrite, magnetic, with predetermined transition temp., method of making. 64-02495P
ferro-, structures and textures, classification of. 64-04200A
fibers, ferrimagnetic, method of making. 64-02494P
formation, effect on Fischer-Tropsch synthesis with $\text{Co-Al}_2\text{O}_3$ catalysts. 64-05530A
magnesian-, with synthetic Mg chromite, production. 64-00501A
periclase-, refractories, with low SiO_2 content, in-service characteristics. 64-02123A
powder, production. 64-01169P
solid solutions, in system Mg-Fe-O , structural parameters. 64-01576A
in system Mn-V-Fe-O , structural parameters. 64-01577A
of systems $\text{Zn}_2\text{-Ga}_2\text{-Cr}_2\text{S}_4$, X-ray and IRS studies. 64-01596A
structure, containing SiC fibers. 64-05608P
surface layers, diffusion of ^{51}Cr in. 64-05687A
systems, $\text{ZnMnCrO}_4\text{-CoMnCrO}_4$, synthesis. 64-05760A
- Spineloid**, equation, eigensolution of. 64-07458A
- Splicing**. See *Coupling; Fiber optics; Joins; Joining*.
arc-fusion, single-mode fibers. 64-00273A
fibers, optical, alignment apparatus for. 64-00342P
- Spraying apparatus**, booth, and method of operating. 64-02571P
maintenance. 64-00914A
with venturi chamber. 64-00998P
powder. 64-05393P
- Spraying, electrostatic**. See *Electrostatic processes*.
- Spraying**, drying, ceramics. 64-06786A
method for. 64-00999P
flame, $\text{SiO}_2\text{-CaO}$ -based enameling material for. 64-01803P
of ceramic and cermet composite powders, interactions and transformation in particles during. 64-04301A
gunite lining of metallurgical units. 64-02560P
plasma, metal oxides for. 64-01796P
thermal, ceramic materials for. 64-03177P; 64-03178P
- Sintering**, BaTiO_3 , semiconductor, production of atomic-O negative-ion beam by. 64-05161A
of ferroelectrics, amorphous ABO_3 -type. 64-00835A
magnetron, of ferroelectric $\text{Pb}(\text{Zr,Ti})\text{O}_3$ films. 64-00837A
reactive, of Cu_2S films for solar cells. 64-05169A
rf, of Bi,TiO_3 films. 64-05062A
- Stability**, SAW temp., X-cut quartz with. 64-06699A
of ZnO , metal-oxide-doped, in molten alkali carbonates. 64-06579A
chemical, of Na ultraphosphate glasses. 64-00147A
of enamels, emission-spectral analysis. 64-00086A
of coordination polyhedra, in chalcogenides of rare-earth elements. 64-05807A
of crystallization process, of tube-profiled Stepanov-grown crystals. 64-04494A
dimensional, of Zerodur and ULE glass-ceramics, effect of thermal cycling. 64-01945A
in stress relaxation of unirradiated and He ion-bombarded glass plates. 64-01909A
to evaporation, of Mg spinel refractories. 64-03679A
of glasses, fluoride, in humid air, AES. 64-00326A
laser trim, of Ru-based film resistors on Al_2O_3 . 64-00718A
of melts, CaCl_2 hexahydrate, calorimetric study. 64-05665A
meta-, of tetragonal ZrO_2 powders. 64-05361A
of molds, glass, methods for increasing. 64-00918A
of pore channels. 64-04567A
of pulsed γ -neutron irradiation, in silicate glasses, relation to chemical composition. 64-03349A
of refractories, Cr-Al-Zr, in mineral-wool melts. 64-02216A
castable high- Al_2O_3 , containing SiC, at high temp. 64-03680A
in corrosive gaseous mediums, method for determining. 64-02146A
linings for cement kilns, method for increasing. 64-03637A
for vacuum-treatment devices, method for increasing. 64-03636A
in vertical cellular corrosion. 64-00519A
in resistors, thick-film. 64-00630A
of sorbents, based on hydrated TiO_2 with varying content. 64-01573A
thermal, of Al_2O_3 , prepared from gel. 64-07396A
of CeO_2 -based ceramics containing additives, increases in. 64-05552A
of LnCoO_3 ($\text{Ln}=\text{Sm, Eu, Gd, Tb, Dy, Ho}$) in open air. 64-01481A
of MgO-PSZ . 64-07186A
of ceramics, ultrasonic method for determining. 64-02622A
of coordination compounds. 64-05668A
of lamellar compounds of graphite with Cu(II) chloride. 64-05863A
of zircon, corundum, periclase, and spinel refractories, based on breakdown temp. gradient. 64-00474A
thermo-, of KMnO_4 , during crystallization, variation of. 64-01594A
thermodynamic, of UMoO_3 . 64-06747A
and incorporation of P into Ge-doped SiO_2 glass. 64-06273A
- Stabilization**, of B modification, monoclinic Er_2O_3 . 64-01574A
of Fermi level, in photochromic glasses. 64-01906A
of ZrO_2 , effect of thermal cycling on. 64-02783A
conditions, of trivalent Pd in La aluminate. 64-01464A
of moisture content, of refractories. 64-00524A
of pentavalent Fe, in an oxide. 64-01562A
of slips. 64-02526A
surface-area, of fumed SiO_2 . 64-01513P
- Stains**. See also *Color; Pigments*.
V-containing, valences of V ion in. 64-02281A
Zr, VS, and SnS. 64-06332P
evaluation, with color matching. 64-06898A
-resistant, Ru oxide-based resistors. 64-00812P
- Standards**, ASTM, and concrete pavements. 64-03004A
on fundamental properties of whiteware. 64-00607A
for packaging. 64-03029A
role of independent testing labs. 64-03036A
in whiteware industry. 64-00582A
EPA, for As in glasses. 64-01828A
ISU, shortcomings and remedies. 64-04583A
for Pb and Cd release, from glasses. 64-00617A
Soviet, for new refractory body types. 64-02156A
for periclase and periclase-line powders for steel casting. 64-00517A
analytical, for chrysotile asbestos analysis. 64-05401A

- background correction, for AAS. 64-01022A
chemical nomenclature system, for cements, comments on. 64-04630A
- International, for refractories.** 64-06453A
metric system, progress in USA. 64-03020A
raw material, to tighten in glass container industry. 64-04822A
- for refractories, in Japan.** 64-03021A
soil and rock, need for. 64-01133A
workplace environment, and occupational health and safety ASTM report. 64-03038A
- Steam.** See *Tin*.
Steam. See *Tin*.
physical effects of treatment of clay with. 64-07045A
refracting, with La-stabilized Al_2O_3 , Fe oxide catalyst. 64-07289P
- Steels.** See also *Enameling; Iron*.
Al-killed decarburized, cold-rolled, pickling problem with. 64-00105A
Si, MgO slurry for coating. 64-00136P
adhesion of, to bioactive glass, method for improving. 64-07142A
aluminized, porcelain enamel frit for. 64-00107A
continuous-cast, for enameling, reactions by. 64-0688A
corrosion of, by S in exhaust gases, new enamel for preventing. 64-03155A
grinding of, evaluation of wheels. 64-01643A
hot-rolled sheet, for enameling, development of. 64-0674A
industry, process developments for refractories. 64-02179A
making, in USA, refractories. 64-02196A
ZrO₂ sensors for. 64-03748A
developments in refractories. 64-02098A
recent progress in technology. 64-03664A
making refractories, trends. 64-03689A
molten, corrosion and penetration of ZrO₂ refractories by. 64-03604A; 64-03605A
lance refractory for desulfurization of. 64-02132A
refractory lance for. 64-03648A
wetting of refractory oxides by. 64-06471A
production processes, affecting enameling. 64-06722A
sheet, galvanized, protected by Cr and Cr oxide layers. 64-06693P
special, properties of enamels for. 64-03159A
stainless, brazing SiC to. 64-04246A
stainless board, thick film on. 64-05191A
strip, annealing in molten B_2O_3 , SiO_2 , Na₂O, NaF glass bath. 64-00243P
hydrated Cr₂O₃-coated, for welded cans. 64-03167P
tin-free, Cr-Ni-hydrogen Cr oxide-coated, method of making. 64-04695P
- Stoichiometry,**
deviation from, in Cr₂O₃ at high $p\text{O}_2$ -correction. 64-01392A
effect on Ti diffusion, into LiNbO_3 . 64-03939A
matrix, structural characteristics. 64-05962A
non-, of Eu sesquioxide. 64-07354A
compounds, critique of current views. 64-05757A
in metal oxides of perovskites and related structures. 64-05812A
- Stones.** See also *Rocks*.
Stoneware. See also *Archeology; Dinnerware*.
from Narsinghpur clay, Indian. 64-00605A
pipes, chemical- and wear-resistant, production technology. 64-00322A
red, tiles, effect of processing parameters on properties. 64-04897A
- Strains,**
advanced, material functions for. 64-05936A
deformation, measurement. 64-01060P
residual, in Ge islands on SiO_2 substrates. 64-02334A
in extruded and rolled whiteware plates, method of reducing. 64-06540P
sensitivity, in RuO₂ thick-film resistors. 64-00656A
- Strength,**
of PSZ, at RT, effect of overaging. 64-04270A
of Si_3N_4 , pressureless, size effect on. 64-02827A
sintered with rare-earth oxide additions. 64-04348A
sintered, fracture mechanics as approach to. 64-05543A
of SiC, and Si_3N_4 , degradation by exposure to coal slags. 64-02829A
sintered, effects of surface finishing and grain size. 64-07093A
Young's modulus, determination on small specimen. 64-05406A
of abrasives, diphasic, prepared by sol-gel technique. 64-06006A
of $\beta\text{-Al}_2\text{O}_3$. 64-07176A
bending, of glass fibers in different atms. 64-03412A
of binders, gypsum. 64-06126A
of brittle materials, effect of sliding friction. 64-02980A
evaluation by thermal stress testing. 64-06871A
of catalyst, heterogeneous. 64-01229A; 64-01230A
of cements, advance determination of. 64-01696A
blended, comparison between tuff and fly ash. 64-06067A
fly ash. 64-06065A
portland, relation to gypsum dehydration. 64-01753A
of ceramics, effect of humidity. 64-04543A
of composites, SiC-Ni monofilament, effect of pretreatment and annealing temp. 64-04271A
forsterite-ZrO₂. 64-04319A
hot-pressed Al_2O_3 and Y_2O_3 -PSZ. 64-04347A
hot-pressed TiB_2 -ZrO₂. 64-04555A
of compositions, ceramic-fiber/ceramic-matrix. 64-07100A
compressive, of bricks, effect of pore-inducing substances. 64-03559A
of cements, Ca_2S , and mixes. 64-01724A
of glass fiber-reinforced rigid polyurethane foam. 64-03420A
of concrete, aerated, relation to composition of hydration products. 64-00056A
evaluation, in Japan, comparison of tests for. 64-02581A
and statistical treatment of. 64-05919A
of ferrites, hot-pressed Mn-Zn. 64-00853A
of fibers, fluoride glass, effect of drawing temp. 64-06310A
high molecular brittle, tensile machine for determining. 64-05585A
optical, effect of moist NH₃ on. 64-04786A
optical, effect of temp. on. 64-03432A
test for. 64-06874A
flexural, of Sialon, effect of grinding on. 64-07086A
high-temp., of TiB_2 -BN. 64-07267P
of reaction-bonded, Y_2O_3 -doped Si_3N_4 . 64-07106A
fracture, of Al_2O_3 -diamond composites, effects of heat treatment. 64-04536A
of $\beta\text{-SiC}$ whisker. 64-02116A
of high-pressure sintered Al_2O_3 -ZrO₂ ceramics. 64-02171A
of piezoelectric ceramics, anisotropy of. 64-06679A
of single-crystal Al_2O_3 . 64-07465A
in transformation-toughened ceramics, crack size dependence of. 64-02752A
of glass-ceramics, Li_2O - K_2O - MgO - Al_2O_3 - SiO_2 -F, effect of crystallization on. 64-06184A
effect of crystallites. 64-04785A
of glasses, effect of chemical etching on. 64-01833A
effect of etched depth. 64-00170A
reinforced cast sheet. 64-00330A
sharp vs blunt crack hypotheses. 64-03354A
tempered thermally polished sheet. 64-00331A
of grinding wheels, fracture-statistical approach. 64-01644A
of gypsum, glass-fiber-reinforced, effect of additives. 64-06087A
of heavy clay products, effect of porosity produced by combustible materials. 64-03568A
high-temp., of Se oxide in compression. 64-05928A
of Y_2O_3 -PSZ/ Al_2O_3 composites. 64-04541A
hot transverse, of phosphate-bonded sillimanite and kyanite refractories. 64-06450A
of insulators, porcelain, under dynamic and cyclic loads. 64-03829A
of joints, artificial. 64-05580A
loss, of E-glass fibers in strong mineral acid solutions. 64-03488A
of materials, brittle, appraising. 64-01008A
maximum, of ZrO₂-toughened ceramics. 64-05559A
mechanical, of certain piezoceramics. 64-05270A
of refractory brickwork in coke ovens. 64-04972A
of sorbent based on hydrated TiO_2 , effect of hydrothermal treatment temp. 64-01537A
of nitrides, substituted, effect of microstructure. 64-07471A
optimum, of Al_2O_3 , identification of hot-pressing conditions producing. 64-07116A
of raw materials, refractory, method for determining. 64-02712A
recovery, in degraded Y_2O_3 -doped tetragonal ZrO₂. 64-07177A
of refractories, phosphate-bonded corundum-zircon. 64-00520A
residual, of ground hot isostatically pressed Si_3N_4 . 64-07157A
-retaining capacity, of high- Al_2O_3 cements relative to TiO_2 content. 64-06451A
of seals, glass-to-metal, in microelectronic packages, estimating. 64-03778A
shear, between bone and ceramic root implants. 64-05576A
of tapes, tape-casting. 64-06581A
tensile, of E-glass fibers, effects of acid and post-heat treatment. 64-01839A
of boric oxide glass in vacuum and at low humidities. 64-04757A
of long optical fibers. 64-04833A
tests, diametrical compression. 64-04096A
time-dependent, of ceramic materials. 64-03001A
wear, cemented carbide part with. 64-04447P
- Strengthening,**
 Al_2O_3 , by ion implantation. 64-04349A
behavior, in SiC-whisker-reinforced Al_2O_3 . 64-02837A
of brittle materials, compressive surface. 64-02978A
chemical, of Na silicate glass, method. 64-01977P
in composites, sintered diamond- Al_2O_3 . 64-02838A
containers, glass, coatings for. 64-03459A
glass, Simax, by ion exchange. 64-04761A
practical aspects. 64-00319A
thermally. 64-03549P; 64-04880P
mechanisms, for ceramics in automotive applications. 64-04361A
surface, of corundum. 64-07178A
thermal, of glass plates. 64-03493A
of glass, method and apparatus. 64-03529P
transformation-induced, in MgO-PSZ, effect of particle distributions on. 64-02761A
- Stresses,**
applied, effect on kinetics of ion exchange in glass. 64-07340A
sintering CdO under. 64-01033A
bending, permissible, in glass components under continuous loading. 64-03471A
boundary, in sheet glass, calculation of. 64-03413A
changes, in glass bands and sheets during cutting. 64-00278A
-compensated resonator, quartz. 64-02446P
compressive, one-dimensional, properties of PZT ceramics under. 64-05277A
corrosion, of glass fibers in acidic environment. 64-01908A
method of protecting optical fiber against. 64-00398P
distribution, in ceramometallic transverse beam strength test samples. 64-02999A
effect of, on water diffusion in SiO_2 glass—correction. 64-00172A
effect on grain boundary behavior, in fine-grained Al_2O_3 . 64-07094A
effect on refractive index, of gradient layers of glasses prepared by ion-exchange diffusion. 64-01838A
in enameling systems, analysis. 64-00115A
in ferromagnetic structural material, nondestructive testing of. 64-04131P
in films, CVD Si. 64-05960A
 CeF_3 , modification through admixtures with fluorides. 64-05808A
Pt silicide, during formation on Si. 64-05724A
 SiO_2 and SiN , on GaAs and Si. 64-00708A
in glass, leached phase separated. 64-06258A
in glass seals, Dumet-. 64-04829A
gradients, effect on relationship between fracture stress and mirror size for float glass. 64-03080A
internal, of Cr and MgF, films, effect of substrate temp. 64-05931A
low, viscosity of glasses at. 64-03382A; 64-03383A
matrix-fiber frictional, in composites, indentation method for measuring. 64-02782A
mechanical, in-service breakdown of refractory arch under. 64-00480A
oxidation-induced, effect on properties of oxide films. 64-01557A
rate, of Si wafers. 64-04568A
relaxation, in electron-bombarded silicate glasses. 64-03363A
in unirradiated and He ion-bombarded glass plates. 64-01909A
-relief forms, of diamond-like C films under compression. 64-05961A
-relieving of weldments, in carbottom furnaces. 64-04166A
residual, in Al_2O_3 and SiC, measurement of. 64-04330A
effects on extension of indenter flaws, compressed-spring analogy. 64-01521A
in metal/ceramic bonded strips. 64-06144A
in metal/ceramic systems for microelectronic packaging. 64-05172A
in polycrystalline sample, XRD test. 64-02640P
role of, in formation of spectral modes in diffusion waveguide plates. 64-03352A
in seals, glass-to-metal bead, arising from annealing. 64-01789A
shrinkage, effect on permeability of acid-resistant refractories. 64-00473A
sintering, pore shrinkage and. 64-01567A
slow-stressing-rate testing, of ceramic materials—correction. 64-04100A
surface, measurement by indentation fracture. 64-04091A
tensile, effect on permeability of $\text{Mn}_2\text{ZnFe}(\text{II})$ ferrite. 64-02459A
thermal, and mechanical, effect of corundum refractory structure on resistance to. 64-02125A
in sapphire and LiNbO_3 crystals, effect of anisotropy of thermophysical and elastic properties on thermal stresses. 64-04533A
thermoelastic, fracture of brittle solids under. 64-01540A
triaxial, fracture criterion for Al_2O_3 subjected to. 64-01215A
uniaxial, effect on impurity band conduction in Ge. 64-04535A
in wafers, GaAs-GaAlAs. 64-06582A
- Striations,**
in SiO_2 , fused, method for reducing. 64-07249P
growth, in ferrogarnet crystals. 64-01547A
- Strontium,**
 Sr_2PtO_6 , crystals, growth of. 64-04463A
 SrBa_2CO_3 , thermal decomposition of. 64-07394A
 SrCeO_3 , solid solution, technological characteristics. 64-05186A
 SrGeO_3 , formation and transformation of. 64-03781A
 SrO and Ca-based heat-storage material. 64-01498P
 SrTaO_3 , polymorphism of. 64-01446A
 SrTaO_3 , dimorphism. 64-01532A
 SrTiO_3 , La-doped, electrical properties. 64-03921A
La-doped, oxidation-reduction behavior. 64-02433A
capacitors, microstructure and electrical properties. 64-05132A
crystals, effect of internal displacement fields on dielectric properties. 64-03768A
semiconducting, development. 64-02296A
semiconductor compositions. 64-06666P
 SrZrO_3 , solubility limit of La in. 64-02437A
-containing glasses, ion distribution in surface from interaction with SiO_2 . 64-01862A
ferrite borate. 64-03980P; 64-04500P
glass, heat-treated. 64-03514P
hexaferrites, magnetic properties. 64-02469A

- lamprophyllite, crystal structure. 64-05906A
methanobate, synthesis by coprecipitation. 64-01471A
orthovanadate, electrophysical and structural properties. 64-05914A
titanates, in vitreous soda-silicate matrix, crystalline phase separation of. 64-03211A
- Structural clay industry.**
Dickey Co., makes sewer pipe and flue liners. 64-02049A
in E. Germany, process engineering. 64-03575A
secondary raw materials in. 64-04910A
in Europe. 64-03562A
in Italy, comparison between two powders for red body single firing. 64-00451A
in Mexico, development and technological requirements. 64-00447A
in UK, new roles for ceramics. 64-00445A
research and automation. 64-02050A
charges, drying properties. 64-02036A
dryers, chambers, individual calorific sources for. 64-06946A
firing practices, save fuel. 64-06419A
kilns, redesign for increased capacity and fuel economy. 64-04899A
tunnel, calculating heating rates of stacked ware. 64-03570A
pallet plant, turns brickmaker into blockmaker. 64-02044A
pilot plant, for introduction of new preparation process. 64-03573A
prep system, for wet clay. 64-02041A
raw materials, automated unloading. 64-00910A
from coal-benefitation wastes. 64-06417A
robots, applications for. 64-00446A
industrial, for small-format products. 64-00442A
- Structural clay products.** See also *Brick; Tile*.
blocks, effect of shape on mechanical resistance. 64-02037A
standardization, quality control, and design. 64-02037A
charge for, drying properties. 64-02036A
clayware, heat recovery from dryers for. 64-03565A
design of, texture concepts. 64-06433A
expansion, moisture, reversibility of. 64-06431A
from fly ash, mechanism of structure formation. 64-00443A
for interior decor of buildings. 64-06416A
liners, flue, made by Dickey Co. 64-02049A
new roles, in construction and machine industries. 64-00445A
pipes, developing at Naylor, UK. 64-02033A
for drainage systems, improving. 64-03566A
sewer, production technology improvements. 64-00441A
red body, comparison of powders for single firing. 64-00451A
reduced firing of, in tunnel kilns. 64-00449A
single-fired, experiments on batches with Italian clay. 64-00439A
strength, effect of porosity produced by combustible materials. 64-03568A
synthetic charges, molding properties. 64-03571A
- Structural materials.** See *Aggregates; Brick; Building materials; Cements; Concrete; Glass; Insulation, thermal; Masonry; Structural clay products*.
Structure, micro- See also *Particulates; Porosity*.
of Al_2O_3 , effect of MgO dopant dispersing method. 64-07085A
sintered. 64-01255A
of CaO-ZrO_2 . 64-06568A
in MgO-PSZ , commercial. 64-02799A
of Ni-Zn ferrites, dependence on microstructure. 64-06715A
of Si_3N_4 , amorphous with added calcined Y_2O_3 . 64-02798A
reaction-bonded. 64-07134A
sintered with rare-earth oxide additions. 64-04348A
of Synroc B, US and Australian. 64-05315A
of Synroc C and E, by electron microscopy. 64-04556A
of $\text{Y}_2\text{O}_3\text{-Gd}_2\text{Fe}_2\text{O}_7$. 64-06713A
of bricks, shale. 64-06434A
of capacitors, SrTiO₃. 64-05132A
of coatings, CVD optical. 64-03801A
black-Zn-coated Al solar collector. 64-05140A
of composites, mullite- ZrO_2 . 64-02796A; 64-02797A
control, through colloidal consolidation. 64-00921A
controlled, oxide nuclear fuels with. 64-00879A
of crystallization, in Ni-based amorphous alloy. 64-01231A
of enamels, Ni-SiC mixed. 64-00101A
evolution, in ZrO_2 -12 wt% Y_2O_3 . 64-07133A
of films, glass-bonded Ag conductor. 64-03800A
of gels, TiO₂. 64-04478A
of glass-ceramics, lepidolite-based, changes during crystallization. 64-06168A
of glasses. 64-04740A
Mg-Si-O-N. 64-00185A
phase-separated. 64-01861A
in system $\text{B}_2\text{O}_3\text{-SiO}_2$. 64-03300A
heterogeneities, in $\text{UO}_2\text{-TiO}_2$. 64-06740A
of nitrides, substituted, effect on strength. 64-07471A
optimum, of Al_2O_3 , identification of hot-pressing conditions producing. 64-07116A
of porcelain, aluminous electrical tale-doped. 64-02319A
ivory-white. 64-05043A
of powders, Y_2O_3 , development during sintering. 64-04308A
of refractories, MgO , effect of contaminations. 64-04942A
fused $\text{ZrO}_2\text{-Al}_2\text{O}_3\text{-SiO}_2$. 64-06459A
of refractory balls, Al_2O_3 , in hot blast stove, variation of. 64-05014A
in solid electrolyte, based on Na β - Al_2O_3 , formation of. 64-01213A
solidification, of laser-melted Al_2O_3 powder compacts. 64-07175A
of sphere, for nuclear wastes. 64-05340A
in systems, $\text{MgO-CaTiO}_3\text{-Ca}$ silicates. 64-02939A; 64-02940A
 $\text{Sc}_2\text{O}_3\text{-ZrO}_2\text{-Al}_2\text{O}_3$. 64-07160A
- Structure.**
of $\text{Ba}_2\text{WO}_4\text{F}$ and $\text{Ba}_2\text{MoO}_4\text{F}$. 64-07389A
of Ca silicates, determination by trimethylsilylation. 64-00036A
of $\text{Ca}_2\text{Al}_2\text{Si}_2\text{O}_{10}$. 64-07368A
 $\text{Ca}_2\text{Ga}_2\text{Ge}_2\text{O}_{10}$, germanates with. 64-00664A
of Ca-H silicates, in C/S cements. 64-00060A; 64-00061A
of CaEr_2O_7 . 64-01520A
 CaF_2 , SnO_2 with, in Sn oxide films. 64-05195A
of CaWO_4 , defectiveness. 64-01526A
of CoV_2O_6 . 64-01584A
of Cr-MgO, Cr- Y_2O_3 , Cr- Y , and Cr-Cu condensates, dispersion-strengthened. 64-04690A
 $\text{Nd}_2\text{Ni}_2\text{B}_4$ -type, new bodies with. 64-01234A
of Pb oxides, precursors of PZT. 64-00839A
of PbTiO_3 , amorphous. 64-05180A
of Pt oxides, binary and ternary. 64-04569A
of $\text{Si}_3\text{N}_4\text{-Y}_2\text{O}_3\text{-SiO}_2$, hot-pressed, factors influencing evolution. 64-04280A
of SiO_2 , activated, X-ray analysis. 64-01597A
amorphous, model for. 64-00230A
thermal expansion data for binary oxides with. 64-04572A
of SiO₂ phases, NMR study. 64-01227A
of Sr orthovanadate. 64-05914A
of TiB₂-based materials, produced by reaction of ferrotitanium and B powders. 64-05581A
of ZrO_2 , at high temp. 64-04351A
analysis, by neutron diffraction. 64-04101A
of β -modification, of rare-earth orthotitanates, model for. 64-05934A
basal plane, for synthetic quartz, formation mechanism. 64-07331A
boundary, in MgO bicrystals. 64-07442A
of catalysts, V-Cr binary oxide, for oxidation of cyclohexene, dependence on method of preparation. 64-01527A
of celadon ware, Chinese. 64-00588A
of cements, aluminate and sulfate-aluminate. 64-01758A
and concretes, slag-alkaline. 64-01756A
of ceramics, in system $\text{ZnMn}_{1-x}\text{Ni}_x\text{TiO}_3$. 64-02338A
chemical, of modification of Y_2GeO_5 . 64-05751A
of clays, processed bentonite. 64-02725A
of compounds, oxytitanium-C, X-ray study. 64-05579A
crystal, of Ag_2GeO_4 . 64-01522A
of Ag_2MnO_4 . 64-01581A
 Bi_2TeO_3 . 64-05718A
of $\text{Ca}_2[\text{P}_2\text{O}_7]_x\cdot 4\text{H}_2\text{O}$. 64-01523A
of CDS, estimating. 64-05094A
of $\text{Ca}_2\text{Ni}_2\text{CdF}_{10}$. 64-01524A
 $\text{Ca}_2\text{Sb}_2\text{Cl}_2$, charge-regular semiconductor. 64-05943A
 KH_2PO_4 . 64-05963A
of La_2ReO_6 . 64-01568A
 LiErPO_4 . 64-05681A
 $\text{Na}_2\text{U}_2\text{P}_2\text{O}_7$. 64-05817A
of Ni-based ceramics with composition ABO_3 and A_2BO_4 . 64-01525A
 Pb_2CrO_5 . 64-04529A
of SiC polytypes. 64-05523A
of Sr lamprophyllite. 64-05906A
of $\text{Sr}_2(\text{Sr}_2\text{La})_2\text{La}_2\text{O}_{10}$. 64-05907A
of α -form Na metavanadate. 64-05905A
corundum, dependence on growth mechanism. 64-0454A
determination by X-ray Rietveld analysis, effect of profile step. 64-06869A
of laser material $\text{LaGaGeO}_4\text{-Nd}^{3+}$. 64-01545A
and pore, of hydrous Ti(IV) oxide, effect of urea addition in precipitation. 64-01129A
of ruby, dependence on hydrostatic pressure. 64-01528A
of ultrafine spherical particles of $\gamma\text{-Al}_2\text{O}_3$, microscopy. 64-03003A
defect, of La-doped BaTiO_3 , O activity dependence. 64-03808A
in MgO . 64-07316A
of $\text{ZrO}_2\text{-CeO}_2\text{-Y}_2\text{O}_3$ solid solutions. 64-03803A
of $\alpha\text{-Al}_2\text{O}_3$. 64-02768A
of $\alpha\text{-Al}_2\text{O}_3$, experimental and calculated values. 64-07463A
in nonstoichiometric Y_2O_3 -doped CeO_2 . 64-07513A
deformation, in ZrO_2 , cathodoluminescence study. 64-06860A
of dinnerware, porcelain with high strength. 64-02266A
domain, of PbTiO_3 crystals. 64-01534A
electron, of chabazite. 64-01518A
of impurity centers Nb(IV) in KbNbO_3 . 64-01538A
electronic, of BeF_2 . 64-04538A
of Cu^{2+} ion in Ag halide photochromic glass. 64-03195A
of Cu_2O . 64-03775A
of Fe^{3+} centers and exchange interactions in rare-earth orthoferrites. 64-03955A
dependence of vitreous state angles on. 64-03213A
of enamels, Ti-O on Ta. 64-04677A
of fibers, aluminosilicate, effect of composition and thermal treatment. 64-03417A
of films, Cr and MgF_2 , effect of substrate temp. 64-05931A
Ge oxyhydride. 64-01260A
 LiNbO_3 . 64-06583A
 WO_3 , prepared by laser evaporation. 64-01578A
 ZnO . 64-05181A
 ZrO_2 , from acetylacetonate. 64-01579A
anode, in microarc oxidation of Al. 64-01465A
dielectric ZrO_2 , modification of. 64-02322A
magnetic garnet. 64-05304A
nondestructive determination. 64-06895A
photo-CVD Si_3N_4 . 64-03830A
in systems $\text{Ti-Al}_2\text{O}_3$ and $\text{TiB}_2\text{-Al}_2\text{O}_3$. 64-01259A
zone-melted Si, control of. 64-01386A
fine, of Fe^{3+} in phosphate glasses. 64-03252A
of $\gamma\text{-Al}_2\text{O}_3$, electron microscopic study. 64-01556A
formation, in binders, kinetics of, method for determination. 64-06912P
in structural clay products from fly ash, mechanism. 64-00443A
-forming processes, in system $\text{TiO}_2\text{-H}_3\text{PO}_4$. 64-01580A
garnet, hydrogarnet, multiite H occupancy in. 64-07037A
gel. 64-06253A
general, for coincidence grain boundaries in rock-salt-structured oxides. 64-01541A
of glasses, AlF_3 -based doped with trivalent Eu. 64-01910A
 AlPO_4 and SiO_2 , comparison by molecular dynamics. 64-06171A
 As_2Se_3 and As_2S_3 , near T_g , temp. dependence. 64-04832A
Ba fluorozirconate and fluorohafnate, XRD study. 64-04763A
 BaO -containing silicate. 64-06234A
 Fe-Na borosilicate. 64-06263A
La borate. 64-01891A
Na aluminogermanate. 64-04749A
Na aluminosilicate. 64-01912A
Na silicate-phosphate. 64-03304A
 $\text{Na}_2\text{O-Ga}_2\text{O}_3\text{-SiO}_2$, XRD study. 64-06259A
 $\text{Na}_2\text{O-SiO}_2$. 64-03367A
Pb borosilicate, NMR and IRS study. 64-03306A
Pb silicate, ^{29}Si NMR study. 64-00224A
Th fluorohafnate, vibrational spectroscopic study. 64-01380A
V phosphate. 64-03366A
W-vanadate-phosphate. 64-04805A
along the join $\text{SiO}_2\text{-GeO}_2$, Raman study. 64-03340A
in chalcogenide systems. 64-01543A
changes during production. 64-01942A
and crystals, Be aluminosilicate, X-ray spectrometric study. 64-01929A
fluoroborate, in systems $\text{R}_2\text{O-RF-B}_2\text{O}_3$ and $\text{MeO-MeF-B}_2\text{O}_3$ ($\text{R} = \text{Li, Na, and K}$, and $\text{Me} = \text{Ca, Sr, and Ba}$). 64-00190A
in system Ge-S, XRD study. 64-03387A
in system $\text{H}_2\text{O-P}_2\text{O}_5$. 64-00178A
in system $\text{Na}_2\text{O-Ga}_2\text{O}_3\text{-SiO}_2$. 64-01911A
in system $\text{Na}_2\text{O-V}_2\text{O}_5\text{-P}_2\text{O}_5$. 64-03281A
in system $\text{PbO-B}_2\text{O}_3$ with divalent metal oxide additions. 64-06265A
in systems $(\text{Mg,PbO})\text{-Zn(PO}_3)_2\text{-Al}_2\text{O}_3$. 64-01854A
tellurite-halide with Ba and Cd halides. 64-03315A
grain-boundary, in Al_2O_3 . 64-07468A
in NiO . 64-07459A
imperfection, effect on reciprocal solubility of high-heat compounds of variable composition. 64-01208A
interface, of GaAs-AlAs semiconductor superlattices. 64-00675A
and solute trapping in crystal growth of Si and Ge from melt. 64-01415A
of kaolinite, changes caused by rapid dehydroxylation. 64-07387A
laminated, of ferrite-garnet films. 64-05298A
lattice defect, positron annihilation study of. 64-06859A
of materials, liquid or amorphous, measuring instrument for X-ray determination. 64-01061P
of matrix, stoichiometric. 64-05962A
of melts, in system $\text{Mg-B(IV) [B(IV) = Si, Ge, Sn, Pb]}$, structure based on phase equilibria. 64-05762A
metastable block, in system $\text{Nb}_2\text{O}_5/\text{WO}_3$. 64-01551A; 64-01552A
modulated, formed by isothermal aging in ZrO_2 -5.2 mol% Y_2O_3 alloy. 64-07135A
of molten mixtures, alkali halide-alkaline-earth halide. 64-01590A
of mullite, fused, effect of TiO_2 , Fe_2O_3 , and Na_2O . 64-02102A
ordered and disordered, in borosilicates with pentasil-type framework. 64-07487A
of oxysulfide phases, in films of Ce and Yb sulfides. 64-00663A
packing, in liquid and solid glasses. 64-01879A
perovskite, cubic, ABO_3 , method of making from organics. 64-02391P
of phases, in ferroelectric system $\text{PbNbO}_3\text{-WO}_3$. 64-05283A
porous, of products of thermal transformation of Fe metahydroxides. 64-04483A
of vermiculite activated by acidic etching. 64-05950A
-property relations, in lanthanide borate glasses. 64-06264A
pyrochlore and lamellar perovskite, oxides $(\text{Ca,M}_2\text{M}_1\text{M}_2)(\text{Ti,Nb})_2\text{O}_7$ with. 64-05792A
of rare-earth magnetoplumbites. 64-01575A
real, variation during $\beta \rightarrow \alpha$ transformation of SiC. 64-01273A
rearrangement, in germanate and silicate glasses. 64-01883A

- of refractories, based on CeO_2 and its solid solutions. 64-05008A
 pericase. 64-05007A
 pericase-spinel. 64-02149A
 of regenerative chamber systems, for glassmelting furnaces. 64-03332A
 of slags, blast-furnace, and reactivity. 64-05677A
 blast-furnace, relationship to activity. 64-06245A
 of solid solutions, in system $\text{ZrO}_2\text{-MgO}$, $\text{ZrO}_2\text{-CaO}$, and $\text{ZrO}_2\text{-Y}_2\text{O}_3$. 64-02947A
 states, in chalcogenide glassy semiconductors. 64-03784A
 of stratification, in system In-Te . 64-05179A
 super-, of Bi_2O_3 . 64-05811A
 in metal oxides of perovskite and related structures. 64-05812A
 surface electronic, of MgO and Al_2O_3 . 64-07505A
 of surfaces, MgO and Al_2O_3 . 64-07504A
 systems, $\text{WO}_3\text{-TiO}_2$. 64-07388A
 vacuum condenser, of system $\text{ZrO}_2\text{-CaO}$. 64-05199A
 and valency, of Cr and O content in Y chromites. 64-00521A
 of whiskers, SiC , from rice hulls. 64-02770A
 of wurtzite-sphalerite transformations, in BN. 64-01258A
 of zeolite clinoptilolite. 64-05509A
- Substrates.**
 Al, lithographic, chemical etching of. 64-07409P
 porcelainized, for film power resistors. 64-05157A
 Al_2O_3 . 64-02285A
 laser-drilled holes in, microstructural study. 64-02795A
 metallizing with Mo-Mn paste, effect of atm composition. 64-05069A
 method of forming. 64-06643P
 Al_2O_3 layer on, electrophotographic image-forming member. 64-00747P
 Al_2O_3 or AlN , (SiC), (AlN), crystals on. 64-02911P
 Al_2O_3 or SiO_2 , process for removing from carbonaceous pyropolymers. 64-04515P
 Al_2O_3 -based, composition for. 64-02347P
 AlN , high-thermal-conductive, technology of. 64-03763A
 for microcircuits. 64-03747A
 C-C, Si, SiC , B composition for coating. 64-01298P
 SiC/ZrO_2 , protective coatings for. 64-04380P
 Cu, enameled, for hybrid circuits. 64-00077A
 and sputtered Al_2O_3 coating, improved adhesion between. 64-04678A
 GaAs, technique for matching superlattices grown on. 64-06632P
 GaP, reaction of liquid phase of system Al-Ga-P with. 64-05168A
 MLC, integrated. 64-00672A
 SiC , method of making. 64-03908P
 SiC -reinforced, surface finishing process for. 64-07292P
 SiO_2 , residual strains, in Ge islands on. 64-02334A
 from SiO_2 , fabric, C-coated, for Si bodies, method of making. 64-04423P
 ZnO-based varistor material, with electronic components mounted on. 64-05252P
 adhesion of semiconductor to. 64-06590P
 and diaphragms, transducer structures with. 64-02451P
 ceramic, with metal plate. 64-03857P
 metallization of. 64-06153P
 method of making. 64-03889P
 monolithic multicomponent. 64-03929A
 process for forming metallurgy system on. 64-06156P
 for semiconductor packaging, method of making. 64-00734P
 wetting behavior of molten frits on. 64-06279A
 coated, with Al_2O_3 solutions. 64-01366P
 with Pt oxide film, devices for preparing. 64-05382P
 for integrated circuits. 64-06604P
 coated material on, method and apparatus for determining relative surface area. 64-04123P
 conditioning, for electrodes bond plating. 64-00952P
 containing P, Group III-V compound semiconductor, LPE growth on. 64-03880P
 dielectric, selective coating of metallurgical features. 64-03175P
 selective plating of. 64-02411P
 thermal head with. 64-00815P
 diffusion into, method for making, and connections to using Si-containing rare-earth hexaboride. 64-02384P
 method for making, and rare-earth boride electrical connections to. 64-02383P
 enameled, method for making. 64-00124P
 production. 64-00133P
 steel, for electronic circuitry, status report. 64-00114A
 gas, effect on geometry of viscous-plastic sheet glass. 64-00289A
 glass, electroluminescence structure on. 64-02360P
 electroluminescent device. 64-01985P
 light absorptive, antireflecting film on. 64-01995P
 with scratch-resistant lubricated surface. 64-00341P
 glazed, for hybrid IC repeater in submarine cable system. 64-00665A
 heating, apparatus for. 64-00944P
 integrated-circuit-carrying, sealing cap for, method of making. 64-06647P
 materials. 64-03832A
 metal, insulated SiO_2 or Al_2O_3 . 64-06628P
 in printed circuits. 64-06140A
 metallic, method of applying ceramic coatings to. 64-01799P
 metallization pattern, method and apparatus for making a mask conforming to. 64-00976P
- metallized, technique for bonding chip carrier to. 64-05242P
 multilayer, low-temp. fired, properties of. 64-05165A
 nonmetallic, conductor pattern bonded to. 64-03867P
 optical, evaporation of blooming layers onto. 64-01986P
 oxide-ceramic, method for joining metal pieces to. 64-01798P
 porcelain-on-steel, low-temp. coeff. of resistance film resistors on. 64-05123A
 removing extraneous metal from, method for. 64-05891P
 rigid, sintering behavior of films constrained by. 64-07499A
 viscous sintering on. 64-05968A
 semiconductor, protection of, during growth processes. 64-02569P
 quartz glass handling tray. 64-00424P
 shape, effect on TiN films. 64-05114A
 support, for integrated circuits. 64-05206P
 surfaces, process for activating for currentless metallization. 64-03173P
 temp., effect on internal stress and structure of Cr and MgF₂ films. 64-05931A
 effect on optical properties of Si films. 64-05930A
 transparent, method for coating. 64-03894P
- Sulfates.**
 K or Na, gypsum conversion to. 64-05879P
 alkali, effect on properties of cement and concrete. 64-03099A
 test, for lower checker failure, at Brockway. 64-02598A
 for lower checker failure, at Brockway. 64-00457A
 thermal behavior. 64-01478A
- Sulfides.**
 Bi_2S_3 , crystalline films, growth of. 64-01409A
 Ce and Yb, films, formation and structure of oxysulfide phases. 64-00663A
 TaS₂ and NbS₂, layers, X-ray and electron microscopy studies. 64-05201A
 of U and IVA-group elements, magnetic properties. 64-05750A
 Zn, contact damage in. 64-01010A
 arylene, compositions containing CaSO_4 . 64-00064P
 composites, NbUS, and TaUS. 64-05672A
 ores, color SEM imaging of. 64-01120A
 rare-earth, spectroscopic properties and industrial applications. 64-07502A
 ternary, physical properties. 64-05779A
- Sulfur.**
 SO₂, in bubbles in soda-containing glasses, disproportionation of. 64-00163A
 ion distribution in surface of Sr-containing glasses from interaction with. 64-01862A
 SO₂, effect on CaSiO_3 formation. 64-06073A
 content in gases, alkaline-earth metal Al-containing spinels for reducing. 64-04412P; 64-04413P
 desulfurization, of flue gases, production of Ca sulfate semihydrate in conjunction with. 64-03143P
 of phosphogypsum. 64-03140P
 process, limestone-gypsum flue gas. 64-01777P
- Superconductivity.**
 ionic, glass with. 64-00268P
- Superconductors.**
 BaPb_{1-x}Bi_xO₃, thin films by rf magnetron sputtering. 64-02339A
- Superionics.** See *Solid.*
- Surfaces.**
 InP, effect of ionic-plasma treatment on. 64-05073A
 of MgO and Al_2O_3 . 64-07179A
 and $\alpha\text{-Al}_2\text{O}_3$, Ca segregation to. 64-07307A
 and CaO, segregation of isovalent impurity cations at. 64-04491A
 acidity, and catalytic activity of montmorillonite. 64-01144A
 -active biomaterials. 64-04353A
 analysis, AES applications. 64-01035A
 area, of coated material on substrate, method and apparatus for determining. 64-04123P
 of dispersed limestone. 64-07306A
 of freeze- and spray-dried Al_2O_3 , effect of processing parameters. 64-01125A
 of fumed SiO_2 , stabilization of. 64-01513P
 micropore, and micropore vol, method for estimating. 64-01021A
 reactive, of skeletal carbonates during dissolution. 64-07048A
 cement, modified with silicate-containing agent. 64-06135P
 ceramic, process for metallizing. 64-06157P
 changes, in glass in molten salts. 64-01913A
 characteristics, of Na $\beta\text{-Al}_2\text{O}_3$ electrolytes. 64-00710A
 charges, in ZnO-B₂O₃-SiO₂ glass-Si capacitor system. 64-00711A
 chemistry, effect on float glass properties. 64-01857A
 of hydroxyapatite. 64-01626B
 laser-induced, applied to microelectronics and heterogeneous catalysis. 64-03838A
 contour, of piezoelectric wafers, apparatus and method for determining. 64-04109P
 decoration, of glazed ceramics. 64-03733A; 64-03734A
 defect-detecting apparatus. 64-05459P; 64-05460P
 effects, low-fire, in whiteware. 64-06522A
 enameled, matte, problems and solutions. 64-00097A
 finishing, effect on strength of sintered SiC . 64-07093A
 glass, Pb silicate, energy structure. 64-01884A
 $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-MgO}$, evolution in basic environment. 64-06191A
 containers, damage at high temp. 64-04782A
- effects of silanization, XPS study. 64-03500A
 fillers, coordination states of cation-modifiers at. 64-04710A
 heater assembly for. 64-01991P
 ion-exchange-treated Na silicate, spectroscopic study. 64-03388A
 method and solutions for cleaning. 64-03400P
 method of reducing light reflection from. 64-04865P
 grinding, of earthenware. 64-06788A
 layer thickness, and O diffusion, in MgO . 64-07359A
 layers, of glass modified by ion implantation, spectroscopic study of. 64-03361A
 of silicate glasses. 64-01915A
 leached glass, application of chemical etching techniques for modeling of. 64-04704A
 liquidus, of CaSiO_3 in systems CaO-FeO-SiO_2 and CaO-FeO-SiO_2 . 64-07445A
 lubricated, scratch-resistant, glass substrate with. 64-00341P
 matte, new style trend for whiteware. 64-05042A
 metal nitride coated, hard wear-resistant. 64-07230P
 metallic or ceramic, method for treating at high temps. 64-04506P
 metallized, SiC materials with. 64-01365P
 of mica minerals, active centers on. 64-05894A
 microtopography, of corundum grown by Verneuil method. 64-07506A
 modes, electromagnetic, in microcrystals, optical study. 64-02990A
 moisture, monitoring technique. 64-02621A
 phenomena, of silicate melts. 64-03368A
 pinholes, in methods of highlighting. 64-06913P
 polished, preparation of, German references. 64-06888A
 of powders, synthetic Si_3N_4 . 64-02833A
 properties, of C fibers and composites, method for improving. 64-02561P
 of ferromagnetic materials, nondestructive detection of. 64-01069P
 roughness, determination of. 64-06903P
 of enamels, evaluation of corrosion by. 64-03152A
 of refractory slabs, effect on slide gate during grinding. 64-03612A
 of solid solutions, system ZnSe-GaAs , acid-base properties. 64-05119A
 specific, of pulverized materials, method for measuring. 64-01066P
 state, of reduced Pb silicate glasses, change in. 64-03199A
 strengthening, of brittle materials, by compression. 64-02978A
 of corundum. 64-07178A
 substrate, process for activating for currentless metallization. 64-03173P
 tension, of Al_2O_3 -containing liquids. 64-04570A
 of $\text{ZrF}_2\text{-BaF}_2\text{-LaF}_3$ glass. 64-00231A
 of melts in system $\text{CaO-SiO}_2\text{-15%Al}_2\text{O}_3\text{-MgO-CaF}_2$. 64-03369A
 of slags in system CaO-MgO-SiO_2 , effect of alkalis. 64-05725A
 treatment, of fine particles. 64-02527A
 voids, elimination of. 64-07461A
 wave modes, magnetostatic, in ferrite films, ferrimagnetic echoes of. 64-06708A
 wrinkle-free, molding of glass wool with. 64-04869P
- Suspensions.** See also *Slips.*
 MgO water, rheological properties. 64-04012A; 64-05371A
 Si, and cast bodies, properties. 64-01030A
 aqueous, of fibers and cement, physicochemical aspects of filtration. 64-01444A; 64-01445A
 based on $\beta\text{-SiAlON}$, rheological and technological properties. 64-02820A
 based on glassy systems, calculation of viscosity. 64-03197A
 clay, organophilic agents for. 64-01157P
 colloidal, properties. 64-00585A
 concentrated, particle clusters in. 64-05940A; 64-05941A; 64-05942A
 drying, classification of methods. 64-00894A
 enamel, rheological properties. 64-03160A
 flocced, mixing of. 64-00922A
 gas-solid, flowing, measuring temp. with thermocouple. 64-02604A
 multite-containing, production of granular refractories from. 64-02180A
 particle size, method for detecting. 64-04114P
 stable, of B, P, Sb, and As dopants. 64-02418P
 structure, kaolinite, effect of ammonium salt anions on. 64-05694A
 transducer for measuring particles in. 64-02656P
 whiteware, deflocculating with Umaform SF. 64-06504A
- Swelling.**
 of kaolinite, in water. 64-05814A
- Switches.**
 LiNbO₃, reversing optical damage in. 64-06693A
 ceramic, automatic kln control with. 64-01093P
 for changing magnetization direction, of ferromagnetic bodies. 64-04138P
 materials, ZnO-based. 64-00729P
 modulator-, dielectric waveguide ferrite. 64-02486P
 optical, light-emitting device for. 64-00762P
 passive Q, with color centers, for Nd lasers. 64-00682A
 temp. limit, new type. 64-01024A
 threshold, polycrystalline NbO₃. 64-00722A
- Switching.**
 mechanism, in ZnTe films. 64-05183A

Synroc,

Australian Project, status of. 64-06746A
Ba-Ca hollandite, Ca vaporization losses from. 64-05314A
C and E, microstructure, by electron microscopy. 64-04556A
immobilization of wastes in, nuclear. 64-05332A
production, fluid-bed process. 64-05542A
type B, US and Australian, elastic properties and microstructure. 64-05315A
type D, effect of spray calcination conditions on crystalline phases. 64-05531A

Synthesis,

of Ag-Bi titanate. 64-00712A
of Ba ferrite, effect of aging coprecipitate. 64-06707A
of BaSnO₃, from coprecipitation products. 64-05184A
of Ca fluorosulfate. 64-06127A
of Ca hydrosulfates, from industrial wastes. 64-01761A
of Ca₂ZrP₂O₇, low thermal expansion material. 64-07180A
of Co₂O₃, during thermolysis of Co hydroxide and binary hydroxides. 64-01469A
of CoV₂O₇. 64-01584A
of LAISiO₃. 64-02835A
of MOCl₃, physicochemical properties. 64-01467A
of Na polyaluminate, effect of F⁻, Co²⁺, and Ti³⁺ ions. 64-01396A
of Na₂Si₂O₇·10H₂O. 64-01470A
of Sr metaniobate, by coprecipitation. 64-01471A
Y oxide. 64-02973P
of WCl₆, and physicochemical properties. 64-01583A
of Y aluminates, by hydroxide coprecipitation. 64-01472A
of YFeO₃, microcrystalline. 64-01466A
of ZnO, piezoelectric films. 64-02438A
of ZrO₂, ultrathin monolayers. 64-01262A
of abrasives, cubic BN. 64-06007A
of β -SiAlon, from Korean pink kaolin. 64-07182A
from Korean pyrophyllite. 64-07183A
from montmorillonite-polyacrylonitrile intercalation compound. 64-02834A
of catalysts, zeolite with mordenite structure. 64-07274P
catalytic, of olefins on crystalline aluminosilicates. 64-04247A
of coatings, optical interference. 64-03834A; 64-04830A
optical thin-film. 64-03310A
of composites, SiC-C, by pyrolysis of polycarbosilane. 64-07382A
of cordierite, refractory. 64-00523A
of crystals, Ag₂MnO₄. 64-01581A
Na₂UO₂P₂O₇. 64-05817A
NiNb₂O₆, of columbite and rutile type. 64-01582A
of diamond, microscopic observations on metal-C films formed during. 64-01555A
energy-beam-induced, of GeSe₂ and GeSe films. 64-05093A
of fibers, Al₂O₃ and ZrO₂. 64-04354A
of films, SiO₂ and Al₂O₃-modified phosphate glass. 64-03370A
of fluxes, for porcelain. 64-03728A
fused salt, Bi₂Ti₂O₇. 64-03782A
gas-phase, of polymer vitreous phosphates, effect of water vapors. 64-00176A
gasless combustion, of refractory compounds. 64-06000B
of gels, SiO₂, by hypercritical solvent evaporation. 64-00234A
of glasses, F-free Cr aventurin. 64-00233A
SiO₂, by sol-gel method. 64-00232A
ZrO₂-TiO₂-SiO₂, from Zr(NO₃)₄, Ti(OC₂H₅)₄, and Si(OC₂H₅)₄. 64-06220A
chalco-genide semiconductor, effect of condition and composition on O and C content. 64-03238A
high-purity silicate, effect of oxidative conditions on Fe²⁺/Fe³⁺ ratio. 64-03236A
oxynitride, suppression of frothing by Si addition. 64-06266A
hydrothermal, of borates in systems Na₂O-CdO-B₂O₃-H₂O and Li₂O-CdO-B₂O₃-H₂O. 64-01548A
ion beam, of Si₃N₄ films. 64-07250P
of mullite, pure. 64-07392A
of new oxide compound of Cd and Sb(III). 64-05815A
of organomontmorillonite, by intercalation reaction, kinetic study. 64-07393A
of phases in system PbO-SiO₂. 64-05816A
of pigments, in system NiO-TiO₂-uM₂O₃. 64-01468A
of powders, e-Si₃N₄. 64-07181A
e-Si₃N₄, from SiO₂. 64-05583A
sinterable SiC. 64-01263A
of quartz, in Japan. 64-05503A
recent progress in. 64-04823A
of refractories, eucryptite-mullite. 64-00522A
in system MgO-Cr₂O₃. 64-04922A
self-propagating, intrinsic volume changes of. 64-07346A
of solid solutions, (Ba,Pb)(Zr,Ti)O₃. 64-06697A
La₂CuNi₂O₇. 64-01585A
in system La₂O₃-NiO-Fe₂O₃. 64-00864A
solid-phase, of RCoO₃ (R = Sm, Eu, Gd). 64-05802A
of spinels, in system ZnMnCrO₃-CoMnCrO₃. 64-05760A
sputter, reactive, of refractory oxides. 64-00460A
vapor, of diamond. 64-02842A
of zeolite, ZSM-22 with heterocyclic organic compound. 64-02913P
ZSM-23. 64-02912P
of zeolite A, from Korean kaolin, reaction mechanism. 64-07375A
of zeolite ZSM-5. 64-07438P
with NH₄⁺ ions and amines. 64-04443P
of zeolites, from low-cost natural SiO₂-Al₂O₃. 64-07339A

from natural products. 64-05593A

Systems. See also Phase equilibria.

2CaO-SiO₂-2CaO-Al₂O₃-SiO₂-CaO-SiO₂, relationships in. 64-05862A
AF₂-BF₃-MF₃, new fluoride glasses in. 64-06225A
AgI-AgF-AlF₃, ir transmission and glass formation in. 64-06212A
Al₂O₃-Al nitrate, chemical and structural transformations in. 64-02699A
Al₂O₃-Al₂C₃, stable and metastable phase equilibrium diagrams. 64-04345A
Al₂O₃-CaO, subeutectic densification and second-phase formation in. 64-07390A
Al₂O₃-Cr₂O₃, XRD study. 64-04287A
refractory, reactions in. 64-00506A
solid-state diffusion in. 64-02997A
Al₂O₃-H₂PO₄-Cr₂O₃, thermal analysis. 64-02950A
Al₂O₃-Nd₂O₃, phase diagram. 64-05660A
Al₂O₃-SiO₂, phases in—comment. 64-04715A
phases in—reply. 64-04716A
Al₂O₃-SiO₂-H₂O, phase relations at elevated temps. and pressures. 64-01441A
Al₂O₃-ZrO₂, rapid solidification in. 64-04325A
Al₂Se₃-As₂Se₃-TiAs₂Se₃. 64-05185A
Al-Ga-P-As, reaction of liquid phase with GaP substrate. 64-05168A
Al-Si-C, 2AlC₂/SiC, new phase in. 64-07067A
As₂Se₃-GaAs, solid solution, acid-base properties of surface. 64-05119A
As₂Se₃(Sb₂Se₃)-CoSe. 64-05820A
As₂Se₃-YbSe. 64-05821A
(As,Yb)₂Se₃, interactions in region of glass formation. 64-05735A
B₂O₃-Al₂O₃-SiO₂, glass-ceramic in high-B region. 64-06200A
BaCO₃-PbO, phase diagram and growth of BaPbO₃ crystals. 64-05764A
BaO-Li₂O-Nb₂O₅, phase with structure of tetragonal W bronze in. 64-01564A
BaO-Ln₂O₃, new phases in. 64-05756A
BaO-Ln₂O₃-Al₂O₃. 64-05849A
BaO-P₂O₅-H₂O. 64-05822A
BaO-RuO₄, interactions in. 64-05736A
BaPbO₃-BaBiO₃, solid solutions of. 64-05800A
Bi₂Si₂O₇-Bi₂GeO₇, study of. 64-07348A
Bi₂O₃-Bi₂Te₃, cross sections in. 64-05678A
Bi₂Se₃-FeSe. 64-05823A
Bi₂Se₃-TiSe₃, phase diagram. 64-05143A
BiF₃-KF, solid-phase interactions in. 64-05801A
BiI₃-CaI₂, phase diagram. 64-05765A
Ca-Ti-Al-O, phase relations in. 64-07364A
CaO-Al₂O₃, equilibrium relationships. 64-05702A
CaO-FeO-Fe₂O₃-SiO₂, viscosity of liquid slags in. 64-01925A
CaO-FeO-SiO₂ and CaO-Fe₂O₃-SiO₂, calculation of liquidus surfaces of CaSiO₃. 64-07445A
CaO-P₂O₅-MgO, whitlockite phase in. 64-01487A
CaO-SnO₂-Nb₂O₅, in subsolidus region. 64-00713A
CaO-Y₂O₃-TiO₂, XRD study. 64-01598A
Cd-Bi-Te, physicochemical study. 64-05781A
Cd-Ti-Te, phase equilibria. 64-05145A
CdF₂ and fluorides of Ho and Er, phase diagrams of. 64-05768A
CdF₂-YF₃, fusibility diagram. 64-05710A
CdS + PbSe = CdSe + PbS. 64-05854A
CdSe-La₂Se₃. 64-05824A
Ce(PO₃)₃-KPO₃. 64-05825A
CeO₂-ZrO₂-Y₂O₃, solid-state phase relations in. 64-05578A
Co-Mn-O, in air, phase diagrams. 64-07363A
CoO-GeO₂ and CuO-GeO₂, free energies of formation of germanates. 64-04495A
Cr(W)-Ni-P. 64-05856A
Cs₂O-V₂O₅, phase relation and enthalpy of formation of Cs vanadates. 64-01440A
Cu chalco-genide, electrical conductivity and thermal emf. 64-05077A
Cu₂-Se-CdSe, phase diagram of. 64-05766A
Cu₂GeSe₄-CdSe. 64-05826A
Cu₂Se-Pr₂Se₃. 64-05827A
Cu₂Se-ZnS. 64-05828A
Cu-Sb-S, crystallization of tetrahedrite in. 64-05683A
Cu-W-O, reaction in. 64-05793A
Dy(Er)-Co-B. 64-01264A
(Dy,Gd)₂S₃-Cr₂S₃, interactions in. 64-05739A
Dy-Bi-Te, cross-sections DyTe-Bi and Dy-Bi-Te. 64-05680A
Eu₂O₃-TiO₂. 64-01473A
FeAs-Na₂S. 64-05829A
e-FeO₂-SnO₂, Moessbauer study of solid solutions in. 64-00863A
Ga₂O₃-Bi₂O₃-"Bi₂O₃", phase diagram. 64-01437A
Ga₂O₃-CaO, glass formation and properties. 64-01852A
Ga₂S₃-Ga₂O₃. 64-05830A
Ga-Bi-GaAs, phase equilibria. 64-05770A
Ga-Fe-Te, interactions along cross-section Ga₂Te-FeTe and GaTe-Fe. 64-05737A
Gd-Ni-Si. 64-01474A
GeO₂-Ga₂O₃, crystal growth by CVD. 64-07312A
GeS₂-CoSe. 64-05831A
Hf-Si-O, effect of phase composition on scum formation resistance of alloys in. 64-01399A
HfO₂-Y₂O₃, crystals of solid solutions in, preparation and study. 64-01570A
HgSe + Ti₂Te = HgTe + Ti₂Se. 64-05855A
In-As-Be and In-P-Bi, phase equilibria. 64-05773A
In-Sb-Cl-H, reactions in, thermodynamic analysis. 64-05188A

In-Sb-As, vapor pressure in. 64-05200A

In-Te, structural specifics of stratification. 64-05179A
K₂NbF₆-K₂TiF₆-KCl. 64-05832A
K₂O-Al₂O₃-SiO₂, electroporcelain from. 64-00679A
KCl-NiCl₂. 64-05833A
KCl-PdCl₂-ZnCl₂. 64-05834A
KCl-RbCl-BiCl₃, quasibinary cross section. 64-05790A
La₂O₃ binary. 64-04474A
La₂O₃-Al₂O₃, new compound in. 64-04476A
La₂O₃-NiO-Fe₂O₃, synthesis of solid solutions in. 64-00864A
Li₂O-Ga₂O₃-B₂O₃. 64-05835A
Li₂O-Fe₂O₃. 64-05836A
Li₂O-La₂O₃-MoO₃. 64-05837A
Li₂O-MoO₃-Sc₂O₃, phase equilibria in. 64-05771A
Li₂O-Na₂O-Al₂O₃-SiO₂, phase equilibrium. 64-04481A
Li₂O-ZnO, electrical properties of ceramics in. 64-02302A
Li₂TiO₃-LiNbO₃, Li₂TiO₃-LiTaO₃, and Li₂TiO₃-LiNbO₃-LiTaO₃, phase equilibria. 64-04480A
Li₂SiO₃-Li₂(Ge,Ti)O₃, solid electrolytes in. 64-05178A
Li-Mn-Fe-O, method for determining dependence of properties of solid solutions on composition. 64-05956A
LiAlSiO₃-NaAlSiO₃-SiO₂, phase equilibria. 64-04482A
LiBO₂-Nb₂O₅. 64-05838A
LiF-Li₂O-Al₂(PO₃)₃, quenched glasses in. 64-04746A
Lu₂O₃-TiO₂. 64-05839A
Me₂O-La₂O₃-Ta₂O₅ (Me = Li, Na), fusibility diagrams. 64-05711A
Mg-V-Fe-O, structural parameters of spinel solid solutions in. 64-01576A
MgO-Al₂O₃-ZrO₂, ternary phase in. 64-04464A
MgO-CaTiO₃-Ca silicates, phase equilibria and microstructure. 64-02939A; 64-02940A
MgO-Cr₂O₃, synthesized refractories in. 64-04922A
MgO-SiO₂, porcelain body of. 64-05526A
MgSO₄·Al(OH)₃-Na₂CO₃-H₂O, and production of Mg aluminate. 64-05584A
Mn-V-Fe-O, structural parameters of spinel solid solutions in. 64-01577A
MnF₂-LiF. 64-05850A
MnO-NiO, thermodynamic assessment. 64-07511A
MoO₃-TeO₂-Al₂O₃, solid-state equilibria. 64-01463A
Na₂B₂O₇ and 95TeO₂-5PbO, distribution of 3d² ions. 64-07455A
Na₂CO₃-Na₂SiO₃, dissolution of SiO₂ in melts of. 64-04718A
Na₂MoO₄-K₂MoO₄-CaMoO₄-BaMoO₄. 64-05840A
Na₂Zr₂O₇-Yb₂Si₂P₂O₇, impedance and admittance spectra. 64-05929A
Na₂Zr₂Si₂P₂O₇-Na₂Zr₂Si₂P₂O₇. 64-05841A
Na[CO₃], MoO₃, WO₃, and K[CO₃], MoO₃, WO₃, thermal analysis of. 64-05857A
(NaF)-CaF₂-BaMoO₄. 64-05819A
Nb₂O₅/WO₃, new metastable block structures in. 64-01551A; 64-01552A
Nb(V)-Ga-C, phase equilibria. 64-05774A
Nb-C-(Ti,Zr,W), formation of solid solutions during reaction between oxides and C. 64-01214A
Nb-U-S, composite sulfides of. 64-05672A
Ni-Si, lateral-diffusion couples, TEM. 64-05746A
NiO-TiO₂-uM₂O₃, synthesis and study of color of pigments in. 64-01468A
Pb-Fe-O, in air. 64-02948A
PbCl₂-MoO₃-TeO₂. 64-05842A
PbF₂-SnF₂ and PbF₂-GeF₄, ionic conductivity of phases in. 64-01553A
PbNb₂O₇-"PbWMO₇" (PbWO₄ + MO₃ mixture; M = Ti, Zr, and Sn), phase equilibria. 64-05775A
PbNb₂O₇-WO₃, structure and ferroelectric properties of phase. 64-05283A
PbO-Al₂O₃-ZrO₂-Nb₂O₅, compounds with pyrochlore structure in. 64-05674A
PbO-Bi₂O₃-B₂O₃, cross-section PbO·2Bi₂O₃·Bi₂O₃·4B₂O₃(3Bi₂O₃·5B₂O₃). 64-05791A
PbO-SiO₂, synthesis and study of phases in. 64-05816A
PbSO₄/PbO, electrode processes in. 64-05088A
PbTe-InSe. 64-05843A
Pd-Bi-Cu-Se, cross-section PdBi-Cu₂Se. 64-05679A
Pd-Ni-P, properties of metallic glasses in. 64-02816A
PdCl₂-LiCl(NbCl₄). 64-05851A
Pr₂-US, magnetic properties of solid solutions in. 64-05301A
RbPO₃-(BiPO₃)₂, phase diagram. 64-05767A
e-RuCl₂-NaCl-LiCl. 64-05818A
Sb₂O₃-Sc₂O₃(K(Cs)F·H₂O), crystallization in. 64-00644A
Sb₂Te₃-GaTe₃ and Sb₂Te₃-TbTe. 64-05852A
Sb₂Te₃-Sb₂Te₃, dielectric properties. 64-05063A
Sc₂O₃-WO₃. 64-04496A
Sc₂O₃-Y₂O₃-Al₂O₃, electrical conductivity and microstructure. 64-07160A
Se-Cl₂, enthalpy of formation of silicides. 64-05918A
Si₃H₈ + O₂, photochemical deposition of SiO₂ from. 64-02297A
Si₃N₄-AlN-CaO, phase relations of. 64-07141A
Si, Al, Ca/N, O, subsolidus phase relationships in. 64-05809A
Si-SiO₂, polycrystalline Si, multiple-angle ellipsometry of. 64-05428A
Si-Y-Al-O-N, thermal decomposition in. 64-01265A
Si-ZrSi₃, temp. dependence of phase lattice of crystallized eutectic of. 64-05853A
SiO₂-e-Al₂O₃, stable and metastable phase equilibria. 64-04589A

- SiO₂-MgO-Al₂O₃, activity of components of melts in. 64-05659A
- SnSe-FeCo₂Ni₂Se, interactions in. 64-05740A
- SnTe-FeSe. 64-05844A
- SnTe-Ni₂Se, interactions in. 64-05666A
- SnTe-ZnSe. 64-05845A
- SnO-RuO₂-Al₂O₃, crystallographic and leaching study. 64-04933A
- Ta-C-Cl, carbide formation in, crystallographic and morphological study. 64-01193A
- isothermal chemical transport in. 64-01417A
- TeO₂-SeO₂ and TeO₂-SeO₂-H₂O, compound formation. 64-01385A
- Ti-Al₂O₃-V, reaction with B. 64-07153A
- TiCl₄-AlBr₃-O₂, preparation of TiO₂-Al₂O₃ powders by reaction of. 64-01246A
- TiO₂-H₂O, structure-forming process in. 64-01580A
- VO₂-V₂O₅, defects in. 64-02919A
- TiS-GeS₂, phase equilibria and properties of compounds. 64-05769A
- TiAs₂-TiAs₂(Se,Te), and TiAs₂-TiAs₂Te, interactions in. 64-05727A
- TiSe-TiAs₂Se, Ti₂Se. 64-05846A
- U-Mo-O, thermodynamic study. 64-01483A
- V₂O₅, Fe₂O₃, Cr₂O₃, Al₂O₃, TiO₂, and SiO₂, analysis of phase compositions. 64-05661A
- V₂O₅-Cr₂O₃, phase relations in. 64-05776A
- VO₂-ZrO₂-BaO, phase diagram of. 64-07362A
- WO₃-TiO₂, structural, thermogravimetric, and magnetic study of. 64-07388A
- Y₂O₃-Er₂O₃. 64-05847A
- Y₂O₃-Nb₂O₅ and Ho₂O₃-Nb₂O₅, cubic solid-solution region. 64-01488A
- Y-Fe-O, phase equilibria. 64-01439A
- YO_{1.5}-Pr₂O₃-CaO, physicochemical properties of solid solutions in. 64-00691A
- Yb-Ca-Te. 64-05848A
- Yb-Sn-Se, physicochemical study. 64-05782A
- Zn₂-Ga₂Se₄-Cr₂Se₄, spinel solid solutions of. 64-01596A
- Zn-Bi-Te, phase equilibria. 64-05772A
- ZnFe₂-MnCrO₄, magnetic studies. 64-02470A
- ZnMn₂-Ni₂TiO₄, structural, electrical, and reflectance studies. 64-02338A
- ZnO-Al₂O₃-LiF, behavior of LiF in microstructure. 64-01202A
- ZnO-Bi₂O₃, varistor, mechanism of solid state. 64-05129A
- ZnO-CoO-Cu-Cr₂O₄, compatible phases in. 64-05670A
- ZrO₂-Al₂O₃-SiO₂, peritectic reaction in. 64-07360A
- ZrO₂-CaO, vacuum condenser structure in ZrO₂-rich region. 64-05199A
- ZrO₂-HfO₂-MgO, phase composition and properties of solid solutions. 64-01366A
- ZrO₂-Lu₂O₃, evaporation of solid solutions of, mass-spectroscopic study. 64-01423A
- ZrO₂-SiO₂-TiO₂, phase equilibria and solid solution relations. 64-01438A
- ZrO₂-Y₂O₃, phase relations at low Y₂O₃ content. 64-01241A
- ZrO₂-YO_{1.5}-Cr₂O₃, subsolidus phase relations in. 64-02832A
- amorphous, spinodal decomposition in. 64-02998A
- based on oxides, carbides, borides, and metals, crystallization of eutectics. 64-07314A
- binary, description of thermal phase equilibria in. 64-07372A
- of salts, computation and construction of liquidus. 64-05675A
- ceramic, introduction to phase equilibria. 64-01632B
- chemical reacting, min-max, formulation of phase equilibrium. 64-01426A
- of chlorides of Li, Ru, and Pb, complex formation in. 64-05671A
- glass-forming, nucleation in, DTA study. 64-06228A
- illite-kaolinite-quartz, properties and phase changes. 64-02280A
- laser, Cr-doped Bi-Al silicate. 64-01288P
- lateite-phosphoric acid, thermal studies. 64-07397A
- metal-C-N and metal-C-B, constitution and properties. 64-02730A
- metal/oxide electrolyte, equilibrium state. 64-01400A
- molecular, with dipole instability, microwave absorption spectrum. 64-03928A
- molybdates, chlorides, and carbonates of Na and K, crystallization surface of. 64-05684A
- molybdates, tungstates, and carbonates of Na and K, thermal analysis, density, and mol vols of melts. 64-05858A
- multicomponent, algebraic criteria for differentiation of. 64-05908A
- glass formation in, empirical model. 64-07484A
- neolithic and bronze-age, phase formation as function of O fugacity. 64-02941A
- orthovanadates of Ca and La (Sn and Eu), formation of solid solutions in. 64-05708A
- oxide, with transition-metal ions in different states of oxidation. 64-01559A
- oxides, with tetragonal K-W bronze-type structure, solid solutions in. 64-01462A
- periclase-dunite-chromite, ground-together mixtures, refractory properties. 64-02188A
- rare-earth metal oxides, periodicity of phase diagrams. 64-05763A
- rare-earth metals and p-elements of III-IV groups, relationships of formation. 64-01458A
- refractory, Mg cordierite-Co cordierite. 64-00525A
- silicate, mechanism of gel formation. 64-06253A
- solid-liquid, sedimentation and fluidization. 64-06783A
- ternary, regularities of triangulation. 64-01457A
- zeolite-H₂O, cohesive pressure in. 64-05669A
- Tableware.** See *Dinnerware*.
- Talc,** annual ceramic mineral resources review. 64-07018A
- behavior of planes, and crystallization of protoenstatite crystallites. 64-00621A
- and faience, fast single firing of. 64-02267A
- single fast firing of, in wall tile industry. 64-00596A; 64-00597A
- in polyorganosiloxane + kaolin mixtures, sintering and phase composition during calcination. 64-01461A
- polytypism of. 64-05498A
- versatile raw material. 64-05504A
- Tanks.** See *Furnaces, glass*.
- Tantalates,** dielectric, high-frequency. 64-02369P
- low-loss microwave. 64-02379P
- Tantalum,** Ta₂N, phase transformations in. 64-05777A
- Ta₂O₅, effect of oxide additions on electrical conductivity. 64-03770A
- films on Si, electrical properties. 64-00658A
- films on Si, properties. 64-03818A
- TaBr₅, interaction with bromides of Cs, Ru, K, and Na. 64-05734A
- TaC, nonstoichiometric, separation of ordered phases from. 64-01188A
- and binary oxides of rare-earth elements, compounds of. 64-05671A
- enriches on, Ti-O, formation and structure. 64-04677A
- oxide, films, ion-beam sputtered, effect of O content on optical properties. 64-05074A
- high-purity, recovery process. 64-02735P
- Technology,** in Japanese refractories industry. 64-02130A
- of ZrO₂. 64-05996B
- advanced ceramic. 64-04578A
- important points in 1985, in Japan. 64-05551A
- advanced energy, ceramics in, proceedings of European Colloquium held at Joint Research Center, Petten Establishment, The Netherlands, 1982. 64-04594B
- air-jet or steam pressure, from production of silicate bricks. 64-02052A
- of alloys, soldering and casting, for ceramic-metal systems. 64-06145A
- burning, in cement industry, application to refractory lining. 64-01713A
- carrier, ship, update. 64-00716A
- of cements, hydraulic, for 1990s. 64-00043A
- ceramic, for turbine engines, evolution in US. 64-04277A
- communion, in lab. 64-03992A
- control, and emerging, for hazard control. 64-01610A
- decal, competes with screening. 64-04811A
- decorating with. 64-06525A
- diesel, advances in. 64-04240A
- dust-firing, in glass industry. 64-06936A
- of engineering materials. 64-04364A
- epitaxy, molecular-beam. 64-01627B
- equipment, for powder enameling, developments. 64-00083A
- fabrication, for Mo. 64-06960A
- forecasting, effect on demand for refractories. 64-06446A
- gas/O burner, for glassmelting furnaces. 64-06926A
- gel, in ceramics. 64-07334A
- glass, in Japan. 64-00189A
- and ceramics. 64-06005B
- effects of legislation on competitiveness. 64-04579A
- glazing. 64-06524A
- grinding, in cement industry. 64-03071A
- for heat engines, advanced. 64-04251A
- hot-casting, of corundum, ultrasonics in. 64-01270A
- hybrid, in Japan. 64-05170A
- particle, shape indices. 64-04561A
- powder processing, advanced. 64-00885A
- preheater, application to quicklime production. 64-03119A
- production, of bodies from polished glass. 64-00316A
- for ceramic sewer pipes, improvements. 64-00441A
- of chemical- and wear-resistant cast-stone pipes. 64-00322A
- of high-strength lightweight refractory materials. 64-02184A
- of molds from Kh14 steels for refractory industry. 64-02185A
- of periclase-chrome spinel refractories for arch of glassmelting furnaces. 64-02186A
- of plate glass. 64-06308A
- for self-glazing tiles. 64-00612A
- in tile industry. 64-00606A
- refractories, in Japan. 64-04993A
- role in international competition. 64-05991A
- sensors, thin films, and electrodes. 64-03824A
- single-crystal, of PSZ. 64-05525A
- sintering. 64-05957A
- steelmaking, recent progress in. 64-03664A
- structures, international aspects. 64-05555A
- substrate, high-thermal-conductive AlN, development of. 64-03763A
- surface-mount, problems of. 64-05198A
- squeezes computer power into tighter spaces. 64-05174A
- tile. 64-00591A
- tundish, continuous-casting, review of. 64-02205A
- update, on multilayer packages and leadless chip carriers. 64-00716A
- Television tubes.** See *Tubes*.
- Television,** bulb. 64-02023P
- tube, color picture, with bead glass separating electrodes. 64-01978P
- monochromatic phosphor-coated picture. 64-02009P
- Tellurides,** Cd Hg, growth by organometallic vapor-phase epitaxial (MOVPE) method. 64-01410A
- Hg-Cd, anodizable metallic contacts to. 64-06591P
- films, method for making. 64-02387P
- gettering method for. 64-05213P
- impurity reduction technique for. 64-05218P
- PbTe, with Ga admixture, phase transition. 64-05778A
- in glasses, alkali borate, spectral absorption. 64-06255A
- Tellurites,** glasses, optical absorption in. 64-06229A
- Tellurium,** Se, and Sb, optical information disk. 64-00789P
- Te₂CoGe₂, crystals, effect of impurities on electrical resistance. 64-05696A
- TeO₂, borate glasses containing, ¹¹⁹B NMR studies. 64-01809A
- crystals, growth habit and defects of. 64-05102A
- TeO₂, films, for optical disc memory. 64-00714A
- in atm aerosol samples, determination by AAS. 64-05408A
- Temperature measuring instruments,** apparatus. 64-06900P
- electroacoustic, for monitoring internal temp. of objects. 64-01053P
- for furnaces. 64-06847P
- with grating, diffraction. 64-06911P
- ir, light beam sighting system for. 64-04119P
- for melter control. 64-04087A
- mesoterm, for annealing lehrs. 64-05425A
- new. 64-02594A
- noncontact, ir, transducer-transmitter. 64-06906P
- and pressure, method and apparatus for. 64-04128P
- pyrometer, ir radiation. 64-01059P
- radiation, in brick tunnel kilns, application of. 64-06956A
- sensor, with rotated quartz crystal. 64-00849P
- thermocouple. 64-02655P
- for flowing gas-solid suspension. 64-02604A
- method for junction compensation of plurality. 64-02644P
- system for high-temp. reactors. 64-02648P
- thermometer, C-impregnated glass, preparation of. 64-04744A
- glass, 100-year-old problem and the "mixed-alkali effect". 64-03179A
- ultrasonic. 64-02657P
- thick-film, glass, Fe, Pd, method of making. 64-06674P
- update, products in 1983-4. 64-02624A
- Temperature,** Curie, high, garnet films with. 64-00844P
- of air, secondary, in cement rotary kilns, measuring. 64-01733A
- calcination, effect on Cr³⁺-impregnated polycrystalline rutile TiO₂, EPR study. 64-02924A
- compensating dielectrics, composition for. 64-00737P
- controls, for extruder. 64-06811P
- for glass tempering lines. 64-02503A
- cycling resistance, in surface-mount assemblies, solder joint integrity is key to. 64-05176A
- deformation, of cones of oxide systems in gas furnaces. 64-01390A
- dependence, of current in SiO₂, in high field tunneling regime. 64-03835A
- of electrical conductivity of glasses. 64-01917A
- of far-ir optical constants of sapphire. 64-07507A
- hydration of CaO-Al₂O₃. 64-00526A
- of integrated circuit facilities, modeling. 64-02321A
- of permeability in Co²⁺- and Al³⁺-doped Mn-Zn ferrites. 64-06717A
- of refractive indices of Li niobate. 64-03937A
- of structures of As₂Se₃ and As₂S₃, glasses near T_g. 64-04832A
- of viscosity of glass-forming melts. 64-04762A
- effect on elastic-strength properties, of vitreous-crystalline materials of system SiO₂-CaO-Al₂O₃-MgO. 64-00173A
- effect on electrical properties, of CdS films. 64-05187A
- effects on optoelectronic components. 64-03840A
- active, vitreous SiO₂, versus, Raman studies. 64-03339A
- field, in grey and nongrey semitransparent medium, determination of. 64-01531A
- steady-state, apparatus for determining speed of solid particle through. 64-02575A
- forming, of clinker, correlations between composition and structure of constituents. 64-03081A
- fusion, effect on defect center concentration of GeO₂ glass. 64-00198A
- gradient, dynamic, method of providing. 64-06985P
- high, consistometer for. 64-01051P

- insensitive fibers, optical. 64-02024P
internal, of objects, electroacoustic method for monitoring. 64-01053P
limit switch, new type. 64-01024A
melting, of silicate glasses, calculation of. 64-00276A
and moisture, effect on hydration rate of Na triphosphate. 64-05699A
of optical fibers, effect on strength and fatigue behavior. 64-03432A
peak, along optical fibers, method and apparatus for determining. 64-06909P
profiles, development in whiteware body. 64-00618A
in molten silicates, determination by inversion of transfer equation. 64-00283A
sintering, of corundum, possibility of decreasing. 64-01244A
stable capacitor, composition for. 64-03911P; 64-03912P
surface, of heated material, method and apparatus for measuring. 64-01067P
transition, in Na and Li borate and aluminoborate melts. 64-01853A
glass, at rapid heating rates. 64-03262A
of glasses in $\text{Na}_2\text{O}-2\text{SiO}_2-\text{BaO}-2\text{SiO}_2$ composition range. 64-01855A
uniform, with new forehearth. 64-06951A
variations, of inner surfaces of refractory linings of rotary kilns. 64-05009A
- Tempering, of glass.** See *Glass, tempering of.*
- Tensile,**
-compression, biaxial, fracture of porous ceramic plates under. 64-01016A
surface, of Al_2O_3 -containing liquids. 64-04570A
of $\text{ZrF}_2\text{-BaF}_2\text{-LaF}_3$ glass. 64-00231A
in melts of system $\text{CaO-SiO}_2\text{-15\%Al}_2\text{O}_3\text{-MgO-CaF}_2$. 64-03369A
in process of glass pressing. 64-03489A
- Terbium,**
 $\text{Tb}_2\text{Ga}_2\text{O}_7$, paramagnetic garnet, Faraday effect in. 64-03923A
 $\text{Tb}_2\text{Y}_2\text{Si}_4$, magnetic properties. 64-05300A
-activated Gd oxysulfide, X-ray phosphor. 64-05892P
- Testing.** See also *Analysis* and specific types of tests.
cements, for refractory concretes. 64-02085A
ceramics, for diesel engines. 64-04104A
device, optical fiber. 64-01058P
electrical/electrochemical, computer-controlled data acquisition system for. 64-05405A
of filter material, needle fleece, for cement industry. 64-00930A
fracture, Hertzian, of ceramics. 64-05926A
grains, abrasive, scratch test apparatus. 64-01046P
hardness, microindentation. 64-04093A
indentation, of nuclear waste glasses. 64-02497A
of insulation, bonded to metal, impacting device for. 64-01057P
labs, independent, role of. 64-03036A
of low-level waste forms, for stability. 64-05349A
materials, with apparatus using ultrasonic heads. 64-02639P
automation of lab for. 64-05423A
nondestructive, analysis manipulator for. 64-02629P
of high- Al_2O_3 refractory blocks for blast furnaces. 64-00493A
of magnetically permeable bodies. 64-04124P
of structural materials, by ultrasonics. 64-04132P
ultrasonic apparatus. 64-04140P
particulate materials, triaxial apparatus for. 64-04139P
proof, of Si wafers. 64-04568A
properties, and materials evaluation. 64-04324A
of refractories, C-containing. 64-02222A
slow-stress-rate, of ceramic materials. 64-01034A
correction. 64-04100A
thermal, of photoelectric elements, system for. 64-04102A
thermal stability, electrical resistance of enamel coatings during. 64-00085A
thermal stress, evaluation of reliability of brittle materials by. 64-06871A
thermoanalytical. 64-04106A
under practice-oriented conditions. 64-04107A
ultrasonic, of ferromagnetic materials. 64-01070P
of green ceramics. 64-01040A
of transducers, apparatus for. 64-01047P
- Tests,**
Benesi, for acidic properties of aluminas. 64-01825A
EPR and dilatometric, for thermal expansion of silicophosphate glasses with Fe_2O_3 additions. 64-03374A
Hall effect, apparatus for. 64-06873A
TGA, modern. 64-04094A
X-ray scattering, for kinetics of heterogeneity regions during spinodal decomposition of Na silicate glasses. 64-04090A
XRD, for residual stress in polycrystalline samples. 64-02640P
Young's modulus, on small ceramic specimen. 64-05406A
for absorption coeff., in situ, of particulate media. 64-01064P
acoustic emission, of refractories in mid-stack of No. 1 BF Ravenscraig works. 64-02574A
alkaline, for blast-furnace refractories. 64-05400A
applied-moment double-cantilever-beam, grooving and off-center crack effects. 64-01017A
bend, determination of creep in hot-pressed Si_3N_4 by. 64-01196A
estimating damage laws from. 64-07462A
static, determination of $v\text{-}K_I$ curves from lifetime measurement. 64-06865A
brightness, for grades of whiteware. 64-04075A
bubbling, through sliding nozzle using water model. 64-03594A
for cement setting, needle apparatus. 64-01738A
ceramics, advanced, in Japan. 64-03033A
chemical, for periclase content of portland cement clinker. 64-02578A
complexometric, of high Fe and high Ti, by indirect titration with EDTA. 64-01013A
of composites, lightweight glass fiber-resin. 64-06313A
computerized, for in lens evaluation. 64-02647P
construction, with castable BF linings. 64-04927A
creep and rupture, on CoO scales in tension. 64-01023A
crystal growth, minifurnace for. 64-02617A
delamination, of Brazilian vermiculite treated with Li chloride. 64-07034A
density, for Dinas bricks, improvements in. 64-02600A
diametrical compression, for strength of ceramics. 64-04096A
diffraction grating, determination of refractive index by. 64-04081A
dilatometric, aspects of. 64-05402A
double-diffraction, for T-wall domains in NiO crystals. 64-05431A
durability, for bricks. 64-06427A
dynamic, for measuring thermal conductivity of insulating blocks. 64-02616A
for dynamic parameters, of magnetic heads. 64-02654P
electroacoustic, for monitoring internal temp. of objects. 64-01053P
electrochemical and spectrophotometric, for Pb, Cd, Hg, Co, Ni, and Cu. 64-02602A
ellipsometric, of thickness and dielectric function of films. 64-05442A
erosion, apparatus for. 64-04117P
extraction-photometric, for trace P in Cr-bearing materials containing Si, Nb, Ta, Zr, Ti, and Hf. 64-02591A
fiber, of single-filament materials. 64-06874A
film adhesion, effect of soldering techniques and pad geometry. 64-02344A
flame photometric, for Ca in bauxite. 64-02592A
fractographic, on Complog SiC/LAS composites. 64-05521A
synchrotron X-ray. 64-01036A
fracture, with four-point-bend chevron-notched specimens, theory for load-relaxation technique. 64-07509A
hand-held loading device for short rod/bar specimens. 64-02637P
frost resistance, for porous building materials. 64-06880A
of furnace installations. 64-05456P
 γ -radiolysis, of groundwater near potential radioactive waste repositories. 64-05713A
gauging system, for glassware. 64-01056P
glassmelter, with alkoxide/hydroxide slurry feeds containing simulated W, Valley, NY waste. 64-05348A
gradient column, for measuring glass density. 64-04077A
hardness, for brittle composites. 64-00931A
hot, for refractory gunning materials in BOF. 64-03631A
hot-wire, for thermal conductivity of dense materials. 64-02597A
hydration, involving portland cement and substitution of limestone for gypsum. 64-03091A
image reproduction, with magnetic and electrical properties. 64-04110P
indentation, for measuring matrix-fiber frictional stresses in composites. 64-02782A
indentation fracture, measurements of surface stresses by. 64-04091A
inspection, for castable refractories. 64-03625A
for multilayer fiber optic transparent rods. 64-03523P
insulation debonding. 64-05421A
on interior of rotary kiln. 64-01019A
ir absorption, for O content in Si . 64-04004A
lab, for abrasive wear of grinding balls. 64-04004A
for drying behavior of drainpipes. 64-03569A
for frost resistance of wall ceramic bodies. 64-02265A
laser scattering, for concentricity of optical fibers. 64-04773A
laser-flash, for thermal diffusivity. 64-04076A
layout, for hybrid microcircuits. 64-04111P
leaching, for vitrified nuclear wastes. 64-06744A
light transmission, for determination of concentration and surface area of powders in dispersion. 64-06866A
liquid chromatography, determination of U by. 64-05409A
loading disk, ring-on-ring, theoretical analysis of. 64-01038A
loop, for bending strength and static fatigue of glass fibers. 64-03412A
magnetic, for plastic deformation of ferromagnetic materials. 64-03962A
mean drop height, for laminated security glass. 64-06315A
mean size, for powder characterization. 64-06890A
methylene blue, for cement raw materials. 64-06060A
for clay mineral content of rocks. 64-07029A
hydrochloride dye adsorption, for rapid assessment of whiteware clay fineness. 64-02614A
review. 64-06877A
microelectrophoretic, for ζ -potential of sedimentary particles. 64-02628A
microfinish, apparatus and technique. 64-01068P
microindentation, for brittleness and strength of hot-pressed Mn-Zn ferrites. 64-00853A
microscopic, for determining grindability of cement clinker. 64-01735A
new instruments (SEM and TEM) look at IC's and wafers. 64-02605A
neutron probe, to chart walls in historic buildings. 64-03063A
nondestructive, for film structure. 64-06895A
residual stress measurement of refractory coatings. 64-06893A
of stress in ferromagnetic structural material. 64-04131P
of surface properties of ferromagnetic materials. 64-01069P
for thermal shock resistance of SiC kiln furniture. 64-04978A
nongraphical, of Littleton softening-point of glasses. 64-05429A
of nuclear waste forms, design of multicomponent systems for. 64-05322A
optical, for controlling CVD layer thickness. 64-06914P
for crystalline properties of interface. 64-04130P
flaw detection method and apparatus. 64-01071P
optical absorption, on radiation damage in fluoride glasses. 64-06230A
pH. 64-02603A
panel freezing, for brickwork. 64-02045A
particle size and/or distribution. 64-01063P
performance, for heat exchangers. 64-02630P
physical and chemical, for ceramics. 64-02608A
polarographic, of trace Pt in thin layers of garnets. 64-01029A
positron annihilation, for studying lattice defect structure. 64-06859A
pozzolanic activity, of cement materials. 64-06114A
radar, cut subsoil survey costs. 64-02613A
reflectance spectra, for estimating acid resistance of pyroxene-group silicates. 64-00182A
reflection, for obtaining optical constants of powders. 64-04072A
refractory profiles, of optical fibers, method and apparatus for determining index. 64-01062P
ring-, for strength of Si_3N_4 . 64-02827A
sand-pouring, for rapid determination of bulk density of granular materials. 64-01031A
scratch, single-grit, for abrasive grains. 64-01046P
scratching, for analysis of brittleness. 64-04074A
siege, reproducibility. 64-04010A
slag-resistance, for refractories. 64-04974A
solid-sorbent, for ambient NO_2 monitoring. 64-02606A
spalling, for graphite-containing nozzles. 64-05437A
spectrometric, ion scattering, chemical information from. 64-05404A
spectroscopic, for determining diffusion coeff. and solubility of He and Ne in glass. 64-03360A
static exclusion, for specific pore vol. 64-02620A
strength, in Japan, comparison of techniques. 64-02581A
ceramometallic transverse beam, stress distribution and occurrence of cracks in coating. 64-02599A
sulfate, for lower checker failure, at Brockway glass. 64-00457A; 64-02598A
surface moisture. 64-02621A
surface roughness. 64-06903P
for surface-mounting applications, on chip carrier-based systems. 64-03757A
system, insulation bonding (to metal). 64-01795P
thermal, recent advances in instrumentation. 64-05434A
systems for. 64-05439A
thermal diffusivity, on radiating specimens. 64-05411A
thermal dilatation, on glasses, sources of error. 64-05436A
for thermal expansion coeffs., of low-expansion materials, applications to Zerodur. 64-02618A
thermal imaging, for heat loss. 64-04105A
transducer-based, for determining heat loss through masonry of glassmelting furnaces. 64-04075A
transmittance, determination of optical constants of films by. 64-06868A
ultramicrotome sectioning, for corrosion of nuclear waste glasses. 64-06861A
ultrasonic, for determining crack depth. 64-06923P
for drying in building ceramics. 64-05440A
of fiber-reinforced ceramic composites. 64-05592A
for materials. 64-02639P
for properties of ceramics. 64-02623A
of surface flaws in sintered SiC. 64-05441A
for thermal stability of ceramics. 64-02622A
via 1 wire, for failure of printed circuit assembly. 64-05448P
viscosity and ultrasonic, energetics of polyalkaline aluminosilicate glasses based on. 64-03247A
water and air penetration, for masonry walls. 64-06435A
wear, for assessment of cement raw materials. 64-01765A
- Texture,**
concepts, in design of fired clay materials. 64-06433A
of faujasite, zeolite-type. 64-05522A
of graphite, relation to physical properties. 64-01252A
of seabed nodules, as potential catalysts. 64-05505A
of wall ceramics, radio-polarization method for studying. 64-02277A
- Thallium,**
and Ag, reaction of glassy As_2S_3 with. 64-03341A
 Ti_2SiS_6 , Ti_3SiS_6 , and $\text{Ti}_2\text{Si}_2\text{S}_7$, regions of homogeneity. 64-05796A

- Ti(III) oxide, electrode containing. 64-03869P
Ti-P-S, electrophysical properties. 64-05091A
-containing composition, for optical glass. 64-03404P; 64-03403P
solubility, in NaBr. 64-05805A
Thermal conductivity. See *Conductivity, thermal*.
Thermal decomposition. See *Decomposition*.
Thermal expansion. See *Expansion*.
Thermal properties,
of Al decavanadate. 64-01191A
of BN, modified. 64-01268A
of Co oxides, doped with ZrO₂ and ThO₂, and possible cubic phase stabilization of ZrO₂. 64-04355A
of Si₃N₄, hot-pressed. 64-02788A
of SiO₂, vitreous, with He impurities. 64-01920A
of binary oxides with SiO₂ structure, data. 64-04572A
of blanks, optical, determination of. 64-03447A
bleaching, of color centers in irradiated alkali Al borate glasses. 64-01918A
of bricks, shale clay. 64-03577A
of catalysts, Mo-Al₂O₃. 64-01844A
of concretes, autoclaved cellular. 64-06128A
conductivity, of α -SiAlON. 64-04356A
of chalcogenides of type A(B)(III)(X)₂(VI). 64-05965A
coeff., method for measuring. 64-04092A
decomposition, of Mg(OH)₂. 64-01480A
of hydrosodalite. 64-01479A
of vermiculites. 64-02951A
diffusivity, and expansion, of SiAlON. 64-07185A
laser-flash method for determining. 64-04076A
of radiating specimens, determining. 64-04511A
of whiteware mix, determination of. 64-06019A
dilatation, of glasses, sources of error in determining. 64-05435A
cmf, of Cu selenide doped with Se. 64-05078A
of systems Cu chalcogenides. 64-05077A
expansion, in CuO-doped silicophosphate glass. 64-06270A
of Fe-containing glasses and corresponding crystalline materials. 64-06269A
of binary oxides. 64-07510A
of boehmite. 64-04227A
data. 64-01587A
data, of sesquioxides with corundum structure. 64-02952A
of low-expansion materials, tests for. 64-02618A
of silicophosphate glasses with Fe₂O₃ additions. 64-03374A
of glasses, Ba borate containing Fe. 64-06271A
based on experiments with laser heating. 64-03373A
relation of viscosity to. 64-04778A
in system V₂O₅-GeO₂. 64-04758A
of phosphates, organic. 64-01477A
power, of Ca₂-Y₂Mn₂Ge₂O₁₂ garnet. 64-05190A
of raw materials, and ceramic mixes. 64-02728A
of refractories, Al₂O₃-based. 64-00527A
mullite-corundum. 64-02225A
of refractory products, evaluating. 64-04947A
resistance, to plastic yielding, of TiB₂. 64-05573A
resistance, to plastic yielding, of TiB₂. 64-05573A
of container glass. 64-03491A
shock resistance, of β -Al₂O₃. 64-04357A
of basic refractory bricks, evaluation. 64-02111A
of cordierite glass-ceramics, effect of crystallites. 64-01835A
of plasma-sprayed coatings on refractories. 64-02224A
spalling, of flat plates, by thermal shock. 64-05958A
resistance, of refractories, application to fast-firing kilns. 64-03686A
stability, of LnCoO₃ (Ln = Sm, Eu, Gd, Tb, Dy, Ho) in open air. 64-01481A
of MgO-PSZ. 64-07186A
of coordination compounds. 64-05668A
of corundum refractories. 64-05010A
of mullite-containing refractories, change in. 64-04925A
of zircon, corundum, periclase, and spinel refractories, based on breakdown temp. gradient. 64-00474A
stress resistance, of Na₂O-CaO-SiO₂ glass, effect of heating time on. 64-00171A
of basaltic bricks. 64-06448A
of sulfates. 64-01478A
systems, liserite-phosphoric acid. 64-07397A
for testing. 64-05439A
thermostimulated phenomena, in LaMgAl₁₁O₁₉. 64-01591A
Thermal shock resistance. See *Shock resistance, thermal*.
Thermistors. See *Resistors, electrical*.
Thermochemistry. See *Thermodynamics*.
Thermocouples. See *Temperature measuring instruments*.
Thermodynamics,
of Ce oxalate and Ce oxide. 64-07398A
activation parameters, of transfer processes in glasses and glassy melts. 64-03375A
cation distribution, in Fe₂O₃-FeAl₂O₃. 64-05721A
of contaminant formation, in B₂C and SiC during grinding in ball mills. 64-04359A
displays, of gas-solid reactions, application to oxidation of metals and evaporation of oxides. 64-04565A
of exchange in clays. 64-02729A
of ferrous-ferric equilibrium, in Na aluminate glasses. 64-04733A
functions, of Na₂O-2SiO₂ and Na₂O-SiO₂ glasses at absolute zero. 64-03266A
of molten mixtures, alkali halide-alkaline-earth. 64-01590A
properties, of VN. 64-05966A
of Y₂O₃. 64-01266A
of reactions, of H₂O₂ and Lu₂O₃ with W and WO₃. 64-05868A
stability, of radwaste glasses, prediction of. 64-04759A
system, MnO-NiO. 64-07511A
vaporization, of Al-Si carbide. 64-01272A
Thermoelectricity,
power, of VO₂ crystals. 64-02343A
Thermography,
in ceramics. 64-06899A
thermogravimetry, modern. 64-04094A
Thermogravimetry. See *Thermal analysis, gravimetric*.
Thermoluminescence. See *Luminescence*.
Thermomechanical properties. See *Mechanical properties*.
Thermometers. See *Temperature measuring instruments*.
Thermoscopic properties,
of semitransparent media, in solid or aerosol form, determination of. 64-01011A
Thermophysical properties. See *Physical properties*.
Thickness,
CVD layer, optical methods for controlling. 64-06914P
control system, automatic. 64-02504A
film, measurement with thermal waves. 64-06921P
of films, determination by spectroscopic ellipsometry. 64-05442A
electrically conductive on substrate, electronic measurement of. 64-04125P
oxide, method and apparatus for determining. 64-04122P
thermal wave detection system for measuring. 64-05461P
of layers, method and apparatus for controlling or measuring. 64-04545P
of thermal insulation, on hot tanks. 64-03632A
unequal, dielectric coatings with. 64-05135A
Thin sections. See *Microscopy*.
Thiulium,
and Cd-containing catalyst, refractory oxide-based. 64-05597P
ThO₂, quality control during mfg. of. 64-03984A
thermoluminescence property. 64-03000A
fluoride, ultrapur, method of making. 64-06751P
oxides, method for dissolving. 64-07417P
orthorhombic, of alkaline metals. 64-01434A
Throwing. See *Pottery*.
Thulium,
TmS, films, impurity phases in. 64-05723A
Thyristors. See *Transistors*.
Tile. See also *Pipe*.
Al₂O₃, lightweight vault door containing. 64-02869P
SiO₂, waterproofing agents for. 64-07403A
for Space Shuttle. 64-04362A
armored shield, portable. 64-01345P
black coring, volcanic ash additive for preventing. 64-00453A
bodies, clays and. 64-06508A
for building interior, from furnace slag. 64-03722A
ceramic, detergent for cleaning without eroding grout. 64-04498P
firing. 64-06940A
flow sheet for mfg. 64-02270A
selection of. 64-02278A
clay, holder and method of firing. 64-06533P
compositions, ferroalloy slags. 64-02268A
cutting, apparatus for. 64-05375P; 64-06797P
devices for. 64-06805P
machine for. 64-04065P
duct, linings. 64-01286P
facing, basalt glaze for. 64-00583A
from gypsum, production of. 64-03113A
marble-like gypsum, production of. 64-03729A
floor, body for. 64-06505A
cost comparison with other materials. 64-05036A
effect of body moisture and pressing on properties. 64-05038A
red, heavy clay material in production of. 64-00602A
transfer printing. 64-00626P
floor and wall, technological developments. 64-00591A
glazed, apparatus for coating. 64-05049P
glazes, from industrial wastes. 64-03723A
gypsum, electron beam curing of. 64-01711A
industry, Belgian. 64-03555A
E. German, automation of mixing process. 64-04073A
Italian, growth. 64-00601A
Wuerzburg Brick and Tile Training Course 1983. 64-03578A
apparatus for advancing pallets. 64-06796P
automation and control of molding. 64-00888A
cost of single and double firing. 64-00603A
energy conservation through private generation of electricity with waste heat. 64-03561A
energy consumption in 1982. 64-03556A
fast firing of faience with talc. 64-00596A; 64-00597A
firing with natural gas. 64-03564A
operating expenses and technological development. 64-00606A
possibilities for energy conservation. 64-03574A
preparing dusts for pressing. 64-00609A
production flow sheet. 64-02270A
production outlook. 64-00611A
quality improvement with microelectronics. 64-00920A
recycling fired scraps. 64-00613A
single and double firing, cost comparison. 64-00620A
supply and safeguarding raw materials for. 64-03576A
technological developments. 64-00591A
upgrading keeps plant profitable. 64-02032A
insulating, high-temp., improving emittance of. 64-07117A
interior, single firing of. 64-00615A
maljolica, from industrial wastes. 64-03731A
mortars. 64-03745P
multicell, with openings for use in liquid cooling tower. 64-02886P
paving. 64-03744P
plain clay, Britain's biggest and most advanced factory. 64-05035A
porous, for interiors, fast single firing of. 64-00598A
quarry, modern drying and firing techniques. 64-06426A
moisture expansion over 20-yr period. 64-00452A
red clay, loaded with nuclear waste, effect of γ -radiation on leachability. 64-05912A
red floor, sandstone, Ditraru, Romania, hornblende as pigment in. 64-03718A
refractory, cooling tower with. 64-02241P
roof. 64-03581P
design of. 64-01690P
interlocking. 64-00454P
new roller hearth kiln ups capacity at Interlocking Co. 64-02042A
production, from raw material to forming process. 64-04907A
with thermal conduction device. 64-00455P
self-glazing, production technology and properties. 64-00612A
slag-containing, glazes for. 64-00191A
stacking, and packaging. 64-06849P
stoneware, effect of technical parameters on properties. 64-04897A
stove, 2-shell, refractory blocks or bricks for. 64-00535P
mfg. without fireclay. 64-05041A
thermal protection, for Space Shuttle, impact behavior. 64-01220A
unglazed, refractory, glazes with low thermal expansion for. 64-02073A
wall, Czech line for firing. 64-06769A
decoration of. 64-03740P
effect of additives on gas media during firing. 64-06515A
fixed with mortar and organic adhesive, characteristics. 64-02262A
fly-ash-based, factors imparting high frost resistance. 64-03720A
lignin for mfg. 64-06521A
from low-melting clays, optimization of firing conditions. 64-03725A
from phosphorus plant slag. 64-00586A
refractory, acoustic emission test for firing rate. 64-02258A
single fired, glazes for. 64-00600A
wollastonite, synthesized from phosphogypsum. 64-00622A
Tin,
in Na silicate glasses, kinetics of change of valence, Moessbauer data. 64-03302A
SnCl₄, sensitizing function in silvering of glass. 64-04751A
SnO₂, precursor materials, preparation of. 64-01505P
SnO₂, with CaF₂ structure in Sn oxide films. 64-05195A
-based catalyst for oxidizing CO. 64-02876P
coating for suppressing arcing, cathode ray tube with. 64-06592P
coatings, on glass windows. 64-01808A
conductive, ir reflective, transparent coatings, method of depositing. 64-00771P
enhanced sintering with additives. 64-02308A
films prepared by hydrolysis of Sn tetrachloride, impurity phases. 64-00670A
films, deposition on rutile crystals. 64-06546A
SnO₂-F₂ films on glass substrates, properties of. 64-05163A
SnO₂, films, effect of annealing on phase composition, transmission, and resistivity. 64-05113A
SnTe, diffusion of components in. 64-05689A
molten, equilibrium with Na₂O-CaO glass, effect of atm and temp. 64-06300A
oxide, F-containing coating, method for forming. 64-03887P
with MnO₂, CuO, ZnO, or Li₂CO₃ additives, sintering kinetics. 64-02985A
P-doped powder. 64-06655P
effect of additives on sintering. 64-03771A
magnetic recording medium. 64-06730P
oxide-coated plate, positive battery. 64-05241P
role of, in glass-ceramics of system MgO-Al₂O₃-SiO₂. 64-03353A
Titanates. See also *Dielectrics* and specific types.
Ag-Bi, synthesis and study. 64-00712A
Al, made in solar furnace. 64-05512A
magnetic recording materials. 64-00867P
Ba or Sr, crystal-sized powder, preparation of. 64-02402P
BaTiO₃, Ba₂Ti₂O₇, and Ba₃Ti₂O₉, temp.-dependent phase boundaries for. 64-03837A
CaTiO₃, creep deformation. 64-02843A
MgTiO₃-free dielectric, composition for. 64-00736P
Sr, La-doped, oxidation-reduction behavior. 64-02433A
capacitor, temp.-compensating, with Ni or Cu electrodes metal electrodes. 64-02421P
crystalline, nuclear waste forms, leaching and radiation damage. 64-06737A

- di-, of rare-earth elements, crystallization under hydrothermal conditions. 64-05682A
 metal, powder, method of making. 64-07422P
 organic compositions, with depressed freezing points. 64-01514P
 rare-earth ortho-, model for structure of β -modification. 64-05934A
 semiconductor materials, with voltage-dependent nonlinear resistance, method of making. 64-02412P
- Titanis.** See *Titanium, dioxide.*
- Titanium carbide.** See also *Cermets.*
 particles, for improving mechanical properties of SiC. 64-01223A
- Titanium dioxide, pigments.** See *Pigments.*
- Titanium dioxide.**
 (110), intrinsic defects of. 64-04545A
 -Al₂O₃ powders, preparation by vapor-phase reaction of TiCl₄-AlBr₃-O₂ system. 64-01246A
 H-reduced rutile, electrical conductivity in. 64-06552A
 O sensor element, CVD of. 64-05232P
 addition, effect on oxidation of Cr₂O₃ in system Al₂O₃-Cr₂O₃. 64-04940A
 additives, effect on properties of opaque glazes. 64-00593A
 adsorbent, for radiation reduction in nuclear reactor water. 64-05344A
 agglomerates, soft, process for preparing. 64-01160P
 concentrates, process for making. 64-07065P
 crystalline, as anatase and/or rutile in porous carriers, preparation. 64-02965P
 electrode, for photoelectrochemical conversion, characteristics. 64-06545A
 polycrystalline, photoeffects in. 64-03810A
 electrophotographic process using, multicolor. 64-07425P
 films, photoelectrochemical properties. 64-05148A
 properties. 64-05164A
 gels, microstructure and new method for making. 64-04478A
 high-quality, method of making. 64-05243P
 hydrated, sorbent based on, effect of hydrothermal treatment temp. on porous structure and mechanical strength. 64-01537A
 with varying ZrO₂ content, stability of sorbents based on. 64-01573A
 method for depositing polysilicon over. 64-06636P
 n-, crystals and sintered electrodes, hole diffusion length in. 64-04542A
 nucleant, effect on crystallization of Mg-Sialon glasses. 64-06208A
 particles, effect of additives on formation by vapor phase reaction. 64-07323A
 pigments. 64-04508P
 powder, varistor, process for mass production of. 64-00854A
 in raw materials, high-aluminous for refractories, behavior of. 64-03592A
 role in glasses, Na₂O-MO₂-SiO₂. 64-00223A
 rutile, ferroelectric, lattice dynamics. 64-03927A
 phase, under shock compression, elastic limits and phase transitions. 64-01516A
 support, catalytic, for reduction of NO with NH₃. 64-01238A
 thick-film photoanodes, for photoelectrochemical cells, method of making. 64-06650P
 transformation of, polymorphic, by mechanical grinding. 64-01566A
- Titanium,**
 and Fe, complexometric determination by indirect titration with EDTA. 64-01013A
 TiO₂, Ti₂O₃, and Ti₃O₅, chemical transport in presence of HCl and NH₄Cl. 64-01414A
 chemical transport in presence of HgCl₂ and TeCl₄. 64-01413A
 Ti(IV) oxide, hydrous, effect of urea addition on crystal and pore structure. 64-01129A
 Ti:LiNbO₃, optical waveguide, characterization of TiO₂, LiNbO₃, and (Ti_{0.95}Nb_{0.05})₂O₇ compound growth. 64-01382A
 TiB₂, electrical resistivities. 64-02765A
 formation using thermite ignition. 64-05587A
 particles, microplastic deformation during vibrocrushing and pressing. 64-05562A
 powder, preparation of. 64-04411P
 resistance to high-temp. plastic yielding. 64-05573A
 structure and properties. 64-05581A
 TiB₂-graphite composite. 64-01295P
 TiC, and TiO₂, refractories, vacancies and energy spectrum. 64-04366A
 TiN, and TiC, tribological coatings for moving machine parts. 64-07296P
 and TiC, whiskers, effect of Si on vapor-phase growth. 64-01207A
 coatings for cutting implement. 64-01290P
 films, effect of pH, on properties. 64-05115A
 films, reactive-sputtered, effect of substrate shape. 64-05114A
 process coats tools with. 64-04321A
 TiN₂, preparation and properties in region of homogeneity. 64-01569A
 vacancy effects in XPS spectra. 64-04367A
 TiN₂, and TiC, and TiNC-coated blade, for fluid-flow engine, method of making. 64-04372P
 TiN-based cermet, with high toughness, method of making. 64-07273P
- TiSi₃, films, oxidation of, XPS study. 64-05759A
 TiW₂N₂, fusible links in semiconductor circuits. 64-02424P
 boride-based sintering compound, and production of sintered articles. 64-02914P
 carbonitride-containing body, sintered. 64-04440P
 clinohumite, chemical and optical study. 64-04198A
 -containing AlPO₄, molecular sieves. 64-04446P
 -containing Si₃N₄ films, method of making. 64-01367P
 diboride, subcritical crack velocities under simulated Hall-Heroult cell conditions. 64-01261A
 diffusion, into LiNbO₃, as function of stoichiometry. 64-03939A
 disilicide, films, method of depositing. 64-07420P
 enamel, F-free alkali-resistant, for washing machine tanks. 64-00990A
 impurity, in clay, removal to improve whiteness. 64-04235P
 metal, method of producing oxide layers on. 64-00131P
 oxitanium-C, compounds, spectroscopic and X-ray structural study. 64-05579A
 phosphate, nuclear waste form. 64-05869A
- Tobermorite,**
 11 Å, in products of hydrothermal processes, determination of. 64-00035A
 -like Ca germanate hydrate, with fibrous morphology. 64-07054A
 morphology of, crystal chemical studies. 64-07031A
- Tools, cutting.** See also *Abrasives.*
 Al₂O₃. 64-02740A
 Al₂O₃-TiN-based, method of making. 64-07213P
 Al₂O₃-coated, oxide bond for. 64-01339P
 BN-containing. 64-04387P
 Si₃N₄. 64-02824A
 Si-Al oxyrintride, coated composite. 64-01289P
 SiC, with sintered diamond envelope. 64-04434P
 body for, sintered, method of making. 64-07239P
 cBN-based. 64-04607P
 carbide, Co-cemented. 64-04378P
 coating for, TiN. 64-01290P
 hard film. 64-02773A
 containing abrasive particles, method of making. 64-01649P
 for fibers, optical. 64-00949P
 for glass. 64-00978P
 flat. 64-04056P
 laminated. 64-00993P
 hand-held, for fiber optics. 64-00369P
 hard metal, ceramic-faced. 64-03148A
 hardening, by deposition of wear-resistant material. 64-03165P
 by oxide coating method. 64-01303P
 insert, with chip control. 64-05612P
 laser, for glass. 64-00985P
 for liquid glass strand. 64-00954P
 metal, Hf or Zr carbide or nitride coating for. 64-07301P
 metallic carbide, properties and use. 64-04323A
 for tile. 64-05375P
 or sheet glass-scribe jig. 64-04028P
- Tools, grinding.** See *Grinding apparatus.*
- Tools.**
 BN, sintered, recent status of. 64-02819A
 blade, doctor. 64-00957P
 ceramic, status and trends. 64-02811A
 cermet. 64-02746A
 coated, with TiN, process for making. 64-04321A
 ceramic. 64-02747A
 compacting, material selection for. 64-00915A
 conventional, substitution of ceramics for. 64-05582A
 diamond. 64-01642A
 effective degree of carat utility. 64-03052A
 in glass industry. 64-03049A
 natural aggregate processing with. 64-05367A
 with sintered metallic layer. 64-03050A
 surface concentration of diamond in. 64-03054A
 for molding, injection. 64-00933A
 for optically finishing, optical fibers. 64-03550P
 for pressing, wet-bag isostatic, design of. 64-00932A
- Topography,**
 surface, interferometric, method and means for. 64-04127P
 surface micro-, of corundum grown by Verneuil method. 64-07506A
- Torsion,**
 -induced deformation, in glasses under low stress. 64-03376A
- Trace elements.** See *Elements.*
- Tracers.** See *Radioactive tracers.*
- Transducers,**
 LiNbO₃, acoustooptic. 64-06700P
 PZT niobate, pyroelectricity and mechano-dielectricity of. 64-02435A
 acoustic, lead attachment for. 64-00845P
 piezoelectric crystal. 64-00841P
 acoustic wave, electrode on α -Al₂O₃ and ZnO piezoelectric substrate. 64-03946P
 broadband, piezoelectric, multiphase backing materials for. 64-02444P
 ceramic, piezoelectric. 64-00846P
 and sensors. 64-06544A
 composite, Pb zirconate, Pb titanate. 64-06702P
 electroacoustic, with piezoelectric plate. 64-03947P
 underwater, fabricating. 64-05097A
 magnetic, with glass member reinforcing coils. 64-00870P
 material, electromechanical, fabrication by tape casting. 64-00904A
 for measuring particles suspended in fluid. 64-02656P
- optical, integrated. 64-06368P
 pressure, Si-glass-Si capacitive. 64-00428P
 glass-supported semiconductor. 64-06405P
 semiconductor bonded glass-metal. 64-03945P
 pressure-sensitive, with piezoceramic. 64-03904P
 structures, with substrates and diaphragms. 64-02451P
 thermoelectric, performance in glass tank furnaces. 64-00317A
 ultrasonic, apparatus for testing. 64-01047P
 university/industry cooperation on. 64-05284A
 ultrasonic, piezoelectric apodized. 64-06705P
- Transfers.** See *Decorations.*
- Transformations,**
 of C-Er₂O₃ into B-Er₂O₃, by reaction with CaO. 64-01574A
 of SrGeO₃. 64-03781A
 in Y₂O₃-doped ZrO₂, tetragonal, by annealing in water. 64-07512A
 anatase-rutile, in rare-earth oxides, inhibition mechanism. 64-04689A
 $\beta \rightarrow \alpha$, of SiC, variation of real structure during. 64-01273A
 in sintered SiC involving feathers formation. 64-04315A
 chemical and structural, in system Al nitrate-Al₂O₃. 64-02699A
 dehydration, in polygorskite. 64-07032A
 $\gamma \rightarrow \alpha$, in spherical Al₂O₃ powders. 64-07333A
 martensitic, in La_{0.8}-Sr_{0.2}CoO₃. 64-04550A
 phase, in GdSe₂. 64-00688A
 in Ta₂N. 64-05777A
 amorphous-crystalline, in metallic glasses. 64-04701A
 $\gamma \rightarrow \alpha$ in Al₂O₃, DTA study. 64-02817A
 grain-boundary, during aging of PSZ. 64-05715A
 microcrack nucleation in ceramics subject to. 64-01554A
 in phlogopite mixtures. 64-04743A
 sequence in mixtures of MgO, CaCO₃, and V₂O₅. 64-05797A
 of sintered CaO-ZrO₂. 64-06568A
 photostructural, in chalcogenide glasses, dynamic range of. 64-03222A
 of polyethylene, over superhigh-SiO₂ zeolites. 64-05871A
 polymorphic, in TiO₂, by mechanical grinding. 64-01566A
 of quartz into cristobalite, effect of mode of SiO₂ addition. 64-01836A
 range, of Li gallosilicate glasses. 64-06274A
 solid-phase, of alloys of cross-section GeTe-AgBiTe. 64-05803A
 effect of heating rate of crystallohydrates on. 64-05695A
 solid-state, in industrial furnaces, XRD analysis of. 64-06896A
 structural, in particles of ceramic and cermet powders in flame spraying. 64-04301A
 during sintering and annealing of β -Al₂O₃. 64-02831A
 in surface layers of BaFe₂O₇ particles. 64-05305A
 in titanosilicate glassy coating during high-temp. treatment. 64-03355A
 thermal, of Cr-containing polymers. 64-05864A
 of Fe methoxyhydrides, porous structure of products. 64-04483A
 of aluminophosphate binder, effect of additives of V and Mo oxides. 64-04941A
 of hydrated Na triphosphate peroxhydrate. 64-05865A
 -toughened ZrO₂. 64-07190A
 wurzite-sphalerite, in BN, structural features. 64-01258A
- Transistors,**
 FET, GaAs, by ion implantation, method of making. 64-02392P
 piezoelectric, force sensor with. 64-02441P
 GaAs, static induction. 64-00750P
 field-effect, p-type Ga-In-As heterojunction insulated, method of making. 64-00801P
 light-emitting and -receiving, heterogeneous InP, for optical-fiber telecommunications. 64-02376P
- Transformations,**
 $\alpha \rightarrow \beta$, of quartz, theoretical consideration of intermediate phase. 64-02949A
 ferroelectric, in BaTiO₃, effect of magnetic field. 64-03769A
 glass, cluster model approach. 64-01856A
 range, relations between refractive index and holding temp. distribution profiles. 64-01901A
 in glasses, liquids and solids. 64-01879A
 luminescent, in main U⁴⁺ center in NaF, nature of. 64-00878A
 order-disorder, in ZnFe₂O₄, ferrite during grinding. 64-03966A
 phase, of Bi₂O₃. 64-05811A
 in Ge_{1-x}(Te_{0.5}Se_{0.5})_x alloys. 64-05147A
 of PLZT. 64-05272A
 in PbTe with Ga admixture. 64-05778A
 dielectric-metal in V₂TiO₅ single crystals. 64-01442A
 ferroelastic. 64-05263A
 high-pressure, in Na₂WO₄. 64-07450A
 interacting, in Fe_{0.8}Cr_{0.2}O₃. 64-02463A
 pressure-induced, in β -Li₂SO₄. 64-03933A
 of rutile phase TiO₂ under shock compression. 64-01516A
 of solid solutions based on GeTe at cross-section GeTe-AgSbTe. 64-05146A
 spin-reoriented, in Y-Sm ferrite garnets. 64-06719A
 -rate theory, application to atomistic model of environmentally assisted fracture. 64-01517A
 spin-reorientation, photoinduced, in Y₂Fe₂O₇ crystals with Fe³⁺ ions. 64-03953A
 temp., free vol of metaphosphate glasses at. 64-06195A
- Transmission,**
 channels, in optical fibers, method and apparatus for multiplexing. 64-05971P
 of information, with dispersive optical fibers. 64-00372P
 ir, and glass formation in AgI-AgF-AlF₃. 64-06212A

- microwave, of hexagonal BN. 64-05535A
uv. glasses with. 64-06202A
- Transmittance.**
light, of gallate-germanate glasses in ir region, effect of technological parameters. 64-05232A
- Transparent materials.**
Al oxyhydride, method of making. 64-07295P
Al₂O₃. 64-04363A
Lucalox. 64-05289A
AIN. 64-01299A
PLZT, preparation of active powder for. 64-05276A
semi-, grey and nongrey, determination of temp. field. 64-01311A
radiative transfer in. 64-01572A
in solid or aerosol form, thermo-optical properties, determination of. 64-01011A
variation of thermo-optical constants with temp. and heat transfer. 64-00340A
slabs, viscous SiO₂ with low bubble content, method and apparatus for. 64-00384P
substrate, method for coating. 64-03984P
zircon, method of protecting pigments with. 64-02961P
- Transparent processes.** See also Diffusion; Ions; Kinetics; Resistivity, electrical; Viscosity.
- Transmittance.**
in Al₂O₃ scale, determination of. 64-07319A
in B₂O₃, role of free C. 64-04332A
in CoO₂, Y₂O₃-doped nonstoichiometric. 64-07513A
Na, in Na₂O-H₂O-SiO₂ glass system. 64-04754A
Pb ion, in PbO-SiO₂ melts, pO₂ dependence. 64-05761A
charge, in off-stoichiometric SiO₂ films. 64-00835A
chemical, of GeO₂. 64-04131A
of TiO₂, Ti₂O₃, and Ti₂O₄, in presence of HCl and NH₄Cl. 64-01414A
of TiO₂, Ti₂O₃, and Ti₂O₄, in presence of HgCl₂ and TeCl₄. 64-01413A
of ZnO, and estimation of phase width. 64-00637A
of ZnSO₄ and Zn₂(SO₄)₂. 64-01478A
isothermal, in system Ta-C-Cl. 64-01417A
ionic and molecular, in β - and β' -Al₂O₃. 64-05557A
mass, in volatilization from Pb glass. 64-03293A
of photoelectrons, in Bi₂SiO₅. 64-06387A
properties, of oxide scales, procedure for determining. 64-07330A
vapor, in MgO. 64-07349A
- Traps.**
electron, in SiO₂ films in tunneling regime. 64-00661A
radiation-induced, in SiO₂. 64-00703A
in films, off-stoichiometric SiO₂. 64-00635A
- Tricalcium.** See Calcium, tri.
- Trifluoride.**
production, with Li aluminate/Zr material. 64-01318P
- Trifluoride.** See Crushing; Grinding.
- Tubes.**
Al₂O₃, for Na vapor lamps, fabrication. 64-01221A
arc, for metal vapor discharge lamps. 64-04376P
Pb glass, developments in the last decade. 64-03426A
SiO₂, vitreous, mfg. of. 64-03544P
TV, Corning-Chinese team builds plant for mfg. 64-04780A
color picture, with bead glass separating electrodes. 64-01978P
glass, solubility and diffusivity measurements of water in. 64-06254A
bundles, finding draft loss across. 64-02665A
cathode ray, Pb-containing glass for. 64-06283P
with SnO₂ coating for suppressing arcing. 64-06592P
Zn-Y silicate phosphor. 64-07408P
white luminescent phosphor (InTbBO₃-based) for. 64-05893P
components for, densely sintered AIN. 64-07297P
crack in, process for producing. 64-01074P
display, ZnO-Zn-based fluorescent material for. 64-00766P
distributor, for CVD reactor. 64-04031P
gas laser, challenge for glasses and glass-ceramics. 64-03443A
glass, appliance for feeding to processing machine. 64-06800P
checks in, method and apparatus for detecting. 64-01996P
equipment for automatic sorting. 64-00901A
hydrodynamics of down-drawing. 64-03451A
method of making. 64-06387P
plasma method for coating inside surface. 64-00410P
graphite bundle, heat exchanger. 64-01369P
picture, monochromatic phosphor-coated. 64-02009P
polyethylene, change of properties of cements stored 20 yrs in. 64-06063A
preform, for fibers, method and apparatus for straightening. 64-00391P
quartz, flange connection for. 64-02543P
refractory. 64-00578P
for casting steel. 64-06495P
fiber-coated, for molten metal. 64-00573P
reinforced, in electrolyte production of metals. 64-00580P
sheets, plugging microleaks with material leached from. 64-05642P
solar collector, water-in-glass manifolds for heat extraction from. 64-04838A
suction, of glass-filled nuclear waste container, removal method. 64-00979P
vapor detection, and method of testing for vapor. 64-02027P
- Tungsten.**
K and Cs, solid solutions of. 64-05799A
Na and NH₄ para-, derivatographic study. 64-01391A
- Tungsten.**
WC, abrasive grit, method of making. 64-00005P
hard metal free of, wear-resistant MoC and B, BN, and B₄C. 64-02918P
from molten, tungstate-halide phase by sparging. 64-02863P
powder for enameling ferrous material. 64-00122P
reactive process. 64-01370P
WC-Co, Palmqvist crack extension in. 64-04560A
WC-based, alloy, for hot-working apparatus. 64-01371P
coating, abrasion-resistant. 64-06147P
WCl₆, synthesis and physicochemical properties. 64-01583A
and WO₃, reactions of H₂O₂ and Lu₂O₃ with. 64-05868A
volatility of GeO₂ in presence of. 64-01485A
WO₃, films prepared by laser evaporation, structure of. 64-01578A
semiconducting films, aging effects in. 64-00629A
WO₃, atmospheric evaporated films, electrochromism of. 64-02304A
WOCl₃, synthesis and physicochemical properties. 64-01467A
bronze, tetragonal structure, in system BaO-Li₂O-Nb₂O₅, phase with. 64-01564A
contamination, during grinding. 64-06789A
extraction, from spent Al₂O₃-SiO₂ catalysts. 64-05617P
oxide, films, physical and electrochromic properties. 64-03814A
rf-sputtering films, physical and electrochromic properties. 64-00690A
- Turbines.**
blades, ceramic-cased metal, cooling of. 64-03163P
coating lifetimes, simulator aids in determining limiting factors. 64-07166A
photoacoustic microscopy of. 64-06887A
and stator vane. 64-07283P
ceramic technology for, evolution in US. 64-04277A
gas, automotive, development trends. 64-02840A
ceramic component for. 64-04248A; 64-04249A
outer air seal for. 64-01287P
rotor blade with ceramic jacket. 64-02915P
support for ceramic blade for. 64-00137P
parts, development of. 64-02754A
rotor, ceramic matrix/ceramic fiber. 64-01372P
wheel, method of attaching to metal shaft. 64-07198P
wheel, composite C fiber. 64-01291P
- Tyres.** See Refractories.
- Twining.** of crystals. See Crystals.
- Ultrasonics.** See Sound, ultra-.
- Ultraviolet.**
absorbers, in optical fiber coatings. 64-02025P
extreme, B and Si filters for. 64-05516A
Mo-Si mirrors for. 64-04810A
light, method of conveying through optical fibers. 64-04866P
loss, vacuum, in MgF₂ films. 64-03843A
rays, transparent enamels for protecting glass against. 64-03377A
transmission, glasses with. 64-06202A
- Uranium.** See Uranium, UO₂.
- Uranium.**
U₂O₃, powder, method of making. 64-02500P
and solid solutions based on U, Zr, and Y oxides, mass-spectrometric study of evaporation processes. 64-05339A
U-Mo-O₂ system, thermodynamic study of. 64-01483A
U-MoO₄, thermodynamic stability. 64-06747A
UO₂, development of density and structure during sintering. 64-03982A
intact and defective fuel elements, release of short-lived fission products from. 64-00880A
powder, process for making. 64-05354P
-containing concentrate, recovery from wet-process H₂PO₄. 64-06752P
determination, by revealed-phase liquid chromatography. 64-05409A
in glasses, borosilicate, chemistry. 64-01815A; 64-01816A
recovery, from wet process H₂PO₄. 64-00883P
silicate glasses containing, EXAFS studies. 64-00166A
sulfide, magnetic properties. 64-05750A
- Vacuum tubes.** See Tubes.
- Vacuum.**
heat insulator, with glass fibers. 64-02026P
- Valves.**
As cell stabilization, for GaAs in situ compounding. 64-07406P
discharge, for granular materials. 64-00956P
with seals, ceramic. 64-07299P
disk. 64-07298P
shut-off, for cooling wind for glass-forming molds. 64-04844P
solenoid-actuated, for glassware forming machine. 64-00997P
stopcock, nonstick glass. 64-04870P
- Vanadates.**
Cs, enthalpy of formation in system Cs₂O-V₂O₅. 64-01440A
Cd. 64-05712A
Li ortho-, solid electrolytes based on. 64-05177A
Mg, and solid solutions based on. 64-05749A
anions, process for solvent extraction. 64-01162P
- Vanadium.**
V₂O₅, attack on linings of glassmelting furnaces. 64-03623A
deposited on sorbent materials, immobilization of. 64-05880P
powder, method of fusing. 64-04051P
- refractory corrosion by. 64-02086A
and silicates, oxidation catalysts, method of making. 64-02899P
- VN, thermodynamic properties. 64-05966A
VO₂, crystals, dc conductivity. 64-02295A
crystals, dependence of electrical properties on conditions of synthesis. 64-05083A
crystals, thermoelectric power of. 64-02343A
lightly doped, dielectric relaxation in. 64-03793A
carbide, in homogeneity region, electrophysical properties. 64-01210A
ion, in V-containing stains, valences of. 64-02281A
oxidation state, and role of TiO₂, as support for catalytic reduction of NO with NH₃. 64-01238A
oxide, synthesis. 64-02973P
oxide bronzes, electrode materials based on. 64-05087A
oxynitride, phases. 64-01271A
passivation, in hydrocarbon catalytic cracking process. 64-07300P
- Vaporization.**
of MgO, in H₂. 64-07402A
from MgO and Al₂O₃. 64-07191A
of boric oxide, during glassmelting. 64-00239A
high-temp., of borides, carbides, and nitrides. 64-04290A
of refractory oxides. 64-02120A
- Vapors.** See also Gases; Water.
V trichloride oxide, interaction with surface silanol groups of SiO₂. 64-07344A
alkaline, during firing of NaCl-containing clay for brick and tile. 64-04887A
detection tube, and method of testing for vapor. 64-02027P
hyperbolic, packed Al₂O₃, absorbs. 64-04313A
pressure, in system In-Sb-As. 64-05200A
solvent, application of zeolites for adsorption of. 64-05513A
water, atm, corrosion of fluoride glasses by. 64-06166A
effect on calcination of limestone in fluidized bed. 64-01710A
effect on gas-phase synthesis of polymer vitreous phosphates. 64-00176A
hydration of Mg oxides in presence of. 64-04465A
- Varactors.** See Diodes.
- Varistors.** See Resistors, electrical.
- Velocity.**
crack, in TiB₂, under simulated Hall-Heroult cell conditions. 64-01261A
extrusion, electronic controls for. 64-06767A
flow, of molten materials, method and apparatus for determining. 64-06910P
of gas bubbles, freely rising, in Na₂O-CaO silicate glassmelt. 64-01972A
- Versalite.**
Brazilian, treated with Li chloride, delamination tests of. 64-07034A
activated by acidic etching, porous structure of. 64-05950A
analysis of, X-ray microprobe. 64-02626A
-coated Al, delaminated. 64-00119P
decomposition of, thermal. 64-02951A
expansion, apparatus for. 64-05507P
-fiber, refractory gasket. 64-00550P
minerals, effect of heat treatment on surface morphology. 64-02703A
- Vibration.**
screening, apparatus and method. 64-04069P
spectra, of glasses in system Ba(PO₃)₂-PbF₂-AlF₃(AlP₂). 64-03379A
of single- and mixed-alkali pentasilicate glasses. 64-01924A
- Vibrators.**
crystal, unidirectional flexure-type tuning fork. 64-00851P
flexural mode, formed of Li tantalate. 64-06703P
piezoelectric, ZnO, and frame. 64-00795P
- Viscosity.** See also Density; Friction; Solutions.
of SiO₂, vitreous, effect of trace impurities—correction. 64-00175A
of bentonite dispersions, control of, by salts. 64-02700A
capillary, and spiral-length data, relating for molding ceramic mixes. 64-00925A
changes, during controlled annealing of glass fibers, experimental tracing of. 64-03438A
of feldspars, liquid. 64-02731A
liquids. 64-02730A
fluid, arrangement for measuring. 64-01048P
of glasses, Na borate in T_g range. 64-03381A
Pb phosphate. 64-00241A
Pb silicate in T_g range. 64-03382A
ir-transmitting, measurement of. 64-06333A
at low stress levels. 64-03383A
relation to thermal properties. 64-04778A
measurements, on liquid slags in system CaO-FeO-Fe₂O₃-SiO₂. 64-01925A
of melts, 12CaO-7Al₂O₃, dependence on high-temp. soaking. 64-03607A
in Na borosilicate system. 64-03498A
PbO-SiO₂. 64-06334A
glass-forming, temp. dependence of. 64-04762A
points, for ZnO-B₂O₃-PbO-SiO₂, passivation glasses. 64-03384A
of slips, tape-casting. 64-06589A
slurry, of kaolinitic clays, reducing. 64-01171P
of suspensions, based on glassy systems, calculation of. 64-03197A
transformation range, of fluorozirconate glasses. 64-00237A

- Vitreous materials,**
with ionic conductivity, method of making. 64-04769P
- Vitrification,**
of glasses, contaminated Na_2O . 64-04745A
kinetics, of $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-CaO}$ glass powders. 64-03385A
of porcelain, furnace gas atm during. 64-02271A
of wastes, nuclear from W. Valley, NY, design of slurry-fed melter for. 64-05323A
nuclear, at W. Valley, NY, design for. 64-05318A
nuclear, at W. Valley, NY, with slurry-fed melter. 64-05320A
nuclear, furnace for. 64-04816A
nuclear, in situ, characterization of soil produced by. 64-05317A
nuclear, induction furnaces for. 64-04153A
radioactive, by double-compartment method. 64-03983A
radioactive, by electric furnace. 64-03981A
radioactive, liquid. 64-06753P
simulated W. Valley NY, with liquid-fed melter. 64-04836A
- Volatility,**
of GeO_2 , in presence of WO_3 . 64-01485A
- Volatilization,**
from Pb glass, mass transport in. 64-03293A
from melts, fluoride opal. 64-04837A
- Voltage,**
of β -cell. 64-05594A
-limiting device, ZnO-based, method of making. 64-00772P
- Volume,**
activation, in high-temp. regions for AgCl and AgBr. 64-04523A
changes, of expansive cements, factors influencing. 64-06084A
intrinsic, of self-propagating synthesis. 64-07346A
concentration, critical powder, in plastic forming, method for determining. 64-00917A
free, of metaphosphate of glasses at transition temp. 64-06195A
instability, of porous solids. 64-01926A
micropore, and micropore surface area, method for estimating. 64-01021A
mol, of Na and K germanate glasses. 64-06189A
of Na silicate-phosphate glasses. 64-03304A
of glasses in system S-Se. 64-03804A
molecular, of oxides in alkali-free borosiluminosilicate glasses. 64-06223A
pore, specific, static exclusion method for determining. 64-02620A
resistivity, of E-glass and high- SiO_2 glass, variation with temp. 64-00333A
specific, of Ba fluoroaluminophosphate glasses. 64-01900A
- Wafers,**
GaAs, circular, process mfg. 64-02405P
GaAs-GaAlAs, stresses and photoelastic effects in. 64-06582A
Si, stress rate and proof testing of. 64-04568A
boats, refractory paddle for. 64-06593P
multilayer, encapsulated CdTe boules for. 64-02362P
piezoelectric, surface contour, apparatus and method for determining. 64-04109P
sapphire, method of fabricating MOS device on. 64-06641P
semiconductor, method of removing glass backing from. 64-00782P
subsurface damage, instruments detect and remove. 64-06875A
- Wastes,**
 Fe_2O_3 -containing, application in cement industry. 64-03135A
 P_2O_5 -containing, liquid, fast-setting cements from. 64-01773P
asbestos, clay bricks with, production technology. 64-06428A
disposal by absorption into glass. 64-01940A
chemical industry, recycling, cupric oxide for flux dyeing. 64-07379A
clay-like, preparation for ceramic industry use. 64-05499A
coal-beneficiation, raw materials for structural clay products. 64-06417A
core debris, Three-Mile Island, PA, immobilization of. 64-05330A
gases, at Suvorov, USSR, ore-beneficiation plant, trapped dust from. 64-01145A
glass-container, recycling, update with commitment to future. 64-07524A
gypsum, flue gas, from power stations, processing of. 64-01746A
hazardous, refractory, recycling. 64-07532A
incineration, in cement industry, operational results. 64-01751A
industrial, for glazing tiles and structural ceramics. 64-03723A
for improving grade of gypsum materials. 64-03098A
for majolica tiles. 64-03731A
for refractory concretes. 64-03638A
sludges, brick clay as disposal medium for. 64-04884A
synthesis of Ca hydrosilicates from. 64-01761A
linings, from cement kilns, uses. 64-02174A
muds, of ceramic water treatment plants, metal recovery from. 64-01617A
nuclear, Canadian, development of sphene-based glass-ceramics for disposal of. 64-05686A
Hanford, pressing ceramic and glass forms for immobilizing. 64-05328A
Idaho Chemical Processing Plant Al phosphate ceramics forms for. 64-05329A
 $\text{NaZr}_2(\text{PO}_4)_3$ cement forms for. 64-05755A
 $\text{NaZr}_2(\text{PO}_4)_3$, leach resistance of. 64-05747A
Pb phosphate glass for disposal of. 64-00204A
Pb-Fe phosphate glass for storing. 64-03286A
Ti phosphate forms for. 64-05869A
W. Valley, NY. 64-05327A
W. Valley, NY, design for vitrification of. 64-05318A
W. Valley, NY, glassmelter tests with alkoxide/hydroxide slurry feeds. 64-05348A
W. Valley, NY, in situ characterization of. 64-05334A
W. Valley, NY, remote features for slurry-fed melter. 64-05346A
W. Valley, NY, vitrification using slurry-fed melter. 64-05320A
W. Valley, NY, vitrification with liquid-fed ceramic melter. 64-04836A
analysis of 1-yr burial of glasses containing. 64-04703A
bored tunnel storage of. 64-05311A
cement-solidified, properties of. 64-06743A
ceramics for disposal of. 64-05313A
commercial, management in US. 64-05337A
crystallization of sphene-based glass-ceramics for. 64-04711A
defense, management in US. 64-05338A
design of multicomponent systems tests on. 64-05322A
development of SRP "composite" forms for. 64-05324A
diffusion-based leaching models of glassy forms for. 64-04714A
disposal at W. Valley, NY, overview. 64-05341A
economic comparison of crystalline ceramic and glass forms for. 64-05528A
economic optimization of management. 64-05325A
glass for burial in granite, preliminary report. 64-05342A
glass for, surface reactions in solutions containing bentonite, granite, and stainless steel corrosion products. 64-05350A
glass-metal interactions in brines. 64-05351A
growth of hydrated gel layers in glasses for. 64-04726A
with high ZnO, content, crystalline-phase formation by pressing. 64-05321A
high-level supernatant at W. Valley, NY, characterization of. 64-05316A
hydration of stressed glass for. 64-00194A
hydrothermal dissolution of ceramics for. 64-05550A
immobilization in Synroc. 64-05332A
immobilization in glass containers. 64-06749P
improved feed composition for slurry-fed melters. 64-05333A
leaching of 2 simulated glasses for. 64-04734A
leaching of cement with Sr powellite and I sodalite. 64-05333A
liquid, process for vitrifying. 64-06753P
low-level, stability testing of forms. 64-05349A
management, regulatory research on materials for. 64-05345A
mechanical properties of glasses for. 64-04736A
mechanistic approach to leach modeling of glasses for. 64-04737A
method of preparing for transportation and storage. 64-02499P
modeling of ion-bombardment effects on glass leaching. 64-05935A
porous SiO_2 glasses for storage of. 64-06742A
potential repositories, γ -radiolysis of groundwaters near. 64-05713A
properties of Fe-enriched basalt with TiO_2 and ZrO_2 additions. 64-05343A
role of ceramics, cement, and glass in immobilization of. 64-06745A
slow crack growth in glasses for. 64-04753A
in soil vitrified in situ, characterization. 64-05317A
solidified, long-term radioactivity release from. 64-05336A
status of Australian Synroc Project. 64-06746A
storage of, in porous high- SiO_2 glasses. 64-01885A
surface layer formation on corroded glasses for. 64-01914A
synthetic monazite-coated glass containing. 64-02501P
titanate forms for. 64-06737A
quartzite, powders from, for refractory ladle linings. 64-00499A
radioactive, bonded C or ceramic fiber composite filter vent for. 64-04373P
device for producing glass drops from melt containing. 64-06348P
double-compartment vitrification of. 64-03983A
glass encapsulation for stabilization. 64-00265P
immobilization in glasses and ceramics, current world efforts. 64-02496A
induction furnaces for vitrification of. 64-04153A
-portland cement systems. 64-00053A; 64-00054A
vitrification of, all-electric furnaces for. 64-03981A
refractory scraps, Bakor, reclamation following service in glassmelting furnaces. 64-00532A
sulfite liquor, MgO refractories from. 64-02083A
technological, reuse by mfg. autoclaved gas concrete. 64-03133A
tile, recycling. 64-00613A
tires, as fuel in cement burning. 64-05473A
transuranic, cementation of. 64-05312A
whiteware, assessment of acid and lye solubility. 64-00610A
- Water glass.** See Sodium silicate.
- Water.** See also Humidity; Hydration; Moisture; Steam; Vapors.
and MgO , model of interactions between. 64-07352A
 Si_3N_4 rubbing, in material removal mechanism. 64-04305A
in ceramic mix, temp. dependence of barodiffusion coeff. 64-05964A
-containing fibers, water glass. 64-00270P
- content, in Ca hydrates, method for estimating. 64-06106A
of Na borosilicate glasses for optical fibers, reduction of. 64-06243A
deionized, delayed fracture of Vickers indented glass in. 64-01823A
from different sources, effect on ceramic slip. 64-02272A
dissolved, in Na silicate glasses, nature and effect on properties. 64-01875A
effect on crystallization, of electrolyte glass. 64-06211A
-free oxide, Si or Ge, method of making. 64-01508P
and glass. 64-06277A
TV tube, solubility and diffusivity measurements. 64-06254A
non-Fickian diffusion of. 64-06226A
ground-, near potential radioactive repositories, γ -radiolysis of. 64-05713A
hydrophilic coating, composition for forming. 64-01494P
kaolinite swelling in. 64-05814A
management. 64-02532A
and modifier:former ratio, in Na ultraphosphate glasses. 64-06278A
in nuclear reactor, radiation reduction using TiO_2 adsorbent. 64-05344A
reaction with heavy-metal fluoride glass, surface -OH profile. 64-07391A
reactions with borosilicate glasses, in autoclave. 64-06241A
reactions with gels, during gel-glass conversion. 64-06242A
-soluble glass articles, for treating ruminant animals. 64-01938P
sorption-desorption, on porous ceramics. 64-06897A
thermodiffusion of, moisture profile of ceramic body during. 64-02938A
waste-, industrial, and publicly owned treatment works. 64-01613A
wool-washing, slurries of, re-use in brick production. 64-06430A
- Waveguides.** See also Optical fibers; Splicing; Joining.
Al or Be oxide, for acoustic emission detection. 64-05445P
 LiNbO_3 , damage-resistant. 64-02294A
Mg titanate, Ba TiO_3 joint for. 64-06727P
 SiO_2 substrate, fabrication by ion implantation. 64-06367P
 Ti:LiNbO_3 , characterization of TiO_2 , LiNbO_3 , and $(\text{Ti}_{0.4}\text{Nb}_{0.6})\text{O}_3$ compound growth. 64-01382A
coupled, free-space laser. 64-01980P
coupler for, selective. 64-02021P
dielectric-clad, method of making. 64-00429P
fiber, glass, method of making. 64-03542P
film, Nd-doped $\text{Y}_2\text{Ca}_2\text{O}_7$, on $\text{Y}_2\text{Al}_2\text{O}_7$ substrate, for optical amplifier, crystal growth and spectroscopy. 64-02335A
mediums, based on quartzoid glasses. 64-03265A
optical, CO_2 -laser processing of glass layers for. 64-04775A
 SiO_2 glass, by liquid-phase doping. 64-00225A
beam-deflecting device. 64-00343P
dielectric, coupling of. 64-03862P
fiber, thermosetting. 64-04881P
laying onto a support filament. 64-02550P
method of making. 64-00393P
method of making index profile for. 64-00394P
nonlinear and bistable. 64-06392P
polarization-retaining. 64-00411P
terminating apparatus. 64-00407P
z-cut LiNbO_3 . 64-01519A
planar, electrodiffusion of glass matrices for. 64-03244A
planes, diffusion, role of stresses in formation of spectral modes. 64-03352A
preform chuck. 64-06817P
rib, inverted, injection (heterojunction chalco-genide) laser with. 64-02375P
soot forms, method of making. 64-00269P
thin-film, PLZT. 64-02434A
Si oxynitride, CVD of. 64-03795A
- Waxes,**
acoustic, surface, ZnO dielectric layer device with crystalline orientation. 64-02419P
electromagnetic, absorbers of metal plate and SiC fibers. 64-05613P
micro-, low-loss dielectric materials for. 64-06690A
oven, quartz lamp heaters for. 64-02394P
propagation, thermoelectric, in infinite piezoelectric solid. 64-01542A
surface acoustic, bandpass filter. 64-02448P
device, temp.-compensated Li borate. 64-02449P
thermal, film thickness measurement with. 64-06921P
ultrasonic, application to piezoelectric ceramics. 64-02426A
propagation characteristics of green ceramics. 64-01040A
transmission through glass with regular changes in acoustic properties. 64-01922A
- Wear,**
of PSZ. 64-07108A
abrasive, of grinding balls, lab test for. 64-04004A
adhesive, effect of grain size on transition between abrasive and. 64-03051A
of ceramics. 64-07107A
of grinding media, Cr-alloyed cast iron. 64-06791A
of linings, in metallurgical furnaces, method of monitoring. 64-05457P
material removal mechanism, of Si_3N_4 during rubbing in water. 64-04305A
mechanism, of monolithic refractories for steel ladles. 64-02231A
prevention, with refractory carbide coatings. 64-04346A

- of refractories, C-bonded brick. 64-03691A
MgO-C bricks in melting furnaces, mechanism. 64-05015A
MgO-C bricks, effect of C purity on. 64-03639A
MgO-C bricks, mechanism. 64-04973A
slag studies of. 64-05030A
-resistance of nozzles, refractory, improved by BN additions. 64-04948A
-resistant coatings. 64-07073A
-resistant metal nitride surface, dual-coated. 64-07230P
of single grains, abrasive, during grinding. 64-01640A
strength, cemented carbide with. 64-04477P
wall, of glassmelting kilns, radioactive tracer determination. 64-04781A
- Weighing and weights,**
conveyor, of bulk materials, load cell assembly for. 64-00967P
feed material, particulate, method for. 64-02562P
powder or particle substances, continuously fed, apparatus for. 64-02535P
- Welding, electrodes. See Electrodes.**
- Welding,**
SiC, feasibility of. 64-07103A
to stainless steel. 64-04246A
absorbable-susceptor, of ceramics. 64-00884A
binderless, of SiC-base parts into solid bodies. 64-02849P
bracing, SiC, with Si-Co solder. 64-04401P
carbides, cemented, explanation of wettability problems. 64-04278A
ceramic, repair of coke oven walls by. 64-03656A
by hot isostatic pressing, with glass powder. 64-02028P
hot-, properties of MgO powders for. 64-03661A
machine, optical-fiber. 64-05368A
- Wells,**
oil, silicate/SiO₂ cement for, process using. 64-04669P
- Wettability,**
of Al₂O₃, polycrystalline, by liquid Al. 64-06146A
of fibers, refractory glass with water-soluble binders. 64-02233A
glass, reversing. 64-06326A
problems, when brazing cemented carbides, explanation of. 64-04278A
of refractories, oxide, by molten steel. 64-0471A
of silicon layer, and pyrolytic SiO₂ layer. 64-07404A
of substrates, ceramic, by low-temp. molten frits. 64-06279A
- Wetting,**
of refractories, by molten Fe. 64-02234A
- Whiskers. See Crystals and specific types.**
- Whiteware. See also Art and artwork; Dielectrics; Dinnerware; Insulators, electrical; Porcelain; Pottery; Tile.**
ASTM in. 64-00582A
from Iraq, clays for. 64-01118A
bodies, and glazes, water-soluble substances in. 64-05048A
in system SiO₂-ZrO₂-Fe₂O₃, as pigments for glazes. 64-03715A
temp. profile development. 64-00618A
celadon, Chinese properties and structure. 64-00588A
clay, decorated ware, method of making. 64-06538P
clay-based, factors affecting modulus of rupture. 64-06518A
coloring agents for, economic considerations during production. 64-03719A
compositions, fibrous clay-based. 64-00625P
decoration, with decals. 64-06525A
with paints and glazes containing Pb or Cd. 64-02279A
underglaze and overglaze, from application to firing. 64-06530A
design, Wedgewood's outlook. 64-05037A
faience with talc, fast single firing of. 64-00596A; 64-00597A
figurines, Kouion voice, xeroradiographic study. 64-02273A
from Myrina, X-ray and spectrographic analysis. 64-02282A
fragments, assessment of acid and base solubility. 64-00610A
glazes, Cone 3-6 data bank. 64-06510A
boroflux low-cost "sintered". 64-06506A
broken glass for. 64-03716A
corrosion problems. 64-00590A
fast firing. 64-00595A
metal effect. 64-03741P
opacified, state of the art in E. Europe. 64-03717A
porcelain, celestite for. 64-00584A
standards for Pb and Cd release from. 64-00617A
state of the art in E. Europe. 64-02260A; 64-02261A
surface decoration of. 64-03733A; 64-03734A
unlimited decoration with. 64-06331A
glazing of, laser spot. 64-06520A
hollow, decorating. 64-03799P
drain-cast, method of making. 64-06537P
industry, in Hungary, history of Herend porcelain factory, 1944-48. 64-05039A
economics in industrial planning. 64-00592A
kaolinite-muscovite-quartz, fired, properties. 64-02269A
matte surfaces, new style trend. 64-05042A
mix, thermal diffusivity, determination of. 64-00619A
molded, green, binder for. 64-03736P
nonisotering, polyborates as modifying agents. 64-02275A
one-piece, molding. 64-03743P
paving supports, compaction of. 64-06509A
pigments, coloring by cobalt. 64-00587A
zircon-based. 64-00623A
plates, extruded and rolled, reducing residual strain in. 64-06540P
method of making. 64-03738P
porcelain, decorative, electric kiln for firing. 64-00594A
- porous, single-row firing of. 64-06328A
properties, physical. 64-00607A
reformulation, by linear programming methods. 64-00614A
slip, control of properties. 64-00589A
effect of waters from different sources. 64-02272A
peculiarity of flow behavior. 64-03726A
slip-on support, for towel bar, method of making. 64-06336P
stains, Zr, VS, SnS. 64-06532P
surface effects, low-fire. 64-06522A
suspensions, colloidal. 64-00585A
deflocculating with Umform SF. 64-06504A
systems, illite-kaolinite-quartz, properties and phase changes. 64-02280A
tile, flow sheet for mfg. 64-02270A
selection of. 64-02278A
wall, texture, radio-polarization method for studying. 64-02277A
wall ceramics, determining frost resistance in lab. 64-02265A
fly-ash-based, factors, imparting high frost resistance. 64-03720A
- Windows. See Glass.**
- Windshields. See Glass.**
- Wire, welding. See Welding.**
- Wollastonite,**
annual ceramic mineral resources review. 64-07019A
-layered gasket, heat-resistant. 64-02865P
low-loss ceramics from. 64-06564A
phase analysis, chemical method for. 64-07026A
properties and applications, bibliographic study. 64-01148A
synthesized, from phosphogypsum, for tiles. 64-00622A
- Wustite,**
cation diffusion in, analysis of stoichiometry and temp. dependence. 64-04525A
- X rays,**
beam, diffracted from LiNbO₃ crystal, time modulation of. 64-02411A
excitation, of natural and Ag-doped quartz, decay of luminescence after. 64-03759A
image converter, made from thermoluminescent rare-earth oxyhalide phosphors. 64-02422P
with rare-earth oxyhalide phosphors. 64-04521P; 64-04522P
image-evaluation system, automatic. 64-02577A
phosphor, Tb-activated Gd oxyfluoride. 64-05892P
source, synchrotron radiation as. 64-04592A
tomography device, plane reconstruction ultrasound. 64-01073P
ultrasound. 64-01075P
- Young's modulus. See Elasticity.**
- Yttria. See Yttrium, Y₂O₃.**
- Yttrium,**
Si oxynitrides, method of making. 64-04405P
Y₂GeO₇, metastable modification of. 64-05751A
Y₂O₃, effect of content on properties of Y₂O₃-PSZ. 64-04298A
effect of precipitation procedure on sinterability. 64-04468A
effect of spray drying on sintering. 64-04272A
electrical conductivity and defect structure as function of water vapor pressure. 64-02763A
powder, microstructural development during sintering. 64-04308A
as refractory material. 64-00456A
thermodynamic properties. 64-01266A
Y₂O₃-Gd₂O₃, scintillators with transparency additive. 64-00799P; 64-00800P
scintillators, method for sintering. 64-01322P
Y₂Al₂O₇, translucent ceramics. 64-05589A
Y₂FeO₅, Ca-doped films, annealing effects and charge compensation mechanism. 64-03949A
single-crystal growth by top-seeded solution method. 64-06722A
YCrO₃, characterization of microcracks, using neutron scattering and elasticity measurements. 64-02975A
aluminates, and gallates, physicochemical properties. 64-05783A
synthesis by hydroxide coprecipitation. 64-01472A
chromites, structure and valency of Cr and O content. 64-00521A
ions, implanting at semiconductor/insulator interface. 64-03876P
- Zircon,**
4A, compressibility. 64-07079A
in Al₂O₃ binder, hydrocracking catalyst. 64-02867P
Na, intermediate-stage ion exchange in, role of cation valency. 64-02785A
NiMo/Al₂O₃ +, hydrosulfurizing catalyst. 64-04309A
-Ru-borane, catalyst composition. 64-01376P
SSZ-16. 64-05658P
Si-substituted, method of making. 64-04437P
Y-type, with improved crystallinity. 64-01373P
ZK 5, method of making. 64-04425P
ZSM-11, low-Na, method of making. 64-02871P
ZSM-22, synthesis with heterocyclic organic compound. 64-02913P
ZSM-23, synthesis. 64-02912P
ZSM-45, with dimethyldiethylenediammonium directing agent, method of making. 64-04415P
ZSM-5, with NH₄⁺ ions and amines, synthesis of. 64-04443P
method of making. 64-07430P
synthesis of. 64-07438P
- acid, with Al₂O₃, hydrothermal activation of. 64-01315P
activation, hydrothermal. 64-05625P; 64-07233P; 64-07412P
adsorbent, pressure-swing-adsorption O generator by. 64-05560A
of solvent vapors. 64-05513A
aluminosilicate, catalyst, method for supporting metal or metal oxide on. 64-07418P
catalytic activity of. 64-02856P; 64-07209P
crystalline, method of making. 64-01328P; 64-07219P; 64-07278P
preparation from SiO₂ and Al(OH)₃. 64-01346P
process for preparing with carboxylic acid. 64-05647P
-asbestos, catalysts. 64-05609P
catalysis in, shape-selective. 64-07162A
catalyst. 64-02854P
P-containing clay-derived. 64-01342P
activity, stability, and selectivity, factors affecting. 64-07136A
for carbometallic oil conversion. 64-02866P
cracking, mfg. of. 64-07218P
with improved stability. 64-07195P
with mordenite structure, synthesis of. 64-07274P
paraselective, treated with S compounds. 64-01341P
clinoptilolite, activation, structure, and catalytic properties. 64-05509A
conductors, solid proton, applications for. 64-04441P
-containing catalyst support, for denitrogenation of oil. 64-07302P
encapsulating material. 64-01374P
faujasite-type, dealumination with ion-exchange resins. 64-05613P
filler, for blended cement. 64-01700A
granular, effect of ionizing radiation on mechanical and sorption properties. 64-05909A
high-SiO₂, activated catalyst. 64-07201P
activity enhancement by treatment with alkaline aluminate. 64-01274P
transformations of alkylaromatic hydrocarbons over. 64-05574A
imaging of, color SEM. 64-01120A; 64-04201A
/kaolin-Al₂O₃/SiO₂ catalyst, cracking. 64-07217P
metal oxide matrix, cracking catalyst. 64-01334P
method of making. 64-07277P; 64-07440P
modified (Li, Ce, Cr, or Ag), catalyst for alkylating toluene. 64-02884P
modified (Mn, Fe, Cu, or Zn), catalyst for alkylating toluene. 64-02885P
molecular sieve, for producing H₂. 64-01336P
porous crystalline, desagglomeration of. 64-04501P
restoration. 64-01375P
structures, adsorption characteristics. 64-05511A
superhigh-SiO₂, transformations of piperylene over. 64-05871A
-supported Co catalysts, for conversion of synthesis gas to hydrocarbons. 64-04369A
synthesis, hydrothermal, from natural SiO₂-Al₂O₃. 64-07339A
from natural products. 64-05593A
synthetic, CO₂ and NH₃ adsorption heats on. 64-05663A
method of making. 64-04424P
toluene alkylation with methanol on. 64-04360A
transition-metal, catalyst, process studies with. 64-04322A
-type (borosilicate) catalyst, method of making. 64-04448P
type A, formation from aluminosilicate gels, factors affecting. 64-01212A
synthesis from Korean kaolin, reaction mechanism. 64-07375A
for ultrapurification of monosilane gas, in semiconductor production. 64-05591A
-water system, cohesive pressure in. 64-05669A
- Zeta potential,**
of particles, sedimentary, microelectrophoretic measurements. 64-02628A
- Zinc,**
KNaZnO₂, new oxoanion. 64-01429A
and Pb, reactions in cement mfg. 64-01748A
Zn₃P₂, films, properties. 64-02331A
ZnAl₂O₄, effect of LiF on formation. 64-01202A
formation, effect of nature of powders and firing atm. 64-04456A
ZnFe₂O₄, ferrite, order-disorder transitions during grinding. 64-03966A
ZnGeAs₂, growth and physical properties. 64-01408A
ZnNb₂O₇, study. 64-01599A
ZnO, annual ceramic mineral resources review. 64-07020A
catalyst carrier, for preparation of methyl methacrylate. 64-07202P
-char gasification process. 64-04239P
chemical transport and estimation of phase width. 64-00637A
containing Li, varistor. 64-03886P
determining phase width. 64-00647A
doped, varistor. 64-06676P
effect on property of alite. 64-06099A
electrophysical properties of surface during ion bombardment. 64-01484A
films, effect of O chemisorption on conductivity. 64-00631A
films, on Au film on fused quartz, crystalline properties. 64-06681A
films, post-deposition annealing of. 64-00693A
films, structure and morphology. 64-05181A
high-current fuse. 64-06622P

- humidity sensor. 64-00758P
metal-oxide-doped, stability in molten alkali carbonates. 64-06579A
nonlinear resistor. 64-00822P
piezoelectric films, synthesis of. 64-02438A
piezoelectric vibrator device. 64-00795P
varistors. 64-00820P
ZnO-Cr₂O₃, catalysts, strength of. 64-01229A
ZnO-Zn-based fluorescent material, for display tube. 64-00766P
ZnO-based, switching materials, for threshold or memory. 64-00729P
varistor substrate, with electronic components mounted on. 64-05252P
voltage-dependent resistor. 64-00821P
ZnS, effect of time factors on oxidation rate. 64-03772A
ZnS:TiMg-based phosphor, ir-emitting. 64-04504P
ZnSe, LPE growth with Sb₂Se₃ as solvent. 64-03792A
antireflective coating for. 64-00632A
films, growth by organometallic CVD. 64-02314A
films, refractive index in ir. 64-05171A
ZnTa₂O₇, new member of tri-a-PbO₂ type. 64-01599A
ZnTe, films, optimization of growth conditions. 64-00680A
films, switching mechanisms in. 64-05183A
black, selective solar absorber surfaces, evaluation of. 64-05139A
borate, compounds and glasses, ¹¹B NMR studies. 64-03191A
-containing pigments, based on stanniferous sphe. 64-0149A
-free glazes, ligation, for porcelain. 64-02284A
melt, interaction with aluminosilicate rammed material. 64-04964A
phosphide, photovoltaic cells with. 64-00794P
sulfide, hot-pressed and CVD, contact damage in. 64-01010A
refractive indices. 64-02332A
sulfide phosphors, effect of grinding on properties. 64-01398A
Zirconia. See also *Refractories; Zirconium*.
-Al₂O₃ mixes, fired properties of. 64-02769A
annual ceramic mineral resources review. 64-07021A
-based pigments. 64-00623A
brick, for teeming ladles, improved stability in structure of. 64-04957A
unburned, for ladles. 64-02229A
opacifiers, industrial production of. 64-04208A
plasma-dissociated, spherulites and phase separation. 64-01905A
refractory, bubble formation on, in Simax glassmelt. 64-04951A
reaction with molten steel. 64-06463A
transparent, method of protecting pigments with. 64-02961P
Zirconates,
of alkali-earth elements. 64-01489A
of alkaline-earth metals, possibility of preparing dense ceramics from. 64-07367A
composition, dielectric. 64-06611P
Zirconia. See *Zirconium dioxide, ZrO₂*.
Zirconium dioxide,
metastable tetragonal, production of. 64-07432P
-12 wt% Y₂O₃, microstructural evolution. 64-07133A
-5.2 mol% Y₂O₃, modulated structure formed by isothermal aging. 64-07135A
β-Al₂O₃ material with. 64-03848P
-Al₂O₃ powders, by Zr alkoxide hydrolysis. 64-04320A
distribution of ZrO₂ and Al₂O₃ in. 64-02757A
and Al-Mg alloy, solid-state reaction bonding of. 64-04343A
Ca-PSZ, Auger analysis of. 64-02742A
CaO-stabilized, grain growth in presence of liquid phase. 64-05099A
polarization of. 64-05156A
powders, sinterability of. 64-02825A
solid electrolytes, corrosion by molten silicate slags. 64-04254A
MgO-PSZ, commercial, microstructure evolution and ordering. 64-02799A
thermal stability of. 64-07186A
MgO-stabilized, lattice defect and O₂ self-diffusion in. 64-07127A
O pumping sensor, planar. 64-02400P
PSZ, from Australia, breaks into US market. 64-07069A
X-ray microanalysis of boundary phase. 64-07192A
effect of overaging on RT strength. 64-04270A
flow and fracture, effect of temp and loading rate on. 64-07121A
friction and wear of. 64-07108A
grain-boundary phase transformations during aging. 64-05715A
phase characterization, by Raman spectroscopy. 64-07361A
rhombohedral phase in. 64-07158A
single-crystal technology, development and extension of. 64-05525A
sintering aids for. 64-07167A
slip casting of. 64-04340A
-SiO₂ xerogels, and xerogel catalysts, method of making. 64-02881P
Y₂O₃-PSZ, crystalline phase change by annealing. 64-01192A
effect of Y₂O₃ content on phase composition and mechanical properties. 64-04296A
hot isostatic pressing of. 64-04291A
interfacial reactions with β-Al₂O₃. 64-07077A
plasma-spray coatings. 64-07193A
Y₂O₃-doped, tetragonal degraded, strength recovery in. 64-07177A
tetragonal, transformation by annealing in water. 64-07512A
Y₂O₃-stabilized, dependence of grain-boundary resistivity on grain-boundary density. 64-01195A
doped with Bi₂O₃, luminescence of. 64-02789A
growth of Si on. 64-05109A
in situ Raman spectroscopic study of attack by molten Na vanadate. 64-01224A
powders, role of Al₂O₃ in sintering. 64-07159A
single-crystal and polycrystalline, electrical conductivity. 64-01209A
and Al₂O₃, composite powder, method of making. 64-02893P
application of, for daily living. 64-04241A
-based coatings, forming by hot isostatic compaction. 64-03164P
-based concrete, porous, refractory heat-insulating material. 64-02119A
-based electrolyte, for O sensor. 64-05565A
-based ramming material, refractory. 64-05033P
body, preparation of. 64-07212P
catalysts, for O-containing hydrocarbons. 64-05643P
ceramics. 64-04599B; 64-04600B; 64-04601B
with high electrical resistance. 64-05623P
coatings, amorphous, from organometallic solutions. 64-01450A
by spray pyrolysis. 64-04692A
-containing refractories, method of making. 64-06498P
crystals, fabrication by pressureless sintering. 64-02768A
cubic, crystallization in Ca acetate solution. 64-02922A
monoclinic-stabilized, XRD study. 64-01571A
possible stabilization of. 64-04355A
cylinder head plate. 64-07260P
equation-of-state calculations, parameter-free. 64-07490A
fibers, synthesis of. 64-04354A
films, from Zr acetylacetonate, structure of. 64-01579A
dielectric, modification of optical and structural properties. 64-02322A
forsterite, composites, preparation and strength. 64-04319A
hydrated, reaction with phosphoric acid. 64-01455A
irradiated with uv and electrons, coloring of. 64-05899A
mechanical properties, and structural applications. 64-04307A
membrane, pH sensor. 64-02845A
metallized, method for improving porosity. 64-04398P
monoclinic, synthesis. 64-01262A
patents, trends of. 64-03842A
phase distributions and deformation structures, cathodoluminescence study. 64-06860A
powder, synthesis of. 64-07118A
tetragonal, metastability of. 64-05561A
powders, processing and characterization. 64-07150A
precipitated and calcined, effect of pH on crystal phase. 64-01206A
pump, O₂. 64-05202A
pure, XRD analysis of polymorphic mixes of. 64-01248A
reaction, thermoactivated, with SiO₂. 64-01482A
refractories, moldable, with aluminous hydraulic binder. 64-05034P
-reinforced body, with high crack arrestability. 64-05605P
role in glasses, Na₂O-MO₂-SiO₂. 64-00223A
science and technology of. 64-05996B
sensor, for automobiles. 64-03844A
for combustion equipment. 64-03845A
for making steel. 64-03748A
sintering and stabilization, effect of thermal cycling on. 64-02783A
structure and ionic mobility, at high temp. 64-04351A
toughened, for adiabatic diesels. 64-04368A
ceramics, limitation of max strength. 64-05559A
transformation-toughened. 64-07190A
-type black decorative article, method of making. 64-04449P
Zirconium, silicate. See *Zircon*.
Zirconium,
Zr...V₂SiO₄, blue pigment, preparation of. 64-02943A
ZrO₂, in glasses, determination by vapor phase dissolution. 64-04079A
Zr(IV) oxide, content in silicates, photometric determination. 64-05410A
ZrC, precipitation of, thermodynamic equilibrium. 64-05664A
ZrN_x, calculation of electron spectra. 64-05517A
-containing ceramics, corrosion-resistant, for chemical apparatus. 64-01189A
-doped β-Al₂O₃. 64-03847P
hydride-modified Al/siliceous gel, compositions. 64-01515P
minerals, low activity, health aspects. 64-01612A
phosphosilicate, methods of making. 64-07424P
-rich refractories, glass resistance of. 64-00477A
role in nucleation and crystallization, of SiO₂, Al₂O₃, MgO, ZnO glass. 64-06246A

Abstracts from the following journals appear in the 1985 issues of **Ceramic Abstracts**:

AICHe [American Institute of Chemical Engineers] Journal
 ASTM [American Society for Testing and Materials]
 Standardization News
 Advances in Ceramics 8
 Advances in Ceramics 9
 Advances in Ceramics 10
 Advances in Physics
 American Association of Petroleum Geologists Bulletin
 American Ceramic Society Bulletin
 American Glass Review
 American Laboratory
 Anales de Quimica, [Series] B
 Analyst (London)
 Analytical Chemistry
 Applied Optics
 Archaeometry
 Archiv fuer das Eisenhuettenwesen
 Archiwum Hutnictwa
 Archiwum Inzynierii Ladowej
 Archiwum Mechaniki Stosowanej

Baustoffindustrie
 Biomaterials
 Boletin de la Sociedad Espanola de Ceramica y Vidrio
 Brick and Clay Record
 British Ceramic Transactions and Journal
 Building Research Establishment Digest
 Bulletin of the Bismuth Institute

CFI [Ceramic Forum International/Berichte der Deutschen
 Keramischen Gesellschaft]
 CIM [Canadian Institute of Mining and Metallurgy] Bulletin
 Canadian Clay & Ceramics Quarterly
 Canadian Journal of Physics
 Canadian Mineralogist
 Cement-Wapno-Gips
 Cemento
 Central Glass and Ceramic Research Institute Bulletin
 Ceramic Engineering and Science Proceedings
 Ceramic Industries Journal
 Ceramic Industry
 Ceramica (Florence)
 Ceramica (Sao Paulo)
 Ceramica Informazione
 Ceramica y Cristal
 Ceramics International
 Ceramics Monthly
 Chemia Stosowana
 Chemical Engineering (New York)
 Chemical & Engineering News
 Chemical Week
 Chemicke Zvesti
 Chemtech
 Ciments, Betons, Plâtres, Chaux
 Colloids and Surfaces
 Cuadernos I.A.D.I.C. [Instituto Argentino de
 Investigaciones Ceramicas]

Denshi Tsushin Gakkai Ronbunshi, [Series] E
 Doklady Akademii Nauk SSSR

Earth and Mineral Sciences
 Electric Technology USSR (Engl. Transl.)
 Electronic Packaging and Production
 Electronics
 Engineering and Fracture Mechanics
 Engineers Australia

Epitoanyag
 EuroClay

F C [Fine Ceramics] Report [Japan]
 Faenza
 Fizika Tverdogo Tela (Leningrad)
 Fizika i Khimiya Stekla

Geokhimiya
 Glass Industry
 Glass Technology
 Glass Udyog
 Glastechnische Berichte
 Gold Bulletin
 Guangxue Xuebao
 Guisuanyan Xuebao
 Gypsum & Lime (Sekko to Sekkai)

Hutnik
 Hybrid Circuits

IEEE [Institute of Electrical and Electronics Engineers]
 Transactions on Components, Hybrids, and
 Manufacturing Technology
 Indian Journal of Chemistry, [Section] A
 Indian Journal of Pure and Applied Physics
 Indian Journal of Technology
 Industria Italiana dei Laterizi
 Industria Usoara
 Industrial Finishing (Wheaton, Ill.)
 Industrial Heating
 Industrial Laboratory (Engl. Transl.)
 Industrial Minerals (London)
 Industrial & Engineering Chemistry, Fundamentals
 Industrial & Engineering Chemistry, Process Design and
 Development

Industrie Ceramique
 Instruments & Control Systems
 International Journal for Hybrid Microelectronics
 International Journal of Fracture
 Iron and Steel Engineering
 Iron and Steelmaker
 Izvestiya Akademii Nauk SSSR, Metallurgy
 Izvestiya Akademii Nauk SSSR, Neorganicheskie Materialy
 Izvestiya Akademii Nauk SSSR, Seriya Fizicheskaya
 Izvestiya Akademii Nauk SSSR, Seriya Khimicheskaya

Japanese Journal of Applied Physics
 Journal of Applied Crystallography
 Journal of Applied Physics
 Journal of Archaeological Science
 Journal of Biomedical Materials Research
 Journal of Chemical Physics
 Journal of Chemical Technology and Biotechnology
 Journal of Composite Materials
 Journal of Crystal Growth
 Journal of Materials for Energy Systems
 Journal of Materials Science
 Journal of Materials Science Letters
 Journal of Non-Crystalline Solids
 Journal of Physics and Chemistry of Solids
 Journal of Prosthetic Dentistry
 Journal of Scientific and Industrial Research
 Journal of Sedimentary Petrology
 Journal of Solid State Chemistry
 Journal of the American Ceramic Society
 Journal of the Australian Ceramic Society

Journal of the Canadian Ceramic Society
 Journal of the Electrochemical Society
 Journal of the Indian Chemical Society
 Journal of the Indian Institute of Science
 Journal of the Optical Society of America A: Optics and Image Science
 Journal of the Optical Society of America B: Optical Physics
 Journal of the Physical Society of Japan
 Journal of the Physics and Chemistry of Solids

Kagaku Gijutsu Kenkyusho Hokoku
 Keramische Zeitschrift

Lietuvos Fizikos Rinkiny

MASCA [Museum Applied Science Center for Archaeology] Journal
 Machine and Tool Blue Book
 Materiale de Constructii (Bucharest)
 Materials and Design
 Materials Letters
 Materials Performance
 Materials Research Bulletin
 Materials Research Society Symposium Proceedings
 Materials Science and Engineering
 Materials Science Forum
 Materials Science and Technology
 Mechanik
 Medical Device and Diagnostic Industry
 Medycyna Pracy
 Memoires Scientifiques de la Revue de Metallurgie
 Metallurgia (Bucharest)
 Midwest Engineer
 Mitteilungen des Vereins Deutscher Emailfachleute e.V. und des Deutschen EMAIL-Zentrums e.V.
 Monografias del Instituto Eduardo Torroja de la Construcción y del Cemento

NASA [National Aeronautics and Space Administration] Tech Briefs
 NCECA [National Council on Education for the Ceramic Arts] Journal
 Nafta (Katowice, Poland)
 Nagoya Kogyo Gijutsu Shikensho Hokoku
 Neue Huette
 Nippon Kagaku Kaishi

Ogneupory
 Optics and Spectroscopy (Engl. Trans.)

Periodica Polytechnica, Chemical Engineering
 Philosophical Magazine, [Part] A: Defects and Mechanical Properties
 Philosophical Magazine, [Part] B: Electronic, Optical and Magnetic Properties
 Physical Review [Section] B: Condensed Matter
 Physics and Chemistry of Glasses
 Pomiary, Automatyka, Kontrola
 Postepy Fizyki
 Powder Metallurgy International
 Powder Technology
 Prace Instytutu Podstawowych Problemow Techniki
 Praktische Metallographie
 Proceedings of the 1984 International Symposium on Microelectronics
 Proceedings of the Indian Academy of Science, [Section] A
 Process Engineering
 Progress in Crystal Growth and Characterization
 Przegląd Mechaniczny
 Przegląd Telekomunikacyjny
 Przemysł Chemiczny

RCA [Radio Corporation of America] Review
 Radex Rundschau

Refractories Journal
 Research and Development
 Research in Inorganic Materials [Shanghai Institute of Ceramics]
 Review of the General Meeting, Technical Session, Cement Association of Japan
 Revista de Chimie (Bucharest)
 Revue Generale de Thermique
 Revue Internationale des Hautes Temperatures et des Refractaires
 Revue Roumaine de Chimie
 Revue Roumaine de Physique
 Revue Roumaine des Sciences Techniques, Serie Electrotechnique et Energetique
 Rivista della Stazione Sperimentale del Vetro (Murano, Italy)
 Rozprawy Elektrotechniczne

Scanning
 Science (Washington, D.C.)
 Seramikkusu
 Silicates Industriels
 Silikattechnik
 Silikaty
 Sklar a Keramik
 Solar Energy
 Solid State Technology
 South African Ceramic Society Symposium Proceedings
 Soviet Powder Metallurgy and Metal Ceramics (Engl. Transl.)
 Sprechsaal
 Stahl und Eisen
 Stavivo
 Steel India
 Steel Times
 Steklo i Keramik
 Stroitel'nye Materialy
 Studii si Cercetari de Geologie, Geofizica, Geografie
 Szklo i Ceramika

TIZ, Tonindustrie-Zeitung
 Taikabutsu
 Taikabutsu Overseas
 Tetsu to Hagané
 Thermochemica Acta
 Thin Solid Films
 Transactions of the Indian Ceramic Society
 Transactions of the Iron and Steel Institute of Japan
 Transactions of the Japanese Welding Research Institute
 Trudy Moskovskogo Khimicheskogo-Tekhnologicheskogo Instituta Keramicheskoi Promyshlennosti
 Tsement

Ukrainskii Khimicheskii Zhurnal (Russian Ed.)

Verres et Refractaires
 Vitreous Enameller

Wear
 Welding Journal (Miami)
 World Cement

Yogyo Kyokaishi
 Yooop Hakhoechi (Journal of the Korean Ceramic Society)

ZI, Ziegelindustrie International
 ZKG, Zement-Kalk-Gips, Ed. A
 Zairyo
 Zeitschrift fuer Anorganische und Allgemeine Chemie
 Zeitschrift fuer Metallkunde
 Zeolites
 Zhurnal Analiticheskoi Khimii
 Zhurnal Eksperimental'noi i Teoreticheskoi Fiziki
 Zhurnal Neorganicheskoi Khimii

Officers of the American Ceramic Society, 1985-86

President: Edwin Ruh, Rutgers University

President-Elect: Joseph L. Pentecost, Georgia Institute of Technology

Vice Presidents:

Robert J. Eagan, Sandia National Labs

Gerard G. Litvan, National Research Council of Canada

William H. Rhodes, GTE Labs, Inc.

John F. Svet, B&B Refractories, Inc.

Treasurer: Dale E. Niesz, Battelle, Columbus Div.

Basic Science Division

Trustee: Roy W. Rice (1987), W. R. Grace & Co.

Chairman: Richard E. Tressler, Pennsylvania State University

Chairman-Elect: Anthony G. Evans, University of California, Berkeley

Vice Chairman: Nancy J. Tighe, National Bureau of Standards

Secretary: George Y. Onoda, IBM Corp., T. J. Watson Research Center

Cements Division

Trustee: J. Francis Young (1987), University of Illinois

Chairman: Rolf F. Feldman, National Research Council of Canada

Chairman-Elect: Douglas N. Winslow, Purdue University

Secretary: Christine A. Langton, DuPont Savannah River Lab

Design Division

Trustee: Kenneth W. Sproson (1986), Sproson Designs, Inc.

Chairman: Donald E. Frith, University of Illinois

Chairman-Elect: Herbert I. Dann, Jr., Corning Glass Works

Vice Chairman: William A. Prindle, Corning Glass Works

Secretary: Richard H. Swenson, Bennington Pottery, Inc.

Electronics Division

Trustee: Henry M. O'Bryan (1987), AT&T Bell Labs

Chairman: Robert C. Pohanka, Office of Naval Research

Chairman-Elect: Robert J. Bouchard, E. I. du Pont de Nemours & Co., Inc.

Vice Chairman: John B. Blum, Rutgers University

Secretary: William L. Robbins, C. S. Draper Labs

Engineering Ceramics Division

Trustee: Seymour A. Bortz (1988), IIT Research Institute

Chairman: Frank D. Gac, Los Alamos National Lab

Chairman-Elect: Donald R. Messier, U. S. Army Materials Technology Lab

Vice Chairman: David C. Larsen, IIT Research Institute

Secretary: David E. Clark, University of Florida

Counselor: Joseph J. Gebhardt (1986), General Electric Co.

Counselor: Seong K. Rhee (1987), Allied Automotive Sector

Glass Division

Trustee: John R. Hutchins III (1986), Siecor Corp.

Chairman: Arun K. Varshneya, Alfred University

Chairman-Elect: Donald R. Uhlmann, Massachusetts Institute of Technology

Vice Chairman: Cornelius T. Moynihan, Rensselaer Polytechnic Institute

Secretary: Thomas P. Seward III, Corning Glass Works

Materials & Equipment Division

Trustee: William G. Coulter (1986), Fusion Ceramics, Inc.

Chairman: Randall L. Johnson, R. T. Vanderbilt Co., Inc.

Chairman-Elect: Fred C. McMann, North American Mfg. Co.

Vice Chairman: Cameron G. Harman, Jr., American Technology Services Corp.

Secretary: John C. Meiman, Hammond Lead Products, Inc.

Nuclear Division

Trustee: Terrence B. Lindemer (1988), Oak Ridge National Lab

Chairman: D. Thomas Rankin, E. I. du Pont de Nemours & Co., Inc.

Vice Chairman: Ronald L. Gibby, Westinghouse Hanford Co.

Secretary: Ian J. Hastings, Atomic Energy of Canada, Ltd.

Refractories Division

Trustee: Richard C. Bradt (1987), University of Washington

Chairman: Louis J. Trostel, Jr., Norton Co.

Vice Chairman: Robert E. Farris, Kaiser Refractories

Secretary: Charles R. Beechan, Bethlehem Steel Corp.

Structural Clay Products Division

Trustee: Roger C. Stoen (1987), Dickey Co.

Chairman: Edward L. Collins, General Ceramic Equipment Co.

Chairman-Elect: James A. McMillin, Henderson Clay Products, Inc.

Vice Chairman: Harvey P. Cahoon, Interstate Brick Co.

Secretary: John S. Steele, J. C. Steele & Sons, Inc.

Whitewares Division

Trustee: Neil H. O'Brien (1986), R. T. Vanderbilt Co., Inc.

Chairman: Cullen L. Hackler, Pemco Products Group, Mobay Chemical Corp.

Chairman-Elect: Daniel A. O'Brien, Harrop Industries, Inc.

Vice Chairman: Ronald J. Thomas, Artesian Industries

Secretary: James S. Reed, Alfred University

Ceramic Educational Council

Trustee: David R. Wilder (1986), Iowa State University

President: Clifton G. Bergeron, University of Illinois

President-Elect: Lisa C. Klein, Rutgers University

Vice President: Minoru Tomozawa, Rensselaer Polytechnic Institute

Secretary-Treasurer: Robert J. Eagan, Sandia National Labs

National Institute of Ceramic Engineers

Trustee: Thomas S. Shevlin (1986), Ohio University

President: Y. S. Kim, AT&T Bell Labs

President-Elect: Thomas D. McGee, Iowa State University

Vice President: William C. Mohr, Ferro Corp., Refractories Div.

Secretary-Treasurer: Chris Tina McLeod, Aluminum Co. of America

Permanent Secretary: Winston Duckworth, Battelle, Columbus Div.

Ceramic Abstracts

1985

W. PAUL HOLBROOK, *Executive Director and Publisher*
WILLIAM J. SMOTHERS, *Editor*
SHERRON C. BAILEY, *Managing Editor*
CRAIG N. PACKARD, *Associate Editor*
THOMAS O. MOONEY, *Indexer*

Committee on Publications: RICHARD A. EPPLER, *Chair*;
VICTOR A. GREENHUT, JOHN F. MACDOWELL,
DALE E. NIESZ, ROY W. RICE; *Ex officio members:*
LISELOTTE J. SCHIOLER, WILLIAM J. SMOTHERS, and W. PAUL HOLBROOK

Technical Services Director: GREG FISHER

Compiled by
The American Ceramic Society, Inc.
65 Ceramic Drive
Columbus, Ohio 43214

ABSTRACTERS FOR 1985

David Agranov (Israel)
M. J. Bannister (Australia)
Maynard P. Bauleke
James J. Beaudoin (Canada)
Alan Bleier
John B. Blum
Fennimore N. Bradley
Bohus Brezny
Pawel Cichy
Given W. Cleek
Edna A. Dancy (Canada)
J. L. Drummond
Richard A. Eppler
J. E. Gillott (Canada)
Irwin Gordon
Lewis C. Hoffman
Yasuro Ikuma (Japan)
Toru Kishii (Japan)

Jiri Kristek (Czechoslovakia)
Binod Kumar
Vilem Loos (Czechoslovakia)
A. J. Liang
Grant Lu
Kensaku Maruyama (Japan)
James Mathew
Christopher Maurer
Robert Morena
James L. Murphy
Paul S. M. Oh (Korea)
Victor R. Palmeri
L. F. Pau (Switzerland)
W. W. Perkins
V. S. Ramachandran (Canada)
Venkat K. Raman
Roy W. Rice
Edmund L. Sargent

Michael J. Selsley
Riccardo Sersale (Italy)
Harold Severin
R. G. Shah (India)
William J. Smothers
Shigeyuki Somiya (Japan)
Vaclav Stochl (Czechoslovakia)
Susan R. Strong
N. Suryanarayana (India)
Ferenc Tamas (Hungary)
R. L. Thakur (India)
O. J. Whittemore, Jr.
David T. Williams
R. K. Wood
Plamen D. Yankulov (Bulgaria)
William J. Zhong

New Abstracters Welcome

Ceramic Abstracts needs abstracters for the following periodicals. Information is available from the Associate Editor, Ceramic Abstracts, The American Ceramic Society, Inc., 65 Ceramic Drive, Columbus OH 43214.

Advanced Materials and Processes
Annalen der Physik (Leipzig)
Annali di Chimica (Rome)
Applied Surface Science

Boletim ATBIAV [Associacao Tecnica Brasileira das Industrias Automaticas de Vidro]
Boletin Tecnico-Centro Nacional de Informacion Cientifico-Tecnica del Ministerio de la Industria Basica: Vidrio
Buletinul Institutului Politehnic din Iasi
Bulletin of the Chinese Silicate Society

Canadian Journal of Spectroscopy
Carbon
Cement and Concrete Research
Cement-Wapno-Gips
Cemento-Hormigon
Ceramica y Hogar
Ceramics International
Cercetari Metalurgice
Chemical Applications of Nonlinear Raman Spectroscopy
Chemische Berichte
Chemische Industrie International (Engl. Transl.)

Electrical Communication
Elektricheskie i Opticheskie Svoistva Poluprovodnikov
Elektrofizicheskaya Apparatura
Email Metal
Euroclay

Ferroelectrics
Fizika i Khimiya Neorganicheskikh Materialov
Fizika i Tekhnika Poluprovodnikov
Fizika Metallov i Metallovedenie
Fundamentals of Optical Fiber Communications

Glass
Glass and Enamel
Glass International
Guisuanyan Xuebao (Journal of the Chinese Silicate Society)

High Temperature

Industria Italiano dei Laterizi
Industrial Laboratory (Engl. Transl.)
International Journal of Mass Spectrometry and Ion Physics
International Journal of Quantum Chemistry
International Journal of Solids and Structures
Inzhenerno-Fizicheskii Zhurnal
Izvestiya Akademii Nauk SSSR, Metally

Journal of Colloid and Interface Science
Journal of Energy
Journal of Engineering Education
Journal of Engineering for Industry
Journal of Engineering for Power
Journal of Materials for Energy Systems
Journal of Nondestructive Evaluation
Journal of Optics
Journal of Solid-State Chemistry
Journal of the American Dental Association

Keio Science and Technology Reports
Keramik Magazin

Khimicheskaya Promyshlennost, Seriya Stekloplastiki i Steklovokno
Klei/Glas/Keramik
Kobutsugaku Zasshi

Legkaya Promyshlennost
Lietuvos Fizikos Rinkiny

Materials Evaluation
Materials Science Forum
Mechanical Engineering
Metallurgia Italiana
Molecular Crystals and Liquid Crystals

Notiziario Informativo-Centro Italiano Smalti Porcellanati
Nuclear Engineering
Nuclear Instruments & Methods in Physics Research, Section B, Beam Interactions with Materials and Atoms

Periodica Polytechnica, Chemical Engineering
Proceedings of the Institution of Electrical Engineers
Proceedings of the Swedish Cement and Concrete Research Institute Processing

Refrattari
Refrattari e Laterizi
Revue Roumaine de Chimie
Revue Roumaine des Sciences Techniques, Serie Electrotechnique et Energetique
Revista da Sociedade Portuguesa de Ceramica e Vidro
Rost Kristallov
Russian Journal of Physical Chemistry

Schweizerische Mineralogische und Petrographische Mitteilungen
Science of Sintering
Science Progress (Oxford)
Semento Konkuriito
Separation Science Technology
Solid State Communications
Soviet Powder Metallurgy and Metal Ceramics (Engl. Transl.)
Steklo, Sitaly, i Silikaty

Tokyo Kogyo Shikensho Hokoku
Transactions of the American Crystallographic Association [non-metallic]
Transactions of the American Nuclear Society
Trudy Gosudarstvennogo Nauchno-Issledovatel'skogo Instituta Keramicheskoi Promyshlennosti
Tschermarks Mineralogische und Petrographische Mitteilungen

Uzbekskii Khimicheskii Zhurnal



Vide, les Couches Minces
Vzaimodeistvie Ogneuporov s Metallami i Shlakami

Welding Engineer
Woman Engineer

Zeitschrift fuer Physikalische Chemie
Zeitschrift fuer Werkstofftechnik
Zeszyty Nauk Akademii Gorniczno-Hutniczej im Stanislaw Staszica, Ceramika
Zhurnal Tekhnicheskoi Fiziki

Ceramic Abstracts
The American Ceramic Society, Inc.
65 Ceramic Drive
Columbus, Ohio 43214

HREM OF ZIRCONIA-TOUGHENED ALUMINA: I INTERGRANULAR ZIRCONIA



High-resolution imaging is used to examine the interface structure in ZrO_2 -toughened Al_2O_3 . ZrO_2 twins during the martensitic tetragonal to monoclinic phase transformation to minimize the shape change. The twin boundaries are coherent, while the $\text{ZrO}_2/\text{Al}_2\text{O}_3$ interface involves an amorphous wetting phase, $\sim 10 \text{ \AA}$ thick.

Sabine Kraus
A. H. Heuer
T. E. Mitchell
Case Western Reserve University
TEM

From the 87th Annual Meeting Ceramographic Exhibit

